

Sri Lanka

Department of Census and Statistics, Ministry of Finance and Planning

Survey of Demographic and Social Aspects - 1986-1987

Study Documentation

November 6, 2009

Metadata Production

Metadata Producer(s)	Department of Census and Statistics (DCS) , Minstry of Finance & Planning , Data Collection
Production Date	November 11, 2009
Version	Version 1.0 (March 2009).
Identification	DDI-LKA-DCS-DSA-1986-87-v1.0

This document was generated using the [IHSN Microdata Management Toolkit](#)

Table of Contents

Overview	1
Scope & Coverage	2
Producers & Sponsors	2
Sampling	2
Data Collection	3
Data Processing & Appraisal	3
Accessibility	4
Rights & Disclaimer	5
Files Description	6
Identification Information	6
Section 1 : Personal Information	6
Information on Migration (Section 2)	6
Information on Migration (Section 2)	6
Information on Migration (Section 2)	7
Information on Migration (Section 2)	7
Information on Health (Section 3)	7
Information on Health (Section 3)	7
Information on Health (Section 3)	8
Information on Health (Section 3)	8
Information on Health (Section 3)	8
Information on Health (Section 3)	8
Information on Health (Section 3)	9
Information on Health (Section 3)	9
Information on Health (Section 3)	9
Information on Health (Section 3)	9
Information on Health (Section 3)	9
Information on Health (Section 3)	10
Information on Health (Section 3)	10
Information on Health (Section 3)	10
Information on Health (Section 3)	10
Information on Housing (Section 4)	10
Information on Housing (Section 4)	11
Information on Cultural, Recreational, Religious and Social Activities (Section 5)	11
Information on Cultural, Recreational, Religious and Social Activities (Section 5)	11
Information on Cultural, Recreational, Religious and Social Activities (Section 5)	11
Information on Cultural, Recreational, Religious and Social Activities (Section 5)	12
Information on Cultural, Recreational, Religious and Social Activities (Section 5)	12
Variables List	13
Identification Information	13
Section 1 : Personal Information	14
Information on Migration (Section 2)	15
Information on Migration (Section 2)	16
Information on Migration (Section 2)	18
Information on Migration (Section 2)	19
Information on Health (Section 3)	20
Information on Health (Section 3)	23
Information on Health (Section 3)	24
Information on Health (Section 3)	26

Information on Health (Section 3)	28
Information on Health (Section 3)	30
Information on Health (Section 3)	32
Information on Health (Section 3)	34
Information on Health (Section 3)	36
Information on Health (Section 3)	37
Information on Health (Section 3)	38
Information on Health (Section 3)	40
Information on Health (Section 3)	42
Information on Housing (Section 4)	43
Information on Housing (Section 4)	45
Information on Cultural, Recreational, Religious and Social Activities (Section 5)	47
Information on Cultural, Recreational, Religious and Social Activities (Section 5)	49
Information on Cultural, Recreational, Religious and Social Activities (Section 5)	51
Information on Cultural, Recreational, Religious and Social Activities (Section 5)	53
Information on Cultural, Recreational, Religious and Social Activities (Section 5)	55
Variables Description	58
Identification Information	58
Section 1 : Personal Information	68
Information on Migration (Section 2)	76
Information on Migration (Section 2)	87
Information on Migration (Section 2)	101
Information on Migration (Section 2)	108
Information on Health (Section 3)	122
Information on Health (Section 3)	141
Information on Health (Section 3)	158
Information on Health (Section 3)	173
Information on Health (Section 3)	190
Information on Health (Section 3)	202
Information on Health (Section 3)	219
Information on Health (Section 3)	230
Information on Health (Section 3)	248
Information on Health (Section 3)	254
Information on Health (Section 3)	261
Information on Health (Section 3)	277
Information on Health (Section 3)	296
Information on Housing (Section 4)	307
Information on Housing (Section 4)	321
Information on Cultural, Recreational, Religious and Social Activities (Section 5)	335
Information on Cultural, Recreational, Religious and Social Activities (Section 5)	360
Information on Cultural, Recreational, Religious and Social Activities (Section 5)	384
Information on Cultural, Recreational, Religious and Social Activities (Section 5)	403
Information on Cultural, Recreational, Religious and Social Activities (Section 5)	420
Documentation	447

Sri Lanka (1986-1987)

Survey of Demographic and Social Aspects - 1986-1987 (DSA 1986-87)

Overview

Type	Demographic and Health Survey, Special [hh/dhs-sp]
Identification	LKA-DCS-DSA-1986-87-v1.0
Version	Production Date: 2009-03-12 v1.0: Full edited dataset, original version for internal DPD use.
Series	The Survey of - Demographic and Social Aspects - 1986/87 was the fourth in the series of surveys conducted by the Department of Census and Statistics under the National Household Survey Capability Programme(NHCSP) of the United Nations.

Abstract

The survey provides comprehensive information on demographic characteristics, Migration, Health, Housing and Access to Basic Amenities and Cultural Aspects. Demographic information has been collected to cross classify variables of other section viz migration, health etc; by demographic characteristics of the population.

Information on internal migration was one of the subjects which has been covered in this survey. In addition to fertility and mortality, the third factor affecting population change in a given area is migration. The movement of population from one area to another affects its age, sex composition and geographical distribution. This movement of population within the national boundaries of a country is called the internal migration and the movement across the national boundaries is called the international migration. This survey provide information on long term, medium term as well as short term migration.

Information on health status of its population and utilization of health services is a basic requirement for planning and evaluation of health services in the country and for monitoring the health status of the population. This survey gathered information on health such as age, sex, distribution of these patients, their household income, employment, household size and composition, their housing conditions, sources of water for drinking, toilet facilities available for them etc. which generally cannot be obtained through service statistics. Information on Housing and Access to Basic Amenities were also collected in this survey. Detailed information on housing, which are very essential for planning and policy formulation in this area were collected through this survey. Information on Cultural and Recreational activities were also collected at this survey such as usage of cinemas, theatres and libraries, participation in cultural events etc.

Kind of Data	Sample survey data [ssd]
Unit of Analysis	Household, Individuals

Scope & Coverage

Scope

The scope of DSA 1986-1987 includes the following key sections:-

- Personal Information
- Internal Migration
- Chronic illness
- Accidents
- Disability
- Health Services
- Information of Children born last 24 Months
- Immunization
- Housing Characteristics
- Amenities and Environments Sanitation
- Those who Renting Accommodation
- Distance to the Nearest Places
- Ownership of Transport Equipment
- Household Equipment
- Regarding Books Magazines and Newspapers
- Spending Time of Recreational / Cultural Activities
- Purpose of Participation in any Cultural Activity as a Producer
- Purpose of Participation in Sports Activities
- Purpose of Participation in Religious / Social Activities.

Topics

DEMOGRAPHY AND POPULATION [14], HEALTH [8], SOCIETY AND CULTURE [13], housing [10.1]

Geographic Coverage

National coverage.

Universe

Housing units representing all the districts & sectors of the country

Producers & Sponsors

Primary Investigator(s)

Department of Census and Statistics, Ministry of Finance and Planning

Funding Agency/ies

Government of Sri Lanka (GOSL)
United States Agency for International Development (USAID)

Other Acknowledgment(s)

Sampling

Sampling Procedure

A sample of 25,000 housing units, representing all the districts and sectors of the country was selected for the survey to give estimates at district level. The sample was spread over a period of 12 months to cover the seasonal fluctuations of some variables collected in the survey.

Data Collection	
Data Collection Dates	start 1986-06-01 end 1987-05-31
Data Collection Mode	Face-to-face [f2f]
<u>Data Collection Notes</u> Field data Collection The collection of data was done by approximately 250 Statistical Investigators who belong to the permanent field staff of the Department of Census and Statistics, were primarily involved in the listing and survey operations.	
Data Collector(s)	Department of Census and Statistics (DCS) , Ministry of Finance and Planning
<u>Supervision</u> Statistical officers attached to 25 administrative districts functioned as immediate supervising officers.	

Data Processing & Appraisal
<p><u>Data Editing</u></p> <p>Data entry checks· Range checks and a number of other simple edit checks were performed on the data entry machines (key to disk) while the data was being keyed.</p> <p>Computer edits Most of the edits performed manually were incorporated in the computer edits and the data was thoroughly cleaned before the working master files were created. The computer edit consists of three parts. (i) Structural edit (ii) Range edit (iii) Consistency checks within sections and between sections</p>
<p><u>Other Processing</u></p> <p>Data processing included the following steps.</p> <ol style="list-style-type: none"> 1. Counting and accepting the filled questionnaires by the DP Division 2. Do a visual check for completeness 3. Preliminary editing and marking codes 4. Entry of data 5. Run edit program for each District batch 6. Produce error report and return to the Survey office 7. Correction of errors on the report 8. Change incorrect data using the corrected error report 9. Re-run the edit program and repeat the error correction procedure 10. Produce final report on clean data with a backup of clean data. <p>After all batches have been processed, all data files were combined together and then the following activities were done :-</p> <ol style="list-style-type: none"> 11) Re-coding of variables needed for analysis 12) Adding sample weights 13) Tabulations

Accessibility	
Access Authority	Director General (Department of Census and Statistics) , http://www.statistics.gov.lk , dgcensus@slt.net.lk
Contact(s)	Information Unit (Department of Census and Statistics) , http://www.statistics.gov.lk , information@statistic.gov.lk Sample Survey Division (Department of Census and Statistics) , http://www.statistics.gov.lk , Sample.survey@statistic.gov.lk
<p><u>Confidentiality</u></p> <p>Under the Statistical ordinance, micro data cannot be released with identifications for public use. Procedures are in place to ensure that information relating to any particular individual person, household or undertaking will be kept strictly confidential and will not be divulged to external parties. Information on individual or individual Household/establishment will not be divulged or published in such a form that will facilitate the identification of any particular person or establishment as the data have been collected under the Census/Statistical ordinance, according to which the information at individual level cannot be divulged and such information is strictly confidential.</p>	
<p><u>Access Conditions</u></p> <p>The dataset has been anonymized and is available as a Public Use Dataset. It is accessible to all for statistical and research purposes only, under the following terms and conditions:</p> <ol style="list-style-type: none"> 1. The data and other materials will not be redistributed or sold to other individuals, institutions, or organizations without the written agreement. 2. The data will be used for statistical and scientific research purposes only. They will be used solely for reporting of aggregated information, and not for investigation of specific individuals or organizations. 3. No attempt will be made to re-identify respondents, and no use will be made of the identity of any person or establishment discovered inadvertently. 4. No attempt will be made to produce links among datasets provided by the Department or among data from the Department and other datasets that could identify individuals or organizations. 5. Any books, articles, conference papers, theses, dissertations, reports, or other publications that employ data obtained from the Department will cite the source of data in accordance with the Citation Requirement provided with each dataset. 6. An electronic copy of all reports and publications based on the requested data will be sent to the Department <p>The following rules apply to micro data released by the Department of Census and Statistics.</p> <ul style="list-style-type: none"> • Only the requests of Government Institutions, Recognized Universities, Students, and selected international agencies are entertained. However, the Data users are required to strictly adhere to the terms stipulated in the agreement form. • All the data requests should be made to Director General (DG) of the DCS as the sole authority of releasing data is vested with the DG, DCS. DCS of Sri Lanka reserves sole right to approve or reject any data request made depending on the confidential nature of the data set and intended purpose of the study or analysis. • Requests for micro data should be made through the agreement form designed by DCS for this purpose (Form D.R.1). The agreement form should be filled in triplicate and the Study/project proposal should accompany the 	

filled agreement form. If requests are made for the micro data of more than one survey, a separate agreement should be signed.

- If the data request is from a student a letter from the respective Dept. Head/Dean/Supervisor, recommending the issue of data, should also be accompanied.
- If the request is approved only 25% of the data file is released at the first stage. The release of the total data file is considered only after reviewing the draft report prepared on the basis of the 25% sample data file.
- The released Data file should be used only for the specific study/Analysis mentioned in the agreement form and shall not be used for any other purpose without the prior approval of the Director General of the DCS. Moreover, Copies of the micro-data file, obtained from the DCS, shall not be given to anyone else without the prior written approval of the Director General of the DCS.
- The draft report of the Study/Analysis should be submitted to the DCS and the concurrence of the DG, DCS, should be obtained before publishing it. Once published, a copy of the final report should be submitted to the DCS.

[Department : The Department of Census and Statistics]

Source : http://www.statistics.gov.lk/databases/data%20dissemination/DataDissaPolicy_2007Oct26.pdf

Citation Requirements

"Department of Census and Statistics, Demographic and Social Aspects Survey 1986-87, Version 1.0 of the public use dataset, March 2009, provided by the National Data Archive, Data Processing Division, www.statistics.gov.lk"

Rights & Disclaimer

Disclaimer

The Department of Census and Statistics bears no responsibility for any results or interpretations arising from the secondary use of the data.

Copyright

(C) 2009, Department of Census and Statistics

Files Description

Dataset contains 26 file(s)

Identification Information	
# Cases	25185
# Variable(s)	31
<u>File Content</u> The file contains the data related to Identification Information & Control Data Section of the Demographic & Social Aspect Survey Questionnaire.	
<u>Producer</u> Department of Census & Statistics	

Section 1 : Personal Information	
# Cases	122951
# Variable(s)	26
<u>File Content</u> The file contains the data related to Personal Information (Section 1) Section of the Demographic & Social Aspect Survey Questionnaire.	
<u>Producer</u> Department of Census & Statistics	

Information on Migration (Section 2)	
# Cases	65000
# Variable(s)	27
<u>File Content</u> The file contains the data related to Information on Migration (Section 2) Section of the Demographic & Social Aspect Survey Questionnaire.	
<u>Producer</u> Department of Census & Statistics	

Information on Migration (Section 2)	
# Cases	65000
# Variable(s)	33
<u>File Content</u> The file contains the data related to Information on Migration (Section 2) Section of the Demographic & Social Aspect Survey Questionnaire.	

Producer
Department of Census & Statistics

Information on Migration (Section 2)

Cases 65002

Variable(s) 15

File Content

The file contains the data related to Information on Migration (Section 2) Section of the Demographic & Social Aspect Survey Questionnaire.

Producer
Department of Census & Statistics

Information on Migration (Section 2)

Cases 65000

Variable(s) 41

File Content

The file contains the data related to Information on Migration (Section 2) Section of the Demographic & Social Aspect Survey Questionnaire.

Producer
Department of Census & Statistics

Information on Health (Section 3)

Cases 24093

Variable(s) 48

File Content

The file contains the data related to Information on Health(Section 3) Section of the Demographic & Social Aspect Survey Questionnaire.

Producer
Department of Census & Statistics

Information on Health (Section 3)

Cases 9232

Variable(s) 59

File Content

The file contains the data related to Information on Health(Section 3) Section of the Demographic & Social Aspect Survey Questionnaire.

Producer
Department of Census & Statistics

Information on Health (Section 3)

# Cases	24010
# Variable(s)	49

File Content
The file contains the data related to Information on Health(Section 3) Section of the Demographic & Social Aspect Survey Questionnaire.

Producer
Department of Census & Statistics

Information on Health (Section 3)

# Cases	3936
# Variable(s)	59

File Content
The file contains the data related to Information on Health(Section 3) Section of the Demographic & Social Aspect Survey Questionnaire.

Producer
Department of Census & Statistics

Information on Health (Section 3)

# Cases	24024
# Variable(s)	50

File Content
The file contains the data related to Information on Health(Section 3) Section of the Demographic & Social Aspect Survey Questionnaire.

Producer
Department of Census & Statistics

Information on Health (Section 3)

# Cases	819
# Variable(s)	61

File Content
The file contains the data related to Information on Health(Section 3) Section of the Demographic & Social Aspect Survey Questionnaire.

Producer
Department of Census & Statistics

Information on Health (Section 3)

# Cases	24011
# Variable(s)	44

File Content
The file contains the data related to Information on Health(Section 3) Section of the Demographic & Social Aspect Survey Questionnaire.

Producer
Department of Census & Statistics

Information on Health (Section 3)

# Cases	2045
# Variable(s)	65

File Content
The file contains the data related to Information on Health(Section 3) Section of the Demographic & Social Aspect Survey Questionnaire.

Producer
Department of Census & Statistics

Information on Health (Section 3)

# Cases	1643
# Variable(s)	23

File Content
The file contains the data related to Information on Health(Section 3) Section of the Demographic & Social Aspect Survey Questionnaire.

Producer
Department of Census & Statistics

Information on Health (Section 3)

# Cases	5800
# Variable(s)	15

File Content
The file contains the data related to Information on Health(Section 3) Section of the Demographic & Social Aspect Survey Questionnaire.

Producer
Department of Census & Statistics

Information on Health (Section 3)

# Cases	24017
# Variable(s)	48

File Content
The file contains the data related to Information on Health(Section 3) Section of the Demographic & Social Aspect Survey Questionnaire.

Producer
Department of Census & Statistics

Information on Health (Section 3)

# Cases	3907
# Variable(s)	59

File Content
The file contains the data related to Information on Health(Section 3) Section of the Demographic & Social Aspect Survey Questionnaire.

Producer
Department of Census & Statistics

Information on Health (Section 3)

# Cases	4105
# Variable(s)	44

File Content
The file contains the data related to Information on Health(Section 3) Section of the Demographic & Social Aspect Survey Questionnaire.

Producer
Department of Census & Statistics

Information on Housing (Section 4)

# Cases	24024
# Variable(s)	48

File Content
The file contains the data related to Information on Housing(Section 4) Section of the Demographic & Social Aspect Survey Questionnaire.

Producer
Department of Census & Statistics

Information on Housing (Section 4)

# Cases	23987
# Variable(s)	52

File Content
The file contains the data related to Information on Housing(Section 4) Section of the Demographic & Social Aspect Survey Questionnaire.

Producer
Department of Census & Statistics

Information on Cultural, Recreational, Religious and Social Activities (Section 5)

# Cases	17595
# Variable(s)	76

File Content
The file contains the data related to Information on Cultural, Recreational, Religious and Social Activities (Section 5) Section of the Demographic & Social Aspect Survey Questionnaire.

Producer
Department of Census & Statistics

Information on Cultural, Recreational, Religious and Social Activities (Section 5)

# Cases	34280
# Variable(s)	53

File Content
The file contains the data related to Information on Cultural, Recreational, Religious and Social Activities (Section 5) Section of the Demographic & Social Aspect Survey Questionnaire.

Producer
Department of Census & Statistics

Information on Cultural, Recreational, Religious and Social Activities (Section 5)

# Cases	355
# Variable(s)	83

File Content
The file contains the data related to Information on Cultural, Recreational, Religious and Social Activities (Section 5) Section of the Demographic & Social Aspect Survey Questionnaire.

<p><u>Producer</u> Department of Census & Statistics</p>
--

Information on Cultural, Recreational, Religious and Social Activities (Section 5)	
--	--

# Cases	1693
---------	------

# Variable(s)	66
---------------	----

<u>File Content</u>

The file contains the data related to Information on Cultural, Recreational, Religious and Social Activities (Section 5) Section of the Demographic & Social Aspect Survey Questionnaire.

<p><u>Producer</u> Department of Census & Statistics</p>
--

Information on Cultural, Recreational, Religious and Social Activities (Section 5)	
--	--

# Cases	19505
---------	-------

# Variable(s)	73
---------------	----

<u>File Content</u>

The file contains the data related to Information on Cultural, Recreational, Religious and Social Activities (Section 5) Section of the Demographic & Social Aspect Survey Questionnaire.

<p><u>Producer</u> Department of Census & Statistics</p>
--

Variables List

Dataset contains 1248 variable(s)

File Identification Information							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	REC\$TYPE	-	discrete	character-2	25185	0	-
2	UNIQUE_CENS	Unique Census Block number	discrete	numeric-4.0	25185	0	-
3	SECTOR	Sector	discrete	numeric-1.0	25185	0	-
4	DISTRIC	District	discrete	numeric-2.0	25185	0	-
5	SELECED_URB	Selected Urban area	discrete	numeric-2.0	1326	23859	-
6	A_G_A	A.G.A	discrete	numeric-2.0	25185	0	-
7	ELECTORATE	Electorate District code	discrete	numeric-2.0	25185	0	-
8	ELECTORATE	Electorate 2/Electorate code	discrete	numeric-1.0	1	25184	-
9	NUMBER_OF_H	Number of Households	discrete	numeric-1.0	25185	0	-
10	INTERVIEWERS	Interviewers 1 Visit Date year	discrete	numeric-2.0	25185	0	-
11	INTERVIEWERS	Interviewers 1 Visit Date month	discrete	numeric-2.0	25185	0	-
12	INTERVIEWERS	Interviewers 1 Visit Date Date	discrete	numeric-2.0	25185	0	-
13	I_1_VISIT_RESULT	I1 visit Result	discrete	numeric-1.0	25185	0	-
14	I_1_VISIT_TIME	I1 Visit time taken Min 1(HH - AGA)	discrete	numeric-3.0	25174	11	-
15	I_1_VISIT_TIME	I1 Visit time taken Min 2(HH - pHH)	discrete	numeric-3.0	25172	13	-
16	I_1_VISIT_TIME	I1 Visit time taken Min 3(to fill the Schedule)	discrete	numeric-3.0	21556	3629	-
17	INTERVIEWERS	Interviewers 2 Visit Date year	discrete	numeric-2.0	6907	18278	-
18	INTERVIEWERS	Interviewers 2 Visit Date month	discrete	numeric-2.0	6907	18278	-
19	INTERVIEWERS	Interviewers 2 Visit Date Date	discrete	numeric-2.0	6907	18278	-
20	I_2_VISIT_RESULT	I2 visit Result	discrete	numeric-1.0	6907	18278	-
21	I_2_VISIT_TIME	I2 Visit time taken Min 1(HH - AGA)	discrete	numeric-3.0	6879	18306	-
22	I_2_VISIT_TIME	I2 Visit time taken Min 2(HH - pHH)	discrete	numeric-3.0	6877	18308	-
23	I_2_VISIT_TIME	I2 Visit time taken Min 3(to fill the Schedule)	discrete	numeric-3.0	6237	18948	-
24	INTERVIEWERS	Interviewers 3 Visit Date year	discrete	numeric-2.0	1600	23585	-
25	INTERVIEWERS	Interviewers 3 Visit Date J	discrete	numeric-2.0	1600	23585	-

Survey of Demographic and Social Aspects - 1986-1987 - Variables List

File Identification Information (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
		month					
26	INTERVIEWERS VISIT DATE	Interviewers Visit Date	discrete	numeric-2.0	1600	23585	-
27	I_3_VISIT_RESULT	I3 visit Result	discrete	numeric-1.0	1600	23585	-
28	I_3_VISIT_TIME_1	I3 visit time taken in 1(HH - AGA)	discrete	numeric-3.0	1587	23598	-
29	I_3_VISIT_TIME_2	I3 visit time taken in 2(HH - pHH)	discrete	numeric-3.0	1585	23600	-
30	I_3_VISIT_TIME_3	I3 visit time taken in 3(to fill the Schedule)	discrete	numeric-3.0	1416	23769	-
31	INFLATION_FACTOR	Inflation factor	discrete	numeric-7.0	25185	0	-

File Section 1 : Personal Information							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	REC\$TYPE	-	discrete	character-2	122951	0	-
2	BLANK	blank	discrete	numeric-3.0	0	122951	-
3	SERIAL_NUMBER_OF_PERSON_1	Serial number of the person 1	discrete	numeric-2.0	122951	0	-
4	RELATIONSHIP_TO_HEAD_OF_HOUSEHOLD_3	Relationship to head of household 3	discrete	numeric-1.0	122950	1	-
5	SEX_4	Sex 4	discrete	numeric-1.0	122950	1	-
6	AGE_AS_AT_LAST_BIRTHDAY	Age as at last birthday	discrete	numeric-2.0	122950	1	-
7	ETHNICITY	Ethnicity	discrete	numeric-1.0	122949	2	-
8	RELIGION	Religion	discrete	numeric-1.0	122948	3	-
9	ATTENDANCE_AT_SCHOOL_OR_OTHER_EDUCATIONAL_INSTITUTE_DURING_LAST_30_DAYS	Attendance at school or other educational institute during last 30 days	discrete	numeric-1.0	122941	10	-
10	LEVEL_OF_EDUCATION	Level of education	discrete	numeric-2.0	111819	11132	-
11	LITERACY	Literacy	discrete	numeric-1.0	97322	25629	-
12	MARITAL_STATUS	Marital Status	discrete	numeric-1.0	97306	25645	-
13	PRINCIPLE_ACTIVITY	Principle activity	discrete	numeric-1.0	92511	30440	-
14	MAIN_OCCUPATION	Main occupation	discrete	numeric-2.0	34842	88109	-
15	INDUSTRY	Industry	discrete	numeric-2.0	34900	88051	-
16	EMPLOYMENT_STATUS	Employment status	discrete	numeric-1.0	34900	88051	-
17	HAD_A_SECONDARY_EDUCATION	Had a secondary education	discrete	numeric-1.0	34899	88052	-
18	INCOME_DURING_LAST_MONTH	Income during last calender month	discrete	numeric-1.0	122951	0	-
19	MAIN_SOURCE_OF_INCOME	Main source of incom	discrete	numeric-1.0	24022	98929	-
20	ADULT_LITERACY_READING	Adult literacy reading	discrete	numeric-1.0	97314	25637	-

Survey of Demographic and Social Aspects - 1986-1987 - Variables List

File Section 1 : Personal Information (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
21	ADULT_LITERACY	Adult literacy writing	discrete	numeric-1.0	97301	25650	-
22	DISTRICT_IF_EVER_LIVED_IN_OTHER_COUNTRY	District if ever lived in the country	discrete	numeric-2.0	3712	119239	-
23	IF_PRESENTLY_ABROAD	If presently abroad	discrete	numeric-2.0	1358	121593	-
24	IF_PRESENTLY_ABROAD_REASON_G	If presently abroad reason for going abroad	discrete	numeric-1.0	1356	121595	-
25	IF_PRESENTLY_ABROAD_OCCUPATION	If presently abroad occupation	discrete	numeric-2.0	1077	121874	-
26	INFLATION_FACTOR	Inflation factor	discrete	numeric-7.0	122951	0	-

File Information on Migration (Section 2)							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	REC\$TYPE	-	discrete	character-2	65000	0	-
2	BLANL	blank	discrete	numeric-3.0	0	65000	-
3	SERIAL_NUMBER_OF_THIS_PERSON	Serial number of person	discrete	numeric-2.0	65000	0	-
4	PLACE_WHERE_THIS_PERSON_LIVED_AT	place where this person lived at country	discrete	numeric-2.0	165	64835	-
5	PLACE_WHERE_THIS_PERSON_LIVED_AU	place where this person lived at District	discrete	numeric-2.0	64833	167	-
6	PLACE_WHERE_THIS_PERSON_LIVED_AV	place where this person lived at Sector	discrete	numeric-1.0	64828	172	-
7	HAS_THIS_PERSON_EVER_LIVED	Has this person ever lived in a	discrete	numeric-1.0	60703	4297	-
8	PLACE_OTHER_THAN_ABOVE_FOV	place other than above place for continous period of 5 years of more. If 'yes' most recent stay : Years	discrete	numeric-2.0	17839	47161	-
9	PLACE_OTHER_THAN_ABOVE_FOS	place other than above place for continous period of 5 years of more. If 'yes' most recent stay : Months	discrete	numeric-2.0	17257	47743	-
10	HAS_THIS_PERSON_EVER_LIVED	Has this person ever lived in a	discrete	numeric-1.0	64178	822	-
11	PLACE_OTHER_THAN_ABOVE_FOT	place other than above place for continous period of 1 year or more and less than 5years? If 'yes' most recent stay : Years	discrete	numeric-2.0	7641	57359	-
12	PLACE_OTHER_THAN_ABOVE_FOU	place other than above place for continous period of 1 year or more and less than 5years? If 'yes' most recent stay : Months	discrete	numeric-2.0	7475	57525	-
13	HAS_THIS_PERSON_EVER_LIVED	Has this person ever lived in a	discrete	numeric-1.0	64804	196	-

Survey of Demographic and Social Aspects - 1986-1987 - Variables List

File Information on Migration (Section 2) (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
14	PLACE_OTHER_THAN_ABOVE_FOR	place other than above place for continous period of 1 month or more and less than 12 monthss? If 'yes' reason	discrete	numeric-1.0	2936	62064	-
15	SERIAL_NUMBER_OF_THE_PERSON	Serial number of the person	discrete	numeric-2.0	52898	12102	-
16	PLACE_WHERE_THIS_PERSON_LIVED_AW	place where this person lived at country	discrete	numeric-2.0	71	64929	-
17	PLACE_WHERE_THIS_PERSON_LIVED_AX	place where this person lived at District	discrete	numeric-2.0	52827	12173	-
18	PLACE_WHERE_THIS_PERSON_LIVED_AY	place where this person lived at Sector	discrete	numeric-1.0	52819	12181	-
19	HAS_THIS_PERSON_EVER_LIVED	Has this person ever lived in a	discrete	numeric-1.0	49224	15776	-
20	PLACE_OTHER_THAN_ABOVE_FOW	place other than above place for continous period of 5 years of more. If 'yes' most recent stay : Years	discrete	numeric-2.0	15199	49801	-
21	PLACE_OTHER_THAN_ABOVE_FOX	place other than above place for continous period of 5 years of more. If 'yes' most recent stay : Months	discrete	numeric-2.0	14654	50346	-
22	HAS_THIS_PERSON_EVER_LIVED	Has this person ever lived in a	discrete	numeric-1.0	52166	12834	-
23	PLACE_OTHER_THAN_ABOVE_FOY	place other than above place for continous period of 1 year or more and less than 5years? If 'yes' most recent stay : Years	discrete	numeric-2.0	5829	59171	-
24	PLACE_OTHER_THAN_ABOVE_FOZ	place other than above place for continous period of 1 year or more and less than 5years? If 'yes' most recent stay : Months	discrete	numeric-2.0	5703	59297	-
25	HAS_THIS_PERSON_EVER_LIVED	Has this person ever lived in a	discrete	numeric-1.0	52692	12308	-
26	PLACE_OTHER_THAN_ABOVE_FORA	place other than above place for continous period of 1 month or more and less than 12 monthss? If 'yes' reason	discrete	numeric-1.0	2054	62946	-
27	INFLATION_FACTOR	Inflation factor	discrete	numeric-7.0	65000	0	-

File Information on Migration (Section 2)							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	REC\$TYPE	-	discrete	character-2	65000	0	-

Survey of Demographic and Social Aspects - 1986-1987 - Variables List

File Information on Migration (Section 2) (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
2	BLANM	blank	discrete	numeric-3.0	0	65000	-
3	SERIAL_NUMBER_OF_THE_PERSON	Serial number of the person	discrete	numeric-2.0	65000	0	-
4	PLACE_WHERE_THE_PERSON_LIVED_5YH	Place where the person lived 5years age: If place of origin	discrete	numeric-2.0	40590	24410	-
5	PLACE_WHERE_THE_PERSON_LIVED_5YG	Place where the person lived 5years age: If Outside Country	discrete	numeric-2.0	79	64921	-
6	PLACE_WHERE_THE_PERSON_LIVED_5YE	Place where the person lived 5years age: If outside District	discrete	numeric-2.0	18430	46570	-
7	PLACE_WHERE_THE_PERSON_LIVED_5YF	Place where the person lived 5years age: If outside Sector	discrete	numeric-1.0	18432	46568	-
8	PLACE_WHERE_THE_PERSON_LIVED_1YI	Place where the person lived 1 year age: If place of origin	discrete	numeric-2.0	44095	20905	-
9	PLACE_WHERE_THE_PERSON_LIVED_1YJ	Place where the person lived 1 year age: If Outside Country	discrete	numeric-2.0	89	64911	-
10	PLACE_WHERE_THE_PERSON_LIVED_1YK	Place where the person lived 1 year age: If outside District	discrete	numeric-2.0	19894	45106	-
11	PLACE_WHERE_THE_PERSON_LIVED_1YL	Place where the person lived 1 year age: If outside Sector	discrete	numeric-1.0	19884	45116	-
12	DURATION_OF_LIVING_IN_PRESENT_PL	Duration of living in present place: If Since Birth	discrete	numeric-2.0	42477	22523	-
13	DURATION_OF_LIVING_IN_PRESENT_PM	Duration of living in present place: If Since years	discrete	numeric-2.0	21097	43903	-
14	DURATION_OF_LIVING_IN_PRESENT_PN	Duration of living in present place: If less than one year (no of days)	discrete	numeric-3.0	1525	63475	-
15	PLACE_OF_PREVIOUS_RESIDENCE_BEFO	Place of previous residence before moving to present place Country	discrete	numeric-2.0	260	64740	-
16	PLACE_OF_PREVIOUS_RESIDENCE_BEFP	Place of previous residence before moving to present place District	discrete	numeric-2.0	22235	42765	-
17	PLACE_OF_PREVIOUS_RESIDENCE_BEFO	Place of previous residence before moving to present place Sector	discrete	numeric-1.0	22139	42861	-
18	SERIAL_NUMBER_OF_THE_PERSON	Serial number of the person	discrete	numeric-2.0	52897	12103	-
19	PLACE_WHERE_THE_PERSON_LIVED_5YI	Place where the person lived 5years age: If place of origin	discrete	numeric-2.0	31611	33389	-

Survey of Demographic and Social Aspects - 1986-1987 - Variables List

File Information on Migration (Section 2) (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
20	PLACE_WHERE_PERSON_LIVED_5YJ	Place where the person lived 5years age: If Outside Country	discrete	numeric-2.0	41	64959	-
21	PLACE_WHERE_PERSON_LIVED_5YK	Place where the person lived 5years age: If outside District	discrete	numeric-2.0	16084	48916	-
22	PLACE_WHERE_PERSON_LIVED_5YL	Place where the person lived 5years age: If outside Sector	discrete	numeric-1.0	16080	48920	-
23	PLACE_WHERE_PERSON_LIVED_1YM	Place where the person lived 1 year age: If place of origin	discrete	numeric-2.0	34404	30596	-
24	PLACE_WHERE_PERSON_LIVED_1YN	Place where the person lived 1 year age: If Outside Country	discrete	numeric-2.0	67	64933	-
25	PLACE_WHERE_PERSON_LIVED_1YO	Place where the person lived 1 year age: If outside District	discrete	numeric-2.0	17555	47445	-
26	PLACE_WHERE_PERSON_LIVED_1YP	Place where the person lived 1 year age: If outside Sector	discrete	numeric-1.0	17550	47450	-
27	DURATION_OF_LIVING_IN_PRESENT_PO	Duration of living in present place: If Since Birth	discrete	numeric-2.0	33680	31320	-
28	DURATION_OF_LIVING_IN_PRESENT_PP	Duration of living in present place: If Since years	discrete	numeric-2.0	18024	46976	-
29	DURATION_OF_LIVING_IN_PRESENT_PQ	Duration of living in present place: If less than one year (no of days)	discrete	numeric-3.0	1284	63716	-
30	PLACE_OF_PREVIOUS_RESIDENCE_BEFR	Place of previous residence before moving to present place Country	discrete	numeric-2.0	160	64840	-
31	PLACE_OF_PREVIOUS_RESIDENCE_BEFS	Place of previous residence before moving to present place District	discrete	numeric-2.0	19047	45953	-
32	PLACE_OF_PREVIOUS_RESIDENCE_BEFT	Place of previous residence before moving to present place Sector	discrete	numeric-1.0	18925	46075	-
33	INFLATION_FACTOR	Inflation factor	discrete	numeric-7.0	65000	0	-

File Information on Migration (Section 2)							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	REC\$TYPE	-	discrete	character-2	65002	0	-
2	BLANN	blank	discrete	numeric-3.0	0	65002	-
3	SERIAL_NUMBER_OF_PERSON	Serial number of the person	discrete	numeric-2.0	65002	0	-

Survey of Demographic and Social Aspects - 1986-1987 - Variables List

File Information on Migration (Section 2) (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
4	MAIN_REASON	Main reason for moving from ...the previous residence to the present residence	discrete	numeric-2.0	65002	0	-
5	IS_THE_PERSON	Is the person intending to settle in another town	discrete	numeric-1.0	65002	0	-
6	IF_SO_COUNTRY	If so country	discrete	numeric-2.0	255	64747	-
7	IF_SO_DISTRICT	If so District	discrete	numeric-2.0	1856	63146	-
8	IF_SO_SECTOR	If so Sector	discrete	numeric-1.0	1808	63194	-
9	SERIAL_NUMBER	Serial number of the person	discrete	numeric-2.0	52897	12105	-
10	MAIN_REASON	Main reason for moving from ...the previous residence to the present residence	discrete	numeric-2.0	19223	45779	-
11	IS_THE_PERSON	Is the person intending to settle in another town	discrete	numeric-1.0	65002	0	-
12	IF_SO_COUNTRY	If so country	discrete	numeric-2.0	177	64825	-
13	IF_SO_DISTRICT	If so District	discrete	numeric-2.0	1516	63486	-
14	IF_SO_SECTOR	If so Sector	discrete	numeric-1.0	1477	63525	-
15	INFLATION_FACTOR	Inflation factor	discrete	numeric-7.0	65002	0	-

File Information on Migration (Section 2)							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	REC\$TYPE	-	discrete	character-2	65000	0	-
2	BLANK	blank	discrete	numeric-3.0	0	65000	-
3	SERIAL_NUMBER	Serial number of the person	discrete	numeric-2.0	65000	0	-
4	MAIN_REASON	Main reason for intending to move.. to other place	discrete	numeric-2.0	65000	0	-
5	THE_REASON	The reason for moving from .. the present usual residence	discrete	numeric-1.0	65000	0	-
6	WHETHER_THE_PERSON	Whether the person employed .. at home/ homegarden	discrete	numeric-1.0	24531	40469	-
7	MODE_OF_TRAVEL_TO_WORK_SCHOOL	Mode of travel to work/school Bus	discrete	numeric-1.0	7316	57684	-
8	MODE_OF_TRAVEL_TO_WORK_SCHOOL	Mode of travel to work/school Distance km	discrete	numeric-2.0	7282	57718	-
9	B_TRAIN	(b) Train	discrete	numeric-1.0	346	64654	-
10	TRAIN_DISTANCE	Train Distance km	discrete	numeric-2.0	349	64651	-
11	C_MOTOR_BICYCLE	Motor bicycle	discrete	numeric-1.0	371	64629	-

Survey of Demographic and Social Aspects - 1986-1987 - Variables List

File Information on Migration (Section 2) (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
12	MOTOE_BICYCLE_DISTANCE	Motocycle Distance km	discrete	numeric-2.0	368	64632	-
13	D_PRIVATE_CAR	(d) Private Car	discrete	numeric-1.0	405	64595	-
14	PRIVATE_CAR_DISTANCE	Private Car Distance km	discrete	numeric-2.0	402	64598	-
15	E_PUCH_BICYCLE	(e) Push bicycle	discrete	numeric-1.0	2926	62074	-
16	PUSH_BICYCLE_DISTANCE	Push bicycle Distance km	discrete	numeric-2.0	2924	62076	-
17	F_ON_FOOT	(f) On foot	discrete	numeric-1.0	27709	37291	-
18	ON_FOOT_DISTANCE	On foot Distance km	discrete	numeric-2.0	27606	37394	-
19	G_OTHER	(g) other	discrete	numeric-1.0	1172	63828	-
20	OTHER_DISTANCE	Other Distance km	discrete	numeric-2.0	392	64608	-
21	AVERAGE_TIME_USUALLY_SPEND_FOR_TRAVELLING_PER_DAY	Average time usually spend for .. travelling per day	discrete	numeric-3.0	37547	27453	-
22	SERIAL_NUMBER_OF_PERSON	Serial number of the person	discrete	numeric-2.0	52897	12103	-
23	MAIN_REASON_FOR_MIGRATION	Main reason for migration to move.. to other place	discrete	numeric-2.0	1693	63307	-
24	THE_REASON_FOR_MIGRATION	The reason for moving from .. the present usual residence	discrete	numeric-1.0	51204	13796	-
25	WHETHER_THE_PERSON_EMPLOYED_AT_HOME_OR_HOMEGARDEN	Whether the person employed .. at home/ homegarden	discrete	numeric-1.0	10373	54627	-
26	MODE_OF_TRAVEL_TO_WORK_SCHOOL	Mode of travel to work/school Bus	discrete	numeric-1.0	4317	60683	-
27	MODE_OF_TRAVEL_TO_WORK_SCHOOL_DISTANCE	Mode of travel to work/school Distance km	discrete	numeric-2.0	4306	60694	-
28	B_TRAIN	(b) Train	discrete	numeric-1.0	167	64833	-
29	TRAIN_DISTANCE	Train Distance km	discrete	numeric-2.0	166	64834	-
30	C_MOTOE_BICYCLE	(c) Motoe bicycle	discrete	numeric-1.0	96	64904	-
31	MOTOE_BICYCLE_DISTANCE	Motocycle Distance km	discrete	numeric-2.0	98	64902	-
32	D_PRIVATE_CAR	(d) Private Car	discrete	numeric-1.0	151	64849	-
33	PRIVATE_CAR_DISTANCE	Private Car Distance km	discrete	numeric-2.0	155	64845	-
34	E_PUCH_BICYCLE	(e) Push bicycle	discrete	numeric-1.0	852	64148	-
35	PUSH_BICYCLE_DISTANCE	Push bicycle Distance km	discrete	numeric-2.0	846	64154	-
36	F_ON_FOOT	(f) On foot	discrete	numeric-1.0	18478	46522	-
37	ON_FOOT_DISTANCE	On foot Distance km	discrete	numeric-2.0	18404	46596	-
38	G_OTHER	(g) other	discrete	numeric-1.0	769	64231	-
39	OTHER_DISTANCE	Other Distance km	discrete	numeric-2.0	161	64839	-
40	AVERAGE_TIME_USUALLY_SPEND_FOR_TRAVELLING_PER_DAY	Average time usually spend for .. travelling per day	discrete	numeric-3.0	23175	41825	-
41	INFLATION_FACTOR	Inflation factor	discrete	numeric-7.0	65000	0	-

Survey of Demographic and Social Aspects - 1986-1987 - Variables List

File Information on Health (Section 3)							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	REC\$TYPE	-	discrete	character-2	24093	0	-
2	HAS_THERE_BEEN_ANY_CASE_OF_ACUTE_ILLNESS_OR_PHYSICAL_INJURY_TO_ANY_MEMBER_OF_THE_HOUSEHOLD_DURING_LAST_14_DAYS	Has there been any case AC of .. acute illness or physical injury to any member of the household during last 14 days	discrete	numeric-1.0	23983	110	-
3	IF_YES_NO_OF_PERSONS	If Yes No of persons	discrete	numeric-2.0	7142	16951	-
4	SERIAL_NUMBER_OF_THE_PERSON	Serial number of the person	discrete	numeric-2.0	7252	16841	-
5	NATURE_OF_ILLNESS_OR_PHYSICAL_INJURY_SYMPTOMS_1ST	Nature of illness or injury Symptoms 1st	discrete	numeric-2.0	5830	18263	-
6	NATURE_OF_ILLNESS_OR_PHYSICAL_INJURY_SYMPTOMS_2ND	Nature of illness or injury Symptoms 2nd	discrete	numeric-2.0	5810	18283	-
7	NATURE_OF_ILLNESS_OR_PHYSICAL_INJURY_SYMPTOMS_3RD	Nature of illness or injury Symptoms 3rd	discrete	numeric-2.0	5759	18334	-
8	NATURE_OF_ILLNESS_OR_PHYSICAL_INJURY_DIAGNOSIS	Nature of illness or injury Diagnosis	discrete	numeric-3.0	3980	20113	-
9	DURATION_OF_ILLNESS_OR_PHYSICAL_INJURY_TOTAL_TO_DATE	Duration of illness or injury total to date	discrete	numeric-3.0	7246	16847	-
10	DURATION_OF_ILLNESS_OR_PHYSICAL_INJURY_DURING_REFERENCE_PERIOD	Duration of illness or injury During reference period	discrete	numeric-2.0	7219	16874	-
11	DURATION_OF_ABSENCE_FROM_USUAL_WORK_TOTAL_TO_DATE	Duration of absence from usual work a.Total to date	discrete	numeric-3.0	7145	16948	-
12	DURATION_OF_ABSENCE_FROM_USUAL_WORK_DURING_REFERENCE_PERIOD	Duration of absence from usual work b. During reference period	discrete	numeric-2.0	7117	16976	-
13	WETHER_TREATMENT_WAS_TAKEN	Wether treatment was taken	discrete	numeric-1.0	7249	16844	-
14	IF_NO_REASON	If no reason	discrete	numeric-1.0	360	23733	-
15	SERIAL_NUMBER_OF_THE_PERSON	Serial number of the person	discrete	numeric-2.0	1764	22329	-
16	NATURE_OF_ILLNESS_OR_PHYSICAL_INJURY_SYMPTOMS_1ST	Nature of illness or injury Symptoms 1st	discrete	numeric-2.0	1432	22661	-
17	NATURE_OF_ILLNESS_OR_PHYSICAL_INJURY_SYMPTOMS_2ND	Nature of illness or injury Symptoms 2nd	discrete	numeric-2.0	1427	22666	-
18	NATURE_OF_ILLNESS_OR_PHYSICAL_INJURY_SYMPTOMS_3RD	Nature of illness or injury Symptoms 3rd	discrete	numeric-2.0	1425	22668	-
19	NATURE_OF_ILLNESS_OR_PHYSICAL_INJURY_DIAGNOSIS	Nature of illness or injury Diagnosis	discrete	numeric-3.0	987	23106	-
20	DURATION_OF_ILLNESS_OR_PHYSICAL_INJURY_TOTAL_TO_DATE	Duration of illness or injury total to date	discrete	numeric-3.0	1760	22333	-
21	DURATION_OF_ILLNESS_OR_PHYSICAL_INJURY_DURING_REFERENCE_PERIOD	Duration of illness or injury During reference period	discrete	numeric-2.0	1748	22345	-
22	DURATION_OF_ABSENCE_FROM_USUAL_WORK_TOTAL_TO_DATE	Duration of absence from usual work a.Total to date	discrete	numeric-3.0	1714	22379	-

Survey of Demographic and Social Aspects - 1986-1987 - Variables List

File Information on Health (Section 3) (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
23	DURATION_OF_ABSENCE_FROM_USUAL_WORK_DURING_REFERENCE_PERIOD_Z	Duration of absence from usual work b. During reference period	discrete	numeric-2.0	1708	22385	-
24	WETHERE_TREATMENT_WAS_TAKEN	Whether treatment was taken	discrete	numeric-1.0	1763	22330	-
25	IF_NO_REASON	If no reason	discrete	numeric-1.0	89	24004	-
26	SERIAL_NUMBER_OF_PERSON	Serial number of the person	discrete	numeric-2.0	508	23585	-
27	NATURE_OF_ILLNESS/INJURY_SYMPTOMS_1ST	Nature of illness/ injury Symptoms 1st	discrete	numeric-2.0	410	23683	-
28	NATURE_OF_ILLNESS/INJURY_SYMPTOMS_2ND	Nature of illness/ injury Symptoms 2nd	discrete	numeric-2.0	409	23684	-
29	NATURE_OF_ILLNESS/INJURY_SYMPTOMS_3RD	Nature of illness/ injury Symptoms 3rd	discrete	numeric-2.0	409	23684	-
30	NATURE_OF_ILLNESS/INJURY_DIAGNOSIS	Nature of illness/ injury Diagnosis	discrete	numeric-3.0	313	23780	-
31	DURATION_OF_ILLNESS/INJURY_TOTAL_TO_DATE	Duration of illness/ injury total to date	discrete	numeric-3.0	507	23586	-
32	DURATION_OF_ILLNESS/INJURY_DURING_REFERENCE_PERIOD	Duration of illness/ injury During reference period	discrete	numeric-2.0	505	23588	-
33	DURATION_OF_ABSENCE_FROM_USUAL_WORK_A_TOTAL_TO_DATE	Duration of absence from usual work a. Total to date	discrete	numeric-3.0	495	23598	-
34	DURATION_OF_ABSENCE_FROM_USUAL_WORK_B_DURING_REFERENCE_PERIOD	Duration of absence from usual work b. During reference period	discrete	numeric-2.0	493	23600	-
35	WETHERE_TREATMENT_WAS_TAKEN	Whether treatment was taken	discrete	numeric-1.0	508	23585	-
36	IF_NO_REASON	If no reason	discrete	numeric-1.0	22	24071	-
37	SERIAL_NUMBER_OF_PERSON	Serial number of the person	discrete	numeric-2.0	183	23910	-
38	NATURE_OF_ILLNESS/INJURY_SYMPTOMS_1ST	Nature of illness/ injury Symptoms 1st	discrete	numeric-2.0	144	23949	-
39	NATURE_OF_ILLNESS/INJURY_SYMPTOMS_2ND	Nature of illness/ injury Symptoms 2nd	discrete	numeric-2.0	144	23949	-
40	NATURE_OF_ILLNESS/INJURY_SYMPTOMS_3RD	Nature of illness/ injury Symptoms 3rd	discrete	numeric-2.0	144	23949	-
41	NATURE_OF_ILLNESS/INJURY_DIAGNOSIS	Nature of illness/ injury Diagnosis	discrete	numeric-3.0	124	23969	-
42	DURATION_OF_ILLNESS/INJURY_TOTAL_TO_DATE	Duration of illness/ injury total to date	discrete	numeric-3.0	183	23910	-
43	DURATION_OF_ILLNESS/INJURY_DURING_REFERENCE_PERIOD	Duration of illness/ injury During reference period	discrete	numeric-2.0	181	23912	-
44	DURATION_OF_ABSENCE_FROM_USUAL_WORK_A_TOTAL_TO_DATE	Duration of absence from usual work a. Total to date	discrete	numeric-3.0	178	23915	-
45	DURATION_OF_ABSENCE_FROM_USUAL_WORK_B_DURING_REFERENCE_PERIOD	Duration of absence from usual work b. During reference period	discrete	numeric-2.0	179	23914	-

Survey of Demographic and Social Aspects - 1986-1987 - Variables List

File Information on Health (Section 3) (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
46	WETHERE_TRE	Whether treatment was taken	discrete	numeric-1.0	183	23910	-
47	IF_NO_REASON	If no reason	discrete	numeric-1.0	5	24088	-
48	INFLATION_FACTO	Inflation factor	discrete	numeric-7.0	24093	0	-

File Information on Health (Section 3)							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	REC\$TYPE	-	discrete	character-2	9232	0	-
2	BLANP	blank	discrete	numeric-3.0	4	9228	-
3	SERIAL_NUMBER	Serial number of the person	discrete	numeric-2.0	9232	0	-
4	WESTERN_MEDICINE_GOV	Western medicine (Govt)	discrete	numeric-2.0	4814	4418	-
5	A_ORDER_OF_VISIT	a. Order of visits	discrete	numeric-2.0	4815	4417	-
6	B_REASON	b. Reason	discrete	numeric-1.0	4816	4416	-
7	C_DISTANCE	c. Distance	discrete	numeric-1.0	4814	4418	-
8	WESTAN_MEDICINE_PRIVATE	Western medicine (private)	discrete	numeric-2.0	2981	6251	-
9	A_ORDER_OF_VISIT	a. Order of visits	discrete	numeric-2.0	2980	6252	-
10	B_REASON	b. Reason	discrete	numeric-1.0	2980	6252	-
11	C_DISTANCE	c. Distance	discrete	numeric-1.0	2980	6252	-
12	GOVT_DOCTOR_PRIVATE_PRACTICE	Govt doctors (private practice)	discrete	numeric-2.0	414	8818	-
13	A_ORDER_OF_VISIT	a. Order of visits	discrete	numeric-2.0	413	8819	-
14	B_REASON	b. Reason	discrete	numeric-1.0	413	8819	-
15	C_DISTANCE	c. Distance	discrete	numeric-1.0	413	8819	-
16	AYURVEDIC_GOV_FREE	Ayurvedic (govt free)	discrete	numeric-2.0	178	9054	-
17	A_ORDER_OF_VISIT	a. Order of visits	discrete	numeric-2.0	178	9054	-
18	B_REASON	b. Reason	discrete	numeric-1.0	178	9054	-
19	C_DISTANCE	c. Distance	discrete	numeric-1.0	178	9054	-
20	AYURVEDIC_GOV_PAID	Ayurvedic (Govt Paid)	discrete	numeric-2.0	95	9137	-
21	A_ORDER_OF_VISIT	a. Order of visits	discrete	numeric-2.0	95	9137	-
22	B_REASON	b. Reason	discrete	numeric-1.0	95	9137	-
23	C_DISTANCE	c. Distance	discrete	numeric-1.0	96	9136	-
24	AYURVEDIC_PRIVATE	Ayurvedic (Private)	discrete	numeric-2.0	586	8646	-
25	A_ORDER_OF_VISIT	a. Order of visits	discrete	numeric-2.0	586	8646	-
26	B_REASON	b. Reason	discrete	numeric-1.0	586	8646	-
27	C_DISTANCE	c. Distance	discrete	numeric-1.0	585	8647	-
28	WESTERN_MEDICINE_GOV_FREE	Western medicine (Govt Free)	discrete	numeric-2.0	542	8690	-

Survey of Demographic and Social Aspects - 1986-1987 - Variables List

File Information on Health (Section 3) (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
29	A_ORDER_OF_VISITS	a. Order of visits	discrete	numeric-2.0	542	8690	-
30	B_REASOT	b. Reason	discrete	numeric-1.0	542	8690	-
31	C_DISTANCK	c. Distance	discrete	numeric-1.0	542	8690	-
32	WESTERN_MEDICINE	Western medicine (Govt Paying ward)	discrete	numeric-2.0	11	9221	-
33	A_ORDER_OF_VISITS	a. Order of visits	discrete	numeric-2.0	12	9220	-
34	B_REASOU	b. Reason	discrete	numeric-1.0	12	9220	-
35	C_DISTANCL	c. Distance	discrete	numeric-1.0	12	9220	-
36	WESTERN_MEDICINE	Western medicine (private)	discrete	numeric-2.0	67	9165	-
37	A_ORDER_OF_VISITS	a. Order of visits	discrete	numeric-2.0	66	9166	-
38	B_REASOV	b. Reason	discrete	numeric-1.0	66	9166	-
39	C_DISTANCM	c. Distance	discrete	numeric-1.0	65	9167	-
40	GOVT_DOCTORS_PRIVATE_PRACTICE	Govt Doctors (private practice)	discrete	numeric-2.0	4	9228	-
41	A_ORDER_OF_VISITS	a. Order of visits	discrete	numeric-2.0	4	9228	-
42	B_REASOW	b. Reason	discrete	numeric-1.0	4	9228	-
43	C_DISTANCN	c. Distance	discrete	numeric-1.0	4	9228	-
44	AYURVEDIC_GOVT_FREE	Ayurvedic (govt free)	discrete	numeric-2.0	23	9209	-
45	A_ORDER_OF_VISITS	a. Order of visits	discrete	numeric-2.0	23	9209	-
46	B_REASOX	b. Reason	discrete	numeric-1.0	23	9209	-
47	C_DISTANCO	c. Distance	discrete	numeric-1.0	23	9209	-
48	AYURVEDIC_GOVT_PAID	Ayurvedic (Govt Paid)	discrete	numeric-2.0	9	9223	-
49	A_ORDER_OF_VISITS	a. Order of visits	discrete	numeric-2.0	9	9223	-
50	B_REASOY	b. Reason	discrete	numeric-1.0	9	9223	-
51	C_DISTANCP	c. Distance	discrete	numeric-1.0	9	9223	-
52	AYURVEDIC_PRIVATE	Ayurvedic (Private)	discrete	numeric-2.0	48	9184	-
53	A_ORDER_OF_VISITS	a. Order of visits	discrete	numeric-2.0	48	9184	-
54	B_REASOZ	b. Reason	discrete	numeric-1.0	48	9184	-
55	C_DISTANCO	c. Distance	discrete	numeric-1.0	48	9184	-
56	HOME_REMEDIES	Home remedies	discrete	numeric-2.0	1154	8078	-
57	A_ORDER_OF_VISITS	a. Order of visits	discrete	numeric-2.0	1154	8078	-
58	B_REASOZA	b. Reason	discrete	numeric-1.0	1155	8077	-
59	INFLATION_FACTOR	Inflation factor	discrete	numeric-7.0	9232	0	-

File Information on Health (Section 3)							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	REC\$TYPE	-	discrete	character-2	24010	0	-

Survey of Demographic and Social Aspects - 1986-1987 - Variables List

File Information on Health (Section 3) (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
2	IS_ANY_MEMBER_OF_THE_HOLD	Is any member of the household	discrete	numeric-1.0	23972	38	-
3	SUFFERING_FROM_ANY_CHRONIC_ILLNESS	Suffering from any chronic illness If 'yes' no of persons	discrete	numeric-2.0	3781	20229	-
4	SERIAL_NUMBER_OF_PERSON	Serial Number of person	discrete	numeric-2.0	3819	20191	-
5	NATURE_OF_ILLNESS_A_SYMPTOMS_1	Nature of Illness (A) Symptoms 1st	discrete	numeric-2.0	2576	21434	-
6	NATURE_OF_ILLNESS_A_SYMPTOMS_2	Nature of Illness (A) Symptoms 2nd	discrete	numeric-2.0	2566	21444	-
7	NATURE_OF_ILLNESS_A_SYMPTOMS_3	Nature of Illness (A) Symptoms 3rd	discrete	numeric-2.0	2523	21487	-
8	B_DIAGNOSIS	(b) Diagnosis	discrete	numeric-3.0	2781	21229	-
9	SINCE_WHEN_THIS_PERSON	Since when the person	discrete	numeric-1.0	3819	20191	-
10	DURATION_OF_ABSENCE_FROM_USUAL_WORK_DURING_LAST_12_MONTHS	Duration of absence from usual.. work during last 12 months	discrete	numeric-3.0	3669	20341	-
11	WHETHER_TREATMENT_WAS_TAKEN_DURING_LAST_12_MONTHS	Whether treatment was taken during 12 month	discrete	numeric-1.0	3819	20191	-
12	IF_NO_REASON	No' reason	discrete	numeric-1.0	282	23728	-
13	SERIAL_NUMBER_OF_PERSON	Serial Number of person	discrete	numeric-2.0	380	23630	-
14	NATURE_OF_ILLNESS_A_SYMPTOMS_A	Nature of Illness (A) Symptoms 1st	discrete	numeric-2.0	238	23772	-
15	NATURE_OF_ILLNESS_A_SYMPTOMS_B	Nature of Illness (A) Symptoms 2nd	discrete	numeric-2.0	237	23773	-
16	NATURE_OF_ILLNESS_A_SYMPTOMS_C	Nature of Illness (A) Symptoms 3rd	discrete	numeric-2.0	236	23774	-
17	B_DIAGNOSIS	(b) Diagnosis	discrete	numeric-3.0	273	23737	-
18	SINCE_WHEN_THIS_PERSON	Since when the person	discrete	numeric-1.0	380	23630	-
19	DURATION_OF_ABSENCE_FROM_USUAL_WORK_DURING_LAST_12_MONTHS	Duration of absence from usual.. work during last 12 months	discrete	numeric-3.0	366	23644	-
20	WHETHER_TREATMENT_WAS_TAKEN_DURING_LAST_12_MONTHS	Whether treatment was taken during 12 month	discrete	numeric-1.0	380	23630	-
21	IF_NO_REASON	No' reason	discrete	numeric-1.0	35	23975	-
22	SERIAL_NUMBER_OF_PERSON	Serial Number of person	discrete	numeric-2.0	45	23965	-
23	NATURE_OF_ILLNESS_A_SYMPTOMS_D	Nature of Illness (A) Symptoms 1st	discrete	numeric-2.0	32	23978	-
24	NATURE_OF_ILLNESS_A_SYMPTOMS_E	Nature of Illness (A) Symptoms 2nd	discrete	numeric-2.0	32	23978	-
25	NATURE_OF_ILLNESS_A_SYMPTOMS_F	Nature of Illness (A) Symptoms 3rd	discrete	numeric-2.0	32	23978	-
26	B_DIAGNOSIS	(b) Diagnosis	discrete	numeric-3.0	34	23976	-
27	SINCE_WHEN_THIS_PERSON	Since when the person	discrete	numeric-1.0	45	23965	-

Survey of Demographic and Social Aspects - 1986-1987 - Variables List

File Information on Health (Section 3) (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
28	DURATION_OF_ABSENCE_FROM_WORK	Duration of absence from usual.. work during last 12 months	discrete	numeric-3.0	42	23968	-
29	WHETHER_TREATMENT_WAS_TAKEN_DURING_12_MONTH	Whether treatment was taken during 12 month	discrete	numeric-1.0	45	23965	-
30	IF_NO_REASON	No' reason	discrete	numeric-1.0	6	24004	-
31	SERIAL_NUMBERS_OF_PERSON	Serial numbers of person	discrete	numeric-2.0	7	24003	-
32	NATURE_OF_ILLNESS_OR_SYMPTOMS_G	Nature of Illness (a) Symptoms 1st	discrete	numeric-2.0	6	24004	-
33	NATURE_OF_ILLNESS_OR_SYMPTOMS_H	Nature of Illness (a) Symptoms 2nd	discrete	numeric-2.0	6	24004	-
34	NATURE_OF_ILLNESS_OR_SYMPTOMS_I	Nature of Illness (a) Symptoms 3rd	discrete	numeric-2.0	6	24004	-
35	B_DIAGNOSIS	(b) Diagnosis	discrete	numeric-3.0	4	24006	-
36	SINCE_WHEN_TREATMENT	Since when the person	discrete	numeric-1.0	7	24003	-
37	DURATION_OF_ABSENCE_FROM_WORK	Duration of absence from usual.. work during last 12 months	discrete	numeric-3.0	7	24003	-
38	WHETHER_TREATMENT_WAS_TAKEN_DURING_12_MONTH	Whether treatment was taken during 12 month	discrete	numeric-1.0	7	24003	-
39	IF_NO_REASON	No' reason	discrete	numeric-1.0	0	24010	-
40	SERIAL_NUMBERS_OF_PERSON	Serial numbers of person	discrete	numeric-2.0	2	24008	-
41	NATURE_OF_ILLNESS_OR_SYMPTOMS_J	Nature of Illness (a) Symptoms 1st	discrete	numeric-2.0	2	24008	-
42	NATURE_OF_ILLNESS_OR_SYMPTOMS_K	Nature of Illness (a) Symptoms 2nd	discrete	numeric-2.0	2	24008	-
43	NATURE_OF_ILLNESS_OR_SYMPTOMS_L	Nature of Illness (a) Symptoms 3rd	discrete	numeric-2.0	2	24008	-
44	B_DIAGNOSIS	(b) Diagnosis	discrete	numeric-3.0	2	24008	-
45	SINCE_WHEN_TREATMENT	Since when the person	discrete	numeric-1.0	2	24008	-
46	DURATION_OF_ABSENCE_FROM_WORK	Duration of absence from usual.. work during last 12 months	discrete	numeric-3.0	2	24008	-
47	WHETHER_TREATMENT_WAS_TAKEN_DURING_12_MONTH	Whether treatment was taken during 12 month	discrete	numeric-1.0	2	24008	-
48	IF_NO_REASON	No' reason	discrete	numeric-1.0	0	24010	-
49	INFLATION_FACTOR	Inflation factor	discrete	numeric-7.0	24010	0	-

File Information on Health (Section 3)							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	REC\$TYPE	-	discrete	character-2	3936	0	-
2	BLANQ	blank	discrete	numeric-3.0	3	3933	-

Survey of Demographic and Social Aspects - 1986-1987 - Variables List

File Information on Health (Section 3) (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
3	SERIAL_NUMBER_OF_THE_PERSON	Serial number of the person	discrete	numeric-2.0	3936	0	-
4	WESTERN_MEDICINE	Western medicine (Govt)	discrete	numeric-2.0	2589	1347	-
5	A_ORDER_OF_VISITS	a. Order of visits	discrete	numeric-2.0	2589	1347	-
6	B_REASON	b. Reason	discrete	numeric-1.0	2587	1349	-
7	C_DISTANCE	c. Distance	discrete	numeric-1.0	2586	1350	-
8	WESTERN_MEDICINE	Western medicine (private)	discrete	numeric-2.0	1141	2795	-
9	A_ORDER_OF_VISITS	a. Order of visits	discrete	numeric-2.0	1140	2796	-
10	B_REASON	b. Reason	discrete	numeric-1.0	1140	2796	-
11	C_DISTANCE	c. Distance	discrete	numeric-1.0	1140	2796	-
12	GOVT_DOCTOR	Govt Doctors (private practice)	discrete	numeric-2.0	191	3745	-
13	A_ORDER_OF_VISITS	a. Order of visits	discrete	numeric-2.0	191	3745	-
14	B_REASON	b. Reason	discrete	numeric-1.0	191	3745	-
15	C_DISTANCE	c. Distance	discrete	numeric-1.0	191	3745	-
16	AYURVEDIC	Ayurvedic (govt free)	discrete	numeric-2.0	229	3707	-
17	A_ORDER_OF_VISITS	a. Order of visits	discrete	numeric-2.0	229	3707	-
18	B_REASON	b. Reason	discrete	numeric-1.0	229	3707	-
19	C_DISTANCE	c. Distance	discrete	numeric-1.0	229	3707	-
20	AYURVEDIC	Ayurvedic (Govt Paid)	discrete	numeric-2.0	80	3856	-
21	A_ORDER_OF_VISITS	a. Order of visits	discrete	numeric-2.0	80	3856	-
22	B_REASON	b. Reason	discrete	numeric-1.0	80	3856	-
23	C_DISTANCE	c. Distance	discrete	numeric-1.0	80	3856	-
24	AYURVEDIC	Ayurvedic (Private)	discrete	numeric-2.0	496	3440	-
25	A_ORDER_OF_VISITS	a. Order of visits	discrete	numeric-2.0	496	3440	-
26	B_REASON	b. Reason	discrete	numeric-1.0	496	3440	-
27	C_DISTANCE	c. Distance	discrete	numeric-1.0	496	3440	-
28	WESTERN_MEDICINE	Western medicine (Govt Free)	discrete	numeric-2.0	408	3528	-
29	A_ORDER_OF_VISITS	a. Order of visits	discrete	numeric-2.0	408	3528	-
30	B_REASON	b. Reason	discrete	numeric-1.0	408	3528	-
31	C_DISTANCE	c. Distance	discrete	numeric-1.0	408	3528	-
32	WESTERN_MEDICINE	Western medicine (Govt Paying ward)	discrete	numeric-2.0	106	3830	-
33	A_ORDER_OF_VISITS	a. Order of visits	discrete	numeric-2.0	106	3830	-
34	B_REASON	b. Reason	discrete	numeric-1.0	106	3830	-
35	C_DISTANCE	c. Distance	discrete	numeric-1.0	106	3830	-
36	WESTERN_MEDICINE	Western medicine (private)	discrete	numeric-2.0	55	3881	-
37	A_ORDER_OF_VISITS	a. Order of visits	discrete	numeric-2.0	55	3881	-

Survey of Demographic and Social Aspects - 1986-1987 - Variables List

File Information on Health (Section 3) (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
38	B_REASOVA	b. Reason	discrete	numeric-1.0	55	3881	-
39	C_DISTANCZ	c. Distance	discrete	numeric-1.0	55	3881	-
40	GOVT DOCTOR	Govt doctors (private practice)	discrete	numeric-2.0	18	3918	-
41	A_ORDER_OF	a. Order of visits	discrete	numeric-2.0	18	3918	-
42	B_REASOWA	b. Reason	discrete	numeric-1.0	18	3918	-
43	C_DISTANCA	c. Distance	discrete	numeric-1.0	18	3918	-
44	AYURVEDIC	AYurvedic (govt free)	discrete	numeric-2.0	52	3884	-
45	A_ORDER_OF	a. Order of visits	discrete	numeric-2.0	52	3884	-
46	B_REASOXA	b. Reason	discrete	numeric-1.0	52	3884	-
47	C_DISTANCOA	c. Distance	discrete	numeric-1.0	52	3884	-
48	AYURVEDIC	AYurvedic (Govt Paid)	discrete	numeric-2.0	5	3931	-
49	A_ORDER_OF	a. Order of visits	discrete	numeric-2.0	5	3931	-
50	B_REASOYA	b. Reason	discrete	numeric-1.0	5	3931	-
51	C_DISTANCPA	c. Distance	discrete	numeric-1.0	5	3931	-
52	AYURVEDIC	AYurvedic (Private)	discrete	numeric-2.0	44	3892	-
53	A_ORDER_OF	a. Order of visits	discrete	numeric-2.0	44	3892	-
54	B_REASOZB	b. Reason	discrete	numeric-1.0	44	3892	-
55	C_DISTANCOA	c. Distance	discrete	numeric-1.0	44	3892	-
56	HOME_REMESIE	Home remedies	discrete	numeric-2.0	169	3767	-
57	A_ORDER_OF	a. Order of visits	discrete	numeric-2.0	169	3767	-
58	B_REASOZC	b. Reason	discrete	numeric-1.0	169	3767	-
59	INFLATION_FACT	Inflation factor	discrete	numeric-7.0	3936	0	-

File Information on Health (Section 3)							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	REC\$TYPE	-	discrete	character-2	24024	0	-
2	WHETHER_ANY	Whether any member injured in.. an accident during last 12 month	discrete	numeric-1.0	24019	5	-
3	IF_YES_NO	IF yes no of person	discrete	numeric-2.0	796	23228	-
4	SERIAL_NUMBER	Serial number of the person	discrete	numeric-2.0	800	23224	-
5	TYPE_OF_THE	Type of the accident A.Accidents at home	discrete	numeric-3.0	238	23786	-
6	TYPE_OF_THE	Type of the accident B.Transport accidents	discrete	numeric-3.0	228	23796	-
7	TYPE_OF_THE	Type of the accident C.Occupational accidents	discrete	numeric-3.0	76	23948	-

Survey of Demographic and Social Aspects - 1986-1987 - Variables List

File Information on Health (Section 3) (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
8	TYPE_OF_THE	Type of the accident Non Agricultural	discrete	numeric-3.0	13	24011	-
9	TYPE_OF_THE	Type of the accident Agricultural	discrete	numeric-3.0	23	24001	-
10	TYPE_OF_THE	Type of the accident C.b.1.Machinery	discrete	numeric-3.0	9	24015	-
11	TYPE_OF_THE	Type of the accident C.b.2.Pesticides	discrete	numeric-3.0	7	24017	-
12	TYPE_OF_THE	Type of the accident Other	discrete	numeric-3.0	27	23997	-
13	TYPE_OF_THE	Type of the accident Sports accidents	discrete	numeric-3.0	37	23987	-
14	TYPE_OF_THE	Type of the accident Accidents due to natural and environmental factors	discrete	numeric-3.0	54	23970	-
15	TYPE_OF_THE	Type of the accident Other	discrete	numeric-3.0	91	23933	-
16	KIND_OF_IMPAI	Kind of impairment Oral	discrete	numeric-1.0	12	24012	-
17	KIND_OF_IMPAI	Kind of impairment Language	discrete	numeric-1.0	18	24006	-
18	KIND_OF_IMPAI	Kind of impairment Ocular	discrete	numeric-1.0	38	23986	-
19	KIND_OF_IMPAI	Kind of impairment Visceral	discrete	numeric-1.0	69	23955	-
20	KIND_OF_IMPAI	Kind of impairment Skeletal	discrete	numeric-1.0	523	23501	-
21	KIND_OF_IMPAI	Kind of impairment other	discrete	numeric-1.0	158	23866	-
22	NATURE_OF_DIS	Nature of disability locomotor	discrete	numeric-1.0	300	23724	-
23	NATURE_OF_DIS	Nature of disability communication	discrete	numeric-1.0	49	23975	-
24	NATURE_OF_DIS	Nature of disability personal care	discrete	numeric-1.0	70	23954	-
25	NATURE_OF_DIS	Nature of disability dexterity	discrete	numeric-1.0	184	23840	-
26	NATURE_OF_DIS	Nature of disability Other	discrete	numeric-1.0	203	23821	-
27	SERIAL_NUMBE	Serial number of the person	discrete	numeric-2.0	35	23989	-
28	TYPE_OF_THE	Type of the accident Accidents at home	discrete	numeric-3.0	12	24012	-
29	TYPE_OF_THE	Type of the accident Transport accidents	discrete	numeric-3.0	10	24014	-
30	TYPE_OF_THE	Type of the accident C.Occupational accidents	discrete	numeric-3.0	0	24024	-

Survey of Demographic and Social Aspects - 1986-1987 - Variables List

File Information on Health (Section 3) (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
31	TYPE_OF_THE	Type of the accident Non Agricultural	discrete	numeric-3.0	0	24024	-
32	TYPE_OF_THE	Type of the accident Agricultural	discrete	numeric-3.0	0	24024	-
33	TYPE_OF_THE	Type of the accident C.b.1.Machinery	discrete	numeric-3.0	0	24024	-
34	TYPE_OF_THE	Type of the accident C.b.2.Pesticides	discrete	numeric-3.0	0	24024	-
35	TYPE_OF_THE	Type of the accident Other	discrete	numeric-3.0	1	24023	-
36	TYPE_OF_THE	Type of the accident Sports accidents	discrete	numeric-3.0	2	24022	-
37	TYPE_OF_THE	Type of the accident Accidents due to natural and environmental factors	discrete	numeric-3.0	5	24019	-
38	TYPE_OF_THE	Type of the accident Other	discrete	numeric-3.0	5	24019	-
39	KIND_OF_IMPA	Kind of impairment Oral	discrete	numeric-1.0	0	24024	-
40	KIND_OF_IMPA	Kind of impairment Language	discrete	numeric-1.0	1	24023	-
41	KIND_OF_IMPA	Kind of impairment Ocular	discrete	numeric-1.0	1	24023	-
42	KIND_OF_IMPA	Kind of impairment Visceral	discrete	numeric-1.0	5	24019	-
43	KIND_OF_IMPA	Kind of impairment Skeletal	discrete	numeric-1.0	21	24003	-
44	KIND_OF_IMPA	Kind of impairment other	discrete	numeric-1.0	7	24017	-
45	NATURE_OF_D	Nature of disability locomotor	discrete	numeric-1.0	15	24009	-
46	NATURE_OF_D	Nature of disability communication	discrete	numeric-1.0	4	24020	-
47	NATURE_OF_D	Nature of disability personal care	discrete	numeric-1.0	4	24020	-
48	NATURE_OF_D	Nature of disability dexterity	discrete	numeric-1.0	4	24020	-
49	NATURE_OF_D	Nature of disability Other	discrete	numeric-1.0	7	24017	-
50	INFLATION_FA	Inflation factor	discrete	numeric-7.0	24024	0	-

File Information on Health (Section 3)							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	REC\$TYPE	-	discrete	character-2	819	0	-
2	BLANR	blank	discrete	numeric-3.0	0	819	-

Survey of Demographic and Social Aspects - 1986-1987 - Variables List

File Information on Health (Section 3) (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
3	SERIAL_NUMBER_OF_THE_PERSON	Serial number of the person	discrete	numeric-2.0	819	0	-
4	WHICH_PART_OF_THE_BODY_AFFECTED	Which part of the body affected	discrete	numeric-2.0	805	14	-
5	WESTERN_MEDICINE (Govt)	Western medicine (Govt)	discrete	numeric-2.0	349	470	-
6	A_ORDER_OF_VISITS	a. Order of visits	discrete	numeric-2.0	348	471	-
7	B_REASON	b. Reason	discrete	numeric-1.0	348	471	-
8	C_DISTANCE	c. Distance	discrete	numeric-1.0	344	475	-
9	WESTERN_MEDICINE (private)	Western medicine (private)	discrete	numeric-2.0	134	685	-
10	A_ORDER_OF_VISITS	a. Order of visits	discrete	numeric-2.0	134	685	-
11	B_REASON	b. Reason	discrete	numeric-1.0	134	685	-
12	C_DISTANCE	c. Distance	discrete	numeric-1.0	132	687	-
13	GOVT_DOCTORS (private practice)	Govt doctors (private practice)	discrete	numeric-2.0	11	808	-
14	A_ORDER_OF_VISITS	a. Order of visits	discrete	numeric-2.0	11	808	-
15	B_REASON	b. Reason	discrete	numeric-1.0	11	808	-
16	C_DISTANCE	c. Distance	discrete	numeric-1.0	11	808	-
17	AYURVEDIC MEDICINE (govt free)	Ayurvedic (govt free)	discrete	numeric-2.0	14	805	-
18	A_ORDER_OF_VISITS	a. Order of visits	discrete	numeric-2.0	14	805	-
19	B_REASON	b. Reason	discrete	numeric-1.0	14	805	-
20	C_DISTANCE	c. Distance	discrete	numeric-1.0	14	805	-
21	AYURVEDIC MEDICINE (Govt Paid)	Ayurvedic (Govt Paid)	discrete	numeric-2.0	19	800	-
22	A_ORDER_OF_VISITS	a. Order of visits	discrete	numeric-2.0	19	800	-
23	B_REASON	b. Reason	discrete	numeric-1.0	19	800	-
24	C_DISTANCE	c. Distance	discrete	numeric-1.0	19	800	-
25	AYURVEDIC MEDICINE (Private)	Ayurvedic (Private)	discrete	numeric-2.0	203	616	-
26	A_ORDER_OF_VISITS	a. Order of visits	discrete	numeric-2.0	202	617	-
27	B_REASON	b. Reason	discrete	numeric-1.0	203	616	-
28	C_DISTANCE	c. Distance	discrete	numeric-1.0	200	619	-
29	WESTERN MEDICINE (Govt Free)	Western medicine (Govt Free)	discrete	numeric-2.0	222	597	-
30	A_ORDER_OF_VISITS	a. Order of visits	discrete	numeric-2.0	220	599	-
31	B_REASON	b. Reason	discrete	numeric-1.0	221	598	-
32	C_DISTANCE	c. Distance	discrete	numeric-1.0	219	600	-
33	WESTERN MEDICINE (Govt Paying ward)	Western medicine (Govt Paying ward)	discrete	numeric-2.0	4	815	-
34	A_ORDER_OF_VISITS	a. Order of visits	discrete	numeric-2.0	4	815	-
35	B_REASON	b. Reason	discrete	numeric-1.0	4	815	-
36	C_DISTANCE	c. Distance	discrete	numeric-1.0	4	815	-

Survey of Demographic and Social Aspects - 1986-1987 - Variables List

File Information on Health (Section 3) (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
37	WESTAN_MEDICINE	Westan Medicine (private)	discrete	numeric-2.0	10	809	-
38	A_ORDER_OF_VISITS	a. Order of visits	discrete	numeric-2.0	10	809	-
39	B_REASON	b. Reason	discrete	numeric-1.0	10	809	-
40	C_DISTANCE	c. Distance	discrete	numeric-1.0	10	809	-
41	GOVT_DOCTORS	Govt Doctors (private practice)	discrete	numeric-2.0	1	818	-
42	A_ORDER_OF_VISITS	a. Order of visits	discrete	numeric-2.0	1	818	-
43	B_REASON	b. Reason	discrete	numeric-1.0	1	818	-
44	C_DISTANCE	c. Distance	discrete	numeric-1.0	1	818	-
45	AYURVEDIC_GOVTFREE	Ayurvedic (govt free)	discrete	numeric-2.0	3	816	-
46	A_ORDER_OF_VISITS	a. Order of visits	discrete	numeric-2.0	3	816	-
47	B_REASON	b. Reason	discrete	numeric-1.0	3	816	-
48	C_DISTANCE	c. Distance	discrete	numeric-1.0	3	816	-
49	AYURVEDIC_GOVTPAID	Ayurvedic (Govt Paid)	discrete	numeric-2.0	3	816	-
50	A_ORDER_OF_VISITS	a. Order of visits	discrete	numeric-2.0	3	816	-
51	B_REASON	b. Reason	discrete	numeric-1.0	3	816	-
52	C_DISTANCE	c. Distance	discrete	numeric-1.0	3	816	-
53	AYURVEDIC_PRIVATE	Ayurvedic (Private)	discrete	numeric-2.0	35	784	-
54	A_ORDER_OF_VISITS	a. Order of visits	discrete	numeric-2.0	35	784	-
55	B_REASON	b. Reason	discrete	numeric-1.0	35	784	-
56	C_DISTANCE	c. Distance	discrete	numeric-1.0	35	784	-
57	HOME_REMEDIATION	Home remedied	discrete	numeric-2.0	78	741	-
58	A_ORDER_OF_VISITS	a. Order of visits	discrete	numeric-2.0	78	741	-
59	B_REASON	b. Reason	discrete	numeric-1.0	78	741	-
60	PERSENT_STATUS	Present Status	discrete	numeric-1.0	812	7	-
61	INFLATION_FACTOR	Inflation factor	discrete	numeric-7.0	819	0	-

File Information on Health (Section 3)							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	REC\$TYPE	-	discrete	character-2	24011	0	-
2	IS_ANY_MEMBER_OF_THE HOUSEHOLD	Is any member of the household.. presently suffering from any physical disability	discrete	numeric-1.0	24004	7	-
3	IF_YES_NO	If yes/no persons	discrete	numeric-2.0	1881	22130	-
4	SERIAL_NUMBER_OF_PERSON	Serial number of the person	discrete	numeric-2.0	1888	22123	-
5	NATURE_OF_DISABILITY	Nature of disability locomotor	discrete	numeric-1.0	475	23536	-

Survey of Demographic and Social Aspects - 1986-1987 - Variables List

File Information on Health (Section 3) (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
6	NATURE_OF_DISABILITYCOMMUNIC	Nature of disability-communication	discrete	numeric-1.0	673	23338	-
7	NATURE_OF_DISABILITYPERSONAL	Nature of disability-personal care	discrete	numeric-1.0	188	23823	-
8	NATURE_OF_DISABILITYDEXTERI	Nature of disability-dexterity	discrete	numeric-1.0	201	23810	-
9	NATURE_OF_DISABILITYE-OTHER	Nature of disability-E-other	discrete	numeric-1.0	435	23576	-
10	SINCE_WHEN_ONE_PERSON_SUFFERING..	Since when one person suffering.. from physical disability	discrete	numeric-1.0	1888	22123	-
11	THE_CAUSE_OF_DISABILITY	The cause of disability	discrete	numeric-1.0	1887	22124	-
12	SERIAL_NUMBERS_OF_THE_PERSON	Serial number of the person	discrete	numeric-2.0	137	23874	-
13	NATURE_OF_DISABILITYLOCOMOTR	Nature of disability-locomotor	discrete	numeric-1.0	30	23981	-
14	NATURE_OF_DISABILITYCOMMUNIC	Nature of disability-communication	discrete	numeric-1.0	70	23941	-
15	NATURE_OF_DISABILITYPERSONAL	Nature of disability-personal care	discrete	numeric-1.0	8	24003	-
16	NATURE_OF_DISABILITYDEXTERIW	Nature of disability-dexterity	discrete	numeric-1.0	13	23998	-
17	NATURE_OF_DISABILITYE-OTHER	Nature of disability-E-other	discrete	numeric-1.0	23	23988	-
18	SINCE_WHEN_ONE_PERSON_SUFFERING..	Since when one person suffering.. from physical disability	discrete	numeric-1.0	137	23874	-
19	THE_CAUSE_OF_DISABILITY	The cause of disability	discrete	numeric-1.0	137	23874	-
20	SERIAL_NUMBERS_OF_THE_PERSON	Serial number of the person	discrete	numeric-2.0	17	23994	-
21	NATURE_OF_DISABILITYLOCOMOTS	Nature of disability-locomotor	discrete	numeric-1.0	3	24008	-
22	NATURE_OF_DISABILITYCOMMUNIG	Nature of disability-communication	discrete	numeric-1.0	9	24002	-
23	NATURE_OF_DISABILITYPERSONAP	Nature of disability-personal care	discrete	numeric-1.0	1	24010	-
24	NATURE_OF_DISABILITYDEXTERIX	Nature of disability-dexterity	discrete	numeric-1.0	0	24011	-
25	NATURE_OF_DISABILITYE-OTHER	Nature of disability-E-other	discrete	numeric-1.0	5	24006	-
26	SINCE_WHEN_ONE_PERSON_SUFFERING..	Since when one person suffering.. from physical disability	discrete	numeric-1.0	17	23994	-
27	THE_CAUSE_OF_DISABILITY	The cause of disability	discrete	numeric-1.0	17	23994	-
28	SERIAL_NUMBERS_OF_THE_PERSON	Serial number of the person	discrete	numeric-2.0	3	24008	-
29	NATURE_OF_DISABILITYLOCOMOTT	Nature of disability-locomotor	discrete	numeric-1.0	0	24011	-

Survey of Demographic and Social Aspects - 1986-1987 - Variables List

File Information on Health (Section 3) (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
30	NATURE_OF_DISABILITY_MUNIH	Nature of disability - communication	discrete	numeric-1.0	0	24011	-
31	NATURE_OF_DISABILITY_PERSONAL	Nature of disability - personal care	discrete	numeric-1.0	0	24011	-
32	NATURE_OF_DISABILITY_DEXTERITY	Nature of disability - dexterity	discrete	numeric-1.0	0	24011	-
33	NATURE_OF_DISABILITY_OTHER	Nature of disability - other	discrete	numeric-1.0	3	24008	-
34	SINCE_WHEN_PERSON_SUFFERING_FROM_PHYSICAL_DISABILITY	Since when the person suffering.. from physical disability	discrete	numeric-1.0	3	24008	-
35	THE_CAUSE_OF_DISABILITY	The cause of disability	discrete	numeric-1.0	3	24008	-
36	SERIAL_NUMBER_OF_THE_PERSON	Serial number of the person	discrete	numeric-2.0	1	24010	-
37	NATURE_OF_DISABILITY_LOCOMOTOR	Nature of disability - locomotor	discrete	numeric-1.0	0	24011	-
38	NATURE_OF_DISABILITY_MUNIH	Nature of disability - communication	discrete	numeric-1.0	0	24011	-
39	NATURE_OF_DISABILITY_PERSONAL	Nature of disability - personal care	discrete	numeric-1.0	0	24011	-
40	NATURE_OF_DISABILITY_DEXTERITY	Nature of disability - dexterity	discrete	numeric-1.0	0	24011	-
41	NATURE_OF_DISABILITY_OTHER	Nature of disability - other	discrete	numeric-1.0	1	24010	-
42	SINCE_WHEN_PERSON_SUFFERING_FROM_PHYSICAL_DISABILITY	Since when the person suffering.. from physical disability	discrete	numeric-1.0	1	24010	-
43	THE_CAUSE_OF_DISABILITY	The cause of disability	discrete	numeric-1.0	1	24010	-
44	INFLATION_FACTOR	Inflation factor	discrete	numeric-7.0	24011	0	-

File Information on Health (Section 3)							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	REC\$TYPE	-	discrete	character-2	2045	0	-
2	BLANS	blank	discrete	numeric-3.0	4	2041	-
3	SERIAL_NUMBER_OF_THE_PERSON	Serial number of the person	discrete	numeric-2.0	2045	0	-
4	KIND_OF_IMPAIRMENT_AURAL	Kind of impairment - Aural	discrete	numeric-1.0	351	1694	-
5	KIND_OF_IMPAIRMENT_LANGUAGE	Kind of impairment - Language	discrete	numeric-1.0	223	1822	-
6	KIND_OF_IMPAIRMENT_OCULAR	Kind of impairment - Ocular	discrete	numeric-1.0	519	1526	-
7	KIND_OF_IMPAIRMENT_VISCERAL	Kind of impairment - Visceral	discrete	numeric-1.0	183	1862	-
8	KIND_OF_IMPAIRMENT_SKELETAL	Kind of impairment - Skeletal	discrete	numeric-1.0	730	1315	-

Survey of Demographic and Social Aspects - 1986-1987 - Variables List

File Information on Health (Section 3) (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
		Skeletal					
9	KIND_OF_IMPAI	Kind of Impairment other	discrete	numeric-1.0	232	1813	-
10	WESTERN_MED	Western medicine (Govt)	discrete	numeric-2.0	930	1115	-
11	A_ORDER_OF	a. Order of visits	discrete	numeric-2.0	1014	1031	-
12	B_REASONC	b. Reason	discrete	numeric-1.0	1014	1031	-
13	C_DISTANCE	c. Distance	discrete	numeric-1.0	1004	1041	-
14	WESTAN_MED	Western medicine (private)	discrete	numeric-2.0	225	1820	-
15	A_ORDER_OF	a. Order of visits	discrete	numeric-2.0	224	1821	-
16	B_REASOOC	b. Reason	discrete	numeric-1.0	224	1821	-
17	C_DISTANCE	c. Distance	discrete	numeric-1.0	222	1823	-
18	GOVT_DOCTOR	Govt Doctors (private practice)	discrete	numeric-2.0	39	2006	-
19	A_ORDER_OF	a. Order of visits	discrete	numeric-2.0	39	2006	-
20	B_REASOPC	b. Reason	discrete	numeric-1.0	39	2006	-
21	C_DISTANCE	c. Distance	discrete	numeric-1.0	39	2006	-
22	AYURVEDIC	Ayurvedic (govt free)	discrete	numeric-2.0	92	1953	-
23	A_ORDER_OF	a. Order of visits	discrete	numeric-2.0	92	1953	-
24	B_REASOQC	b. Reason	discrete	numeric-1.0	92	1953	-
25	C_DISTANCE	c. Distance	discrete	numeric-1.0	91	1954	-
26	AYURVEDIC	Ayurvedic (Govt Paid)	discrete	numeric-2.0	46	1999	-
27	A_ORDER_OF	a. Order of visits	discrete	numeric-2.0	46	1999	-
28	B_REASORC	b. Reason	discrete	numeric-1.0	46	1999	-
29	C_DISTANCE	c. Distance	discrete	numeric-1.0	46	1999	-
30	AYURVEDIC	Ayurvedic (Private)	discrete	numeric-2.0	319	1726	-
31	A_ORDER_OF	a. Order of visits	discrete	numeric-2.0	318	1727	-
32	B_REASOSC	b. Reason	discrete	numeric-1.0	319	1726	-
33	C_DISTANCE	c. Distance	discrete	numeric-1.0	317	1728	-
34	WESTERN_MED	Western medicine (Govt Free)	discrete	numeric-2.0	437	1608	-
35	A_ORDER_OF	a. Order of visits	discrete	numeric-2.0	436	1609	-
36	B_REASOTC	b. Reason	discrete	numeric-1.0	436	1609	-
37	C_DISTANCE	c. Distance	discrete	numeric-1.0	431	1614	-
38	WESTERN_MED	Western medicine (Govt Paying ward)	discrete	numeric-2.0	15	2030	-
39	A_ORDER_OF	a. Order of visits	discrete	numeric-2.0	14	2031	-
40	B_REASOUC	b. Reason	discrete	numeric-1.0	15	2030	-
41	C_DISTANCE	c. Distance	discrete	numeric-1.0	14	2031	-
42	WESTAN_MED	Western medicine (private)	discrete	numeric-2.0	19	2026	-

Survey of Demographic and Social Aspects - 1986-1987 - Variables List

File Information on Health (Section 3) (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
43	A_ORDER_OF_VISITS	a. Order of visits	discrete	numeric-2.0	19	2026	-
44	B_REASON	b. Reason	discrete	numeric-1.0	19	2026	-
45	C_DISTANCE	c. Distance	discrete	numeric-1.0	19	2026	-
46	GOVT_DOCTOR	Govt Doctors (private practice)	discrete	numeric-2.0	7	2038	-
47	A_ORDER_OF_VISITS	a. Order of visits	discrete	numeric-2.0	7	2038	-
48	B_REASON	b. Reason	discrete	numeric-1.0	7	2038	-
49	C_DISTANCE	c. Distance	discrete	numeric-1.0	7	2038	-
50	AYURVEDIC_GOV_FREE	Ayurvedic (govt free)	discrete	numeric-2.0	31	2014	-
51	A_ORDER_OF_VISITS	a. Order of visits	discrete	numeric-2.0	31	2014	-
52	B_REASON	b. Reason	discrete	numeric-1.0	31	2014	-
53	C_DISTANCE	c. Distance	discrete	numeric-1.0	31	2014	-
54	AYURVEDIC_GOV_PAID	Ayurvedic (Govt Paid)	discrete	numeric-2.0	1	2044	-
55	A_ORDER_OF_VISITS	a. Order of visits	discrete	numeric-2.0	1	2044	-
56	B_REASON	b. Reason	discrete	numeric-1.0	1	2044	-
57	C_DISTANCE	c. Distance	discrete	numeric-1.0	1	2044	-
58	AYURVEDIC_PRIVATE	Ayurvedic (Private)	discrete	numeric-2.0	41	2004	-
59	A_ORDER_OF_VISITS	a. Order of visits	discrete	numeric-2.0	40	2005	-
60	B_REASON	b. Reason	discrete	numeric-1.0	40	2005	-
61	C_DISTANCE	c. Distance	discrete	numeric-1.0	37	2008	-
62	HOME_REMEDIATION	Home remedied	discrete	numeric-2.0	115	1930	-
63	A_ORDER_OF_VISITS	a. Order of visits	discrete	numeric-2.0	115	1930	-
64	B_REASON	b. Reason	discrete	numeric-1.0	112	1933	-
65	INFLATION_FACTOR	Inflation factor	discrete	numeric-7.0	2045	0	-

File Information on Health (Section 3)							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	REC\$TYPE	-	discrete	character-2	1643	0	-
2	BLANT	blank	discrete	numeric-3.0	0	1643	-
3	SERIAL_NUMBER_PERSON	Serial number of the person	discrete	numeric-2.0	1614	29	-
4	IS_THE_PERSON_CAPABLE_OF_LEARNING	Is the person capable of learning and /or earning	discrete	numeric-1.0	1643	0	-
5	IF_NO_PERSONS_PERSONS_PERFORMANCE_RESTRICTED	Is persons performance restricted	discrete	numeric-1.0	1022	621	-
6	HAS_THE_PERSON_BEEN_GIVEN_SPECIAL_EDUCATION_OR_TRAINING	Has the person been given special education or training	discrete	numeric-1.0	1642	1	-
7	SERIAL_NUMBER_PERSON	Serial number of the person	discrete	numeric-2.0	123	1520	-

Survey of Demographic and Social Aspects - 1986-1987 - Variables List

File Information on Health (Section 3) (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
		person					
8	IS_THE_PERSON_CAPABLE_OF_LEARNING_AND_OR_EARNING	Is the person capable of learning and /or earning	discrete	numeric-1.0	123	1520	-
9	IF_NO_IS_PERSON'S_PERFORMANCE RESTRICTED	Is person's performance restricted	discrete	numeric-1.0	66	1577	-
10	HAS_THE_PERSON_BEEN_GIVEN_SPECIAL_EDUCATION_OR_TRAINING	Has the person been given special education or training	discrete	numeric-1.0	123	1520	-
11	SERIAL_NUMBER_OF_THIS_PERSON	Serial number of the person	discrete	numeric-2.0	17	1626	-
12	IS_THE_PERSON_CAPABLE_OF_LEARNING_AND_OR_EARNING	Is the person capable of learning and /or earning	discrete	numeric-1.0	17	1626	-
13	IF_NO_IS_PERSON'S_PERFORMANCE RESTRICTED	Is person's performance restricted	discrete	numeric-1.0	5	1638	-
14	HAS_THE_PERSON_BEEN_GIVEN_SPECIAL_EDUCATION_OR_TRAINING	Has the person been given special education or training	discrete	numeric-1.0	17	1626	-
15	SERIAL_NUMBER_OF_THIS_PERSON	Serial number of the person	discrete	numeric-2.0	3	1640	-
16	IS_THE_PERSON_CAPABLE_OF_LEARNING_AND_OR_EARNING	Is the person capable of learning and /or earning	discrete	numeric-1.0	3	1640	-
17	IF_NO_IS_PERSON'S_PERFORMANCE RESTRICTED	Is person's performance restricted	discrete	numeric-1.0	1	1642	-
18	HAS_THE_PERSON_BEEN_GIVEN_SPECIAL_EDUCATION_OR_TRAINING	Has the person been given special education or training	discrete	numeric-1.0	3	1640	-
19	SERIAL_NUMBER_OF_THIS_PERSON	Serial number of the person	discrete	numeric-2.0	1	1642	-
20	IS_THE_PERSON_CAPABLE_OF_LEARNING_AND_OR_EARNING	Is the person capable of learning and /or earning	discrete	numeric-1.0	1	1642	-
21	IF_NO_IS_PERSON'S_PERFORMANCE RESTRICTED	Is person's performance restricted	discrete	numeric-1.0	1	1642	-
22	HAS_THE_PERSON_BEEN_GIVEN_SPECIAL_EDUCATION_OR_TRAINING	Has the person been given special education or training	discrete	numeric-1.0	1	1642	-
23	INFLATION_FACTOR	Inflation factor	discrete	numeric-7.0	1643	0	-

File Information on Health (Section 3)							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	REC\$TYPE	-	discrete	character-2	5800	0	-
2	FEES_TO_MEDICAL_SPECIALISTS	Fees to medical Western	discrete	numeric-6.0	3269	2531	-
3	FEES_TO_MEDICAL_SPECIALISTS	Fees to medical Ayurvedic	discrete	numeric-6.0	615	5185	-
4	CONSULTATION_FEES_TO_SPECIALISTS	Consultation fees to specialists: Western	discrete	numeric-6.0	212	5588	-

Survey of Demographic and Social Aspects - 1986-1987 - Variables List

File Information on Health (Section 3) (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
5	CONSULTATION_FEE_TO_SPECIALISTU	Consultation fees to specialists: Aurvedic	discrete	numeric-6.0	7	5793	-
6	PAYMENT_TO_MEDICAL_DENTAL_LABO	payment to medical & dental laboratories for tests, analysis etc. Western	discrete	numeric-6.0	48	5752	-
7	PURCHASES_OF_MEDICAL_PRODUCTS_WESTERN	Purchases of medical & Pharmaceutical products: Western	discrete	numeric-6.0	1641	4159	-
8	PURCHASES_OF_MEDICAL_PRODUCTS_AYURVEDIC	Purchases of medical & Pharmaceutical products: Ayurvedic	discrete	numeric-6.0	270	5530	-
9	OTHER_WESTERN	Other :Western	discrete	numeric-6.0	113	5687	-
10	OTHER_AYURVEDIC	Other :Ayurvedic	discrete	numeric-6.0	63	5737	-
11	PAYMENTS_TO_PRIVATE_GOVT_HOSPITALS_WESTERN	payments to private & Govt hospitals and nursing home :Western (a)Last 14 days	discrete	numeric-5.0	218	5582	-
12	PAYMENTS_TO_PRIVATE_GOVT_HOSPITALS_WESTERN	payments to private & Govt hospitals and nursing home :Western (b)Last 12 months	discrete	numeric-6.0	891	4909	-
13	PAYMENTS_TO_PRIVATE_GOVT_HOSPITALS_AYURVEDIC	payments to private & Govt hospitals and nursing home :Ayurvedic (a)Last 14 days	discrete	numeric-5.0	17	5783	-
14	PAYMENTS_TO_PRIVATE_GOVT_HOSPITALS_AYURVEDIC	payments to private & Govt hospitals and nursing home :Ayurvedic (a)Last 12 month	discrete	numeric-6.0	48	5752	-
15	INFLATION_FACTOR	Inflation factor	discrete	numeric-7.0	5800	0	-

File Information on Health (Section 3)							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	REC\$TYPE	-	discrete	character-2	24017	0	-
2	HAS_ANY_MEMBER_OF_THE_HOUSEHOLD_VISITED_OR_HAS_BEEN_VISITED_BY_PUBLIC_HEALTH_MEDICAL_SERVICES_DURING_LAST_THREE_MONTHS	Has any member of the household ever visited or has been visited by public health/medical services during last three months	discrete	numeric-1.0	24017	0	-
3	GOVT_HOSPITAL	Govt hospital	discrete	numeric-2.0	6078	17939	-
4	A_NO_OF_VISITS	(a) no of visits	discrete	numeric-2.0	6078	17939	-
5	B_PROBLEM_CONCERNING_ADMISSION_APPOINTMENT_FOR_GETTING_THE_SERVICE	(b) problem concerning admission, appointment for getting the service	discrete	numeric-1.0	6078	17939	-
6	C_ANY_OPINION_ON_THE_QUALITY_OF_THE_SERVICES	(c) Any opinion on the quality of the services	discrete	numeric-1.0	6078	17939	-

Survey of Demographic and Social Aspects - 1986-1987 - Variables List

File Information on Health (Section 3) (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
7	D_ANY_VIEW	(d) Any view on the location maintenance or upkeep of the services	discrete	numeric-1.0	6078	17939	-
8	GOVT_DISPENSARY	Govt Dispensary	discrete	numeric-2.0	841	23176	-
9	A_NO_OF_VISITS	(a) No of Visits	discrete	numeric-2.0	841	23176	-
10	B_ANY_PROBLEM	(b) Any problem	discrete	numeric-1.0	841	23176	-
11	C_ANY_OPINION	(c) Any opinion	discrete	numeric-1.0	841	23176	-
12	D_ANY_VIEW	(d) Any view	discrete	numeric-1.0	841	23176	-
13	FAMILY_HEALTH_CLINIC	Family Health clinic	discrete	numeric-2.0	614	23403	-
14	A_NO_OF_VISITS	(a) No of Visits	discrete	numeric-2.0	614	23403	-
15	B_ANY_PROBLEM	(b) Any problem	discrete	numeric-1.0	614	23403	-
16	C_ANY_OPINION	(c) Any opinion	discrete	numeric-1.0	614	23403	-
17	D_ANY_VIEW	(d) Any view	discrete	numeric-1.0	613	23404	-
18	OTHER_GOVT_MEDICAL_SERVICES	Other Govt Medical Services	discrete	numeric-2.0	335	23682	-
19	A_NO_OF_VISITS	(a) No of Visits	discrete	numeric-2.0	335	23682	-
20	B_ANY_PROBLEM	(b) Any problem	discrete	numeric-1.0	335	23682	-
21	C_ANY_OPINION	(c) Any opinion	discrete	numeric-1.0	335	23682	-
22	D_ANY_VIEW	(d) Any view	discrete	numeric-1.0	335	23682	-
23	ALL_OTHER_PRIVATE_MEDICAL_SERVICES	All other private medical services	discrete	numeric-2.0	3173	20844	-
24	A_NO_OF_VISITS	(a) No of Visits	discrete	numeric-2.0	3173	20844	-
25	B_ANY_PROBLEM	(b) Any problem	discrete	numeric-1.0	3173	20844	-
26	C_ANY_OPINION	(c) Any opinion	discrete	numeric-1.0	3173	20844	-
27	D_ANY_VIEW	(d) Any view	discrete	numeric-1.0	3173	20844	-
28	PUBLIC_HEALTH_INSPECTOR	Public Health Inspector	discrete	numeric-2.0	196	23821	-
29	A_NO_OF_VISITS	(a) No of Visits	discrete	numeric-2.0	196	23821	-
30	B_ANY_PROBLEM	(b) Any problem	discrete	numeric-1.0	196	23821	-
31	C_ANY_OPINION	(c) Any opinion	discrete	numeric-1.0	196	23821	-
32	FAMILY_HEALTH_WORKER	Family Health worker	discrete	numeric-2.0	1141	22876	-
33	A_NO_OF_VISITS	(a) No of Visits	discrete	numeric-2.0	1141	22876	-
34	B_ANY_PROBLEM	(b) Any problem	discrete	numeric-1.0	1141	22876	-
35	C_ANY_OPINION	(c) Any opinion	discrete	numeric-1.0	1141	22876	-
36	OFFICER_COLLECTING_BLOOD_SAMPLES_FOR_FILARIASIS	Officer collecting blood samples for filariasis	discrete	numeric-2.0	671	23346	-
37	A_NO_OF_VISITS	(a) No of Visits	discrete	numeric-2.0	670	23347	-
38	B_ANY_PROBLEM	(b) Any problem	discrete	numeric-1.0	670	23347	-
39	C_ANY_OPINION	(c) Any opinion	discrete	numeric-1.0	670	23347	-
40	PERSON_WHO_SPRAYS_INSECTICIDES	Person who sprays insecticides	discrete	numeric-2.0	3431	20586	-

Survey of Demographic and Social Aspects - 1986-1987 - Variables List

File Information on Health (Section 3) (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
41	A_NO_OF_VISITS	(A) No of Visits	discrete	numeric-2.0	3431	20586	-
42	B_ANY_PROBLEM	(B) Any problem	discrete	numeric-1.0	3431	20586	-
43	C_ANY_OPENION	(C) Any openion	discrete	numeric-1.0	3431	20586	-
44	OTHER	Other	discrete	numeric-2.0	102	23915	-
45	A_NO_OF_VISITS	(A) No of Visits	discrete	numeric-2.0	102	23915	-
46	B_ANY_PROBLEM	(B) Any problem	discrete	numeric-1.0	102	23915	-
47	C_ANY_OPENION	(C) Any openion	discrete	numeric-1.0	102	23915	-
48	INFLATION_FACTOR	Inflation factor	discrete	numeric-7.0	24017	0	-

File Information on Health (Section 3)							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	REC\$TYPE	-	discrete	character-2	3907	0	-
2	BLANU	blank	discrete	numeric-3.0	0	3907	-
3	SERIAL_NO_OF_MOTHER	Serial no of mother	discrete	numeric-2.0	3905	2	-
4	SERIAL_NUMBER	Serial Number	discrete	numeric-1.0	3906	1	-
5	SEX	Sex	discrete	numeric-1.0	3907	0	-
6	DATE_OF_BIRTH_YEAR	Date of birth year	discrete	numeric-2.0	3907	0	-
7	DATE_OF_BIRTH_MONTH	Date of birth month	discrete	numeric-2.0	3907	0	-
8	DATE_OF_BIRTH_DAY	Date of birth day	discrete	numeric-2.0	3907	0	-
9	PLACE_OF_BIRTH	Place of birth	discrete	numeric-1.0	3907	0	-
10	WAS_THE_BIRTH_REGISTERED	Was the birth registered	discrete	numeric-1.0	3907	0	-
11	BIRTH_WEIGHT	Birth weight	discrete	numeric-1.0	3907	0	-
12	DURATION_OF_BREASTFEEDING	Duration of breast feeding	discrete	numeric-2.0	3907	0	-
13	IS_THE_BREASTFEEDING_CONTINUING	Is the breast feeding continuing	discrete	numeric-1.0	3907	0	-
14	IS_ANY_SUPPLEMENTARY_FOOD_BEING_GIVEN	Is any supplementary food being given	discrete	numeric-1.0	3907	0	-
15	WHAT_IS_THE_AGE_OF_THE_CHILD_WHEN_THIS_WAS INTRODUCED	What is the age of the child when this was introduced	discrete	numeric-2.0	2890	1017	-
16	IF_THE_CHILD_NO_LONGER_ALIVE	Is the child no longer alive (a) Date of death : Year	discrete	numeric-2.0	53	3854	-
17	MONTH	Month	discrete	numeric-2.0	53	3854	-
18	DAY	Day	discrete	numeric-2.0	53	3854	-
19	B_PLACE_OF_DEATH	(B) Place of death	discrete	numeric-1.0	53	3854	-
20	C_WAS_THE_DEATH_REGISTERED	(C) Was the death registered	discrete	numeric-1.0	56	3851	-
21	TOTAL_NO_OF_PREVIOUS_BIRTH	Total no of previous birth (a) male	discrete	numeric-2.0	3093	814	-

Survey of Demographic and Social Aspects - 1986-1987 - Variables List

File Information on Health (Section 3) (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
22	B_FEMALE	(b) Female	discrete	numeric-2.0	3091	816	-
23	TOTAL_NO_OF_CHILDREN_PRESENTLY_ALIVE	Total No of children presently alive from previous live births (a) Male	discrete	numeric-2.0	3049	858	-
24	B_FEMALE	(b) Female	discrete	numeric-2.0	3040	867	-
25	SERIAL_NUMBER	Serial Number	discrete	numeric-1.0	224	3683	-
26	SEY	Sex	discrete	numeric-1.0	224	3683	-
27	DATE_OF_BIRTH_YEAR	Date of birth year	discrete	numeric-2.0	224	3683	-
28	DATE_OF_BIRTH_MONTH	Date of birth month	discrete	numeric-2.0	224	3683	-
29	DATE_OF_BIRTH_DAY	Date of birth day	discrete	numeric-2.0	224	3683	-
30	PLACE_OF_BIRTH	Place of birth	discrete	numeric-1.0	224	3683	-
31	WAS_THE_BIRTH_REGISTERED	Was the birth registered	discrete	numeric-1.0	224	3683	-
32	BIRTH_WEIGHT	Birth weight	discrete	numeric-1.0	224	3683	-
33	DURATION_OF_BREASTFEEDING	Duration of breast feeding	discrete	numeric-2.0	224	3683	-
34	IS_THE_BREASTFEEDING_CONTINUING	Is the breast feeding continuing	discrete	numeric-1.0	224	3683	-
35	IS_ANY_SUPPLEMENTARY_FOOD_BEING_GIVEN	Is any supplementary food being given	discrete	numeric-1.0	224	3683	-
36	WHAT_IS_THE_AGE_OF_THE_CHILD_WHEN_THIS_WAS INTRODUCED	What is the age of the child when this was introduced	discrete	numeric-2.0	86	3821	-
37	IF_THE_CHILD_NO_LONGER_ALIVE	Is the child no longer alive (a) Date of death : Year	discrete	numeric-2.0	7	3900	-
38	MONTJ	Month	discrete	numeric-2.0	7	3900	-
39	DAZ	Day	discrete	numeric-2.0	7	3900	-
40	B_PLACE_OF_DEATH	(b) Place of death	discrete	numeric-1.0	7	3900	-
41	C_WAS_THE_DEATH_REGISTERED	(c) Was the death registered	discrete	numeric-1.0	8	3899	-
42	SERIAL_NUMBER	Serial Number	discrete	numeric-1.0	3	3904	-
43	SEZ	Sex	discrete	numeric-1.0	3	3904	-
44	DATE_OF_BIRTH_YEAR	Date of birth year	discrete	numeric-2.0	3	3904	-
45	DATE_OF_BIRTH_MONTH	Date of birth month	discrete	numeric-2.0	3	3904	-
46	DATE_OF_BIRTH_DAY	Date of birth day	discrete	numeric-2.0	3	3904	-
47	PLACE_OF_BIRTH	Place of birth	discrete	numeric-1.0	3	3904	-
48	WAS_THE_BIRTH_REGISTERED	Was the birth registered	discrete	numeric-1.0	3	3904	-
49	BIRTH_WEIGHT	Birth weight	discrete	numeric-1.0	3	3904	-
50	DURATION_OF_BREASTFEEDING	Duration of breast feeding	discrete	numeric-2.0	3	3904	-
51	IS_THE_BREASTFEEDING_CONTINUING	Is the breast feeding continuing	discrete	numeric-1.0	3	3904	-
52	IS_ANY_SUPPLEMENTARY_FOOD_BEING_GIVEN	Is any supplementary food being given	discrete	numeric-1.0	3	3904	-

Survey of Demographic and Social Aspects - 1986-1987 - Variables List

File Information on Health (Section 3) (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
53	WHAT_IS_THE	What is the age of the child when this was introduced	discrete	numeric-2.0	0	3907	-
54	IF_THE_CHILD	Is the child no longer alive (a) Date of death : Year	discrete	numeric-2.0	0	3907	-
55	MONTK	Month	discrete	numeric-2.0	0	3907	-
56	DAYA	Day	discrete	numeric-2.0	0	3907	-
57	B_PLACE_OF	Place of death	discrete	numeric-1.0	0	3907	-
58	C_WAS_THE	Was the death registered	discrete	numeric-1.0	0	3907	-
59	INFLATION_FACTOR	Inflation factor	discrete	numeric-7.0	3907	0	-

File Information on Health (Section 3)							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	REC\$TYPE	-	discrete	character-2	4105	0	-
2	BLANV	blank	discrete	numeric-3.0	0	4105	-
3	SERIAL_NO_OF	Serial no of mother	discrete	numeric-2.0	4079	26	-
4	SERIAL_NO_OF	Serial no of child	discrete	numeric-1.0	4086	19	-
5	D_P_T_1	D.P.T.1	discrete	numeric-1.0	4097	8	-
6	SOURCE	Source	discrete	numeric-1.0	3366	739	-
7	AVAILABILITY_OF	Availability of immunization card	discrete	numeric-1.0	3369	736	-
8	DATE	date	discrete	numeric-6.0	3371	734	-
9	D_P_T_A	D.P.T.2	discrete	numeric-1.0	4097	8	-
10	SOURCE	Source	discrete	numeric-1.0	2956	1149	-
11	AVAILABILITY_OF	Availability of immunization card	discrete	numeric-1.0	2961	1144	-
12	DATE	date	discrete	numeric-6.0	2960	1145	-
13	D_P_T_B	D.P.T.2	discrete	numeric-1.0	4097	8	-
14	SOURCE	Source	discrete	numeric-1.0	2463	1642	-
15	AVAILABILITY_OF	Availability of immunization card	discrete	numeric-1.0	2465	1640	-
16	DATG	date	discrete	numeric-6.0	2463	1642	-
17	POLIO_1	Polio 1	discrete	numeric-1.0	4100	5	-
18	SOURCE	Source	discrete	numeric-1.0	3247	858	-
19	AVAILABILITY_OF	Availability of immunization card	discrete	numeric-1.0	3248	857	-
20	DATH	date	discrete	numeric-6.0	3251	854	-
21	POLIO2	Polio2	discrete	numeric-1.0	4096	9	-

Survey of Demographic and Social Aspects - 1986-1987 - Variables List

File Information on Health (Section 3) (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
22	SOURCI	Source	discrete	numeric-1.0	2861	1244	-
23	AVAILABILITY_OF_IMMUNIZATION_CAV	Availability of immunization card	discrete	numeric-1.0	2863	1242	-
24	DATI	date	discrete	numeric-6.0	2868	1237	-
25	POLIOA	Polio3	discrete	numeric-1.0	4093	12	-
26	SOURCJ	Source	discrete	numeric-1.0	2380	1725	-
27	AVAILABILITY_OF_IMMUNIZATION_CAW	Availability of immunization card	discrete	numeric-1.0	2382	1723	-
28	DATJ	date	discrete	numeric-6.0	2387	1718	-
29	MEASLES	Measles	discrete	numeric-1.0	4094	11	-
30	SOURCK	Source	discrete	numeric-1.0	1516	2589	-
31	AVAILABILITY_OF_IMMUNIZATION_CAX	Availability of immunization card	discrete	numeric-1.0	1515	2590	-
32	DATK	date	discrete	numeric-6.0	1518	2587	-
33	B_C_G	B.C.G	discrete	numeric-1.0	4093	12	-
34	SOURCL	Source	discrete	numeric-1.0	3835	270	-
35	AVAILABILITY_OF_IMMUNIZATION_CAY	Availability of immunization card	discrete	numeric-1.0	3835	270	-
36	DATL	date	discrete	numeric-6.0	3843	262	-
37	SCAR	Scar	discrete	numeric-1.0	3842	263	-
38	MOTHER_T_T2	Mother T T 2	discrete	numeric-1.0	4092	13	-
39	SOURCM	Source	discrete	numeric-1.0	3038	1067	-
40	DATM	Date	discrete	numeric-4.0	3041	1064	-
41	MOTHER_T_T1	Mother T T 1	discrete	numeric-1.0	4087	18	-
42	SOURCN	Source	discrete	numeric-1.0	2433	1672	-
43	DATN	Date	discrete	numeric-4.0	2441	1664	-
44	INFLATION_FACTOR	Inflation factor	discrete	numeric-7.0	4105	0	-

File Information on Housing (Section 4)							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	REC\$TYPE	-	discrete	character-2	24024	0	-
2	TYPE_OF_UNIT	Type of unit (a) Ethnic	discrete	numeric-1.0	21822	2202	-
3	B_PART_OF_UNIT	Part of unit	discrete	numeric-1.0	2201	21823	-
4	DO_YOU_INTEND_TO_IMPROVE_YOUR_HOUSING_UNIT	Do you intend to improve your housing unit	discrete	numeric-1.0	925	23099	-
5	TYPE_OF_IMPROVEMENTS	Type of improvements	discrete	numeric-2.0	420	23604	-
6	YENURE_OF_ACCOMMODATION	Yenure of accommodation	discrete	numeric-1.0	24024	0	-
7	NO_OF_ROOMS_USED_FOR_SLEEPS	Number of rooms used for sleeping purposes (a) Solely by the	discrete	numeric-2.0	23911	113	-

Survey of Demographic and Social Aspects - 1986-1987 - Variables List

File Information on Housing (Section 4) (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
		household					
8	B_COMMONLY	(b) Commonly sharing with other household	discrete	numeric-2.0	2204	21820	-
9	C_NO_OF_HO	(c) No of households sharing	discrete	numeric-1.0	2204	21820	-
10	NO_OF_ROOM	Approximate floor area (a) Solely by the household	discrete	numeric-4.0	23909	115	-
11	B_COMMONLY	(b) Commonly sharing with other household	discrete	numeric-4.0	2204	21820	-
12	C_NO_OF_HO	(c) No of households sharing	discrete	numeric-1.0	2202	21822	-
13	NO_OF_ROOM	Total floor area used (a) Solely by the household	discrete	numeric-4.0	23908	116	-
14	B_COMMONLY	(b) Commonly sharing with other household	discrete	numeric-4.0	2205	21819	-
15	C_NO_OF_HO	(c) No of households sharing	discrete	numeric-1.0	2205	21819	-
16	YEAR_OF_CON	Year of construction of the building	discrete	numeric-4.0	24024	0	-
17	PRINCIPAL_MA	Principal materials used in construction (a) Walls	discrete	numeric-1.0	24024	0	-
18	B_FLOOR	(b) Floor	discrete	numeric-1.0	24024	0	-
19	C_ROOF	(c) Roof	discrete	numeric-1.0	24024	0	-
20	STATE_OF_MA	State of maintenance	discrete	numeric-1.0	24024	0	-
21	SOURCE_OF_W	Source of water (a) Drinking	discrete	numeric-1.0	24024	0	-
22	B_WASHING	(b) Washing	discrete	numeric-1.0	24024	0	-
23	SOURCE_OF_W	Whether protected or unprotected or tube (a) Drinking	discrete	numeric-1.0	16710	7314	-
24	B_WASHINH	(b) Washing	discrete	numeric-1.0	13401	10623	-
25	SOURCE_OF_W	Whether water is adequate for (a) Drinking	discrete	numeric-1.0	24022	2	-
26	B_WASHINH	(b) Washing	discrete	numeric-1.0	24019	5	-
27	SOURCE_OF_W	Distance of source of water (Meters) (a) Drinking	discrete	numeric-4.0	12215	11809	-
28	B_WASHINH	(b) Washing	discrete	numeric-4.0	13616	10408	-
29	TOILET_FACI	Toilet facilities (a) Solely by household	discrete	numeric-1.0	24024	0	-
30	B_IF_SHARED	(b) If shared with household	discrete	numeric-1.0	1944	22080	-
31	MAIN_REASON	Main reason for not having a toilet in the household	discrete	numeric-1.0	6482	17542	-
32	HOW_OFTEN	How often do you get the	discrete	numeric-1.0	17543	6481	-

Survey of Demographic and Social Aspects - 1986-1987 - Variables List

File Information on Housing (Section 4) (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
		toilet cleaned/ Disinfected					
33	DISPOSAL_OF_DISEASE	Disposal of garbage	discrete	numeric-1.0	24018	6	-
34	GARBAGE_REMOVAL_OUTSIDE_PREMISES	Garbage removal outside premises	discrete	numeric-1.0	24024	0	-
35	MOSQUITO_HOUSE_FLY_INFESTATION_A	Mosquito/House fly infestation(a) Mosquite	discrete	numeric-1.0	24024	0	-
36	B_HOUSE_FLY	(b) House fly	discrete	numeric-1.0	24024	0	-
37	WAS_THIS_HOUSING_UNIT_AFFECTED_BY_FOODS	Was this housing unit affected by foods	discrete	numeric-1.0	24024	0	-
38	IF_YES_1_HOW_MANY_TIMES	Yes (1) How many times	discrete	numeric-1.0	944	23080	-
39	FOR_HOW_LONG	(2) For how long	discrete	numeric-2.0	944	23080	-
40	MAIN_SOURCE_OF_ENERGY_GHT	Main source of energy (GHT) Lighting	discrete	numeric-1.0	24022	2	-
41	COOKING_HEATING	(2) Cooking/ heating	discrete	numeric-1.0	24018	6	-
42	DATE_OF_OCCUPATION	Date of occupation (R) Year	discrete	numeric-2.0	1644	22380	-
43	MONTL	(2) Month	discrete	numeric-2.0	1645	22379	-
44	ADVANCE_PAID	Advance paid	discrete	numeric-5.0	716	23308	-
45	KEY_MONEY_PAID	Key money paid	discrete	numeric-5.0	86	23938	-
46	RENT_PAID_PER_MONTH	Rent paid per month	discrete	numeric-5.0	1604	22420	-
47	RATES_QUARTERLY	Rates quarterly	discrete	numeric-5.0	98	23926	-
48	INFLATION_FACTOR	Inflation factor	discrete	numeric-7.0	24024	0	-

File Information on Housing (Section 4)							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	REC\$TYPE	-	discrete	character-2	23987	0	-
2	PRIMARY_SCHOOL	Primary school	discrete	numeric-2.0	23987	0	-
3	SECONDARY_SCHOOL	Secondary school	discrete	numeric-2.0	23987	0	-
4	MARKET	Market	discrete	numeric-2.0	23987	0	-
5	ANY_PUBLIC_TRANSPORT_SYSTEM_OR_A_PRIVATE_BUS_SERVICES	Any public transport system or a private bus services	discrete	numeric-2.0	23987	0	-
6	A_G_A_OFFICE	A.G.A. Office	discrete	numeric-2.0	23987	0	-
7	POST_OFFICE	Post office	discrete	numeric-2.0	23987	0	-
8	POLICE_STATION	Police Station	discrete	numeric-2.0	23987	0	-
9	HOSPITAL	Hospital	discrete	numeric-2.0	23987	0	-
10	CAR	Car	discrete	numeric-1.0	517	23470	-
11	NO_OWNED	No Owned	discrete	numeric-1.0	517	23470	-
12	BUS_LORRY_VAN_OR_TRUCK	Bus/Lorry/Van/ etc	discrete	numeric-1.0	371	23616	-

Survey of Demographic and Social Aspects - 1986-1987 - Variables List

File Information on Housing (Section 4) (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
13	NO_OWNEE	No Owned	discrete	numeric-1.0	371	23616	-
14	SCOOTER_MOTORCYCLE	Scoter/Motor cycle	discrete	numeric-1.0	831	23156	-
15	NO_OWNEF	No Owned	discrete	numeric-1.0	831	23156	-
16	BICYCLE	Bicycle	discrete	numeric-1.0	7783	16204	-
17	NO_OWNEG	No Owned	discrete	numeric-1.0	7783	16204	-
18	TRACTOR_4_WHEELS	Tractor(4 wheels)	discrete	numeric-1.0	91	23896	-
19	NO_OWNEH	No Owned	discrete	numeric-1.0	91	23896	-
20	TRACTOR_2_WHEELS	Tractor(2 Wheele)	discrete	numeric-1.0	173	23814	-
21	NO_OWNEI	No Owned	discrete	numeric-1.0	173	23814	-
22	CART	Cart	discrete	numeric-1.0	267	23720	-
23	NO_OWNEJ	No Owned	discrete	numeric-1.0	267	23720	-
24	BOAT	Boat	discrete	numeric-1.0	57	23930	-
25	NO_OWNEK	No Owned	discrete	numeric-1.0	57	23930	-
26	OTHERS	Other	discrete	numeric-1.0	72	23915	-
27	NO_OWNEL	No Owned	discrete	numeric-1.0	72	23915	-
28	RADIO	Radio	discrete	numeric-1.0	8632	15355	-
29	NO_OWNE M	No Owned Main	discrete	numeric-1.0	1634	22353	-
30	BATTERY	Battery	discrete	numeric-1.0	7057	16930	-
31	TYPE	Type	discrete	numeric-1.0	8657	15330	-
32	RADIO_WITH_CASSETTE	Radio with cassette	discrete	numeric-1.0	6018	17969	-
33	NO_OWNE M	No Owned Main	discrete	numeric-1.0	4025	19962	-
34	BATTERZ	Battery	discrete	numeric-1.0	2062	21925	-
35	TYPE	Type	discrete	numeric-1.0	6034	17953	-
36	TELEVISION	Television	discrete	numeric-1.0	4332	19655	-
37	NO_OWNE M	No Owned Main	discrete	numeric-1.0	3658	20329	-
38	BATTERYA	Battery	discrete	numeric-1.0	688	23299	-
39	TYPG	Type	discrete	numeric-1.0	4339	19648	-
40	SEWING_MACHINE	Sewing machine	discrete	numeric-1.0	6228	17759	-
41	NO_OWNE E	No Owne Electric	discrete	numeric-1.0	473	23514	-
42	MANUAL	Manual	discrete	numeric-1.0	5865	18122	-
43	COOKER	Cooker	discrete	numeric-1.0	1489	22498	-
44	NO_OWNE E	No Owne Electric	discrete	numeric-1.0	763	23224	-
45	GAS	Gas	discrete	numeric-1.0	773	23214	-
46	KEROSENE	Kerosene	discrete	numeric-1.0	185	23802	-
47	REFRIGERATOR	Refrigerator	discrete	numeric-1.0	1583	22404	-
48	NO_OWNE M	No Owned Electric	discrete	numeric-1.0	1559	22428	-
49	KEROSENE	Kerosene	discrete	numeric-1.0	40	23947	-

Survey of Demographic and Social Aspects - 1986-1987 - Variables List

File Information on Housing (Section 4) (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
50	TELEPHONE	Telephone	discrete	numeric-1.0	349	23638	-
51	NO_OWEN	No Owned	discrete	numeric-1.0	349	23638	-
52	INFLATION_FACTOR	Inflation factor	discrete	numeric-7.0	23987	0	-

File Information on Cultural, Recreational, Religious and Social Activities (Section 5)							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	REC\$TYPE	1.Record Type	discrete	character-2	17595	0	-
2	MONTH	2.Month	discrete	numeric-2.0	17595	0	-
3	HHNO	3.Unique Household Number	discrete	numeric-4.0	17595	0	-
4	A	Blank	discrete	numeric-3.0	0	17595	-
5	Q4	4.Serial number of the person	discrete	numeric-2.0	17591	4	-
6	Q5	5.Did the person read any books	discrete	numeric-1.0	17586	9	-
7	Q6_1	Q6.1 Source - 1st	discrete	numeric-1.0	3743	13852	-
8	Q6_2	Q6.2 Source - 2nd	discrete	numeric-1.0	328	17267	-
9	Q6_3	Q6.3 Source - 3rd	discrete	numeric-1.0	24	17571	-
10	Q6_4	Q6.4 Source - 4th	discrete	numeric-1.0	0	17595	-
11	Q7_1	Q7.1 Type - 1st	discrete	numeric-2.0	3735	13860	-
12	Q7_2	Q7.2 Type - 2nd	discrete	numeric-2.0	420	17175	-
13	Q8	Q8 Did the person read any magazines	discrete	numeric-1.0	17586	9	-
14	Q9_1	Q9.1 Source - 1st	discrete	numeric-1.0	4477	13118	-
15	Q9_2	Q9.2 Source - 2nd	discrete	numeric-1.0	360	17235	-
16	Q9_3	Q9.3 Source - 3rd	discrete	numeric-1.0	17	17578	-
17	Q9_4	Q9.4 Source - 4th	discrete	numeric-1.0	1	17594	-
18	Q10_1	Q10.1 Type - 1st	discrete	numeric-1.0	4412	13183	-
19	Q10_2	Q10.2 Type - 2nd	discrete	numeric-1.0	779	16816	-
20	Q11	Q11 Read Newspapers - frequency	discrete	numeric-1.0	17414	181	-
21	Q12_1	Q12.1 Source - 1st	discrete	numeric-1.0	16818	777	-
22	Q12_2	Q12.2 Source - 2nd	discrete	numeric-1.0	1179	16416	-
23	Q12_3	Q12.3 Source - 3rd	discrete	numeric-1.0	39	17556	-
24	Q12_4	Q12.4 Source - 4th	discrete	numeric-1.0	4	17591	-
25	Q13_1	Q13.1 Language - 1st	discrete	numeric-1.0	16821	774	-
26	Q13_2	Q13.2 Language - 2nd	discrete	numeric-1.0	879	16716	-
27	Q13_3	Q13.3 Language - 3rd	discrete	numeric-1.0	23	17572	-

Survey of Demographic and Social Aspects - 1986-1987 - Variables List

File Information on Cultural, Recreational, Religious and Social Activities (Section 5) (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
28	Q13_4	Q13.4 Language - 4th	discrete	numeric-1.0	1	17594	-
29	Q14	Q14 Serial number of the person	discrete	numeric-2.0	12169	5426	-
30	Q15	Q15 Did the person read any books	discrete	numeric-1.0	12162	5433	-
31	Q16_1	Q16.1 Source - 1st	discrete	numeric-1.0	2686	14909	-
32	Q16_2	Q16.2 Source - 2nd	discrete	numeric-1.0	262	17333	-
33	Q16_3	Q16.3 Source - 3rd	discrete	numeric-1.0	19	17576	-
34	Q16_4	Q16.4 Source - 4th	discrete	numeric-1.0	0	17595	-
35	Q17_1	Q17.1 Type - 1st	discrete	numeric-2.0	2680	14915	-
36	Q17_2	Q17.2 Type - 2nd	discrete	numeric-2.0	276	17319	-
37	Q18	Q18 Did the person read any magazines	discrete	numeric-1.0	12164	5431	-
38	Q19_1	Q19.1 Source - 1st	discrete	numeric-1.0	3471	14124	-
39	Q19_2	Q19.2 Source - 2nd	discrete	numeric-1.0	293	17302	-
40	Q19_3	Q19.3 Source - 3rd	discrete	numeric-1.0	10	17585	-
41	Q19_4	Q19.4 Source - 4th	discrete	numeric-1.0	0	17595	-
42	Q20_1	Q20.1 Type - 1st	discrete	numeric-1.0	3421	14174	-
43	Q20_2	Q20.2 Type - 2nd	discrete	numeric-1.0	639	16956	-
44	Q21	Q21 Read Newspapers - frequency	discrete	numeric-1.0	11996	5599	-
45	Q22_1	Q22.1 Source - 1st	discrete	numeric-1.0	11533	6062	-
46	Q22_2	Q22.2 Source - 2nd	discrete	numeric-1.0	776	16819	-
47	Q22_3	Q22.3 Source - 3rd	discrete	numeric-1.0	23	17572	-
48	Q22_4	Q22.4 Source - 4th	discrete	numeric-1.0	4	17591	-
49	Q23_1	Q23.1 Language - 1st	discrete	numeric-1.0	11537	6058	-
50	Q23_2	Q23.2 Language - 2nd	discrete	numeric-1.0	508	17087	-
51	Q23_3	Q23.3 Language - 3rd	discrete	numeric-1.0	7	17588	-
52	Q23_4	Q23.4 Language - 4th	discrete	numeric-1.0	0	17595	-
53	Q24	Q24 Serial number of the person	discrete	numeric-2.0	7169	10426	-
54	Q25	Q25 Did the person read any books	discrete	numeric-1.0	7163	10432	-
55	Q26_1	Q26.1 Source - 1st	discrete	numeric-1.0	1951	15644	-
56	Q26_2	Q26.2 Source - 2nd	discrete	numeric-1.0	235	17360	-
57	Q26_3	Q26.3 Source - 3rd	discrete	numeric-1.0	23	17572	-
58	Q26_4	Q26.4 Source - 4th	discrete	numeric-1.0	1	17594	-
59	Q27_1	Q27.1 Type - 1st	discrete	numeric-2.0	1945	15650	-
60	Q27_2	Q27.2 Type - 2nd	discrete	numeric-2.0	227	17368	-
61	Q28	Q28 Did the person read	discrete	numeric-1.0	7166	10429	-

Survey of Demographic and Social Aspects - 1986-1987 - Variables List

File Information on Cultural, Recreational, Religious and Social Activities (Section 5) (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
		any magazines					
62	Q29_1	Q29.1 Source - 1st	discrete	numeric-1.0	2521	15074	-
63	Q29_2	Q29.2 Source - 2nd	discrete	numeric-1.0	261	17334	-
64	Q29_3	Q29.3 Source - 3rd	discrete	numeric-1.0	14	17581	-
65	Q29_4	Q29.4 Source - 4th	discrete	numeric-1.0	0	17595	-
66	Q30_1	Q30.1 Type - 1st	discrete	numeric-1.0	2493	15102	-
67	Q30_2	Q30.2 Type - 2nd	discrete	numeric-1.0	477	17118	-
68	Q31	Q31 Read Newspapers - frequency	discrete	numeric-1.0	7057	10538	-
69	Q32_1	Q32.1 Source - 1st	discrete	numeric-1.0	6751	10844	-
70	Q32_2	Q32.2 Source - 2nd	discrete	numeric-1.0	534	17061	-
71	Q32_3	Q32.3 Source - 3rd	discrete	numeric-1.0	29	17566	-
72	Q32_4	Q32.4 Source - 4th	discrete	numeric-1.0	3	17592	-
73	Q33_1	Q33.1 Language - 1st	discrete	numeric-1.0	6752	10843	-
74	Q33_2	Q33.2 Language - 2nd	discrete	numeric-1.0	337	17258	-
75	Q33_3	Q33.3 Language - 3rd	discrete	numeric-1.0	5	17590	-
76	Q33_4	Q33.4 Language - 4th	discrete	numeric-1.0	1	17594	-

File Information on Cultural, Recreational, Religious and Social Activities (Section 5)							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	REC\$TYPE	-	discrete	character-2	34280	0	-
2	BLANX	Blank	discrete	numeric-3.0	0	34280	-
3	SERIAL_NUMBER	Serial number of the person	discrete	numeric-2.0	34270	10	-
4	WATCHING_TV_FREQUENCY	Watching TV frequency	discrete	numeric-1.0	33017	1263	-
5	TIME_SPENT_IN_LAST_WEEK_HOURS	Time spent in last week (Hours)	discrete	numeric-2.0	17611	16669	-
6	PREFERED_PROGRAM	Preferred program/s 1 st	discrete	numeric-2.0	17606	16674	-
7	NV	2 nd	discrete	numeric-2.0	14318	19962	-
8	RP	3 rd	discrete	numeric-2.0	9325	24955	-
9	TU	4 th	discrete	numeric-2.0	3460	30820	-
10	TV	5 th	discrete	numeric-2.0	774	33506	-
11	PLACE_OF_WATCHING_TV	Place of watching T.V.	discrete	numeric-1.0	17611	16669	-
12	LISTENING_TO_RADIO_FREQUENCY	Listening to Radio Frequency	discrete	numeric-1.0	34060	220	-
13	TIME_SPENT_IN_LAST_WEEK_HOURS	Time spent in last week (hours)	discrete	numeric-3.0	29352	4928	-
14	PREFERED_PROGRAM	Preferred program/s 1 st	discrete	numeric-2.0	29360	4920	-

Survey of Demographic and Social Aspects - 1986-1987 - Variables List

File Information on Cultural, Recreational, Religious and Social Activities (Section 5) (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
15	NW	2 nd	discrete	numeric-2.0	22389	11891	-
16	RQ	3 rd	discrete	numeric-2.0	12959	21321	-
17	TW	4 th	discrete	numeric-2.0	4340	29940	-
18	TX	5 th	discrete	numeric-2.0	779	33501	-
19	LISTENING_TO_RECORDING_MUSIC	Listening to recorded music	discrete	numeric-1.0	31090	3190	-
20	TIME_SPENT_IN_THIS_WEEK	Time spent in last week (Hours)	discrete	numeric-3.0	5018	29262	-
21	PREFERED_MUSIC	Preferred music	discrete	numeric-1.0	5022	29258	-
22	CINAMA	Cinama	discrete	numeric-1.0	1725	32555	-
23	DRAMA	Drama	discrete	numeric-1.0	383	33897	-
24	DANCE	Dance	discrete	numeric-1.0	110	34170	-
25	MUSIC	Music	discrete	numeric-1.0	131	34149	-
26	BALLET	Ballet	discrete	numeric-1.0	70	34210	-
27	OTHET	Other	discrete	numeric-1.0	99	34181	-
28	SERIAL_NUMBER_OF_PERSON	Serial number of the person	discrete	numeric-2.0	26517	7763	-
29	WATCHING_TV_FREQUENCY	Watching TV Frequency	discrete	numeric-1.0	25570	8710	-
30	TIME_SPENT_IN_THIS_WEEK	Time spent in last week (Hours)	discrete	numeric-2.0	13896	20384	-
31	PREFERED_PROGRAM	Preferred program/s 1 st	discrete	numeric-2.0	13881	20399	-
32	NX	2 nd	discrete	numeric-2.0	11287	22993	-
33	RR	3 rd	discrete	numeric-2.0	7528	26752	-
34	TY	4 th	discrete	numeric-2.0	2824	31456	-
35	TZ	5 th	discrete	numeric-2.0	618	33662	-
36	PLACE_OF_WATCHING_TV	Place of watching T.V.	discrete	numeric-1.0	13896	20384	-
37	LISTENING_TO_RADIO_FREQUENCY	Listening to Radio Frequency	discrete	numeric-1.0	26360	7920	-
38	TIME_SPENT_IN_THIS_WEEK	Time spent in last week (hours)	discrete	numeric-3.0	22736	11544	-
39	PREFERED_PROGRAM	Preferred program/s 1 st	discrete	numeric-2.0	22743	11537	-
40	NY	2 nd	discrete	numeric-2.0	17414	16866	-
41	RS	3 rd	discrete	numeric-2.0	10508	23772	-
42	TWA	4 th	discrete	numeric-2.0	3666	30614	-
43	TXA	5 th	discrete	numeric-2.0	702	33578	-
44	LISTENING_TO_RECORDING_MUSIC	Listening to recorded music	discrete	numeric-1.0	24065	10215	-
45	TIME_SPENT_IN_THIS_WEEK	Time spent in last week (Hours)	discrete	numeric-3.0	4051	30229	-
46	PREFERED_MUSIC	Preferred music	discrete	numeric-1.0	4051	30229	-

Survey of Demographic and Social Aspects - 1986-1987 - Variables List

File Information on Cultural, Recreational, Religious and Social Activities (Section 5) (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
47	CINAMB	Cinama	discrete	numeric-1.0	1463	32817	-
48	DRAMB	Drama	discrete	numeric-1.0	1431	32849	-
49	DANCEF	Dance	discrete	numeric-1.0	1435	32845	-
50	MUSID	Music	discrete	numeric-1.0	1430	32850	-
51	BALLEU	Ballet	discrete	numeric-1.0	1430	32850	-
52	OTHEU	Other	discrete	numeric-1.0	1431	32849	-
53	INFLATION_FACTOR	Inflation factor	discrete	numeric-7.0	34280	0	-

File Information on Cultural, Recreational, Religious and Social Activities (Section 5)							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	REC\$TYPE	-	discrete	character-2	355	0	-
2	BLANY	blank	discrete	numeric-3.0	0	355	-
3	SERIAL_NUMBER_OF_THE_PERSONS	Serial number of the person	discrete	numeric-2.0	352	3	-
4	WRITING	Writing	discrete	numeric-1.0	47	308	-
5	PAINTING	Painting	discrete	numeric-1.0	117	238	-
6	SCULPTURE	Sculpture	discrete	numeric-1.0	41	314	-
7	ACTING	Acting	discrete	numeric-1.0	29	326	-
8	DANCING	Dancing	discrete	numeric-1.0	38	317	-
9	SINGING	Singing	discrete	numeric-1.0	54	301	-
10	INSTRUMENTAL	Instrumental	discrete	numeric-1.0	57	298	-
11	PHOTOGRAPHY	Photography	discrete	numeric-1.0	23	332	-
12	OTHEV	Other	discrete	numeric-1.0	33	322	-
13	SERIAL_NUMBER_OF_THE_PERSON	Serial number of the person	discrete	numeric-2.0	48	307	-
14	WRITINH	Writing	discrete	numeric-1.0	4	351	-
15	PAINTINH	Painting	discrete	numeric-1.0	7	348	-
16	SCULPTURF	Sculpture	discrete	numeric-1.0	3	352	-
17	ACTINH	Acting	discrete	numeric-1.0	8	347	-
18	DANCINH	Dancing	discrete	numeric-1.0	11	344	-
19	SINGINH	Singing	discrete	numeric-1.0	12	343	-
20	INSTRUMENTAM	Instrumental	discrete	numeric-1.0	18	337	-
21	PHOTOGRAPHY2	Photography	discrete	numeric-1.0	3	352	-
22	OTHEW	Other	discrete	numeric-1.0	3	352	-
23	SERIAL_NUMBER_OF_THE_PERSONU	Serial number of the person	discrete	numeric-2.0	7	348	-
24	WRITINI	Writing	discrete	numeric-1.0	0	355	-
25	PAINTINI	Painting	discrete	numeric-1.0	2	353	-

Survey of Demographic and Social Aspects - 1986-1987 - Variables List

File Information on Cultural, Recreational, Religious and Social Activities (Section 5) (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
26	SCULPTURG	Sculpture	discrete	numeric-1.0	0	355	-
27	ACTINI	Acting	discrete	numeric-1.0	1	354	-
28	DANCINI	Dancing	discrete	numeric-1.0	1	354	-
29	SINGINI	Singing	discrete	numeric-1.0	3	352	-
30	INSTRUMENTA	Instrumental	discrete	numeric-1.0	3	352	-
31	PHOTOGRAPHY	Photography	discrete	numeric-1.0	2	353	-
32	OTHEX	Other	discrete	numeric-1.0	0	355	-
33	SERIAL_NUMBER_OF_THE_PERSON	Serial number of the person	discrete	numeric-2.0	3	352	-
34	WRITINJ	Writing	discrete	numeric-1.0	0	355	-
35	PAINTINJ	Painting	discrete	numeric-1.0	1	354	-
36	SCULPTURH	Sculpture	discrete	numeric-1.0	0	355	-
37	ACTINJ	Acting	discrete	numeric-1.0	0	355	-
38	DANCINJ	Dancing	discrete	numeric-1.0	1	354	-
39	SINGINJ	Singing	discrete	numeric-1.0	1	354	-
40	INSTRUMENTA	Instrumental	discrete	numeric-1.0	1	354	-
41	PHOTOGRAPHY	Photography	discrete	numeric-1.0	0	355	-
42	OTHEY	Other	discrete	numeric-1.0	0	355	-
43	SERIAL_NUMBER_OF_THE_PERSON	Serial number of the person	discrete	numeric-2.0	1	354	-
44	WRITINK	Writing	discrete	numeric-1.0	0	355	-
45	PAINTINK	Painting	discrete	numeric-1.0	1	354	-
46	SCULPTURI	Sculpture	discrete	numeric-1.0	0	355	-
47	ACTINK	Acting	discrete	numeric-1.0	0	355	-
48	DANCINK	Dancing	discrete	numeric-1.0	0	355	-
49	SINGINK	Singing	discrete	numeric-1.0	0	355	-
50	INSTRUMENTA	Instrumental	discrete	numeric-1.0	0	355	-
51	PHOTOGRAPHY	Photography	discrete	numeric-1.0	0	355	-
52	OTHEZ	Other	discrete	numeric-1.0	0	355	-
53	SERIAL_NUMBER_OF_THE_PERSON	Serial number of the person	discrete	numeric-2.0	0	355	-
54	WRITINL	Writing	discrete	numeric-1.0	0	355	-
55	PAINTINL	Painting	discrete	numeric-1.0	0	355	-
56	SCULPTURJ	Sculpture	discrete	numeric-1.0	0	355	-
57	ACTINL	Acting	discrete	numeric-1.0	0	355	-
58	DANCINL	Dancing	discrete	numeric-1.0	0	355	-
59	SINGINL	Singing	discrete	numeric-1.0	0	355	-
60	INSTRUMENTA	Instrumental	discrete	numeric-1.0	0	355	-
61	PHOTOGRAPHY	Photography	discrete	numeric-1.0	0	355	-

Survey of Demographic and Social Aspects - 1986-1987 - Variables List

File Information on Cultural, Recreational, Religious and Social Activities (Section 5) (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
62	OTHEVA	Other	discrete	numeric-1.0	0	355	-
63	SERIAL_NUMBER_OF_THE_PERSONY	Serial number of the person	discrete	numeric-2.0	0	355	-
64	WRITINM	Writing	discrete	numeric-1.0	0	355	-
65	PAINTINM	Painting	discrete	numeric-1.0	0	355	-
66	SCULPTURK	Sculpture	discrete	numeric-1.0	0	355	-
67	ACTINM	Acting	discrete	numeric-1.0	0	355	-
68	DANCINM	Dancing	discrete	numeric-1.0	0	355	-
69	SINGINM	Singing	discrete	numeric-1.0	0	355	-
70	INSTRUMENTAR	Instrumental	discrete	numeric-1.0	0	355	-
71	PHOTOGRAPHYR	Photography	discrete	numeric-1.0	0	355	-
72	OTHEVB	Other	discrete	numeric-1.0	0	355	-
73	SERIAL_NUMBER_OF_THE_PERSONZ	Serial number of the person	discrete	numeric-2.0	0	355	-
74	WRITINN	Writing	discrete	numeric-1.0	0	355	-
75	PAINTINN	Painting	discrete	numeric-1.0	0	355	-
76	SCULPTURL	Sculpture	discrete	numeric-1.0	0	355	-
77	ACTINN	Acting	discrete	numeric-1.0	0	355	-
78	DANCINN	Dancing	discrete	numeric-1.0	0	355	-
79	SINGINN	Singing	discrete	numeric-1.0	0	355	-
80	INSTRUMENTAS	Instrumental	discrete	numeric-1.0	0	355	-
81	PHOTOGRAPHYF	Photography	discrete	numeric-1.0	0	355	-
82	OTHEVC	Other	discrete	numeric-1.0	0	355	-
83	INFLATION_FACTOR	Inflation factor	discrete	numeric-7.0	355	0	-

File Information on Cultural, Recreational, Religious and Social Activities (Section 5)							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	REC\$TYPE	-	discrete	character-2	1693	0	-
2	BLANZ	Blank	discrete	numeric-3.0	0	1693	-
3	SERIAL_NUMBER_OF_THE_PERSONAA	Serial number of the person	discrete	numeric-2.0	1691	2	-
4	ACTIVITY	Activity	discrete	numeric-1.0	1691	2	-
5	FREQUENCZ	Frequency	discrete	numeric-1.0	1691	2	-
6	TIME_SPENT_IN_WEEK	Time spent in last week	discrete	numeric-3.0	1691	2	-
7	PURPOSE_S_1ST	Purpose/s 1st	discrete	numeric-1.0	1689	4	-
8	NZ	2 nd	discrete	numeric-1.0	254	1439	-
9	RT	3 rd	discrete	numeric-1.0	40	1653	-
10	SERIAL_NUMBER_OF_THE_PERSONAB	Serial number of the person	discrete	numeric-2.0	393	1300	-

Survey of Demographic and Social Aspects - 1986-1987 - Variables List

File Information on Cultural, Recreational, Religious and Social Activities (Section 5) (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
		person					
11	ACTIVTZ	Activity	discrete	numeric-1.0	393	1300	-
12	FREQUENCZA	Frequency	discrete	numeric-1.0	393	1300	-
13	TIME_SPENT_IN_T	Time spent in last week	discrete	numeric-3.0	393	1300	-
14	PURPOSE_S_1SP	Purpose/s 1st	discrete	numeric-1.0	393	1300	-
15	NZA	2 nd	discrete	numeric-1.0	75	1618	-
16	RU	3 rd	discrete	numeric-1.0	8	1685	-
17	SERIAL_NUMBER_OF_THE_PERSONAC	Serial number of the person	discrete	numeric-2.0	76	1617	-
18	ACTIVITYA	Activity	discrete	numeric-1.0	76	1617	-
19	FREQUENCZB	Frequency	discrete	numeric-1.0	76	1617	-
20	TIME_SPENT_IN_T	Time spent in last week	discrete	numeric-3.0	76	1617	-
21	PURPOSE_S_1SP	Purpose/s 1st	discrete	numeric-1.0	76	1617	-
22	NZB	2 nd	discrete	numeric-1.0	14	1679	-
23	RV	3 rd	discrete	numeric-1.0	2	1691	-
24	SERIAL_NUMBER_OF_THE_PERSONAD	Serial number of the person	discrete	numeric-2.0	11	1682	-
25	ACTIVITYB	Activity	discrete	numeric-1.0	11	1682	-
26	FREQUENCZC	Frequency	discrete	numeric-1.0	11	1682	-
27	TIME_SPENT_IN_T	Time spent in last week	discrete	numeric-3.0	11	1682	-
28	PURPOSE_S_1SP	Purpose/s 1st	discrete	numeric-1.0	11	1682	-
29	NZC	2 nd	discrete	numeric-1.0	3	1690	-
30	RW	3 rd	discrete	numeric-1.0	0	1693	-
31	SERIAL_NUMBER_OF_THE_PERSONAE	Serial number of the person	discrete	numeric-2.0	2	1691	-
32	ACTIVITYC	Activity	discrete	numeric-1.0	2	1691	-
33	FREQUENCZD	Frequency	discrete	numeric-1.0	2	1691	-
34	TIME_SPENT_IN_T	Time spent in last week	discrete	numeric-3.0	2	1691	-
35	PURPOSE_S_1SP	Purpose/s 1st	discrete	numeric-1.0	2	1691	-
36	NZD	2 nd	discrete	numeric-1.0	0	1693	-
37	RX	3 rd	discrete	numeric-1.0	0	1693	-
38	SERIAL_NUMBER_OF_THE_PERSONAF	Serial number of the person	discrete	numeric-2.0	0	1693	-
39	ACTIVITYD	Activity	discrete	numeric-1.0	0	1693	-
40	FREQUENCZE	Frequency	discrete	numeric-1.0	0	1693	-
41	TIME_SPENT_IN_T	Time spent in last week	discrete	numeric-3.0	0	1693	-
42	PURPOSE_S_1SP	Purpose/s 1st	discrete	numeric-1.0	0	1693	-
43	NZE	2 nd	discrete	numeric-1.0	0	1693	-
44	RY	3 rd	discrete	numeric-1.0	0	1693	-

Survey of Demographic and Social Aspects - 1986-1987 - Variables List

File Information on Cultural, Recreational, Religious and Social Activities (Section 5) (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
45	SERIAL_NUMBER_OF_THE_PERSONAG	Serial number of the person	discrete	numeric-2.0	0	1693	-
46	ACTIVITYE	Activity	discrete	numeric-1.0	0	1693	-
47	FREQUENCZF	Frequency	discrete	numeric-1.0	0	1693	-
48	TIME_SPENT_IN_THIS_WEEKE	Time spent in last week	discrete	numeric-3.0	0	1693	-
49	PURPOSE_S_1SZ	Purpose/s 1st	discrete	numeric-1.0	0	1693	-
50	NZF	2 nd	discrete	numeric-1.0	0	1693	-
51	RZ	3 rd	discrete	numeric-1.0	0	1693	-
52	SERIAL_NUMBER_OF_THE_PERSONAH	Serial number of the person	discrete	numeric-2.0	0	1693	-
53	ACTIVITYF	Activity	discrete	numeric-1.0	0	1693	-
54	FREQUENCZG	Frequency	discrete	numeric-1.0	0	1693	-
55	TIME_SPENT_IN_THIS_WEEKH	Time spent in last week	discrete	numeric-3.0	0	1693	-
56	PURPOSE_S_1SH	Purpose/s 1st	discrete	numeric-1.0	0	1693	-
57	NZG	2 nd	discrete	numeric-1.0	0	1693	-
58	RTA	3 rd	discrete	numeric-1.0	0	1693	-
59	SERIAL_NUMBER_OF_THE_PERSONAI	Serial number of the person	discrete	numeric-2.0	0	1693	-
60	ACTIVITYG	Activity	discrete	numeric-1.0	0	1693	-
61	FREQUENCZH	Frequency	discrete	numeric-1.0	0	1693	-
62	TIME_SPENT_IN_THIS_WEEKI	Time spent in last week	discrete	numeric-3.0	0	1693	-
63	PURPOSE_S_1SI	Purpose/s 1st	discrete	numeric-1.0	0	1693	-
64	NZH	2 nd	discrete	numeric-1.0	0	1693	-
65	RTB	3 rd	discrete	numeric-1.0	0	1693	-
66	INFLATION_FACTORD	Inflation factor	discrete	numeric-7.0	1693	0	-

File Information on Cultural, Recreational, Religious and Social Activities (Section 5)							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	REC\$TYPE	-	discrete	character-2	19505	0	-
2	BLANKA	Blank	discrete	numeric-3.0	0	19505	-
3	SERIAL_NUMBER_OF_THE_PERSONAJ	Serial number of the person	discrete	numeric-2.0	19502	3	-
4	ACTIVITIES_1_SA	Activities 1 st	discrete	numeric-1.0	19487	18	-
5	NDA	2 nd	discrete	numeric-1.0	9391	10114	-
6	RDA	3 rd	discrete	numeric-1.0	4038	15467	-
7	THA	4 th	discrete	numeric-1.0	1484	18021	-
8	THB	5 th	discrete	numeric-1.0	435	19070	-
9	THC	6 th	discrete	numeric-1.0	109	19396	-

Survey of Demographic and Social Aspects - 1986-1987 - Variables List

File Information on Cultural, Recreational, Religious and Social Activities (Section 5) (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
10	THD	7 th	discrete	numeric-1.0	33	19472	-
11	THE	8 th	discrete	numeric-1.0	10	19495	-
12	TIME_SPENT_IN_LAST_WEEK_HOURS_U	Time spent in last week (Hours)	discrete	numeric-3.0	19494	11	-
13	SERIAL_NUMBER_OF_PERSON_NAK	Serial number of the person	discrete	numeric-2.0	13681	5824	-
14	ACTIVITIES_1_SA	Activities 1 st	discrete	numeric-1.0	13671	5834	-
15	NDB	2 nd	discrete	numeric-1.0	7130	12375	-
16	RDB	3 rd	discrete	numeric-1.0	2964	16541	-
17	THE	4 th	discrete	numeric-1.0	1071	18434	-
18	THG	5 th	discrete	numeric-1.0	297	19208	-
19	THH	6 th	discrete	numeric-1.0	69	19436	-
20	THI	7 th	discrete	numeric-1.0	19	19486	-
21	THJ	8 th	discrete	numeric-1.0	8	19497	-
22	TIME_SPENT_IN_LAST_WEEK_HOURS_V	Time spent in last week (Hours)	discrete	numeric-3.0	13672	5833	-
23	SERIAL_NUMBER_OF_PERSON_NAL	Serial number of the person	discrete	numeric-2.0	6187	13318	-
24	ACTIVITIES_1_SA	Activities 1 st	discrete	numeric-1.0	6181	13324	-
25	NDC	2 nd	discrete	numeric-1.0	3105	16400	-
26	RDC	3 rd	discrete	numeric-1.0	1176	18329	-
27	THK	4 th	discrete	numeric-1.0	410	19095	-
28	THL	5 th	discrete	numeric-1.0	90	19415	-
29	THM	6 th	discrete	numeric-1.0	19	19486	-
30	THN	7 th	discrete	numeric-1.0	6	19499	-
31	THO	8 th	discrete	numeric-1.0	2	19503	-
32	TIME_SPENT_IN_LAST_WEEK_HOURS_W	Time spent in last week (Hours)	discrete	numeric-3.0	6180	13325	-
33	SERIAL_NUMBER_OF_PERSON_NAM	Serial number of the person	discrete	numeric-2.0	3403	16102	-
34	ACTIVITIES_1_SA	Activities 1 st	discrete	numeric-1.0	3398	16107	-
35	NDD	2 nd	discrete	numeric-1.0	1701	17804	-
36	RDD	3 rd	discrete	numeric-1.0	629	18876	-
37	THP	4 th	discrete	numeric-1.0	220	19285	-
38	THQ	5 th	discrete	numeric-1.0	44	19461	-
39	THR	6 th	discrete	numeric-1.0	10	19495	-
40	THS	7 th	discrete	numeric-1.0	1	19504	-
41	THT	8 th	discrete	numeric-1.0	1	19504	-
42	TIME_SPENT_IN_LAST_WEEK_HOURS_X	Time spent in last week (Hours)	discrete	numeric-3.0	3398	16107	-

Survey of Demographic and Social Aspects - 1986-1987 - Variables List

File Information on Cultural, Recreational, Religious and Social Activities (Section 5) (cont.)

#	Name	Label	Type	Format	Valid	Invalid	Question
43	SERIAL_NUMBER_OF_THE_PERSONAN	Serial number of the person	discrete	numeric-2.0	1700	17805	-
44	ACTIVITIES_1_SAN	Activities 1 st	discrete	numeric-1.0	1698	17807	-
45	NDE	2 nd	discrete	numeric-1.0	862	18643	-
46	RDE	3 rd	discrete	numeric-1.0	322	19183	-
47	THU	4 th	discrete	numeric-1.0	119	19386	-
48	THV	5 th	discrete	numeric-1.0	24	19481	-
49	THW	6 th	discrete	numeric-1.0	6	19499	-
50	THX	7 th	discrete	numeric-1.0	1	19504	-
51	THY	8 th	discrete	numeric-1.0	0	19505	-
52	TIME_SPENT_IN_ACTIVITIES_LAST_WEEKRZ	Time spent in last week (Hours)	discrete	numeric-3.0	1698	17807	-
53	SERIAL_NUMBER_OF_THE_PERSONAO	Serial number of the person	discrete	numeric-2.0	826	18679	-
54	ACTIVITIES_1_SAO	Activities 1 st	discrete	numeric-1.0	825	18680	-
55	NDF	2 nd	discrete	numeric-1.0	410	19095	-
56	RDF	3 rd	discrete	numeric-1.0	173	19332	-
57	THZ	4 th	discrete	numeric-1.0	58	19447	-
58	THBA	5 th	discrete	numeric-1.0	7	19498	-
59	THCA	6 th	discrete	numeric-1.0	1	19504	-
60	THDA	7 th	discrete	numeric-1.0	0	19505	-
61	THEA	8 th	discrete	numeric-1.0	0	19505	-
62	TIME_SPENT_IN_ACTIVITIES_LAST_WEEKRZ	Time spent in last week (Hours)	discrete	numeric-3.0	825	18680	-
63	SERIAL_NUMBER_OF_THE_PERSONAP	Serial number of the person	discrete	numeric-2.0	367	19138	-
64	ACTIVITIES_1_SAP	Activities 1 st	discrete	numeric-1.0	367	19138	-
65	NDG	2 nd	discrete	numeric-1.0	175	19330	-
66	RDG	3 rd	discrete	numeric-1.0	64	19441	-
67	THAA	4 th	discrete	numeric-1.0	31	19474	-
68	THBB	5 th	discrete	numeric-1.0	5	19500	-
69	THCB	6 th	discrete	numeric-1.0	0	19505	-
70	THDB	7 th	discrete	numeric-1.0	0	19505	-
71	THEB	8 th	discrete	numeric-1.0	0	19505	-
72	TIME_SPENT_IN_ACTIVITIES_LAST_WEEKRUA	Time spent in last week (Hours)	discrete	numeric-3.0	367	19138	-
73	INFLATION_FACTOR	Inflation factor	discrete	numeric-7.0	19505	0	-

Variables Description

Dataset contains 1248 variable(s)

File Identification Information

#1 REC\$TYPE

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=25185 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
01		25185	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#2 UNIQUE_CENSUS_BLOCK_NUMBER: Unique Census block number

Information [Type= discrete] [Format=numeric] [Range= 1-2408] [Missing=*]

Statistics [NW/ W] [Valid=25185 /-] [Invalid=0 /-]

#3 SECTOR: Sector

Information [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]

Statistics [NW/ W] [Valid=25185 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Urban	9468	37.6%
2	Rural	14339	56.9%
3	Estate	1378	5.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#4 DISTRIC: District

Information [Type= discrete] [Format=numeric] [Range= 1-25] [Missing=*]

Statistics [NW/ W] [Valid=25185 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Colombo	2486	9.9%
2	Gampaha	1597	6.3%
3	Kalutara	1325	5.3%
4	Kandy	1501	6.0%
5	Matale	861	3.4%
6	Nuwara Eliya	980	3.9%
7	Galle	1258	5.0%
8	Matara	1113	4.4%
9	Hambantota	807	3.2%
10	Jaffna	1242	4.9%

File Identification Information (cont.)

#4 DISTRIC: District (cont.)

Value (cont.)	Label	Cases	Percentage
11	Mannar	513	2.0%
12	Vavuniya	409	1.6%
13	Mulativu	360	1.4%
14	Batticaloa	748	3.0%
15	Ampara	943	3.7%
16	Trincomalee	486	1.9%
17	Kurunegala	1503	6.0%
18	Puttalam	988	3.9%
19	Anuradhapura	1096	4.4%
20	Polonnaruwa	736	2.9%
21	Badulla	1112	4.4%
22	Monaragala	687	2.7%
23	Ratnapura	1230	4.9%
24	Kegalle	1104	4.4%
25	25	100	0.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#5 SELECED_URBAN_AREA: Selected urban area

Information	[Type= discrete] [Format=numeric] [Range= 0-23] [Missing=*]		
Statistics [NW/ W]	[Valid=1326 /-] [Invalid=23859 /-]		
Value	Label	Cases	Percentage
0		1	0.1%
1		680	51.3%
2		366	27.6%
23		279	21.0%
Sysmiss		23859	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#6 A_G_A: A.G.A

Information	[Type= discrete] [Format=numeric] [Range= 1-25] [Missing=*]		
Statistics [NW/ W]	[Valid=25185 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1		2306	9.2%
2		2538	10.1%
3		2638	10.5%
4		2709	10.8%
5		2181	8.7%

File Identification Information (cont.)

#6 A_G_A: A.G.A (cont.)

Value (cont.)	Label	Cases	Percentage
6		1702	6.8%
7		1759	7.0%
8		2203	8.7%
9		1744	6.9%
10		1505	6.0%
11		965	3.8%
12		924	3.7%
13		537	2.1%
14		445	1.8%
15		498	2.0%
16		325	1.3%
17		102	0.4%
18		73	0.3%
19		12	0.0%
20		2	0.0%
22		1	0.0%
23		7	0.0%
24		3	0.0%
25		6	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#7 ELECTORATE_1_DISTRICT_CODE: Electorate 1 District code

Information	[Type= discrete] [Format=numeric] [Range= 1-22] [Missing=*]
Statistics [NW/ W]	[Valid=25185 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1		2487	9.9%
2		1599	6.3%
3		1326	5.3%
4		1500	6.0%
5		864	3.4%
6		974	3.9%
7		1258	5.0%
8		1112	4.4%
9		806	3.2%
10		1350	5.4%
11		1281	5.1%
12		748	3.0%
13		944	3.7%

File Identification Information (cont.)

#7 ELECTORATE_1_DISTRICT_CODE: Electorate 1 District code (cont.)

Value (cont.)	Label	Cases	Percentage
14		487	1.9%
15		1493	5.9%
16		989	3.9%
17		1096	4.4%
18		737	2.9%
19		1111	4.4%
20		686	2.7%
21		1231	4.9%
22		1106	4.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#8 ELECTORATE_2_ELECTORATE_CODE: Electorate 2 Electorate code

Information	[Type= discrete] [Format=numeric] [Range= 8-8] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=25184 /-]		
Value	Label	Cases	Percentage
8		1	100.0%
Sysmiss		25184	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#9 NUMBER_OF_HOUSEHOLDS: Number of households

Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]		
Statistics [NW/ W]	[Valid=25185 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1		22968	91.2%
2		1841	7.3%
3		310	1.2%
4		52	0.2%
5		13	0.1%
7		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#10 INTERVIEWERS_1_VISIT_DATE_YEAR: Interviewers 1 visit date year

Information	[Type= discrete] [Format=numeric] [Range= 82-87] [Missing=*]		
Statistics [NW/ W]	[Valid=25185 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
82		16	0.1%

File Identification Information (cont.)

#10 INTERVIEWERS_1_VISIT_DATE_YEAR: Interviewers 1 visit date year (cont.)

Value (cont.)	Label	Cases	Percentage
86		14467	57.4%
87		10702	42.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#11 INTERVIEWERS_1_VISIT_DATE_MONTH: Interviewers 1 visit date month

Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]		
Statistics [NW/ W]	[Valid=25185 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1		1999	7.9%
2		2195	8.7%
3		2020	8.0%
4		1961	7.8%
5		2527	10.0%
6		1701	6.8%
7		1697	6.7%
8		2010	8.0%
9		2254	8.9%
10		2315	9.2%
11		2349	9.3%
12		2157	8.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#12 INTERVIEWERS_1_VISIT_DATE_DATE: Interviewers 1 visit date Date

Information	[Type= discrete] [Format=numeric] [Range= 1-31] [Missing=*]
Statistics [NW/ W]	[Valid=25185 /-] [Invalid=0 /-]
Frequency table not shown (31 Modalities)	

#13 I_1_VISIT_RESULT: I 1 visit Result

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=25185 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1		17377	69.0%
2		4169	16.6%
3		1881	7.5%
4		40	0.2%
5		945	3.8%

File Identification Information (cont.)

#13 I_1_VISIT_RESULT: I 1 visit Result (cont.)

Value (cont.)	Label	Cases	Percentage
6		78	0.3%
7		259	1.0%
8		308	1.2%
9		128	0.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#14 I_1_VISIT_TIME_TAKEN_MIN_1_HH: I 1 visit time taken min 1(HH - AGA)

Information	[Type= discrete] [Format=numeric] [Range= 0-240] [Missing=*]
Statistics [NW/ W]	[Valid=25174 /-] [Invalid=11 /-]
Frequency table not shown (80 Modalities)	

#15 I_1_VISIT_TIME_TAKEN_MIN_2_HH: I 1 visit time taken min 2(HH - pHH)

Information	[Type= discrete] [Format=numeric] [Range= 0-90] [Missing=*]
Statistics [NW/ W]	[Valid=25172 /-] [Invalid=13 /-]
Frequency table not shown (40 Modalities)	

#16 I_1_VISIT_TIME_TAKEN_MIN3_TO_FIL: I 1 visit time taken min3(to fill the Schedule)

Information	[Type= discrete] [Format=numeric] [Range= 0-180] [Missing=*]
Statistics [NW/ W]	[Valid=21556 /-] [Invalid=3629 /-]
Frequency table not shown (108 Modalities)	

#17 INTERVIEWERS_2_VISIT_DATE_YEAS: Interviewers 2 visit date year

Information	[Type= discrete] [Format=numeric] [Range= 0-87] [Missing=*]		
Statistics [NW/ W]	[Valid=6907 /-] [Invalid=18278 /-]		
Value	Label	Cases	Percentage
0		1	0.0%
7		1	0.0%
86		4352	63.0%
87		2553	37.0%
Sysmiss		18278	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#18 INTERVIEWERS_2_VISIT_DATE_MONTI: Interviewers 2 visit date month

Information	[Type= discrete] [Format=numeric] [Range= 0-12] [Missing=*]
-------------	---

File Identification Information (cont.)

#18 INTERVIEWERS_2_VISIT_DATE_MONTI: Interviewers 2 visit date month (cont.)

Statistics [NW/ W] [Valid=6907 /-] [Invalid=18278 /-]

Value	Label	Cases	Percentage
0		1	0.0%
1		497	7.2%
2		520	7.5%
3		520	7.5%
4		423	6.1%
5		594	8.6%
6		522	7.6%
7		563	8.2%
8		588	8.5%
9		761	11.0%
10		694	10.0%
11		657	9.5%
12		567	8.2%
Sysmiss		18278	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#19 INTERVIEWERS_2_VISIT_DATE_DATF: Interviewers 2 visit date Date

Information [Type= discrete] [Format=numeric] [Range= 0-31] [Missing=*]

Statistics [NW/ W] [Valid=6907 /-] [Invalid=18278 /-]

Frequency table not shown (33 Modalities)

#20 I_2_VISIT_RESULU: I 2 visit Result

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]

Statistics [NW/ W] [Valid=6907 /-] [Invalid=18278 /-]

Value	Label	Cases	Percentage
0		1	0.0%
1		5230	75.7%
2		1006	14.6%
3		341	4.9%
4		7	0.1%
5		272	3.9%
7		34	0.5%
9		16	0.2%
Sysmiss		18278	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Identification Information (cont.)

#21 I_2_VISIT_TIME_TAKEN_MIN_1_HI: I 2 visit time taken min 1(HH - AGA)

Information	[Type= discrete] [Format=numeric] [Range= 0-250] [Missing=*]
Statistics [NW/ W]	[Valid=6879 /-] [Invalid=18306 /-]
Frequency table not shown (57 Modalities)	

#22 I_2_VISIT_TIME_TAKEN_MIN_2_HI: I 2 visit time taken min 2(HH - pHH)

Information	[Type= discrete] [Format=numeric] [Range= 0-65] [Missing=*]
Statistics [NW/ W]	[Valid=6877 /-] [Invalid=18308 /-]
Frequency table not shown (31 Modalities)	

#23 I_2_VISIT_TIME_TAKEN_MIN3_TO_FIM: I 2 visit time taken min3(to fill the Schedule)

Information	[Type= discrete] [Format=numeric] [Range= 0-125] [Missing=*]
Statistics [NW/ W]	[Valid=6237 /-] [Invalid=18948 /-]
Frequency table not shown (70 Modalities)	

#24 INTERVIEWERS_3_VISIT_DATE_YEAT: Interviewers 3 visit date year

Information	[Type= discrete] [Format=numeric] [Range= 0-87] [Missing=*]		
Statistics [NW/ W]	[Valid=1600 /-] [Invalid=23585 /-]		
Value	Label	Cases	Percentage
0		1	0.1%
86		1026	64.1%
87		573	35.8%
Sysmiss		23585	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#25 INTERVIEWERS_3_VISIT_DATE_MONTJ: Interviewers 3 visit date month

Information	[Type= discrete] [Format=numeric] [Range= 0-12] [Missing=*]		
Statistics [NW/ W]	[Valid=1600 /-] [Invalid=23585 /-]		
Value	Label	Cases	Percentage
0		1	0.1%
1		125	7.8%
2		110	6.9%
3		108	6.8%
4		96	6.0%
5		134	8.4%
6		91	5.7%

File Identification Information (cont.)

#25 INTERVIEWERS_3_VISIT_DATE_MONTJ: Interviewers 3 visit date month (cont.)

Value (cont.)	Label	Cases	Percentage
7		137	8.6%
8		116	7.2%
9		173	10.8%
10		193	12.1%
11		156	9.8%
12		160	10.0%
Sysmiss		23585	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#26 INTERVIEWERS_3_VISIT_DATE_DATG: Interviewers 3 visit date Date

Information	[Type= discrete] [Format=numeric] [Range= 0-31] [Missing=*]
Statistics [NW/ W]	[Valid=1600 /-] [Invalid=23585 /-]
Frequency table not shown (33 Modalities)	

#27 I_3_VISIT_RESULV: I 3 visit Result

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=1600 /-] [Invalid=23585 /-]

Value	Label	Cases	Percentage
0		1	0.1%
1		1412	88.3%
2		2	0.1%
3		64	4.0%
4		9	0.6%
5		83	5.2%
7		23	1.4%
9		6	0.4%
Sysmiss		23585	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#28 I_3_VISIT_TIME_TAKEN_MIN_1_HJ: I 3 visit time taken min 1(HH - AGA)

Information	[Type= discrete] [Format=numeric] [Range= 0-180] [Missing=*]
Statistics [NW/ W]	[Valid=1587 /-] [Invalid=23598 /-]

Frequency table not shown (45 Modalities)

File Identification Information (cont.)

#29 I_3_VISIT_TIME_TAKEN_MIN_2_HJ: I 3 visit time taken min 2(HH - pHH)

Information [Type= discrete] [Format=numeric] [Range= 0-65] [Missing=*]

Statistics [NW/ W] [Valid=1585 /-] [Invalid=23600 /-]

Value	Label	Cases	Percentage
0		497	31.4%
1		45	2.8%
2		100	6.3%
3		82	5.2%
4		40	2.5%
5		254	16.0%
6		24	1.5%
7		36	2.3%
8		42	2.6%
9		2	0.1%
10		288	18.2%
12		18	1.1%
14		1	0.1%
15		103	6.5%
16		3	0.2%
17		1	0.1%
18		5	0.3%
20		26	1.6%
23		1	0.1%
24		1	0.1%
25		5	0.3%
30		7	0.4%
35		1	0.1%
40		1	0.1%
50		1	0.1%
65		1	0.1%
Sysmiss		23600	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#30 I_3_VISIT_TIME_TAKEN_MIN3_TO_FIN: I 3 visit time taken min3(to fill the Schedule)

Information [Type= discrete] [Format=numeric] [Range= 0-180] [Missing=*]

Statistics [NW/ W] [Valid=1416 /-] [Invalid=23769 /-]

Frequency table not shown (35 Modalities)

File Identification Information (cont.)

#31 INFLATION_FACTOR: Inflation factor

Information	[Type= discrete] [Format=numeric] [Range= 0-223969] [Missing=*]
Statistics [NW/ W]	[Valid=25185 /-] [Invalid=0 /-]

File Section 1 : Personal Information

#1 REC\$TYPE

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=122951 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
02		122951	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#2 BLANK: blank

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=122951 /-]

Value	Label	Cases	Percentage
Sysmiss		122951	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#3 SERIAL_NUMBER_OF_THE_PERSON_1: Serial number of the person 1

Information	[Type= discrete] [Format=numeric] [Range= 1-39] [Missing=*]
Statistics [NW/ W]	[Valid=122951 /-] [Invalid=0 /-]

Frequency table not shown (35 Modalities)

#4 RELATIONSHIP_TO_HEAD_OF_HOUSEHOL: Relationship to head of household 3

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=122950 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
1		24016	19.5%
2		18920	15.4%
3		65166	53.0%
4		1330	1.1%
5		12347	10.0%

File Section 1 : Personal Information (cont.)

#4 RELATIONSHIP_TO_HEAD_OF_HOUSEHOL: Relationship to head of household 3 (cont.)

Value (cont.)	Label	Cases	Percentage
6		711	0.6%
7		137	0.1%
8		44	0.0%
9		279	0.2%
Sysmiss		1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#5 SEX_4: Sex 4

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=122950 /-] [Invalid=1 /-]		
Value	Label	Cases	Percentage
1	Male	61897	50.3%
2	Female	61053	49.7%
Sysmiss		1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#6 AGE_AS_AT_LAST_BIRTHDAY: Age as at last birthday

Information	[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]
Statistics [NW/ W]	[Valid=122950 /-] [Invalid=1 /-]
Frequency table not shown (100 Modalities)	

#7 ETHNICITY: Ethnicity

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=122949 /-] [Invalid=2 /-]		
Value	Label	Cases	Percentage
1	Sinhala	85358	69.4%
2	Sri Lanka Tamil	18976	15.4%
3	Indian Tamil	4237	3.4%
4	Sri Lanka Moors	13467	11.0%
5	Malay	306	0.2%
6	Burgher	477	0.4%
9	Other	128	0.1%
Sysmiss		2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Section 1 : Personal Information (cont.)

#8 RELIGION: Religion

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]

Statistics [NW/ W] [Valid=122948 /-] [Invalid=3 /-]

Value	Label	Cases	Percentage
0		1	0.0%
1	Buddhist	79241	64.5%
2	Hindu	18180	14.8%
3	Muslim	13692	11.1%
4	Roman Catholic/ Other Christian	11759	9.6%
5		2	0.0%
9	Other	73	0.1%
Sysmiss		3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#9 ATTENDANCE_AT_SCHOOL_OR_OTHER_ED: Attendance at school or other educational institute during last 30 days

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]

Statistics [NW/ W] [Valid=122941 /-] [Invalid=10 /-]

Value	Label	Cases	Percentage
0		2	0.0%
1		1093	0.9%
2		31552	25.7%
3		317	0.3%
4		1122	0.9%
5		88853	72.3%
7		1	0.0%
9		1	0.0%
Sysmiss		10	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#10 LEVEL_OF_EDUCATION: Level of education

Information [Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]

Statistics [NW/ W] [Valid=111819 /-] [Invalid=11132 /-]

Value	Label	Cases	Percentage
0		3107	2.8%
1		4515	4.0%
2		6898	6.2%
3		6452	5.8%
4		5962	5.3%

File Section 1 : Personal Information (cont.)

#10 LEVEL_OF_EDUCATION: Level of education (cont.)

Value (cont.)	Label	Cases	Percentage
5		6803	6.1%
6		12747	11.4%
7		8574	7.7%
8		9292	8.3%
9		8511	7.6%
10		14063	12.6%
11		7092	6.3%
12		3011	2.7%
13		2081	1.9%
14		396	0.4%
15		774	0.7%
16		181	0.2%
77		1	0.0%
88		1	0.0%
99		11358	10.2%
Sysmiss		11132	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#11 LITERACY: Literacy

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]		
Statistics [NW/ W]	[Valid=97322 /-] [Invalid=25629 /-]		
Value	Label	Cases	Percentage
0		2	0.0%
1		79979	82.2%
2		17340	17.8%
6		1	0.0%
Sysmiss		25629	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#12 MARITAL_STATUS: Marital Status

Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]		
Statistics [NW/ W]	[Valid=97306 /-] [Invalid=25645 /-]		
Value	Label	Cases	Percentage
1		46150	47.4%
2		44704	45.9%
3		5558	5.7%
4		205	0.2%

File Section 1 : Personal Information (cont.)

#12 MARITAL_STATUS: Marital Status (cont.)

Value (cont.)	Label	Cases	Percentage
5		686	0.7%
6		1	0.0%
7		2	0.0%
Sysmiss		25645	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#13 PRINCIPLE_ACTIVITY: Principle activity

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=92511 /-] [Invalid=30440 /-]		
Value	Label	Cases	Percentage
1		34123	36.9%
2		820	0.9%
3		8110	8.8%
4		20564	22.2%
5		22115	23.9%
6		6323	6.8%
9		456	0.5%
Sysmiss		30440	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#14 MAIN_OCCUPATION: Main occupation

Information	[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]
Statistics [NW/ W]	[Valid=34842 /-] [Invalid=88109 /-]
Frequency table not shown (87 Modalities)	

#15 INDUSTRY: Industry

Information	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]
Statistics [NW/ W]	[Valid=34900 /-] [Invalid=88051 /-]
Frequency table not shown (41 Modalities)	

#16 EMPLOYMENT_STATUS: Employment status

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=34900 /-] [Invalid=88051 /-]

File Section 1 : Personal Information (cont.)

#16 EMPLOYMENT_STATUS: Employment status (cont.)

Value	Label	Cases	Percentage
0		1	0.0%
1		5155	14.8%
2		3614	10.4%
3		12084	34.6%
4		626	1.8%
5		10243	29.3%
6		3177	9.1%
Sysmiss		88051	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#17 HAD_A_SECONDARY_EDUCATION: Had a secondary education

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=34899 /-] [Invalid=88052 /-]

Value	Label	Cases	Percentage
1		3747	10.7%
2		31150	89.3%
6		2	0.0%
Sysmiss		88052	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#18 INCOME_DURING_LAST_CALENDER_MONT: Income during last calender month

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]
Statistics [NW/ W]	[Valid=122951 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		56	0.0%
1		85910	69.9%
2		32481	26.4%
3		3883	3.2%
4		621	0.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#19 MAIN_SOURCE_OF_INCOM: Main source of incom

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=24022 /-] [Invalid=98929 /-]

Value	Label	Cases	Percentage
1		19808	82.5%

File Section 1 : Personal Information (cont.)

#19 MAIN_SOURCE_OF_INCOM: Main source of incom (cont.)

Value (cont.)	Label	Cases	Percentage
2		4211	17.5%
3		2	0.0%
6		1	0.0%
Sysmiss		98929	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#20 ADULT_LITERACY_READING: Adult literacy reading

Information [Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]

Statistics [NW/ W] [Valid=97314 /-] [Invalid=25637 /-]

Value	Label	Cases	Percentage
0		1	0.0%
1		80264	82.5%
2		16945	17.4%
3		104	0.1%
Sysmiss		25637	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#21 ADULT_LITERACY_WRITING: Adult literacy writing

Information [Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]

Statistics [NW/ W] [Valid=97301 /-] [Invalid=25650 /-]

Value	Label	Cases	Percentage
0		1	0.0%
1		79511	81.7%
2		17674	18.2%
3		114	0.1%
4		1	0.0%
Sysmiss		25650	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#22 DISTRICT_IF_ELSEWHERE_IN_THE_COU: District if elsewhere in the country

Information [Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]

Statistics [NW/ W] [Valid=3712 /-] [Invalid=119239 /-]

Value	Label	Cases	Percentage
1		1395	37.6%
2		130	3.5%
3		87	2.3%

File Section 1 : Personal Information (cont.)

#22 DISTRICT_IF_ELSEWHERE_IN_THE_COU: District if elsewhere in the country (cont.)

Value (cont.)	Label	Cases	Percentage
4		257	6.9%
5		81	2.2%
6		107	2.9%
7		123	3.3%
8		130	3.5%
9		103	2.8%
10		214	5.8%
11		44	1.2%
12		29	0.8%
13		13	0.4%
14		48	1.3%
15		74	2.0%
16		60	1.6%
17		79	2.1%
18		51	1.4%
19		123	3.3%
20		77	2.1%
21		183	4.9%
22		65	1.8%
23		142	3.8%
24		68	1.8%
25		18	0.5%
99		11	0.3%
Sysmiss		119239	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#23 IF_PRESENTLY_ABROAD_COUNTRY: If presently abroad country

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=1358 /-] [Invalid=121593 /-]		
Value	Label	Cases	Percentage
0		2	0.1%
1		90	6.6%
2		40	2.9%
3		217	16.0%
4		987	72.7%
5		10	0.7%
9		12	0.9%
Sysmiss		121593	

File Section 1 : Personal Information (cont.)

#23 IF_PRESENTLY_ABROAD_COUNTRY: If presently abroad country (cont.)

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#24 IF_PRESENTLY_ABROAD_REASON_FOR_G: If presently abroad reason for going abroad

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]

Statistics [NW/ W] [Valid=1356 /-] [Invalid=121595 /-]

Value	Label	Cases	Percentage
0		1	0.1%
1		1120	82.6%
2		53	3.9%
3		44	3.2%
4		6	0.4%
5		127	9.4%
9		5	0.4%
Sysmiss		121595	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#25 IF_PRESENTLY_ABROAD_OCCUPATION: If presently abroad occupation

Information [Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]

Statistics [NW/ W] [Valid=1077 /-] [Invalid=121874 /-]

Frequency table not shown (58 Modalities)

#26 INFLATION_FACTOR: Inflation factor

Information [Type= discrete] [Format=numeric] [Range= 345-223969] [Missing=*]

Statistics [NW/ W] [Valid=122951 /-] [Invalid=0 /-]

File Information on Migration (Section 2)

#1 REC\$TYPE

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=65000 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
03		65000	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Information on Migration (Section 2) (cont.)

#2 BLANL: blank

Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=65000 /-]		
Value	Label	Cases	Percentage
Sysmiss		65000	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#3 SERIAL_NUMBER_OF_THE_PERSON: Serial number of the person

Information	[Type= discrete] [Format=numeric] [Range= 1-31] [Missing=*]		
Statistics [NW/ W]	[Valid=65000 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1		24025	37.0%
2		1	0.0%
3		21149	32.5%
4		1	0.0%
5		13229	20.4%
6		1	0.0%
7		4850	7.5%
8		1	0.0%
9		1354	2.1%
11		295	0.5%
13		75	0.1%
15		10	0.0%
17		2	0.0%
19		2	0.0%
21		1	0.0%
23		1	0.0%
25		1	0.0%
31		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#4 PLACE_WHERE_THIS_PERSON_LIVED_AT: place where this person lived at country

Information	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]		
Statistics [NW/ W]	[Valid=165 /-] [Invalid=64835 /-]		
Value	Label	Cases	Percentage
1		149	90.3%
3		8	4.8%
4		3	1.8%

File Information on Migration (Section 2) (cont.)

#4 PLACE_WHERE_THIS_PERSON_LIVED_AT: place where this person lived at country (cont.)

Value (cont.)	Label	Cases	Percentage
9		1	0.6%
99		4	2.4%
Sysmiss		64835	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#5 PLACE_WHERE_THIS_PERSON_LIVED_AU: place where this person lived at District

Information	[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]		
Statistics [NW/ W]	[Valid=64833 /-] [Invalid=167 /-]		
Value	Label	Cases	Percentage
0		3	0.0%
1		8645	13.3%
2		1263	1.9%
3		3619	5.6%
4		5548	8.6%
5		2268	3.5%
6		2060	3.2%
7		3911	6.0%
8		3731	5.8%
9		2282	3.5%
10		3376	5.2%
11		1243	1.9%
12		592	0.9%
13		667	1.0%
14		2307	3.6%
15		1731	2.7%
16		838	1.3%
17		3888	6.0%
18		2283	3.5%
19		2284	3.5%
20		1235	1.9%
21		3353	5.2%
22		1296	2.0%
23		3166	4.9%
24		3228	5.0%
25		15	0.0%
99		1	0.0%
Sysmiss		167	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Information on Migration (Section 2) (cont.)

#6 PLACE_WHERE_THIS_PERSON_LIVED_AV: place where this person lived at Sector

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]		
Statistics [NW/ W]	[Valid=64828 /-] [Invalid=172 /-]		
Value	Label	Cases	Percentage
0		1	0.0%
1		19857	30.6%
2		41538	64.1%
3		3428	5.3%
4		1	0.0%
8		3	0.0%
Sysmiss		172	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#7 HAS_THIS_PERSON_EVER_LIVED_IN_C: Has this person ever lived in a

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=60703 /-] [Invalid=4297 /-]		
Value	Label	Cases	Percentage
1		17861	29.4%
2		42841	70.6%
3		1	0.0%
Sysmiss		4297	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#8 PLACE_OTHER_THAN_ABOVE_PLACE_FOV: place other than above place for continous period of 5 years of more. If 'yes' most recent stay : Years

Information	[Type= discrete] [Format=numeric] [Range= 1-85] [Missing=*]		
Statistics [NW/ W]	[Valid=17839 /-] [Invalid=47161 /-]		
Frequency table not shown (78 Modalities)			

#9 PLACE_OTHER_THAN_ABOVE_PLACE_FOS: place other than above place for continous period of 5 years of more. If 'yes' most recent stay : Months

Information	[Type= discrete] [Format=numeric] [Range= 0-13] [Missing=*]		
Statistics [NW/ W]	[Valid=17257 /-] [Invalid=47743 /-]		
Value	Label	Cases	Percentage
0		13771	79.8%
1		245	1.4%
2		668	3.9%
3		486	2.8%

File Information on Migration (Section 2) (cont.)

#9 PLACE_OTHER_THAN_ABOVE_PLACE_FOS: place other than above place for continous period of 5 years of more. If 'yes' most recent stay : Months (cont.)

Value (cont.)	Label	Cases	Percentage
4		383	2.2%
5		294	1.7%
6		587	3.4%
7		180	1.0%
8		275	1.6%
9		146	0.8%
10		129	0.7%
11		71	0.4%
13		22	0.1%
Sysmiss		47743	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#10 HAS_THIS_PERSON_EVER_LIVED_IN_B: Has this person ever lived in a

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=64178 /-] [Invalid=822 /-]

Value	Label	Cases	Percentage
1		7655	11.9%
2		56523	88.1%
Sysmiss		822	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#11 PLACE_OTHER_THAN_ABOVE_PLACE_FOT: place other than above place for continous period of 1 year or more and less than 5years? If 'yes' most recent stay : Years

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=7641 /-] [Invalid=57359 /-]

Value	Label	Cases	Percentage
1		1370	17.9%
2		2304	30.2%
3		2221	29.1%
4		1746	22.9%
Sysmiss		57359	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Information on Migration (Section 2) (cont.)

#12 PLACE_OTHER_THAN_ABOVE_PLACE_FOU: place other than above place for continous period of 1 year or more and less than 5years? If 'yes' most recent stay : Months

Information	[Type= discrete] [Format=numeric] [Range= 0-13] [Missing=*]		
Statistics [NW/ W]	[Valid=7475 /-] [Invalid=57525 /-]		
Value	Label	Cases	Percentage
0		4769	63.8%
1		201	2.7%
2		416	5.6%
3		304	4.1%
4		250	3.3%
5		152	2.0%
6		781	10.4%
7		123	1.6%
8		195	2.6%
9		115	1.5%
10		120	1.6%
11		30	0.4%
13		19	0.3%
Sysmiss		57525	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#13 HAS_THIS_PERSON_EVER_LIVED_IN_D: Has this person ever lived in a

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=64804 /-] [Invalid=196 /-]		
Value	Label	Cases	Percentage
1		2889	4.5%
2		61915	95.5%
Sysmiss		196	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#14 PLACE_OTHER_THAN_ABOVE_PLACE_FOR: place other than above place for continous period of 1 month or more and less than 12 monthss? If 'yes' reason

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=2936 /-] [Invalid=62064 /-]		
Value	Label	Cases	Percentage
0		2	0.1%
1		1307	44.5%
2		86	2.9%
3		138	4.7%

File Information on Migration (Section 2) (cont.)

#14 PLACE_OTHER_THAN_ABOVE_PLACE_FOR: place other than above place for continous period of 1 month or more and less than 12 monthss? If 'yes' reason (cont.)

Value (cont.)	Label	Cases	Percentage
4		227	7.7%
9		1176	40.1%
Sysmiss		62064	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#15 SERIAL_NUMBER_OF_THE_PERSON: Serial number of the person

Information	[Type= discrete] [Format=numeric] [Range= 1-31] [Missing=*]
Statistics [NW/ W]	[Valid=52898 /-] [Invalid=12102 /-]

Value	Label	Cases	Percentage
1		1	0.0%
2		23116	43.7%
3		2	0.0%
4		17835	33.7%
5		2	0.0%
6		8496	16.1%
7		2	0.0%
8		2635	5.0%
10		609	1.2%
12		151	0.3%
14		35	0.1%
16		4	0.0%
18		2	0.0%
20		1	0.0%
22		1	0.0%
24		1	0.0%
26		1	0.0%
31		4	0.0%
Sysmiss		12102	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#16 PLACE_WHERE_THIS_PERSON_LIVED_AW: place where this person lived at country

Information	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]
Statistics [NW/ W]	[Valid=71 /-] [Invalid=64929 /-]

Value	Label	Cases	Percentage
1		63	88.7%
2		2	2.8%

File Information on Migration (Section 2) (cont.)

#16 PLACE_WHERE_THIS_PERSON_LIVED_AW: place where this person lived at country (cont.)

Value (cont.)	Label	Cases	Percentage
3		3	4.2%
5		1	1.4%
99		2	2.8%
Sysmiss		64929	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#17 PLACE_WHERE_THIS_PERSON_LIVED_AX: place where this person lived at District

Information	[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*
Statistics [NW/ W]	[Valid=52827 /-] [Invalid=12173 /-]

Value	Label	Cases	Percentage
0		4	0.0%
1		7164	13.6%
2		1090	2.1%
3		2877	5.4%
4		4444	8.4%
5		1847	3.5%
6		1677	3.2%
7		3124	5.9%
8		2953	5.6%
9		1858	3.5%
10		2677	5.1%
11		1035	2.0%
12		518	1.0%
13		558	1.1%
14		1790	3.4%
15		1517	2.9%
16		721	1.4%
17		3152	6.0%
18		1857	3.5%
19		1924	3.6%
20		1069	2.0%
21		2696	5.1%
22		1100	2.1%
23		2595	4.9%
24		2569	4.9%
25		10	0.0%
99		1	0.0%
Sysmiss		12173	

File Information on Migration (Section 2) (cont.)

#17 PLACE_WHERE_THIS_PERSON_LIVED_AX: place where this person lived at District (cont.)

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#18 PLACE_WHERE_THIS_PERSON_LIVED_AY: place where this person lived at Sector

Information [Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]

Statistics [NW/ W] [Valid=52819 /-] [Invalid=12181 /-]

Value	Label	Cases	Percentage
1		16271	30.8%
2		33813	64.0%
3		2733	5.2%
4		1	0.0%
8		1	0.0%
Sysmiss		12181	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#19 HAS_THIS_PERSON_EVER_LIVED_IN_E: Has this person ever lived in a

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W] [Valid=49224 /-] [Invalid=15776 /-]

Value	Label	Cases	Percentage
1		15211	30.9%
2		34013	69.1%
Sysmiss		15776	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#20 PLACE_OTHER_THAN_ABOVE_PLACE_FOW: place other than above place for continous period of 5 years of more. If 'yes' most recent stay : Years

Information [Type= discrete] [Format=numeric] [Range= 2-80] [Missing=*]

Statistics [NW/ W] [Valid=15199 /-] [Invalid=49801 /-]

Frequency table not shown (71 Modalities)

#21 PLACE_OTHER_THAN_ABOVE_PLACE_FOX: place other than above place for continous period of 5 years of more. If 'yes' most recent stay : Months

Information [Type= discrete] [Format=numeric] [Range= 0-13] [Missing=*]

Statistics [NW/ W] [Valid=14654 /-] [Invalid=50346 /-]

Value	Label	Cases	Percentage
0		11766	80.3%
1		201	1.4%

File Information on Migration (Section 2) (cont.)

#21 PLACE_OTHER_THAN_ABOVE_PLACE_FOX: place other than above place for continuous period of 5 years or more. If 'yes' most recent stay : Months (cont.)

Value (cont.)	Label	Cases	Percentage
2		590	4.0%
3		383	2.6%
4		327	2.2%
5		254	1.7%
6		497	3.4%
7		131	0.9%
8		215	1.5%
9		131	0.9%
10		96	0.7%
11		57	0.4%
13		6	0.0%
Sysmiss		50346	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#22 HAS_THIS_PERSON_EVER_LIVED_IN_F: Has this person ever lived in a

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=52166 /-] [Invalid=12834 /-]		
Value	Label	Cases	Percentage
1		5835	11.2%
2		46331	88.8%
Sysmiss		12834	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#23 PLACE_OTHER_THAN_ABOVE_PLACE_FOY: place other than above place for continuous period of 1 year or more and less than 5years? If 'yes' most recent stay : Years

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=5829 /-] [Invalid=59171 /-]		
Value	Label	Cases	Percentage
1		1134	19.5%
2		1685	28.9%
3		1630	28.0%
4		1380	23.7%
Sysmiss		59171	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Information on Migration (Section 2) (cont.)

#24 PLACE_OTHER_THAN_ABOVE_PLACE_FOZ: place other than above place for continous period of 1 year or more and less than 5years? If 'yes' most recent stay : Months

Information	[Type= discrete] [Format=numeric] [Range= 0-13] [Missing=*]		
Statistics [NW/ W]	[Valid=5703 /-] [Invalid=59297 /-]		
Value	Label	Cases	Percentage
0		3603	63.2%
1		153	2.7%
2		339	5.9%
3		243	4.3%
4		198	3.5%
5		118	2.1%
6		577	10.1%
7		95	1.7%
8		172	3.0%
9		86	1.5%
10		83	1.5%
11		27	0.5%
13		9	0.2%
Sysmiss		59297	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#25 HAS_THIS_PERSON_EVER_LIVED_IN_G: Has this person ever lived in a

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=52692 /-] [Invalid=12308 /-]		
Value	Label	Cases	Percentage
1		2023	3.8%
2		50669	96.2%
Sysmiss		12308	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#26 LACE_OTHER_THAN_ABOVE_PLACE_FORA: place other than above place for continous period of 1 month or more and less than 12 monthss? If 'yes' reason

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=2054 /-] [Invalid=62946 /-]		
Value	Label	Cases	Percentage
0		1	0.0%
1		483	23.5%
2		67	3.3%
3		104	5.1%

File Information on Migration (Section 2) (cont.)

#26 LACE_OTHER_THAN_ABOVE_PLACE_FORA: place other than above place for continous period of 1 month or more and less than 12 monthss? If 'yes' reason (cont.)

Value (cont.)	Label	Cases	Percentage
4		423	20.6%
9		976	47.5%
Sysmiss		62946	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#27 INFLATION_FACTOT: Inflation factor

Information	[Type= discrete] [Format=numeric] [Range= 345-223969] [Missing=*]
Statistics [NW/ W]	[Valid=65000 /-] [Invalid=0 /-]

File Information on Migration (Section 2)

#1 REC\$TYPE

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=65000 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
04		65000	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#2 BLANM: blank

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=65000 /-]

Value	Label	Cases	Percentage
Sysmiss		65000	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#3 SERIAL_NUMBER_OF_THE_PERSOP: Serial number of the person

Information	[Type= discrete] [Format=numeric] [Range= 1-31] [Missing=*]
Statistics [NW/ W]	[Valid=65000 /-] [Invalid=0 /-] [Mean=3.144 /-]

Value	Label	Cases	Percentage
1		24019	37.0%
2		7	0.0%

File Information on Migration (Section 2) (cont.)

#3 SERIAL_NUMBER_OF_THE_PERSOP: Serial number of the person (cont.)

Value (cont.)	Label	Cases	Percentage
3		21142	32.5%
4		8	0.0%
5		13226	20.3%
6		5	0.0%
7		4848	7.5%
8		3	0.0%
9		1354	2.1%
11		295	0.5%
13		75	0.1%
15		10	0.0%
17		2	0.0%
19		2	0.0%
21		1	0.0%
23		1	0.0%
25		1	0.0%
31		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#4 PLACE_WHERE_THE_PERSON_LIVED_5YH: Place where the person lived 5years age: If place of origin

Information	[Type= discrete] [Format=numeric] [Range= 4-99] [Missing=*]		
Statistics [NW/ W]	[Valid=40590 /-] [Invalid=24410 /-] [Mean=98.998 /-]		
Value	Label	Cases	Percentage
4		1	0.0%
99		40589	100.0%
Sysmiss		24410	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#5 PLACE_WHERE_THE_PERSON_LIVED_5YG: Place where the person lived 5years age: If Outside Country

Information	[Type= discrete] [Format=numeric] [Range= 1-21] [Missing=*]		
Statistics [NW/ W]	[Valid=79 /-] [Invalid=64921 /-] [Mean=4.19 /-]		
Value	Label	Cases	Percentage
1		3	3.8%
2		2	2.5%
3		12	15.2%
4		55	69.6%
5		4	5.1%
9		1	1.3%

File Information on Migration (Section 2) (cont.)

#5 PLACE_WHERE_THE_PERSON_LIVED_5YG: Place where the person lived 5years age: If Outside Country (cont.)

Value (cont.)	Label	Cases	Percentage
18		1	1.3%
21		1	1.3%
Sysmiss		64921	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#6 PLACE_WHERE_THE_PERSON_LIVED_5YE: Place where the person lived 5years age: If outside District

Information	[Type= discrete] [Format=numeric] [Range= 1-25] [Missing=*]
Statistics [NW/ W]	[Valid=18430 /-] [Invalid=46570 /-] [Mean=11.021 /-]

Value	Label	Cases	Percentage
1		2679	14.5%
2		1183	6.4%
3		937	5.1%
4		1057	5.7%
5		803	4.4%
6		614	3.3%
7		786	4.3%
8		578	3.1%
9		607	3.3%
10		472	2.6%
11		211	1.1%
12		291	1.6%
13		236	1.3%
14		429	2.3%
15		697	3.8%
16		282	1.5%
17		1122	6.1%
18		600	3.3%
19		919	5.0%
20		873	4.7%
21		880	4.8%
22		688	3.7%
23		907	4.9%
24		573	3.1%
25		6	0.0%
Sysmiss		46570	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Information on Migration (Section 2) (cont.)

#7 PLACE_WHERE_THE_PERSON_LIVED_5YF: Place where the person lived 5years age: If outside Sector

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=18432 /-] [Invalid=46568 /-] [Mean=1.665 /-]		
Value	Label	Cases	Percentage
1		7134	38.7%
2		10348	56.1%
3		948	5.1%
7		1	0.0%
9		1	0.0%
Sysmiss		46568	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#8 PLACE_WHERE_THE_PERSON_LIVED_1YI: Place where the person lived 1 year age: If place of origin

Information	[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]		
Statistics [NW/ W]	[Valid=44095 /-] [Invalid=20905 /-] [Mean=98.991 /-]		
Value	Label	Cases	Percentage
0		1	0.0%
1		1	0.0%
2		1	0.0%
4		1	0.0%
99		44091	100.0%
Sysmiss		20905	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#9 PLACE_WHERE_THE_PERSON_LIVED_1YJ: Place where the person lived 1 year age: If Outside Country

Information	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]		
Statistics [NW/ W]	[Valid=89 /-] [Invalid=64911 /-] [Mean=6.809 /-]		
Value	Label	Cases	Percentage
1		11	12.4%
2		1	1.1%
3		5	5.6%
4		64	71.9%
5		5	5.6%
99		3	3.4%
Sysmiss		64911	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Information on Migration (Section 2) (cont.)

#10 PLACE_WHERE_THE_PERSON_LIVED_1YK: Place where the person lived 1 year age: If outside District

Information	[Type= discrete] [Format=numeric] [Range= 0-25] [Missing=*]		
Statistics [NW/ W]	[Valid=19894 /-] [Invalid=45106 /-] [Mean=11.021 /-]		
Value	Label	Cases	Percentage
0		1	0.0%
1		2811	14.1%
2		1325	6.7%
3		1044	5.2%
4		1072	5.4%
5		885	4.4%
6		700	3.5%
7		851	4.3%
8		607	3.1%
9		639	3.2%
10		557	2.8%
11		220	1.1%
12		325	1.6%
13		262	1.3%
14		510	2.6%
15		794	4.0%
16		251	1.3%
17		1213	6.1%
18		656	3.3%
19		935	4.7%
20		932	4.7%
21		966	4.9%
22		734	3.7%
23		968	4.9%
24		616	3.1%
25		20	0.1%
Sysmiss		45106	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#11 PLACE_WHERE_THE_PERSON_LIVED_1YL: Place where the person lived 1 year age: If outside Sector

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=19884 /-] [Invalid=45116 /-] [Mean=1.651 /-]		
Value	Label	Cases	Percentage
1		7949	40.0%
2		10926	54.9%
3		1008	5.1%

File Information on Migration (Section 2) (cont.)

#11 PLACE_WHERE_THE_PERSON_LIVED_1YL: Place where the person lived 1 year age: If outside Sector (cont.)

Value (cont.)	Label	Cases	Percentage
8		1	0.0%
Sysmiss		45116	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#12 DURATION_OF_LIVING_IN_PRESENT_PL: Duration of living in present place: If Since Birth

Information	[Type= discrete] [Format=numeric] [Range= 2-99] [Missing=*]		
Statistics [NW/ W]	[Valid=42477 /-] [Invalid=22523 /-] [Mean=98.991 /-]		
Value	Label	Cases	Percentage
2		2	0.0%
9		2	0.0%
99		42473	100.0%
Sysmiss		22523	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#13 DURATION_OF_LIVING_IN_PRESENT_PM: Duration of living in present place: If Since years

Information	[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]
Statistics [NW/ W]	[Valid=21097 /-] [Invalid=43903 /-] [Mean=15.581 /-]

Frequency table not shown (81 Modalities)

#14 DURATION_OF_LIVING_IN_PRESENT_PN: Duration of living in present place: If less than one year (no of days)

Information	[Type= discrete] [Format=numeric] [Range= 0-362] [Missing=*]
Statistics [NW/ W]	[Valid=1525 /-] [Invalid=63475 /-] [Mean=151.47 /-]

Frequency table not shown (136 Modalities)

#15 PLACE_OF_PREVIOUS_RESIDENCE_BEFO: Place of previous residence before moving to present place Country

Information	[Type= discrete] [Format=numeric] [Range= 0-92] [Missing=*]		
Statistics [NW/ W]	[Valid=260 /-] [Invalid=64740 /-] [Mean=3.831 /-]		
Value	Label	Cases	Percentage
0		1	0.4%
1		80	30.8%
2		5	1.9%
3		31	11.9%

File Information on Migration (Section 2) (cont.)

#15 PLACE_OF_PREVIOUS_RESIDENCE_BEFO: Place of previous residence before moving to present place Country (cont.)

Value (cont.)	Label	Cases	Percentage
4		130	50.0%
5		6	2.3%
9		3	1.2%
21		1	0.4%
61		1	0.4%
62		1	0.4%
92		1	0.4%
Sysmiss		64740	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#16 PLACE_OF_PREVIOUS_RESIDENCE_BEFP: Place of previous residence before moving to present place District

Information	[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]
Statistics [NW/ W]	[Valid=22235 /-] [Invalid=42765 /-] [Mean=10.111 /-]

Value	Label	Cases	Percentage
0		1	0.0%
1		4009	18.0%
2		803	3.6%
3		1134	5.1%
4		1919	8.6%
5		916	4.1%
6		903	4.1%
7		1139	5.1%
8		1121	5.0%
9		737	3.3%
10		910	4.1%
11		151	0.7%
12		169	0.8%
13		67	0.3%
14		644	2.9%
15		634	2.9%
16		292	1.3%
17		1433	6.4%
18		666	3.0%
19		592	2.7%
20		454	2.0%
21		1204	5.4%

File Information on Migration (Section 2) (cont.)

#16 PLACE_OF_PREVIOUS_RESIDENCE_BEFP: Place of previous residence before moving to present place District (cont.)

Value (cont.)	Label	Cases	Percentage
22		367	1.7%
23		1010	4.5%
24		911	4.1%
25		31	0.1%
99		18	0.1%
Sysmiss		42765	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#17 PLACE_OF_PREVIOUS_RESIDENCE_BEFAQ: Place of previous residence before moving to present place Sector

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=22139 /-] [Invalid=42861 /-] [Mean=1.761 /-]

Value	Label	Cases	Percentage
0		3	0.0%
1		6433	29.1%
2		14571	65.8%
3		1130	5.1%
4		1	0.0%
8		1	0.0%
Sysmiss		42861	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#18 SERIAL_NUMBER_OF_THE_PERSONQ: Serial number of the person

Information	[Type= discrete] [Format=numeric] [Range= 1-31] [Missing=*]
Statistics [NW/ W]	[Valid=52897 /-] [Invalid=12103 /-] [Mean=3.749 /-]

Value	Label	Cases	Percentage
1		7	0.0%
2		23110	43.7%
3		9	0.0%
4		17828	33.7%
5		5	0.0%
6		8493	16.1%
7		4	0.0%
8		2633	5.0%
10		609	1.2%
12		151	0.3%

File Information on Migration (Section 2) (cont.)

#18 SERIAL_NUMBER_OF_THE_PERSOQ: Serial number of the person (cont.)

Value (cont.)	Label	Cases	Percentage
14		35	0.1%
16		4	0.0%
18		2	0.0%
20		1	0.0%
22		1	0.0%
24		1	0.0%
26		1	0.0%
31		3	0.0%
Sysmiss		12103	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#19 PLACE_WHERE_THE_PERSON_LIVED_5YI: Place where the person lived 5years age: If place of origin

Information	[Type= discrete] [Format=numeric] [Range= 2-99] [Missing=*]		
Statistics [NW/ W]	[Valid=31611 /-] [Invalid=33389 /-] [Mean=98.991 /-]		
Value	Label	Cases	Percentage
2		3	0.0%
99		31608	100.0%
Sysmiss		33389	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#20 PLACE_WHERE_THE_PERSON_LIVED_5YJ: Place where the person lived 5years age: If Outside Country

Information	[Type= discrete] [Format=numeric] [Range= 1-18] [Missing=*]		
Statistics [NW/ W]	[Valid=41 /-] [Invalid=64959 /-] [Mean=3.927 /-]		
Value	Label	Cases	Percentage
1		2	4.9%
2		3	7.3%
3		8	19.5%
4		24	58.5%
5		3	7.3%
18		1	2.4%
Sysmiss		64959	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#21 PLACE_WHERE_THE_PERSON_LIVED_5YK: Place where the person lived 5years age: If outside District

Information	[Type= discrete] [Format=numeric] [Range= 1-25] [Missing=*]		
Statistics [NW/ W]	[Valid=16084 /-] [Invalid=48916 /-] [Mean=11.179 /-]		

File Information on Migration (Section 2) (cont.)

#21 PLACE_WHERE_THE_PERSON_LIVED_5YK: Place where the person lived 5years age: If outside District (cont.)

Value	Label	Cases	Percentage
1		2104	13.1%
2		1025	6.4%
3		848	5.3%
4		1086	6.8%
5		703	4.4%
6		550	3.4%
7		749	4.7%
8		635	3.9%
9		532	3.3%
10		340	2.1%
11		141	0.9%
12		238	1.5%
13		171	1.1%
14		299	1.9%
15		429	2.7%
16		197	1.2%
17		1090	6.8%
18		531	3.3%
19		773	4.8%
20		694	4.3%
21		811	5.0%
22		572	3.6%
23		834	5.2%
24		728	4.5%
25		4	0.0%
Sysmiss		48916	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#22 PLACE_WHERE_THE_PERSON_LIVED_5YL: Place where the person lived 5years age: If outside Sector

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=16080 /-] [Invalid=48920 /-] [Mean=1.706 /-]		
Value	Label	Cases	Percentage
1		5644	35.1%
2		9516	59.2%
3		920	5.7%
Sysmiss		48920	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Information on Migration (Section 2) (cont.)

#23 PLACE_WHERE_THE_PERSON_LIVED_1YM: Place where the person lived 1 year age: If place of origin

Information	[Type= discrete] [Format=numeric] [Range= 7-99] [Missing=*		
Statistics [NW/ W]	[Valid=34404 /-] [Invalid=30596 /-] [Mean=98.989 /-]		
Value	Label	Cases	Percentage
7		1	0.0%
9		3	0.0%
99		34400	100.0%
Systemiss		30596	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#24 PLACE_WHERE_THE_PERSON_LIVED_1YN: Place where the person lived 1 year age: If Outside Country

Information	[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*		
Statistics [NW/ W]	[Valid=67 /-] [Invalid=64933 /-] [Mean=6.507 /-]		
Value	Label	Cases	Percentage
0		1	1.5%
1		8	11.9%
2		2	3.0%
3		3	4.5%
4		43	64.2%
5		6	9.0%
6		1	1.5%
9		1	1.5%
99		2	3.0%
Systemiss		64933	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#25 PLACE_WHERE_THE_PERSON_LIVED_1YO: Place where the person lived 1 year age: If outside District

Information	[Type= discrete] [Format=numeric] [Range= 1-42] [Missing=*		
Statistics [NW/ W]	[Valid=17555 /-] [Invalid=47445 /-] [Mean=11.197 /-]		
Value	Label	Cases	Percentage
1		2283	13.0%
2		1165	6.6%
3		953	5.4%
4		1091	6.2%
5		765	4.4%
6		643	3.7%
7		798	4.5%
8		650	3.7%

File Information on Migration (Section 2) (cont.)

#25 PLACE_WHERE_THE_PERSON_LIVED_1YO: Place where the person lived 1 year age: If outside District (cont.)

Value (cont.)	Label	Cases	Percentage
9		557	3.2%
10		411	2.3%
11		141	0.8%
12		267	1.5%
13		185	1.1%
14		373	2.1%
15		499	2.8%
16		177	1.0%
17		1220	6.9%
18		585	3.3%
19		801	4.6%
20		750	4.3%
21		892	5.1%
22		643	3.7%
23		904	5.1%
24		788	4.5%
25		13	0.1%
42		1	0.0%
Sysmiss		47445	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#26 PLACE_WHERE_THE_PERSON_LIVED_1YP: Place where the person lived 1 year age: If outside Sector

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=17550 /-] [Invalid=47450 /-] [Mean=1.692 /-]		
Value	Label	Cases	Percentage
1		6438	36.7%
2		10089	57.5%
3		1021	5.8%
4		1	0.0%
9		1	0.0%
Sysmiss		47450	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#27 DURATION_OF_LIVING_IN_PRESENT_PO: Duration of living in present place: If Since Birth

Information	[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]		
Statistics [NW/ W]	[Valid=33680 /-] [Invalid=31320 /-] [Mean=98.983 /-]		

File Information on Migration (Section 2) (cont.)

#27 DURATION_OF_LIVING_IN_PRESENT_PO: Duration of living in present place: If Since Birth (cont.)

Value	Label	Cases	Percentage
0		1	0.0%
1		1	0.0%
2		1	0.0%
3		1	0.0%
9		1	0.0%
12		1	0.0%
99		33674	100.0%
Systemiss		31320	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#28 DURATION_OF_LIVING_IN_PRESENT_PP: Duration of living in present place: If Since years

Information	[Type= discrete] [Format=numeric] [Range= 0-80] [Missing=*]
Statistics [NW/ W]	[Valid=18024 /-] [Invalid=46976 /-] [Mean=14.182 /-]
Frequency table not shown (72 Modalities)	

#29 DURATION_OF_LIVING_IN_PRESENT_PQ: Duration of living in present place: If less than one year (no of days)

Information	[Type= discrete] [Format=numeric] [Range= 0-362] [Missing=*]
Statistics [NW/ W]	[Valid=1284 /-] [Invalid=63716 /-] [Mean=143.455 /-]
Frequency table not shown (126 Modalities)	

#30 PLACE_OF_PREVIOUS_RESIDENCE_BEFR: Place of previous residence before moving to present place Country

Information	[Type= discrete] [Format=numeric] [Range= 0-82] [Missing=*]		
Statistics [NW/ W]	[Valid=160 /-] [Invalid=64840 /-] [Mean=5 /-]		
Value	Label	Cases	Percentage
0		2	1.3%
1		41	25.6%
2		4	2.5%
3		18	11.3%
4		75	46.9%
5		8	5.0%
6		3	1.9%
8		1	0.6%
9		1	0.6%
11		1	0.6%

File Information on Migration (Section 2) (cont.)

#30 PLACE_OF_PREVIOUS_RESIDENCE_BEFR: Place of previous residence before moving to present place Country (cont.)

Value (cont.)	Label	Cases	Percentage
21		1	0.6%
42		1	0.6%
52		2	1.3%
62		1	0.6%
82		1	0.6%
Sysmiss		64840	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#31 PLACE_OF_PREVIOUS_RESIDENCE_BEFS: Place of previous residence before moving to present place District

Information	[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]
Statistics [NW/ W]	[Valid=19047 /-] [Invalid=45953 /-] [Mean=10.386 /-]

Value	Label	Cases	Percentage
0		3	0.0%
1		3156	16.6%
2		712	3.7%
3		980	5.1%
4		1736	9.1%
5		802	4.2%
6		818	4.3%
7		1032	5.4%
8		1032	5.4%
9		610	3.2%
10		707	3.7%
11		96	0.5%
12		138	0.7%
13		42	0.2%
14		412	2.2%
15		412	2.2%
16		192	1.0%
17		1398	7.3%
18		563	3.0%
19		498	2.6%
20		343	1.8%
21		1095	5.7%
22		322	1.7%
23		923	4.8%

File Information on Migration (Section 2) (cont.)

#31 PLACE_OF_PREVIOUS_RESIDENCE_BEFS: Place of previous residence before moving to present place District (cont.)

Value (cont.)	Label	Cases	Percentage
24		982	5.2%
25		16	0.1%
42		1	0.0%
99		26	0.1%
Systemmiss		45953	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#32 PLACE_OF_PREVIOUS_RESIDENCE_BEFT: Place of previous residence before moving to present place Sector

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=18925 /-] [Invalid=46075 /-] [Mean=1.801 /-]

Value	Label	Cases	Percentage
0		3	0.0%
1		4860	25.7%
2		12977	68.6%
3		1082	5.7%
4		2	0.0%
9		1	0.0%
Systemmiss		46075	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#33 INFLATION_FACTOU: Inflation factor

Information	[Type= discrete] [Format=numeric] [Range= 345-223969] [Missing=*]
Statistics [NW/ W]	[Valid=65000 /-] [Invalid=0 /-] [Mean=13006.311 /-]

File Information on Migration (Section 2)

#1 REC\$TYPE

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=65002 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
05		65002	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Information on Migration (Section 2) (cont.)

#2 BLANN: blank

Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=65002 /-]		
Value	Label	Cases	Percentage
Sysmiss		65002	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#3 SERIAL_NUMBER_OF_THE_PERSON: Serial number of the person

Information	[Type= discrete] [Format=numeric] [Range= 1-31] [Missing=*]		
Statistics [NW/ W]	[Valid=65002 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1		24022	37.0%
2		5	0.0%
3		21141	32.5%
4		8	0.0%
5		13224	20.3%
6		7	0.0%
7		4849	7.5%
8		2	0.0%
9		1354	2.1%
11		295	0.5%
13		75	0.1%
15		10	0.0%
17		2	0.0%
19		2	0.0%
21		1	0.0%
23		1	0.0%
25		1	0.0%
31		3	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#4 MAIN_REASON_FOR_MOVING_FROM: Main reason for moving fromthe previous residence to the present residence

Information	[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]		
Statistics [NW/ W]	[Valid=65002 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		42475	65.3%
1		2595	4.0%
2		1299	2.0%

File Information on Migration (Section 2) (cont.)

#4 MAIN_REASON_FOR_MOVING_FROM: Main reason for moving from ...the previous residence to the present residence (cont.)

Value (cont.)	Label	Cases	Percentage
3		5553	8.5%
4		3577	5.5%
5		4165	6.4%
6		135	0.2%
7		329	0.5%
8		595	0.9%
9		304	0.5%
10		1219	1.9%
99		2756	4.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#5 IS_THE_PERSON_INTENDING_TO___SE: Is the person intending to .. settle in another twon

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
Statistics [NW/ W]	[Valid=65002 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		20	0.0%
1		2115	3.3%
2		62864	96.7%
3		3	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#6 IF_SO_COUNTRY: If so country

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=255 /-] [Invalid=64747 /-]

Value	Label	Cases	Percentage
1		143	56.1%
2		20	7.8%
3		21	8.2%
4		61	23.9%
5		3	1.2%
9		7	2.7%
Sysmiss		64747	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Information on Migration (Section 2) (cont.)

#7 IF_SO_DISTRICT: If so District

Information [Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]

Statistics [NW/ W] [Valid=1856 /-] [Invalid=63146 /-]

Value	Label	Cases	Percentage
0		2	0.1%
1		189	10.2%
2		124	6.7%
3		111	6.0%
4		161	8.7%
5		80	4.3%
6		52	2.8%
7		135	7.3%
8		101	5.4%
9		43	2.3%
10		83	4.5%
11		6	0.3%
12		28	1.5%
13		10	0.5%
14		39	2.1%
15		39	2.1%
16		46	2.5%
17		110	5.9%
18		31	1.7%
19		85	4.6%
20		108	5.8%
21		97	5.2%
22		18	1.0%
23		67	3.6%
24		59	3.2%
25		11	0.6%
99		21	1.1%
Sysmiss		63146	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#8 IF_SO_SECTOR: If so Sector

Information [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]

Statistics [NW/ W] [Valid=1808 /-] [Invalid=63194 /-]

Value	Label	Cases	Percentage
1		563	31.1%
2		1208	66.8%

File Information on Migration (Section 2) (cont.)

#8 IF_SO_SECTOR: If so Sector (cont.)

Value (cont.)	Label	Cases	Percentage
3		34	1.9%
4		2	0.1%
5		1	0.1%
Sysmiss		63194	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#9 SERIAL_NUMBER_OF_THE_PERSOS: Serial number of the person

Information	[Type= discrete] [Format=numeric] [Range= 1-31] [Missing=*]
Statistics [NW/ W]	[Valid=52897 /-] [Invalid=12105 /-]

Value	Label	Cases	Percentage
1		4	0.0%
2		23112	43.7%
3		10	0.0%
4		17828	33.7%
5		7	0.0%
6		8491	16.1%
7		3	0.0%
8		2634	5.0%
10		609	1.2%
12		151	0.3%
14		35	0.1%
16		4	0.0%
18		2	0.0%
20		1	0.0%
22		1	0.0%
24		1	0.0%
26		1	0.0%
31		3	0.0%
Sysmiss		12105	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#10 MAIN_REASON_FOR_MOVING_FRON: Main reason for moving fromthe previous residence to the present residence

Information	[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]
Statistics [NW/ W]	[Valid=19223 /-] [Invalid=45779 /-]

Value	Label	Cases	Percentage
0		2	0.0%

File Information on Migration (Section 2) (cont.)

#10 MAIN_REASON_FOR_MOVING_FRON: Main reason for moving fromthe previous residence to the present residence (cont.)

Value (cont.)	Label	Cases	Percentage
1		1145	6.0%
2		848	4.4%
3		4102	21.3%
4		1247	6.5%
5		7950	41.4%
6		124	0.6%
7		300	1.6%
8		324	1.7%
9		146	0.8%
10		725	3.8%
32		1	0.0%
99		2309	12.0%
Sysmiss		45779	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#11 IS_THE_PERSON_INTENDING_TO_SF: Is the person intending to .. settle in another twon

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=65002 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1		1692	2.6%
2		63305	97.4%
3		4	0.0%
9		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#12 IF_SO_COUNTRZ: If so country

Information	[Type= discrete] [Format=numeric] [Range= 1-17] [Missing=*]
Statistics [NW/ W]	[Valid=177 /-] [Invalid=64825 /-]

Value	Label	Cases	Percentage
1		110	62.1%
2		12	6.8%
3		12	6.8%
4		32	18.1%
5		2	1.1%
6		1	0.6%
9		7	4.0%

File Information on Migration (Section 2) (cont.)

#12 IF_SO_COUNTRZ: If so country (cont.)

Value (cont.)	Label	Cases	Percentage
17		1	0.6%
Sysmiss		64825	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#13 IF_SO_DISTRICU: If so District

Information	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]		
Statistics [NW/ W]	[Valid=1516 /-] [Invalid=63486 /-]		
Value	Label	Cases	Percentage
1		165	10.9%
2		95	6.3%
3		95	6.3%
4		129	8.5%
5		56	3.7%
6		41	2.7%
7		112	7.4%
8		97	6.4%
9		37	2.4%
10		64	4.2%
11		3	0.2%
12		21	1.4%
13		8	0.5%
14		32	2.1%
15		32	2.1%
16		39	2.6%
17		79	5.2%
18		22	1.5%
19		74	4.9%
20		94	6.2%
21		75	4.9%
22		12	0.8%
23		50	3.3%
24		58	3.8%
25		9	0.6%
99		17	1.1%
Sysmiss		63486	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Information on Migration (Section 2) (cont.)

#14 IF_SO_SECTOS: If so Sector

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=1477 /-] [Invalid=63525 /-]		
Value	Label	Cases	Percentage
1		460	31.1%
2		989	67.0%
3		28	1.9%
Systemiss		63525	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#15 INFLATION_FACTOR: Inflation factor

Information	[Type= discrete] [Format=numeric] [Range= 345-223969] [Missing=*]
Statistics [NW/ W]	[Valid=65002 /-] [Invalid=0 /-]

File Information on Migration (Section 2)

#1 REC\$TYPE

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=65000 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
06		65000	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#2 BLANO: blank

Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=65000 /-]		
Value	Label	Cases	Percentage
Systemiss		65000	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#3 SERIAL_NUMBER_OF_THE_PERSON: Serial number of the person

Information	[Type= discrete] [Format=numeric] [Range= 1-31] [Missing=*]		
Statistics [NW/ W]	[Valid=65000 /-] [Invalid=0 /-] [Mean=3.144 /-] [StdDev=2.168 /-]		

File Information on Migration (Section 2) (cont.)

#3 SERIAL_NUMBER_OF_THE_PERSON: Serial number of the person (cont.)

Value	Label	Cases	Percentage
1		24017	36.9%
2		9	0.0%
3		21140	32.5%
4		10	0.0%
5		13223	20.3%
6		7	0.0%
7		4850	7.5%
8		1	0.0%
9		1354	2.1%
11		295	0.5%
13		75	0.1%
15		10	0.0%
17		2	0.0%
19		2	0.0%
21		1	0.0%
23		1	0.0%
25		1	0.0%
31		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#4 MAIN_REASON_FOR_INTENDING_TO_MOV: Main reason for intending to move.. to other place

Information	[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]		
Statistics [NW/ W]	[Valid=65000 /-] [Invalid=0 /-] [Mean=0.649 /-] [StdDev=7.349 /-]		
Value	Label	Cases	Percentage
0		62884	96.7%
1		250	0.4%
2		327	0.5%
3		564	0.9%
4		195	0.3%
5		64	0.1%
6		23	0.0%
7		36	0.1%
8		91	0.1%
9		85	0.1%
10		124	0.2%
99		357	0.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Information on Migration (Section 2) (cont.)

#5 THE_REASON_FOR_NOT_MOVING_FROM: The reason for not moving from .. the present usual residence

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=65000 /-] [Invalid=0 /-] [Mean=2.653 /-] [StdDev=1.881 /-]		
Value	Label	Cases	Percentage
1		23746	36.5%
2		3239	5.0%
3		31664	48.7%
4		375	0.6%
5		394	0.6%
6		1116	1.7%
7		492	0.8%
8		2117	3.3%
9		1857	2.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#6 WHETHER_THE_PERSON_EMPLOYED___A: Whether the person employed .. at home/ homegarden

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=24531 /-] [Invalid=40469 /-] [Mean=1.823 /-] [StdDev=0.382 /-]		
Value	Label	Cases	Percentage
1		4350	17.7%
2		20180	82.3%
3		1	0.0%
Systemiss		40469	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#7 MODE_OF_TRAVEL_TO_GO_TO_WORK_SCH: Mode of travel to go to work/school Bus

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]		
Statistics [NW/ W]	[Valid=7316 /-] [Invalid=57684 /-] [Mean=1.001 /-] [StdDev=0.0607 /-]		
Value	Label	Cases	Percentage
1		7313	100.0%
2		2	0.0%
6		1	0.0%
Systemiss		57684	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#8 MODE_OF_TRAVEL_TO_GO_TO_WORK_SCI: Mode of travel to go to work/school Distance km

Information	[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]		
Statistics [NW/ W]	[Valid=7282 /-] [Invalid=57718 /-] [Mean=12.249 /-] [StdDev=15.454 /-]		

File Information on Migration (Section 2) (cont.)

#8 MODE_OF_TRAVEL_TO_GO_TO_WORK_SCI: Mode of travel to go to work/school Distance km (cont.)

Frequency table not shown (87 Modalities)

#9 B__TRAIN: (b) Train

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W] [Valid=346 /-] [Invalid=64654 /-] [Mean=1.991 /-] [StdDev=0.0928 /-]

Value	Label	Cases	Percentage
1		3	0.9%
2		343	99.1%
Sysmiss		64654	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#10 TRAIN_DISTANCE_KM: Train Distance km

Information [Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]

Statistics [NW/ W] [Valid=349 /-] [Invalid=64651 /-] [Mean=27.14 /-] [StdDev=21.729 /-]

Frequency table not shown (60 Modalities)

#11 C__MOTOE_BICYCLE: (c) Motoe bicycle

Information [Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]

Statistics [NW/ W] [Valid=371 /-] [Invalid=64629 /-] [Mean=2.984 /-] [StdDev=0.22 /-]

Value	Label	Cases	Percentage
0		2	0.5%
3		369	99.5%
Sysmiss		64629	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#12 MOTOE_BICYCLE_DISTANCE_KM: Motoe bicycle Distance km

Information [Type= discrete] [Format=numeric] [Range= 0-70] [Missing=*]

Statistics [NW/ W] [Valid=368 /-] [Invalid=64632 /-] [Mean=8.742 /-] [StdDev=10.412 /-]

Frequency table not shown (36 Modalities)

#13 D__PRIVATE_CAR: (d) Private Car

Information [Type= discrete] [Format=numeric] [Range= 2-4] [Missing=*]

Statistics [NW/ W] [Valid=405 /-] [Invalid=64595 /-] [Mean=3.995 /-] [StdDev=0.0994 /-]

File Information on Migration (Section 2) (cont.)

#13 D__PRIVATE_CAR: (d) Private Car (cont.)

Value	Label	Cases	Percentage
2		1	0.2%
4		404	99.8%
Sysmiss		64595	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#14 PRIVATE_CAR_DISTANCE_KM: Private Car Distance km

Information	[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]
Statistics [NW/ W]	[Valid=402 /-] [Invalid=64598 /-] [Mean=10.341 /-] [StdDev=16.366 /-]
Frequency table not shown (39 Modalities)	

#15 E__PUCH_BICYCLE: (e) Push bicycle

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=2926 /-] [Invalid=62074 /-] [Mean=4.997 /-] [StdDev=0.12 /-]

Value	Label	Cases	Percentage
0		1	0.0%
1		1	0.0%
5		2923	99.9%
6		1	0.0%
Sysmiss		62074	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#16 PUSH_BICYCLE_DISTANCE_KM: Push bicycle Distance km

Information	[Type= discrete] [Format=numeric] [Range= 0-60] [Missing=*]
Statistics [NW/ W]	[Valid=2924 /-] [Invalid=62076 /-] [Mean=4.029 /-] [StdDev=5.122 /-]
Frequency table not shown (37 Modalities)	

#17 F__ON_FOOT: (f) On foot

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=27709 /-] [Invalid=37291 /-] [Mean=5.998 /-] [StdDev=0.097 /-]

Value	Label	Cases	Percentage
0		6	0.0%
1		1	0.0%
2		1	0.0%
6		27700	100.0%

File Information on Migration (Section 2) (cont.)

#17 F__ON_FOOT: (f) On foot (cont.)

Value (cont.)	Label	Cases	Percentage
8		1	0.0%
Sysmiss		37291	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#18 ON_FOOT_DISTANCE_KM: On foot Distance km

Information	[Type= discrete] [Format=numeric] [Range= 0-60] [Missing=*]		
Statistics [NW/ W]	[Valid=27606 /-] [Invalid=37394 /-] [Mean=0.969 /-] [StdDev=1.813 /-]		
Value	Label	Cases	Percentage
0		13699	49.6%
1		7117	25.8%
2		4238	15.4%
3		1342	4.9%
4		653	2.4%
5		230	0.8%
6		127	0.5%
7		17	0.1%
8		67	0.2%
9		8	0.0%
10		56	0.2%
11		2	0.0%
12		10	0.0%
14		1	0.0%
15		5	0.0%
16		6	0.0%
18		1	0.0%
19		1	0.0%
20		8	0.0%
24		1	0.0%
25		2	0.0%
30		4	0.0%
40		2	0.0%
50		1	0.0%
60		8	0.0%
Sysmiss		37394	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Information on Migration (Section 2) (cont.)

#19 G__OTHER: (g) other

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=1172 /-] [Invalid=63828 /-] [Mean=7.63 /-] [StdDev=1.058 /-]		
Value	Label	Cases	Percentage
0		4	0.3%
1		1	0.1%
7		781	66.6%
9		386	32.9%
Sysmiss		63828	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#20 OTHER_DISTANCE_KM: Other Distance km

Information	[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]		
Statistics [NW/ W]	[Valid=392 /-] [Invalid=64608 /-] [Mean=9.934 /-] [StdDev=15.256 /-]		
Frequency table not shown (39 Modalities)			

#21 AVERAGE_TIME_USUALLY_SPEND_FOR: Average time usually spend for .. travelling per day

Information	[Type= discrete] [Format=numeric] [Range= 0-999] [Missing=*]		
Statistics [NW/ W]	[Valid=37547 /-] [Invalid=27453 /-] [Mean=42.724 /-] [StdDev=45.924 /-]		
Frequency table not shown (114 Modalities)			

#22 SERIAL_NUMBER_OF_THE_PERSON: Serial number of the person

Information	[Type= discrete] [Format=numeric] [Range= 1-31] [Missing=*]		
Statistics [NW/ W]	[Valid=52897 /-] [Invalid=12103 /-] [Mean=3.749 /-] [StdDev=1.965 /-]		
Value	Label	Cases	Percentage
1		9	0.0%
2		23108	43.7%
3		11	0.0%
4		17827	33.7%
5		8	0.0%
6		8490	16.1%
7		2	0.0%
8		2635	5.0%
10		609	1.2%
12		151	0.3%
14		35	0.1%
16		4	0.0%

File Information on Migration (Section 2) (cont.)

#22 SERIAL_NUMBER_OF_THE_PERSON: Serial number of the person (cont.)

Value (cont.)	Label	Cases	Percentage
18		2	0.0%
20		1	0.0%
22		1	0.0%
24		1	0.0%
26		1	0.0%
31		2	0.0%
Sysmiss		12103	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#23 MAIN_REASON_FOR_INTENDING_TO_MOVE.. to other place

Information	[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]
Statistics [NW/ W]	[Valid=1693 /-] [Invalid=63307 /-] [Mean=19.002 /-] [StdDev=34.951 /-]

Value	Label	Cases	Percentage
0		1	0.1%
1		191	11.3%
2		306	18.1%
3		441	26.0%
4		110	6.5%
5		105	6.2%
6		24	1.4%
7		28	1.7%
8		76	4.5%
9		54	3.2%
10		85	5.0%
33		2	0.1%
99		270	15.9%
Sysmiss		63307	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#24 THE_REASON_FOR_NOT_MOVING_FRON: The reason for not moving from .. the present unual residence

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=51204 /-] [Invalid=13796 /-] [Mean=2.75 /-] [StdDev=1.431 /-]

Value	Label	Cases	Percentage
1		11749	22.9%
2		1375	2.7%
3		35236	68.8%
4		132	0.3%

File Information on Migration (Section 2) (cont.)

#24 THE_REASON_FOR_NOT_MOVING_FRON: The reason for not moving from .. the present unual residence (cont.)

Value (cont.)	Label	Cases	Percentage
5		340	0.7%
6		782	1.5%
7		304	0.6%
9		1286	2.5%
Systemiss		13796	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#25 WHETHER_THE_PERSON_EMPLOYED___B: Whether the person employed .. at home/ homegarden

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]		
Statistics [NW/ W]	[Valid=10373 /-] [Invalid=54627 /-] [Mean=1.815 /-] [StdDev=0.398 /-]		
Value	Label	Cases	Percentage
0		3	0.0%
1		1926	18.6%
2		8441	81.4%
3		1	0.0%
7		1	0.0%
8		1	0.0%
Systemiss		54627	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#26 MODE_OF_TRAVEL_TO_GO_TO_WORK_SCJ: Mode of travel to go to work/school Bus

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]		
Statistics [NW/ W]	[Valid=4317 /-] [Invalid=60683 /-] [Mean=1.003 /-] [StdDev=0.0974 /-]		
Value	Label	Cases	Percentage
0		2	0.0%
1		4309	99.8%
2		2	0.0%
3		3	0.1%
6		1	0.0%
Systemiss		60683	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#27 MODE_OF_TRAVEL_TO_GO_TO_WORK_SCK: Mode of travel to go to work/school Distance km

Information	[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]		
Statistics [NW/ W]	[Valid=4306 /-] [Invalid=60694 /-] [Mean=10.629 /-] [StdDev=13.821 /-]		

File Information on Migration (Section 2) (cont.)

#27 MODE_OF_TRAVEL_TO_GO_TO_WORK_SCK: Mode of travel to go to work/school Distance km (cont.)

Frequency table not shown (77 Modalities)

#28 B__TRAIO: (b) Train

Information [Type= discrete] [Format=numeric] [Range= 2-3] [Missing=*]

Statistics [NW/ W] [Valid=167 /-] [Invalid=64833 /-] [Mean=2.006 /-] [StdDev=0.0774 /-]

Value	Label	Cases	Percentage
2		166	99.4%
3		1	0.6%
Sysmiss		64833	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#29 TRAIN_DISTANCE_KN: Train Distance km

Information [Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]

Statistics [NW/ W] [Valid=166 /-] [Invalid=64834 /-] [Mean=28.705 /-] [StdDev=23.891 /-]

Frequency table not shown (52 Modalities)

#30 C__MOTOE_BICYCLF: (c) Motoe bicycle

Information [Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]

Statistics [NW/ W] [Valid=96 /-] [Invalid=64904 /-] [Mean=2.938 /-] [StdDev=0.431 /-]

Value	Label	Cases	Percentage
0		2	2.1%
3		94	97.9%
Sysmiss		64904	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#31 MOTOE_BICYCLE_DISTANCE_KN: Motoe bicycle Distance km

Information [Type= discrete] [Format=numeric] [Range= 0-80] [Missing=*]

Statistics [NW/ W] [Valid=98 /-] [Invalid=64902 /-] [Mean=7.367 /-] [StdDev=9.96 /-]

Value	Label	Cases	Percentage
0		5	5.1%
1		11	11.2%
2		19	19.4%
3		10	10.2%
4		7	7.1%
5		7	7.1%

File Information on Migration (Section 2) (cont.)

#31 MOTOE_BICYCLE_DISTANCE_KN: Motoe bicycle Distance km (cont.)

Value (cont.)	Label	Cases	Percentage
6		4	4.1%
7		5	5.1%
8		3	3.1%
9		1	1.0%
10		5	5.1%
11		1	1.0%
12		4	4.1%
15		1	1.0%
16		3	3.1%
18		3	3.1%
20		4	4.1%
21		1	1.0%
24		1	1.0%
26		1	1.0%
31		1	1.0%
80		1	1.0%
Sysmiss		64902	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#32 D__PRIVATE_CAS: (d) Private Car

Information	[Type= discrete] [Format=numeric] [Range= 4-4] [Missing=*]		
Statistics [NW/ W]	[Valid=151 /-] [Invalid=64849 /-] [Mean=4 /-] [StdDev=0 /-]		
Value	Label	Cases	Percentage
4		151	100.0%
Sysmiss		64849	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#33 PRIVATE_CAR_DISTANCE_KN: Private Car Distance km

Information	[Type= discrete] [Format=numeric] [Range= 0-96] [Missing=*]		
Statistics [NW/ W]	[Valid=155 /-] [Invalid=64845 /-] [Mean=9.516 /-] [StdDev=14.482 /-]		
Value	Label	Cases	Percentage
0		18	11.6%
1		22	14.2%
2		9	5.8%
3		10	6.5%
4		13	8.4%
5		7	4.5%

File Information on Migration (Section 2) (cont.)

#33 PRIVATE_CAR_DISTANCE_KN: Private Car Distance km (cont.)

Value (cont.)	Label	Cases	Percentage
6		6	3.9%
7		2	1.3%
8		10	6.5%
9		8	5.2%
10		12	7.7%
11		1	0.6%
12		6	3.9%
14		4	2.6%
15		4	2.6%
16		4	2.6%
18		2	1.3%
20		4	2.6%
23		1	0.6%
24		1	0.6%
30		2	1.3%
32		1	0.6%
35		2	1.3%
40		1	0.6%
42		1	0.6%
60		1	0.6%
80		1	0.6%
90		1	0.6%
96		1	0.6%
Sysmiss		64845	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#34 E__PUCH_BICYCLF: (e) Push bicycle

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]		
Statistics [NW/ W]	[Valid=852 /-] [Invalid=64148 /-] [Mean=4.995 /-] [StdDev=0.181 /-]		
Value	Label	Cases	Percentage
0		1	0.1%
4		1	0.1%
5		848	99.5%
6		2	0.2%
Sysmiss		64148	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Information on Migration (Section 2) (cont.)

#35 PUSH_BICYCLE_DISTANCE_KN: Push bicycle Distance km

Information [Type= discrete] [Format=numeric] [Range= 0-30] [Missing=*]

Statistics [NW/ W] [Valid=846 /-] [Invalid=64154 /-] [Mean=3.632 /-] [StdDev=3.961 /-]

Value	Label	Cases	Percentage
0		136	16.1%
1		123	14.5%
2		152	18.0%
3		101	11.9%
4		107	12.6%
5		69	8.2%
6		49	5.8%
7		12	1.4%
8		27	3.2%
9		6	0.7%
10		20	2.4%
11		1	0.1%
12		12	1.4%
13		4	0.5%
14		2	0.2%
15		1	0.1%
16		8	0.9%
17		1	0.1%
18		2	0.2%
20		7	0.8%
22		2	0.2%
24		1	0.1%
25		1	0.1%
28		1	0.1%
30		1	0.1%
Sysmiss		64154	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#36 F__ON_FOOU: (f) On foot

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]

Statistics [NW/ W] [Valid=18478 /-] [Invalid=46522 /-] [Mean=5.999 /-] [StdDev=0.0789 /-]

Value	Label	Cases	Percentage
0		2	0.0%
1		1	0.0%
3		1	0.0%
6		18473	100.0%

File Information on Migration (Section 2) (cont.)

#36 F__ON_FOOU: (f) On foot (cont.)

Value (cont.)	Label	Cases	Percentage
9		1	0.0%
Sysmiss		46522	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#37 ON_FOOT_DISTANCE_KN: On foot Distance km

Information	[Type= discrete] [Format=numeric] [Range= 0-60] [Missing=*]		
Statistics [NW/ W]	[Valid=18404 /-] [Invalid=46596 /-] [Mean=0.943 /-] [StdDev=1.68 /-]		
Value	Label	Cases	Percentage
0		8972	48.8%
1		4953	26.9%
2		2919	15.9%
3		894	4.9%
4		370	2.0%
5		116	0.6%
6		80	0.4%
7		12	0.1%
8		32	0.2%
9		6	0.0%
10		23	0.1%
11		3	0.0%
12		3	0.0%
13		3	0.0%
15		1	0.0%
16		2	0.0%
18		1	0.0%
20		3	0.0%
25		1	0.0%
30		3	0.0%
40		2	0.0%
45		1	0.0%
60		4	0.0%
Sysmiss		46596	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#38 G__OTHES: (g) other

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=769 /-] [Invalid=64231 /-] [Mean=7.354 /-] [StdDev=0.955 /-]		

File Information on Migration (Section 2) (cont.)

#38 G__OTHES: (g) other (cont.)

Value	Label	Cases	Percentage
0		4	0.5%
7		615	80.0%
9		150	19.5%
Sysmiss		64231	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#39 OTHER_DISTANCE_KN: Other Distance km

Information	[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]
Statistics [NW/ W]	[Valid=161 /-] [Invalid=64839 /-] [Mean=9.969 /-] [StdDev=15.459 /-]
Frequency table not shown (31 Modalities)	

#40 AVERAGE_TIME_USUALLY_SPEND_FOS: Average time usually spend for .. travelling per day

Information	[Type= discrete] [Format=numeric] [Range= 0-809] [Missing=*]
Statistics [NW/ W]	[Valid=23175 /-] [Invalid=41825 /-] [Mean=39.579 /-] [StdDev=38.313 /-]
Frequency table not shown (97 Modalities)	

#41 INFLATION_FACTOR: Inflation factor

Information	[Type= discrete] [Format=numeric] [Range= 345-223969] [Missing=*]
Statistics [NW/ W]	[Valid=65000 /-] [Invalid=0 /-] [Mean=13006.05 /-] [StdDev=10429.014 /-]

File Information on Health (Section 3)

#1 REC\$TYPE

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=24093 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
07		24093	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Information on Health (Section 3) (cont.)

#2 HAS_THERE_BEEN_ANY_CASE_OF___AC: Has there been any case of .. acute illness or physical injury to any member of the household during last 14 days

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=23983 /-] [Invalid=110 /-]		
Value	Label	Cases	Percentage
1		7142	29.8%
2		16841	70.2%
Sysmiss		110	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#3 IF_YES_NO_OF_PERSONS: If yes no of persons

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=7142 /-] [Invalid=16951 /-]		
Value	Label	Cases	Percentage
1		5470	76.6%
2		1190	16.7%
3		308	4.3%
4		174	2.4%
Sysmiss		16951	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#4 SERIAL_NUMBER_OF_THE_PERSONOV: Serial number of the person

Information	[Type= discrete] [Format=numeric] [Range= 1-31] [Missing=*]		
Statistics [NW/ W]	[Valid=7252 /-] [Invalid=16841 /-]		
Value	Label	Cases	Percentage
1		2336	32.2%
2		1564	21.6%
3		1210	16.7%
4		811	11.2%
5		573	7.9%
6		383	5.3%
7		193	2.7%
8		88	1.2%
9		50	0.7%
10		24	0.3%
11		12	0.2%
12		5	0.1%
31		3	0.0%
Sysmiss		16841	

File Information on Health (Section 3) (cont.)

#4 SERIAL_NUMBER_OF_THE_PERSON: Serial number of the person (cont.)

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#5 NUTURE_OF_ILLNESS__INJURY_A__S: Nature of illness / injury a . Symptoms 1st

Information [Type= discrete] [Format=numeric] [Range= 0-92] [Missing=*]

Statistics [NW/ W] [Valid=5830 /-] [Invalid=18263 /-]

Frequency table not shown (70 Modalities)

#6 NUTURE_OF_ILLNESS__INJURY_A__T: Nature of illness / injury a . Symptoms 2nd

Information [Type= discrete] [Format=numeric] [Range= 0-91] [Missing=*]

Statistics [NW/ W] [Valid=5810 /-] [Invalid=18283 /-]

Frequency table not shown (63 Modalities)

#7 NUTURE_OF_ILLNESS__INJURY_A__U: Nature of illness / injury a . Symptoms 3rd

Information [Type= discrete] [Format=numeric] [Range= 0-91] [Missing=*]

Statistics [NW/ W] [Valid=5759 /-] [Invalid=18334 /-]

Frequency table not shown (45 Modalities)

#8 NUTURE_OF_ILLNESS__INJURY_B__DI: Nature of illness / injury b. Diagnosis

Information [Type= discrete] [Format=numeric] [Range= 1-200] [Missing=*]

Statistics [NW/ W] [Valid=3980 /-] [Invalid=20113 /-]

Frequency table not shown (86 Modalities)

#9 DURATION_OF_ILLNESS_INJURY_A__TO: Duration of illness/injury a. total to date

Information [Type= discrete] [Format=numeric] [Range= 0-999] [Missing=*]

Statistics [NW/ W] [Valid=7246 /-] [Invalid=16847 /-]

Frequency table not shown (172 Modalities)

#10 DURATION_OF_ILLNESS_INJURY_B__DU: Duration of illness/injury b. During reference period

Information [Type= discrete] [Format=numeric] [Range= 0-14] [Missing=*]

Statistics [NW/ W] [Valid=7219 /-] [Invalid=16874 /-]

Value	Label	Cases	Percentage
0		1	0.0%
1		126	1.7%

File Information on Health (Section 3) (cont.)

#10 DURATION_OF_ILLNESS_INJURY_B_DU: Duration of illness/injury b. During reference period (cont.)

Value (cont.)	Label	Cases	Percentage
2		539	7.5%
3		935	13.0%
4		837	11.6%
5		745	10.3%
6		377	5.2%
7		822	11.4%
8		274	3.8%
9		107	1.5%
10		434	6.0%
11		25	0.3%
12		146	2.0%
13		30	0.4%
14		1821	25.2%
Sysmiss		16874	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#11 DURATION_OF_ABSENCE_FROM_USUAL_W: Duration of absence from usual work a. Total to date

Information	[Type= discrete] [Format=numeric] [Range= 0-999] [Missing=*
Statistics [NW/ W]	[Valid=7145 /-] [Invalid=16948 /-]
Frequency table not shown (127 Modalities)	

#12 DURATION_OF_ABSENCE_FROM_USUAL_X: Duration of absence from usual work b. During reference period

Information	[Type= discrete] [Format=numeric] [Range= 0-15] [Missing=*		
Statistics [NW/ W]	[Valid=7117 /-] [Invalid=16976 /-]		
Value	Label	Cases	Percentage
0		1422	20.0%
1		235	3.3%
2		682	9.6%
3		852	12.0%
4		718	10.1%
5		656	9.2%
6		278	3.9%
7		549	7.7%
8		239	3.4%
9		71	1.0%
10		317	4.5%

File Information on Health (Section 3) (cont.)

#12 DURATION_OF_ABSENCE_FROM_USUAL_X: Duration of absence from usual work b. During reference period (cont.)

Value (cont.)	Label	Cases	Percentage
11		13	0.2%
12		93	1.3%
13		12	0.2%
14		979	13.8%
15		1	0.0%
Sysmiss		16976	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#13 WETHERE_TREATMENT_WAS_TEKEN: Wethere treatment was taken

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=7249 /-] [Invalid=16844 /-]		
Value	Label	Cases	Percentage
1		6889	95.0%
2		360	5.0%
Sysmiss		16844	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#14 IF_NO_REASON: If no reason

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=360 /-] [Invalid=23733 /-]		
Value	Label	Cases	Percentage
1		248	68.9%
2		41	11.4%
3		6	1.7%
4		7	1.9%
9		58	16.1%
Sysmiss		23733	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#15 SERIAL_NUMBER_OF_THE_PERSON: Serial number of the person

Information	[Type= discrete] [Format=numeric] [Range= 2-13] [Missing=*]		
Statistics [NW/ W]	[Valid=1764 /-] [Invalid=22329 /-]		
Value	Label	Cases	Percentage
2		362	20.5%
3		334	18.9%

File Information on Health (Section 3) (cont.)

#15 SERIAL_NUMBER_OF_THE_PERSON: Serial number of the person (cont.)

Value (cont.)	Label	Cases	Percentage
4		404	22.9%
5		257	14.6%
6		159	9.0%
7		134	7.6%
8		55	3.1%
9		34	1.9%
10		14	0.8%
11		5	0.3%
12		2	0.1%
13		4	0.2%
Sysmiss		22329	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#16 NUTURE_OF_ILLNESS__INJURY_A__V: Nature of illness / injury a . Symptoms 1st

Information	[Type= discrete] [Format=numeric] [Range= 0-93] [Missing=*]
Statistics [NW/ W]	[Valid=1432 /-] [Invalid=22661 /-]
Frequency table not shown (59 Modalities)	

#17 NUTURE_OF_ILLNESS__INJURY_A__W: Nature of illness / injury a . Symptoms 2nd

Information	[Type= discrete] [Format=numeric] [Range= 0-91] [Missing=*]
Statistics [NW/ W]	[Valid=1427 /-] [Invalid=22666 /-]
Frequency table not shown (46 Modalities)	

#18 NUTURE_OF_ILLNESS__INJURY_A__X: Nature of illness / injury a . Symptoms 3rd

Information	[Type= discrete] [Format=numeric] [Range= 0-91] [Missing=*]
Statistics [NW/ W]	[Valid=1425 /-] [Invalid=22668 /-]
Frequency table not shown (36 Modalities)	

#19 NUTURE_OF_ILLNESS__INJURY_B__DJ: Nature of illness / injury b. Diagnosis

Information	[Type= discrete] [Format=numeric] [Range= 10-186] [Missing=*]
Statistics [NW/ W]	[Valid=987 /-] [Invalid=23106 /-]
Frequency table not shown (57 Modalities)	

File Information on Health (Section 3) (cont.)

#20 DURATION_OF_ILLNESS_INJURY_A_TP: Duration of illness/injury a. total to date

Information	[Type= discrete] [Format=numeric] [Range= 1-999] [Missing=*]
Statistics [NW/ W]	[Valid=1760 /-] [Invalid=22333 /-]
Frequency table not shown (85 Modalities)	

#21 DURATION_OF_ILLNESS_INJURY_B_DV: Duration of illness/injury b. During reference period

Information	[Type= discrete] [Format=numeric] [Range= 0-14] [Missing=*]		
Statistics [NW/ W]	[Valid=1748 /-] [Invalid=22345 /-]		
Value	Label	Cases	Percentage
0		1	0.1%
1		41	2.3%
2		145	8.3%
3		261	14.9%
4		234	13.4%
5		220	12.6%
6		92	5.3%
7		204	11.7%
8		90	5.1%
9		22	1.3%
10		96	5.5%
11		10	0.6%
12		36	2.1%
13		3	0.2%
14		293	16.8%
Sysmiss		22345	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#22 DURATION_OF_ABSENCE_FROM_USUAL_Y: Duration of absence from usual work a.Total to date

Information	[Type= discrete] [Format=numeric] [Range= 0-999] [Missing=*]
Statistics [NW/ W]	[Valid=1714 /-] [Invalid=22379 /-]
Frequency table not shown (60 Modalities)	

#23 DURATION_OF_ABSENCE_FROM_USUAL_Z: Duration of absence from usual work b. During reference period

Information	[Type= discrete] [Format=numeric] [Range= 0-16] [Missing=*]
Statistics [NW/ W]	[Valid=1708 /-] [Invalid=22385 /-]

File Information on Health (Section 3) (cont.)

#23 DURATION_OF_ABSENCE_FROM_USUAL_Z: Duration of absence from usual work b. During reference period (cont.)

Value	Label	Cases	Percentage
0		355	20.8%
1		73	4.3%
2		195	11.4%
3		226	13.2%
4		167	9.8%
5		180	10.5%
6		73	4.3%
7		144	8.4%
8		58	3.4%
9		13	0.8%
10		70	4.1%
11		4	0.2%
12		18	1.1%
14		131	7.7%
16		1	0.1%
Sysmiss		22385	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#24 WETHERE_TREATMENT_WAS_TEKEO: Wethere treatment was taken

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=1763 /-] [Invalid=22330 /-]		
Value	Label	Cases	Percentage
1		1670	94.7%
2		93	5.3%
Sysmiss		22330	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#25 IF_NO_REASOO: If no reason

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=89 /-] [Invalid=24004 /-]		
Value	Label	Cases	Percentage
1		54	60.7%
2		9	10.1%
3		2	2.2%
4		2	2.2%
9		22	24.7%

File Information on Health (Section 3) (cont.)

#25 IF_NO_REASOO: If no reason (cont.)

Value (cont.)	Label	Cases	Percentage
Sysmiss		24004	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#26 SERIAL_NUMBER_OF_THE_PERSON: Serial number of the person

Information	[Type= discrete] [Format=numeric] [Range= 3-90] [Missing=*]		
Statistics [NW/ W]	[Valid=508 /-] [Invalid=23585 /-]		

Value	Label	Cases	Percentage
3		119	23.4%
4		105	20.7%
5		125	24.6%
6		69	13.6%
7		36	7.1%
8		23	4.5%
9		12	2.4%
10		6	1.2%
11		2	0.4%
12		6	1.2%
13		1	0.2%
14		2	0.4%
16		1	0.2%
90		1	0.2%
Sysmiss		23585	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#27 NUTURE_OF_ILLNESS__INJURY_A__Y: Nature of illness / injury a . Symptoms 1st

Information	[Type= discrete] [Format=numeric] [Range= 1-92] [Missing=*]
Statistics [NW/ W]	[Valid=410 /-] [Invalid=23683 /-]
Frequency table not shown (38 Modalities)	

#28 NUTURE_OF_ILLNESS__INJURY_A__Z: Nature of illness / injury a . Symptoms 2nd

Information	[Type= discrete] [Format=numeric] [Range= 0-66] [Missing=*]		
Statistics [NW/ W]	[Valid=409 /-] [Invalid=23684 /-]		

Value	Label	Cases	Percentage
0		195	47.7%
1		21	5.1%
2		23	5.6%

File Information on Health (Section 3) (cont.)

#28 NUTURE_OF_ILLNESS__INJURY_A__Z: Nature of illness / injury a . Symptoms 2nd (cont.)

Value (cont.)	Label	Cases	Percentage
4		36	8.8%
5		5	1.2%
6		46	11.2%
7		5	1.2%
8		1	0.2%
10		1	0.2%
19		1	0.2%
20		1	0.2%
25		1	0.2%
26		15	3.7%
27		2	0.5%
29		9	2.2%
30		3	0.7%
31		12	2.9%
33		1	0.2%
34		17	4.2%
40		2	0.5%
41		1	0.2%
42		1	0.2%
44		2	0.5%
56		1	0.2%
57		2	0.5%
58		2	0.5%
59		1	0.2%
66		2	0.5%
Sysmiss		23684	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#29 UTURE_OF_ILLNESS__INJURY_A__UA: Nature of illness / injury a . Symptoms 3rd

Information	[Type= discrete] [Format=numeric] [Range= 0-64] [Missing=*]		
Statistics [NW/ W]	[Valid=409 /-] [Invalid=23684 /-]		
Value	Label	Cases	Percentage
0		356	87.0%
1		4	1.0%
2		8	2.0%
3		1	0.2%
4		8	2.0%
5		1	0.2%

File Information on Health (Section 3) (cont.)

#29 UTURE_OF_ILLNESS__INJURY_A__UA: Nature of illness / injury a . Symptoms 3rd (cont.)

Value (cont.)	Label	Cases	Percentage
6		1	0.2%
7		1	0.2%
21		1	0.2%
26		2	0.5%
27		1	0.2%
28		1	0.2%
29		1	0.2%
31		4	1.0%
34		11	2.7%
40		2	0.5%
44		4	1.0%
61		1	0.2%
64		1	0.2%
Sysmiss		23684	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#30 NUTURE_OF_ILLNESS__INJURY_B__DK: Nature of illness / injury b. Diagnosis

Information	[Type= discrete] [Format=numeric] [Range= 10-200] [Missing=*]
Statistics [NW/ W]	[Valid=313 /-] [Invalid=23780 /-]
Frequency table not shown (37 Modalities)	

#31 DURATION_OF_ILLNESS_INJURY_A__TQ: Duration of illness/injury a. total to date

Information	[Type= discrete] [Format=numeric] [Range= 1-995] [Missing=*]
Statistics [NW/ W]	[Valid=507 /-] [Invalid=23586 /-]
Frequency table not shown (41 Modalities)	

#32 DURATION_OF_ILLNESS_INJURY_B__DW: Duration of illness/injury b. During reference period

Information	[Type= discrete] [Format=numeric] [Range= 0-14] [Missing=*]		
Statistics [NW/ W]	[Valid=505 /-] [Invalid=23588 /-]		
Value	Label	Cases	Percentage
0		1	0.2%
1		11	2.2%
2		37	7.3%
3		82	16.2%
4		76	15.0%

File Information on Health (Section 3) (cont.)

#32 DURATION_OF_ILLNESS_INJURY_B__DW: Duration of illness/injury b. During reference period (cont.)

Value (cont.)	Label	Cases	Percentage
5		62	12.3%
6		25	5.0%
7		52	10.3%
8		24	4.8%
9		5	1.0%
10		31	6.1%
11		2	0.4%
12		16	3.2%
13		3	0.6%
14		78	15.4%
Sysmiss		23588	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#33 URATION_OF_ABSENCE_FROM_USUAL_WA: Duration of absence from usual work a.Total to date

Information	[Type= discrete] [Format=numeric] [Range= 0-300] [Missing=*]
Statistics [NW/ W]	[Valid=495 /-] [Invalid=23598 /-]
Frequency table not shown (31 Modalities)	

#34 URATION_OF_ABSENCE_FROM_USUAL_XA: Duration of absence from usual work b. During reference period

Information	[Type= discrete] [Format=numeric] [Range= 0-14] [Missing=*]		
Statistics [NW/ W]	[Valid=493 /-] [Invalid=23600 /-]		
Value	Label	Cases	Percentage
0		98	19.9%
1		10	2.0%
2		56	11.4%
3		73	14.8%
4		55	11.2%
5		44	8.9%
6		21	4.3%
7		41	8.3%
8		22	4.5%
9		6	1.2%
10		21	4.3%
11		1	0.2%
12		10	2.0%
13		2	0.4%

File Information on Health (Section 3) (cont.)

#34 URATION_OF_ABSENCE_FROM_USUAL_XA: Duration of absence from usual work b. During reference period (cont.)

Value (cont.)	Label	Cases	Percentage
14		33	6.7%
Sysmiss		23600	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#35 WETHERE_TREATMENT_WAS_TEKEP: Wethere treatment was taken

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=508 /-] [Invalid=23585 /-]		
Value	Label	Cases	Percentage
1		485	95.5%
2		23	4.5%
Sysmiss		23585	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#36 IF_NO_REASOP: If no reason

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=22 /-] [Invalid=24071 /-]		
Value	Label	Cases	Percentage
1		17	77.3%
2		1	4.5%
9		4	18.2%
Sysmiss		24071	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#37 SERIAL_NUMBER_OF_THE_PERSOY: Serial number of the person

Information	[Type= discrete] [Format=numeric] [Range= 4-19] [Missing=*]		
Statistics [NW/ W]	[Valid=183 /-] [Invalid=23910 /-]		
Value	Label	Cases	Percentage
4		71	38.8%
5		32	17.5%
6		39	21.3%
7		13	7.1%
8		10	5.5%
9		10	5.5%
10		2	1.1%
11		2	1.1%

File Information on Health (Section 3) (cont.)

#37 SERIAL_NUMBER_OF_THE_PERSON: Serial number of the person (cont.)

Value (cont.)	Label	Cases	Percentage
12		2	1.1%
13		1	0.5%
19		1	0.5%
Sysmiss		23910	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#38 UTURE_OF_ILLNESS__INJURY_A__SA: Nature of illness / injury a . Symptoms 1st

Information	[Type= discrete] [Format=numeric] [Range= 1-58] [Missing=*]
Statistics [NW/ W]	[Valid=144 /-] [Invalid=23949 /-]

Value	Label	Cases	Percentage
1		20	13.9%
2		6	4.2%
3		1	0.7%
4		19	13.2%
5		48	33.3%
23		1	0.7%
25		1	0.7%
26		17	11.8%
27		2	1.4%
28		1	0.7%
30		1	0.7%
31		1	0.7%
34		5	3.5%
41		11	7.6%
42		1	0.7%
44		1	0.7%
52		4	2.8%
57		1	0.7%
58		3	2.1%
Sysmiss		23949	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#39 UTURE_OF_ILLNESS__INJURY_A__TA: Nature of illness / injury a . Symptoms 2nd

Information	[Type= discrete] [Format=numeric] [Range= 0-90] [Missing=*]
Statistics [NW/ W]	[Valid=144 /-] [Invalid=23949 /-]

Value	Label	Cases	Percentage
0		63	43.8%

File Information on Health (Section 3) (cont.)

#39 UTURE_OF_ILLNESS__INJURY_A__TA: Nature of illness / injury a . Symptoms 2nd (cont.)

Value (cont.)	Label	Cases	Percentage
1		6	4.2%
2		10	6.9%
4		14	9.7%
5		1	0.7%
6		22	15.3%
7		2	1.4%
26		2	1.4%
27		1	0.7%
29		5	3.5%
30		2	1.4%
31		5	3.5%
34		8	5.6%
60		1	0.7%
66		1	0.7%
90		1	0.7%
Sysmiss		23949	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#40 UTURE_OF_ILLNESS__INJURY_A__UB: Nature of illness / injury a . Symptoms 3rd

Information	[Type= discrete] [Format=numeric] [Range= 0-44] [Missing=*]		
Statistics [NW/ W]	[Valid=144 /-] [Invalid=23949 /-]		
Value	Label	Cases	Percentage
0		127	88.2%
1		1	0.7%
2		2	1.4%
4		5	3.5%
26		1	0.7%
34		6	4.2%
44		2	1.4%
Sysmiss		23949	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#41 NUTURE_OF_ILLNESS__INJURY_B__DL: Nature of illness / injury b. Diagnosis

Information	[Type= discrete] [Format=numeric] [Range= 10-170] [Missing=*]		
Statistics [NW/ W]	[Valid=124 /-] [Invalid=23969 /-]		
Value	Label	Cases	Percentage
10		1	0.8%

File Information on Health (Section 3) (cont.)

#41 NUTURE_OF_ILLNESS__INJURY_B__DL: Nature of illness / injury b. Diagnosis (cont.)

Value (cont.)	Label	Cases	Percentage
11		2	1.6%
13		1	0.8%
21		2	1.6%
29		1	0.8%
30		64	51.6%
39		10	8.1%
41		6	4.8%
49		2	1.6%
50		3	2.4%
74		2	1.6%
79		3	2.4%
81		1	0.8%
83		9	7.3%
85		1	0.8%
90		9	7.3%
120		4	3.2%
130		1	0.8%
135		1	0.8%
170		1	0.8%
Sysmiss		23969	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#42 DURATION_OF_ILLNESS_INJURY_A__TR: Duration of illness/injury a. total to date

Value	Label	Cases	Percentage
1		1	0.5%
2		4	2.2%
3		20	10.9%
4		29	15.8%
5		24	13.1%
6		8	4.4%
7		16	8.7%
8		8	4.4%
9		8	4.4%
10		11	6.0%
12		6	3.3%
14		9	4.9%

File Information on Health (Section 3) (cont.)

#42 DURATION_OF_ILLNESS_INJURY_A__TR: Duration of illness/injury a. total to date (cont.)

Value (cont.)	Label	Cases	Percentage
15		6	3.3%
16		1	0.5%
18		2	1.1%
20		2	1.1%
21		1	0.5%
25		2	1.1%
27		2	1.1%
30		12	6.6%
35		2	1.1%
50		1	0.5%
60		2	1.1%
64		1	0.5%
70		1	0.5%
90		1	0.5%
180		1	0.5%
300		1	0.5%
340		1	0.5%
Sysmiss		23910	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#43 DURATION_OF_ILLNESS_INJURY_B__DX: Duration of illness/injury b. During reference period

Information	[Type= discrete] [Format=numeric] [Range= 1-14] [Missing=*]		
Statistics [NW/ W]	[Valid=181 /-] [Invalid=23912 /-]		
Value	Label	Cases	Percentage
1		4	2.2%
2		10	5.5%
3		24	13.3%
4		34	18.8%
5		29	16.0%
6		6	3.3%
7		17	9.4%
8		12	6.6%
9		4	2.2%
10		9	5.0%
12		7	3.9%
14		25	13.8%
Sysmiss		23912	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Information on Health (Section 3) (cont.)

#44 URATION_OF_ABSENCE_FROM_USUAL_WB: Duration of absence from usual work a.Total to date

Information [Type= discrete] [Format=numeric] [Range= 0-320] [Missing=*]

Statistics [NW/ W] [Valid=178 /-] [Invalid=23915 /-]

Value	Label	Cases	Percentage
0		27	15.2%
1		4	2.2%
2		11	6.2%
3		19	10.7%
4		21	11.8%
5		14	7.9%
6		8	4.5%
7		13	7.3%
8		9	5.1%
9		5	2.8%
10		11	6.2%
11		1	0.6%
12		5	2.8%
13		1	0.6%
14		7	3.9%
15		2	1.1%
16		1	0.6%
18		2	1.1%
20		1	0.6%
25		2	1.1%
30		8	4.5%
50		1	0.6%
60		1	0.6%
70		1	0.6%
180		1	0.6%
300		1	0.6%
320		1	0.6%
Sysmiss		23915	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#45 URATION_OF_ABSENCE_FROM_USUAL_XB: Duration of absence from usual work b. During reference period

Information [Type= discrete] [Format=numeric] [Range= 0-14] [Missing=*]

Statistics [NW/ W] [Valid=179 /-] [Invalid=23914 /-]

Value	Label	Cases	Percentage
0		30	16.8%

File Information on Health (Section 3) (cont.)

#45 URATION_OF_ABSENCE_FROM_USUAL_XB: Duration of absence from usual work b. During reference period (cont.)

Value (cont.)	Label	Cases	Percentage
1		7	3.9%
2		14	7.8%
3		22	12.3%
4		21	11.7%
5		15	8.4%
6		8	4.5%
7		17	9.5%
8		11	6.1%
9		3	1.7%
10		7	3.9%
11		1	0.6%
12		4	2.2%
14		19	10.6%
Sysmiss		23914	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#46 WETHERE_TREATMENT_WAS_TEKEQ: Wethere treatment was taken

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=183 /-] [Invalid=23910 /-]

Value	Label	Cases	Percentage
1		178	97.3%
2		5	2.7%
Sysmiss		23910	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#47 IF_NO_REASOQ: If no reason

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=5 /-] [Invalid=24088 /-]

Value	Label	Cases	Percentage
1		3	60.0%
2		1	20.0%
9		1	20.0%
Sysmiss		24088	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Information on Health (Section 3) (cont.)

#48 INFLATION_FACTOR: Inflation factor

Information	[Type= discrete] [Format=numeric] [Range= 345-223969] [Missing=*]
Statistics [NW/ W]	[Valid=24093 /-] [Invalid=0 /-]

File Information on Health (Section 3)

#1 REC\$TYPE

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=9232 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
08		9232	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#2 BLANP: blank

Information	[Type= discrete] [Format=numeric] [Range= 0-101] [Missing=*]
Statistics [NW/ W]	[Valid=4 /-] [Invalid=9228 /-]

Value	Label	Cases	Percentage
0		1	25.0%
101		3	75.0%
Systemiss		9228	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#3 SERIAL_NUMBER_OF_THE_PERSON: Serial number of the person

Information	[Type= discrete] [Format=numeric] [Range= 1-90] [Missing=*]
Statistics [NW/ W]	[Valid=9232 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1		2234	24.2%
2		1806	19.6%
3		1586	17.2%
4		1328	14.4%
5		942	10.2%
6		620	6.7%
7		357	3.9%
8		171	1.9%
9		101	1.1%

File Information on Health (Section 3) (cont.)

#3 SERIAL_NUMBER_OF_THE_PERSON: Serial number of the person (cont.)

Value (cont.)	Label	Cases	Percentage
10		39	0.4%
11		19	0.2%
12		14	0.2%
13		6	0.1%
14		2	0.0%
16		1	0.0%
19		1	0.0%
31		3	0.0%
40		1	0.0%
90		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#4 WESTERN_MEDICINE__GOVT: Western medicine (Govt)

Information	[Type= discrete] [Format=numeric] [Range= 1-10] [Missing=*]
Statistics [NW/ W]	[Valid=4814 /-] [Invalid=4418 /-]

Value	Label	Cases	Percentage
1		4803	99.8%
2		8	0.2%
3		1	0.0%
7		1	0.0%
10		1	0.0%
Sysmiss		4418	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#5 A__ORDER_OF_VISITS: a. Order of visits

Information	[Type= discrete] [Format=numeric] [Range= 1-13] [Missing=*]
Statistics [NW/ W]	[Valid=4815 /-] [Invalid=4417 /-]

Value	Label	Cases	Percentage
1		4317	89.7%
2		467	9.7%
3		22	0.5%
4		3	0.1%
5		2	0.0%
6		1	0.0%
7		1	0.0%
10		1	0.0%
13		1	0.0%

File Information on Health (Section 3) (cont.)

#5 A__ORDER_OF_VISITS: a. Order of visits (cont.)

Value (cont.)	Label	Cases	Percentage
Sysmiss		4417	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#6 B__REASON: b. Reason

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=4816 /-] [Invalid=4416 /-]		

Value	Label	Cases	Percentage
0		1	0.0%
1		1868	38.8%
2		779	16.2%
3		1248	25.9%
4		575	11.9%
5		265	5.5%
9		80	1.7%
Sysmiss		4416	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#7 C__DISTANCE: c. Distance

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=4814 /-] [Invalid=4418 /-]		

Value	Label	Cases	Percentage
1		1113	23.1%
2		2125	44.1%
3		1576	32.7%
Sysmiss		4418	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#8 WESTAN_MEDICINE__PRIVATE: Westan medicine (private)

Information	[Type= discrete] [Format=numeric] [Range= 2-21] [Missing=*]		
Statistics [NW/ W]	[Valid=2981 /-] [Invalid=6251 /-]		

Value	Label	Cases	Percentage
2		2978	99.9%
3		1	0.0%
8		1	0.0%
21		1	0.0%
Sysmiss		6251	

File Information on Health (Section 3) (cont.)

#8 WESTAN_MEDICINE__PRIVATE: Westan medicine (private) (cont.)

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#9 A__ORDER_OF_VISITT: a. Order of visits

Information [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]

Statistics [NW/ W] [Valid=2980 /-] [Invalid=6252 /-]

Value	Label	Cases	Percentage
1		2428	81.5%
2		488	16.4%
3		60	2.0%
4		3	0.1%
5		1	0.0%
Sysmiss		6252	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#10 B__REASOO: b. Reason

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]

Statistics [NW/ W] [Valid=2980 /-] [Invalid=6252 /-]

Value	Label	Cases	Percentage
0		1	0.0%
1		76	2.6%
2		1199	40.2%
3		1178	39.5%
4		264	8.9%
5		240	8.1%
9		22	0.7%
Sysmiss		6252	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#11 C__DISTANCF: c. Distance

Information [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]

Statistics [NW/ W] [Valid=2980 /-] [Invalid=6252 /-]

Value	Label	Cases	Percentage
1		942	31.6%
2		1297	43.5%
3		741	24.9%
Sysmiss		6252	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Information on Health (Section 3) (cont.)

#12 GOVT_DOCTORS__PRIVATE_PRACTICE: Govt doctors (private practice)

Information [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]

Statistics [NW/ W] [Valid=414 /-] [Invalid=8818 /-]

Value	Label	Cases	Percentage
1		1	0.2%
2		1	0.2%
3		412	99.5%
Sysmiss		8818	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#13 A__ORDER_OF_VISITU: a. Order of visits

Information [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]

Statistics [NW/ W] [Valid=413 /-] [Invalid=8819 /-]

Value	Label	Cases	Percentage
1		314	76.0%
2		82	19.9%
3		16	3.9%
4		1	0.2%
Sysmiss		8819	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#14 B__REASOP: b. Reason

Information [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]

Statistics [NW/ W] [Valid=413 /-] [Invalid=8819 /-]

Value	Label	Cases	Percentage
1		16	3.9%
2		168	40.7%
3		151	36.6%
4		32	7.7%
5		41	9.9%
9		5	1.2%
Sysmiss		8819	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#15 C__DISTANCG: c. Distance

Information [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]

Statistics [NW/ W] [Valid=413 /-] [Invalid=8819 /-]

File Information on Health (Section 3) (cont.)

#15 C__DISTANCG: c. Distance (cont.)

Value	Label	Cases	Percentage
1		106	25.7%
2		186	45.0%
3		121	29.3%
Sysmiss		8819	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#16 AYURVEDIC__GOVT_FREE: Ayurvedic (govt free)

Information	[Type= discrete] [Format=numeric] [Range= 4-4] [Missing=*]
Statistics [NW/ W]	[Valid=178 /-] [Invalid=9054 /-]

Value	Label	Cases	Percentage
4		178	100.0%
Sysmiss		9054	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#17 A__ORDER_OF_VISITV: a. Order of visits

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=178 /-] [Invalid=9054 /-]

Value	Label	Cases	Percentage
1		136	76.4%
2		33	18.5%
3		6	3.4%
4		3	1.7%
Sysmiss		9054	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#18 B__REASOQ: b. Reason

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=178 /-] [Invalid=9054 /-]

Value	Label	Cases	Percentage
1		45	25.3%
2		27	15.2%
3		80	44.9%
4		11	6.2%
5		6	3.4%
9		9	5.1%
Sysmiss		9054	

File Information on Health (Section 3) (cont.)

#18 B__REASOQ: b. Reason (cont.)

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#19 C__DISTANCH: c. Distance

Information [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]

Statistics [NW/ W] [Valid=178 /-] [Invalid=9054 /-]

Value	Label	Cases	Percentage
1		34	19.1%
2		71	39.9%
3		73	41.0%
Sysmiss		9054	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#20 AYURVEDIC__GOVT_PAID: Ayurvedic (Govt Paid)

Information [Type= discrete] [Format=numeric] [Range= 5-6] [Missing=*]

Statistics [NW/ W] [Valid=95 /-] [Invalid=9137 /-]

Value	Label	Cases	Percentage
5		94	98.9%
6		1	1.1%
Sysmiss		9137	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#21 A__ORDER_OF_VISITW: a. Order of visits

Information [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]

Statistics [NW/ W] [Valid=95 /-] [Invalid=9137 /-]

Value	Label	Cases	Percentage
1		68	71.6%
2		23	24.2%
3		3	3.2%
5		1	1.1%
Sysmiss		9137	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#22 B__REASOR: b. Reason

Information [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]

Statistics [NW/ W] [Valid=95 /-] [Invalid=9137 /-]

File Information on Health (Section 3) (cont.)

#22 B__REASOR: b. Reason (cont.)

Value	Label	Cases	Percentage
1		5	5.3%
2		16	16.8%
3		53	55.8%
4		12	12.6%
5		9	9.5%
Sysmiss		9137	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#23 C__DISTANCI: c. Distance

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]		
Statistics [NW/ W]	[Valid=96 /-] [Invalid=9136 /-]		
Value	Label	Cases	Percentage
0		1	1.0%
1		17	17.7%
2		41	42.7%
3		37	38.5%
Sysmiss		9136	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#24 AYURVEDIC__PRIVATE: Ayurvedic (Private)

Information	[Type= discrete] [Format=numeric] [Range= 6-70] [Missing=*]		
Statistics [NW/ W]	[Valid=586 /-] [Invalid=8646 /-]		
Value	Label	Cases	Percentage
6		585	99.8%
70		1	0.2%
Sysmiss		8646	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#25 A__ORDER_OF_VISITX: a. Order of visits

Information	[Type= discrete] [Format=numeric] [Range= 1-11] [Missing=*]		
Statistics [NW/ W]	[Valid=586 /-] [Invalid=8646 /-]		
Value	Label	Cases	Percentage
1		398	67.9%
2		159	27.1%
3		22	3.8%
4		4	0.7%

File Information on Health (Section 3) (cont.)

#25 A__ORDER_OF_VISITX: a. Order of visits (cont.)

Value (cont.)	Label	Cases	Percentage
6		2	0.3%
11		1	0.2%
Systemiss		8646	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#26 B__REASOS: b. Reason

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=586 /-] [Invalid=8646 /-]		

Value	Label	Cases	Percentage
1		44	7.5%
2		100	17.1%
3		335	57.2%
4		62	10.6%
5		27	4.6%
9		18	3.1%
Systemiss		8646	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#27 C__DISTANCJ: c. Distance

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=585 /-] [Invalid=8647 /-]		

Value	Label	Cases	Percentage
1		169	28.9%
2		237	40.5%
3		179	30.6%
Systemiss		8647	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#28 WESTERN_MEDICINE__GOVU: Western medicine (Govt Free)

Information	[Type= discrete] [Format=numeric] [Range= 7-7] [Missing=*]		
Statistics [NW/ W]	[Valid=542 /-] [Invalid=8690 /-]		

Value	Label	Cases	Percentage
7		542	100.0%
Systemiss		8690	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Information on Health (Section 3) (cont.)

#29 A__ORDER_OF_VISITY: a. Order of visits

Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]		
Statistics [NW/ W]	[Valid=542 /-] [Invalid=8690 /-]		
Value	Label	Cases	Percentage
1		307	56.6%
2		189	34.9%
3		44	8.1%
4		1	0.2%
7		1	0.2%
Systemiss		8690	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#30 B__REASOT: b. Reason

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=542 /-] [Invalid=8690 /-]		
Value	Label	Cases	Percentage
1		127	23.4%
2		127	23.4%
3		195	36.0%
4		23	4.2%
5		58	10.7%
9		12	2.2%
Systemiss		8690	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#31 C__Distanck: c. Distance

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=542 /-] [Invalid=8690 /-]		
Value	Label	Cases	Percentage
1		56	10.3%
2		177	32.7%
3		309	57.0%
Systemiss		8690	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#32 WESTERN_MEDICINE__GOVV: Western medicine (Govt Paying ward)

Information	[Type= discrete] [Format=numeric] [Range= 2-8] [Missing=*]		
Statistics [NW/ W]	[Valid=11 /-] [Invalid=9221 /-]		

File Information on Health (Section 3) (cont.)

#32 WESTERN_MEDICINE__GOVV: Western medicine (Govt Paying ward) (cont.)

Value	Label	Cases	Percentage
2		1	9.1%
8		10	90.9%
Sysmiss		9221	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#33 A__ORDER_OF_VISITZ: a. Order of visits

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=12 /-] [Invalid=9220 /-]		

Value	Label	Cases	Percentage
1		8	66.7%
2		3	25.0%
8		1	8.3%
Sysmiss		9220	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#34 B__REASOU: b. Reason

Information	[Type= discrete] [Format=numeric] [Range= 2-5] [Missing=*]		
Statistics [NW/ W]	[Valid=12 /-] [Invalid=9220 /-]		

Value	Label	Cases	Percentage
2		4	33.3%
3		6	50.0%
4		1	8.3%
5		1	8.3%
Sysmiss		9220	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#35 C__DistanCL: c. Distance

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]		
Statistics [NW/ W]	[Valid=12 /-] [Invalid=9220 /-]		

Value	Label	Cases	Percentage
0		1	8.3%
1		2	16.7%
2		4	33.3%
3		5	41.7%
Sysmiss		9220	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Information on Health (Section 3) (cont.)

#36 WESTAN_MEDICINE__PRIVATF: Westan medicine (private)

Information	[Type= discrete] [Format=numeric] [Range= 9-19] [Missing=*]		
Statistics [NW/ W]	[Valid=67 /-] [Invalid=9165 /-]		
Value	Label	Cases	Percentage
9		66	98.5%
19		1	1.5%
Sysmiss		9165	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#37 A__ORDER_OF_VISITTA: a. Order of visits

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=66 /-] [Invalid=9166 /-]		
Value	Label	Cases	Percentage
1		43	65.2%
2		21	31.8%
3		1	1.5%
9		1	1.5%
Sysmiss		9166	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#38 B__REASOV: b. Reason

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=66 /-] [Invalid=9166 /-]		
Value	Label	Cases	Percentage
1		2	3.0%
2		26	39.4%
3		26	39.4%
4		6	9.1%
5		5	7.6%
9		1	1.5%
Sysmiss		9166	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#39 C__DISTANCM: c. Distance

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=65 /-] [Invalid=9167 /-]		

File Information on Health (Section 3) (cont.)

#39 C__DISTANCM: c. Distance (cont.)

Value	Label	Cases	Percentage
1		24	36.9%
2		14	21.5%
3		27	41.5%
Sysmiss		9167	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#40 GOVT_DOCTORS__PRIVATE_PRACTICF: Govt doctors (private practice)

Information	[Type= discrete] [Format=numeric] [Range= 10-13] [Missing=*]		
Statistics [NW/ W]	[Valid=4 /-] [Invalid=9228 /-]		
Value	Label	Cases	Percentage
10		3	75.0%
13		1	25.0%
Sysmiss		9228	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#41 A__ORDER_OF_VISITUA: a. Order of visits

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=4 /-] [Invalid=9228 /-]		
Value	Label	Cases	Percentage
1		3	75.0%
2		1	25.0%
Sysmiss		9228	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#42 B__REASOW: b. Reason

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=4 /-] [Invalid=9228 /-]		
Value	Label	Cases	Percentage
1		1	25.0%
2		1	25.0%
3		2	50.0%
Sysmiss		9228	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Information on Health (Section 3) (cont.)

#43 C__DISTANCN: c. Distance

Information	[Type= discrete] [Format=numeric] [Range= 3-3] [Missing=*]		
Statistics [NW/ W]	[Valid=4 /-] [Invalid=9228 /-]		
Value	Label	Cases	Percentage
3		4	100.0%
Sysmiss		9228	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#44 AYURVEDIC__GOVT_FREF: Ayurvedic (govt free)

Information	[Type= discrete] [Format=numeric] [Range= 11-11] [Missing=*]		
Statistics [NW/ W]	[Valid=23 /-] [Invalid=9209 /-]		
Value	Label	Cases	Percentage
11		23	100.0%
Sysmiss		9209	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#45 A__ORDER_OF_VISITVA: a. Order of visits

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=23 /-] [Invalid=9209 /-]		
Value	Label	Cases	Percentage
1		9	39.1%
2		10	43.5%
3		4	17.4%
Sysmiss		9209	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#46 B__REASOX: b. Reason

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=23 /-] [Invalid=9209 /-]		
Value	Label	Cases	Percentage
1		5	21.7%
2		4	17.4%
3		11	47.8%
4		1	4.3%
5		1	4.3%
9		1	4.3%
Sysmiss		9209	

File Information on Health (Section 3) (cont.)

#46 B__REASOX: b. Reason (cont.)

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#47 C__DISTANCO: c. Distance

Information [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]

Statistics [NW/ W] [Valid=23 /-] [Invalid=9209 /-]

Value	Label	Cases	Percentage
1		2	8.7%
2		6	26.1%
3		15	65.2%
Sysmiss		9209	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#48 AYURVEDIC__GOVT_PAIE: Ayurvedic (Govt Paid)

Information [Type= discrete] [Format=numeric] [Range= 12-12] [Missing=*]

Statistics [NW/ W] [Valid=9 /-] [Invalid=9223 /-]

Value	Label	Cases	Percentage
12		9	100.0%
Sysmiss		9223	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#49 A__ORDER_OF_VISITWA: a. Order of visits

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W] [Valid=9 /-] [Invalid=9223 /-]

Value	Label	Cases	Percentage
1		5	55.6%
2		4	44.4%
Sysmiss		9223	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#50 B__REASOY: b. Reason

Information [Type= discrete] [Format=numeric] [Range= 2-5] [Missing=*]

Statistics [NW/ W] [Valid=9 /-] [Invalid=9223 /-]

Value	Label	Cases	Percentage
2		2	22.2%
3		6	66.7%
5		1	11.1%

File Information on Health (Section 3) (cont.)

#50 B__REASOY: b. Reason (cont.)

Value (cont.)	Label	Cases	Percentage
Sysmiss		9223	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#51 C__DISTANCP: c. Distance

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=9 /-] [Invalid=9223 /-]		
Value	Label	Cases	Percentage
1		2	22.2%
2		4	44.4%
3		3	33.3%
Sysmiss		9223	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#52 AYURVEDIC__PRIVATF: Ayurvedic (Private)

Information	[Type= discrete] [Format=numeric] [Range= 13-13] [Missing=*]		
Statistics [NW/ W]	[Valid=48 /-] [Invalid=9184 /-]		
Value	Label	Cases	Percentage
13		48	100.0%
Sysmiss		9184	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#53 A__ORDER_OF_VISITXA: a. Order of visits

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=48 /-] [Invalid=9184 /-]		
Value	Label	Cases	Percentage
1		32	66.7%
2		14	29.2%
3		2	4.2%
Sysmiss		9184	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#54 B__REASOZ: b. Reason

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=48 /-] [Invalid=9184 /-]		

File Information on Health (Section 3) (cont.)

#54 B__REASOZ: b. Reason (cont.)

Value	Label	Cases	Percentage
1		3	6.3%
2		11	22.9%
3		25	52.1%
4		4	8.3%
5		3	6.3%
9		2	4.2%
Sysmiss		9184	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#55 C__DISTANCQ: c. Distance

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=48 /-] [Invalid=9184 /-]		
Value	Label	Cases	Percentage
1		17	35.4%
2		13	27.1%
3		18	37.5%
Sysmiss		9184	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#56 HOME_REMESIED: Home remedies

Information	[Type= discrete] [Format=numeric] [Range= 14-14] [Missing=*]		
Statistics [NW/ W]	[Valid=1154 /-] [Invalid=8078 /-]		
Value	Label	Cases	Percentage
14		1154	100.0%
Sysmiss		8078	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#57 A__ORDER_OF_VISITXB: a. Order of visits

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=1154 /-] [Invalid=8078 /-]		
Value	Label	Cases	Percentage
1		1090	94.5%
2		52	4.5%
3		10	0.9%
4		2	0.2%
Sysmiss		8078	

File Information on Health (Section 3) (cont.)

#57 A__ORDER_OF_VISITXB: a. Order of visits (cont.)

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#58 B__REASOZA: b. Reason

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]

Statistics [NW/ W] [Valid=1155 /-] [Invalid=8077 /-]

Value	Label	Cases	Percentage
0		1	0.1%
1		229	19.8%
2		72	6.2%
3		183	15.8%
4		17	1.5%
5		432	37.4%
9		221	19.1%
Sysmiss		8077	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#59 INFLATION_FACTOR: Inflation factor

Information [Type= discrete] [Format=numeric] [Range= 0-223969] [Missing=*]

Statistics [NW/ W] [Valid=9232 /-] [Invalid=0 /-]

File Information on Health (Section 3)

#1 REC\$TYPE

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=24010 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
09		24010	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#2 IS_ANY_MEMBER_OOF_THE_HOUSEHOLD: Is any member oof the household

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W] [Valid=23972 /-] [Invalid=38 /-]

File Information on Health (Section 3) (cont.)

#2 IS_ANY_MEMBER_OOF_THE_HOUSEHOLD: Is any member oof the household (cont.)

Value	Label	Cases	Percentage
1		3781	15.8%
2		20191	84.2%
Sysmiss		38	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#3 SUFFERING_FROM_ANY_CHRONIC_ILLNE: Suffering from any chronic illness If 'yes' no of persons

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=3781 /-] [Invalid=20229 /-]		

Value	Label	Cases	Percentage
1		3434	90.8%
2		306	8.1%
3		35	0.9%
4		5	0.1%
5		1	0.0%
Sysmiss		20229	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#4 SERIAL_NUMBERS_OF_PERSON: Serial numbers of person

Information	[Type= discrete] [Format=numeric] [Range= 1-31] [Missing=*]		
Statistics [NW/ W]	[Valid=3819 /-] [Invalid=20191 /-]		

Value	Label	Cases	Percentage
1		2009	52.6%
2		920	24.1%
3		321	8.4%
4		236	6.2%
5		146	3.8%
6		92	2.4%
7		46	1.2%
8		27	0.7%
9		15	0.4%
10		4	0.1%
11		1	0.0%
14		1	0.0%
31		1	0.0%
Sysmiss		20191	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Information on Health (Section 3) (cont.)

#5 NATURE_OF_ILLNESS__A__SYMPTOMS_1: Nature of illness (a) Symptoms 1st

Information	[Type= discrete] [Format=numeric] [Range= 0-92] [Missing=*]
Statistics [NW/ W]	[Valid=2576 /-] [Invalid=21434 /-]
Frequency table not shown (66 Modalities)	

#6 NATURE_OF_ILLNESS__A__SYMPTOMS_2: Nature of illness (a) Symptoms 2nd

Information	[Type= discrete] [Format=numeric] [Range= 0-66] [Missing=*]
Statistics [NW/ W]	[Valid=2566 /-] [Invalid=21444 /-]
Frequency table not shown (60 Modalities)	

#7 NATURE_OF_ILLNESS__A__SYMPTOMS_3: Nature of illness (a) Symptoms 3rd

Information	[Type= discrete] [Format=numeric] [Range= 0-81] [Missing=*]
Statistics [NW/ W]	[Valid=2523 /-] [Invalid=21487 /-]
Frequency table not shown (45 Modalities)	

#8 B__DIAGNOSIS: (b) Diagnosis

Information	[Type= discrete] [Format=numeric] [Range= 1-200] [Missing=*]
Statistics [NW/ W]	[Valid=2781 /-] [Invalid=21229 /-]
Frequency table not shown (79 Modalities)	

#9 SINCE_WHEN_THE_PERSON: Since when the person

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]		
Statistics [NW/ W]	[Valid=3819 /-] [Invalid=20191 /-]		
Value	Label	Cases	Percentage
0		1	0.0%
1		205	5.4%
2		441	11.5%
3		703	18.4%
4		580	15.2%
5		1889	49.5%
Sysmiss		20191	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#10 DURATION_OF_ABSENCE_FROM_USUAL: Duration of absence from usual.. work during last 12 months

Information	[Type= discrete] [Format=numeric] [Range= 0-366] [Missing=*]
-------------	--

File Information on Health (Section 3) (cont.)

#10 DURATION_OF_ABSENCE_FROM_USUAL: Duration of absence from usual.. work during last 12 months (cont.)

Statistics [NW/ W] [Valid=3669 /-] [Invalid=20341 /-]

Frequency table not shown (132 Modalities)

#11 WHETHER_TREATMENT_WAS_TAKEN_DURI: Whether treatment was taken during 12 month

Information [Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]

Statistics [NW/ W] [Valid=3819 /-] [Invalid=20191 /-]

Value	Label	Cases	Percentage
0		1	0.0%
1		3536	92.6%
2		282	7.4%
Sysmiss		20191	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#12 IF_NO_REASON: If 'No' reason

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]

Statistics [NW/ W] [Valid=282 /-] [Invalid=23728 /-]

Value	Label	Cases	Percentage
0		1	0.4%
1		134	47.5%
2		58	20.6%
3		3	1.1%
4		3	1.1%
9		83	29.4%
Sysmiss		23728	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#13 SERIAL_NUMBERS_OF_PERSOO: Serial numbers of person

Information [Type= discrete] [Format=numeric] [Range= 2-31] [Missing=*]

Statistics [NW/ W] [Valid=380 /-] [Invalid=23630 /-]

Value	Label	Cases	Percentage
2		173	45.5%
3		57	15.0%
4		50	13.2%
5		40	10.5%
6		28	7.4%
7		15	3.9%

File Information on Health (Section 3) (cont.)

#13 SERIAL_NUMBERS_OF_PERSON: Serial numbers of person (cont.)

Value (cont.)	Label	Cases	Percentage
8		9	2.4%
9		6	1.6%
12		1	0.3%
31		1	0.3%
Sysmiss		23630	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#14 NATURE_OF_ILLNESS__A__SYMPTOMS_A: Nature of illness (a) Symptoms 1st

Information	[Type= discrete] [Format=numeric] [Range= 0-91] [Missing=*]
Statistics [NW/ W]	[Valid=238 /-] [Invalid=23772 /-]
Frequency table not shown (49 Modalities)	

#15 NATURE_OF_ILLNESS__A__SYMPTOMS_B: Nature of illness (a) Symptoms 2nd

Information	[Type= discrete] [Format=numeric] [Range= 0-64] [Missing=*]
Statistics [NW/ W]	[Valid=237 /-] [Invalid=23773 /-]

Value	Label	Cases	Percentage
0		136	57.4%
1		1	0.4%
2		10	4.2%
6		2	0.8%
7		5	2.1%
8		8	3.4%
9		4	1.7%
10		8	3.4%
12		3	1.3%
21		2	0.8%
22		4	1.7%
23		1	0.4%
30		7	3.0%
31		5	2.1%
33		1	0.4%
34		4	1.7%
38		1	0.4%
39		1	0.4%
40		3	1.3%
43		1	0.4%
52		1	0.4%

File Information on Health (Section 3) (cont.)

#15 NATURE_OF_ILLNESS__A__SYMPTOMS_B: Nature of illness (a) Symptoms 2nd (cont.)

Value (cont.)	Label	Cases	Percentage
54		1	0.4%
56		1	0.4%
57		12	5.1%
59		5	2.1%
60		3	1.3%
61		4	1.7%
62		2	0.8%
64		1	0.4%
Sysmiss		23773	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#16 NATURE_OF_ILLNESS__A__SYMPTOMS_C: Nature of illness (a) Symptoms 3rd

Information	[Type= discrete] [Format=numeric] [Range= 0-62] [Missing=*]
Statistics [NW/ W]	[Valid=236 /-] [Invalid=23774 /-]

Value	Label	Cases	Percentage
0		209	88.6%
2		1	0.4%
4		1	0.4%
6		1	0.4%
7		6	2.5%
9		1	0.4%
10		1	0.4%
13		1	0.4%
14		1	0.4%
16		1	0.4%
23		1	0.4%
29		1	0.4%
30		2	0.8%
33		2	0.8%
34		2	0.8%
37		1	0.4%
39		1	0.4%
40		1	0.4%
43		1	0.4%
62		1	0.4%
Sysmiss		23774	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Information on Health (Section 3) (cont.)

#17 B__DIAGNOSIT: (b) Diagnosis

Information	[Type= discrete] [Format=numeric] [Range= 10-183] [Missing=*]
Statistics [NW/ W]	[Valid=273 /-] [Invalid=23737 /-]
Frequency table not shown (43 Modalities)	

#18 SINCE_WHEN_THE_PERSOO: Since when the person

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=380 /-] [Invalid=23630 /-]		
Value	Label	Cases	Percentage
1		31	8.2%
2		53	13.9%
3		82	21.6%
4		48	12.6%
5		166	43.7%
Sysmiss		23630	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#19 DURATION_OF_ABSENCE_FROM_USUAM: Duration of absence from usual.. work during last 12 months

Information	[Type= discrete] [Format=numeric] [Range= 0-365] [Missing=*]
Statistics [NW/ W]	[Valid=366 /-] [Invalid=23644 /-]
Frequency table not shown (56 Modalities)	

#20 WHETHER_TREATMENT_WAS_TAKEN_DURJ: Whether treatment was taken during 12 month

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=380 /-] [Invalid=23630 /-]		
Value	Label	Cases	Percentage
1		343	90.3%
2		37	9.7%
Sysmiss		23630	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#21 IF__NO__REASOO: If 'No' reason

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=35 /-] [Invalid=23975 /-]		
Value	Label	Cases	Percentage
1		15	42.9%

File Information on Health (Section 3) (cont.)

#21 IF__NO__REASOO: If 'No' reason (cont.)

Value (cont.)	Label	Cases	Percentage
2		11	31.4%
9		9	25.7%
Sysmiss		23975	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#22 SERIAL_NUMBERS_OF_PERSOP: Serial numbers of person

Information	[Type= discrete] [Format=numeric] [Range= 3-11] [Missing=*]		
Statistics [NW/ W]	[Valid=45 /-] [Invalid=23965 /-]		
Value	Label	Cases	Percentage
3		11	24.4%
4		15	33.3%
5		11	24.4%
6		3	6.7%
7		3	6.7%
8		1	2.2%
11		1	2.2%
Sysmiss		23965	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#23 NATURE_OF_ILLNESS__A__SYMPTOMS_D: Nature of illness (a) Symptoms 1st

Information	[Type= discrete] [Format=numeric] [Range= 6-66] [Missing=*]		
Statistics [NW/ W]	[Valid=32 /-] [Invalid=23978 /-]		
Value	Label	Cases	Percentage
6		1	3.1%
7		10	31.3%
8		1	3.1%
10		1	3.1%
17		1	3.1%
18		1	3.1%
30		2	6.3%
34		4	12.5%
41		3	9.4%
52		2	6.3%
58		1	3.1%
61		4	12.5%
66		1	3.1%
Sysmiss		23978	

File Information on Health (Section 3) (cont.)

#23 NATURE_OF_ILLNESS__A__SYMPTOMS_D: Nature of illness (a) Symptoms 1st (cont.)

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#24 NATURE_OF_ILLNESS__A__SYMPTOMS_E: Nature of illness (a) Symptoms 2nd

Information [Type= discrete] [Format=numeric] [Range= 0-60] [Missing=*]

Statistics [NW/ W] [Valid=32 /-] [Invalid=23978 /-]

Value	Label	Cases	Percentage
0		21	65.6%
2		2	6.3%
7		1	3.1%
10		1	3.1%
15		1	3.1%
30		2	6.3%
43		1	3.1%
59		2	6.3%
60		1	3.1%
Sysmiss		23978	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#25 NATURE_OF_ILLNESS__A__SYMPTOMS_F: Nature of illness (a) Symptoms 3rd

Information [Type= discrete] [Format=numeric] [Range= 0-61] [Missing=*]

Statistics [NW/ W] [Valid=32 /-] [Invalid=23978 /-]

Value	Label	Cases	Percentage
0		28	87.5%
2		1	3.1%
3		1	3.1%
16		1	3.1%
61		1	3.1%
Sysmiss		23978	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#26 B__DIAGNOSIU: (b) Diagnosis

Information [Type= discrete] [Format=numeric] [Range= 41-182] [Missing=*]

Statistics [NW/ W] [Valid=34 /-] [Invalid=23976 /-]

Value	Label	Cases	Percentage
41		2	5.9%
42		1	2.9%
73		2	5.9%

File Information on Health (Section 3) (cont.)

#26 B__DIAGNOSIU: (b) Diagnosis (cont.)

Value (cont.)	Label	Cases	Percentage
79		1	2.9%
101		15	44.1%
102		4	11.8%
147		1	2.9%
175		1	2.9%
180		1	2.9%
181		1	2.9%
182		5	14.7%
Sysmiss		23976	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#27 SINCE_WHEN_THE_PERSOP: Since when the person

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=45 /-] [Invalid=23965 /-]

Value	Label	Cases	Percentage
1		10	22.2%
2		9	20.0%
3		11	24.4%
4		3	6.7%
5		12	26.7%
Sysmiss		23965	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#28 DURATION_OF_ABSENCE_FROM_USUAN: Duration of absence from usual.. work during last 12 months

Information	[Type= discrete] [Format=numeric] [Range= 0-365] [Missing=*]
Statistics [NW/ W]	[Valid=42 /-] [Invalid=23968 /-]

Value	Label	Cases	Percentage
0		16	38.1%
5		2	4.8%
6		1	2.4%
10		2	4.8%
20		2	4.8%
35		1	2.4%
40		3	7.1%
50		1	2.4%
60		1	2.4%
65		2	4.8%

File Information on Health (Section 3) (cont.)

#28 DURATION_OF_ABSENCE_FROM_USUAN: Duration of absence from usual.. work during last 12 months (cont.)

Value (cont.)	Label	Cases	Percentage
71		1	2.4%
84		1	2.4%
96		1	2.4%
110		1	2.4%
120		1	2.4%
240		2	4.8%
300		1	2.4%
320		1	2.4%
365		2	4.8%
Sysmiss		23968	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#29 WHETHER_TREATMENT_WAS_TAKEN_DURK: Whether treatment was taken during 12 month

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=45 /-] [Invalid=23965 /-]		
Value	Label	Cases	Percentage
1		39	86.7%
2		6	13.3%
Sysmiss		23965	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#30 IF__NO__REASOP: If 'No' reason

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=6 /-] [Invalid=24004 /-]		
Value	Label	Cases	Percentage
1		2	33.3%
2		2	33.3%
9		2	33.3%
Sysmiss		24004	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#31 SERIAL_NUMBERS_OF_PERSOQ: Serial numbers of person

Information	[Type= discrete] [Format=numeric] [Range= 4-9] [Missing=*]
Statistics [NW/ W]	[Valid=7 /-] [Invalid=24003 /-]

File Information on Health (Section 3) (cont.)

#31 SERIAL_NUMBERS_OF_PERSON: Serial numbers of person (cont.)

Value	Label	Cases	Percentage
4		4	57.1%
5		1	14.3%
6		1	14.3%
9		1	14.3%
Sysmiss		24003	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#32 NATURE_OF_ILLNESS_A_SYMPTOMS_G: Nature of illness (a) Symptoms 1st

Information	[Type= discrete] [Format=numeric] [Range= 7-61] [Missing=*]		
Statistics [NW/ W]	[Valid=6 /-] [Invalid=24004 /-]		
Value	Label	Cases	Percentage
7		2	33.3%
9		1	16.7%
34		1	16.7%
58		1	16.7%
61		1	16.7%
Sysmiss		24004	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#33 NATURE_OF_ILLNESS_A_SYMPTOMS_H: Nature of illness (a) Symptoms 2nd

Information	[Type= discrete] [Format=numeric] [Range= 0-59] [Missing=*]		
Statistics [NW/ W]	[Valid=6 /-] [Invalid=24004 /-]		
Value	Label	Cases	Percentage
0		3	50.0%
2		1	16.7%
43		1	16.7%
59		1	16.7%
Sysmiss		24004	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#34 NATURE_OF_ILLNESS_A_SYMPTOMS_I: Nature of illness (a) Symptoms 3rd

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]		
Statistics [NW/ W]	[Valid=6 /-] [Invalid=24004 /-]		
Value	Label	Cases	Percentage
0		6	100.0%
Sysmiss		24004	

File Information on Health (Section 3) (cont.)

#34 NATURE_OF_ILLNESS__A__SYMPTOMS_I: Nature of illness (a) Symptoms 3rd (cont.)

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#35 B__DIAGNOSIV: (b) Diagnosis

Information [Type= discrete] [Format=numeric] [Range= 101-182] [Missing=*]

Statistics [NW/ W] [Valid=4 /-] [Invalid=24006 /-]

Value	Label	Cases	Percentage
101		2	50.0%
147		1	25.0%
182		1	25.0%
Sysmiss		24006	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#36 SINCE_WHEN_THE_PERSOQ: Since when the person

Information [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]

Statistics [NW/ W] [Valid=7 /-] [Invalid=24003 /-]

Value	Label	Cases	Percentage
1		2	28.6%
2		1	14.3%
3		3	42.9%
5		1	14.3%
Sysmiss		24003	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#37 DURATION_OF_ABSENCE_FROM_USUAO: Duration of absence from usual.. work during last 12 months

Information [Type= discrete] [Format=numeric] [Range= 0-190] [Missing=*]

Statistics [NW/ W] [Valid=7 /-] [Invalid=24003 /-]

Value	Label	Cases	Percentage
0		3	42.9%
35		1	14.3%
60		1	14.3%
68		1	14.3%
190		1	14.3%
Sysmiss		24003	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Information on Health (Section 3) (cont.)

#38 WHETHER_TREATMENT_WAS_TAKEN_DURL: Whether treatment was taken during 12 month

Information	[Type= discrete] [Format=numeric] [Range= 1-1] [Missing=*]		
Statistics [NW/ W]	[Valid=7 /-] [Invalid=24003 /-]		
Value	Label	Cases	Percentage
1		7	100.0%
Systemiss		24003	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#39 IF__NO__REASOQ: If 'No' reason

Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=24010 /-]		
Value	Label	Cases	Percentage
Systemiss		24010	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#40 SERIAL_NUMBERS_OF_PERSONOR: Serial numbers of person

Information	[Type= discrete] [Format=numeric] [Range= 5-5] [Missing=*]		
Statistics [NW/ W]	[Valid=2 /-] [Invalid=24008 /-]		
Value	Label	Cases	Percentage
5		2	100.0%
Systemiss		24008	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#41 NATURE_OF_ILLNESS_A__SYMPTOMS_J: Nature of illness (a) Symptoms 1st

Information	[Type= discrete] [Format=numeric] [Range= 7-7] [Missing=*]		
Statistics [NW/ W]	[Valid=2 /-] [Invalid=24008 /-]		
Value	Label	Cases	Percentage
7		2	100.0%
Systemiss		24008	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#42 NATURE_OF_ILLNESS_A__SYMPTOMS_K: Nature of illness (a) Symptoms 2nd

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]		
Statistics [NW/ W]	[Valid=2 /-] [Invalid=24008 /-]		
Value	Label	Cases	Percentage
0		1	50.0%

File Information on Health (Section 3) (cont.)

#42 NATURE_OF_ILLNESS_A_SYMPTOMS_K: Nature of illness (a) Symptoms 2nd (cont.)

Value (cont.)	Label	Cases	Percentage
2		1	50.0%
Systemiss		24008	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#43 NATURE_OF_ILLNESS_A_SYMPTOMS_L: Nature of illness (a) Symptoms 3rd

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]		
Statistics [NW/ W]	[Valid=2 /-] [Invalid=24008 /-]		
Value	Label	Cases	Percentage
0		2	100.0%
Systemiss		24008	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#44 B_DIAGNOSIW: (b) Diagnosis

Information	[Type= discrete] [Format=numeric] [Range= 101-101] [Missing=*]		
Statistics [NW/ W]	[Valid=2 /-] [Invalid=24008 /-]		
Value	Label	Cases	Percentage
101		2	100.0%
Systemiss		24008	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#45 SINCE_WHEN_THE_PERSON: Since when the person

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=2 /-] [Invalid=24008 /-]		
Value	Label	Cases	Percentage
1		1	50.0%
5		1	50.0%
Systemiss		24008	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#46 DURATION_OF_ABSENCE_FROM_USUAP: Duration of absence from usual.. work during last 12 months

Information	[Type= discrete] [Format=numeric] [Range= 0-70] [Missing=*]		
Statistics [NW/ W]	[Valid=2 /-] [Invalid=24008 /-]		
Value	Label	Cases	Percentage
0		1	50.0%

File Information on Health (Section 3) (cont.)

#46 DURATION_OF_ABSENCE_FROM_USUAP: Duration of absence from usual.. work during last 12 months (cont.)

Value (cont.)	Label	Cases	Percentage
70		1	50.0%
Sysmiss		24008	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#47 WHETHER_TREATMENT_WAS_TAKEN_DURM: Whether treatment was taken during 12 month

Information	[Type= discrete] [Format=numeric] [Range= 1-1] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=24008 /-]

Value	Label	Cases	Percentage
1		2	100.0%
Sysmiss		24008	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#48 IF__NO__REASOR: If 'No' reason

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=24010 /-]

Value	Label	Cases	Percentage
Sysmiss		24010	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#49 INFLATION_FACTOROZ: Inflation factor

Information	[Type= discrete] [Format=numeric] [Range= 345-223969] [Missing=*]
Statistics [NW/ W]	[Valid=24010 /-] [Invalid=0 /-]

File Information on Health (Section 3)

#1 REC\$TYPE

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=3936 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
10		3936	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Information on Health (Section 3) (cont.)

#2 BLANQ: blank

Information	[Type= discrete] [Format=numeric] [Range= 101-101] [Missing=*]		
Statistics [NW/ W]	[Valid=3 /-] [Invalid=3933 /-]		
Value	Label	Cases	Percentage
101		3	100.0%
Systemiss		3933	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#3 SERIAL_NUMBER_OF_THE_PERSON: Serial number of the person

Information	[Type= discrete] [Format=numeric] [Range= 1-90] [Missing=*]		
Statistics [NW/ W]	[Valid=3936 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1		1868	47.5%
2		1018	25.9%
3		349	8.9%
4		275	7.0%
5		189	4.8%
6		116	2.9%
7		59	1.5%
8		33	0.8%
9		19	0.5%
10		4	0.1%
11		2	0.1%
14		1	0.0%
31		2	0.1%
90		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#4 WESTERN_MEDICINE__GOVW: Western medicine (Govt)

Information	[Type= discrete] [Format=numeric] [Range= 1-66] [Missing=*]		
Statistics [NW/ W]	[Valid=2589 /-] [Invalid=1347 /-]		
Value	Label	Cases	Percentage
1		2583	99.8%
2		4	0.2%
4		1	0.0%
66		1	0.0%
Systemiss		1347	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Information on Health (Section 3) (cont.)

#5 A__ORDER_OF_VISITSA: a. Order of visits

Information	[Type= discrete] [Format=numeric] [Range= 1-42] [Missing=*]		
Statistics [NW/ W]	[Valid=2589 /-] [Invalid=1347 /-]		
Value	Label	Cases	Percentage
1		2205	85.2%
2		330	12.7%
3		43	1.7%
4		4	0.2%
5		3	0.1%
7		1	0.0%
22		1	0.0%
32		1	0.0%
42		1	0.0%
Sysmiss		1347	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#6 B__REASONA: b. Reason

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=2587 /-] [Invalid=1349 /-]		
Value	Label	Cases	Percentage
0		2	0.1%
1		1029	39.8%
2		458	17.7%
3		714	27.6%
4		211	8.2%
5		132	5.1%
9		41	1.6%
Sysmiss		1349	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#7 C__DISTANCR: c. Distance

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=2586 /-] [Invalid=1350 /-]		
Value	Label	Cases	Percentage
1		558	21.6%
2		907	35.1%
3		1121	43.3%
Sysmiss		1350	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Information on Health (Section 3) (cont.)

#8 WESTAN_MEDICINE__PRIVATG: Westan medicine (private)

Information [Type= discrete] [Format=numeric] [Range= 1-21] [Missing=*]

Statistics [NW/ W] [Valid=1141 /-] [Invalid=2795 /-]

Value	Label	Cases	Percentage
1		2	0.2%
2		1137	99.6%
3		1	0.1%
21		1	0.1%
Sysmiss		2795	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#9 A__ORDER_OF_VISITTB: a. Order of visits

Information [Type= discrete] [Format=numeric] [Range= 1-32] [Missing=*]

Statistics [NW/ W] [Valid=1140 /-] [Invalid=2796 /-]

Value	Label	Cases	Percentage
1		731	64.1%
2		318	27.9%
3		81	7.1%
4		7	0.6%
5		2	0.2%
32		1	0.1%
Sysmiss		2796	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#10 B__REASOOA: b. Reason

Information [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]

Statistics [NW/ W] [Valid=1140 /-] [Invalid=2796 /-]

Value	Label	Cases	Percentage
1		30	2.6%
2		468	41.1%
3		460	40.4%
4		64	5.6%
5		106	9.3%
9		12	1.1%
Sysmiss		2796	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Information on Health (Section 3) (cont.)

#11 C__DISTANCS: c. Distance

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*		
Statistics [NW/ W]	[Valid=1140 /-] [Invalid=2796 /-]		
Value	Label	Cases	Percentage
1		319	28.0%
2		392	34.4%
3		429	37.6%
Sysmiss		2796	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#12 GOVT_DOCTORS__PRIVATE_PRACTICG: Govt doctors (private practice)

Information	[Type= discrete] [Format=numeric] [Range= 3-6] [Missing=*		
Statistics [NW/ W]	[Valid=191 /-] [Invalid=3745 /-]		
Value	Label	Cases	Percentage
3		189	99.0%
4		1	0.5%
6		1	0.5%
Sysmiss		3745	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#13 A__ORDER_OF_VISITUB: a. Order of visits

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*		
Statistics [NW/ W]	[Valid=191 /-] [Invalid=3745 /-]		
Value	Label	Cases	Percentage
1		106	55.5%
2		58	30.4%
3		23	12.0%
4		4	2.1%
Sysmiss		3745	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#14 B__REASOPA: b. Reason

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*		
Statistics [NW/ W]	[Valid=191 /-] [Invalid=3745 /-]		
Value	Label	Cases	Percentage
1		8	4.2%
2		73	38.2%

File Information on Health (Section 3) (cont.)

#14 B__REASOPA: b. Reason (cont.)

Value (cont.)	Label	Cases	Percentage
3		78	40.8%
4		16	8.4%
5		15	7.9%
9		1	0.5%
Sysmiss		3745	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#15 C__DISTANCT: c. Distance

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=191 /-] [Invalid=3745 /-]

Value	Label	Cases	Percentage
1		38	19.9%
2		57	29.8%
3		96	50.3%
Sysmiss		3745	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#16 AYURVEDIC__GOVT_FREG: Ayurvedic (govt free)

Information	[Type= discrete] [Format=numeric] [Range= 4-4] [Missing=*]
Statistics [NW/ W]	[Valid=229 /-] [Invalid=3707 /-]

Value	Label	Cases	Percentage
4		229	100.0%
Sysmiss		3707	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#17 A__ORDER_OF_VISITVB: a. Order of visits

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=229 /-] [Invalid=3707 /-]

Value	Label	Cases	Percentage
1		115	50.2%
2		91	39.7%
3		16	7.0%
4		5	2.2%
6		2	0.9%
Sysmiss		3707	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Information on Health (Section 3) (cont.)

#18 B__REASOQA: b. Reason

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=229 /-] [Invalid=3707 /-]		
Value	Label	Cases	Percentage
1		50	21.8%
2		40	17.5%
3		104	45.4%
4		11	4.8%
5		11	4.8%
9		13	5.7%
Sysmiss		3707	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#19 C__DISTANCU: c. Distance

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=229 /-] [Invalid=3707 /-]		
Value	Label	Cases	Percentage
1		25	10.9%
2		76	33.2%
3		128	55.9%
Sysmiss		3707	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#20 AYURVEDIC__GOVT_PAIF: Ayurvedic (Govt Paid)

Information	[Type= discrete] [Format=numeric] [Range= 5-5] [Missing=*]		
Statistics [NW/ W]	[Valid=80 /-] [Invalid=3856 /-]		
Value	Label	Cases	Percentage
5		80	100.0%
Sysmiss		3856	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#21 A__ORDER_OF_VISITWB: a. Order of visits

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]		
Statistics [NW/ W]	[Valid=80 /-] [Invalid=3856 /-]		
Value	Label	Cases	Percentage
1		38	47.5%
2		28	35.0%

File Information on Health (Section 3) (cont.)

#21 A__ORDER_OF_VISITWB: a. Order of visits (cont.)

Value (cont.)	Label	Cases	Percentage
3		11	13.8%
5		2	2.5%
6		1	1.3%
Sysmiss		3856	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#22 B__REASORA: b. Reason

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=80 /-] [Invalid=3856 /-]		
Value	Label	Cases	Percentage
1		11	13.8%
2		17	21.3%
3		42	52.5%
4		2	2.5%
5		5	6.3%
9		3	3.8%
Sysmiss		3856	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#23 C__DISTANCV: c. Distance

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=80 /-] [Invalid=3856 /-]		
Value	Label	Cases	Percentage
1		9	11.3%
2		27	33.8%
3		44	55.0%
Sysmiss		3856	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#24 AYURVEDIC__PRIVATG: Ayurvedic (Private)

Information	[Type= discrete] [Format=numeric] [Range= 6-6] [Missing=*]		
Statistics [NW/ W]	[Valid=496 /-] [Invalid=3440 /-]		
Value	Label	Cases	Percentage
6		496	100.0%
Sysmiss		3440	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Information on Health (Section 3) (cont.)

#25 A__ORDER_OF_VISITXC: a. Order of visits

Information [Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]

Statistics [NW/ W] [Valid=496 /-] [Invalid=3440 /-]

Value	Label	Cases	Percentage
1		267	53.8%
2		183	36.9%
3		35	7.1%
4		6	1.2%
5		2	0.4%
6		3	0.6%
Sysmiss		3440	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#26 B__REASOSA: b. Reason

Information [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]

Statistics [NW/ W] [Valid=496 /-] [Invalid=3440 /-]

Value	Label	Cases	Percentage
1		32	6.5%
2		88	17.7%
3		275	55.4%
4		52	10.5%
5		26	5.2%
9		23	4.6%
Sysmiss		3440	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#27 C__DISTANCW: c. Distance

Information [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]

Statistics [NW/ W] [Valid=496 /-] [Invalid=3440 /-]

Value	Label	Cases	Percentage
1		120	24.2%
2		172	34.7%
3		204	41.1%
Sysmiss		3440	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#28 WESTERN_MEDICINE__GOVX: Western medicine (Govt Free)

Information [Type= discrete] [Format=numeric] [Range= 7-7] [Missing=*]

File Information on Health (Section 3) (cont.)

#28 WESTERN_MEDICINE__GOVX: Western medicine (Govt Free) (cont.)

Statistics [NW/ W]		[Valid=408 /-] [Invalid=3528 /-]	
Value	Label	Cases	Percentage
7		408	100.0%
Sysmiss		3528	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#29 A__ORDER_OF_VISITYA: a. Order of visits

Information		[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]	
Statistics [NW/ W]		[Valid=408 /-] [Invalid=3528 /-]	
Value	Label	Cases	Percentage
1		189	46.3%
2		170	41.7%
3		44	10.8%
4		4	1.0%
5		1	0.2%
Sysmiss		3528	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#30 B__REASOTA: b. Reason

Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=408 /-] [Invalid=3528 /-]	
Value	Label	Cases	Percentage
1		99	24.3%
2		115	28.2%
3		153	37.5%
4		10	2.5%
5		18	4.4%
9		13	3.2%
Sysmiss		3528	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#31 C__DISTANCX: c. Distance

Information		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/ W]		[Valid=408 /-] [Invalid=3528 /-]	
Value	Label	Cases	Percentage
1		40	9.8%

File Information on Health (Section 3) (cont.)

#31 C__DISTANCX: c. Distance (cont.)

Value (cont.)	Label	Cases	Percentage
2		86	21.1%
3		282	69.1%
Sysmiss		3528	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#32 WESTERN_MEDICINE__GOVY: Western medicine (Govt Paying ward)

Information	[Type= discrete] [Format=numeric] [Range= 8-8] [Missing=*]
Statistics [NW/ W]	[Valid=106 /-] [Invalid=3830 /-]

Value	Label	Cases	Percentage
8		106	100.0%
Sysmiss		3830	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#33 A__ORDER_OF_VISITZA: a. Order of visits

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=106 /-] [Invalid=3830 /-]

Value	Label	Cases	Percentage
1		47	44.3%
2		49	46.2%
3		8	7.5%
4		2	1.9%
Sysmiss		3830	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#34 B__REASOUA: b. Reason

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=106 /-] [Invalid=3830 /-]

Value	Label	Cases	Percentage
1		15	14.2%
2		37	34.9%
3		44	41.5%
4		3	2.8%
5		5	4.7%
9		2	1.9%
Sysmiss		3830	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Information on Health (Section 3) (cont.)

#35 C__DISTANCY: c. Distance

Information [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*

Statistics [NW/ W] [Valid=106 /-] [Invalid=3830 /-]

Value	Label	Cases	Percentage
1		4	3.8%
2		23	21.7%
3		79	74.5%
Systemiss		3830	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#36 WESTAN_MEDICINE__PRIVATH: Westan medicine (private)

Information [Type= discrete] [Format=numeric] [Range= 9-9] [Missing=*

Statistics [NW/ W] [Valid=55 /-] [Invalid=3881 /-]

Value	Label	Cases	Percentage
9		55	100.0%
Systemiss		3881	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#37 A__ORDER_OF_VISITTC: a. Order of visits

Information [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*

Statistics [NW/ W] [Valid=55 /-] [Invalid=3881 /-]

Value	Label	Cases	Percentage
1		30	54.5%
2		15	27.3%
3		7	12.7%
4		3	5.5%
Systemiss		3881	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#38 B__REASOVA: b. Reason

Information [Type= discrete] [Format=numeric] [Range= 2-9] [Missing=*

Statistics [NW/ W] [Valid=55 /-] [Invalid=3881 /-]

Value	Label	Cases	Percentage
2		14	25.5%
3		27	49.1%
4		6	10.9%
5		7	12.7%

File Information on Health (Section 3) (cont.)

#38 B__REASOVA: b. Reason (cont.)

Value (cont.)	Label	Cases	Percentage
9		1	1.8%
Systemiss		3881	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#39 C__DISTANCZ: c. Distance

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=55 /-] [Invalid=3881 /-]		

Value	Label	Cases	Percentage
1		13	23.6%
2		11	20.0%
3		31	56.4%
Systemiss		3881	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#40 GOVT_DOCTORS__PRIVATE_PRACTICH: Govt doctors (private practice)

Information	[Type= discrete] [Format=numeric] [Range= 10-10] [Missing=*]		
Statistics [NW/ W]	[Valid=18 /-] [Invalid=3918 /-]		

Value	Label	Cases	Percentage
10		18	100.0%
Systemiss		3918	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#41 A__ORDER_OF_VISITUC: a. Order of visits

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=18 /-] [Invalid=3918 /-]		

Value	Label	Cases	Percentage
1		7	38.9%
2		6	33.3%
3		5	27.8%
Systemiss		3918	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#42 B__REASOWA: b. Reason

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=18 /-] [Invalid=3918 /-]		

File Information on Health (Section 3) (cont.)

#42 B__REASOWA: b. Reason (cont.)

Value	Label	Cases	Percentage
1		1	5.6%
2		2	11.1%
3		11	61.1%
5		3	16.7%
9		1	5.6%
Sysmiss		3918	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#43 C__DISTANCNA: c. Distance

Information	[Type= discrete] [Format=numeric] [Range= 2-3] [Missing=*]
Statistics [NW/ W]	[Valid=18 /-] [Invalid=3918 /-]

Value	Label	Cases	Percentage
2		6	33.3%
3		12	66.7%
Sysmiss		3918	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#44 AYURVEDIC__GOVT_FREH: Ayurvedic (govt free)

Information	[Type= discrete] [Format=numeric] [Range= 11-11] [Missing=*]
Statistics [NW/ W]	[Valid=52 /-] [Invalid=3884 /-]

Value	Label	Cases	Percentage
11		52	100.0%
Sysmiss		3884	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#45 A__ORDER_OF_VISITVC: a. Order of visits

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=52 /-] [Invalid=3884 /-]

Value	Label	Cases	Percentage
1		24	46.2%
2		18	34.6%
3		7	13.5%
5		2	3.8%
8		1	1.9%
Sysmiss		3884	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Information on Health (Section 3) (cont.)

#46 B__REASOXA: b. Reason

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=52 /-] [Invalid=3884 /-]		
Value	Label	Cases	Percentage
1		12	23.1%
2		6	11.5%
3		28	53.8%
5		4	7.7%
9		2	3.8%
Sysmiss		3884	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#47 C__DISTANCOA: c. Distance

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=52 /-] [Invalid=3884 /-]		
Value	Label	Cases	Percentage
1		5	9.6%
2		9	17.3%
3		38	73.1%
Sysmiss		3884	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#48 AYURVEDIC__GOVT_PAIG: Ayurvedic (Govt Paid)

Information	[Type= discrete] [Format=numeric] [Range= 12-12] [Missing=*]		
Statistics [NW/ W]	[Valid=5 /-] [Invalid=3931 /-]		
Value	Label	Cases	Percentage
12		5	100.0%
Sysmiss		3931	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#49 A__ORDER_OF_VISITWC: a. Order of visits

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=5 /-] [Invalid=3931 /-]		
Value	Label	Cases	Percentage
1		3	60.0%
2		2	40.0%
Sysmiss		3931	

File Information on Health (Section 3) (cont.)

#49 A__ORDER_OF_VISITWC: a. Order of visits (cont.)

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#50 B__REASOYA: b. Reason

Information [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]

Statistics [NW/ W] [Valid=5 /-] [Invalid=3931 /-]

Value	Label	Cases	Percentage
1		1	20.0%
2		2	40.0%
5		1	20.0%
9		1	20.0%
Sysmiss		3931	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#51 C__DISTANCPA: c. Distance

Information [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]

Statistics [NW/ W] [Valid=5 /-] [Invalid=3931 /-]

Value	Label	Cases	Percentage
1		1	20.0%
2		3	60.0%
3		1	20.0%
Sysmiss		3931	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#52 AYURVEDIC__PRIVATH: Ayurvedic (Private)

Information [Type= discrete] [Format=numeric] [Range= 1-13] [Missing=*]

Statistics [NW/ W] [Valid=44 /-] [Invalid=3892 /-]

Value	Label	Cases	Percentage
1		1	2.3%
13		43	97.7%
Sysmiss		3892	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#53 A__ORDER_OF_VISITXD: a. Order of visits

Information [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]

Statistics [NW/ W] [Valid=44 /-] [Invalid=3892 /-]

File Information on Health (Section 3) (cont.)

#53 A__ORDER_OF_VISITXD: a. Order of visits (cont.)

Value	Label	Cases	Percentage
1		24	54.5%
2		15	34.1%
3		4	9.1%
4		1	2.3%
Sysmiss		3892	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#54 B__REASOZB: b. Reason

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=44 /-] [Invalid=3892 /-]

Value	Label	Cases	Percentage
1		11	25.0%
2		7	15.9%
3		20	45.5%
4		3	6.8%
5		2	4.5%
9		1	2.3%
Sysmiss		3892	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#55 C__DISTANCQA: c. Distance

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=44 /-] [Invalid=3892 /-]

Value	Label	Cases	Percentage
1		7	15.9%
2		11	25.0%
3		26	59.1%
Sysmiss		3892	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#56 HOME_REMESIEE: Home remedies

Information	[Type= discrete] [Format=numeric] [Range= 14-14] [Missing=*]
Statistics [NW/ W]	[Valid=169 /-] [Invalid=3767 /-]

Value	Label	Cases	Percentage
14		169	100.0%
Sysmiss		3767	

File Information on Health (Section 3) (cont.)

#56 HOME_REMESIEE: Home remedies (cont.)

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#57 A__ORDER_OF_VISITXE: a. Order of visits

Information [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]

Statistics [NW/ W] [Valid=169 /-] [Invalid=3767 /-]

Value	Label	Cases	Percentage
1		134	79.3%
2		20	11.8%
3		10	5.9%
4		5	3.0%
Sysmiss		3767	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#58 B__REASOZC: b. Reason

Information [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]

Statistics [NW/ W] [Valid=169 /-] [Invalid=3767 /-]

Value	Label	Cases	Percentage
1		45	26.6%
2		5	3.0%
3		17	10.1%
4		10	5.9%
5		53	31.4%
9		39	23.1%
Sysmiss		3767	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#59 INFLATION_FACTORA: Inflation factor

Information [Type= discrete] [Format=numeric] [Range= 345-87243] [Missing=*]

Statistics [NW/ W] [Valid=3936 /-] [Invalid=0 /-]

File Information on Health (Section 3)

#1 REC\$TYPE

Information [Type= discrete] [Format=character] [Missing=*]

File Information on Health (Section 3) (cont.)

#1 REC\$TYPE

Statistics [NW/ W]	[Valid=24024 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
11		24024	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#2 WHETHER_ANY_MEMBER_INJURED_IN: Whether any member injured in.. an accident during last 12 month

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=24019 /-] [Invalid=5 /-]		
Value	Label	Cases	Percentage
1		796	3.3%
2		23223	96.7%
Sysmiss		5	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#3 IF__YES__NO_OF_PERSON: If 'yes' no of person

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=796 /-] [Invalid=23228 /-]		
Value	Label	Cases	Percentage
1		768	96.5%
2		28	3.5%
Sysmiss		23228	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#4 SERIAL_NUMBER_OF_THE_PERSONA: Serial number of the person

Information	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]		
Statistics [NW/ W]	[Valid=800 /-] [Invalid=23224 /-]		
Value	Label	Cases	Percentage
1		321	40.1%
2		122	15.3%
3		97	12.1%
4		77	9.6%
5		70	8.8%
6		34	4.3%
7		14	1.8%
8		8	1.0%
9		4	0.5%

File Information on Health (Section 3) (cont.)

#4 SERIAL_NUMBER_OF_THE_PERSONA: Serial number of the person (cont.)

Value (cont.)	Label	Cases	Percentage
10		1	0.1%
90		45	5.6%
91		1	0.1%
99		6	0.8%
Sysmiss		23224	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#5 TYPE_OF_THE_ACCIDENT_A__ACCIDENT: Type of the accident A. Accidents at home

Information	[Type= discrete] [Format=numeric] [Range= 100-100] [Missing=*]
Statistics [NW/ W]	[Valid=238 /-] [Invalid=23786 /-]

Value	Label	Cases	Percentage
100		238	100.0%
Sysmiss		23786	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#6 TYPE_OF_THE_ACCIDENT_B__TRANSPOR: Type of the accident B. Transport accidents

Information	[Type= discrete] [Format=numeric] [Range= 200-200] [Missing=*]
Statistics [NW/ W]	[Valid=228 /-] [Invalid=23796 /-]

Value	Label	Cases	Percentage
200		228	100.0%
Sysmiss		23796	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#7 TYPE_OF_THE_ACCIDENT_C_OCCUPATIO: Type of the accident C.Occupational accidents

Information	[Type= discrete] [Format=numeric] [Range= 300-300] [Missing=*]
Statistics [NW/ W]	[Valid=76 /-] [Invalid=23948 /-]

Value	Label	Cases	Percentage
300		76	100.0%
Sysmiss		23948	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#8 TYPE_OF_THE_ACCIDENT_C_A__NON_AG: Type of the accident C.a. Non Agricultural

Information	[Type= discrete] [Format=numeric] [Range= 310-310] [Missing=*]
Statistics [NW/ W]	[Valid=13 /-] [Invalid=24011 /-]

File Information on Health (Section 3) (cont.)

#8 TYPE_OF_THE_ACCIDENT_C_A_NON_AG: Type of the accident C.a. Non Agricultural (cont.)

Value	Label	Cases	Percentage
310		13	100.0%
Sysmiss		24011	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#9 TYPE_OF_THE_ACCIDENT_C_B_AGRICU: Type of the accident C.b. Agricultural

Information	[Type= discrete] [Format=numeric] [Range= 320-320] [Missing=*]		
Statistics [NW/ W]	[Valid=23 /-] [Invalid=24001 /-]		
Value	Label	Cases	Percentage
320		23	100.0%
Sysmiss		24001	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#10 TYPE_OF_THE_ACCIDENT_C_B_1_MACHI: Type of the accident C.b.1.Machinery

Information	[Type= discrete] [Format=numeric] [Range= 321-321] [Missing=*]		
Statistics [NW/ W]	[Valid=9 /-] [Invalid=24015 /-]		
Value	Label	Cases	Percentage
321		9	100.0%
Sysmiss		24015	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#11 TYPE_OF_THE_ACCIDENT_C_B_2_PESTI: Type of the accident C.b.2.Pesticides

Information	[Type= discrete] [Format=numeric] [Range= 322-322] [Missing=*]		
Statistics [NW/ W]	[Valid=7 /-] [Invalid=24017 /-]		
Value	Label	Cases	Percentage
322		7	100.0%
Sysmiss		24017	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#12 TYPE_OF_THE_ACCIDENT_C_B_3_OTHE: Type of the accident C.b.3. Other

Information	[Type= discrete] [Format=numeric] [Range= 329-329] [Missing=*]		
Statistics [NW/ W]	[Valid=27 /-] [Invalid=23997 /-]		
Value	Label	Cases	Percentage
329		27	100.0%
Sysmiss		23997	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Information on Health (Section 3) (cont.)

#13 TYPE_OF_THE_ACCIDENT_D__SPORTS_A: Type of the accident D. Sports accidents

Information	[Type= discrete] [Format=numeric] [Range= 400-400] [Missing=*]		
Statistics [NW/ W]	[Valid=37 /-] [Invalid=23987 /-]		
Value	Label	Cases	Percentage
400		37	100.0%
Systemiss		23987	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#14 TYPE_OF_THE_ACCIDENT_E__ACCIDENT: Type of the accident E. Accidents due to natural and environmental factors

Information	[Type= discrete] [Format=numeric] [Range= 500-500] [Missing=*]		
Statistics [NW/ W]	[Valid=54 /-] [Invalid=23970 /-]		
Value	Label	Cases	Percentage
500		54	100.0%
Systemiss		23970	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#15 TYPE_OF_THE_ACCIDENT_F__OTHER: Type of the accident F. Other

Information	[Type= discrete] [Format=numeric] [Range= 900-900] [Missing=*]		
Statistics [NW/ W]	[Valid=91 /-] [Invalid=23933 /-]		
Value	Label	Cases	Percentage
900		91	100.0%
Systemiss		23933	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#16 KIND_OF_IMPAIRMENT_A__ORAL: Kind of impairment a. Oral

Information	[Type= discrete] [Format=numeric] [Range= 1-1] [Missing=*]		
Statistics [NW/ W]	[Valid=12 /-] [Invalid=24012 /-]		
Value	Label	Cases	Percentage
1		12	100.0%
Systemiss		24012	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#17 KIND_OF_IMPAIRMENT_B__LANGUAGE: Kind of impairment b. Language

Information	[Type= discrete] [Format=numeric] [Range= 2-2] [Missing=*]		
Statistics [NW/ W]	[Valid=18 /-] [Invalid=24006 /-]		

File Information on Health (Section 3) (cont.)

#17 KIND_OF_IMPAIRMENT_B__LANGUAGE: Kind of impairment b. Language (cont.)

Value	Label	Cases	Percentage
2		18	100.0%
Systemiss		24006	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#18 KIND_OF_IMPAIRMENT_C__OCULAR: Kind of impairment c. Ocular

Information	[Type= discrete] [Format=numeric] [Range= 3-3] [Missing=*]		
Statistics [NW/ W]	[Valid=38 /-] [Invalid=23986 /-]		
Value	Label	Cases	Percentage
3		38	100.0%
Systemiss		23986	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#19 KIND_OF_IMPAIRMENT_D__VISCERAL: Kind of impairment d. Visceral

Information	[Type= discrete] [Format=numeric] [Range= 4-4] [Missing=*]		
Statistics [NW/ W]	[Valid=69 /-] [Invalid=23955 /-]		
Value	Label	Cases	Percentage
4		69	100.0%
Systemiss		23955	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#20 KIND_OF_IMPAIRMENT_E__SKELETAL: Kind of impairment e. Skeletal

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=523 /-] [Invalid=23501 /-]		
Value	Label	Cases	Percentage
1		1	0.2%
5		522	99.8%
Systemiss		23501	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#21 KIND_OF_IMPAIRMENT_F__OTHER: Kind of impairment f. other

Information	[Type= discrete] [Format=numeric] [Range= 9-9] [Missing=*]		
Statistics [NW/ W]	[Valid=158 /-] [Invalid=23866 /-]		
Value	Label	Cases	Percentage
9		158	100.0%

File Information on Health (Section 3) (cont.)

#21 KIND_OF_IMPAIRMENT_F__OTHER: Kind of impairment f. other (cont.)

Value (cont.)	Label	Cases	Percentage
1		23866	
3			
Systemiss			

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#22 NATURE_OF_DISABILITY_A__LOCOMOTO: Nature of disability a. locomotor

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=300 /-] [Invalid=23724 /-]		
Value	Label	Cases	Percentage
1		299	99.7%
3		1	0.3%
Systemiss		23724	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#23 NATURE_OF_DISABILITY_B__COMMUNIC: Nature of disability b. communication

Information	[Type= discrete] [Format=numeric] [Range= 2-2] [Missing=*]		
Statistics [NW/ W]	[Valid=49 /-] [Invalid=23975 /-]		
Value	Label	Cases	Percentage
2		49	100.0%
Systemiss		23975	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#24 NATURE_OF_DISABILITY_C__PERSONAL: Nature of disability c. personal care

Information	[Type= discrete] [Format=numeric] [Range= 3-3] [Missing=*]		
Statistics [NW/ W]	[Valid=70 /-] [Invalid=23954 /-]		
Value	Label	Cases	Percentage
3		70	100.0%
Systemiss		23954	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#25 NATURE_OF_DISABILITY_D__DEXTERIT: Nature of disability d. dexterity

Information	[Type= discrete] [Format=numeric] [Range= 4-4] [Missing=*]		
Statistics [NW/ W]	[Valid=184 /-] [Invalid=23840 /-]		
Value	Label	Cases	Percentage
4		184	100.0%
Systemiss		23840	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Information on Health (Section 3) (cont.)

#26 NATURE_OF_DISABILITY_E__OTHER: Nature of disability e. other

Information	[Type= discrete] [Format=numeric] [Range= 9-9] [Missing=*]		
Statistics [NW/ W]	[Valid=203 /-] [Invalid=23821 /-]		
Value	Label	Cases	Percentage
9		203	100.0%
Sysmiss		23821	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#27 SERIAL_NUMBER_OF_THE_PERSONB: Serial number of the person

Information	[Type= discrete] [Format=numeric] [Range= 1-91] [Missing=*]		
Statistics [NW/ W]	[Valid=35 /-] [Invalid=23989 /-]		
Value	Label	Cases	Percentage
1		1	2.9%
2		4	11.4%
3		8	22.9%
4		4	11.4%
5		5	14.3%
6		2	5.7%
7		1	2.9%
8		2	5.7%
9		1	2.9%
10		1	2.9%
31		1	2.9%
90		4	11.4%
91		1	2.9%
Sysmiss		23989	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#28 TYPE_OF_THE_ACCIDENT_A__ACCIDENU: Type of the accident A. Accidents at home

Information	[Type= discrete] [Format=numeric] [Range= 1-100] [Missing=*]		
Statistics [NW/ W]	[Valid=12 /-] [Invalid=24012 /-]		
Value	Label	Cases	Percentage
1		1	8.3%
100		11	91.7%
Sysmiss		24012	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Information on Health (Section 3) (cont.)

#29 TYPE_OF_THE_ACCIDENT_B__TRANSPOS: Type of the accident B. Transport accidents

Information	[Type= discrete] [Format=numeric] [Range= 200-200] [Missing=*]		
Statistics [NW/ W]	[Valid=10 /-] [Invalid=24014 /-]		
Value	Label	Cases	Percentage
200		10	100.0%
Sysmiss		24014	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#30 TYPE_OF_THE_ACCIDENT_C_OCCUPATIP: Type of the accident C.Occupational accidents

Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=24024 /-]		
Value	Label	Cases	Percentage
Sysmiss		24024	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#31 TYPE_OF_THE_ACCIDENT_C_A__NON_AH: Type of the accident C.a. Non Agricultural

Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=24024 /-]		
Value	Label	Cases	Percentage
Sysmiss		24024	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#32 TYPE_OF_THE_ACCIDENT_C_B__AGRICV: Type of the accident C.b. Agricultural

Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=24024 /-]		
Value	Label	Cases	Percentage
Sysmiss		24024	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#33 TYPE_OF_THE_ACCIDENT_C_B_1_MACHJ: Type of the accident C.b.1.Machinery

Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=24024 /-]		
Value	Label	Cases	Percentage
Sysmiss		24024	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

File Information on Health (Section 3) (cont.)

#34 TYPE_OF_THE_ACCIDENT_C_B_2_PESTJ: Type of the accident C.b.2.Pesticides

Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=24024 /-]		
Value	Label	Cases	Percentage
Sysmiss		24024	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#35 TYPE_OF_THE_ACCIDENT_C_B_3__OTHF: Type of the accident C.b.3. Other

Information	[Type= discrete] [Format=numeric] [Range= 329-329] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=24023 /-]		
Value	Label	Cases	Percentage
329		1	100.0%
Sysmiss		24023	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#36 TYPE_OF_THE_ACCIDENT_D__SPORTS_B: Type of the accident D. Sports accidents

Information	[Type= discrete] [Format=numeric] [Range= 400-400] [Missing=*]		
Statistics [NW/ W]	[Valid=2 /-] [Invalid=24022 /-]		
Value	Label	Cases	Percentage
400		2	100.0%
Sysmiss		24022	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#37 TYPE_OF_THE_ACCIDENT_E__ACCIDENU: Type of the accident E. Accidents due to natural and environmental factors

Information	[Type= discrete] [Format=numeric] [Range= 500-500] [Missing=*]		
Statistics [NW/ W]	[Valid=5 /-] [Invalid=24019 /-]		
Value	Label	Cases	Percentage
500		5	100.0%
Sysmiss		24019	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#38 TYPE_OF_THE_ACCIDENT_F__OTHES: Type of the accident F. Other

Information	[Type= discrete] [Format=numeric] [Range= 900-900] [Missing=*]		
Statistics [NW/ W]	[Valid=5 /-] [Invalid=24019 /-]		

File Information on Health (Section 3) (cont.)

#38 TYPE_OF_THE_ACCIDENT_F__OTHES: Type of the accident F. Other (cont.)

Value	Label	Cases	Percentage
900		5	100.0%
Sysmiss		24019	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#39 KIND_OF_IMPAIREMENT_A__ORAM: Kind of impairment a. Oral

Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=24024 /-]		

Value	Label	Cases	Percentage
Sysmiss		24024	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#40 KIND_OF_IMPAIREMENT_B__LANGUAGF: Kind of impairment b. Language

Information	[Type= discrete] [Format=numeric] [Range= 2-2] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=24023 /-]		

Value	Label	Cases	Percentage
2		1	100.0%
Sysmiss		24023	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#41 KIND_OF_IMPAIREMENT_C__OCULAS: Kind of impairment c. Ocular

Information	[Type= discrete] [Format=numeric] [Range= 3-3] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=24023 /-]		

Value	Label	Cases	Percentage
3		1	100.0%
Sysmiss		24023	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#42 KIND_OF_IMPAIREMENT_D__VISCERAM: Kind of impairment d. Visceral

Information	[Type= discrete] [Format=numeric] [Range= 4-5] [Missing=*]		
Statistics [NW/ W]	[Valid=5 /-] [Invalid=24019 /-]		

Value	Label	Cases	Percentage
4		4	80.0%
5		1	20.0%
Sysmiss		24019	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Information on Health (Section 3) (cont.)

#43 KIND_OF_IMPAIREMENT_E__SKELETAM: Kind of impairment e. Skeletal

Information	[Type= discrete] [Format=numeric] [Range= 5-5] [Missing=*]		
Statistics [NW/ W]	[Valid=21 /-] [Invalid=24003 /-]		
Value	Label	Cases	Percentage
5		21	100.0%
Sysmiss		24003	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#44 KIND_OF_IMPAIREMENT_F__OTHES: Kind of impairment f. other

Information	[Type= discrete] [Format=numeric] [Range= 9-9] [Missing=*]		
Statistics [NW/ W]	[Valid=7 /-] [Invalid=24017 /-]		
Value	Label	Cases	Percentage
9		7	100.0%
Sysmiss		24017	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#45 NATURE_OF_DISABILITY_A__LOCOMOTP: Nature of disability a. locomotor

Information	[Type= discrete] [Format=numeric] [Range= 1-1] [Missing=*]		
Statistics [NW/ W]	[Valid=15 /-] [Invalid=24009 /-]		
Value	Label	Cases	Percentage
1		15	100.0%
Sysmiss		24009	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#46 NATURE_OF_DISABILITY_B__COMMUNID: Nature of disability b. communication

Information	[Type= discrete] [Format=numeric] [Range= 2-2] [Missing=*]		
Statistics [NW/ W]	[Valid=4 /-] [Invalid=24020 /-]		
Value	Label	Cases	Percentage
2		4	100.0%
Sysmiss		24020	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#47 NATURE_OF_DISABILITY_C__PERSONAM: Nature of disability c. personal care

Information	[Type= discrete] [Format=numeric] [Range= 3-3] [Missing=*]		
Statistics [NW/ W]	[Valid=4 /-] [Invalid=24020 /-]		

File Information on Health (Section 3) (cont.)

#47 NATURE_OF_DISABILITY_C_PERSONAM: Nature of disability c. personal care (cont.)

Value	Label	Cases	Percentage
3		4	100.0%
Systemiss		24020	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#48 NATURE_OF_DISABILITY_D_DEXTERIU: Nature of disability d. dexterity

Information	[Type= discrete] [Format=numeric] [Range= 4-4] [Missing=*]		
Statistics [NW/ W]	[Valid=4 /-] [Invalid=24020 /-]		
Value	Label	Cases	Percentage
4		4	100.0%
Systemiss		24020	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#49 NATURE_OF_DISABILITY_E_OTHES: Nature of disability e. other

Information	[Type= discrete] [Format=numeric] [Range= 9-9] [Missing=*]		
Statistics [NW/ W]	[Valid=7 /-] [Invalid=24017 /-]		
Value	Label	Cases	Percentage
9		7	100.0%
Systemiss		24017	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#50 INFLATION_FACTORB: Inflation factor

Information	[Type= discrete] [Format=numeric] [Range= 345-223969] [Missing=*]		
Statistics [NW/ W]	[Valid=24024 /-] [Invalid=0 /-]		

File Information on Health (Section 3)

#1 REC\$TYPE

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=819 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
12		819	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Information on Health (Section 3) (cont.)

#2 BLANR: blank

Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=819 /-]		
Value	Label	Cases	Percentage
Sysmiss		819	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#3 SERIAL_NUMBER_OF_THE_PERSONC: Serial number of the person

Information	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]		
Statistics [NW/ W]	[Valid=819 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1		323	39.4%
2		126	15.4%
3		105	12.8%
4		81	9.9%
5		75	9.2%
6		36	4.4%
7		15	1.8%
8		10	1.2%
9		4	0.5%
10		2	0.2%
31		1	0.1%
90		35	4.3%
91		1	0.1%
99		5	0.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#4 WHICH_PART_OF_THE_BODY_AFFECTED: Which part of the body affected

Information	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]		
Statistics [NW/ W]	[Valid=805 /-] [Invalid=14 /-]		
Frequency table not shown (36 Modalities)			

#5 WESTERN_MEDICINE__GOVZ: Western medicine (Govt)

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]		
Statistics [NW/ W]	[Valid=349 /-] [Invalid=470 /-]		
Value	Label	Cases	Percentage
1		348	99.7%

File Information on Health (Section 3) (cont.)

#5 WESTERN_MEDICINE__GOVZ: Western medicine (Govt) (cont.)

Value (cont.)	Label	Cases	Percentage
6		1	0.3%
Sysmiss		470	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#6 A__ORDER_OF_VISITSB: a. Order of visits

Information	[Type= discrete] [Format=numeric] [Range= 1-41] [Missing=*]		
Statistics [NW/ W]	[Valid=348 /-] [Invalid=471 /-]		

Value	Label	Cases	Percentage
1		276	79.3%
2		68	19.5%
3		2	0.6%
4		1	0.3%
41		1	0.3%
Sysmiss		471	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#7 B__REASONB: b. Reason

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=348 /-] [Invalid=471 /-]		

Value	Label	Cases	Percentage
1		83	23.9%
2		102	29.3%
3		88	25.3%
4		41	11.8%
5		30	8.6%
9		4	1.1%
Sysmiss		471	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#8 C__DISTANCEA: c. Distance

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=344 /-] [Invalid=475 /-]		

Value	Label	Cases	Percentage
1		48	14.0%
2		114	33.1%
3		182	52.9%

File Information on Health (Section 3) (cont.)

#8 C__DISTANCEA: c. Distance (cont.)

Value (cont.)	Label	Cases	Percentage
Sysmiss		475	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#9 WESTAN_MEDICINE__PRIVATI: Westan medicine (private)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=134 /-] [Invalid=685 /-]		
Value	Label	Cases	Percentage
1		1	0.7%
2		133	99.3%
Sysmiss		685	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#10 A__ORDER_OF_VISITTD: a. Order of visits

Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]		
Statistics [NW/ W]	[Valid=134 /-] [Invalid=685 /-]		
Value	Label	Cases	Percentage
1		92	68.7%
2		37	27.6%
3		3	2.2%
4		1	0.7%
7		1	0.7%
Sysmiss		685	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#11 B__REASOOB: b. Reason

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=134 /-] [Invalid=685 /-]		
Value	Label	Cases	Percentage
1		4	3.0%
2		50	37.3%
3		37	27.6%
4		22	16.4%
5		18	13.4%
9		3	2.2%
Sysmiss		685	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Information on Health (Section 3) (cont.)

#12 C__DISTANCF A: c. Distance

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*		
Statistics [NW/ W]	[Valid=132 /-] [Invalid=687 /-]		
Value	Label	Cases	Percentage
1		47	35.6%
2		46	34.8%
3		39	29.5%
Sysmiss		687	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#13 GOVT_DOCTORS__PRIVATE_PRACTICI: Govt doctors (private practice)

Information	[Type= discrete] [Format=numeric] [Range= 3-3] [Missing=*		
Statistics [NW/ W]	[Valid=11 /-] [Invalid=808 /-]		
Value	Label	Cases	Percentage
3		11	100.0%
Sysmiss		808	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#14 A__ORDER_OF_VISITUD: a. Order of visits

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*		
Statistics [NW/ W]	[Valid=11 /-] [Invalid=808 /-]		
Value	Label	Cases	Percentage
1		8	72.7%
2		3	27.3%
Sysmiss		808	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#15 B__REASOPB: b. Reason

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*		
Statistics [NW/ W]	[Valid=11 /-] [Invalid=808 /-]		
Value	Label	Cases	Percentage
1		2	18.2%
2		4	36.4%
3		4	36.4%
4		1	9.1%
Sysmiss		808	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Information on Health (Section 3) (cont.)

#16 C__DISTANCGA: c. Distance

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=11 /-] [Invalid=808 /-]		
Value	Label	Cases	Percentage
1		5	45.5%
2		2	18.2%
3		4	36.4%
Sysmiss		808	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#17 AYURVEDIC__GOVT_FREI: Ayurvedic (govt free)

Information	[Type= discrete] [Format=numeric] [Range= 4-4] [Missing=*]		
Statistics [NW/ W]	[Valid=14 /-] [Invalid=805 /-]		
Value	Label	Cases	Percentage
4		14	100.0%
Sysmiss		805	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#18 A__ORDER_OF_VISITVD: a. Order of visits

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=14 /-] [Invalid=805 /-]		
Value	Label	Cases	Percentage
1		6	42.9%
2		5	35.7%
3		3	21.4%
Sysmiss		805	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#19 B__REASOQB: b. Reason

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=14 /-] [Invalid=805 /-]		
Value	Label	Cases	Percentage
1		3	21.4%
2		2	14.3%
3		6	42.9%
4		1	7.1%
5		2	14.3%

File Information on Health (Section 3) (cont.)

#19 B__REASOQB: b. Reason (cont.)

Value (cont.)	Label	Cases	Percentage
Sysmiss		805	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#20 C__DISTANCHA: c. Distance

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=14 /-] [Invalid=805 /-]		
Value	Label	Cases	Percentage
1		4	28.6%
2		5	35.7%
3		5	35.7%
Sysmiss		805	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#21 AYURVEDIC__GOVT_PAIH: Ayurvedic (Govt Paid)

Information	[Type= discrete] [Format=numeric] [Range= 5-5] [Missing=*]		
Statistics [NW/ W]	[Valid=19 /-] [Invalid=800 /-]		
Value	Label	Cases	Percentage
5		19	100.0%
Sysmiss		800	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#22 A__ORDER_OF_VISITWD: a. Order of visits

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=19 /-] [Invalid=800 /-]		
Value	Label	Cases	Percentage
1		8	42.1%
2		9	47.4%
3		2	10.5%
Sysmiss		800	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#23 B__REASORB: b. Reason

Information	[Type= discrete] [Format=numeric] [Range= 2-5] [Missing=*]		
Statistics [NW/ W]	[Valid=19 /-] [Invalid=800 /-]		

File Information on Health (Section 3) (cont.)

#23 B__REASORB: b. Reason (cont.)

Value	Label	Cases	Percentage
2		4	21.1%
3		14	73.7%
5		1	5.3%
Sysmiss		800	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#24 C__DISTANCIA: c. Distance

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*		
Statistics [NW/ W]	[Valid=19 /-] [Invalid=800 /-]		
Value	Label	Cases	Percentage
1		1	5.3%
2		9	47.4%
3		9	47.4%
Sysmiss		800	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#25 AYURVEDIC__PRIVATI: Ayurvedic (Private)

Information	[Type= discrete] [Format=numeric] [Range= 6-6] [Missing=*		
Statistics [NW/ W]	[Valid=203 /-] [Invalid=616 /-]		
Value	Label	Cases	Percentage
6		203	100.0%
Sysmiss		616	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#26 A__ORDER_OF_VISITXF: a. Order of visits

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*		
Statistics [NW/ W]	[Valid=202 /-] [Invalid=617 /-]		
Value	Label	Cases	Percentage
1		128	63.4%
2		63	31.2%
3		8	4.0%
4		2	1.0%
6		1	0.5%
Sysmiss		617	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Information on Health (Section 3) (cont.)

#27 B__REASOSB: b. Reason

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=203 /-] [Invalid=616 /-]		
Value	Label	Cases	Percentage
1		4	2.0%
2		35	17.2%
3		127	62.6%
4		17	8.4%
5		14	6.9%
9		6	3.0%
Sysmiss		616	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#28 C__DISTANCJA: c. Distance

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=200 /-] [Invalid=619 /-]		
Value	Label	Cases	Percentage
1		32	16.0%
2		72	36.0%
3		96	48.0%
Sysmiss		619	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#29 WESTERN_MEDICINE__GOVUA: Western medicine (Govt Free)

Information	[Type= discrete] [Format=numeric] [Range= 2-7] [Missing=*]		
Statistics [NW/ W]	[Valid=222 /-] [Invalid=597 /-]		
Value	Label	Cases	Percentage
2		2	0.9%
6		1	0.5%
7		219	98.6%
Sysmiss		597	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#30 A__ORDER_OF_VISITYB: a. Order of visits

Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]		
Statistics [NW/ W]	[Valid=220 /-] [Invalid=599 /-]		

File Information on Health (Section 3) (cont.)

#30 A__ORDER_OF_VISITYB: a. Order of visits (cont.)

Value	Label	Cases	Percentage
1		191	86.8%
2		18	8.2%
3		10	4.5%
7		1	0.5%
Sysmiss		599	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#31 B__REASOTB: b. Reason

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=221 /-] [Invalid=598 /-]

Value	Label	Cases	Percentage
1		41	18.6%
2		54	24.4%
3		80	36.2%
4		11	5.0%
5		30	13.6%
9		5	2.3%
Sysmiss		598	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#32 C__DISTANCKA: c. Distance

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=219 /-] [Invalid=600 /-]

Value	Label	Cases	Percentage
1		15	6.8%
2		51	23.3%
3		153	69.9%
Sysmiss		600	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#33 WESTERN_MEDICINE__GOVVA: Western medicine (Govt Paying ward)

Information	[Type= discrete] [Format=numeric] [Range= 8-8] [Missing=*]
Statistics [NW/ W]	[Valid=4 /-] [Invalid=815 /-]

Value	Label	Cases	Percentage
8		4	100.0%
Sysmiss		815	

File Information on Health (Section 3) (cont.)

#33 WESTERN_MEDICINE__GOVVA: Western medicine (Govt Paying ward) (cont.)

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#34 A__ORDER_OF_VISITZB: a. Order of visits

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W] [Valid=4 /-] [Invalid=815 /-]

Value	Label	Cases	Percentage
1		1	25.0%
2		3	75.0%
Sysmiss		815	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#35 B__REASOUB: b. Reason

Information [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]

Statistics [NW/ W] [Valid=4 /-] [Invalid=815 /-]

Value	Label	Cases	Percentage
1		1	25.0%
2		1	25.0%
3		2	50.0%
Sysmiss		815	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#36 C__DistanCLA: c. Distance

Information [Type= discrete] [Format=numeric] [Range= 2-3] [Missing=*]

Statistics [NW/ W] [Valid=4 /-] [Invalid=815 /-]

Value	Label	Cases	Percentage
2		1	25.0%
3		3	75.0%
Sysmiss		815	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#37 WESTAN_MEDICINE__PRIVATJ: Westan medicine (private)

Information [Type= discrete] [Format=numeric] [Range= 9-9] [Missing=*]

Statistics [NW/ W] [Valid=10 /-] [Invalid=809 /-]

Value	Label	Cases	Percentage
9		10	100.0%
Sysmiss		809	

File Information on Health (Section 3) (cont.)

#37 WESTAN_MEDICINE__PRIVATJ: Westan medicine (private) (cont.)

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#38 A__ORDER_OF_VISITTE: a. Order of visits

Information [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]

Statistics [NW/ W] [Valid=10 /-] [Invalid=809 /-]

Value	Label	Cases	Percentage
1		7	70.0%
2		1	10.0%
3		1	10.0%
4		1	10.0%
Sysmiss		809	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#39 B__REASOVB: b. Reason

Information [Type= discrete] [Format=numeric] [Range= 2-5] [Missing=*]

Statistics [NW/ W] [Valid=10 /-] [Invalid=809 /-]

Value	Label	Cases	Percentage
2		3	30.0%
3		4	40.0%
4		1	10.0%
5		2	20.0%
Sysmiss		809	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#40 C__DISTANCM: c. Distance

Information [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]

Statistics [NW/ W] [Valid=10 /-] [Invalid=809 /-]

Value	Label	Cases	Percentage
1		2	20.0%
2		2	20.0%
3		6	60.0%
Sysmiss		809	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#41 GOVT_DOCTORS__PRIVATE_PRACTICJ: Govt doctors (private practice)

Information [Type= discrete] [Format=numeric] [Range= 10-10] [Missing=*]

File Information on Health (Section 3) (cont.)

#41 GOVT_DOCTORS__PRIVATE_PRACTICJ: Govt doctors (private practice) (cont.)

Statistics [NW/ W]	[Valid=1 /-] [Invalid=818 /-]		
Value	Label	Cases	Percentage
10		1	100.0%
Systemiss		818	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#42 A__ORDER_OF_VISITUE: a. Order of visits

Information	[Type= discrete] [Format=numeric] [Range= 2-2] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=818 /-]		
Value	Label	Cases	Percentage
2		1	100.0%
Systemiss		818	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#43 B__REASOWB: b. Reason

Information	[Type= discrete] [Format=numeric] [Range= 3-3] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=818 /-]		
Value	Label	Cases	Percentage
3		1	100.0%
Systemiss		818	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#44 C__DISTANCNB: c. Distance

Information	[Type= discrete] [Format=numeric] [Range= 2-2] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=818 /-]		
Value	Label	Cases	Percentage
2		1	100.0%
Systemiss		818	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#45 AYURVEDIC__GOVT_FREJ: Ayurvedic (govt free)

Information	[Type= discrete] [Format=numeric] [Range= 11-11] [Missing=*]		
Statistics [NW/ W]	[Valid=3 /-] [Invalid=816 /-]		
Value	Label	Cases	Percentage
11		3	100.0%

File Information on Health (Section 3) (cont.)

#45 AYURVEDIC__GOVT_FREJ: Ayurvedic (govt free) (cont.)

Value (cont.)	Label	Cases	Percentage
Sysmiss		816	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#46 A__ORDER_OF_VISITVE: a. Order of visits

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=3 /-] [Invalid=816 /-]		
Value	Label	Cases	Percentage
1		1	33.3%
2		2	66.7%
Sysmiss		816	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#47 B__REASOXB: b. Reason

Information	[Type= discrete] [Format=numeric] [Range= 2-5] [Missing=*]		
Statistics [NW/ W]	[Valid=3 /-] [Invalid=816 /-]		
Value	Label	Cases	Percentage
2		1	33.3%
3		1	33.3%
5		1	33.3%
Sysmiss		816	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#48 C__DISTANCOB: c. Distance

Information	[Type= discrete] [Format=numeric] [Range= 3-3] [Missing=*]		
Statistics [NW/ W]	[Valid=3 /-] [Invalid=816 /-]		
Value	Label	Cases	Percentage
3		3	100.0%
Sysmiss		816	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#49 AYURVEDIC__GOVT_PAII: Ayurvedic (Govt Paid)

Information	[Type= discrete] [Format=numeric] [Range= 12-12] [Missing=*]		
Statistics [NW/ W]	[Valid=3 /-] [Invalid=816 /-]		

File Information on Health (Section 3) (cont.)

#49 AYURVEDIC__GOVT_PAI: Ayurvedic (Govt Paid) (cont.)

Value	Label	Cases	Percentage
12		3	100.0%
Sysmiss		816	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#50 A__ORDER_OF_VISITWE: a. Order of visits

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=3 /-] [Invalid=816 /-]		
Value	Label	Cases	Percentage
1		1	33.3%
2		1	33.3%
3		1	33.3%
Sysmiss		816	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#51 B__REASOYB: b. Reason

Information	[Type= discrete] [Format=numeric] [Range= 3-9] [Missing=*]		
Statistics [NW/ W]	[Valid=3 /-] [Invalid=816 /-]		
Value	Label	Cases	Percentage
3		1	33.3%
5		1	33.3%
9		1	33.3%
Sysmiss		816	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#52 C__DISTANCPB: c. Distance

Information	[Type= discrete] [Format=numeric] [Range= 2-4] [Missing=*]		
Statistics [NW/ W]	[Valid=3 /-] [Invalid=816 /-]		
Value	Label	Cases	Percentage
2		2	66.7%
4		1	33.3%
Sysmiss		816	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#53 AYURVEDIC__PRIVATJ: Ayurvedic (Private)

Information	[Type= discrete] [Format=numeric] [Range= 13-13] [Missing=*]		
-------------	--	--	--

File Information on Health (Section 3) (cont.)

#53 AYURVEDIC__PRIVATJ: Ayurvedic (Private) (cont.)

Statistics [NW/ W] [Valid=35 /-] [Invalid=784 /-]

Value	Label	Cases	Percentage
13		35	100.0%
Sysmiss		784	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#54 A__ORDER_OF_VISITXG: a. Order of visits

Information [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]

Statistics [NW/ W] [Valid=35 /-] [Invalid=784 /-]

Value	Label	Cases	Percentage
1		22	62.9%
2		11	31.4%
3		2	5.7%
Sysmiss		784	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#55 B__REASOZD: b. Reason

Information [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]

Statistics [NW/ W] [Valid=35 /-] [Invalid=784 /-]

Value	Label	Cases	Percentage
1		2	5.7%
2		9	25.7%
3		20	57.1%
4		1	2.9%
5		3	8.6%
Sysmiss		784	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#56 C__DISTANCQB: c. Distance

Information [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]

Statistics [NW/ W] [Valid=35 /-] [Invalid=784 /-]

Value	Label	Cases	Percentage
1		7	20.0%
2		12	34.3%
3		16	45.7%
Sysmiss		784	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Information on Health (Section 3) (cont.)

#57 HOME_REMESIEF: Home remedies

Information [Type= discrete] [Format=numeric] [Range= 14-14] [Missing=*]

Statistics [NW/ W] [Valid=78 /-] [Invalid=741 /-]

Value	Label	Cases	Percentage
14		78	100.0%
Systemiss		741	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#58 A__ORDER_OF_VISITXH: a. Order of visits

Information [Type= discrete] [Format=numeric] [Range= 1-10] [Missing=*]

Statistics [NW/ W] [Valid=78 /-] [Invalid=741 /-]

Value	Label	Cases	Percentage
1		61	78.2%
2		12	15.4%
3		4	5.1%
10		1	1.3%
Systemiss		741	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#59 B__REASOZE: b. Reason

Information [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]

Statistics [NW/ W] [Valid=78 /-] [Invalid=741 /-]

Value	Label	Cases	Percentage
1		14	17.9%
2		5	6.4%
3		8	10.3%
4		6	7.7%
5		33	42.3%
9		12	15.4%
Systemiss		741	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#60 PERSENT_STATUS: Persent Status

Information [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]

Statistics [NW/ W] [Valid=812 /-] [Invalid=7 /-]

Value	Label	Cases	Percentage
1		527	64.9%

File Information on Health (Section 3) (cont.)

#60 PERSENT_STATUS: Persent Status (cont.)

Value (cont.)	Label	Cases	Percentage
2		199	24.5%
3		50	6.2%
4		35	4.3%
9		1	0.1%
Sysmiss		7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#61 INFLATION_FACTORC: Inflation factor

Information	[Type= discrete] [Format=numeric] [Range= 690-78068] [Missing=*]
Statistics [NW/ W]	[Valid=819 /-] [Invalid=0 /-]
Frequency table not shown (570 Modalities)	

File Information on Health (Section 3)

#1 REC\$TYPE

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=24011 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
13		24011	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#2 IS_ANY_MEMBER_OF_THE_HOUSEHOLD: Is any member of the household.. presently suffering from any physical disability

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=24004 /-] [Invalid=7 /-]

Value	Label	Cases	Percentage
1		1881	7.8%
2		22123	92.2%
Sysmiss		7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Information on Health (Section 3) (cont.)

#3 IF__YES__NO_OF_PERSONS: If 'yes' no of persons

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=1881 /-] [Invalid=22130 /-]		
Value	Label	Cases	Percentage
1		1749	93.0%
2		115	6.1%
3		14	0.7%
4		2	0.1%
5		1	0.1%
Sysmiss		22130	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#4 SERIAL_NUMBER_OF_THE_PERSOND: Serial number of the person

Information	[Type= discrete] [Format=numeric] [Range= 1-31] [Missing=*]		
Statistics [NW/ W]	[Valid=1888 /-] [Invalid=22123 /-]		
Value	Label	Cases	Percentage
1		815	43.2%
2		306	16.2%
3		293	15.5%
4		167	8.8%
5		135	7.2%
6		80	4.2%
7		49	2.6%
8		22	1.2%
9		5	0.3%
10		8	0.4%
11		3	0.2%
12		2	0.1%
31		3	0.2%
Sysmiss		22123	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#5 NATURE_OF_DISABILITY_A__LOCOMOTQ: Nature of disability a. locomotor

Information	[Type= discrete] [Format=numeric] [Range= 1-1] [Missing=*]		
Statistics [NW/ W]	[Valid=475 /-] [Invalid=23536 /-]		
Value	Label	Cases	Percentage
1		475	100.0%
Sysmiss		23536	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Information on Health (Section 3) (cont.)

#6 NATURE_OF_DISABILITY_B__COMMUNIE: Nature of disability b. communication

Information	[Type= discrete] [Format=numeric] [Range= 2-2] [Missing=*]		
Statistics [NW/ W]	[Valid=673 /-] [Invalid=23338 /-]		
Value	Label	Cases	Percentage
2		673	100.0%
Systemiss		23338	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#7 NATURE_OF_DISABILITY_C__PERSONAN: Nature of disability c. personal care

Information	[Type= discrete] [Format=numeric] [Range= 3-3] [Missing=*]		
Statistics [NW/ W]	[Valid=188 /-] [Invalid=23823 /-]		
Value	Label	Cases	Percentage
3		188	100.0%
Systemiss		23823	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#8 NATURE_OF_DISABILITY_D__DEXTERIV: Nature of disability d. dexterity

Information	[Type= discrete] [Format=numeric] [Range= 4-4] [Missing=*]		
Statistics [NW/ W]	[Valid=201 /-] [Invalid=23810 /-]		
Value	Label	Cases	Percentage
4		201	100.0%
Systemiss		23810	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#9 NATURE_OF_DISABILITY_E__OTHET: Nature of disability e. other

Information	[Type= discrete] [Format=numeric] [Range= 9-9] [Missing=*]		
Statistics [NW/ W]	[Valid=435 /-] [Invalid=23576 /-]		
Value	Label	Cases	Percentage
9		435	100.0%
Systemiss		23576	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#10 SINCE_WHEN_THE_PERSON_SUFFERING: Since when the person suffering.. from physical disability

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=1888 /-] [Invalid=22123 /-]		

File Information on Health (Section 3) (cont.)

#10 SINCE_WHEN_THE_PERSON_SUFFERING: Since when the person suffering.. from physical disability (cont.)

Value	Label	Cases	Percentage
1		449	23.8%
2		188	10.0%
3		247	13.1%
4		195	10.3%
5		809	42.8%
Sysmiss		22123	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#11 THE_CAUSE_OF_DISABILITY: The cause of disability

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=1887 /-] [Invalid=22124 /-]

Value	Label	Cases	Percentage
1		464	24.6%
2		346	18.3%
3		467	24.7%
4		400	21.2%
9		210	11.1%
Sysmiss		22124	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#12 SERIAL_NUMBER_OF_THE_PERSONE: Serial number of the person

Information	[Type= discrete] [Format=numeric] [Range= 2-12] [Missing=*]
Statistics [NW/ W]	[Valid=137 /-] [Invalid=23874 /-]

Value	Label	Cases	Percentage
2		51	37.2%
3		14	10.2%
4		24	17.5%
5		14	10.2%
6		17	12.4%
7		9	6.6%
8		4	2.9%
9		3	2.2%
12		1	0.7%
Sysmiss		23874	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Information on Health (Section 3) (cont.)

#13 NATURE_OF_DISABILITY_A__LOCOMOTR: Nature of disability a. locomotor

Information	[Type= discrete] [Format=numeric] [Range= 1-1] [Missing=*]		
Statistics [NW/ W]	[Valid=30 /-] [Invalid=23981 /-]		
Value	Label	Cases	Percentage
1		30	100.0%
Systemiss		23981	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#14 NATURE_OF_DISABILITY_B__COMMUNIF: Nature of disability b. communication

Information	[Type= discrete] [Format=numeric] [Range= 2-2] [Missing=*]		
Statistics [NW/ W]	[Valid=70 /-] [Invalid=23941 /-]		
Value	Label	Cases	Percentage
2		70	100.0%
Systemiss		23941	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#15 NATURE_OF_DISABILITY_C__PERSONAO: Nature of disability c. personal care

Information	[Type= discrete] [Format=numeric] [Range= 3-3] [Missing=*]		
Statistics [NW/ W]	[Valid=8 /-] [Invalid=24003 /-]		
Value	Label	Cases	Percentage
3		8	100.0%
Systemiss		24003	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#16 NATURE_OF_DISABILITY_D__DEXTERIW: Nature of disability d. dexterity

Information	[Type= discrete] [Format=numeric] [Range= 4-4] [Missing=*]		
Statistics [NW/ W]	[Valid=13 /-] [Invalid=23998 /-]		
Value	Label	Cases	Percentage
4		13	100.0%
Systemiss		23998	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#17 NATURE_OF_DISABILITY_E__OTHEU: Nature of disability e. other

Information	[Type= discrete] [Format=numeric] [Range= 9-9] [Missing=*]		
Statistics [NW/ W]	[Valid=23 /-] [Invalid=23988 /-]		

File Information on Health (Section 3) (cont.)

#17 NATURE_OF_DISABILITY_E__OTHEU: Nature of disability e. other (cont.)

Value	Label	Cases	Percentage
9		23	100.0%
Sysmiss		23988	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#18 SINCE_WHEN_THE_PERSON_SUFFERINH: Since when the person suffering.. from physical disability

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=137 /-] [Invalid=23874 /-]		
Value	Label	Cases	Percentage
1		48	35.0%
2		6	4.4%
3		16	11.7%
4		11	8.0%
5		56	40.9%
Sysmiss		23874	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#19 THE_CAUSE_OF_DISABILITZ: The cause of disability

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=137 /-] [Invalid=23874 /-]		
Value	Label	Cases	Percentage
1		55	40.1%
2		5	3.6%
3		31	22.6%
4		40	29.2%
9		6	4.4%
Sysmiss		23874	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#20 SERIAL_NUMBER_OF_THE_PERSONF: Serial number of the person

Information	[Type= discrete] [Format=numeric] [Range= 3-12] [Missing=*]		
Statistics [NW/ W]	[Valid=17 /-] [Invalid=23994 /-]		
Value	Label	Cases	Percentage
3		2	11.8%
4		1	5.9%
5		5	29.4%
6		4	23.5%

File Information on Health (Section 3) (cont.)

#20 SERIAL_NUMBER_OF_THE_PERSONF: Serial number of the person (cont.)

Value (cont.)	Label	Cases	Percentage
7		2	11.8%
8		2	11.8%
12		1	5.9%
Sysmiss		23994	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#21 NATURE_OF_DISABILITY_A__LOCOMOTS: Nature of disability a. locomotor

Information	[Type= discrete] [Format=numeric] [Range= 1-1] [Missing=*]		
Statistics [NW/ W]	[Valid=3 /-] [Invalid=24008 /-]		
Value	Label	Cases	Percentage
1		3	100.0%
Sysmiss		24008	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#22 NATURE_OF_DISABILITY_B__COMMUNIG: Nature of disability b. communication

Information	[Type= discrete] [Format=numeric] [Range= 2-2] [Missing=*]		
Statistics [NW/ W]	[Valid=9 /-] [Invalid=24002 /-]		
Value	Label	Cases	Percentage
2		9	100.0%
Sysmiss		24002	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#23 NATURE_OF_DISABILITY_C__PERSONAP: Nature of disability c. personal care

Information	[Type= discrete] [Format=numeric] [Range= 3-3] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=24010 /-]		
Value	Label	Cases	Percentage
3		1	100.0%
Sysmiss		24010	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#24 NATURE_OF_DISABILITY_D__DEXTERIX: Nature of disability d. dexterity

Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=24011 /-]		

File Information on Health (Section 3) (cont.)

#24 NATURE_OF_DISABILITY_D__DEXTERIX: Nature of disability d. dexterity (cont.)

Value	Label	Cases	Percentage
Sysmiss		24011	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#25 NATURE_OF_DISABILITY_E__OTHEV: Nature of disability e. other

Information	[Type= discrete] [Format=numeric] [Range= 9-9] [Missing=*]		
Statistics [NW/ W]	[Valid=5 /-] [Invalid=24006 /-]		

Value	Label	Cases	Percentage
9		5	100.0%
Sysmiss		24006	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#26 SINCE_WHEN_THE_PERSON_SUFFERINI: Since when the person suffering.. from physical disability

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=17 /-] [Invalid=23994 /-]		

Value	Label	Cases	Percentage
1		11	64.7%
3		2	11.8%
5		4	23.5%
Sysmiss		23994	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#27 THE_CAUSE_OF_DISABILITYA: The cause of disability

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=17 /-] [Invalid=23994 /-]		

Value	Label	Cases	Percentage
1		12	70.6%
3		3	17.6%
4		2	11.8%
Sysmiss		23994	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#28 SERIAL_NUMBER_OF_THE_PERSONG: Serial number of the person

Information	[Type= discrete] [Format=numeric] [Range= 5-7] [Missing=*]		
Statistics [NW/ W]	[Valid=3 /-] [Invalid=24008 /-]		

File Information on Health (Section 3) (cont.)

#28 SERIAL_NUMBER_OF_THE_PERSONG: Serial number of the person (cont.)

Value	Label	Cases	Percentage
5		1	33.3%
6		1	33.3%
7		1	33.3%
Sysmiss		24008	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#29 NATURE_OF_DISABILITY_A_LOCOMOTT: Nature of disability a. locomotor

Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=24011 /-]		
Value	Label	Cases	Percentage
Sysmiss		24011	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#30 NATURE_OF_DISABILITY_B_COMMUNIH: Nature of disability b. communication

Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=24011 /-]		
Value	Label	Cases	Percentage
Sysmiss		24011	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#31 NATURE_OF_DISABILITY_C_PERSONAQ: Nature of disability c. personal care

Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=24011 /-]		
Value	Label	Cases	Percentage
Sysmiss		24011	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#32 NATURE_OF_DISABILITY_D_DEXTERIY: Nature of disability d. dexterity

Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=24011 /-]		
Value	Label	Cases	Percentage
Sysmiss		24011	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Information on Health (Section 3) (cont.)

#33 NATURE_OF_DISABILITY_E__OTHEW: Nature of disability e. other

Information	[Type= discrete] [Format=numeric] [Range= 9-9] [Missing=*]		
Statistics [NW/ W]	[Valid=3 /-] [Invalid=24008 /-]		
Value	Label	Cases	Percentage
9		3	100.0%
Sysmiss		24008	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#34 SINCE_WHEN_THE_PERSON_SUFFERINJ: Since when the person suffering.. from physical disability

Information	[Type= discrete] [Format=numeric] [Range= 1-1] [Missing=*]		
Statistics [NW/ W]	[Valid=3 /-] [Invalid=24008 /-]		
Value	Label	Cases	Percentage
1		3	100.0%
Sysmiss		24008	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#35 THE_CAUSE_OF_DISABILITYB: The cause of disability

Information	[Type= discrete] [Format=numeric] [Range= 1-1] [Missing=*]		
Statistics [NW/ W]	[Valid=3 /-] [Invalid=24008 /-]		
Value	Label	Cases	Percentage
1		3	100.0%
Sysmiss		24008	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#36 SERIAL_NUMBER_OF_THE_PERSONH: Serial number of the person

Information	[Type= discrete] [Format=numeric] [Range= 8-8] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=24010 /-]		
Value	Label	Cases	Percentage
8		1	100.0%
Sysmiss		24010	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#37 NATURE_OF_DISABILITY_A__LOCOMOTU: Nature of disability a. locomotor

Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=24011 /-]		

File Information on Health (Section 3) (cont.)

#37 NATURE_OF_DISABILITY_A__LOCOMOTU: Nature of disability a. locomotor (cont.)

Value	Label	Cases	Percentage
Sysmiss		24011	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#38 NATURE_OF_DISABILITY_B__COMMUNII: Nature of disability b. communication

Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=24011 /-]		
Value	Label	Cases	Percentage
Sysmiss		24011	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#39 NATURE_OF_DISABILITY_C__PERSONAR: Nature of disability c. personal care

Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=24011 /-]		
Value	Label	Cases	Percentage
Sysmiss		24011	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#40 NATURE_OF_DISABILITY_D__DEXTERIZ: Nature of disability d. dexterity

Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=24011 /-]		
Value	Label	Cases	Percentage
Sysmiss		24011	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#41 NATURE_OF_DISABILITY_E__OTHEX: Nature of disability e. other

Information	[Type= discrete] [Format=numeric] [Range= 9-9] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=24010 /-]		
Value	Label	Cases	Percentage
9		1	100.0%
Sysmiss		24010	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#42 SINCE_WHEN_THE_PERSON_SUFFERINK: Since when the person suffering.. from physical disability

Information	[Type= discrete] [Format=numeric] [Range= 1-1] [Missing=*]		
-------------	--	--	--

File Information on Health (Section 3) (cont.)

#42 SINCE_WHEN_THE_PERSON_SUFFERINK: Since when the person suffering.. from physical disability (cont.)

Statistics [NW/ W]		[Valid=1 /-] [Invalid=24010 /-]	
Value	Label	Cases	Percentage
1		1	100.0%
Sysmiss		24010	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#43 THE_CAUSE_OF_DISABILITYC: The cause of disability

Information		[Type= discrete] [Format=numeric] [Range= 1-1] [Missing=*]	
Statistics [NW/ W]		[Valid=1 /-] [Invalid=24010 /-]	
Value	Label	Cases	Percentage
1		1	100.0%
Sysmiss		24010	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#44 INFLATION_FACTORD: Inflation factor

Information		[Type= discrete] [Format=numeric] [Range= 345-223969] [Missing=*]	
Statistics [NW/ W]		[Valid=24011 /-] [Invalid=0 /-]	

File Information on Health (Section 3)

#1 REC\$TYPE

Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=2045 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
14		2045	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#2 BLANS: blank

Information		[Type= discrete] [Format=numeric] [Range= 101-101] [Missing=*]	
Statistics [NW/ W]		[Valid=4 /-] [Invalid=2041 /-]	
Value	Label	Cases	Percentage
101		4	100.0%
Sysmiss		2041	

File Information on Health (Section 3) (cont.)

#2 BLANS: blank (cont.)

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#3 SERIAL_NUMBER_OF_THE_PERSONI: Serial number of the person

Information [Type= discrete] [Format=numeric] [Range= 1-31] [Missing=*]

Statistics [NW/ W] [Valid=2045 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1		815	39.9%
2		357	17.5%
3		309	15.1%
4		192	9.4%
5		155	7.6%
6		102	5.0%
7		61	3.0%
8		29	1.4%
9		8	0.4%
10		8	0.4%
11		3	0.1%
12		4	0.2%
31		2	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#4 KIND_OF_IMPAIRMENT_A__AURAL: Kind of impairment a. Aural

Information [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]

Statistics [NW/ W] [Valid=351 /-] [Invalid=1694 /-]

Value	Label	Cases	Percentage
1		349	99.4%
3		1	0.3%
5		1	0.3%
Sysmiss		1694	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#5 KIND_OF_IMPAIRMENT_B__LANGUAGG: Kind of impairment b. Language

Information [Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]

Statistics [NW/ W] [Valid=223 /-] [Invalid=1822 /-]

Value	Label	Cases	Percentage
0		1	0.4%
2		222	99.6%

File Information on Health (Section 3) (cont.)

#5 KIND_OF_IMPAIRMENT_B__LANGUAGG: Kind of impairment b. Language (cont.)

Value (cont.)	Label	Cases	Percentage
Sysmiss		1822	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#6 KIND_OF_IMPAIRMENT_C__OCULAT: Kind of impairment c. Ocular

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=519 /-] [Invalid=1526 /-]		
Value	Label	Cases	Percentage
1		1	0.2%
3		518	99.8%
Sysmiss		1526	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#7 KIND_OF_IMPAIRMENT_D__VISCERAN: Kind of impairment d. Visceral

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]		
Statistics [NW/ W]	[Valid=183 /-] [Invalid=1862 /-]		
Value	Label	Cases	Percentage
0		1	0.5%
4		182	99.5%
Sysmiss		1862	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#8 KIND_OF_IMPAIRMENT_E__SKELETAN: Kind of impairment e. Skeletal

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=730 /-] [Invalid=1315 /-]		
Value	Label	Cases	Percentage
1		1	0.1%
3		1	0.1%
5		727	99.6%
9		1	0.1%
Sysmiss		1315	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#9 KIND_OF_IMPAIRMENT_F__OTHET: Kind of impairment f. other

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=232 /-] [Invalid=1813 /-]		

File Information on Health (Section 3) (cont.)

#9 KIND_OF_IMPAIRMENT_F__OTHET: Kind of impairment f. other (cont.)

Value	Label	Cases	Percentage
0		2	0.9%
3		1	0.4%
5		1	0.4%
9		228	98.3%
Sysmiss		1813	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#10 WESTERN_MEDICINE__GOVTA: Western medicine (Govt)

Information	[Type= discrete] [Format=numeric] [Range= 1-10] [Missing=*]
Statistics [NW/ W]	[Valid=930 /-] [Invalid=1115 /-]

Value	Label	Cases	Percentage
1		927	99.7%
2		1	0.1%
10		2	0.2%
Sysmiss		1115	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#11 A__ORDER_OF_VISITSC: a. Order of visits

Information	[Type= discrete] [Format=numeric] [Range= 1-22] [Missing=*]
Statistics [NW/ W]	[Valid=1014 /-] [Invalid=1031 /-]

Value	Label	Cases	Percentage
1		807	79.6%
2		167	16.5%
3		29	2.9%
4		6	0.6%
5		2	0.2%
7		1	0.1%
12		1	0.1%
22		1	0.1%
Sysmiss		1031	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#12 B__REASONC: b. Reason

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=1014 /-] [Invalid=1031 /-]

File Information on Health (Section 3) (cont.)

#12 B__REASONC: b. Reason (cont.)

Value	Label	Cases	Percentage
1		342	33.7%
2		231	22.8%
3		241	23.8%
4		92	9.1%
5		72	7.1%
9		36	3.6%
Sysmiss		1031	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#13 C__DISTANCEB: c. Distance

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=1004 /-] [Invalid=1041 /-]		
Value	Label	Cases	Percentage
1		107	10.7%
2		242	24.1%
3		655	65.2%
Sysmiss		1041	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#14 WESTAN_MEDICINE__PRIVATK: Westan medicine (private)

Information	[Type= discrete] [Format=numeric] [Range= 2-2] [Missing=*]		
Statistics [NW/ W]	[Valid=225 /-] [Invalid=1820 /-]		
Value	Label	Cases	Percentage
2		225	100.0%
Sysmiss		1820	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#15 A__ORDER_OF_VISITTF: a. Order of visits

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=224 /-] [Invalid=1821 /-]		
Value	Label	Cases	Percentage
1		108	48.2%
2		85	37.9%
3		22	9.8%
4		8	3.6%
5		1	0.4%

File Information on Health (Section 3) (cont.)

#15 A__ORDER_OF_VISITTF: a. Order of visits (cont.)

Value (cont.)	Label	Cases	Percentage
Sysmiss		1821	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#16 B__REASOOC: b. Reason

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=224 /-] [Invalid=1821 /-]		
Value	Label	Cases	Percentage
1		14	6.3%
2		100	44.6%
3		75	33.5%
4		12	5.4%
5		19	8.5%
9		4	1.8%
Sysmiss		1821	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#17 C__DISTANCFB: c. Distance

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=222 /-] [Invalid=1823 /-]		
Value	Label	Cases	Percentage
1		32	14.4%
2		65	29.3%
3		125	56.3%
Sysmiss		1823	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#18 GOVT_DOCTORS__PRIVATE_PRACTICK: Govt doctors (private practice)

Information	[Type= discrete] [Format=numeric] [Range= 3-3] [Missing=*]		
Statistics [NW/ W]	[Valid=39 /-] [Invalid=2006 /-]		
Value	Label	Cases	Percentage
3		39	100.0%
Sysmiss		2006	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Information on Health (Section 3) (cont.)

#19 A__ORDER_OF_VISITUF: a. Order of visits

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=39 /-] [Invalid=2006 /-]		
Value	Label	Cases	Percentage
1		14	35.9%
2		11	28.2%
3		8	20.5%
4		6	15.4%
Sysmiss		2006	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#20 B__REASOPC: b. Reason

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=39 /-] [Invalid=2006 /-]		
Value	Label	Cases	Percentage
1		2	5.1%
2		11	28.2%
3		18	46.2%
4		3	7.7%
5		4	10.3%
9		1	2.6%
Sysmiss		2006	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#21 C__DISTANCGB: c. Distance

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=39 /-] [Invalid=2006 /-]		
Value	Label	Cases	Percentage
1		5	12.8%
2		12	30.8%
3		22	56.4%
Sysmiss		2006	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#22 AYURVEDIC__GOVT_FREK: Ayurvedic (govt free)

Information	[Type= discrete] [Format=numeric] [Range= 4-4] [Missing=*]		
Statistics [NW/ W]	[Valid=92 /-] [Invalid=1953 /-]		

File Information on Health (Section 3) (cont.)

#22 AYURVEDIC__GOVT_FREK: Ayurvedic (govt free) (cont.)

Value	Label	Cases	Percentage
4		92	100.0%
Sysmiss		1953	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#23 A__ORDER_OF_VISITVF: a. Order of visits

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=92 /-] [Invalid=1953 /-]		
Value	Label	Cases	Percentage
1		44	47.8%
2		36	39.1%
3		9	9.8%
4		3	3.3%
Sysmiss		1953	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#24 B__REASOQC: b. Reason

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=92 /-] [Invalid=1953 /-]		
Value	Label	Cases	Percentage
1		26	28.3%
2		20	21.7%
3		30	32.6%
4		8	8.7%
5		3	3.3%
9		5	5.4%
Sysmiss		1953	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#25 C__DISTANCHB: c. Distance

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=91 /-] [Invalid=1954 /-]		
Value	Label	Cases	Percentage
1		7	7.7%
2		37	40.7%
3		47	51.6%
Sysmiss		1954	

File Information on Health (Section 3) (cont.)

#25 C__DISTANCHB: c. Distance (cont.)

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#26 AYURVEDIC__GOVT_PAJJ: Ayurvedic (Govt Paid)

Information [Type= discrete] [Format=numeric] [Range= 5-5] [Missing=*]

Statistics [NW/ W] [Valid=46 /-] [Invalid=1999 /-]

Value	Label	Cases	Percentage
5		46	100.0%
Sysmiss		1999	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#27 A__ORDER_OF_VISITWF: a. Order of visits

Information [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]

Statistics [NW/ W] [Valid=46 /-] [Invalid=1999 /-]

Value	Label	Cases	Percentage
1		22	47.8%
2		19	41.3%
3		4	8.7%
5		1	2.2%
Sysmiss		1999	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#28 B__REASORC: b. Reason

Information [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]

Statistics [NW/ W] [Valid=46 /-] [Invalid=1999 /-]

Value	Label	Cases	Percentage
1		3	6.5%
2		12	26.1%
3		25	54.3%
4		4	8.7%
5		1	2.2%
9		1	2.2%
Sysmiss		1999	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#29 C__DISTANCIB: c. Distance

Information [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]

File Information on Health (Section 3) (cont.)

#29 C__DISTANCIB: c. Distance (cont.)

Statistics [NW/ W] [Valid=46 /-] [Invalid=1999 /-]

Value	Label	Cases	Percentage
1		6	13.0%
2		14	30.4%
3		26	56.5%
Sysmiss		1999	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#30 AYURVEDIC__PRIVATK: Ayurvedic (Private)

Information [Type= discrete] [Format=numeric] [Range= 6-6] [Missing=*]

Statistics [NW/ W] [Valid=319 /-] [Invalid=1726 /-]

Value	Label	Cases	Percentage
6		319	100.0%
Sysmiss		1726	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#31 A__ORDER_OF_VISITXI: a. Order of visits

Information [Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]

Statistics [NW/ W] [Valid=318 /-] [Invalid=1727 /-]

Value	Label	Cases	Percentage
1		176	55.3%
2		114	35.8%
3		25	7.9%
4		1	0.3%
6		1	0.3%
8		1	0.3%
Sysmiss		1727	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#32 B__REASOSC: b. Reason

Information [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]

Statistics [NW/ W] [Valid=319 /-] [Invalid=1726 /-]

Value	Label	Cases	Percentage
1		23	7.2%
2		72	22.6%
3		155	48.6%

File Information on Health (Section 3) (cont.)

#32 B__REASOSC: b. Reason (cont.)

Value (cont.)	Label	Cases	Percentage
4		29	9.1%
5		23	7.2%
9		17	5.3%
Sysmiss		1726	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#33 C__DISTANCJB: c. Distance

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*
-------------	---

Statistics [NW/ W]	[Valid=317 /-] [Invalid=1728 /-]
--------------------	----------------------------------

Value	Label	Cases	Percentage
1		54	17.0%
2		99	31.2%
3		164	51.7%
Sysmiss		1728	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#34 WESTERN_MEDICINE__GOVUB: Western medicine (Govt Free)

Information	[Type= discrete] [Format=numeric] [Range= 7-7] [Missing=*
-------------	---

Statistics [NW/ W]	[Valid=437 /-] [Invalid=1608 /-]
--------------------	----------------------------------

Value	Label	Cases	Percentage
7		437	100.0%
Sysmiss		1608	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#35 A__ORDER_OF_VISITYC: a. Order of visits

Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*
-------------	---

Statistics [NW/ W]	[Valid=436 /-] [Invalid=1609 /-]
--------------------	----------------------------------

Value	Label	Cases	Percentage
1		259	59.4%
2		125	28.7%
3		42	9.6%
4		8	1.8%
7		2	0.5%
Sysmiss		1609	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Information on Health (Section 3) (cont.)

#36 B__REASOTC: b. Reason

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=436 /-] [Invalid=1609 /-]		
Value	Label	Cases	Percentage
1		83	19.0%
2		129	29.6%
3		169	38.8%
4		7	1.6%
5		39	8.9%
9		9	2.1%
Sysmiss		1609	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#37 C__DISTANCKB: c. Distance

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=431 /-] [Invalid=1614 /-]		
Value	Label	Cases	Percentage
1		21	4.9%
2		56	13.0%
3		354	82.1%
Sysmiss		1614	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#38 WESTERN_MEDICINE__GOVVB: Western medicine (Govt Paying ward)

Information	[Type= discrete] [Format=numeric] [Range= 8-8] [Missing=*]		
Statistics [NW/ W]	[Valid=15 /-] [Invalid=2030 /-]		
Value	Label	Cases	Percentage
8		15	100.0%
Sysmiss		2030	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#39 A__ORDER_OF_VISITZC: a. Order of visits

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=14 /-] [Invalid=2031 /-]		
Value	Label	Cases	Percentage
1		4	28.6%
2		9	64.3%

File Information on Health (Section 3) (cont.)

#39 A__ORDER_OF_VISITZC: a. Order of visits (cont.)

Value (cont.)	Label	Cases	Percentage
3		1	7.1%
Sysmiss		2031	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#40 B__REASOUC: b. Reason

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=15 /-] [Invalid=2030 /-]		
Value	Label	Cases	Percentage
1		1	6.7%
2		7	46.7%
3		4	26.7%
5		3	20.0%
Sysmiss		2030	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#41 C__DISTANCLB: c. Distance

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=14 /-] [Invalid=2031 /-]		
Value	Label	Cases	Percentage
1		1	7.1%
2		1	7.1%
3		12	85.7%
Sysmiss		2031	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#42 WESTAN_MEDICINE__PRIVATL: Westan medicine (private)

Information	[Type= discrete] [Format=numeric] [Range= 9-9] [Missing=*]		
Statistics [NW/ W]	[Valid=19 /-] [Invalid=2026 /-]		
Value	Label	Cases	Percentage
9		19	100.0%
Sysmiss		2026	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#43 A__ORDER_OF_VISITTG: a. Order of visits

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
-------------	--	--	--

File Information on Health (Section 3) (cont.)

#43 A__ORDER_OF_VISITTG: a. Order of visits (cont.)

Statistics [NW/ W] [Valid=19 /-] [Invalid=2026 /-]

Value	Label	Cases	Percentage
1		6	31.6%
2		10	52.6%
3		1	5.3%
4		2	10.5%
Sysmiss		2026	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#44 B__REASOVC: b. Reason

Information [Type= discrete] [Format=numeric] [Range= 2-9] [Missing=*]

Statistics [NW/ W] [Valid=19 /-] [Invalid=2026 /-]

Value	Label	Cases	Percentage
2		8	42.1%
3		7	36.8%
5		3	15.8%
9		1	5.3%
Sysmiss		2026	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#45 C__DISTANCMB: c. Distance

Information [Type= discrete] [Format=numeric] [Range= 2-3] [Missing=*]

Statistics [NW/ W] [Valid=19 /-] [Invalid=2026 /-]

Value	Label	Cases	Percentage
2		4	21.1%
3		15	78.9%
Sysmiss		2026	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#46 GOVT_DOCTORS__PRIVATE_PRACTICL: Govt doctors (private practice)

Information [Type= discrete] [Format=numeric] [Range= 10-10] [Missing=*]

Statistics [NW/ W] [Valid=7 /-] [Invalid=2038 /-]

Value	Label	Cases	Percentage
10		7	100.0%
Sysmiss		2038	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Information on Health (Section 3) (cont.)

#47 A__ORDER_OF_VISITUG: a. Order of visits

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=7 /-] [Invalid=2038 /-]		
Value	Label	Cases	Percentage
1		1	14.3%
2		3	42.9%
3		3	42.9%
Sysmiss		2038	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#48 B__REASOWC: b. Reason

Information	[Type= discrete] [Format=numeric] [Range= 2-3] [Missing=*]		
Statistics [NW/ W]	[Valid=7 /-] [Invalid=2038 /-]		
Value	Label	Cases	Percentage
2		1	14.3%
3		6	85.7%
Sysmiss		2038	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#49 C__DISTANCNC: c. Distance

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=7 /-] [Invalid=2038 /-]		
Value	Label	Cases	Percentage
1		2	28.6%
3		5	71.4%
Sysmiss		2038	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#50 AYURVEDIC__GOVT_FREL: Ayurvedic (govt free)

Information	[Type= discrete] [Format=numeric] [Range= 11-11] [Missing=*]		
Statistics [NW/ W]	[Valid=31 /-] [Invalid=2014 /-]		
Value	Label	Cases	Percentage
11		31	100.0%
Sysmiss		2014	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Information on Health (Section 3) (cont.)

#51 A__ORDER_OF_VISITVG: a. Order of visits

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=31 /-] [Invalid=2014 /-]		
Value	Label	Cases	Percentage
1		14	45.2%
2		14	45.2%
3		3	9.7%
Sysmiss		2014	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#52 B__REASOXC: b. Reason

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=31 /-] [Invalid=2014 /-]		
Value	Label	Cases	Percentage
1		5	16.1%
2		5	16.1%
3		13	41.9%
4		2	6.5%
5		4	12.9%
9		2	6.5%
Sysmiss		2014	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#53 C__DISTANCOC: c. Distance

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=31 /-] [Invalid=2014 /-]		
Value	Label	Cases	Percentage
1		5	16.1%
2		4	12.9%
3		22	71.0%
Sysmiss		2014	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#54 AYURVEDIC__GOVT_PAIK: Ayurvedic (Govt Paid)

Information	[Type= discrete] [Format=numeric] [Range= 12-12] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=2044 /-]		

File Information on Health (Section 3) (cont.)

#54 AYURVEDIC__GOVT_PAIK: Ayurvedic (Govt Paid) (cont.)

Value	Label	Cases	Percentage
12		1	100.0%
Sysmiss		2044	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#55 A__ORDER_OF_VISITWG: a. Order of visits

Information	[Type= discrete] [Format=numeric] [Range= 3-3] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=2044 /-]		
Value	Label	Cases	Percentage
3		1	100.0%
Sysmiss		2044	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#56 B__REASOYC: b. Reason

Information	[Type= discrete] [Format=numeric] [Range= 9-9] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=2044 /-]		
Value	Label	Cases	Percentage
9		1	100.0%
Sysmiss		2044	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#57 C__DISTANPC: c. Distance

Information	[Type= discrete] [Format=numeric] [Range= 3-3] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=2044 /-]		
Value	Label	Cases	Percentage
3		1	100.0%
Sysmiss		2044	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#58 AYURVEDIC__PRIVATL: Ayurvedic (Private)

Information	[Type= discrete] [Format=numeric] [Range= 13-13] [Missing=*]		
Statistics [NW/ W]	[Valid=41 /-] [Invalid=2004 /-]		
Value	Label	Cases	Percentage
13		41	100.0%
Sysmiss		2004	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Information on Health (Section 3) (cont.)

#59 A__ORDER_OF_VISITXJ: a. Order of visits

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=40 /-] [Invalid=2005 /-]		
Value	Label	Cases	Percentage
1		21	52.5%
2		9	22.5%
3		9	22.5%
5		1	2.5%
Sysmiss		2005	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#60 B__REASOZF: b. Reason

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=40 /-] [Invalid=2005 /-]		
Value	Label	Cases	Percentage
1		2	5.0%
2		6	15.0%
3		18	45.0%
4		7	17.5%
5		5	12.5%
9		2	5.0%
Sysmiss		2005	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#61 C__DISTANCQC: c. Distance

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=37 /-] [Invalid=2008 /-]		
Value	Label	Cases	Percentage
1		9	24.3%
2		10	27.0%
3		18	48.6%
Sysmiss		2008	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#62 HOME_REMESIEG: Home remedies

Information	[Type= discrete] [Format=numeric] [Range= 14-14] [Missing=*]		
Statistics [NW/ W]	[Valid=115 /-] [Invalid=1930 /-]		

File Information on Health (Section 3) (cont.)

#62 HOME_REMESIEG: Home remedies (cont.)

Value	Label	Cases	Percentage
14		115	100.0%
Systemiss		1930	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#63 A__ORDER_OF_VISITXK: a. Order of visits

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=115 /-] [Invalid=1930 /-]		
Value	Label	Cases	Percentage
1		83	72.2%
2		12	10.4%
3		15	13.0%
4		4	3.5%
5		1	0.9%
Systemiss		1930	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#64 B__REASOZG: b. Reason

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=112 /-] [Invalid=1933 /-]		
Value	Label	Cases	Percentage
1		20	17.9%
2		10	8.9%
3		16	14.3%
4		7	6.3%
5		26	23.2%
9		33	29.5%
Systemiss		1933	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#65 INFLATION_FACTOR: Inflation factor

Information	[Type= discrete] [Format=numeric] [Range= 345-55249] [Missing=*]		
Statistics [NW/ W]	[Valid=2045 /-] [Invalid=0 /-]		

File Information on Health (Section 3)

#1 REC\$TYPE

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1643 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
15		1643	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#2 BLANT: blank

Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=1643 /-]		
Value	Label	Cases	Percentage
Sysmiss		1643	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#3 SERIAL_NUMBER_OF_THE_PERSONJ: Serial number of the person

Information	[Type= discrete] [Format=numeric] [Range= 1-31] [Missing=*]		
Statistics [NW/ W]	[Valid=1614 /-] [Invalid=29 /-]		
Value	Label	Cases	Percentage
1		765	47.4%
2		243	15.1%
3		226	14.0%
4		141	8.7%
5		106	6.6%
6		65	4.0%
7		34	2.1%
8		19	1.2%
9		6	0.4%
10		4	0.2%
11		3	0.2%
12		1	0.1%
31		1	0.1%
Sysmiss		29	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#4 IS_THE_PERSON_CAPABLE_OF__LEARN: Is the person capable of.. learning and /or earning

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=1643 /-] [Invalid=0 /-]		

File Information on Health (Section 3) (cont.)

#4 IS_THE_PERSON_CAPABLE_OF__LEARN: Is the person capable of.. learning and /or earning (cont.)

Value	Label	Cases	Percentage
1		621	37.8%
2		1022	62.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#5 IF__NO__IS_PERSON_S_PERFORMANC: If 'no' , is person's performance restricted

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=1022 /-] [Invalid=621 /-]		

Value	Label	Cases	Percentage
1		763	74.7%
2		259	25.3%
Sysmiss		621	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#6 HAS_THE_PERSON_BEEN_GIVEN_SPECIA: Has the person been given special education or training

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=1642 /-] [Invalid=1 /-]		

Value	Label	Cases	Percentage
1		113	6.9%
2		1529	93.1%
Sysmiss		1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#7 SERIAL_NUMBER_OF_THE_PERSONK: Serial number of the person

Information	[Type= discrete] [Format=numeric] [Range= 2-12] [Missing=*]		
Statistics [NW/ W]	[Valid=123 /-] [Invalid=1520 /-]		

Value	Label	Cases	Percentage
2		51	41.5%
3		13	10.6%
4		20	16.3%
5		10	8.1%
6		15	12.2%
7		6	4.9%
8		4	3.3%
9		3	2.4%
12		1	0.8%
Sysmiss		1520	

File Information on Health (Section 3) (cont.)

#7 SERIAL_NUMBER_OF_THE_PERSONK: Serial number of the person (cont.)

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#8 IS_THE_PERSON_CAPABLE_OF_LEARO: Is the person capable of.. learning and /or earning

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W] [Valid=123 /-] [Invalid=1520 /-]

Value	Label	Cases	Percentage
1		57	46.3%
2		66	53.7%
Sysmiss		1520	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#9 IF_NO_IS_PERSON_S_PERFORMAND: If 'no' , is person's performance restricted

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W] [Valid=66 /-] [Invalid=1577 /-]

Value	Label	Cases	Percentage
1		51	77.3%
2		15	22.7%
Sysmiss		1577	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#10 HAS_THE_PERSON_BEEN_GIVEN_SPECIB: Has the person been given special education or training

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W] [Valid=123 /-] [Invalid=1520 /-]

Value	Label	Cases	Percentage
1		6	4.9%
2		117	95.1%
Sysmiss		1520	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#11 SERIAL_NUMBER_OF_THE_PERSONL: Serial number of the person

Information [Type= discrete] [Format=numeric] [Range= 3-12] [Missing=*]

Statistics [NW/ W] [Valid=17 /-] [Invalid=1626 /-]

Value	Label	Cases	Percentage
3		4	23.5%
4		1	5.9%
5		4	23.5%

File Information on Health (Section 3) (cont.)

#11 SERIAL_NUMBER_OF_THE_PERSONL: Serial number of the person (cont.)

Value (cont.)	Label	Cases	Percentage
6		4	23.5%
7		1	5.9%
8		2	11.8%
12		1	5.9%
Sysmiss		1626	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#12 IS_THE_PERSON_CAPABLE_OF__LEARP: Is the person capable of.. learning and /or earning

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=17 /-] [Invalid=1626 /-]		
Value	Label	Cases	Percentage
1		12	70.6%
2		5	29.4%
Sysmiss		1626	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#13 IF__NO__IS_PERSON_S_PERFORMANE: If 'no' , is person's performance restricted

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=5 /-] [Invalid=1638 /-]		
Value	Label	Cases	Percentage
1		4	80.0%
2		1	20.0%
Sysmiss		1638	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#14 HAS_THE_PERSON_BEEN_GIVEN_SPECIC: Has the person been given special education or training

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=17 /-] [Invalid=1626 /-]		
Value	Label	Cases	Percentage
1		2	11.8%
2		15	88.2%
Sysmiss		1626	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Information on Health (Section 3) (cont.)

#15 SERIAL_NUMBER_OF_THE_PERSONM: Serial number of the person

Information	[Type= discrete] [Format=numeric] [Range= 4-7] [Missing=*		
Statistics [NW/ W]	[Valid=3 /-] [Invalid=1640 /-]		
Value	Label	Cases	Percentage
4		1	33.3%
5		1	33.3%
7		1	33.3%
Sysmiss		1640	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#16 IS_THE_PERSON_CAPABLE_OF___LEARQ: Is the person capable of.. learning and /or earning

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*		
Statistics [NW/ W]	[Valid=3 /-] [Invalid=1640 /-]		
Value	Label	Cases	Percentage
1		2	66.7%
2		1	33.3%
Sysmiss		1640	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#17 IF___NO___IS_PERSON_S_PERFORMANF: If 'no' , is person's performance restricted

Information	[Type= discrete] [Format=numeric] [Range= 1-1] [Missing=*		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=1642 /-]		
Value	Label	Cases	Percentage
1		1	100.0%
Sysmiss		1642	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#18 HAS_THE_PERSON_BEEN_GIVEN_SPECID: Has the person been given special education or training

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*		
Statistics [NW/ W]	[Valid=3 /-] [Invalid=1640 /-]		
Value	Label	Cases	Percentage
1		1	33.3%
2		2	66.7%
Sysmiss		1640	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Information on Health (Section 3) (cont.)

#19 SERIAL_NUMBER_OF_THE_PERSONN: Serial number of the person

Information	[Type= discrete] [Format=numeric] [Range= 8-8] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=1642 /-]		
Value	Label	Cases	Percentage
8		1	100.0%
Sysmiss		1642	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#20 IS_THE_PERSON_CAPABLE_OF__LEARR: Is the person capable of.. learning and /or earning

Information	[Type= discrete] [Format=numeric] [Range= 2-2] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=1642 /-]		
Value	Label	Cases	Percentage
2		1	100.0%
Sysmiss		1642	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#21 IF__NO__IS_PERSON_S_PERFORMANG: If 'no' , is person's performance restricted

Information	[Type= discrete] [Format=numeric] [Range= 1-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=1642 /-]		
Value	Label	Cases	Percentage
1		1	100.0%
Sysmiss		1642	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#22 HAS_THE_PERSON_BEEN_GIVEN_SPECIE: Has the person been given special education or training

Information	[Type= discrete] [Format=numeric] [Range= 2-2] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=1642 /-]		
Value	Label	Cases	Percentage
2		1	100.0%
Sysmiss		1642	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#23 INFLATION_FACTORF: Inflation factor

Information	[Type= discrete] [Format=numeric] [Range= 345-55249] [Missing=*]		
Statistics [NW/ W]	[Valid=1643 /-] [Invalid=0 /-]		
Frequency table not shown (989 Modalities)			

File Information on Health (Section 3)

#1 REC\$TYPE

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=5800 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
16		5800	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#2 FEES_TO_MEDICAL__WESTERN: Fees to medical : Western

Information	[Type= discrete] [Format=numeric] [Range= 2-1000] [Missing=*]		
Statistics [NW/ W]	[Valid=3269 /-] [Invalid=2531 /-]		
Frequency table not shown (150 Modalities)			

#3 FEES_TO_MEDICAL__AURVEDIC: Fees to medical : Aurvedic

Information	[Type= discrete] [Format=numeric] [Range= 1-1000] [Missing=*]		
Statistics [NW/ W]	[Valid=615 /-] [Invalid=5185 /-]		
Frequency table not shown (72 Modalities)			

#4 CONSULTATION_FEES_TO_SPECIALISTS: Consultation fees to specialists: Western

Information	[Type= discrete] [Format=numeric] [Range= 40-1000] [Missing=*]		
Statistics [NW/ W]	[Valid=212 /-] [Invalid=5588 /-]		
Value	Label	Cases	Percentage
40		7	3.3%
45		2	0.9%
50		44	20.8%
52		7	3.3%
55		9	4.2%
60		63	29.7%
65		17	8.0%
70		1	0.5%
75		2	0.9%
80		3	1.4%
90		2	0.9%
95		1	0.5%
100		16	7.5%
104		1	0.5%
120		14	6.6%
126		1	0.5%

File Information on Health (Section 3) (cont.)

#4 CONSULTATION_FEES_TO_SPECIALISTS: Consultation fees to specialists: Western (cont.)

Value (cont.)	Label	Cases	Percentage
130		2	0.9%
150		4	1.9%
165		1	0.5%
180		1	0.5%
200		5	2.4%
250		3	1.4%
300		1	0.5%
350		1	0.5%
500		2	0.9%
520		1	0.5%
1000		1	0.5%
Sysmiss		5588	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#5 CONSULTATION_FEES_TO_SPECIALISTU: Consultation fees to specialists: Aurvedic

Information	[Type= discrete] [Format=numeric] [Range= 40-400] [Missing=*]
Statistics [NW/ W]	[Valid=7 /-] [Invalid=5793 /-]

Value	Label	Cases	Percentage
40		1	14.3%
50		4	57.1%
150		1	14.3%
400		1	14.3%
Sysmiss		5793	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#6 PAYMENT_TO_MEDICAL__DENTAL_LABO: payment to medical & dental laboratories for tests, analsis etc. Western

Information	[Type= discrete] [Format=numeric] [Range= 10-5000] [Missing=*]
Statistics [NW/ W]	[Valid=48 /-] [Invalid=5752 /-]

Value	Label	Cases	Percentage
10		1	2.1%
15		1	2.1%
20		1	2.1%
25		2	4.2%
30		3	6.3%
37		1	2.1%
40		2	4.2%

File Information on Health (Section 3) (cont.)

#6 PAYMENT_TO_MEDICAL___DENTAL_LABO: payment to medical & dental laboratories for tests, analysis etc. Western (cont.)

Value (cont.)	Label	Cases	Percentage
50		4	8.3%
55		1	2.1%
60		3	6.3%
70		1	2.1%
80		4	8.3%
100		3	6.3%
120		1	2.1%
150		5	10.4%
155		2	4.2%
180		1	2.1%
200		1	2.1%
225		1	2.1%
300		3	6.3%
400		2	4.2%
500		1	2.1%
1300		1	2.1%
2000		1	2.1%
2400		1	2.1%
5000		1	2.1%
Sysmiss		5752	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#7 PURCHASES_OF_MEDICAL__PHARMACEUT: Purchases of medical &Pharmaceutical products: Western

Information	[Type= discrete] [Format=numeric] [Range= 1-3200] [Missing=*]
Statistics [NW/ W]	[Valid=1641 /-] [Invalid=4159 /-]
Frequency table not shown (127 Modalities)	

#8 PURCHASES_OF_MEDICAL__PHARMACEUU: Purchases of medical &Pharmaceutical products: Ayurvedic

Information	[Type= discrete] [Format=numeric] [Range= 1-1500] [Missing=*]
Statistics [NW/ W]	[Valid=270 /-] [Invalid=5530 /-]
Frequency table not shown (49 Modalities)	

#9 OTHER__WESTERN: Other :Western

Information	[Type= discrete] [Format=numeric] [Range= 2-1000] [Missing=*]
Statistics [NW/ W]	[Valid=113 /-] [Invalid=5687 /-]

File Information on Health (Section 3) (cont.)

#9 OTHER__WESTERN: Other :Western (cont.)

Value	Label	Cases	Percentage
2		2	1.8%
4		1	0.9%
5		2	1.8%
7		1	0.9%
9		1	0.9%
10		7	6.2%
12		1	0.9%
14		1	0.9%
15		7	6.2%
20		11	9.7%
25		13	11.5%
30		5	4.4%
35		2	1.8%
40		2	1.8%
50		19	16.8%
56		2	1.8%
60		4	3.5%
75		3	2.7%
85		1	0.9%
100		10	8.8%
150		2	1.8%
200		3	2.7%
250		1	0.9%
300		4	3.5%
500		1	0.9%
600		1	0.9%
800		1	0.9%
1000		5	4.4%
Sysmiss		5687	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#10 OTHER__AYURVEDIC: Other : Ayurvedic

Information [Type= discrete] [Format=numeric] [Range= 3-2500] [Missing=*]

Statistics [NW/ W] [Valid=63 /-] [Invalid=5737 /-]

Value	Label	Cases	Percentage
3		1	1.6%
4		1	1.6%
5		2	3.2%

File Information on Health (Section 3) (cont.)

#10 OTHER__AYURVEDIC: Other : Ayurvedic (cont.)

Value (cont.)	Label	Cases	Percentage
6		1	1.6%
10		8	12.7%
15		6	9.5%
20		2	3.2%
25		1	1.6%
30		2	3.2%
40		1	1.6%
45		1	1.6%
50		5	7.9%
100		3	4.8%
150		5	7.9%
180		1	1.6%
200		3	4.8%
240		1	1.6%
250		3	4.8%
300		1	1.6%
350		1	1.6%
400		3	4.8%
525		1	1.6%
600		2	3.2%
800		1	1.6%
875		1	1.6%
975		1	1.6%
1200		1	1.6%
1500		3	4.8%
2500		1	1.6%
Sysmiss		5737	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#11 PAYMENTS_TO_PRIVATE__GOVT_HOSPL: payments to private & Govt hospitals and nursing home :Western (a)Last 14 days

Information	[Type= discrete] [Format=numeric] [Range= 5-4060] [Missing=*]
Statistics [NW/ W]	[Valid=218 /-] [Invalid=5582 /-]
Frequency table not shown (56 Modalities)	

File Information on Health (Section 3) (cont.)

#12 PAYMENTS_TO_PRIVATE___GOVT_HOSPK: payments to private & Govt hospitals and nursing home :Western (b)Last 12 months

Information	[Type= discrete] [Format=numeric] [Range= 50-20000] [Missing=*]
Statistics [NW/ W]	[Valid=891 /-] [Invalid=4909 /-]
Frequency table not shown (95 Modalities)	

#13 PAYMENTS_TO_PRIVATE___GOVT_HOSPI: payments to private & Govt hospitals and nursing home :Ayurvedic (a)Last 14 days

Information	[Type= discrete] [Format=numeric] [Range= 15-300] [Missing=*]
Statistics [NW/ W]	[Valid=17 /-] [Invalid=5783 /-]

Value	Label	Cases	Percentage
15		1	5.9%
50		9	52.9%
60		1	5.9%
67		1	5.9%
100		2	11.8%
125		1	5.9%
150		1	5.9%
300		1	5.9%
Sysmiss		5783	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#14 PAYMENTS_TO_PRIVATE___GOVT_HOSPM: payments to private & Govt hospitals and nursing home :Ayurvedic (a)Last 12 month

Information	[Type= discrete] [Format=numeric] [Range= 15-5000] [Missing=*]
Statistics [NW/ W]	[Valid=48 /-] [Invalid=5752 /-]

Value	Label	Cases	Percentage
15		1	2.1%
50		12	25.0%
55		1	2.1%
60		2	4.2%
66		1	2.1%
67		1	2.1%
70		1	2.1%
75		1	2.1%
100		1	2.1%
120		1	2.1%
130		1	2.1%
150		3	6.3%

File Information on Health (Section 3) (cont.)

#14 PAYMENTS_TO_PRIVATE__GOVT_HOSPM: payments to private & Govt hospitals and nursing home :Ayurvedic (a)Last 12 month (cont.)

Value (cont.)	Label	Cases	Percentage
155		1	2.1%
185		1	2.1%
200		3	6.3%
240		1	2.1%
250		2	4.2%
300		3	6.3%
400		1	2.1%
450		1	2.1%
600		3	6.3%
800		1	2.1%
880		1	2.1%
1000		1	2.1%
4000		1	2.1%
4500		1	2.1%
5000		1	2.1%
Sysmiss		5752	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#15 INFLATION_FACTORG: Inflation factor

Information	[Type= discrete] [Format=numeric] [Range= 345-223969] [Missing=*]
Statistics [NW/ W]	[Valid=5800 /-] [Invalid=0 /-]

File Information on Health (Section 3)

#1 REC\$TYPE

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=24017 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
17		24017	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Information on Health (Section 3) (cont.)

#2 HAS_ANY_MEMBER_OF_THE_HOUSEHOLD: Has any member of the household ever visited or has been visited by public health/medical services during last three months

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=24017 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1		12560	52.3%
2		11457	47.7%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#3 GOVT_HOSPITAL: Govt hospital

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=6078 /-] [Invalid=17939 /-]		
Value	Label	Cases	Percentage
1		6075	100.0%
2		2	0.0%
5		1	0.0%
Sysmiss		17939	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#4 A__NO_OF_VISITS: (a) no of visits

Information	[Type= discrete] [Format=numeric] [Range= 1-15] [Missing=*]		
Statistics [NW/ W]	[Valid=6078 /-] [Invalid=17939 /-]		
Value	Label	Cases	Percentage
1		1610	26.5%
2		1805	29.7%
3		1093	18.0%
4		598	9.8%
5		298	4.9%
6		293	4.8%
7		79	1.3%
8		105	1.7%
9		18	0.3%
10		103	1.7%
11		1	0.0%
12		41	0.7%
13		1	0.0%
14		4	0.1%
15		29	0.5%
Sysmiss		17939	

File Information on Health (Section 3) (cont.)

#4 A__NO_OF_VISITS: (a) no of visits (cont.)

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#5 B__PROBLEM_CONCERNING_ADMISSION: (b) problem concerning admission, appointment for getting the service

Information [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]

Statistics [NW/ W] [Valid=6078 /-] [Invalid=17939 /-]

Value	Label	Cases	Percentage
1		4700	77.3%
2		1057	17.4%
3		72	1.2%
4		28	0.5%
5		221	3.6%
Sysmiss		17939	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#6 C__ANY_OPENION__ON_THE_QUALITY: (c) Any openion, on the quality of the services

Information [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]

Statistics [NW/ W] [Valid=6078 /-] [Invalid=17939 /-]

Value	Label	Cases	Percentage
1		5698	93.7%
2		236	3.9%
3		14	0.2%
4		50	0.8%
5		80	1.3%
Sysmiss		17939	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#7 D__ANY_VIEW_ON_THE_LOCATION_MAI: (d) Any view on the location maintenance or upkeep of the services

Information [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]

Statistics [NW/ W] [Valid=6078 /-] [Invalid=17939 /-]

Value	Label	Cases	Percentage
1		5258	86.5%
2		303	5.0%
3		55	0.9%
4		262	4.3%
5		200	3.3%

File Information on Health (Section 3) (cont.)

#7 D__ANY_VIEW_ON_THE_LOCATION_MAI: (d) Any view on the location maintenance or upkeep of the services (cont.)

Value (cont.)	Label	Cases	Percentage
Systemiss		17939	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#8 GOVT_DISPENSARY: Govt Dispensary

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=841 /-] [Invalid=23176 /-]		

Value	Label	Cases	Percentage
1		1	0.1%
2		838	99.6%
3		1	0.1%
5		1	0.1%
Systemiss		23176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#9 A__NO_OF_VISITT: (a) No of Visits

Information	[Type= discrete] [Format=numeric] [Range= 1-15] [Missing=*]		
Statistics [NW/ W]	[Valid=841 /-] [Invalid=23176 /-]		

Value	Label	Cases	Percentage
1		248	29.5%
2		322	38.3%
3		129	15.3%
4		49	5.8%
5		32	3.8%
6		29	3.4%
7		1	0.1%
8		14	1.7%
9		1	0.1%
10		4	0.5%
11		3	0.4%
12		5	0.6%
15		4	0.5%
Systemiss		23176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Information on Health (Section 3) (cont.)

#10 B__ANY_PROBL0M: (b) Any problem

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=841 /-] [Invalid=23176 /-]		
Value	Label	Cases	Percentage
1		724	86.1%
2		94	11.2%
3		12	1.4%
4		2	0.2%
5		9	1.1%
Systemiss		23176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#11 C__ANY_OPENION: (c) Any openion

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=841 /-] [Invalid=23176 /-]		
Value	Label	Cases	Percentage
1		792	94.2%
2		24	2.9%
3		3	0.4%
4		10	1.2%
5		12	1.4%
Systemiss		23176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#12 D__ANY_VIEW: (d) Any view

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=841 /-] [Invalid=23176 /-]		
Value	Label	Cases	Percentage
1		756	89.9%
2		19	2.3%
3		13	1.5%
4		33	3.9%
5		20	2.4%
Systemiss		23176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#13 FAMILY_HELATH_CLINIC: Family Helath clinic

Information	[Type= discrete] [Format=numeric] [Range= 2-3] [Missing=*]		
-------------	--	--	--

File Information on Health (Section 3) (cont.)

#13 FAMILY_HELATH_CLINIC: Family Helath clinic (cont.)

Statistics [NW/ W] [Valid=614 /-] [Invalid=23403 /-]

Value	Label	Cases	Percentage
2		1	0.2%
3		613	99.8%
Sysmiss		23403	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#14 A_NO_OF_VISITU: (a) No of Visits

Information [Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]

Statistics [NW/ W] [Valid=614 /-] [Invalid=23403 /-]

Value	Label	Cases	Percentage
1		283	46.1%
2		183	29.8%
3		102	16.6%
4		24	3.9%
5		4	0.7%
6		15	2.4%
7		1	0.2%
10		1	0.2%
12		1	0.2%
Sysmiss		23403	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#15 B_ANY_PROBLON: (b) Any problem

Information [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]

Statistics [NW/ W] [Valid=614 /-] [Invalid=23403 /-]

Value	Label	Cases	Percentage
1		519	84.5%
2		71	11.6%
3		4	0.7%
5		20	3.3%
Sysmiss		23403	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#16 C_ANY_OPENIOO: (c) Any openion

Information [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]

Statistics [NW/ W] [Valid=614 /-] [Invalid=23403 /-]

File Information on Health (Section 3) (cont.)

#16 C__ANY_OPENIOO: (c) Any openion (cont.)

Value	Label	Cases	Percentage
1		579	94.3%
2		8	1.3%
3		3	0.5%
4		1	0.2%
5		23	3.7%
Systemiss		23403	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#17 D__ANY_VIEX: (d) Any view

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=613 /-] [Invalid=23404 /-]		
Value	Label	Cases	Percentage
1		544	88.7%
2		16	2.6%
3		35	5.7%
4		3	0.5%
5		15	2.4%
Systemiss		23404	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#18 OTHER_GOVT_MEDICAL_SERVICES: Other Govt medical Services

Information	[Type= discrete] [Format=numeric] [Range= 4-4] [Missing=*]		
Statistics [NW/ W]	[Valid=335 /-] [Invalid=23682 /-]		
Value	Label	Cases	Percentage
4		335	100.0%
Systemiss		23682	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#19 A__NO_OF_VISITV: (a) No of Visits

Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]		
Statistics [NW/ W]	[Valid=335 /-] [Invalid=23682 /-]		
Value	Label	Cases	Percentage
1		134	40.0%
2		116	34.6%
3		47	14.0%
4		15	4.5%

File Information on Health (Section 3) (cont.)

#19 A__NO_OF_VISITV: (a) No of Visits (cont.)

Value (cont.)	Label	Cases	Percentage
5		9	2.7%
6		9	2.7%
8		1	0.3%
10		1	0.3%
12		3	0.9%
Sysmiss		23682	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#20 B__ANY_PROBLOO: (b) Any problem

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=335 /-] [Invalid=23682 /-]		
Value	Label	Cases	Percentage
1		304	90.7%
2		25	7.5%
3		1	0.3%
5		5	1.5%
Sysmiss		23682	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#21 C__ANY_OPENIOP: (c) Any openion

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=335 /-] [Invalid=23682 /-]		
Value	Label	Cases	Percentage
1		329	98.2%
2		2	0.6%
5		4	1.2%
Sysmiss		23682	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#22 D__ANY_VIEY: (d) Any view

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=335 /-] [Invalid=23682 /-]		
Value	Label	Cases	Percentage
1		319	95.2%
2		4	1.2%
3		3	0.9%

File Information on Health (Section 3) (cont.)

#22 D__ANY_VIEY: (d) Any view (cont.)

Value (cont.)	Label	Cases	Percentage
4		6	1.8%
5		3	0.9%
Sysmiss		23682	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#23 ALL_OTHER_PRIVATE_MEDICAL_SERVICE: All other private medical services

Information	[Type= discrete] [Format=numeric] [Range= 5-5] [Missing=*]
Statistics [NW/ W]	[Valid=3173 /-] [Invalid=20844 /-]

Value	Label	Cases	Percentage
5		3173	100.0%
Sysmiss		20844	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#24 A__NO_OF_VISITW: (a) No of Visits

Information	[Type= discrete] [Format=numeric] [Range= 1-15] [Missing=*]
Statistics [NW/ W]	[Valid=3173 /-] [Invalid=20844 /-]

Value	Label	Cases	Percentage
1		1061	33.4%
2		998	31.5%
3		566	17.8%
4		242	7.6%
5		101	3.2%
6		106	3.3%
7		17	0.5%
8		30	0.9%
9		5	0.2%
10		24	0.8%
11		1	0.0%
12		10	0.3%
13		1	0.0%
15		11	0.3%
Sysmiss		20844	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#25 B__ANY_PROBLOP: (b) Any problem

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
-------------	--

File Information on Health (Section 3) (cont.)

#25 B__ANY_PROBLOP: (b) Any problem (cont.)

Statistics [NW/ W] [Valid=3173 /-] [Invalid=20844 /-]

Value	Label	Cases	Percentage
1		3011	94.9%
2		76	2.4%
3		8	0.3%
4		2	0.1%
5		76	2.4%
Sysmiss		20844	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#26 C__ANY_OPENIOQ: (c) Any openion

Information [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]

Statistics [NW/ W] [Valid=3173 /-] [Invalid=20844 /-]

Value	Label	Cases	Percentage
1		3114	98.1%
2		23	0.7%
3		5	0.2%
4		15	0.5%
5		16	0.5%
Sysmiss		20844	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#27 D__ANY_VIEZ: (d) Any view

Information [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]

Statistics [NW/ W] [Valid=3173 /-] [Invalid=20844 /-]

Value	Label	Cases	Percentage
1		3094	97.5%
2		10	0.3%
3		8	0.3%
4		27	0.9%
5		34	1.1%
Sysmiss		20844	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#28 PUBLIC_HEALTH_INSPECTOR: Public health inspector

Information [Type= discrete] [Format=numeric] [Range= 6-6] [Missing=*]

Statistics [NW/ W] [Valid=196 /-] [Invalid=23821 /-]

File Information on Health (Section 3) (cont.)

#28 PUBLIC_HEALTH_INSPECTOR: Public health inspector (cont.)

Value	Label	Cases	Percentage
6		196	100.0%
Systemiss		23821	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#29 A__NO_OF_VISITX: (a) No of Visits

Information	[Type= discrete] [Format=numeric] [Range= 1-10] [Missing=*]		
Statistics [NW/ W]	[Valid=196 /-] [Invalid=23821 /-]		
Value	Label	Cases	Percentage
1		142	72.4%
2		23	11.7%
3		23	11.7%
4		1	0.5%
6		5	2.6%
10		2	1.0%
Systemiss		23821	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#30 B__ANY_PROBLOQ: (b) Any problom

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=196 /-] [Invalid=23821 /-]		
Value	Label	Cases	Percentage
1		191	97.4%
2		1	0.5%
5		4	2.0%
Systemiss		23821	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#31 C__ANY_OPENIOR: (c) Any openion

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=196 /-] [Invalid=23821 /-]		
Value	Label	Cases	Percentage
1		179	91.3%
2		2	1.0%
3		7	3.6%
5		8	4.1%
Systemiss		23821	

File Information on Health (Section 3) (cont.)

#31 C__ANY_OPENIOR: (c) Any openion (cont.)

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#32 FAMILY_HEALTH_WORKER: Family health worker

Information [Type= discrete] [Format=numeric] [Range= 6-7] [Missing=*]

Statistics [NW/ W] [Valid=1141 /-] [Invalid=22876 /-]

Value	Label	Cases	Percentage
6		1	0.1%
7		1140	99.9%
Sysmiss		22876	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#33 A__NO_OF_VISITY: (a) No of Visits

Information [Type= discrete] [Format=numeric] [Range= 1-15] [Missing=*]

Statistics [NW/ W] [Valid=1141 /-] [Invalid=22876 /-]

Value	Label	Cases	Percentage
1		566	49.6%
2		228	20.0%
3		215	18.8%
4		41	3.6%
5		21	1.8%
6		35	3.1%
7		1	0.1%
8		10	0.9%
9		4	0.4%
10		3	0.3%
12		7	0.6%
15		10	0.9%
Sysmiss		22876	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#34 B__ANY_PROBLOR: (b) Any problem

Information [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]

Statistics [NW/ W] [Valid=1141 /-] [Invalid=22876 /-]

Value	Label	Cases	Percentage
1		1115	97.7%
2		6	0.5%
3		2	0.2%

File Information on Health (Section 3) (cont.)

#34 B__ANY_PROBLOR: (b) Any problem (cont.)

Value (cont.)	Label	Cases	Percentage
5		18	1.6%
Sysmiss		22876	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#35 C__ANY_OPENIOS: (c) Any openion

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=1141 /-] [Invalid=22876 /-]		
Value	Label	Cases	Percentage
1		1100	96.4%
2		3	0.3%
3		15	1.3%
5		23	2.0%
Sysmiss		22876	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#36 OFFICER_COLLECTING_BLOOD_SAMPLES: Officer collecting blood samples for filariasis

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=671 /-] [Invalid=23346 /-]		
Value	Label	Cases	Percentage
1		1	0.1%
8		670	99.9%
Sysmiss		23346	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#37 A__NO_OF_VISITZ: (a) No of Visits

Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]		
Statistics [NW/ W]	[Valid=670 /-] [Invalid=23347 /-]		
Value	Label	Cases	Percentage
1		631	94.2%
2		17	2.5%
3		16	2.4%
4		5	0.7%
7		1	0.1%
Sysmiss		23347	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Information on Health (Section 3) (cont.)

#38 B__ANY_PROBLOS: (b) Any problem

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=670 /-] [Invalid=23347 /-]		
Value	Label	Cases	Percentage
1		664	99.1%
2		2	0.3%
5		4	0.6%
Sysmiss		23347	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#39 C__ANY_OPENIOT: (c) Any openion

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=670 /-] [Invalid=23347 /-]		
Value	Label	Cases	Percentage
1		654	97.6%
2		7	1.0%
5		9	1.3%
Sysmiss		23347	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#40 PERSON_WHO_SPRAYS_INSECTICIDES: person who sprays insecticides

Information	[Type= discrete] [Format=numeric] [Range= 9-99] [Missing=*]		
Statistics [NW/ W]	[Valid=3431 /-] [Invalid=20586 /-]		
Value	Label	Cases	Percentage
9		3430	100.0%
99		1	0.0%
Sysmiss		20586	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#41 A__NO_OF_VISITWA: (a) No of Visits

Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]		
Statistics [NW/ W]	[Valid=3431 /-] [Invalid=20586 /-]		
Value	Label	Cases	Percentage
1		3226	94.0%
2		110	3.2%
3		25	0.7%
4		6	0.2%

File Information on Health (Section 3) (cont.)

#41 A__NO_OF_VISITWA: (a) No of Visits (cont.)

Value (cont.)	Label	Cases	Percentage
5		5	0.1%
6		18	0.5%
7		4	0.1%
8		3	0.1%
9		2	0.1%
10		9	0.3%
12		23	0.7%
Sysmiss		20586	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#42 B__ANY_PROBLOT: (b) Any problem

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]
Statistics [NW/ W]	[Valid=3431 /-] [Invalid=20586 /-]

Value	Label	Cases	Percentage
0		1	0.0%
1		3313	96.6%
2		23	0.7%
3		30	0.9%
4		4	0.1%
5		60	1.7%
Sysmiss		20586	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#43 C__ANY_OPENIOU: (c) Any openion

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=3431 /-] [Invalid=20586 /-]

Value	Label	Cases	Percentage
1		3278	95.5%
2		97	2.8%
3		11	0.3%
4		4	0.1%
5		41	1.2%
Sysmiss		20586	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Information on Health (Section 3) (cont.)

#44 OTHER: Other

Information	[Type= discrete] [Format=numeric] [Range= 9-99] [Missing=*]		
Statistics [NW/ W]	[Valid=102 /-] [Invalid=23915 /-]		
Value	Label	Cases	Percentage
9		2	2.0%
99		100	98.0%
Sysmiss		23915	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#45 A__NO_OF_VISITWB: (a) No of Visits

Information	[Type= discrete] [Format=numeric] [Range= 1-15] [Missing=*]		
Statistics [NW/ W]	[Valid=102 /-] [Invalid=23915 /-]		
Value	Label	Cases	Percentage
1		49	48.0%
2		14	13.7%
3		18	17.6%
4		4	3.9%
6		12	11.8%
7		1	1.0%
9		1	1.0%
12		2	2.0%
15		1	1.0%
Sysmiss		23915	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#46 B__ANY_PROBLOU: (b) Any problem

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=102 /-] [Invalid=23915 /-]		
Value	Label	Cases	Percentage
1		86	84.3%
2		1	1.0%
5		15	14.7%
Sysmiss		23915	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#47 C__ANY_OPENIOV: (c) Any openion

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=102 /-] [Invalid=23915 /-]		

File Information on Health (Section 3) (cont.)

#47 C__ANY_OPENIOV: (c) Any openion (cont.)

Value	Label	Cases	Percentage
1		90	88.2%
2		6	5.9%
3		1	1.0%
5		5	4.9%
Sysmiss		23915	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#48 INFLATION_FACTORH: Inflation factor

Information	[Type= discrete] [Format=numeric] [Range= 345-223969] [Missing=*]
Statistics [NW/ W]	[Valid=24017 /-] [Invalid=0 /-]

File Information on Health (Section 3)

#1 REC\$TYPE

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=3907 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
18		3907	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#2 BLANU: blank

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=3907 /-]

Value	Label	Cases	Percentage
Sysmiss		3907	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#3 SERIAL_NO_OF_MOTHER: Serial no of mother

Information	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]
Statistics [NW/ W]	[Valid=3905 /-] [Invalid=2 /-]

Value	Label	Cases	Percentage
1		260	6.7%

File Information on Health (Section 3) (cont.)

#3 SERIAL_NO_OF_MOTHER: Serial no of mother (cont.)

Value (cont.)	Label	Cases	Percentage
2		2695	69.0%
3		393	10.1%
4		264	6.8%
5		110	2.8%
6		56	1.4%
7		48	1.2%
8		20	0.5%
9		9	0.2%
10		6	0.2%
11		4	0.1%
12		1	0.0%
13		1	0.0%
14		1	0.0%
17		1	0.0%
18		1	0.0%
31		12	0.3%
32		4	0.1%
90		17	0.4%
99		2	0.1%
Sysmiss		2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#4 SERIAL_NUMBER: Serial Number

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=3906 /-] [Invalid=1 /-]		
Value	Label	Cases	Percentage
1		3897	99.8%
2		7	0.2%
3		2	0.1%
Sysmiss		1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#5 SEX: Sex

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=3907 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1		1993	51.0%

File Information on Health (Section 3) (cont.)

#5 SEX: Sex (cont.)

Value (cont.)	Label	Cases	Percentage
2		1914	49.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#6 DATE_OF_BIRTH_YEAR: Date of birth year

Information	[Type= discrete] [Format=numeric] [Range= 84-99] [Missing=*		
Statistics [NW/ W]	[Valid=3907 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
84		351	9.0%
85		1886	48.3%
86		1527	39.1%
87		139	3.6%
99		4	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#7 DATE_OF_BIRTH_MONTH: Date of birth month

Information	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*		
Statistics [NW/ W]	[Valid=3907 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1		310	7.9%
2		305	7.8%
3		347	8.9%
4		362	9.3%
5		333	8.5%
6		319	8.2%
7		295	7.6%
8		315	8.1%
9		321	8.2%
10		352	9.0%
11		317	8.1%
12		325	8.3%
99		6	0.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#8 DATE_OF_BIRTH_DAY: Date of birth day

Information	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*		
Statistics [NW/ W]	[Valid=3907 /-] [Invalid=0 /-]		

File Information on Health (Section 3) (cont.)

#8 DATE_OF_BIRTH_DAY: Date of birth day (cont.)

Frequency table not shown (32 Modalities)

#9 PLACE_OF_BIRTH: Place of birth

Information [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]

Statistics [NW/ W] [Valid=3907 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1		551	14.1%
2		205	5.2%
3		3075	78.7%
9		76	1.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#10 WAS_THE_BIRTH_REGISTERED: Was the birth registered

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W] [Valid=3907 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1		3860	98.8%
2		47	1.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#11 BIRTH_WEIGHT: Birth weight

Information [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]

Statistics [NW/ W] [Valid=3907 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1		189	4.8%
2		1019	26.1%
3		2265	58.0%
4		181	4.6%
5		1	0.0%
9		252	6.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#12 DURATION_OF_BREAST_FEEDING: Duration of breast feeding

Information [Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]

Statistics [NW/ W] [Valid=3907 /-] [Invalid=0 /-]

File Information on Health (Section 3) (cont.)

#12 DURATION_OF_BREAST_FEEDING: Duration of breast feeding (cont.)

Value	Label	Cases	Percentage
0		125	3.2%
1		210	5.4%
2		213	5.5%
3		296	7.6%
4		183	4.7%
5		191	4.9%
6		303	7.8%
7		205	5.2%
8		255	6.5%
9		169	4.3%
10		199	5.1%
11		144	3.7%
12		389	10.0%
13		104	2.7%
14		136	3.5%
15		134	3.4%
16		92	2.4%
17		58	1.5%
18		213	5.5%
19		42	1.1%
20		71	1.8%
21		41	1.0%
22		54	1.4%
23		39	1.0%
24		34	0.9%
99		7	0.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#13 IS_THE_BREAST_FEEDING_STLL_CONTI: Is the breast feeding still continuing

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=3907 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1		2590	66.3%
2		1317	33.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Information on Health (Section 3) (cont.)

#14 IS_ANY_SUPPLEMENTARY_FOOD_BEING: Is any supplementary food being given

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=3907 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1		2890	74.0%
2		1017	26.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#15 WHAT_IS_THE_AGE_OF_THE_CHILD_WHE: What is the age of the child when this was introduced

Information	[Type= discrete] [Format=numeric] [Range= 1-24] [Missing=*]		
Statistics [NW/ W]	[Valid=2890 /-] [Invalid=1017 /-]		
Value	Label	Cases	Percentage
1		8	0.3%
2		113	3.9%
3		317	11.0%
4		313	10.8%
5		334	11.6%
6		511	17.7%
7		285	9.9%
8		336	11.6%
9		151	5.2%
10		159	5.5%
11		50	1.7%
12		255	8.8%
13		12	0.4%
14		7	0.2%
15		11	0.4%
16		4	0.1%
17		2	0.1%
18		15	0.5%
19		2	0.1%
20		2	0.1%
23		1	0.0%
24		2	0.1%
Sysmiss		1017	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#16 IF_THE_CHILD_NO_LONGER_ALIVE__A: If the child no longer alive (a) Date of death : Year

Information	[Type= discrete] [Format=numeric] [Range= 84-99] [Missing=*]
-------------	--

File Information on Health (Section 3) (cont.)

#16 IF_THE_CHILD_NO_LONGER_ALIVE__A: If the child no longer alive (a) Date of death : Year (cont.)

Statistics [NW/ W] [Valid=53 /-] [Invalid=3854 /-]

Value	Label	Cases	Percentage
84		5	9.4%
85		11	20.8%
86		33	62.3%
87		3	5.7%
99		1	1.9%
Sysmiss		3854	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#17 MONTI: Month

Information [Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]

Statistics [NW/ W] [Valid=53 /-] [Invalid=3854 /-]

Value	Label	Cases	Percentage
1		5	9.4%
2		6	11.3%
3		4	7.5%
4		4	7.5%
5		2	3.8%
6		6	11.3%
7		4	7.5%
8		5	9.4%
9		3	5.7%
10		6	11.3%
11		5	9.4%
12		2	3.8%
99		1	1.9%
Sysmiss		3854	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#18 DAY: Day

Information [Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]

Statistics [NW/ W] [Valid=53 /-] [Invalid=3854 /-]

Value	Label	Cases	Percentage
1		5	9.4%
2		1	1.9%
3		3	5.7%
4		1	1.9%

File Information on Health (Section 3) (cont.)

#18 DAY: Day (cont.)

Value (cont.)	Label	Cases	Percentage
5		1	1.9%
7		1	1.9%
8		2	3.8%
9		1	1.9%
10		6	11.3%
11		2	3.8%
12		2	3.8%
13		1	1.9%
14		2	3.8%
15		1	1.9%
16		3	5.7%
18		1	1.9%
19		2	3.8%
20		3	5.7%
21		2	3.8%
22		1	1.9%
23		1	1.9%
24		1	1.9%
25		2	3.8%
26		1	1.9%
27		4	7.5%
29		1	1.9%
30		1	1.9%
99		1	1.9%
Sysmiss		3854	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#19 B__PLACE_OF_DEATH: (b) Place of death

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=53 /-] [Invalid=3854 /-]		
Value	Label	Cases	Percentage
1		30	56.6%
2		21	39.6%
9		2	3.8%
Sysmiss		3854	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Information on Health (Section 3) (cont.)

#20 C__WAS_THE_DEATH_REGISTERED: (c) Was the death registered

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=56 /-] [Invalid=3851 /-]		
Value	Label	Cases	Percentage
1		49	87.5%
2		7	12.5%
Sysmiss		3851	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#21 TOTAL_NO_OF_PREVIOUS_LIVE_BIRTH: Total no of previous live birth (a) male

Information	[Type= discrete] [Format=numeric] [Range= 0-10] [Missing=*]		
Statistics [NW/ W]	[Valid=3093 /-] [Invalid=814 /-]		
Value	Label	Cases	Percentage
0		1225	39.6%
1		1104	35.7%
2		456	14.7%
3		209	6.8%
4		70	2.3%
5		11	0.4%
6		10	0.3%
7		5	0.2%
8		2	0.1%
10		1	0.0%
Sysmiss		814	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#22 B__FEMALE: (b) Female

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]		
Statistics [NW/ W]	[Valid=3091 /-] [Invalid=816 /-]		
Value	Label	Cases	Percentage
0		1265	40.9%
1		1043	33.7%
2		472	15.3%
3		212	6.9%
4		67	2.2%
5		20	0.6%
6		7	0.2%
7		2	0.1%

File Information on Health (Section 3) (cont.)

#22 B__FEMALE: (b) Female (cont.)

Value (cont.)	Label	Cases	Percentage
8		3	0.1%
Systemiss		816	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#23 TOTAL_NO_OF_CHILDREN_PRESENTLY_A: Total no of children presently alive from previous live births (a) Male

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]		
Statistics [NW/ W]	[Valid=3049 /-] [Invalid=858 /-]		

Value	Label	Cases	Percentage
0		1217	39.9%
1		1092	35.8%
2		454	14.9%
3		203	6.7%
4		55	1.8%
5		11	0.4%
6		11	0.4%
7		4	0.1%
8		2	0.1%
Systemiss		858	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#24 B__FEMALF: (b) Female

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]		
Statistics [NW/ W]	[Valid=3040 /-] [Invalid=867 /-]		

Value	Label	Cases	Percentage
0		1241	40.8%
1		1041	34.2%
2		465	15.3%
3		198	6.5%
4		63	2.1%
5		18	0.6%
6		9	0.3%
7		2	0.1%
8		3	0.1%
Systemiss		867	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Information on Health (Section 3) (cont.)

#25 SERIAL_NUMBES: Serial Number

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=224 /-] [Invalid=3683 /-]		
Value	Label	Cases	Percentage
1		1	0.4%
2		223	99.6%
Sysmiss		3683	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#26 SEY: Sex

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=224 /-] [Invalid=3683 /-]		
Value	Label	Cases	Percentage
1		96	42.9%
2		128	57.1%
Sysmiss		3683	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#27 DATE_OF_BIRTH_YEAS: Date of birth year

Information	[Type= discrete] [Format=numeric] [Range= 84-87] [Missing=*]		
Statistics [NW/ W]	[Valid=224 /-] [Invalid=3683 /-]		
Value	Label	Cases	Percentage
84		8	3.6%
85		33	14.7%
86		153	68.3%
87		30	13.4%
Sysmiss		3683	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#28 DATE_OF_BIRTH_MONTI: Date of birth month

Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]		
Statistics [NW/ W]	[Valid=224 /-] [Invalid=3683 /-]		
Value	Label	Cases	Percentage
1		17	7.6%
2		24	10.7%
3		17	7.6%
4		22	9.8%

File Information on Health (Section 3) (cont.)

#28 DATE_OF_BIRTH_MONTI: Date of birth month (cont.)

Value (cont.)	Label	Cases	Percentage
5		17	7.6%
6		25	11.2%
7		22	9.8%
8		19	8.5%
9		14	6.3%
10		17	7.6%
11		18	8.0%
12		12	5.4%
Sysmiss		3683	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#29 DATE_OF_BIRTH_DAZ: Date of birth day

Information	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]
Statistics [NW/ W]	[Valid=224 /-] [Invalid=3683 /-]
Frequency table not shown (33 Modalities)	

#30 PLACE_OF_BIRTI: Place of birth

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=224 /-] [Invalid=3683 /-]

Value	Label	Cases	Percentage
1		32	14.3%
2		12	5.4%
3		170	75.9%
9		10	4.5%
Sysmiss		3683	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#31 WAS_THE_BIRTH_REGISTEREE: Was the birth registered

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=224 /-] [Invalid=3683 /-]

Value	Label	Cases	Percentage
1		213	95.1%
2		11	4.9%
Sysmiss		3683	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Information on Health (Section 3) (cont.)

#32 BIRTH_WEIGHU: Birth weight

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=224 /-] [Invalid=3683 /-]		
Value	Label	Cases	Percentage
1		19	8.5%
2		72	32.1%
3		116	51.8%
4		10	4.5%
9		7	3.1%
Systemiss		3683	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#33 DURATION_OF_BREAST_FEEDINH: Duration of breast feeding

Information	[Type= discrete] [Format=numeric] [Range= 0-22] [Missing=*]		
Statistics [NW/ W]	[Valid=224 /-] [Invalid=3683 /-]		
Value	Label	Cases	Percentage
0		19	8.5%
1		43	19.2%
2		35	15.6%
3		26	11.6%
4		27	12.1%
5		12	5.4%
6		16	7.1%
7		12	5.4%
8		7	3.1%
9		4	1.8%
10		5	2.2%
11		2	0.9%
12		12	5.4%
14		1	0.4%
18		2	0.9%
22		1	0.4%
Systemiss		3683	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#34 IS_THE_BREAST_FEEDING_STLL_CONTJ: Is the breast feeding stll continuing

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=224 /-] [Invalid=3683 /-]		

File Information on Health (Section 3) (cont.)

#34 IS_THE_BREAST_FEEDING_STLL_CONTJ: Is the breast feeding still continuing (cont.)

Value	Label	Cases	Percentage
1		171	76.3%
2		53	23.7%
Sysmiss		3683	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#35 IS_ANY_SUPPLEMENTARY_FOOD_BEINH: Is any supplementary food being given

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=224 /-] [Invalid=3683 /-]

Value	Label	Cases	Percentage
1		86	38.4%
2		138	61.6%
Sysmiss		3683	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#36 WHAT_IS_THE_AGE_OF_THE_CHILD_WHf: What is the age of the child when this was introduced

Information	[Type= discrete] [Format=numeric] [Range= 2-18] [Missing=*]
Statistics [NW/ W]	[Valid=86 /-] [Invalid=3821 /-]

Value	Label	Cases	Percentage
2		9	10.5%
3		20	23.3%
4		12	14.0%
5		8	9.3%
6		16	18.6%
7		9	10.5%
8		3	3.5%
9		2	2.3%
10		1	1.2%
12		4	4.7%
14		1	1.2%
18		1	1.2%
Sysmiss		3821	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#37 IF_THE_CHILD_NO_LONGER_ALIVE__B: If the child no longer alive (a) Date of death : Year

Information	[Type= discrete] [Format=numeric] [Range= 85-86] [Missing=*]
Statistics [NW/ W]	[Valid=7 /-] [Invalid=3900 /-]

File Information on Health (Section 3) (cont.)

#37 IF_THE_CHILD_NO_LONGER_ALIVE__B: If the child no longer alive (a) Date of death : Year (cont.)

Value	Label	Cases	Percentage
85		1	14.3%
86		6	85.7%
Sysmiss		3900	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#38 MONTJ: Month

Information	[Type= discrete] [Format=numeric] [Range= 3-12] [Missing=*]		
Statistics [NW/ W]	[Valid=7 /-] [Invalid=3900 /-]		

Value	Label	Cases	Percentage
3		1	14.3%
6		5	71.4%
12		1	14.3%
Sysmiss		3900	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#39 DAZ: Day

Information	[Type= discrete] [Format=numeric] [Range= 5-23] [Missing=*]		
Statistics [NW/ W]	[Valid=7 /-] [Invalid=3900 /-]		

Value	Label	Cases	Percentage
5		1	14.3%
10		1	14.3%
12		2	28.6%
17		1	14.3%
21		1	14.3%
23		1	14.3%
Sysmiss		3900	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#40 B__PLACE_OF_DEATI: (b) Place of death

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=7 /-] [Invalid=3900 /-]		

Value	Label	Cases	Percentage
1		5	71.4%
2		2	28.6%
Sysmiss		3900	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Information on Health (Section 3) (cont.)

#41 C__WAS_THE_DEATH_REGISTEREE: (c) Was the death registered

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*		
Statistics [NW/ W]	[Valid=8 /-] [Invalid=3899 /-]		
Value	Label	Cases	Percentage
1		5	62.5%
2		3	37.5%
Sysmiss		3899	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#42 SERIAL_NUMBET: Serial Number

Information	[Type= discrete] [Format=numeric] [Range= 3-3] [Missing=*		
Statistics [NW/ W]	[Valid=3 /-] [Invalid=3904 /-]		
Value	Label	Cases	Percentage
3		3	100.0%
Sysmiss		3904	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#43 SEZ: Sex

Information	[Type= discrete] [Format=numeric] [Range= 1-1] [Missing=*		
Statistics [NW/ W]	[Valid=3 /-] [Invalid=3904 /-]		
Value	Label	Cases	Percentage
1		3	100.0%
Sysmiss		3904	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#44 DATE_OF_BIRTH_YEAT: Date of birth year

Information	[Type= discrete] [Format=numeric] [Range= 84-87] [Missing=*		
Statistics [NW/ W]	[Valid=3 /-] [Invalid=3904 /-]		
Value	Label	Cases	Percentage
84		1	33.3%
86		1	33.3%
87		1	33.3%
Sysmiss		3904	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#45 DATE_OF_BIRTH_MONTJ: Date of birth month

Information	[Type= discrete] [Format=numeric] [Range= 3-8] [Missing=*		
-------------	---	--	--

File Information on Health (Section 3) (cont.)

#45 DATE_OF_BIRTH_MONTJ: Date of birth month (cont.)

Statistics [NW/ W] [Valid=3 /-] [Invalid=3904 /-]

Value	Label	Cases	Percentage
3		1	33.3%
7		1	33.3%
8		1	33.3%
Systemiss		3904	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#46 DATE_OF_BIRTH_DAYA: Date of birth day

Information [Type= discrete] [Format=numeric] [Range= 11-19] [Missing=*]

Statistics [NW/ W] [Valid=3 /-] [Invalid=3904 /-]

Value	Label	Cases	Percentage
11		1	33.3%
13		1	33.3%
19		1	33.3%
Systemiss		3904	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#47 PLACE_OF_BIRTJ: Place of birth

Information [Type= discrete] [Format=numeric] [Range= 2-3] [Missing=*]

Statistics [NW/ W] [Valid=3 /-] [Invalid=3904 /-]

Value	Label	Cases	Percentage
2		1	33.3%
3		2	66.7%
Systemiss		3904	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#48 WAS_THE_BIRTH_REGISTERED: Was the birth registered

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W] [Valid=3 /-] [Invalid=3904 /-]

Value	Label	Cases	Percentage
1		2	66.7%
2		1	33.3%
Systemiss		3904	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Information on Health (Section 3) (cont.)

#49 BIRTH_WEIGHV: Birth weight

Information	[Type= discrete] [Format=numeric] [Range= 2-3] [Missing=*]		
Statistics [NW/ W]	[Valid=3 /-] [Invalid=3904 /-]		
Value	Label	Cases	Percentage
2		2	66.7%
3		1	33.3%
Sysmiss		3904	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#50 DURATION_OF_BREAST_FEEDINI: Duration of breast feeding

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=3 /-] [Invalid=3904 /-]		
Value	Label	Cases	Percentage
1		1	33.3%
2		2	66.7%
Sysmiss		3904	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#51 IS_THE_BREAST_FEEDING_STLL_CONTK: Is the breast feeding stll continuing

Information	[Type= discrete] [Format=numeric] [Range= 1-1] [Missing=*]		
Statistics [NW/ W]	[Valid=3 /-] [Invalid=3904 /-]		
Value	Label	Cases	Percentage
1		3	100.0%
Sysmiss		3904	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#52 IS_ANY_SUPPLEMENTARY_FOOD_BEINI: Is any supplementary food being given

Information	[Type= discrete] [Format=numeric] [Range= 2-2] [Missing=*]		
Statistics [NW/ W]	[Valid=3 /-] [Invalid=3904 /-]		
Value	Label	Cases	Percentage
2		3	100.0%
Sysmiss		3904	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#53 WHAT_IS_THE_AGE_OF_THE_CHILD_WHG: What is the age of the child when this was introduced

Information	[Type= discrete] [Format=numeric] [Missing=*]		
-------------	---	--	--

File Information on Health (Section 3) (cont.)

#53 WHAT_IS_THE_AGE_OF_THE_CHILD_WHG: What is the age of the child when this was introduced (cont.)

Statistics [NW/ W]	[Valid=0 /-] [Invalid=3907 /-]
--------------------	--------------------------------

Value	Label	Cases	Percentage
Sysmiss		3907	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#54 IF_THE_CHILD_NO_LONGER_ALIVE__C: If the child no longer alive (a) Date of death : Year

Information	[Type= discrete] [Format=numeric] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=0 /-] [Invalid=3907 /-]
--------------------	--------------------------------

Value	Label	Cases	Percentage
Sysmiss		3907	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#55 MONTK: Month

Information	[Type= discrete] [Format=numeric] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=0 /-] [Invalid=3907 /-]
--------------------	--------------------------------

Value	Label	Cases	Percentage
Sysmiss		3907	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#56 DAYA: Day

Information	[Type= discrete] [Format=numeric] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=0 /-] [Invalid=3907 /-]
--------------------	--------------------------------

Value	Label	Cases	Percentage
Sysmiss		3907	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#57 B__PLACE_OF_DEATJ: (b) Place of death

Information	[Type= discrete] [Format=numeric] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=0 /-] [Invalid=3907 /-]
--------------------	--------------------------------

Value	Label	Cases	Percentage
Sysmiss		3907	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#58 C__WAS_THE_DEATH_REGISTEREF: (c) Was the death registered

Information	[Type= discrete] [Format=numeric] [Missing=*]
-------------	---

File Information on Health (Section 3) (cont.)

#58 C__WAS_THE_DEATH_REGISTEREF: (c) Was the death registered (cont.)

Statistics [NW/ W]		[Valid=0 /-] [Invalid=3907 /-]	
Value	Label	Cases	Percentage
Systemiss		3907	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#59 INFLATION_FACTORI: Inflation factor

Information	[Type= discrete] [Format=numeric] [Range= 345-87243] [Missing=*]
Statistics [NW/ W]	[Valid=3907 /-] [Invalid=0 /-]

File Information on Health (Section 3)

#1 REC\$TYPE

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=4105 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
19		4105	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#2 BLANV: blank

Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=4105 /-]		
Value	Label	Cases	Percentage
Systemiss		4105	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#3 SERIAL_NO_OF_MOTHE: Serial no of mother

Information	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]		
Statistics [NW/ W]	[Valid=4079 /-] [Invalid=26 /-]		
Value	Label	Cases	Percentage
1		315	7.7%
2		2784	68.3%
3		391	9.6%
4		283	6.9%

File Information on Health (Section 3) (cont.)

#3 SERIAL_NO_OF_MOTHE: Serial no of mother (cont.)

Value (cont.)	Label	Cases	Percentage
5		117	2.9%
6		57	1.4%
7		45	1.1%
8		24	0.6%
9		11	0.3%
10		7	0.2%
11		4	0.1%
12		1	0.0%
13		1	0.0%
14		1	0.0%
17		2	0.0%
18		1	0.0%
31		11	0.3%
32		4	0.1%
90		19	0.5%
99		1	0.0%
Sysmiss		26	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#4 SERIAL_NO_OF_CHILD: Serial no of child

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=4086 /-] [Invalid=19 /-]		
Value	Label	Cases	Percentage
1		3867	94.6%
2		212	5.2%
3		7	0.2%
Sysmiss		19	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#5 D_P_T_1: D.P.T.1

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=4097 /-] [Invalid=8 /-]		
Value	Label	Cases	Percentage
1		3366	82.2%
2		661	16.1%
3		70	1.7%
Sysmiss		8	

File Information on Health (Section 3) (cont.)

#5 D_P_T_1: D.P.T.1 (cont.)

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#6 SOURCE: Source

Information [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]

Statistics [NW/ W] [Valid=3366 /-] [Invalid=739 /-]

Value	Label	Cases	Percentage
1		3220	95.7%
2		117	3.5%
9		29	0.9%
Sysmiss		739	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#7 AVAILABILITY_OF_IMMUNIZATION_CAR: Availability of immunization card

Information [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]

Statistics [NW/ W] [Valid=3369 /-] [Invalid=736 /-]

Value	Label	Cases	Percentage
1		3057	90.7%
2		287	8.5%
9		25	0.7%
Sysmiss		736	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#8 DATE: date

Information [Type= discrete] [Format=numeric] [Range= 840112-999999] [Missing=*]

Statistics [NW/ W] [Valid=3371 /-] [Invalid=734 /-]

Frequency table not shown (834 Modalities)

#9 D_P_T_A: D.P.T.2

Information [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]

Statistics [NW/ W] [Valid=4097 /-] [Invalid=8 /-]

Value	Label	Cases	Percentage
1		2956	72.2%
2		1058	25.8%
3		83	2.0%
Sysmiss		8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Information on Health (Section 3) (cont.)

#10 SOURCF: Source			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=2956 /-] [Invalid=1149 /-]		
Value	Label	Cases	Percentage
1		2832	95.8%
2		96	3.2%
9		28	0.9%
Systemiss		1149	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#11 AVAILABILITY_OF_IMMUNIZATION_CAS: Availability of immunization card			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=2961 /-] [Invalid=1144 /-]		
Value	Label	Cases	Percentage
1		2712	91.6%
2		226	7.6%
9		23	0.8%
Systemiss		1144	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#12 DATF: date	
Information	[Type= discrete] [Format=numeric] [Range= 840402-999999] [Missing=*]
Statistics [NW/ W]	[Valid=2960 /-] [Invalid=1145 /-]
Frequency table not shown (743 Modalities)	

#13 D_P_T_B: D.P.T.2			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=4097 /-] [Invalid=8 /-]		
Value	Label	Cases	Percentage
1		2461	60.1%
2		1533	37.4%
3		103	2.5%
Systemiss		8	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#14 SOURCG: Source	
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]

File Information on Health (Section 3) (cont.)

#14 SOURCG: Source (cont.)

Statistics [NW/ W] [Valid=2463 /-] [Invalid=1642 /-]

Value	Label	Cases	Percentage
1		2356	95.7%
2		80	3.2%
3		1	0.0%
9		26	1.1%
Sysmiss		1642	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#15 AVAILABILITY_OF_IMMUNIZATION_CAT: Availability of immunization card

Information [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]

Statistics [NW/ W] [Valid=2465 /-] [Invalid=1640 /-]

Value	Label	Cases	Percentage
1		2273	92.2%
2		171	6.9%
9		21	0.9%
Sysmiss		1640	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#16 DATG: date

Information [Type= discrete] [Format=numeric] [Range= 840407-999999] [Missing=*]

Statistics [NW/ W] [Valid=2463 /-] [Invalid=1642 /-]

Frequency table not shown (687 Modalities)

#17 POLIO_1: Polio 1

Information [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]

Statistics [NW/ W] [Valid=4100 /-] [Invalid=5 /-]

Value	Label	Cases	Percentage
1		3247	79.2%
2		769	18.8%
3		84	2.0%
Sysmiss		5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#18 SOURCH: Source

Information [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]

File Information on Health (Section 3) (cont.)

#18 SOURCH: Source (cont.)

Statistics [NW/ W] [Valid=3247 /-] [Invalid=858 /-]

Value	Label	Cases	Percentage
1		3109	95.7%
2		108	3.3%
9		30	0.9%
Systemiss		858	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#19 AVAILABILITY_OF_IMMUNIZATION_CAU: Availability of immunization card

Information [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]

Statistics [NW/ W] [Valid=3248 /-] [Invalid=857 /-]

Value	Label	Cases	Percentage
1		2968	91.4%
2		254	7.8%
9		26	0.8%
Systemiss		857	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#20 DATH: date

Information [Type= discrete] [Format=numeric] [Range= 840312-999999] [Missing=*]

Statistics [NW/ W] [Valid=3251 /-] [Invalid=854 /-]

Frequency table not shown (816 Modalities)

#21 POLIO2: Polio2

Information [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]

Statistics [NW/ W] [Valid=4096 /-] [Invalid=9 /-]

Value	Label	Cases	Percentage
1		2861	69.8%
2		1138	27.8%
3		97	2.4%
Systemiss		9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#22 SOURCI: Source

Information [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]

Statistics [NW/ W] [Valid=2861 /-] [Invalid=1244 /-]

File Information on Health (Section 3) (cont.)

#22 SOURCI: Source (cont.)

Value	Label	Cases	Percentage
1		2741	95.8%
2		91	3.2%
9		29	1.0%
Sysmiss		1244	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#23 AVAILABILITY_OF_IMMUNIZATION_CAV: Availability of immunization card

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=2863 /-] [Invalid=1242 /-]		
Value	Label	Cases	Percentage
1		2633	92.0%
2		206	7.2%
9		24	0.8%
Sysmiss		1242	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#24 DATI: date

Information	[Type= discrete] [Format=numeric] [Range= 840210-999999] [Missing=*]
Statistics [NW/ W]	[Valid=2868 /-] [Invalid=1237 /-]

Frequency table not shown (739 Modalities)

#25 POLIOA: Polio3

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=4093 /-] [Invalid=12 /-]		
Value	Label	Cases	Percentage
1		2378	58.1%
2		1601	39.1%
3		114	2.8%
Sysmiss		12	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#26 SOURCJ: Source

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=2380 /-] [Invalid=1725 /-]

File Information on Health (Section 3) (cont.)

#26 SOURCJ: Source (cont.)

Value	Label	Cases	Percentage
1		2277	95.7%
2		75	3.2%
9		28	1.2%
Sysmiss		1725	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#27 AVAILABILITY_OF_IMMUNIZATION_CAW: Availability of immunization card

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=2382 /-] [Invalid=1723 /-]		
Value	Label	Cases	Percentage
1		2205	92.6%
2		154	6.5%
9		23	1.0%
Sysmiss		1723	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#28 DATJ: date

Information	[Type= discrete] [Format=numeric] [Range= 840122-999999] [Missing=*]
Statistics [NW/ W]	[Valid=2387 /-] [Invalid=1718 /-]

Frequency table not shown (688 Modalities)

#29 MEASLES: Measles

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=4094 /-] [Invalid=11 /-]		
Value	Label	Cases	Percentage
1		1512	36.9%
2		2432	59.4%
3		150	3.7%
Sysmiss		11	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#30 SOURCK: Source

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=1516 /-] [Invalid=2589 /-]

File Information on Health (Section 3) (cont.)

#30 SOURCK: Source (cont.)

Value	Label	Cases	Percentage
1		1465	96.6%
2		36	2.4%
9		15	1.0%
Sysmiss		2589	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#31 AVAILABILITY_OF_IMMUNIZATION_CAX: Availability of immunization card

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=1515 /-] [Invalid=2590 /-]		
Value	Label	Cases	Percentage
1		1398	92.3%
2		108	7.1%
9		9	0.6%
Sysmiss		2590	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#32 DATK: date

Information	[Type= discrete] [Format=numeric] [Range= 840409-999999] [Missing=*]
Statistics [NW/ W]	[Valid=1518 /-] [Invalid=2587 /-]

Frequency table not shown (546 Modalities)

#33 B_C_G: B.C.G

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=4093 /-] [Invalid=12 /-]		
Value	Label	Cases	Percentage
1		3833	93.6%
2		213	5.2%
3		47	1.1%
Sysmiss		12	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#34 SOURCL: Source

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=3835 /-] [Invalid=270 /-]

File Information on Health (Section 3) (cont.)

#34 SOURCL: Source (cont.)

Value	Label	Cases	Percentage
1		3707	96.7%
2		100	2.6%
9		28	0.7%
Sysmiss		270	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#35 AVAILABILITY_OF_IMMUNIZATION_CAY: Availability of immunization card

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=3835 /-] [Invalid=270 /-]		
Value	Label	Cases	Percentage
1		3451	90.0%
2		360	9.4%
9		24	0.6%
Sysmiss		270	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#36 DATL: date

Information	[Type= discrete] [Format=numeric] [Range= 840101-999999] [Missing=*]
Statistics [NW/ W]	[Valid=3843 /-] [Invalid=262 /-]

Frequency table not shown (972 Modalities)

#37 SCAR: Scar

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=3842 /-] [Invalid=263 /-]		
Value	Label	Cases	Percentage
1		3505	91.2%
2		305	7.9%
9		32	0.8%
Sysmiss		263	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#38 MOTHER_T_T2: Mother T T 2

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=4092 /-] [Invalid=13 /-]

File Information on Health (Section 3) (cont.)

#38 MOTHER_T_T2: Mother T T 2 (cont.)

Value	Label	Cases	Percentage
1		3033	74.1%
2		1058	25.9%
9		1	0.0%
Sysmiss		13	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#39 SOURCM: Source

Information [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]

Statistics [NW/ W] [Valid=3038 /-] [Invalid=1067 /-]

Value	Label	Cases	Percentage
1		2844	93.6%
2		175	5.8%
8		2	0.1%
9		17	0.6%
Sysmiss		1067	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#40 DATM: Date

Information [Type= discrete] [Format=numeric] [Range= 404-9999] [Missing=*]

Statistics [NW/ W] [Valid=3041 /-] [Invalid=1064 /-]

Frequency table not shown (73 Modalities)

#41 MOTHER_T_T_A: Mother T T 1

Information [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]

Statistics [NW/ W] [Valid=4087 /-] [Invalid=18 /-]

Value	Label	Cases	Percentage
1		2429	59.4%
2		1656	40.5%
9		2	0.0%
Sysmiss		18	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#42 SOURCN: Source

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]

Statistics [NW/ W] [Valid=2433 /-] [Invalid=1672 /-]

File Information on Health (Section 3) (cont.)

#42 SOURCN: Source (cont.)

Value	Label	Cases	Percentage
0		1	0.0%
1		2253	92.6%
2		159	6.5%
9		20	0.8%
Sysmiss		1672	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#43 DATN: Date

Information	[Type= discrete] [Format=numeric] [Range= 8204-9999] [Missing=*]
Statistics [NW/ W]	[Valid=2441 /-] [Invalid=1664 /-]
Frequency table not shown (59 Modalities)	

#44 INFLATION_FACTORJ: Inflation factor

Information	[Type= discrete] [Format=numeric] [Range= 345-87243] [Missing=*]
Statistics [NW/ W]	[Valid=4105 /-] [Invalid=0 /-]

File Information on Housing (Section 4)

#1 REC\$TYPE

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=24024 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
20		24024	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#2 TYPE_OF_UNIT__A__ENTRIRE_UNIT: Type of unit (a) Entrire unit

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=21822 /-] [Invalid=2202 /-]

Value	Label	Cases	Percentage
1		18082	82.9%
2		1076	4.9%
3		145	0.7%

File Information on Housing (Section 4) (cont.)

#2 TYPE_OF_UNIT__A__ENTRIRE_UNIT: Type of unit (a) Entrire unit (cont.)

Value (cont.)	Label	Cases	Percentage
4		426	2.0%
5		929	4.3%
6		1164	5.3%
Sysmiss		2202	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#3 B__PART_OF_UNIT: (b) Part of unit

Information [Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*

Statistics [NW/ W] [Valid=2201 /-] [Invalid=21823 /-]

Value	Label	Cases	Percentage
1		1769	80.4%
2		228	10.4%
3		22	1.0%
4		89	4.0%
5		40	1.8%
6		53	2.4%
Sysmiss		21823	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#4 DO_YOU_INTEND_TO_IMPROVE_YOUR_HO: Do you intend to improve your housing unit

Information [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*

Statistics [NW/ W] [Valid=925 /-] [Invalid=23099 /-]

Value	Label	Cases	Percentage
1		420	45.4%
2		504	54.5%
3		1	0.1%
Sysmiss		23099	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#5 TYPE_OF_IMPROVEMENTS: Type of improvements

Information [Type= discrete] [Format=numeric] [Range= 1-56] [Missing=*

Statistics [NW/ W] [Valid=420 /-] [Invalid=23604 /-]

Value	Label	Cases	Percentage
1		31	7.4%
2		32	7.6%
3		3	0.7%

File Information on Housing (Section 4) (cont.)

#5 TYPE_OF_IMPROVEMENTS: Type of improvements (cont.)

Value (cont.)	Label	Cases	Percentage
4		13	3.1%
5		283	67.4%
6		14	3.3%
7		28	6.7%
8		1	0.2%
9		9	2.1%
12		4	1.0%
21		1	0.2%
56		1	0.2%
Sysmiss		23604	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#6 YENURE_OF_ACCOMODATION: Yenure of accomodation

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=24024 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1		18746	78.0%
2		1707	7.1%
3		2858	11.9%
4		713	3.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#7 NO_OF_ROOMS_USED_FOR_LIVING_PURP: No of rooms used for living purposes (a) Solely by the household

Information	[Type= discrete] [Format=numeric] [Range= 0-16] [Missing=*]
Statistics [NW/ W]	[Valid=23911 /-] [Invalid=113 /-]

Value	Label	Cases	Percentage
0		30	0.1%
1		6067	25.4%
2		8360	35.0%
3		4800	20.1%
4		2615	10.9%
5		1143	4.8%
6		527	2.2%
7		201	0.8%
8		102	0.4%
9		37	0.2%

File Information on Housing (Section 4) (cont.)

#7 NO_OF_ROOMS_USED_FOR_LIVING_PURP: No of rooms used for living purposes (a) Solely by the household (cont.)

Value (cont.)	Label	Cases	Percentage
10		17	0.1%
11		5	0.0%
12		3	0.0%
13		1	0.0%
15		2	0.0%
16		1	0.0%
Sysmiss		113	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#8 B__COMMONLY_SHARING_WITH_OTHER: (b) Commonly sharing with other household

Information	[Type= discrete] [Format=numeric] [Range= 0-60] [Missing=*]
Statistics [NW/ W]	[Valid=2204 /-] [Invalid=21820 /-]

Value	Label	Cases	Percentage
0		77	3.5%
1		1361	61.8%
2		572	26.0%
3		114	5.2%
4		36	1.6%
5		23	1.0%
6		12	0.5%
8		3	0.1%
9		1	0.0%
10		2	0.1%
15		1	0.0%
60		2	0.1%
Sysmiss		21820	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#9 C__NO_OF_HOUSEHOLDS_SHARING: (c) No of households sharing

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]
Statistics [NW/ W]	[Valid=2204 /-] [Invalid=21820 /-]

Value	Label	Cases	Percentage
0		2	0.1%
1		50	2.3%
2		1811	82.2%
3		285	12.9%

File Information on Housing (Section 4) (cont.)

#9 C__NO_OF_HOUSEHOLDS_SHARING: (c) No of households sharing (cont.)

Value (cont.)	Label	Cases	Percentage
4		56	2.5%
Systemiss		21820	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#10 NO_OF_ROOMS_USED_FOR_LIVING_PURQ: Approximate floor area (a) Solely by the household

Information	[Type= discrete] [Format=numeric] [Range= 0-249] [Missing=*]
Statistics [NW/ W]	[Valid=23909 /-] [Invalid=115 /-]
Frequency table not shown (201 Modalities)	

#11 B__COMMONLY_SHARING_WITH_OTHES: (b) Commonly sharing with other household

Information	[Type= discrete] [Format=numeric] [Range= 0-180] [Missing=*]
Statistics [NW/ W]	[Valid=2204 /-] [Invalid=21820 /-]
Frequency table not shown (83 Modalities)	

#12 C__NO_OF_HOUSEHOLDS_SHARINH: (c) No of households sharing

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]
Statistics [NW/ W]	[Valid=2202 /-] [Invalid=21822 /-]

Value	Label	Cases	Percentage
0		2	0.1%
1		51	2.3%
2		1807	82.1%
3		286	13.0%
4		56	2.5%
Systemiss		21822	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#13 NO_OF_ROOMS_USED_FOR_LIVING_PURR: Total floor arear used (a) Solely by the household

Information	[Type= discrete] [Format=numeric] [Range= 0-483] [Missing=*]
Statistics [NW/ W]	[Valid=23908 /-] [Invalid=116 /-]
Frequency table not shown (242 Modalities)	

#14 B__COMMONLY_SHARING_WITH_OTHET: (b) Commonly sharing with other household

Information	[Type= discrete] [Format=numeric] [Range= 0-217] [Missing=*]
Statistics [NW/ W]	[Valid=2205 /-] [Invalid=21819 /-]

File Information on Housing (Section 4) (cont.)

#14 B__COMMONLY_SHARING_WITH_OTHET: (b) Commonly sharing with other household (cont.)

Frequency table not shown (110 Modalities)

#15 C__NO_OF_HOUSEHOLDS_SHARINI: (c) No of households sharing

Information [Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]

Statistics [NW/ W] [Valid=2205 /-] [Invalid=21819 /-]

Value	Label	Cases	Percentage
0		1	0.0%
1		50	2.3%
2		1812	82.2%
3		286	13.0%
4		56	2.5%
Sysmiss		21819	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#16 YEAR_OF_CONSTRUCTION_OF_THE_BUIL: Year of construction of the building

Information [Type= discrete] [Format=numeric] [Range= 965-9999] [Missing=*]

Statistics [NW/ W] [Valid=24024 /-] [Invalid=0 /-]

Frequency table not shown (127 Modalities)

#17 PRINCIPAL_MATERIALS_USED_IN_CONS: Principal materials used in construction (a) Walls

Information [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]

Statistics [NW/ W] [Valid=24024 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1		4277	17.8%
2		10311	42.9%
3		7629	31.8%
4		566	2.4%
5		749	3.1%
9		492	2.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#18 B__FLOOR: (b) Floor

Information [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]

Statistics [NW/ W] [Valid=24024 /-] [Invalid=0 /-]

File Information on Housing (Section 4) (cont.)

#18 B__FLOOR: (b) Floor (cont.)

Value	Label	Cases	Percentage
1		14972	62.3%
2		176	0.7%
3		57	0.2%
4		5202	21.7%
5		3373	14.0%
9		244	1.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#19 C__ROOF: (c) Roof

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=24024 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1		10765	44.8%
2		2654	11.0%
3		3577	14.9%
4		6513	27.1%
9		515	2.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#20 STATE_OF_MAINTENANCE: State of maintenance

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=24024 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1		13522	56.3%
2		8384	34.9%
3		2118	8.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#21 SOURCE_OF_WATER__A__DRINKING: Source of water (a) Drinking

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=24024 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1		3090	12.9%
2		2369	9.9%
3		426	1.8%
4		9012	37.5%

File Information on Housing (Section 4) (cont.)

#21 SOURCE_OF_WATER__A__DRINKING: Source of water (a) Drinking (cont.)

Value (cont.)	Label	Cases	Percentage
5		7697	32.0%
6		95	0.4%
7		925	3.9%
9		410	1.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#22 B__WASHING: (b) Washing

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=24024 /-] [Invalid=0 /-]
--------------------	---------------------------------

Value	Label	Cases	Percentage
1		2599	10.8%
2		1113	4.6%
3		320	1.3%
4		7986	33.2%
5		5417	22.5%
6		1004	4.2%
7		5119	21.3%
9		466	1.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#23 SOURCE_OF_WATER__A__DRINKINH: Whether protected unprotected or tube (a) Drinking

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=16710 /-] [Invalid=7314 /-]
--------------------	------------------------------------

Value	Label	Cases	Percentage
1		11433	68.4%
2		4851	29.0%
3		425	2.5%
4		1	0.0%
Sysmiss		7314	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#24 B__WASHINH: (b) Washing

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=13401 /-] [Invalid=10623 /-]
--------------------	-------------------------------------

Value	Label	Cases	Percentage
1		9036	67.4%

File Information on Housing (Section 4) (cont.)

#24 B__WASHINH: (b) Washing (cont.)

Value (cont.)	Label	Cases	Percentage
2		4153	31.0%
3		212	1.6%
Sysmiss		10623	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#25 SOURCE_OF_WATER__A__DRINKINI: Whether water is adequate for (a) Drinking

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=24022 /-] [Invalid=2 /-]		
Value	Label	Cases	Percentage
1		21857	91.0%
2		2165	9.0%
Sysmiss		2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#26 B__WASHINI: (b) Washing

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=24019 /-] [Invalid=5 /-]		
Value	Label	Cases	Percentage
1		21597	89.9%
2		2422	10.1%
Sysmiss		5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#27 SOURCE_OF_WATER__A__DRINKINJ: Distance of source of water (Meters) (a) Drinking

Information	[Type= discrete] [Format=numeric] [Range= 0-8000] [Missing=*]		
Statistics [NW/ W]	[Valid=12215 /-] [Invalid=11809 /-]		
Frequency table not shown (163 Modalities)			

#28 B__WASHINJ: (b) Washing

Information	[Type= discrete] [Format=numeric] [Range= 0-9700] [Missing=*]		
Statistics [NW/ W]	[Valid=13616 /-] [Invalid=10408 /-]		
Frequency table not shown (209 Modalities)			

File Information on Housing (Section 4) (cont.)

#29 TOILET_FACILITIES__A__SOLELY_BY: Toilet facilities (a) Solely by household

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=24024 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1		2686	11.2%
2		8129	33.8%
3		6478	27.0%
4		247	1.0%
5		526	2.2%
6		5217	21.7%
9		741	3.1%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#30 B_IF__SHARED_NO_OF_HOUSEHOLD: (b)If shared No of household

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=1944 /-] [Invalid=22080 /-]		
Value	Label	Cases	Percentage
1		249	12.8%
2		1275	65.6%
3		314	16.2%
4		106	5.5%
Sysmiss		22080	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#31 MAIN_REASON_FOR_MOT_HAVING_A_TOI: Main reason for mot having a toilet in the household

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=6482 /-] [Invalid=17542 /-]		
Value	Label	Cases	Percentage
1		3789	58.5%
2		370	5.7%
3		1199	18.5%
4		2	0.0%
9		1122	17.3%
Sysmiss		17542	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#32 HOW_OFTEN_DO_YOU_GET_THE_TOILET: How often do you get the toilet cleaned/ Disinfected

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
-------------	--	--	--

File Information on Housing (Section 4) (cont.)

#32 HOW_OFTEN_DO_YOU_GET_THE_TOILET: How often do you get the toilet cleaned/ Disinfected (cont.)

Statistics [NW/ W]		[Valid=17543 /-] [Invalid=6481 /-]	
Value	Label	Cases	Percentage
1		3457	19.7%
2		2694	15.4%
3		6323	36.0%
4		5069	28.9%
Sysmiss		6481	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#33 DISPOSAL_OF_GARBAGE: Disposal of garbage

Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=24018 /-] [Invalid=6 /-]	
Value	Label	Cases	Percentage
1		9542	39.7%
2		2902	12.1%
3		1691	7.0%
4		2364	9.8%
5		6795	28.3%
9		724	3.0%
Sysmiss		6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#34 GARBAGE_REMOVAL_OUTSIDE_PREMISES: Garbage removal outside premises

Information		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/ W]		[Valid=24024 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1		13027	54.2%
2		5031	20.9%
3		5966	24.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#35 MOSQUITE_HOUSE_FLY_INFESTATION_A: Mosquite/House fly infestation(a) Mosquite

Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=24024 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1		5195	21.6%

File Information on Housing (Section 4) (cont.)

#35 MOSQUITE_HOUSE_FLY_INFESTATION_A: Mosquite/House fly infestation(a) Mosquite (cont.)

Value (cont.)	Label	Cases	Percentage
2		18829	78.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#36 B__HOUSE_FLY: (b) House fly

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=24024 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1		8673	36.1%
2		15351	63.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#37 WAS_THIS_HOUSING_UNIT_AFFECTED_B: Was this housing unit affected by foods

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=24024 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1		945	3.9%
2		23079	96.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#38 IF_YES__1__HOW_MANY_TIMES: If Yes (1) How many times

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=944 /-] [Invalid=23080 /-]		
Value	Label	Cases	Percentage
1		712	75.4%
2		148	15.7%
3		37	3.9%
4		11	1.2%
5		21	2.2%
6		9	1.0%
7		5	0.5%
8		1	0.1%
Sysmiss		23080	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Information on Housing (Section 4) (cont.)

#39 FOR_HOW_LONG: (2) For how long

Information	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]
Statistics [NW/ W]	[Valid=944 /-] [Invalid=23080 /-]
Frequency table not shown (39 Modalities)	

#40 MAIN_SOURCE_OF_ENERGY__1__LIGHTI: Main source of energy (1) Lighting

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=24022 /-] [Invalid=2 /-]		
Value	Label	Cases	Percentage
1		7311	30.4%
2		38	0.2%
3		16603	69.1%
5		1	0.0%
6		1	0.0%
9		68	0.3%
Sysmiss		2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#41 COOKING__HEATINH: (2) Cooking/ heating

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=24018 /-] [Invalid=6 /-]		
Value	Label	Cases	Percentage
1		280	1.2%
2		723	3.0%
3		311	1.3%
4		22633	94.2%
5		32	0.1%
9		39	0.2%
Sysmiss		6	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#42 DATE_OF_OCCUPATION__1__YEAR: Date of occupation (1) Year

Information	[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]		
Statistics [NW/ W]	[Valid=1644 /-] [Invalid=22380 /-]		
Frequency table not shown (69 Modalities)			

File Information on Housing (Section 4) (cont.)

#43 MONTL: (2) Month

Information [Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]

Statistics [NW/ W] [Valid=1645 /-] [Invalid=22379 /-]

Value	Label	Cases	Percentage
0		117	7.1%
1		242	14.7%
2		154	9.4%
3		115	7.0%
4		130	7.9%
5		123	7.5%
6		160	9.7%
7		90	5.5%
8		108	6.6%
9		107	6.5%
10		79	4.8%
11		58	3.5%
12		83	5.0%
99		79	4.8%
Sysmiss		22379	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#44 ADVANCE_PAID: Advance paid

Information [Type= discrete] [Format=numeric] [Range= 0-99009] [Missing=*]

Statistics [NW/ W] [Valid=716 /-] [Invalid=23308 /-]

Frequency table not shown (125 Modalities)

#45 KEY_MONY_PAID: Key mony paid

Information [Type= discrete] [Format=numeric] [Range= 0-22000] [Missing=*]

Statistics [NW/ W] [Valid=86 /-] [Invalid=23938 /-]

Frequency table not shown (43 Modalities)

#46 RENT_PAID_PER_MONTH: Rent paid per month

Information [Type= discrete] [Format=numeric] [Range= 0-15000] [Missing=*]

Statistics [NW/ W] [Valid=1604 /-] [Invalid=22420 /-]

Frequency table not shown (150 Modalities)

File Information on Housing (Section 4) (cont.)

#47 RATES_QURATERLY: Rates quraterly

Information [Type= discrete] [Format=numeric] [Range= 0-600] [Missing=*]

Statistics [NW/ W] [Valid=98 /-] [Invalid=23926 /-]

Frequency table not shown (49 Modalities)

#48 INFLATION_FACTORK: Inflation factor

Information [Type= discrete] [Format=numeric] [Range= 345-223969] [Missing=*]

Statistics [NW/ W] [Valid=24024 /-] [Invalid=0 /-]

File Information on Housing (Section 4)

#1 REC\$TYPE

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=23987 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
21		23987	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#2 PRIMARY_SCHOOL: Primary school

Information [Type= discrete] [Format=numeric] [Range= 0-25] [Missing=*]

Statistics [NW/ W] [Valid=23987 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		12662	52.8%
1		7314	30.5%
2		2560	10.7%
3		840	3.5%
4		326	1.4%
5		115	0.5%
6		63	0.3%
7		37	0.2%
8		29	0.1%
9		14	0.1%
10		11	0.0%
11		4	0.0%
13		4	0.0%

File Information on Housing (Section 4) (cont.)

#2 PRIMARY_SCHOOL: Primary school (cont.)

Value (cont.)	Label	Cases	Percentage
22		2	0.0%
24		2	0.0%
25		4	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#3 SECONDARY_SCHOOL: Secondary school

Information	[Type= discrete] [Format=numeric] [Range= 0-40] [Missing=*]		
Statistics [NW/ W]	[Valid=23987 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		7134	29.7%
1		6570	27.4%
2		4105	17.1%
3		2121	8.8%
4		1067	4.4%
5		844	3.5%
6		580	2.4%
7		272	1.1%
8		446	1.9%
9		174	0.7%
10		117	0.5%
11		82	0.3%
12		103	0.4%
13		58	0.2%
14		41	0.2%
15		28	0.1%
16		60	0.3%
17		18	0.1%
18		31	0.1%
19		10	0.0%
20		11	0.0%
22		38	0.2%
23		20	0.1%
24		5	0.0%
29		20	0.1%
30		9	0.0%
32		12	0.1%
35		10	0.0%
40		1	0.0%

File Information on Housing (Section 4) (cont.)

#3 SECONDARY_SCHOOL: Secondary school (cont.)

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#4 MARKET: Market

Information [Type= discrete] [Format=numeric] [Range= 0-42] [Missing=*]

Statistics [NW/ W] [Valid=23987 /-] [Invalid=0 /-]

Frequency table not shown (34 Modalities)

#5 ANY_PUBLIC_TRANSPORT_SYSTEM_OR_A: Any public transport system or a private bus services

Information [Type= discrete] [Format=numeric] [Range= 0-58] [Missing=*]

Statistics [NW/ W] [Valid=23987 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		14423	60.1%
1		5439	22.7%
2		2172	9.1%
3		865	3.6%
4		380	1.6%
5		303	1.3%
6		201	0.8%
7		65	0.3%
8		73	0.3%
9		11	0.0%
10		14	0.1%
11		6	0.0%
13		13	0.1%
15		2	0.0%
16		2	0.0%
20		10	0.0%
21		2	0.0%
24		4	0.0%
30		1	0.0%
58		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#6 A_G_A__OFFICE: A.G.A. Office

Information [Type= discrete] [Format=numeric] [Range= 0-56] [Missing=*]

Statistics [NW/ W] [Valid=23987 /-] [Invalid=0 /-]

Frequency table not shown (53 Modalities)

File Information on Housing (Section 4) (cont.)

#7 POST_OFFICE: Post office

Information [Type= discrete] [Format=numeric] [Range= 0-50] [Missing=*]

Statistics [NW/ W] [Valid=23987 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		7225	30.1%
1		7016	29.2%
2		4111	17.1%
3		2437	10.2%
4		1179	4.9%
5		844	3.5%
6		383	1.6%
7		157	0.7%
8		279	1.2%
9		87	0.4%
10		95	0.4%
11		44	0.2%
12		37	0.2%
13		3	0.0%
14		3	0.0%
15		30	0.1%
16		9	0.0%
17		6	0.0%
18		4	0.0%
20		20	0.1%
21		9	0.0%
22		1	0.0%
24		1	0.0%
25		1	0.0%
38		1	0.0%
40		4	0.0%
50		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#8 POLICE_STATION: police Station

Information [Type= discrete] [Format=numeric] [Range= 0-89] [Missing=*]

Statistics [NW/ W] [Valid=23987 /-] [Invalid=0 /-]

Frequency table not shown (50 Modalities)

File Information on Housing (Section 4) (cont.)

#9 HOSPITAL: Hospital

Information [Type= discrete] [Format=numeric] [Range= 0-45] [Missing=*]

Statistics [NW/ W] [Valid=23987 /-] [Invalid=0 /-]

Frequency table not shown (33 Modalities)

#10 CAR: Car

Information [Type= discrete] [Format=numeric] [Range= 1-1] [Missing=*]

Statistics [NW/ W] [Valid=517 /-] [Invalid=23470 /-]

Value	Label	Cases	Percentage
1		517	100.0%
Sysmiss		23470	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#11 NO_OWNED: No Owned

Information [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]

Statistics [NW/ W] [Valid=517 /-] [Invalid=23470 /-]

Value	Label	Cases	Percentage
1		487	94.2%
2		25	4.8%
3		4	0.8%
9		1	0.2%
Sysmiss		23470	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#12 BUS_LORRY_VAN__ETC: Bus/lorry/Van/ etc

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W] [Valid=371 /-] [Invalid=23616 /-]

Value	Label	Cases	Percentage
1		1	0.3%
2		370	99.7%
Sysmiss		23616	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#13 NO_OWNEE: No Owned

Information [Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]

Statistics [NW/ W] [Valid=371 /-] [Invalid=23616 /-]

File Information on Housing (Section 4) (cont.)

#13 NO_OWNEE: No Owned (cont.)

Value	Label	Cases	Percentage
1		338	91.1%
2		27	7.3%
3		2	0.5%
4		3	0.8%
6		1	0.3%
Sysmiss		23616	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#14 SCOOTER__MOTOR_CYCLE: Scooter/ Motor cycle

Information [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]

Statistics [NW/ W] [Valid=831 /-] [Invalid=23156 /-]

Value	Label	Cases	Percentage
1		2	0.2%
3		829	99.8%
Sysmiss		23156	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#15 NO_OWNEF: No Owned

Information [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]

Statistics [NW/ W] [Valid=831 /-] [Invalid=23156 /-]

Value	Label	Cases	Percentage
1		814	98.0%
2		16	1.9%
3		1	0.1%
Sysmiss		23156	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#16 BICYCLE: Bicycle

Information [Type= discrete] [Format=numeric] [Range= 4-4] [Missing=*]

Statistics [NW/ W] [Valid=7783 /-] [Invalid=16204 /-]

Value	Label	Cases	Percentage
4		7783	100.0%
Sysmiss		16204	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Information on Housing (Section 4) (cont.)

#17 NO_OWNEG: No Owned

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=7783 /-] [Invalid=16204 /-]		
Value	Label	Cases	Percentage
1		7021	90.2%
2		642	8.2%
3		108	1.4%
4		11	0.1%
5		1	0.0%
Sysmiss		16204	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#18 TTRACTOR__4_WHEELS: Ttractor (4 wheels)

Information	[Type= discrete] [Format=numeric] [Range= 5-5] [Missing=*]		
Statistics [NW/ W]	[Valid=91 /-] [Invalid=23896 /-]		
Value	Label	Cases	Percentage
5		91	100.0%
Sysmiss		23896	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#19 NO_OWNEH: No Owned

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=91 /-] [Invalid=23896 /-]		
Value	Label	Cases	Percentage
1		82	90.1%
2		8	8.8%
3		1	1.1%
Sysmiss		23896	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#20 TRACTOR__2_WHEELE: Tractor (2 Wheele)

Information	[Type= discrete] [Format=numeric] [Range= 6-6] [Missing=*]		
Statistics [NW/ W]	[Valid=173 /-] [Invalid=23814 /-]		
Value	Label	Cases	Percentage
6		173	100.0%
Sysmiss		23814	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

File Information on Housing (Section 4) (cont.)

#21 NO_OWNEI: No Owned

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=173 /-] [Invalid=23814 /-]		
Value	Label	Cases	Percentage
1		168	97.1%
2		5	2.9%
Sysmiss		23814	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#22 CART: Cart

Information	[Type= discrete] [Format=numeric] [Range= 7-7] [Missing=*]		
Statistics [NW/ W]	[Valid=267 /-] [Invalid=23720 /-]		
Value	Label	Cases	Percentage
7		267	100.0%
Sysmiss		23720	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#23 NO_OWNEJ: No Owned

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=267 /-] [Invalid=23720 /-]		
Value	Label	Cases	Percentage
1		256	95.9%
2		11	4.1%
Sysmiss		23720	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#24 BOAT: Boat

Information	[Type= discrete] [Format=numeric] [Range= 8-8] [Missing=*]		
Statistics [NW/ W]	[Valid=57 /-] [Invalid=23930 /-]		
Value	Label	Cases	Percentage
8		57	100.0%
Sysmiss		23930	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#25 NO_OWNEK: No Owned

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
-------------	--	--	--

File Information on Housing (Section 4) (cont.)

#25 NO_OWNEK: No Owned (cont.)

Statistics [NW/ W] [Valid=57 /-] [Invalid=23930 /-]

Value	Label	Cases	Percentage
1		49	86.0%
2		6	10.5%
3		1	1.8%
4		1	1.8%
Sysmiss		23930	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#26 OTHES: Other

Information [Type= discrete] [Format=numeric] [Range= 9-9] [Missing=*]

Statistics [NW/ W] [Valid=72 /-] [Invalid=23915 /-]

Value	Label	Cases	Percentage
9		72	100.0%
Sysmiss		23915	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#27 NO_OWNEL: No Owned

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W] [Valid=72 /-] [Invalid=23915 /-]

Value	Label	Cases	Percentage
1		64	88.9%
2		8	11.1%
Sysmiss		23915	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#28 RADIO: Radio

Information [Type= discrete] [Format=numeric] [Range= 1-1] [Missing=*]

Statistics [NW/ W] [Valid=8632 /-] [Invalid=15355 /-]

Value	Label	Cases	Percentage
1		8632	100.0%
Sysmiss		15355	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#29 NO_OWNEK_MAIN: No Owned Main

Information [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]

File Information on Housing (Section 4) (cont.)

#29 NO_OWNED_MAIN: No Owned Main (cont.)

Statistics [NW/ W] [Valid=1634 /-] [Invalid=22353 /-]

Value	Label	Cases	Percentage
1		1620	99.1%
2		10	0.6%
3		4	0.2%
Systemiss		22353	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#30 BATTERY: Battery

Information [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]

Statistics [NW/ W] [Valid=7057 /-] [Invalid=16930 /-]

Value	Label	Cases	Percentage
1		7028	99.6%
2		22	0.3%
3		7	0.1%
Systemiss		16930	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#31 TYPE: Type

Information [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]

Statistics [NW/ W] [Valid=8657 /-] [Invalid=15330 /-]

Value	Label	Cases	Percentage
1		6204	71.7%
2		835	9.6%
3		1618	18.7%
Systemiss		15330	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#32 RADIO_WITH_CASSETTE: Radio with cassette

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W] [Valid=6018 /-] [Invalid=17969 /-]

Value	Label	Cases	Percentage
1		1	0.0%
2		6017	100.0%
Systemiss		17969	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Information on Housing (Section 4) (cont.)

#33 NO_OWNED_MAIO: No Owned Main

Information [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*

Statistics [NW/ W] [Valid=4025 /-] [Invalid=19962 /-]

Value	Label	Cases	Percentage
1		3949	98.1%
2		68	1.7%
3		8	0.2%
Sysmiss		19962	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#34 BATTERZ: Battery

Information [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*

Statistics [NW/ W] [Valid=2062 /-] [Invalid=21925 /-]

Value	Label	Cases	Percentage
1		2046	99.2%
2		11	0.5%
3		5	0.2%
Sysmiss		21925	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#35 TYPF: Type

Information [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*

Statistics [NW/ W] [Valid=6034 /-] [Invalid=17953 /-]

Value	Label	Cases	Percentage
1		1452	24.1%
2		1032	17.1%
3		3550	58.8%
Sysmiss		17953	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#36 TELEVISION: Television

Information [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*

Statistics [NW/ W] [Valid=4332 /-] [Invalid=19655 /-]

Value	Label	Cases	Percentage
1		1	0.0%
3		4331	100.0%
Sysmiss		19655	

File Information on Housing (Section 4) (cont.)

#36 TELEVISION: Television (cont.)

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#37 NO_OWNED_MAIP: No Owned Main

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W] [Valid=3658 /-] [Invalid=20329 /-]

Value	Label	Cases	Percentage
1		3624	99.1%
2		34	0.9%
Sysmiss		20329	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#38 BATTERYA: Battery

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W] [Valid=688 /-] [Invalid=23299 /-]

Value	Label	Cases	Percentage
1		682	99.1%
2		6	0.9%
Sysmiss		23299	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#39 TYPG: Type

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W] [Valid=4339 /-] [Invalid=19648 /-]

Value	Label	Cases	Percentage
1		2575	59.3%
2		1764	40.7%
Sysmiss		19648	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#40 SEWING_MACHINE: Sewing machine

Information [Type= discrete] [Format=numeric] [Range= 4-4] [Missing=*]

Statistics [NW/ W] [Valid=6228 /-] [Invalid=17759 /-]

Value	Label	Cases	Percentage
4		6228	100.0%
Sysmiss		17759	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Information on Housing (Section 4) (cont.)

#41 NO_OWNED_ELECTRIC: No Owned Electric

Information [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]

Statistics [NW/ W] [Valid=473 /-] [Invalid=23514 /-]

Value	Label	Cases	Percentage
1		465	98.3%
2		6	1.3%
3		1	0.2%
4		1	0.2%
Sysmiss		23514	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#42 MANUAL: Manual

Information [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]

Statistics [NW/ W] [Valid=5865 /-] [Invalid=18122 /-]

Value	Label	Cases	Percentage
1		5716	97.5%
2		125	2.1%
3		18	0.3%
4		4	0.1%
5		2	0.0%
Sysmiss		18122	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#43 COOKER: Cooker

Information [Type= discrete] [Format=numeric] [Range= 5-5] [Missing=*]

Statistics [NW/ W] [Valid=1489 /-] [Invalid=22498 /-]

Value	Label	Cases	Percentage
5		1489	100.0%
Sysmiss		22498	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#44 NO_OWNED_ELECTRID: No Owned Electric

Information [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]

Statistics [NW/ W] [Valid=763 /-] [Invalid=23224 /-]

Value	Label	Cases	Percentage
1		737	96.6%
2		23	3.0%

File Information on Housing (Section 4) (cont.)

#44 NO_OWNED_ELECTRID: No Owned Electric (cont.)

Value (cont.)	Label	Cases	Percentage
3		3	0.4%
Sysmiss		23224	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#45 GAS: Gas

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=773 /-] [Invalid=23214 /-]		

Value	Label	Cases	Percentage
1		758	98.1%
2		15	1.9%
Sysmiss		23214	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#46 KEROSENE: Kerosene

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=185 /-] [Invalid=23802 /-]		

Value	Label	Cases	Percentage
1		184	99.5%
2		1	0.5%
Sysmiss		23802	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#47 REFRIGERATOR: Refrigerator

Information	[Type= discrete] [Format=numeric] [Range= 6-6] [Missing=*]		
Statistics [NW/ W]	[Valid=1583 /-] [Invalid=22404 /-]		

Value	Label	Cases	Percentage
6		1583	100.0%
Sysmiss		22404	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#48 NO_OWNEM: No Owned Electric

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=1559 /-] [Invalid=22428 /-]		

File Information on Housing (Section 4) (cont.)

#48 NO_OWNEM: No Owned Electric (cont.)

Value	Label	Cases	Percentage
1		1543	99.0%
2		16	1.0%
Sysmiss		22428	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#49 KEROSENF: Kerosene

Information	[Type= discrete] [Format=numeric] [Range= 1-1] [Missing=*]		
Statistics [NW/ W]	[Valid=40 /-] [Invalid=23947 /-]		
Value	Label	Cases	Percentage
1		40	100.0%
Sysmiss		23947	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#50 TELEPHONE: Telephone

Information	[Type= discrete] [Format=numeric] [Range= 7-7] [Missing=*]		
Statistics [NW/ W]	[Valid=349 /-] [Invalid=23638 /-]		
Value	Label	Cases	Percentage
7		349	100.0%
Sysmiss		23638	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#51 NO_OWNEM: No Owned

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=349 /-] [Invalid=23638 /-]		
Value	Label	Cases	Percentage
1		346	99.1%
2		3	0.9%
Sysmiss		23638	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#52 INFLATION_FACTORL: Inflation factor

Information	[Type= discrete] [Format=numeric] [Range= 345-223969] [Missing=*]		
Statistics [NW/ W]	[Valid=23987 /-] [Invalid=0 /-]		

File Information on Cultural, Recreational, Religious and Social Activities (Section 5)

#1 REC\$TYPE: 1.Record Type			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=17595 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
22		17595	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#2 MONTH: 2.Month			
Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]		
Statistics [NW/ W]	[Valid=17595 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1		1580	9.0%
2		1501	8.5%
3		1528	8.7%
4		1471	8.4%
5		1506	8.6%
6		1457	8.3%
7		1412	8.0%
8		1532	8.7%
9		1454	8.3%
10		1429	8.1%
11		1455	8.3%
12		1270	7.2%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#3 HHNO: 3.Unique Household Number			
Information	[Type= discrete] [Format=numeric] [Range= 1-2186] [Missing=*]		
Statistics [NW/ W]	[Valid=17595 /-] [Invalid=0 /-]		

#4 A: Blank			
Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=17595 /-]		
Value	Label	Cases	Percentage
Sysmiss		17595	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

File Information on Cultural, Recreational, Religious and Social Activities (Section 5) (cont.)

#5 Q4: 4.Serial number of the person			
Information		[Type= discrete] [Format=numeric] [Range= 1-17] [Missing=*]	
Statistics [NW/ W]		[Valid=17591 /-] [Invalid=4 /-]	
Value	Label	Cases	Percentage
1		9501	54.0%
2		1383	7.9%
3		1618	9.2%
4		3088	17.6%
5		838	4.8%
6		421	2.4%
7		486	2.8%
8		145	0.8%
9		46	0.3%
10		40	0.2%
11		17	0.1%
12		6	0.0%
13		1	0.0%
17		1	0.0%
Sysmiss		4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#6 Q5: 5.Did the person read any books			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=17586 /-] [Invalid=9 /-]	
Value	Label	Cases	Percentage
1		3736	21.2%
2		13850	78.8%
Sysmiss		9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#7 Q6_1: Q6.1 Source - 1st			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=3743 /-] [Invalid=13852 /-]	
Value	Label	Cases	Percentage
1		742	19.8%
2		1776	47.4%
3		1116	29.8%

File Information on Cultural, Recreational, Religious and Social Activities (Section 5) (cont.)

#7 Q6_1: Q6.1 Source - 1st (cont.)

Value (cont.)	Label	Cases	Percentage
9		109	2.9%
Sysmiss		13852	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#8 Q6_2: Q6.2 Source - 2nd

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=328 /-] [Invalid=17267 /-]		
Value	Label	Cases	Percentage
0		2	0.6%
1		12	3.7%
2		90	27.4%
3		209	63.7%
9		15	4.6%
Sysmiss		17267	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#9 Q6_3: Q6.3 Source - 3rd

Information	[Type= discrete] [Format=numeric] [Range= 3-9] [Missing=*]		
Statistics [NW/ W]	[Valid=24 /-] [Invalid=17571 /-]		
Value	Label	Cases	Percentage
3		22	91.7%
9		2	8.3%
Sysmiss		17571	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#10 Q6_4: Q6.4 Source - 4th

Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=17595 /-]		
Value	Label	Cases	Percentage
Sysmiss		17595	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#11 Q7_1: Q7.1 Type - 1st

Information	[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]		
-------------	---	--	--

File Information on Cultural, Recreational, Religious and Social Activities (Section 5) (cont.)

#11 Q7_1: Q7.1 Type - 1st (cont.)

Statistics [NW/ W] [Valid=3735 /-] [Invalid=13860 /-]

Value	Label	Cases	Percentage
0		16	0.4%
1		275	7.4%
2		89	2.4%
3		475	12.7%
4		128	3.4%
5		677	18.1%
6		91	2.4%
7		23	0.6%
8		147	3.9%
9		1677	44.9%
16		1	0.0%
17		1	0.0%
27		1	0.0%
99		134	3.6%
Sysmiss		13860	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#12 Q7_2: Q7.2 Type - 2nd

Information [Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]

Statistics [NW/ W] [Valid=420 /-] [Invalid=17175 /-]

Value	Label	Cases	Percentage
1		11	2.6%
2		16	3.8%
3		25	6.0%
4		34	8.1%
5		58	13.8%
6		30	7.1%
7		12	2.9%
8		24	5.7%
9		169	40.2%
99		41	9.8%
Sysmiss		17175	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Information on Cultural, Recreational, Religious and Social Activities (Section 5) (cont.)

#13 Q8: Q8 Did the person read any magazines			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=17586 /-] [Invalid=9 /-]		
Value	Label	Cases	Percentage
1		4472	25.4%
2		13114	74.6%
Sysmiss		9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#14 Q9_1: Q9.1 Source - 1st			
Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=4477 /-] [Invalid=13118 /-]		
Value	Label	Cases	Percentage
0		1	0.0%
1		1668	37.3%
2		857	19.1%
3		1793	40.0%
9		158	3.5%
Sysmiss		13118	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#15 Q9_2: Q9.2 Source - 2nd			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=360 /-] [Invalid=17235 /-]		
Value	Label	Cases	Percentage
1		32	8.9%
2		49	13.6%
3		257	71.4%
5		1	0.3%
9		21	5.8%
Sysmiss		17235	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#16 Q9_3: Q9.3 Source - 3rd			
Information	[Type= discrete] [Format=numeric] [Range= 2-9] [Missing=*]		
Statistics [NW/ W]	[Valid=17 /-] [Invalid=17578 /-]		

File Information on Cultural, Recreational, Religious and Social Activities (Section 5) (cont.)

#16 Q9_3: Q9.3 Source - 3rd (cont.)

Value	Label	Cases	Percentage
2		2	11.8%
3		11	64.7%
9		4	23.5%
Sysmiss		17578	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#17 Q9_4: Q9.4 Source - 4th

Information	[Type= discrete] [Format=numeric] [Range= 3-3] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=17594 /-]

Value	Label	Cases	Percentage
3		1	100.0%
Sysmiss		17594	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#18 Q10_1: Q10.1 Type - 1st

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=4412 /-] [Invalid=13183 /-]

Value	Label	Cases	Percentage
0		13	0.3%
1		1766	40.0%
2		119	2.7%
3		247	5.6%
4		66	1.5%
5		139	3.2%
6		100	2.3%
7		1462	33.1%
9		500	11.3%
Sysmiss		13183	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#19 Q10_2: Q10.2 Type - 2nd

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=779 /-] [Invalid=16816 /-]

File Information on Cultural, Recreational, Religious and Social Activities (Section 5) (cont.)

#19 Q10_2: Q10.2 Type - 2nd (cont.)

Value	Label	Cases	Percentage
0		1	0.1%
1		87	11.2%
2		80	10.3%
3		55	7.1%
4		17	2.2%
5		101	13.0%
6		43	5.5%
7		191	24.5%
9		204	26.2%
Sysmiss		16816	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#20 Q11: Q11 Read Newspapers - frequency

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=17414 /-] [Invalid=181 /-]

Value	Label	Cases	Percentage
1		8069	46.3%
2		7723	44.3%
3		1032	5.9%
4		590	3.4%
Sysmiss		181	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#21 Q12_1: Q12.1 Source - 1st

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=16818 /-] [Invalid=777 /-]

Value	Label	Cases	Percentage
1		8116	48.3%
2		1133	6.7%
3		6699	39.8%
9		870	5.2%
Sysmiss		777	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Information on Cultural, Recreational, Religious and Social Activities (Section 5) (cont.)

#22 Q12_2: Q12.2 Source - 2nd			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=1179 /-] [Invalid=16416 /-]	
Value	Label	Cases	Percentage
1		90	7.6%
2		130	11.0%
3		877	74.4%
9		82	7.0%
Sysmiss		16416	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#23 Q12_3: Q12.3 Source - 3rd			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=39 /-] [Invalid=17556 /-]	
Value	Label	Cases	Percentage
1		5	12.8%
2		1	2.6%
3		20	51.3%
9		13	33.3%
Sysmiss		17556	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#24 Q12_4: Q12.4 Source - 4th			
Information		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/ W]		[Valid=4 /-] [Invalid=17591 /-]	
Value	Label	Cases	Percentage
1		2	50.0%
3		2	50.0%
Sysmiss		17591	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#25 Q13_1: Q13.1 Language - 1st			
Information		[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]	
Statistics [NW/ W]		[Valid=16821 /-] [Invalid=774 /-]	
Value	Label	Cases	Percentage
0		1	0.0%

File Information on Cultural, Recreational, Religious and Social Activities (Section 5) (cont.)

#25 Q13_1: Q13.1 Language - 1st (cont.)

Value (cont.)	Label	Cases	Percentage
1		12802	76.1%
2		3274	19.5%
3		734	4.4%
9		10	0.1%
Sysmiss		774	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#26 Q13_2: Q13.2 Language - 2nd

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=879 /-] [Invalid=16716 /-]		
Value	Label	Cases	Percentage
1		48	5.5%
2		189	21.5%
3		641	72.9%
9		1	0.1%
Sysmiss		16716	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#27 Q13_3: Q13.3 Language - 3rd

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=23 /-] [Invalid=17572 /-]		
Value	Label	Cases	Percentage
1		1	4.3%
2		1	4.3%
3		20	87.0%
9		1	4.3%
Sysmiss		17572	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#28 Q13_4: Q13.4 Language - 4th

Information	[Type= discrete] [Format=numeric] [Range= 1-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=17594 /-]		
Value	Label	Cases	Percentage
1		1	100.0%

File Information on Cultural, Recreational, Religious and Social Activities (Section 5) (cont.)

#28 Q13_4: Q13.4 Language - 4th (cont.)

Value (cont.)	Label	Cases	Percentage
Sysmiss		17594	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#29 Q14: Q14 Serial number of the person

Information	[Type= discrete] [Format=numeric] [Range= 1-14] [Missing=*]		
Statistics [NW/ W]	[Valid=12169 /-] [Invalid=5426 /-]		

Value	Label	Cases	Percentage
1		1	0.0%
2		6329	52.0%
3		1676	13.8%
4		1149	9.4%
5		1927	15.8%
6		528	4.3%
7		212	1.7%
8		235	1.9%
9		69	0.6%
10		15	0.1%
11		12	0.1%
12		11	0.1%
13		4	0.0%
14		1	0.0%
Sysmiss		5426	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#30 Q15: Q15 Did the person read any books

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=12162 /-] [Invalid=5433 /-]		

Value	Label	Cases	Percentage
1		2680	22.0%
2		9482	78.0%
Sysmiss		5433	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#31 Q16_1: Q16.1 Source - 1st

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
-------------	--	--	--

File Information on Cultural, Recreational, Religious and Social Activities (Section 5) (cont.)

#31 Q16_1: Q16.1 Source - 1st (cont.)

Statistics [NW/ W]	[Valid=2686 /-] [Invalid=14909 /-]		
Value	Label	Cases	Percentage
1		428	15.9%
2		1381	51.4%
3		819	30.5%
9		58	2.2%
Sysmiss		14909	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#32 Q16_2: Q16.2 Source - 2nd

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=262 /-] [Invalid=17333 /-]		
Value	Label	Cases	Percentage
0		3	1.1%
1		4	1.5%
2		61	23.3%
3		184	70.2%
9		10	3.8%
Sysmiss		17333	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#33 Q16_3: Q16.3 Source - 3rd

Information	[Type= discrete] [Format=numeric] [Range= 3-9] [Missing=*]		
Statistics [NW/ W]	[Valid=19 /-] [Invalid=17576 /-]		
Value	Label	Cases	Percentage
3		15	78.9%
9		4	21.1%
Sysmiss		17576	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#34 Q16_4: Q16.4 Source - 4th

Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=17595 /-]		
Value	Label	Cases	Percentage
Sysmiss		17595	

File Information on Cultural, Recreational, Religious and Social Activities (Section 5) (cont.)

#34 Q16_4: Q16.4 Source - 4th (cont.)

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#35 Q17_1: Q17.1 Type - 1st

Information [Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]

Statistics [NW/ W] [Valid=2680 /-] [Invalid=14915 /-]

Value	Label	Cases	Percentage
0		11	0.4%
1		192	7.2%
2		64	2.4%
3		231	8.6%
4		79	2.9%
5		500	18.7%
6		58	2.2%
7		20	0.7%
8		124	4.6%
9		1317	49.1%
16		1	0.0%
17		1	0.0%
99		82	3.1%
Sysmiss		14915	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#36 Q17_2: Q17.2 Type - 2nd

Information [Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]

Statistics [NW/ W] [Valid=276 /-] [Invalid=17319 /-]

Value	Label	Cases	Percentage
1		7	2.5%
2		8	2.9%
3		14	5.1%
4		13	4.7%
5		37	13.4%
6		16	5.8%
7		10	3.6%
8		20	7.2%
9		117	42.4%
92		1	0.4%
99		33	12.0%

File Information on Cultural, Recreational, Religious and Social Activities (Section 5) (cont.)

#36 Q17_2: Q17.2 Type - 2nd (cont.)

Value (cont.)	Label	Cases	Percentage
Sysmiss		17319	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#37 Q18: Q18 Did the person read any magazines

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=12164 /-] [Invalid=5431 /-]		

Value	Label	Cases	Percentage
1		3468	28.5%
2		8696	71.5%
Sysmiss		5431	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#38 Q19_1: Q19.1 Source - 1st

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=3471 /-] [Invalid=14124 /-]		

Value	Label	Cases	Percentage
0		1	0.0%
1		1280	36.9%
2		598	17.2%
3		1470	42.4%
9		122	3.5%
Sysmiss		14124	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#39 Q19_2: Q19.2 Source - 2nd

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=293 /-] [Invalid=17302 /-]		

Value	Label	Cases	Percentage
1		20	6.8%
2		41	14.0%
3		217	74.1%
5		2	0.7%
9		13	4.4%
Sysmiss		17302	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Information on Cultural, Recreational, Religious and Social Activities (Section 5) (cont.)

#40 Q19_3: Q19.3 Source - 3rd

Information	[Type= discrete] [Format=numeric] [Range= 2-9] [Missing=*]		
Statistics [NW/ W]	[Valid=10 /-] [Invalid=17585 /-]		
Value	Label	Cases	Percentage
2		1	10.0%
3		6	60.0%
9		3	30.0%
Sysmiss		17585	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#41 Q19_4: Q19.4 Source - 4th

Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=17595 /-]		
Value	Label	Cases	Percentage
Sysmiss		17595	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#42 Q20_1: Q20.1 Type - 1st

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=3421 /-] [Invalid=14174 /-]		
Value	Label	Cases	Percentage
0		12	0.4%
1		1347	39.4%
2		69	2.0%
3		161	4.7%
4		44	1.3%
5		78	2.3%
6		65	1.9%
7		1283	37.5%
8		1	0.0%
9		361	10.6%
Sysmiss		14174	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#43 Q20_2: Q20.2 Type - 2nd

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
-------------	--	--	--

File Information on Cultural, Recreational, Religious and Social Activities (Section 5) (cont.)

#43 Q20_2: Q20.2 Type - 2nd (cont.)

Statistics [NW/ W] [Valid=639 /-] [Invalid=16956 /-]

Value	Label	Cases	Percentage
1		58	9.1%
2		63	9.9%
3		43	6.7%
4		11	1.7%
5		63	9.9%
6		41	6.4%
7		175	27.4%
9		185	29.0%
Sysmiss		16956	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#44 Q21: Q21 Read Newspapers - frequency

Information [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]

Statistics [NW/ W] [Valid=11996 /-] [Invalid=5599 /-]

Value	Label	Cases	Percentage
1		5270	43.9%
2		5558	46.3%
3		712	5.9%
4		456	3.8%
Sysmiss		5599	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#45 Q22_1: Q22.1 Source - 1st

Information [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]

Statistics [NW/ W] [Valid=11533 /-] [Invalid=6062 /-]

Value	Label	Cases	Percentage
1		6016	52.2%
2		607	5.3%
3		4514	39.1%
9		396	3.4%
Sysmiss		6062	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Information on Cultural, Recreational, Religious and Social Activities (Section 5) (cont.)

#46 Q22_2: Q22.2 Source - 2nd			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=776 /-] [Invalid=16819 /-]	
Value	Label	Cases	Percentage
1		56	7.2%
2		73	9.4%
3		590	76.0%
9		57	7.3%
Sysmiss		16819	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#47 Q22_3: Q22.3 Source - 3rd			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=23 /-] [Invalid=17572 /-]	
Value	Label	Cases	Percentage
1		3	13.0%
2		1	4.3%
3		14	60.9%
9		5	21.7%
Sysmiss		17572	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#48 Q22_4: Q22.4 Source - 4th			
Information		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/ W]		[Valid=4 /-] [Invalid=17591 /-]	
Value	Label	Cases	Percentage
1		2	50.0%
3		2	50.0%
Sysmiss		17591	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#49 Q23_1: Q23.1 Language - 1st			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=11537 /-] [Invalid=6058 /-]	
Value	Label	Cases	Percentage
1		9015	78.1%

File Information on Cultural, Recreational, Religious and Social Activities (Section 5) (cont.)

#49 Q23_1: Q23.1 Language - 1st (cont.)

Value (cont.)	Label	Cases	Percentage
2		1997	17.3%
3		518	4.5%
9		7	0.1%
Sysmiss		6058	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#50 Q23_2: Q23.2 Language - 2nd

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=508 /-] [Invalid=17087 /-]		
Value	Label	Cases	Percentage
1		33	6.5%
2		110	21.7%
3		363	71.5%
9		2	0.4%
Sysmiss		17087	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#51 Q23_3: Q23.3 Language - 3rd

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=7 /-] [Invalid=17588 /-]		
Value	Label	Cases	Percentage
1		1	14.3%
3		6	85.7%
Sysmiss		17588	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#52 Q23_4: Q23.4 Language - 4th

Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=17595 /-]		
Value	Label	Cases	Percentage
Sysmiss		17595	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Information on Cultural, Recreational, Religious and Social Activities (Section 5) (cont.)

#53 Q24: Q24 Serial number of the person			
Information		[Type= discrete] [Format=numeric] [Range= 2-16] [Missing=*]	
Statistics [NW/ W]		[Valid=7169 /-] [Invalid=10426 /-]	
Value	Label	Cases	Percentage
2		1	0.0%
3		3796	53.0%
4		1171	16.3%
5		694	9.7%
6		993	13.9%
7		265	3.7%
8		101	1.4%
9		98	1.4%
10		28	0.4%
11		11	0.2%
12		5	0.1%
13		3	0.0%
14		1	0.0%
15		1	0.0%
16		1	0.0%
Sysmiss		10426	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#54 Q25: Q25 Did the person read any books			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=7163 /-] [Invalid=10432 /-]	
Value	Label	Cases	Percentage
1		1945	27.2%
2		5218	72.8%
Sysmiss		10432	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#55 Q26_1: Q26.1 Source - 1st			
Information		[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]	
Statistics [NW/ W]		[Valid=1951 /-] [Invalid=15644 /-]	
Value	Label	Cases	Percentage
0		1	0.1%
1		272	13.9%

File Information on Cultural, Recreational, Religious and Social Activities (Section 5) (cont.)

#55 Q26_1: Q26.1 Source - 1st (cont.)

Value (cont.)	Label	Cases	Percentage
2		1101	56.4%
3		540	27.7%
9		37	1.9%
Sysmiss		15644	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#56 Q26_2: Q26.2 Source - 2nd

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=235 /-] [Invalid=17360 /-]

Value	Label	Cases	Percentage
0		2	0.9%
1		6	2.6%
2		61	26.0%
3		152	64.7%
9		14	6.0%
Sysmiss		17360	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#57 Q26_3: Q26.3 Source - 3rd

Information	[Type= discrete] [Format=numeric] [Range= 2-9] [Missing=*]
Statistics [NW/ W]	[Valid=23 /-] [Invalid=17572 /-]

Value	Label	Cases	Percentage
2		1	4.3%
3		17	73.9%
9		5	21.7%
Sysmiss		17572	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#58 Q26_4: Q26.4 Source - 4th

Information	[Type= discrete] [Format=numeric] [Range= 1-1] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=17594 /-]

Value	Label	Cases	Percentage
1		1	100.0%
Sysmiss		17594	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Information on Cultural, Recreational, Religious and Social Activities (Section 5) (cont.)

#59 Q27_1: Q27.1 Type - 1st			
Information		[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]	
Statistics [NW/ W]		[Valid=1945 /-] [Invalid=15650 /-]	
Value	Label	Cases	Percentage
0		8	0.4%
1		146	7.5%
2		71	3.7%
3		98	5.0%
4		57	2.9%
5		415	21.3%
6		34	1.7%
7		19	1.0%
8		103	5.3%
9		917	47.1%
12		1	0.1%
17		1	0.1%
99		75	3.9%
Sysmiss		15650	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#60 Q27_2: Q27.2 Type - 2nd			
Information		[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]	
Statistics [NW/ W]		[Valid=227 /-] [Invalid=17368 /-]	
Value	Label	Cases	Percentage
1		2	0.9%
2		12	5.3%
3		16	7.0%
4		13	5.7%
5		19	8.4%
6		11	4.8%
7		5	2.2%
8		17	7.5%
9		97	42.7%
99		35	15.4%
Sysmiss		17368	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Information on Cultural, Recreational, Religious and Social Activities (Section 5) (cont.)

#61 Q28: Q28 Did the person read any magazines			
Information		[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]	
Statistics [NW/ W]		[Valid=7166 /-] [Invalid=10429 /-]	
Value	Label	Cases	Percentage
0		1	0.0%
1		2518	35.1%
2		4647	64.8%
Sysmiss		10429	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#62 Q29_1: Q29.1 Source - 1st			
Information		[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]	
Statistics [NW/ W]		[Valid=2521 /-] [Invalid=15074 /-]	
Value	Label	Cases	Percentage
0		1	0.0%
1		912	36.2%
2		487	19.3%
3		1048	41.6%
9		73	2.9%
Sysmiss		15074	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#63 Q29_2: Q29.2 Source - 2nd			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=261 /-] [Invalid=17334 /-]	
Value	Label	Cases	Percentage
1		24	9.2%
2		37	14.2%
3		189	72.4%
9		11	4.2%
Sysmiss		17334	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#64 Q29_3: Q29.3 Source - 3rd			
Information		[Type= discrete] [Format=numeric] [Range= 2-9] [Missing=*]	
Statistics [NW/ W]		[Valid=14 /-] [Invalid=17581 /-]	

File Information on Cultural, Recreational, Religious and Social Activities (Section 5) (cont.)

#64 Q29_3: Q29.3 Source - 3rd (cont.)

Value	Label	Cases	Percentage
2		1	7.1%
3		9	64.3%
9		4	28.6%
Sysmiss		17581	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#65 Q29_4: Q29.4 Source - 4th

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=17595 /-]

Value	Label	Cases	Percentage
Sysmiss		17595	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#66 Q30_1: Q30.1 Type - 1st

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=2493 /-] [Invalid=15102 /-]

Value	Label	Cases	Percentage
0		7	0.3%
1		919	36.9%
2		79	3.2%
3		132	5.3%
4		39	1.6%
5		54	2.2%
6		36	1.4%
7		950	38.1%
9		277	11.1%
Sysmiss		15102	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#67 Q30_2: Q30.2 Type - 2nd

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=477 /-] [Invalid=17118 /-]

Value	Label	Cases	Percentage
1		41	8.6%

File Information on Cultural, Recreational, Religious and Social Activities (Section 5) (cont.)

#67 Q30_2: Q30.2 Type - 2nd (cont.)

Value (cont.)	Label	Cases	Percentage
2		61	12.8%
3		38	8.0%
4		8	1.7%
5		43	9.0%
6		22	4.6%
7		134	28.1%
9		130	27.3%
Sysmiss		17118	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#68 Q31: Q31 Read Newspapers - frequency

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=7057 /-] [Invalid=10538 /-]

Value	Label	Cases	Percentage
1		3184	45.1%
2		3249	46.0%
3		322	4.6%
4		302	4.3%
Sysmiss		10538	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#69 Q32_1: Q32.1 Source - 1st

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=6751 /-] [Invalid=10844 /-]

Value	Label	Cases	Percentage
1		3798	56.3%
2		329	4.9%
3		2431	36.0%
9		193	2.9%
Sysmiss		10844	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#70 Q32_2: Q32.2 Source - 2nd

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=534 /-] [Invalid=17061 /-]

File Information on Cultural, Recreational, Religious and Social Activities (Section 5) (cont.)

#70 Q32_2: Q32.2 Source - 2nd (cont.)

Value	Label	Cases	Percentage
1		40	7.5%
2		59	11.0%
3		403	75.5%
9		32	6.0%
Sysmiss		17061	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#71 Q32_3: Q32.3 Source - 3rd

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=29 /-] [Invalid=17566 /-]		
Value	Label	Cases	Percentage
1		2	6.9%
2		3	10.3%
3		20	69.0%
9		4	13.8%
Sysmiss		17566	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#72 Q32_4: Q32.4 Source - 4th

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=3 /-] [Invalid=17592 /-]		
Value	Label	Cases	Percentage
1		2	66.7%
3		1	33.3%
Sysmiss		17592	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#73 Q33_1: Q33.1 Language - 1st

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=6752 /-] [Invalid=10843 /-]		
Value	Label	Cases	Percentage
1		5435	80.5%
2		1006	14.9%
3		307	4.5%

File Information on Cultural, Recreational, Religious and Social Activities (Section 5) (cont.)

#73 Q33_1: Q33.1 Language - 1st (cont.)

Value (cont.)	Label	Cases	Percentage
9		4	0.1%
Sysmiss		10843	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#74 Q33_2: Q33.2 Language - 2nd

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=337 /-] [Invalid=17258 /-]		
Value	Label	Cases	Percentage
1		20	5.9%
2		77	22.8%
3		239	70.9%
9		1	0.3%
Sysmiss		17258	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#75 Q33_3: Q33.3 Language - 3rd

Information	[Type= discrete] [Format=numeric] [Range= 3-3] [Missing=*]		
Statistics [NW/ W]	[Valid=5 /-] [Invalid=17590 /-]		
Value	Label	Cases	Percentage
3		5	100.0%
Sysmiss		17590	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#76 Q33_4: Q33.4 Language - 4th

Information	[Type= discrete] [Format=numeric] [Range= 1-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=17594 /-]		
Value	Label	Cases	Percentage
1		1	100.0%
Sysmiss		17594	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Information on Cultural, Recreational, Religious and Social Activities (Section 5)

#1 REC\$TYPE			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=34280 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
23		34280	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#2 BLANX: Blank			
Information		[Type= discrete] [Format=numeric] [Missing=*]	
Statistics [NW/ W]		[Valid=0 /-] [Invalid=34280 /-]	
Value	Label	Cases	Percentage
Sysmiss		34280	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#3 SERIAL_NUMBER_OF_THE_PERSONQ: Serial number of the person			
Information		[Type= discrete] [Format=numeric] [Range= 1-16] [Missing=*]	
Statistics [NW/ W]		[Valid=34270 /-] [Invalid=10 /-]	
Value	Label	Cases	Percentage
1		13687	39.9%
2		1105	3.2%
3		9970	29.1%
4		1300	3.8%
5		5202	15.2%
6		690	2.0%
7		1576	4.6%
8		201	0.6%
9		383	1.1%
10		52	0.2%
11		58	0.2%
12		26	0.1%
13		10	0.0%
14		7	0.0%
15		2	0.0%
16		1	0.0%
Sysmiss		10	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

File Information on Cultural, Recreational, Religious and Social Activities (Section 5) (cont.)

#4 WATCHING_T_V_FREQUENCY: Watching T.V.Frequency			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=33017 /-] [Invalid=1263 /-]		
Value	Label	Cases	Percentage
1		11672	35.4%
2		4717	14.3%
3		1222	3.7%
4		15406	46.7%
Sysmiss		1263	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#5 TIME_SPENT_IN_LAST_WEEK__HOURS: Time spent in last week (Hours)	
Information	[Type= discrete] [Format=numeric] [Range= 0-80] [Missing=*]
Statistics [NW/ W]	[Valid=17611 /-] [Invalid=16669 /-]
Frequency table not shown (44 Modalities)	

#6 PREFERRED_PROGRAMM_S_1_ST: Preferred programm/s 1 st			
Information	[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]		
Statistics [NW/ W]	[Valid=17606 /-] [Invalid=16674 /-]		
Value	Label	Cases	Percentage
0		286	1.6%
1		591	3.4%
2		658	3.7%
3		8465	48.1%
4		222	1.3%
5		51	0.3%
6		1673	9.5%
7		3756	21.3%
8		524	3.0%
9		742	4.2%
10		131	0.7%
11		437	2.5%
12		38	0.2%
13		9	0.1%
33		1	0.0%
99		22	0.1%
Sysmiss		16674	

File Information on Cultural, Recreational, Religious and Social Activities (Section 5) (cont.)

#6 PREFERED_PROGRAMM_S_1_ST: Preferred programm/s 1 st (cont.)

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#7 NV: 2 nd

Information [Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]

Statistics [NW/ W] [Valid=14318 /-] [Invalid=19962 /-]

Value	Label	Cases	Percentage
0		1	0.0%
1		172	1.2%
2		265	1.9%
3		1490	10.4%
4		929	6.5%
5		104	0.7%
6		768	5.4%
7		5879	41.1%
8		1037	7.2%
9		1367	9.5%
10		269	1.9%
11		1851	12.9%
12		112	0.8%
13		39	0.3%
60		2	0.0%
99		33	0.2%
Sysmiss		19962	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#8 RP: 3 rd

Information [Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]

Statistics [NW/ W] [Valid=9325 /-] [Invalid=24955 /-]

Value	Label	Cases	Percentage
0		1	0.0%
1		107	1.1%
2		120	1.3%
3		460	4.9%
4		310	3.3%
5		97	1.0%
6		406	4.4%
7		1558	16.7%

File Information on Cultural, Recreational, Religious and Social Activities (Section 5) (cont.)

#8 RP: 3 rd (cont.)			
Value (cont.)	Label	Cases	Percentage
8		1184	12.7%
9		1310	14.0%
10		464	5.0%
11		2824	30.3%
12		284	3.0%
13		116	1.2%
99		84	0.9%
Sysmiss		24955	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#9 TU: 4 th			
Information	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]		
Statistics [NW/ W]	[Valid=3460 /-] [Invalid=30820 /-]		
Value	Label	Cases	Percentage
1		41	1.2%
2		31	0.9%
3		74	2.1%
4		73	2.1%
5		21	0.6%
6		149	4.3%
7		290	8.4%
8		351	10.1%
9		517	14.9%
10		253	7.3%
11		1199	34.7%
12		251	7.3%
13		81	2.3%
99		129	3.7%
Sysmiss		30820	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#10 TV: 5 th			
Information	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]		
Statistics [NW/ W]	[Valid=774 /-] [Invalid=33506 /-]		

File Information on Cultural, Recreational, Religious and Social Activities (Section 5) (cont.)

#10 TV: 5 th (cont.)			
Value	Label	Cases	Percentage
1		7	0.9%
2		10	1.3%
3		7	0.9%
4		17	2.2%
5		2	0.3%
6		21	2.7%
7		26	3.4%
8		48	6.2%
9		86	11.1%
10		59	7.6%
11		270	34.9%
12		157	20.3%
13		27	3.5%
14		2	0.3%
99		35	4.5%
Sysmiss		33506	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#11 PLACE_OF_WATCHING_T_V: Place of watching T.V.			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=17611 /-] [Invalid=16669 /-]		
Value	Label	Cases	Percentage
1		11105	63.1%
2		6126	34.8%
3		118	0.7%
9		262	1.5%
Sysmiss		16669	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#12 LISTENING_TO_RADIO_FREQUENCY: Listening to radio Frequency			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=34060 /-] [Invalid=220 /-]		
Value	Label	Cases	Percentage
1		22483	66.0%
2		5847	17.2%

File Information on Cultural, Recreational, Religious and Social Activities (Section 5) (cont.)

#12 LISTENING_TO_RADIO_FREQUENCY: Listening to radio Frequency (cont.)

Value (cont.)	Label	Cases	Percentage
3		1033	3.0%
4		4697	13.8%
Sysmiss		220	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#13 TIME_SPENT_IN_WEEK__HOURS: Time spent in week (hours)

Information	[Type= discrete] [Format=numeric] [Range= 0-224] [Missing=*]
Statistics [NW/ W]	[Valid=29352 /-] [Invalid=4928 /-]
Frequency table not shown (69 Modalities)	

#14 PREFERED_PROGRAMM_S_1_SU: Prefered programm/s 1 st

Information	[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]
Statistics [NW/ W]	[Valid=29360 /-] [Invalid=4920 /-]

Value	Label	Cases	Percentage
0		170	0.6%
1		1015	3.5%
2		4615	15.7%
3		14019	47.7%
4		403	1.4%
5		333	1.1%
6		1465	5.0%
7		2546	8.7%
8		31	0.1%
9		572	1.9%
10		165	0.6%
11		3801	12.9%
12		112	0.4%
13		28	0.1%
30		2	0.0%
31		1	0.0%
71		1	0.0%
99		81	0.3%
Sysmiss		4920	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Information on Cultural, Recreational, Religious and Social Activities (Section 5) (cont.)

#15 NW: 2 nd			
Information		[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]	
Statistics [NW/ W]		[Valid=22389 /-] [Invalid=11891 /-]	
Value	Label	Cases	Percentage
0		1	0.0%
1		254	1.1%
2		1375	6.1%
3		4519	20.2%
4		1729	7.7%
5		571	2.6%
6		538	2.4%
7		5558	24.8%
8		90	0.4%
9		1109	5.0%
10		329	1.5%
11		5555	24.8%
12		468	2.1%
13		81	0.4%
70		1	0.0%
99		211	0.9%
Sysmiss		11891	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#16 RQ: 3 rd			
Information		[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]	
Statistics [NW/ W]		[Valid=12959 /-] [Invalid=21321 /-]	
Value	Label	Cases	Percentage
0		1	0.0%
1		111	0.9%
2		438	3.4%
3		634	4.9%
4		700	5.4%
5		455	3.5%
6		312	2.4%
7		2764	21.3%
8		142	1.1%
9		1009	7.8%
10		401	3.1%

File Information on Cultural, Recreational, Religious and Social Activities (Section 5) (cont.)

#16 RQ: 3 rd (cont.)

Value (cont.)	Label	Cases	Percentage
11		4673	36.1%
12		886	6.8%
13		110	0.8%
99		323	2.5%
Systemiss		21321	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#17 TW: 4 th

Information	[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]
Statistics [NW/ W]	[Valid=4340 /-] [Invalid=29940 /-]

Value	Label	Cases	Percentage
0		1	0.0%
1		49	1.1%
2		116	2.7%
3		74	1.7%
4		101	2.3%
5		113	2.6%
6		84	1.9%
7		547	12.6%
8		52	1.2%
9		315	7.3%
10		146	3.4%
11		1672	38.5%
12		801	18.5%
13		53	1.2%
99		216	5.0%
Systemiss		29940	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#18 TX: 5 th

Information	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]
Statistics [NW/ W]	[Valid=779 /-] [Invalid=33501 /-]

Value	Label	Cases	Percentage
1		7	0.9%
2		5	0.6%

File Information on Cultural, Recreational, Religious and Social Activities (Section 5) (cont.)

#18 TX: 5 th (cont.)

Value (cont.)	Label	Cases	Percentage
3		7	0.9%
4		6	0.8%
5		27	3.5%
6		15	1.9%
7		49	6.3%
8		11	1.4%
9		35	4.5%
10		27	3.5%
11		251	32.2%
12		254	32.6%
13		14	1.8%
99		71	9.1%
Sysmiss		33501	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#19 LISTENING_TO_RECORDED_MUSIC: Listening to recorded music

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=31090 /-] [Invalid=3190 /-]

Value	Label	Cases	Percentage
1		1293	4.2%
2		2517	8.1%
3		1212	3.9%
4		26068	83.8%
Sysmiss		3190	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#20 TIME_SPENT_IN_LAST_WEEK__HOURS: Time spent in last week (Hours)

Information	[Type= discrete] [Format=numeric] [Range= 0-69] [Missing=*]
Statistics [NW/ W]	[Valid=5018 /-] [Invalid=29262 /-]
Frequency table not shown (32 Modalities)	

#21 PREFERRED_MUSIC: Preferred music

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=5022 /-] [Invalid=29258 /-]

File Information on Cultural, Recreational, Religious and Social Activities (Section 5) (cont.)

#21 PREFERED_MUSIC: Preferred music (cont.)

Value	Label	Cases	Percentage
0		1	0.0%
1		1308	26.0%
2		2224	44.3%
3		4	0.1%
9		1485	29.6%
Sysmiss		29258	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#22 CINAMA: Cinama

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=1725 /-] [Invalid=32555 /-]		
Value	Label	Cases	Percentage
0		5	0.3%
1		1097	63.6%
2		326	18.9%
3		81	4.7%
4		196	11.4%
5		9	0.5%
6		4	0.2%
8		2	0.1%
9		5	0.3%
Sysmiss		32555	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#23 DRAMA: Drama

Information	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]		
Statistics [NW/ W]	[Valid=383 /-] [Invalid=33897 /-]		
Value	Label	Cases	Percentage
0		22	5.7%
1		269	70.2%
2		32	8.4%
3		2	0.5%
4		52	13.6%
5		2	0.5%
6		3	0.8%

File Information on Cultural, Recreational, Religious and Social Activities (Section 5) (cont.)

#23 DRAMA: Drama (cont.)

Value (cont.)	Label	Cases	Percentage
7		1	0.3%
Systemiss		33897	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#24 DANCE: Dance

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]		
Statistics [NW/ W]	[Valid=110 /-] [Invalid=34170 /-]		
Value	Label	Cases	Percentage
0		20	18.2%
1		48	43.6%
2		1	0.9%
3		1	0.9%
4		40	36.4%
Systemiss		34170	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#25 MUSIC: Music

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]		
Statistics [NW/ W]	[Valid=131 /-] [Invalid=34149 /-]		
Value	Label	Cases	Percentage
0		23	17.6%
1		60	45.8%
2		3	2.3%
3		2	1.5%
4		43	32.8%
Systemiss		34149	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#26 BALLET: Ballet

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]		
Statistics [NW/ W]	[Valid=70 /-] [Invalid=34210 /-]		
Value	Label	Cases	Percentage
0		23	32.9%
1		3	4.3%

File Information on Cultural, Recreational, Religious and Social Activities (Section 5) (cont.)

#26 BALLET: Ballet (cont.)

Value (cont.)	Label	Cases	Percentage
2		1	1.4%
3		1	1.4%
4		42	60.0%
Sysmiss		34210	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#27 OTHET: Other

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=99 /-] [Invalid=34181 /-]		
Value	Label	Cases	Percentage
0		22	22.2%
1		31	31.3%
2		3	3.0%
4		42	42.4%
9		1	1.0%
Sysmiss		34181	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#28 SERIAL_NUMBER_OF_THE_PERSONR: Serial number of the person

Information	[Type= discrete] [Format=numeric] [Range= 1-17] [Missing=*]		
Statistics [NW/ W]	[Valid=26517 /-] [Invalid=7763 /-]		
Value	Label	Cases	Percentage
1		2	0.0%
2		12103	45.6%
3		1305	4.9%
4		7628	28.8%
5		963	3.6%
6		3042	11.5%
7		378	1.4%
8		773	2.9%
9		97	0.4%
10		141	0.5%
11		42	0.2%
12		28	0.1%
13		10	0.0%

File Information on Cultural, Recreational, Religious and Social Activities (Section 5) (cont.)

#28 SERIAL_NUMBER_OF_THE_PERSONR: Serial number of the person (cont.)

Value (cont.)	Label	Cases	Percentage
14		2	0.0%
15		1	0.0%
16		1	0.0%
17		1	0.0%
Sysmiss		7763	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#29 WATCHING_T_V_FREQUENZ: Watching T.V.Frequency

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=25570 /-] [Invalid=8710 /-]		
Value	Label	Cases	Percentage
1		9465	37.0%
2		3591	14.0%
3		840	3.3%
4		11674	45.7%
Sysmiss		8710	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#30 TIME_SPENT_IN_LAST_WEEK__HOURT: Time spent in last week (Hours)

Information	[Type= discrete] [Format=numeric] [Range= 0-70] [Missing=*]
Statistics [NW/ W]	[Valid=13896 /-] [Invalid=20384 /-]
Frequency table not shown (42 Modalities)	

#31 PREFERED_PROGRAMM_S_1_SV: Preferred programm/s 1 st

Information	[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]		
Statistics [NW/ W]	[Valid=13881 /-] [Invalid=20399 /-]		
Value	Label	Cases	Percentage
0		226	1.6%
1		480	3.5%
2		476	3.4%
3		6329	45.6%
4		154	1.1%
5		74	0.5%
6		1384	10.0%

File Information on Cultural, Recreational, Religious and Social Activities (Section 5) (cont.)

#31 PREFERED_PROGRAMM_S_1_SV: Prefered programm/s 1 st (cont.)

Value (cont.)	Label	Cases	Percentage
7		3235	23.3%
8		393	2.8%
9		603	4.3%
10		101	0.7%
11		376	2.7%
12		21	0.2%
13		10	0.1%
99		19	0.1%
Sysmiss		20399	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#32 NX: 2 nd

Information	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]		
Statistics [NW/ W]	[Valid=11287 /-] [Invalid=22993 /-]		
Value	Label	Cases	Percentage
1		116	1.0%
2		201	1.8%
3		1085	9.6%
4		624	5.5%
5		153	1.4%
6		618	5.5%
7		4753	42.1%
8		836	7.4%
9		1098	9.7%
10		181	1.6%
11		1474	13.1%
12		100	0.9%
13		19	0.2%
60		2	0.0%
99		27	0.2%
Sysmiss		22993	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#33 RR: 3 rd

Information	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]
Statistics [NW/ W]	[Valid=7528 /-] [Invalid=26752 /-]

File Information on Cultural, Recreational, Religious and Social Activities (Section 5) (cont.)

#33 RR: 3 rd (cont.)			
Value	Label	Cases	Percentage
1		74	1.0%
2		92	1.2%
3		362	4.8%
4		217	2.9%
5		116	1.5%
6		341	4.5%
7		1182	15.7%
8		959	12.7%
9		1037	13.8%
10		338	4.5%
11		2452	32.6%
12		216	2.9%
13		81	1.1%
99		61	0.8%
Sysmiss		26752	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#34 TY: 4 th			
Information	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]		
Statistics [NW/ W]	[Valid=2824 /-] [Invalid=31456 /-]		
Value	Label	Cases	Percentage
1		30	1.1%
2		26	0.9%
3		56	2.0%
4		53	1.9%
5		37	1.3%
6		133	4.7%
7		238	8.4%
8		257	9.1%
9		443	15.7%
10		176	6.2%
11		995	35.2%
12		233	8.3%
13		50	1.8%
99		97	3.4%
Sysmiss		31456	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Information on Cultural, Recreational, Religious and Social Activities (Section 5) (cont.)

#35 TZ: 5 th			
Information		[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]	
Statistics [NW/ W]		[Valid=618 /-] [Invalid=33662 /-]	
Value	Label	Cases	Percentage
1		6	1.0%
2		10	1.6%
3		4	0.6%
4		10	1.6%
5		1	0.2%
6		24	3.9%
7		23	3.7%
8		33	5.3%
9		61	9.9%
10		35	5.7%
11		238	38.5%
12		121	19.6%
13		20	3.2%
14		2	0.3%
99		30	4.9%
Sysmiss		33662	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#36 PLACE_OF_WATCHING_T_W: Place of watching T.V.			
Information		[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]	
Statistics [NW/ W]		[Valid=13896 /-] [Invalid=20384 /-]	
Value	Label	Cases	Percentage
0		1	0.0%
1		9033	65.0%
2		4602	33.1%
3		77	0.6%
9		183	1.3%
Sysmiss		20384	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#37 LISTENING_TO_RADIO_FREQUENZ: Listening to radio Frequency			
Information		[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]	
Statistics [NW/ W]		[Valid=26360 /-] [Invalid=7920 /-]	

File Information on Cultural, Recreational, Religious and Social Activities (Section 5) (cont.)

#37 LISTENING_TO_RADIO_FREQUENCZ: Listening to radio Frequency (cont.)

Value	Label	Cases	Percentage
0		1	0.0%
1		17484	66.3%
2		4522	17.2%
3		739	2.8%
4		3614	13.7%
Sysmiss		7920	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#38 TIME_SPENT_IN_WEEK_HOURT: Time spent in week (hours)

Information	[Type= discrete] [Format=numeric] [Range= 0-610] [Missing=*]
Statistics [NW/ W]	[Valid=22736 /-] [Invalid=11544 /-]
Frequency table not shown (67 Modalities)	

#39 PREFERED_PROGRAMM_S_1_SW: Preferred programm/s 1 st

Information	[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]
Statistics [NW/ W]	[Valid=22743 /-] [Invalid=11537 /-]

Value	Label	Cases	Percentage
0		155	0.7%
1		777	3.4%
2		3674	16.2%
3		9796	43.1%
4		304	1.3%
5		476	2.1%
6		1149	5.1%
7		2373	10.4%
8		19	0.1%
9		532	2.3%
10		152	0.7%
11		3175	14.0%
12		86	0.4%
13		18	0.1%
30		1	0.0%
51		1	0.0%
71		1	0.0%
99		54	0.2%

File Information on Cultural, Recreational, Religious and Social Activities (Section 5) (cont.)

#39 PREFERED_PROGRAMM_S_1_SW: Preferred programm/s 1 st (cont.)

Value (cont.)	Label	Cases	Percentage
Sysmiss		11537	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#40 NY: 2 nd

Information	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]		
Statistics [NW/ W]	[Valid=17414 /-] [Invalid=16866 /-]		

Value	Label	Cases	Percentage
1		192	1.1%
2		997	5.7%
3		3316	19.0%
4		1003	5.8%
5		846	4.9%
6		462	2.7%
7		4364	25.1%
8		86	0.5%
9		910	5.2%
10		239	1.4%
11		4442	25.5%
12		351	2.0%
13		48	0.3%
99		158	0.9%
Sysmiss		16866	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#41 RS: 3 rd

Information	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]		
Statistics [NW/ W]	[Valid=10508 /-] [Invalid=23772 /-]		

Value	Label	Cases	Percentage
1		94	0.9%
2		320	3.0%
3		476	4.5%
4		451	4.3%
5		591	5.6%
6		256	2.4%
7		2259	21.5%

File Information on Cultural, Recreational, Religious and Social Activities (Section 5) (cont.)

#41 RS: 3 rd (cont.)			
Value (cont.)	Label	Cases	Percentage
8		119	1.1%
9		813	7.7%
10		282	2.7%
11		3840	36.5%
12		702	6.7%
13		67	0.6%
99		238	2.3%
Sysmiss		23772	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#42 TWA: 4 th			
Information	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]		
Statistics [NW/ W]	[Valid=3666 /-] [Invalid=30614 /-]		
Value	Label	Cases	Percentage
1		48	1.3%
2		83	2.3%
3		66	1.8%
4		83	2.3%
5		164	4.5%
6		70	1.9%
7		514	14.0%
8		34	0.9%
9		254	6.9%
10		90	2.5%
11		1410	38.5%
12		631	17.2%
13		32	0.9%
99		187	5.1%
Sysmiss		30614	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#43 TXA: 5 th	
Information	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]
Statistics [NW/ W]	[Valid=702 /-] [Invalid=33578 /-]

File Information on Cultural, Recreational, Religious and Social Activities (Section 5) (cont.)

#43 TXA: 5 th (cont.)			
Value	Label	Cases	Percentage
1		5	0.7%
2		8	1.1%
3		7	1.0%
4		3	0.4%
5		31	4.4%
6		19	2.7%
7		37	5.3%
8		10	1.4%
9		35	5.0%
10		24	3.4%
11		244	34.8%
12		212	30.2%
13		10	1.4%
99		57	8.1%
Sysmiss		33578	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#44 LISTENING_TO_RECORDED_MUSID: Listening to recorded music			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=24065 /-] [Invalid=10215 /-]		
Value	Label	Cases	Percentage
1		1033	4.3%
2		2014	8.4%
3		1004	4.2%
4		20014	83.2%
Sysmiss		10215	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#45 TIME_SPENT_IN_LAST_WEEK__HOURT: Time spent in last week (Hours)			
Information	[Type= discrete] [Format=numeric] [Range= 0-120] [Missing=*]		
Statistics [NW/ W]	[Valid=4051 /-] [Invalid=30229 /-]		
Value	Label	Cases	Percentage
0		220	5.4%
1		1000	24.7%
2		885	21.8%

File Information on Cultural, Recreational, Religious and Social Activities (Section 5) (cont.)

#45 TIME_SPENT_IN_LAST_WEEK__HOURT: Time spent in last week (Hours) (cont.)

Value (cont.)	Label	Cases	Percentage
3		529	13.1%
4		364	9.0%
5		275	6.8%
6		165	4.1%
7		228	5.6%
8		92	2.3%
9		20	0.5%
10		94	2.3%
11		5	0.1%
12		29	0.7%
14		62	1.5%
15		24	0.6%
16		4	0.1%
17		1	0.0%
18		8	0.2%
19		1	0.0%
20		18	0.4%
21		10	0.2%
22		2	0.0%
25		2	0.0%
28		5	0.1%
30		3	0.1%
32		1	0.0%
40		2	0.0%
69		1	0.0%
120		1	0.0%
Systemmiss		30229	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#46 PREFERRED_MUSID: Preferred music

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=4051 /-] [Invalid=30229 /-]		
Value	Label	Cases	Percentage
1		1020	25.2%
2		1835	45.3%
3		2	0.0%
9		1194	29.5%

File Information on Cultural, Recreational, Religious and Social Activities (Section 5) (cont.)

#46 PREFERED_MUSID: Preferred music (cont.)

Value (cont.)	Label	Cases	Percentage
Sysmiss		30229	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#47 CINAMB: Cinama

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]		
Statistics [NW/ W]	[Valid=1463 /-] [Invalid=32817 /-]		

Value	Label	Cases	Percentage
0		247	16.9%
1		799	54.6%
2		195	13.3%
3		60	4.1%
4		147	10.0%
5		9	0.6%
6		5	0.3%
8		1	0.1%
Sysmiss		32817	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#48 DRAMB: Drama

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]		
Statistics [NW/ W]	[Valid=1431 /-] [Invalid=32849 /-]		

Value	Label	Cases	Percentage
0		1162	81.2%
1		194	13.6%
2		20	1.4%
3		4	0.3%
4		49	3.4%
6		2	0.1%
Sysmiss		32849	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#49 DANCEF: Dance

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]		
Statistics [NW/ W]	[Valid=1435 /-] [Invalid=32845 /-]		

File Information on Cultural, Recreational, Religious and Social Activities (Section 5) (cont.)

#49 DANCEF: Dance (cont.)

Value	Label	Cases	Percentage
0		1363	95.0%
1		40	2.8%
2		1	0.1%
4		31	2.2%
Systemiss		32845	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#50 MUSID: Music

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]
Statistics [NW/ W]	[Valid=1430 /-] [Invalid=32850 /-]

Value	Label	Cases	Percentage
0		1342	93.8%
1		50	3.5%
2		4	0.3%
3		1	0.1%
4		33	2.3%
Systemiss		32850	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#51 BALLEU: Ballet

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]
Statistics [NW/ W]	[Valid=1430 /-] [Invalid=32850 /-]

Value	Label	Cases	Percentage
0		1393	97.4%
1		3	0.2%
2		2	0.1%
4		32	2.2%
Systemiss		32850	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#52 OTHEU: Other

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=1431 /-] [Invalid=32849 /-]

File Information on Cultural, Recreational, Religious and Social Activities (Section 5) (cont.)

#52 OTHEU: Other (cont.)

Value	Label	Cases	Percentage
0		1371	95.8%
1		22	1.5%
2		3	0.2%
4		33	2.3%
5		1	0.1%
9		1	0.1%
Sysmiss		32849	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#53 INFLATION_FACTORN: Inflation factor

Information	[Type= discrete] [Format=numeric] [Range= 345-223969] [Missing=*]
Statistics [NW/ W]	[Valid=34280 /-] [Invalid=0 /-]

File Information on Cultural, Recreational, Religious and Social Activities (Section 5)

#1 REC\$TYPE

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=355 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
24		355	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#2 BLANY: blank

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=355 /-]

Value	Label	Cases	Percentage
Sysmiss		355	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Information on Cultural, Recreational, Religious and Social Activities (Section 5) (cont.)

#3 SERIAL_NUMBER_OF_THE_PERSONS: Serial number of the person			
Information		[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]	
Statistics [NW/ W]		[Valid=352 /-] [Invalid=3 /-]	
Value	Label	Cases	Percentage
1		120	34.1%
2		44	12.5%
3		88	25.0%
4		54	15.3%
5		31	8.8%
6		12	3.4%
7		2	0.6%
8		1	0.3%
Sysmiss		3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#4 WRITING: Writing			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=47 /-] [Invalid=308 /-]	
Value	Label	Cases	Percentage
1		11	23.4%
2		35	74.5%
9		1	2.1%
Sysmiss		308	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#5 PAINTING: Painting			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=117 /-] [Invalid=238 /-]	
Value	Label	Cases	Percentage
1		22	18.8%
2		94	80.3%
9		1	0.9%
Sysmiss		238	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Information on Cultural, Recreational, Religious and Social Activities (Section 5) (cont.)

#6 SCULPTURE: Sculpture			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=41 /-] [Invalid=314 /-]		
Value	Label	Cases	Percentage
1		8	19.5%
2		33	80.5%
Sysmiss		314	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#7 ACTING: Acting			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=29 /-] [Invalid=326 /-]		
Value	Label	Cases	Percentage
1		3	10.3%
2		26	89.7%
Sysmiss		326	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#8 DANCING: Dancing			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=38 /-] [Invalid=317 /-]		
Value	Label	Cases	Percentage
1		5	13.2%
2		33	86.8%
Sysmiss		317	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#9 SINGING: Singing			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=54 /-] [Invalid=301 /-]		
Value	Label	Cases	Percentage
1		5	9.3%
2		49	90.7%
Sysmiss		301	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Information on Cultural, Recreational, Religious and Social Activities (Section 5) (cont.)

#10 INSTRUMENTAL: Instrumental			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=57 /-] [Invalid=298 /-]		
Value	Label	Cases	Percentage
1		8	14.0%
2		49	86.0%
Sysmiss		298	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#11 PHOTOGRAPHY: Photography			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=23 /-] [Invalid=332 /-]		
Value	Label	Cases	Percentage
1		7	30.4%
2		15	65.2%
9		1	4.3%
Sysmiss		332	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#12 OTHEV: Other			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=33 /-] [Invalid=322 /-]		
Value	Label	Cases	Percentage
1		15	45.5%
2		17	51.5%
9		1	3.0%
Sysmiss		322	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#13 SERIAL_NUMBER_OF_THE_PERSONT: Serial number of the person			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=48 /-] [Invalid=307 /-]		
Value	Label	Cases	Percentage
1		1	2.1%
2		8	16.7%
3		7	14.6%

File Information on Cultural, Recreational, Religious and Social Activities (Section 5) (cont.)

#13 SERIAL_NUMBER_OF_THE_PERSONT: Serial number of the person (cont.)

Value (cont.)	Label	Cases	Percentage
4		17	35.4%
5		5	10.4%
6		6	12.5%
7		3	6.3%
8		1	2.1%
Sysmiss		307	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#14 WRITINH: Writing

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*		
Statistics [NW/ W]	[Valid=4 /-] [Invalid=351 /-]		
Value	Label	Cases	Percentage
1		1	25.0%
2		3	75.0%
Sysmiss		351	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#15 PAINTINH: Painting

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*		
Statistics [NW/ W]	[Valid=7 /-] [Invalid=348 /-]		
Value	Label	Cases	Percentage
1		1	14.3%
2		6	85.7%
Sysmiss		348	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#16 SCULPTURF: Sculpture

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*		
Statistics [NW/ W]	[Valid=3 /-] [Invalid=352 /-]		
Value	Label	Cases	Percentage
1		1	33.3%
2		2	66.7%
Sysmiss		352	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Information on Cultural, Recreational, Religious and Social Activities (Section 5) (cont.)

#17 ACTINH: Acting			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=8 /-] [Invalid=347 /-]		
Value	Label	Cases	Percentage
1		1	12.5%
2		7	87.5%
Sysmiss		347	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#18 DANCINH: Dancing			
Information	[Type= discrete] [Format=numeric] [Range= 2-2] [Missing=*]		
Statistics [NW/ W]	[Valid=11 /-] [Invalid=344 /-]		
Value	Label	Cases	Percentage
2		11	100.0%
Sysmiss		344	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#19 SINGINH: Singing			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=12 /-] [Invalid=343 /-]		
Value	Label	Cases	Percentage
1		2	16.7%
2		10	83.3%
Sysmiss		343	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#20 INSTRUMENTAM: Instrumental			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=18 /-] [Invalid=337 /-]		
Value	Label	Cases	Percentage
1		3	16.7%
2		15	83.3%
Sysmiss		337	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Information on Cultural, Recreational, Religious and Social Activities (Section 5) (cont.)

#21 PHOTOGRAPHZ: Photography

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=3 /-] [Invalid=352 /-]		
Value	Label	Cases	Percentage
1		1	33.3%
2		2	66.7%
Sysmiss		352	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#22 OTHEW: Other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=3 /-] [Invalid=352 /-]		
Value	Label	Cases	Percentage
1		1	33.3%
2		2	66.7%
Sysmiss		352	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#23 SERIAL_NUMBER_OF_THE_PERSONU: Serial number of the person

Information	[Type= discrete] [Format=numeric] [Range= 3-8] [Missing=*]		
Statistics [NW/ W]	[Valid=7 /-] [Invalid=348 /-]		
Value	Label	Cases	Percentage
3		2	28.6%
4		1	14.3%
5		3	42.9%
8		1	14.3%
Sysmiss		348	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#24 WRITINI: Writing

Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=355 /-]		
Value	Label	Cases	Percentage
Sysmiss		355	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Information on Cultural, Recreational, Religious and Social Activities (Section 5) (cont.)

#25 PAINTINI: Painting			
Information	[Type= discrete] [Format=numeric] [Range= 2-2] [Missing=*]		
Statistics [NW/ W]	[Valid=2 /-] [Invalid=353 /-]		
Value	Label	Cases	Percentage
2		2	100.0%
Sysmiss		353	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#26 SCULPTURG: Sculpture			
Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=355 /-]		
Value	Label	Cases	Percentage
Sysmiss		355	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#27 ACTINI: Acting			
Information	[Type= discrete] [Format=numeric] [Range= 2-2] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=354 /-]		
Value	Label	Cases	Percentage
2		1	100.0%
Sysmiss		354	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#28 DANCINI: Dancing			
Information	[Type= discrete] [Format=numeric] [Range= 2-2] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=354 /-]		
Value	Label	Cases	Percentage
2		1	100.0%
Sysmiss		354	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#29 SINGINI: Singing			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=3 /-] [Invalid=352 /-]		

File Information on Cultural, Recreational, Religious and Social Activities (Section 5) (cont.)

#29 SINGINI: Singing (cont.)

Value	Label	Cases	Percentage
1		1	33.3%
2		2	66.7%
Sysmiss		352	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#30 INSTRUMENTAN: Instrumental

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=3 /-] [Invalid=352 /-]		
Value	Label	Cases	Percentage
1		1	33.3%
2		2	66.7%
Sysmiss		352	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#31 PHOTOGRAPHYA: Photography

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=2 /-] [Invalid=353 /-]		
Value	Label	Cases	Percentage
1		1	50.0%
2		1	50.0%
Sysmiss		353	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#32 OTHEx: Other

Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=355 /-]		
Value	Label	Cases	Percentage
Sysmiss		355	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#33 SERIAL_NUMBER_OF_THE_PERSONV: Serial number of the person

Information	[Type= discrete] [Format=numeric] [Range= 4-6] [Missing=*]		
Statistics [NW/ W]	[Valid=3 /-] [Invalid=352 /-]		

File Information on Cultural, Recreational, Religious and Social Activities (Section 5) (cont.)

#33 SERIAL_NUMBER_OF_THE_PERSONV: Serial number of the person (cont.)

Value	Label	Cases	Percentage
4		1	33.3%
5		1	33.3%
6		1	33.3%
Sysmiss		352	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#34 WRITINJ: Writing

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=355 /-]

Value	Label	Cases	Percentage
Sysmiss		355	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#35 PAINTINJ: Painting

Information	[Type= discrete] [Format=numeric] [Range= 2-2] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=354 /-]

Value	Label	Cases	Percentage
2		1	100.0%
Sysmiss		354	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#36 SCULPTURH: Sculpture

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=355 /-]

Value	Label	Cases	Percentage
Sysmiss		355	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#37 ACTINJ: Acting

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=355 /-]

Value	Label	Cases	Percentage
Sysmiss		355	

File Information on Cultural, Recreational, Religious and Social Activities (Section 5) (cont.)

#37 ACTINJ: Acting (cont.)

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#38 DANCINJ: Dancing

Information [Type= discrete] [Format=numeric] [Range= 2-2] [Missing=*]

Statistics [NW/ W] [Valid=1 /-] [Invalid=354 /-]

Value	Label	Cases	Percentage
2		1	100.0%
Sysmiss		354	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#39 SINGINJ: Singing

Information [Type= discrete] [Format=numeric] [Range= 1-1] [Missing=*]

Statistics [NW/ W] [Valid=1 /-] [Invalid=354 /-]

Value	Label	Cases	Percentage
1		1	100.0%
Sysmiss		354	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#40 INSTRUMENTAO: Instrumental

Information [Type= discrete] [Format=numeric] [Range= 1-1] [Missing=*]

Statistics [NW/ W] [Valid=1 /-] [Invalid=354 /-]

Value	Label	Cases	Percentage
1		1	100.0%
Sysmiss		354	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#41 PHOTOGRAPHYB: Photography

Information [Type= discrete] [Format=numeric] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=355 /-]

Value	Label	Cases	Percentage
Sysmiss		355	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Information on Cultural, Recreational, Religious and Social Activities (Section 5) (cont.)

#42 OTHEY: Other			
Information		[Type= discrete] [Format=numeric] [Missing=*]	
Statistics [NW/ W]		[Valid=0 /-] [Invalid=355 /-]	
Value	Label	Cases	Percentage
Sysmiss		355	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#43 SERIAL_NUMBER_OF_THE_PERSONW: Serial number of the person			
Information		[Type= discrete] [Format=numeric] [Range= 6-6] [Missing=*]	
Statistics [NW/ W]		[Valid=1 /-] [Invalid=354 /-]	
Value	Label	Cases	Percentage
6		1	100.0%
Sysmiss		354	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#44 WRITINK: Writing			
Information		[Type= discrete] [Format=numeric] [Missing=*]	
Statistics [NW/ W]		[Valid=0 /-] [Invalid=355 /-]	
Value	Label	Cases	Percentage
Sysmiss		355	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#45 PAINTINK: Painting			
Information		[Type= discrete] [Format=numeric] [Range= 2-2] [Missing=*]	
Statistics [NW/ W]		[Valid=1 /-] [Invalid=354 /-]	
Value	Label	Cases	Percentage
2		1	100.0%
Sysmiss		354	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#46 SCULPTURI: Sculpture			
Information		[Type= discrete] [Format=numeric] [Missing=*]	
Statistics [NW/ W]		[Valid=0 /-] [Invalid=355 /-]	
Value	Label	Cases	Percentage
Sysmiss		355	

File Information on Cultural, Recreational, Religious and Social Activities (Section 5) (cont.)

#46 SCULPTURI: Sculpture (cont.)

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#47 ACTINK: Acting

Information [Type= discrete] [Format=numeric] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=355 /-]

Value	Label	Cases	Percentage
Sysmiss		355	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#48 DANCINK: Dancing

Information [Type= discrete] [Format=numeric] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=355 /-]

Value	Label	Cases	Percentage
Sysmiss		355	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#49 SINGINK: Singing

Information [Type= discrete] [Format=numeric] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=355 /-]

Value	Label	Cases	Percentage
Sysmiss		355	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#50 INSTRUMENTAP: Instrumental

Information [Type= discrete] [Format=numeric] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=355 /-]

Value	Label	Cases	Percentage
Sysmiss		355	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#51 PHOTOGRAPHYC: Photography

Information [Type= discrete] [Format=numeric] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=355 /-]

File Information on Cultural, Recreational, Religious and Social Activities (Section 5) (cont.)

#51 PHOTOGRAPHYC: Photography (cont.)

Value	Label	Cases	Percentage
Sysmiss		355	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#52 OTHEZ: Other

Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=355 /-]		
Value	Label	Cases	Percentage
Sysmiss		355	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#53 SERIAL_NUMBER_OF_THE_PERSONX: Serial number of the person

Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=355 /-]		
Value	Label	Cases	Percentage
Sysmiss		355	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#54 WRITINL: Writing

Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=355 /-]		
Value	Label	Cases	Percentage
Sysmiss		355	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#55 PAINTINL: Painting

Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=355 /-]		
Value	Label	Cases	Percentage
Sysmiss		355	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#56 SCULPTURJ: Sculpture

Information	[Type= discrete] [Format=numeric] [Missing=*]		
-------------	---	--	--

File Information on Cultural, Recreational, Religious and Social Activities (Section 5) (cont.)

#56 SCULPTURJ: Sculpture (cont.)

Statistics [NW/ W] [Valid=0 /-] [Invalid=355 /-]

Value	Label	Cases	Percentage
Sysmiss		355	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#57 ACTINL: Acting

Information [Type= discrete] [Format=numeric] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=355 /-]

Value	Label	Cases	Percentage
Sysmiss		355	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#58 DANCINL: Dancing

Information [Type= discrete] [Format=numeric] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=355 /-]

Value	Label	Cases	Percentage
Sysmiss		355	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#59 SINGINL: Singing

Information [Type= discrete] [Format=numeric] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=355 /-]

Value	Label	Cases	Percentage
Sysmiss		355	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#60 INSTRUMENTAQ: Instrumental

Information [Type= discrete] [Format=numeric] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=355 /-]

Value	Label	Cases	Percentage
Sysmiss		355	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Information on Cultural, Recreational, Religious and Social Activities (Section 5) (cont.)

#61 PHOTOGRAPHYD: Photography

Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=355 /-]		
Value	Label	Cases	Percentage
Sysmiss		355	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#62 OTHEVA: Other

Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=355 /-]		
Value	Label	Cases	Percentage
Sysmiss		355	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#63 SERIAL_NUMBER_OF_THE_PERSONY: Serial number of the person

Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=355 /-]		
Value	Label	Cases	Percentage
Sysmiss		355	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#64 WRITINM: Writing

Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=355 /-]		
Value	Label	Cases	Percentage
Sysmiss		355	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#65 PAINTINM: Painting

Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=355 /-]		
Value	Label	Cases	Percentage
Sysmiss		355	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

File Information on Cultural, Recreational, Religious and Social Activities (Section 5) (cont.)

#66 SCULPTURK: Sculpture

Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=355 /-]		
Value	Label	Cases	Percentage
Sysmiss		355	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#67 ACTINM: Acting

Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=355 /-]		
Value	Label	Cases	Percentage
Sysmiss		355	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#68 DANCINM: Dancing

Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=355 /-]		
Value	Label	Cases	Percentage
Sysmiss		355	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#69 SINGINM: Singing

Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=355 /-]		
Value	Label	Cases	Percentage
Sysmiss		355	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#70 INSTRUMENTAR: Instrumental

Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=355 /-]		
Value	Label	Cases	Percentage
Sysmiss		355	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

File Information on Cultural, Recreational, Religious and Social Activities (Section 5) (cont.)

#71 PHOTOGRAPHYE: Photography

Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=355 /-]		
Value	Label	Cases	Percentage
Sysmiss		355	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#72 OTHEVB: Other

Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=355 /-]		
Value	Label	Cases	Percentage
Sysmiss		355	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#73 SERIAL_NUMBER_OF_THE_PERSONZ: Serial number of the person

Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=355 /-]		
Value	Label	Cases	Percentage
Sysmiss		355	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#74 WRITINN: Writing

Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=355 /-]		
Value	Label	Cases	Percentage
Sysmiss		355	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#75 PAINTINN: Painting

Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=355 /-]		
Value	Label	Cases	Percentage
Sysmiss		355	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

File Information on Cultural, Recreational, Religious and Social Activities (Section 5) (cont.)

#76 SCULPTURL: Sculpture

Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=355 /-]		
Value	Label	Cases	Percentage
Sysmiss		355	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#77 ACTINN: Acting

Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=355 /-]		
Value	Label	Cases	Percentage
Sysmiss		355	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#78 DANCINN: Dancing

Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=355 /-]		
Value	Label	Cases	Percentage
Sysmiss		355	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#79 SINGINN: Singing

Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=355 /-]		
Value	Label	Cases	Percentage
Sysmiss		355	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#80 INSTRUMENTAS: Instrumental

Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=355 /-]		
Value	Label	Cases	Percentage
Sysmiss		355	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

File Information on Cultural, Recreational, Religious and Social Activities (Section 5) (cont.)

#81 PHOTOGRAPHYF: Photography			
Information		[Type= discrete] [Format=numeric] [Missing=*]	
Statistics [NW/ W]		[Valid=0 /-] [Invalid=355 /-]	
Value	Label	Cases	Percentage
Sysmiss		355	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#82 OTHEVC: Other			
Information		[Type= discrete] [Format=numeric] [Missing=*]	
Statistics [NW/ W]		[Valid=0 /-] [Invalid=355 /-]	
Value	Label	Cases	Percentage
Sysmiss		355	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#83 INFLATION_FACTORO: Inflation factor			
Information		[Type= discrete] [Format=numeric] [Range= 1276-42476] [Missing=*]	
Statistics [NW/ W]		[Valid=355 /-] [Invalid=0 /-]	
Frequency table not shown (270 Modalities)			

File Information on Cultural, Recreational, Religious and Social Activities (Section 5)

#1 REC\$TYPE			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=1693 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
25		1693	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#2 BLANZ: Blank			
Information		[Type= discrete] [Format=numeric] [Missing=*]	
Statistics [NW/ W]		[Valid=0 /-] [Invalid=1693 /-]	

File Information on Cultural, Recreational, Religious and Social Activities (Section 5) (cont.)

#2 BLANZ: Blank (cont.)

Value	Label	Cases	Percentage
Sysmiss		1693	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#3 SERIAL_NUMBER_OF_THE_PERSONAA: Serial number of the person

Information	[Type= discrete] [Format=numeric] [Range= 1-16] [Missing=*]		
Statistics [NW/ W]	[Valid=1691 /-] [Invalid=2 /-]		

Value	Label	Cases	Percentage
1		204	12.1%
2		133	7.9%
3		597	35.3%
4		383	22.6%
5		201	11.9%
6		84	5.0%
7		51	3.0%
8		21	1.2%
9		12	0.7%
10		2	0.1%
11		2	0.1%
16		1	0.1%
Sysmiss		2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#4 ACTIVITY: Activity

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=1691 /-] [Invalid=2 /-]		

Value	Label	Cases	Percentage
1		477	28.2%
2		1214	71.8%
Sysmiss		2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#5 FREQUENCZ: Frequency

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=1691 /-] [Invalid=2 /-]		

File Information on Cultural, Recreational, Religious and Social Activities (Section 5) (cont.)

#5 FREQUENCZ: Frequency (cont.)

Value	Label	Cases	Percentage
1		561	33.2%
2		1033	61.1%
3		97	5.7%
Sysmiss		2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#6 TIME_SPENT_IN_LAST_WEEK: Time spent in last week

Information	[Type= discrete] [Format=numeric] [Range= 0-45] [Missing=*]
Statistics [NW/ W]	[Valid=1691 /-] [Invalid=2 /-]
Frequency table not shown (31 Modalities)	

#7 PURPOSE_S_1ST: Purpose/s 1st

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=1689 /-] [Invalid=4 /-]

Value	Label	Cases	Percentage
1		991	58.7%
2		447	26.5%
3		251	14.9%
Sysmiss		4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#8 NZ: 2 nd

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=254 /-] [Invalid=1439 /-]

Value	Label	Cases	Percentage
1		14	5.5%
2		132	52.0%
3		108	42.5%
Sysmiss		1439	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#9 RT: 3 rd

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
-------------	--

File Information on Cultural, Recreational, Religious and Social Activities (Section 5) (cont.)

#9 RT: 3 rd (cont.)

Statistics [NW/ W] [Valid=40 /-] [Invalid=1653 /-]

Value	Label	Cases	Percentage
1		3	7.5%
2		2	5.0%
3		35	87.5%
Sysmiss		1653	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#10 SERIAL_NUMBER_OF_THE_PERSONAB: Serial number of the person

Information [Type= discrete] [Format=numeric] [Range= 2-13] [Missing=*]

Statistics [NW/ W] [Valid=393 /-] [Invalid=1300 /-]

Value	Label	Cases	Percentage
2		13	3.3%
3		34	8.7%
4		156	39.7%
5		87	22.1%
6		63	16.0%
7		21	5.3%
8		14	3.6%
9		2	0.5%
10		2	0.5%
13		1	0.3%
Sysmiss		1300	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#11 ACTIVITZ: Activity

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W] [Valid=393 /-] [Invalid=1300 /-]

Value	Label	Cases	Percentage
1		101	25.7%
2		292	74.3%
Sysmiss		1300	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#12 FREQUENCZA: Frequency

Information [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]

File Information on Cultural, Recreational, Religious and Social Activities (Section 5) (cont.)

#12 FREQUENCZA: Frequency (cont.)

Statistics [NW/ W] [Valid=393 /-] [Invalid=1300 /-]

Value	Label	Cases	Percentage
1		126	32.1%
2		250	63.6%
3		17	4.3%
Sysmiss		1300	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#13 TIME_SPENT_IN_LAST_WEEL: Time spent in last week

Information [Type= discrete] [Format=numeric] [Range= 0-28] [Missing=*]

Statistics [NW/ W] [Valid=393 /-] [Invalid=1300 /-]

Value	Label	Cases	Percentage
0		20	5.1%
1		19	4.8%
2		53	13.5%
3		43	10.9%
4		50	12.7%
5		32	8.1%
6		28	7.1%
7		39	9.9%
8		19	4.8%
9		9	2.3%
10		28	7.1%
12		12	3.1%
13		3	0.8%
14		18	4.6%
15		4	1.0%
16		4	1.0%
17		1	0.3%
19		2	0.5%
20		6	1.5%
21		1	0.3%
24		1	0.3%
28		1	0.3%
Sysmiss		1300	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Information on Cultural, Recreational, Religious and Social Activities (Section 5) (cont.)

#14 PURPOSE_S_1SU: Purpose/s 1st			
Information		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/ W]		[Valid=393 /-] [Invalid=1300 /-]	
Value	Label	Cases	Percentage
1		254	64.6%
2		85	21.6%
3		54	13.7%
Sysmiss		1300	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#15 NZA: 2 nd			
Information		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/ W]		[Valid=75 /-] [Invalid=1618 /-]	
Value	Label	Cases	Percentage
1		3	4.0%
2		34	45.3%
3		38	50.7%
Sysmiss		1618	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#16 RU: 3 rd			
Information		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/ W]		[Valid=8 /-] [Invalid=1685 /-]	
Value	Label	Cases	Percentage
1		1	12.5%
3		7	87.5%
Sysmiss		1685	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#17 SERIAL_NUMBER_OF_THE_PERSONAC: Serial number of the person			
Information		[Type= discrete] [Format=numeric] [Range= 3-11] [Missing=*]	
Statistics [NW/ W]		[Valid=76 /-] [Invalid=1617 /-]	
Value	Label	Cases	Percentage
3		1	1.3%
4		7	9.2%
5		35	46.1%

File Information on Cultural, Recreational, Religious and Social Activities (Section 5) (cont.)

#17 SERIAL_NUMBER_OF_THE_PERSONAC: Serial number of the person (cont.)

Value (cont.)	Label	Cases	Percentage
6		18	23.7%
7		11	14.5%
8		3	3.9%
11		1	1.3%
Systemiss		1617	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#18 ACTIVITYA: Activity

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=76 /-] [Invalid=1617 /-]		
Value	Label	Cases	Percentage
1		21	27.6%
2		55	72.4%
Systemiss		1617	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#19 FREQUENCZB: Frequency

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=76 /-] [Invalid=1617 /-]		
Value	Label	Cases	Percentage
1		27	35.5%
2		46	60.5%
3		3	3.9%
Systemiss		1617	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#20 TIME_SPENT_IN_LAST_WEEM: Time spent in last week

Information	[Type= discrete] [Format=numeric] [Range= 0-20] [Missing=*]		
Statistics [NW/ W]	[Valid=76 /-] [Invalid=1617 /-]		
Value	Label	Cases	Percentage
0		3	3.9%
1		7	9.2%
2		7	9.2%
3		8	10.5%

File Information on Cultural, Recreational, Religious and Social Activities (Section 5) (cont.)

#20 TIME_SPENT_IN_LAST_WEEM: Time spent in last week (cont.)

Value (cont.)	Label	Cases	Percentage
4		12	15.8%
5		4	5.3%
6		4	5.3%
7		8	10.5%
8		4	5.3%
9		1	1.3%
10		6	7.9%
12		2	2.6%
13		1	1.3%
14		4	5.3%
15		2	2.6%
18		1	1.3%
20		2	2.6%
Sysmiss		1617	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#21 PURPOSE_S_1SV: Purpose/s 1st

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=76 /-] [Invalid=1617 /-]

Value	Label	Cases	Percentage
1		53	69.7%
2		17	22.4%
3		6	7.9%
Sysmiss		1617	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#22 NZB: 2 nd

Information	[Type= discrete] [Format=numeric] [Range= 2-3] [Missing=*]
Statistics [NW/ W]	[Valid=14 /-] [Invalid=1679 /-]

Value	Label	Cases	Percentage
2		7	50.0%
3		7	50.0%
Sysmiss		1679	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Information on Cultural, Recreational, Religious and Social Activities (Section 5) (cont.)

#23 RV: 3 rd			
Information	[Type= discrete] [Format=numeric] [Range= 3-3] [Missing=*]		
Statistics [NW/ W]	[Valid=2 /-] [Invalid=1691 /-]		
Value	Label	Cases	Percentage
3		2	100.0%
Systemiss		1691	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#24 SERIAL_NUMBER_OF_THE_PERSONAD: Serial number of the person			
Information	[Type= discrete] [Format=numeric] [Range= 6-13] [Missing=*]		
Statistics [NW/ W]	[Valid=11 /-] [Invalid=1682 /-]		
Value	Label	Cases	Percentage
6		5	45.5%
7		5	45.5%
13		1	9.1%
Systemiss		1682	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#25 ACTIVITYB: Activity			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=11 /-] [Invalid=1682 /-]		
Value	Label	Cases	Percentage
1		3	27.3%
2		8	72.7%
Systemiss		1682	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#26 FREQUENCZC: Frequency			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=11 /-] [Invalid=1682 /-]		
Value	Label	Cases	Percentage
1		3	27.3%
2		8	72.7%
Systemiss		1682	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

File Information on Cultural, Recreational, Religious and Social Activities (Section 5) (cont.)

#27 TIME_SPENT_IN_LAST_WEEK: Time spent in last week

Information [Type= discrete] [Format=numeric] [Range= 0-15] [Missing=*]

Statistics [NW/ W] [Valid=11 /-] [Invalid=1682 /-]

Value	Label	Cases	Percentage
0		1	9.1%
2		2	18.2%
3		1	9.1%
4		1	9.1%
5		1	9.1%
7		2	18.2%
8		1	9.1%
12		1	9.1%
15		1	9.1%
Sysmiss		1682	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#28 PURPOSE_S_1SW: Purpose/s 1st

Information [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]

Statistics [NW/ W] [Valid=11 /-] [Invalid=1682 /-]

Value	Label	Cases	Percentage
1		6	54.5%
2		4	36.4%
3		1	9.1%
Sysmiss		1682	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#29 NZC: 2 nd

Information [Type= discrete] [Format=numeric] [Range= 2-3] [Missing=*]

Statistics [NW/ W] [Valid=3 /-] [Invalid=1690 /-]

Value	Label	Cases	Percentage
2		1	33.3%
3		2	66.7%
Sysmiss		1690	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Information on Cultural, Recreational, Religious and Social Activities (Section 5) (cont.)

#30 RW: 3 rd			
Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=1693 /-]		
Value	Label	Cases	Percentage
Sysmiss		1693	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#31 SERIAL_NUMBER_OF_THE_PERSONAE: Serial number of the person			
Information	[Type= discrete] [Format=numeric] [Range= 7-8] [Missing=*]		
Statistics [NW/ W]	[Valid=2 /-] [Invalid=1691 /-]		
Value	Label	Cases	Percentage
7		1	50.0%
8		1	50.0%
Sysmiss		1691	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#32 ACTIVITYC: Activity			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=2 /-] [Invalid=1691 /-]		
Value	Label	Cases	Percentage
1		1	50.0%
2		1	50.0%
Sysmiss		1691	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#33 FREQUENCZD: Frequency			
Information	[Type= discrete] [Format=numeric] [Range= 2-2] [Missing=*]		
Statistics [NW/ W]	[Valid=2 /-] [Invalid=1691 /-]		
Value	Label	Cases	Percentage
2		2	100.0%
Sysmiss		1691	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#34 TIME_SPENT_IN_LAST_WEEO: Time spent in last week			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		

File Information on Cultural, Recreational, Religious and Social Activities (Section 5) (cont.)

#34 TIME_SPENT_IN_LAST_WEE0: Time spent in last week (cont.)

Statistics [NW/ W] [Valid=2 /-] [Invalid=1691 /-]

Value	Label	Cases	Percentage
1		1	50.0%
3		1	50.0%
Systemiss		1691	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#35 PURPOSE_S_1SX: Purpose/s 1st

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W] [Valid=2 /-] [Invalid=1691 /-]

Value	Label	Cases	Percentage
1		1	50.0%
2		1	50.0%
Systemiss		1691	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#36 NZD: 2 nd

Information [Type= discrete] [Format=numeric] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=1693 /-]

Value	Label	Cases	Percentage
Systemiss		1693	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#37 RX: 3 rd

Information [Type= discrete] [Format=numeric] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=1693 /-]

Value	Label	Cases	Percentage
Systemiss		1693	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#38 SERIAL_NUMBER_OF_THE_PERSONAF: Serial number of the person

Information [Type= discrete] [Format=numeric] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=1693 /-]

File Information on Cultural, Recreational, Religious and Social Activities (Section 5) (cont.)

#38 SERIAL_NUMBER_OF_THE_PERSONAF: Serial number of the person (cont.)

Value	Label	Cases	Percentage
Sysmiss		1693	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#39 ACTIVITYD: Activity

Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=1693 /-]		
Value	Label	Cases	Percentage
Sysmiss		1693	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#40 FREQUENCZE: Frequency

Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=1693 /-]		
Value	Label	Cases	Percentage
Sysmiss		1693	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#41 TIME_SPENT_IN_LAST_WEEP: Time spent in last week

Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=1693 /-]		
Value	Label	Cases	Percentage
Sysmiss		1693	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#42 PURPOSE_S_1SY: Purpose/s 1st

Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=1693 /-]		
Value	Label	Cases	Percentage
Sysmiss		1693	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#43 NZE: 2 nd

Information	[Type= discrete] [Format=numeric] [Missing=*]		
-------------	---	--	--

File Information on Cultural, Recreational, Religious and Social Activities (Section 5) (cont.)

#43 NZE: 2 nd (cont.)

Statistics [NW/ W]	[Valid=0 /-] [Invalid=1693 /-]		
Value	Label	Cases	Percentage
Sysmiss		1693	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#44 RY: 3 rd

Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=1693 /-]		
Value	Label	Cases	Percentage
Sysmiss		1693	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#45 SERIAL_NUMBER_OF_THE_PERSONAG: Serial number of the person

Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=1693 /-]		
Value	Label	Cases	Percentage
Sysmiss		1693	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#46 ACTIVITYE: Activity

Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=1693 /-]		
Value	Label	Cases	Percentage
Sysmiss		1693	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#47 FREQUENCZF: Frequency

Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=1693 /-]		
Value	Label	Cases	Percentage
Sysmiss		1693	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

File Information on Cultural, Recreational, Religious and Social Activities (Section 5) (cont.)

#48 TIME_SPENT_IN_LAST_WEEQ: Time spent in last week

Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=1693 /-]		
Value	Label	Cases	Percentage
Sysmiss		1693	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#49 PURPOSE_S_1SZ: Purpose/s 1st

Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=1693 /-]		
Value	Label	Cases	Percentage
Sysmiss		1693	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#50 NZF: 2 nd

Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=1693 /-]		
Value	Label	Cases	Percentage
Sysmiss		1693	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#51 RZ: 3 rd

Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=1693 /-]		
Value	Label	Cases	Percentage
Sysmiss		1693	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#52 SERIAL_NUMBER_OF_THE_PERSONAH: Serial number of the person

Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=1693 /-]		
Value	Label	Cases	Percentage
Sysmiss		1693	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

File Information on Cultural, Recreational, Religious and Social Activities (Section 5) (cont.)

#53 ACTIVITYF: Activity

Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=1693 /-]		
Value	Label	Cases	Percentage
Sysmiss		1693	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#54 FREQUENCZG: Frequency

Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=1693 /-]		
Value	Label	Cases	Percentage
Sysmiss		1693	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#55 TIME_SPENT_IN_LAST_WEER: Time spent in last week

Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=1693 /-]		
Value	Label	Cases	Percentage
Sysmiss		1693	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#56 PURPOSE_S_1STA: Purpose/s 1st

Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=1693 /-]		
Value	Label	Cases	Percentage
Sysmiss		1693	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#57 NZG: 2 nd

Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=1693 /-]		
Value	Label	Cases	Percentage
Sysmiss		1693	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

File Information on Cultural, Recreational, Religious and Social Activities (Section 5) (cont.)

#58 RTA: 3 rd

Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=1693 /-]		
Value	Label	Cases	Percentage
Sysmiss		1693	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#59 SERIAL_NUMBER_OF_THE_PERSONAL: Serial number of the person

Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=1693 /-]		
Value	Label	Cases	Percentage
Sysmiss		1693	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#60 ACTIVITYG: Activity

Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=1693 /-]		
Value	Label	Cases	Percentage
Sysmiss		1693	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#61 FREQUENCZH: Frequency

Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=1693 /-]		
Value	Label	Cases	Percentage
Sysmiss		1693	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#62 TIME_SPENT_IN_LAST_WEES: Time spent in last week

Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=1693 /-]		
Value	Label	Cases	Percentage
Sysmiss		1693	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

File Information on Cultural, Recreational, Religious and Social Activities (Section 5) (cont.)

#63 PURPOSE_S_1STB: Purpose/s 1st			
Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=1693 /-]		
Value	Label	Cases	Percentage
Sysmiss		1693	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#64 NZH: 2 nd			
Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=1693 /-]		
Value	Label	Cases	Percentage
Sysmiss		1693	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#65 RTB: 3 rd			
Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=1693 /-]		
Value	Label	Cases	Percentage
Sysmiss		1693	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#66 INFLATION_FACTORP: Inflation factor			
Information	[Type= discrete] [Format=numeric] [Range= 690-55725] [Missing=*]		
Statistics [NW/ W]	[Valid=1693 /-] [Invalid=0 /-]		
Frequency table not shown (888 Modalities)			

File Information on Cultural, Recreational, Religious and Social Activities (Section 5)

#1 REC\$TYPE			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=19505 /-] [Invalid=0 /-]		

File Information on Cultural, Recreational, Religious and Social Activities (Section 5) (cont.)

#1 REC\$TYPE

Value	Label	Cases	Percentage
26		19505	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#2 BLANKA: Blank

Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=19505 /-]		
Value	Label	Cases	Percentage
Sysmiss		19505	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#3 SERIAL_NUMBER_OF_THE_PERSONAJ: Serial number of the person

Information	[Type= discrete] [Format=numeric] [Range= 1-14] [Missing=*]		
Statistics [NW/ W]	[Valid=19502 /-] [Invalid=3 /-]		
Value	Label	Cases	Percentage
1		16084	82.5%
2		2742	14.1%
3		291	1.5%
4		108	0.6%
5		64	0.3%
6		42	0.2%
7		18	0.1%
8		115	0.6%
9		22	0.1%
10		8	0.0%
11		2	0.0%
12		3	0.0%
13		2	0.0%
14		1	0.0%
Sysmiss		3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#4 ACTIVITIES_1_ST: Activities 1 st

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=19487 /-] [Invalid=18 /-]		

File Information on Cultural, Recreational, Religious and Social Activities (Section 5) (cont.)

#4 ACTIVITIES_1_ST: Activities 1 st (cont.)			
Value	Label	Cases	Percentage
1		10997	56.4%
2		6058	31.1%
3		81	0.4%
4		276	1.4%
5		210	1.1%
6		594	3.0%
7		861	4.4%
9		410	2.1%
Sysmiss		18	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#5 NDA: 2 nd			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=9391 /-] [Invalid=10114 /-]		
Value	Label	Cases	Percentage
1		352	3.7%
2		5562	59.2%
3		193	2.1%
4		530	5.6%
5		317	3.4%
6		980	10.4%
7		1042	11.1%
9		415	4.4%
Sysmiss		10114	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#6 RDA: 3 rd			
Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=4038 /-] [Invalid=15467 /-]		
Value	Label	Cases	Percentage
0		1	0.0%
1		29	0.7%
2		73	1.8%
3		302	7.5%
4		683	16.9%

File Information on Cultural, Recreational, Religious and Social Activities (Section 5) (cont.)

#6 RDA: 3 rd (cont.)

Value (cont.)	Label	Cases	Percentage
5		374	9.3%
6		861	21.3%
7		1133	28.1%
9		582	14.4%
Systemiss		15467	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#7 THA: 4 th

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=1484 /-] [Invalid=18021 /-]

Value	Label	Cases	Percentage
0		1	0.1%
1		1	0.1%
2		9	0.6%
3		2	0.1%
4		106	7.1%
5		102	6.9%
6		226	15.2%
7		770	51.9%
9		267	18.0%
Systemiss		18021	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#8 THB: 5 th

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=435 /-] [Invalid=19070 /-]

Value	Label	Cases	Percentage
0		1	0.2%
1		1	0.2%
3		1	0.2%
4		4	0.9%
5		18	4.1%
6		35	8.0%
7		190	43.7%
9		185	42.5%

File Information on Cultural, Recreational, Religious and Social Activities (Section 5) (cont.)

#8 THB: 5 th (cont.)

Value (cont.)	Label	Cases	Percentage
Sysmiss		19070	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#9 THC: 6 th

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=109 /-] [Invalid=19396 /-]		

Value	Label	Cases	Percentage
0		1	0.9%
4		1	0.9%
6		8	7.3%
7		35	32.1%
9		64	58.7%
Sysmiss		19396	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#10 THD: 7 th

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=33 /-] [Invalid=19472 /-]		

Value	Label	Cases	Percentage
0		2	6.1%
6		1	3.0%
7		5	15.2%
9		25	75.8%
Sysmiss		19472	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#11 THE: 8 th

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=10 /-] [Invalid=19495 /-]		

Value	Label	Cases	Percentage
0		5	50.0%
1		1	10.0%
9		4	40.0%
Sysmiss		19495	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Information on Cultural, Recreational, Religious and Social Activities (Section 5) (cont.)

#12 TIME_SPENT_IN_LAST_WEEK__HOURU: Time spent in last week (Hours)	
Information	[Type= discrete] [Format=numeric] [Range= 0-240] [Missing=*]
Statistics [NW/ W]	[Valid=19494 /-] [Invalid=11 /-]
Frequency table not shown (64 Modalities)	

#13 SERIAL_NUMBER_OF_THE_PERSONAK: Serial number of the person			
Information	[Type= discrete] [Format=numeric] [Range= 2-14] [Missing=*]		
Statistics [NW/ W]	[Valid=13681 /-] [Invalid=5824 /-]		
Value	Label	Cases	Percentage
2		11830	86.5%
3		1108	8.1%
4		353	2.6%
5		181	1.3%
6		94	0.7%
7		27	0.2%
8		21	0.2%
9		41	0.3%
10		15	0.1%
11		8	0.1%
12		2	0.0%
14		1	0.0%
Sysmiss		5824	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#14 ACTIVITIES_1_SU: Activities 1 st			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=13671 /-] [Invalid=5834 /-]		
Value	Label	Cases	Percentage
1		8328	60.9%
2		4075	29.8%
3		54	0.4%
4		218	1.6%
5		124	0.9%
6		321	2.3%
7		426	3.1%
9		125	0.9%
Sysmiss		5834	

File Information on Cultural, Recreational, Religious and Social Activities (Section 5) (cont.)

#14 ACTIVITIES_1_SU: Activities 1 st (cont.)

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#15 NDB: 2 nd

Information [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]

Statistics [NW/ W] [Valid=7130 /-] [Invalid=12375 /-]

Value	Label	Cases	Percentage
1		254	3.6%
2		4651	65.2%
3		108	1.5%
4		500	7.0%
5		212	3.0%
6		662	9.3%
7		594	8.3%
9		149	2.1%
Sysmiss		12375	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#16 RDB: 3 rd

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]

Statistics [NW/ W] [Valid=2964 /-] [Invalid=16541 /-]

Value	Label	Cases	Percentage
0		1	0.0%
1		21	0.7%
2		62	2.1%
3		170	5.7%
4		677	22.8%
5		321	10.8%
6		723	24.4%
7		717	24.2%
9		272	9.2%
Sysmiss		16541	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#17 THF: 4 th

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]

Statistics [NW/ W] [Valid=1071 /-] [Invalid=18434 /-]

File Information on Cultural, Recreational, Religious and Social Activities (Section 5) (cont.)

#17 THF: 4 th (cont.)

Value	Label	Cases	Percentage
0		1	0.1%
1		3	0.3%
2		8	0.7%
3		7	0.7%
4		60	5.6%
5		81	7.6%
6		174	16.2%
7		625	58.4%
9		112	10.5%
Sysmiss		18434	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#18 THG: 5 th

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=297 /-] [Invalid=19208 /-]

Value	Label	Cases	Percentage
0		1	0.3%
2		1	0.3%
4		7	2.4%
5		6	2.0%
6		32	10.8%
7		163	54.9%
9		87	29.3%
Sysmiss		19208	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#19 THH: 6 th

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=69 /-] [Invalid=19436 /-]

Value	Label	Cases	Percentage
0		1	1.4%
1		1	1.4%
5		1	1.4%
6		2	2.9%
7		26	37.7%

File Information on Cultural, Recreational, Religious and Social Activities (Section 5) (cont.)

#19 THH: 6 th (cont.)

Value (cont.)	Label	Cases	Percentage
9		38	55.1%
Sysmiss		19436	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#20 THI: 7 th

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=19 /-] [Invalid=19486 /-]

Value	Label	Cases	Percentage
0		2	10.5%
7		2	10.5%
9		15	78.9%
Sysmiss		19486	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#21 THJ: 8 th

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=8 /-] [Invalid=19497 /-]

Value	Label	Cases	Percentage
0		5	62.5%
1		1	12.5%
9		2	25.0%
Sysmiss		19497	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#22 TIME_SPENT_IN_LAST_WEEK__HOURV: Time spent in last week (Hours)

Information	[Type= discrete] [Format=numeric] [Range= 0-500] [Missing=*]
Statistics [NW/ W]	[Valid=13672 /-] [Invalid=5833 /-]

Frequency table not shown (73 Modalities)

#23 SERIAL_NUMBER_OF_THE_PERSONAL: Serial number of the person

Information	[Type= discrete] [Format=numeric] [Range= 3-16] [Missing=*]
Statistics [NW/ W]	[Valid=6187 /-] [Invalid=13318 /-]

File Information on Cultural, Recreational, Religious and Social Activities (Section 5) (cont.)

#23 SERIAL_NUMBER_OF_THE_PERSONAL: Serial number of the person (cont.)

Value	Label	Cases	Percentage
3		4837	78.2%
4		668	10.8%
5		334	5.4%
6		192	3.1%
7		84	1.4%
8		29	0.5%
9		14	0.2%
10		16	0.3%
11		6	0.1%
12		4	0.1%
13		2	0.0%
16		1	0.0%
Sysmiss		13318	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#24 ACTIVITIES_1_SV: Activities 1 st

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=6181 /-] [Invalid=13324 /-]		
Value	Label	Cases	Percentage
1		3398	55.0%
2		2189	35.4%
3		21	0.3%
4		48	0.8%
5		60	1.0%
6		173	2.8%
7		200	3.2%
9		92	1.5%
Sysmiss		13324	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#25 NDC: 2 nd

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=3105 /-] [Invalid=16400 /-]		
Value	Label	Cases	Percentage
1		85	2.7%

File Information on Cultural, Recreational, Religious and Social Activities (Section 5) (cont.)

#25 NDC: 2 nd (cont.)

Value (cont.)	Label	Cases	Percentage
2		2100	67.6%
3		18	0.6%
4		95	3.1%
5		121	3.9%
6		321	10.3%
7		226	7.3%
9		139	4.5%
Sysmiss		16400	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#26 RDC: 3 rd

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=1176 /-] [Invalid=18329 /-]		
Value	Label	Cases	Percentage
1		9	0.8%
2		16	1.4%
3		52	4.4%
4		154	13.1%
5		150	12.8%
6		273	23.2%
7		317	27.0%
9		205	17.4%
Sysmiss		18329	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#27 THK: 4 th

Information	[Type= discrete] [Format=numeric] [Range= 3-9] [Missing=*]		
Statistics [NW/ W]	[Valid=410 /-] [Invalid=19095 /-]		
Value	Label	Cases	Percentage
3		3	0.7%
4		18	4.4%
5		24	5.9%
6		43	10.5%
7		230	56.1%
9		92	22.4%

File Information on Cultural, Recreational, Religious and Social Activities (Section 5) (cont.)

#27 THK: 4 th (cont.)

Value (cont.)	Label	Cases	Percentage
Sysmiss		19095	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#28 THL: 5 th

Information	[Type= discrete] [Format=numeric] [Range= 4-9] [Missing=*]		
Statistics [NW/ W]	[Valid=90 /-] [Invalid=19415 /-]		

Value	Label	Cases	Percentage
4		1	1.1%
5		4	4.4%
6		7	7.8%
7		38	42.2%
9		40	44.4%
Sysmiss		19415	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#29 THM: 6 th

Information	[Type= discrete] [Format=numeric] [Range= 7-9] [Missing=*]		
Statistics [NW/ W]	[Valid=19 /-] [Invalid=19486 /-]		

Value	Label	Cases	Percentage
7		7	36.8%
9		12	63.2%
Sysmiss		19486	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#30 THN: 7 th

Information	[Type= discrete] [Format=numeric] [Range= 9-9] [Missing=*]		
Statistics [NW/ W]	[Valid=6 /-] [Invalid=19499 /-]		

Value	Label	Cases	Percentage
9		6	100.0%
Sysmiss		19499	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#31 THO: 8 th

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
-------------	--	--	--

File Information on Cultural, Recreational, Religious and Social Activities (Section 5) (cont.)

#31 THO: 8 th (cont.)			
Statistics [NW/ W]		[Valid=2 /-] [Invalid=19503 /-]	
Value	Label	Cases	Percentage
0		1	50.0%
1		1	50.0%
Sysmiss		19503	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#32 TIME_SPENT_IN_LAST_WEEK__HOURW: Time spent in last week (Hours)	
Information	[Type= discrete] [Format=numeric] [Range= 0-300] [Missing=*]
Statistics [NW/ W]	[Valid=6180 /-] [Invalid=13325 /-]
Frequency table not shown (51 Modalities)	

#33 SERIAL_NUMBER_OF_THE_PERSONAM: Serial number of the person			
Information		[Type= discrete] [Format=numeric] [Range= 4-14] [Missing=*]	
Statistics [NW/ W]		[Valid=3403 /-] [Invalid=16102 /-]	
Value	Label	Cases	Percentage
4		2799	82.3%
5		295	8.7%
6		158	4.6%
7		92	2.7%
8		39	1.1%
9		10	0.3%
10		1	0.0%
11		8	0.2%
14		1	0.0%
Sysmiss		16102	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#34 ACTIVITIES_1_SW: Activities 1 st			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=3398 /-] [Invalid=16107 /-]	
Value	Label	Cases	Percentage
1		1892	55.7%
2		1213	35.7%
3		11	0.3%

File Information on Cultural, Recreational, Religious and Social Activities (Section 5) (cont.)

#34 ACTIVITIES_1_SW: Activities 1 st (cont.)

Value (cont.)	Label	Cases	Percentage
4		23	0.7%
5		32	0.9%
6		79	2.3%
7		101	3.0%
9		47	1.4%
Sysmiss		16107	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#35 NDD: 2 nd

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=1701 /-] [Invalid=17804 /-]

Value	Label	Cases	Percentage
1		45	2.6%
2		1151	67.7%
3		7	0.4%
4		43	2.5%
5		76	4.5%
6		193	11.3%
7		110	6.5%
9		76	4.5%
Sysmiss		17804	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#36 RDD: 3 rd

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=629 /-] [Invalid=18876 /-]

Value	Label	Cases	Percentage
1		5	0.8%
2		8	1.3%
3		20	3.2%
4		77	12.2%
5		78	12.4%
6		143	22.7%
7		173	27.5%
9		125	19.9%

File Information on Cultural, Recreational, Religious and Social Activities (Section 5) (cont.)

#36 RDD: 3 rd (cont.)

Value (cont.)	Label	Cases	Percentage
Sysmiss		18876	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#37 THP: 4 th

Information	[Type= discrete] [Format=numeric] [Range= 4-9] [Missing=*]		
Statistics [NW/ W]	[Valid=220 /-] [Invalid=19285 /-]		
Value	Label	Cases	Percentage
4		4	1.8%
5		10	4.5%
6		22	10.0%
7		127	57.7%
9		57	25.9%
Sysmiss		19285	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#38 THQ: 5 th

Information	[Type= discrete] [Format=numeric] [Range= 5-9] [Missing=*]		
Statistics [NW/ W]	[Valid=44 /-] [Invalid=19461 /-]		
Value	Label	Cases	Percentage
5		1	2.3%
6		2	4.5%
7		20	45.5%
9		21	47.7%
Sysmiss		19461	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#39 THR: 6 th

Information	[Type= discrete] [Format=numeric] [Range= 7-9] [Missing=*]		
Statistics [NW/ W]	[Valid=10 /-] [Invalid=19495 /-]		
Value	Label	Cases	Percentage
7		2	20.0%
9		8	80.0%
Sysmiss		19495	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Information on Cultural, Recreational, Religious and Social Activities (Section 5) (cont.)

#40 THS: 7 th			
Information	[Type= discrete] [Format=numeric] [Range= 9-9] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=19504 /-]		
Value	Label	Cases	Percentage
9		1	100.0%
Systemiss		19504	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#41 THT: 8 th			
Information	[Type= discrete] [Format=numeric] [Range= 1-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=19504 /-]		
Value	Label	Cases	Percentage
1		1	100.0%
Systemiss		19504	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#42 TIME_SPENT_IN_LAST_WEEK__HOURX: Time spent in last week (Hours)			
Information	[Type= discrete] [Format=numeric] [Range= 0-140] [Missing=*]		
Statistics [NW/ W]	[Valid=3398 /-] [Invalid=16107 /-]		
Frequency table not shown (38 Modalities)			

#43 SERIAL_NUMBER_OF_THE_PERSONAN: Serial number of the person			
Information	[Type= discrete] [Format=numeric] [Range= 5-16] [Missing=*]		
Statistics [NW/ W]	[Valid=1700 /-] [Invalid=17805 /-]		
Value	Label	Cases	Percentage
5		1427	83.9%
6		133	7.8%
7		69	4.1%
8		41	2.4%
9		22	1.3%
10		3	0.2%
11		3	0.2%
12		1	0.1%
16		1	0.1%
Systemiss		17805	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

File Information on Cultural, Recreational, Religious and Social Activities (Section 5) (cont.)

#44 ACTIVITIES_1_SX: Activities 1 st			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=1698 /-] [Invalid=17807 /-]	
Value	Label	Cases	Percentage
1		948	55.8%
2		637	37.5%
3		1	0.1%
4		9	0.5%
5		14	0.8%
6		33	1.9%
7		40	2.4%
9		16	0.9%
Sysmiss		17807	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#45 NDE: 2 nd			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=862 /-] [Invalid=18643 /-]	
Value	Label	Cases	Percentage
1		28	3.2%
2		594	68.9%
3		5	0.6%
4		20	2.3%
5		39	4.5%
6		106	12.3%
7		42	4.9%
9		28	3.2%
Sysmiss		18643	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#46 RDE: 3 rd			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=322 /-] [Invalid=19183 /-]	
Value	Label	Cases	Percentage
1		1	0.3%
2		9	2.8%
3		5	1.6%

File Information on Cultural, Recreational, Religious and Social Activities (Section 5) (cont.)

#46 RDE: 3 rd (cont.)

Value (cont.)	Label	Cases	Percentage
4		40	12.4%
5		52	16.1%
6		70	21.7%
7		101	31.4%
9		44	13.7%
Sysmiss		19183	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#47 THU: 4 th

Information	[Type= discrete] [Format=numeric] [Range= 3-9] [Missing=*		
Statistics [NW/ W]	[Valid=119 /-] [Invalid=19386 /-]		
Value	Label	Cases	Percentage
3		1	0.8%
4		1	0.8%
5		2	1.7%
6		15	12.6%
7		66	55.5%
9		34	28.6%
Sysmiss		19386	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#48 THV: 5 th

Information	[Type= discrete] [Format=numeric] [Range= 6-9] [Missing=*		
Statistics [NW/ W]	[Valid=24 /-] [Invalid=19481 /-]		
Value	Label	Cases	Percentage
6		2	8.3%
7		10	41.7%
9		12	50.0%
Sysmiss		19481	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#49 THW: 6 th

Information	[Type= discrete] [Format=numeric] [Range= 7-9] [Missing=*		
Statistics [NW/ W]	[Valid=6 /-] [Invalid=19499 /-]		

File Information on Cultural, Recreational, Religious and Social Activities (Section 5) (cont.)

#49 THW: 6 th (cont.)

Value	Label	Cases	Percentage
7		2	33.3%
9		4	66.7%
System Miss		19499	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#50 THX: 7 th

Information	[Type= discrete] [Format=numeric] [Range= 9-9] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=19504 /-]

Value	Label	Cases	Percentage
9		1	100.0%
System Miss		19504	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#51 THY: 8 th

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=19505 /-]

Value	Label	Cases	Percentage
System Miss		19505	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#52 TIME_SPENT_IN_LAST_WEEK__HOURY: Time spent in last week (Hours)

Information	[Type= discrete] [Format=numeric] [Range= 0-100] [Missing=*]
Statistics [NW/ W]	[Valid=1698 /-] [Invalid=17807 /-]

Value	Label	Cases	Percentage
0		63	3.7%
1		458	27.0%
2		392	23.1%
3		262	15.4%
4		131	7.7%
5		103	6.1%
6		64	3.8%
7		73	4.3%
8		50	2.9%
9		13	0.8%

File Information on Cultural, Recreational, Religious and Social Activities (Section 5) (cont.)

#52 TIME_SPENT_IN_LAST_WEEK__HOURY: Time spent in last week (Hours) (cont.)

Value (cont.)	Label	Cases	Percentage
10		34	2.0%
11		8	0.5%
12		11	0.6%
14		9	0.5%
15		3	0.2%
16		2	0.1%
17		4	0.2%
18		1	0.1%
20		2	0.1%
25		2	0.1%
28		1	0.1%
30		3	0.2%
36		1	0.1%
40		2	0.1%
48		2	0.1%
50		1	0.1%
60		2	0.1%
100		1	0.1%
Sysmiss		17807	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#53 SERIAL_NUMBER_OF_THE_PERSONAO: Serial number of the person

Information	[Type= discrete] [Format=numeric] [Range= 6-17] [Missing=*]		
Statistics [NW/ W]	[Valid=826 /-] [Invalid=18679 /-]		
Value	Label	Cases	Percentage
6		694	84.0%
7		73	8.8%
8		27	3.3%
9		18	2.2%
10		10	1.2%
11		2	0.2%
12		1	0.1%
17		1	0.1%
Sysmiss		18679	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Information on Cultural, Recreational, Religious and Social Activities (Section 5) (cont.)

#54 ACTIVITIES_1_SY: Activities 1 st			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=825 /-] [Invalid=18680 /-]	
Value	Label	Cases	Percentage
1		467	56.6%
2		305	37.0%
3		4	0.5%
4		3	0.4%
5		10	1.2%
6		12	1.5%
7		17	2.1%
9		7	0.8%
Sysmiss		18680	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#55 NDF: 2 nd			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=410 /-] [Invalid=19095 /-]	
Value	Label	Cases	Percentage
1		13	3.2%
2		281	68.5%
3		1	0.2%
4		5	1.2%
5		20	4.9%
6		58	14.1%
7		18	4.4%
9		14	3.4%
Sysmiss		19095	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#56 RDF: 3 rd			
Information		[Type= discrete] [Format=numeric] [Range= 2-9] [Missing=*]	
Statistics [NW/ W]		[Valid=173 /-] [Invalid=19332 /-]	
Value	Label	Cases	Percentage
2		4	2.3%
3		4	2.3%
4		19	11.0%

File Information on Cultural, Recreational, Religious and Social Activities (Section 5) (cont.)

#56 RDF: 3 rd (cont.)

Value (cont.)	Label	Cases	Percentage
5		29	16.8%
6		34	19.7%
7		59	34.1%
9		24	13.9%
Sysmiss		19332	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#57 THZ: 4 th

Information	[Type= discrete] [Format=numeric] [Range= 4-9] [Missing=*]		
Statistics [NW/ W]	[Valid=58 /-] [Invalid=19447 /-]		
Value	Label	Cases	Percentage
4		1	1.7%
6		2	3.4%
7		30	51.7%
9		25	43.1%
Sysmiss		19447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#58 THBA: 5 th

Information	[Type= discrete] [Format=numeric] [Range= 7-9] [Missing=*]		
Statistics [NW/ W]	[Valid=7 /-] [Invalid=19498 /-]		
Value	Label	Cases	Percentage
7		2	28.6%
9		5	71.4%
Sysmiss		19498	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#59 THCA: 6 th

Information	[Type= discrete] [Format=numeric] [Range= 9-9] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=19504 /-]		
Value	Label	Cases	Percentage
9		1	100.0%
Sysmiss		19504	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Information on Cultural, Recreational, Religious and Social Activities (Section 5) (cont.)

#60 THDA: 7 th			
Information		[Type= discrete] [Format=numeric] [Missing=*]	
Statistics [NW/ W]		[Valid=0 /-] [Invalid=19505 /-]	
Value	Label	Cases	Percentage
Sysmiss		19505	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#61 THEA: 8 th			
Information		[Type= discrete] [Format=numeric] [Missing=*]	
Statistics [NW/ W]		[Valid=0 /-] [Invalid=19505 /-]	
Value	Label	Cases	Percentage
Sysmiss		19505	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#62 TIME_SPENT_IN_LAST_WEEK__HOURZ: Time spent in last week (Hours)			
Information		[Type= discrete] [Format=numeric] [Range= 0-42] [Missing=*]	
Statistics [NW/ W]		[Valid=825 /-] [Invalid=18680 /-]	
Value	Label	Cases	Percentage
0		37	4.5%
1		212	25.7%
2		196	23.8%
3		122	14.8%
4		65	7.9%
5		57	6.9%
6		33	4.0%
7		32	3.9%
8		22	2.7%
9		5	0.6%
10		13	1.6%
11		2	0.2%
12		11	1.3%
13		3	0.4%
14		4	0.5%
15		2	0.2%
16		1	0.1%
17		2	0.2%
18		1	0.1%

File Information on Cultural, Recreational, Religious and Social Activities (Section 5) (cont.)

#62 TIME_SPENT_IN_LAST_WEEK__HOURZ: Time spent in last week (Hours) (cont.)

Value (cont.)	Label	Cases	Percentage
20		1	0.1%
25		1	0.1%
28		1	0.1%
32		1	0.1%
42		1	0.1%
Sysmiss		18680	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#63 SERIAL_NUMBER_OF_THE_PERSONAP: Serial number of the person

Information	[Type= discrete] [Format=numeric] [Range= 7-15] [Missing=*]
Statistics [NW/ W]	[Valid=367 /-] [Invalid=19138 /-]

Value	Label	Cases	Percentage
7		289	78.7%
8		36	9.8%
9		20	5.4%
10		8	2.2%
11		11	3.0%
12		1	0.3%
13		1	0.3%
15		1	0.3%
Sysmiss		19138	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#64 ACTIVITIES_1_SZ: Activities 1 st

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=367 /-] [Invalid=19138 /-]

Value	Label	Cases	Percentage
1		211	57.5%
2		136	37.1%
3		1	0.3%
4		3	0.8%
6		1	0.3%
7		9	2.5%
9		6	1.6%
Sysmiss		19138	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Information on Cultural, Recreational, Religious and Social Activities (Section 5) (cont.)

#65 NDG: 2 nd			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=175 /-] [Invalid=19330 /-]	
Value	Label	Cases	Percentage
1		5	2.9%
2		118	67.4%
3		1	0.6%
4		3	1.7%
5		11	6.3%
6		25	14.3%
7		4	2.3%
9		8	4.6%
Sysmiss		19330	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#66 RDG: 3 rd			
Information		[Type= discrete] [Format=numeric] [Range= 4-9] [Missing=*]	
Statistics [NW/ W]		[Valid=64 /-] [Invalid=19441 /-]	
Value	Label	Cases	Percentage
4		2	3.1%
5		9	14.1%
6		20	31.3%
7		26	40.6%
9		7	10.9%
Sysmiss		19441	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#67 THAA: 4 th			
Information		[Type= discrete] [Format=numeric] [Range= 6-9] [Missing=*]	
Statistics [NW/ W]		[Valid=31 /-] [Invalid=19474 /-]	
Value	Label	Cases	Percentage
6		1	3.2%
7		20	64.5%
9		10	32.3%
Sysmiss		19474	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Information on Cultural, Recreational, Religious and Social Activities (Section 5) (cont.)

#68 THBB: 5 th			
Information	[Type= discrete] [Format=numeric] [Range= 9-9] [Missing=*]		
Statistics [NW/ W]	[Valid=5 /-] [Invalid=19500 /-]		
Value	Label	Cases	Percentage
9		5	100.0%
Sysmiss		19500	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#69 THCB: 6 th			
Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=19505 /-]		
Value	Label	Cases	Percentage
Sysmiss		19505	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#70 THDB: 7 th			
Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=19505 /-]		
Value	Label	Cases	Percentage
Sysmiss		19505	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#71 THEB: 8 th			
Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=19505 /-]		
Value	Label	Cases	Percentage
Sysmiss		19505	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#72 TIME_SPENT_IN_LAST_WEEK__HOURUA: Time spent in last week (Hours)			
Information	[Type= discrete] [Format=numeric] [Range= 0-28] [Missing=*]		
Statistics [NW/ W]	[Valid=367 /-] [Invalid=19138 /-]		
Value	Label	Cases	Percentage
0		17	4.6%
1		107	29.2%

File Information on Cultural, Recreational, Religious and Social Activities (Section 5) (cont.)

#72 TIME_SPENT_IN_LAST_WEEK__HOURUA: Time spent in last week (Hours) (cont.)

Value (cont.)	Label	Cases	Percentage
2		73	19.9%
3		59	16.1%
4		19	5.2%
5		26	7.1%
6		14	3.8%
7		20	5.4%
8		9	2.5%
9		2	0.5%
10		2	0.5%
11		2	0.5%
13		2	0.5%
14		6	1.6%
15		3	0.8%
17		2	0.5%
20		2	0.5%
28		2	0.5%
Sysmiss		19138	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#73 INFLATION_FACTORQ: Inflation factor

Information	[Type= discrete] [Format=numeric] [Range= 345-223969] [Missing=*]
Statistics [NW/ W]	[Valid=19505 /-] [Invalid=0 /-]

Documentation

Reports and analytical documents	447
Health & Housing Final Report - DSA 1986/87	447
Preliminary Report - DSA 1986_87	447
Study Documentation of DSA 1986 Project	447
Questionnaires	447
Survey Schedule - DSA 1986_87	447
Technical documents	447
Data Dictionary - Household Economic Activity Survey 1984_85	447
Other resources	447
Information from the Web Site	447

Reports and analytical documents

Health & Housing Final Report - DSA 1986/87, Sri Lanka [lka], English [eng], "Documents\Reports\DSA 1986_87 Health & Housing Final Report.pdf"

Preliminary Report - DSA 1986_87, Sri Lanka [lka], English [eng], "Documents\Reports\DSA_1986_87 Preliminary Report.pdf"

Study Documentation of DSA 1986 Project, Sri Lanka [lka], English [eng], "Documents\Reports\Study Documentation of DSA 1986 Project.pdf"

Questionnaires

Survey Schedule - DSA 1986_87, Sri Lanka [lka], English [eng]

Technical documents

Data Dictionary - Household Economic Activity Survey 1984_85, Sri Lanka [lka], English [eng]

Other resources

Information from the Web Site, "<http://www.statistics.gov.lk/>"