

Sri Lanka

**Department of Census and Statistics, Ministry
of National Policies and Economic Affairs**

National Survey on Self-Reported Health 2014

Study Documentation

January 1, 2021

Metadata Production

Metadata Producer(s)	Department of Census and Statistics (DCS) , Ministry of National Policies and Economic Affairs , Data Collection
Production Date	January 15, 2020
Version	Version 01
Identification	DDI-LKA-DCS-NHSRH-2014-V01

Table of Contents

Overview	4
Scope & Coverage	4
Producers & Sponsors	5
Sampling	5
Data Collection	5
Accessibility	6
Rights & Disclaimer	7
Files Description	8
2014 Self reported health survey	8
Variables List	9
2014 Self reported health survey	9
Variables Description	17
2014 Self reported health survey	18

National Survey on Self-Reported Health 2014 (NSSRH 2014)

Overview	
Type	Other Household Health Survey [hh/hea]
Identification	LKA-DCS-NSSRH-2014-V01
Version	v01
<p><u>Abstract</u> A survey module was attached to Sri Lanka Labour Force Survey (LFS) 2014 to collect data on health conditions of people in the country.</p> <p>This health survey was conducted at household level and self-reported (without medical tests or clinical proofs) health associated data was collected from all individuals of the selected households.</p> <p>The statistics estimated through the survey will be immensely useful for the government, policy makers to plan health services, especially for resource allocation, for preventive actions and to provide clinical care. The survey covers all districts of the country therefore statistics will be published at district level. Since all the data collected in the health module are self-reported, the facts are based on the level of awareness of the respondent. Further this is the first ever island-wide household survey on health and this was conducted during 12 months period in 2014.</p> <p>a. Subjects covered at the survey:</p> <ol style="list-style-type: none"> 1. Prevalence by type of illness – chronic/ acute 2. Place from which the treatment was received for chronic/ acute illness 3. Accidents occurred 4. Number of times received treatment for accidents 5. Place where the accident occurred 6. Health screening 7. Smoking and alcohol use 8. Availability of health insurance <p>Illnesses covered at the survey: Following chronic and acute illnesses were covered at the survey.</p> <p>Chronic illness- Diabetes, High Blood Pressure, Heart Diseases, Stroke/ Paralyzed, Cancer, Asthma, Mental illness, Arthritis, Epilepsy, Other</p> <p>Acute illness- Diarrhoea, Vomiting, Fever, Cough, Headache, Stomachache, Wheezing, Sore throat, Joint aches, Skin diseases</p>	
Kind of Data	Sample survey data [ssd]
Unit of Analysis	Persons living in housing units and excludes the institutional population.

Scope & Coverage	
<u>Time Period(s)</u>	2014
<u>Countries</u>	Sri Lanka
<u>Geographic Coverage</u> National	
<u>Universe</u> All household members	

Producers & Sponsors	
Primary Investigator(s)	Department of Census and Statistics, Ministry of National Policies and Economic Affairs
Other Producer(s)	Department of Census and Statistics (DCS) , Ministry of National Policies and Economic Affairs , Data collection,analysing and publishing
Funding Agency/ies	Government of Sri Lanka (GOSL)

Sampling
<p><u>Sampling Procedure</u> Sampling plan and the sampling frame Two stage stratified sampling procedure is adopted to select a sample of 25,000 housing units to be enumerated at the survey. The master sampling frame prepared for 2011 - Census of Population and Housing is used as the sampling frame for the sample selection of LFS in 2014.</p> <p>Sample size Annual sample of 25,000 housing units were selected to give reliable estimates by district level in the year 2014.</p> <p>Sample Allocation In 2014, 2500 Primary sampling Units (PSU's) were allocated to each district and to each sector (Urban, Rural and Estate) by using the Neymann allocation method which considers the variance of unemployment rate as usually (because the sampling of the health survey is the same as LFS) The allocated sample for each district then equally distributed for 12 months.</p> <p>Selection of Primary Sampling Units (PSU) Primary sampling units were the census blocks demarcated at the Census of Population and Housing - 2011.</p> <p>Selection of Secondary Sampling Units (SSU) Secondary Sampling Units were the housing units in the selected 2500 primary sampling units (census blocks). From each selected primary sampling unit, 10 housing units (SSU) were selected for the survey using systematic random sampling method.</p>

Data Collection	
Data Collection Dates	start 2014-01-01 end 2014-12-31
Data Collection Mode	Face-to-face [f2f]
<p><u>Data Collection Notes</u> The field work of the survey for the year 2014 was conducted from January to December. The census blocks prepared at 2012 population census were used as primary sampling units.</p> <p>A listing operation for primary sampling unit update was conducted, before the selection of secondary sampling units.</p> <p>The field staff of the DCS involved in survey data collection activities. These officers were trained before they were entrusted with the survey operations. A Deputy Director/Senior Statistician/Statistician attached to each district secretariat were responsible for coordination and supervision activities. Sample surveys division of the Department was responsible for implementation of the survey.</p>	
<p><u>Questionnaires</u> The questionnaire is attached as an external resource.</p>	
Data Collector(s)	Department of Census and Statistics (DCS) , Ministry of National Policies and Economic Affairs
<u>Supervision</u>	

A Deputy Director/Senior Statistician/Statistician attached to each district secretariat were responsible for coordination and supervision activities. Sample surveys division of the Department was responsible for implementation of the survey.

Other Processing

Data processing included the following steps.

1. Counting and accepting the filled questionnaires by the DP Division
2. Do a visual check for completeness
3. Preliminary editing and marking codes

Accessibility

Access Authority	Director General (Department of Census and Statistics) , http://www.statistics.gov.lk , dgcensus@statistics.gov.lk
Contact(s)	Information Unit (Department of Census & Statistics) , http://www.statistics.gov.lk , information@statistic.gov.lk Sample Survey Division (Department of Census & Statistics) , http://www.statistics.gov.lk , sample.survey@statistics.gov.lk

Confidentiality

Under the Statistical ordinance, micro data cannot be released with identifications for public use. Procedures are in place to ensure that information relating to any particular individual person, household or undertaking will be kept strictly confidential and will not be divulged to external parties. Information on individual or individual Household/establishment will not be divulged or published in such a form that will facilitate the identification of any particular person or establishment as the data have been collected under the Census/Statistical ordinance, according to which the information at individual level cannot be divulged and such information is strictly confidential.

Access Conditions

The dataset has been anonymized and is available as a Public Use Dataset. It is accessible to all for statistical and research purposes only, under the following terms and conditions:

1. The data and other materials will not be redistributed or sold to other individuals, institutions, or organizations without the written agreement.
2. The data will be used for statistical and scientific research purposes only. They will be used solely for reporting of aggregated information, and not for investigation of specific individuals or organizations.
3. No attempt will be made to re-identify respondents, and no use will be made of the identity of any person or establishment discovered inadvertently.
4. No attempt will be made to produce links among datasets provided by the Department or among data from the Department and other datasets that could identify individuals or organizations.
5. Any books, articles, conference papers, theses, dissertations, reports, or other publications that employ data obtained from the Department will cite the source of data in accordance with the Citation Requirement provided with each dataset.
6. An electronic copy of all reports and publications based on the requested data will be sent to the Department

The following rules apply to micro data released by the Department of Census and Statistics.

- Only the requests of Government Institutions, Recognized Universities, Students, and selected international agencies are entertained. However, the Data users are required to strictly adhere to the terms stipulated in the agreement form.
- All the data requests should be made to Director General (DG) of the DCS as the sole authority of releasing data is vested with the DG, DCS. DCS of Sri Lanka reserves sole right to approve or reject any data request made depending on the confidential nature of the data set and intended purpose of the study or analysis.
- Requests for micro data should be made through the agreement form designed by DCS for this purpose (Form D.R.1). The agreement form should be filled in triplicate and the Study/project proposal should accompany the filled agreement form. If requests are made for the micro data of more than one survey, a separate agreement should be signed.
- If the data request is from a student a letter from the respective Dept. Head/Dean/Supervisor, recommending the issue of data, should also be accompanied.
- The released Data file should be used only for the specific study/Analysis mentioned in the agreement form and shall not be used for any other purpose without the prior approval of the Director General of the DCS. Moreover, Copies of the microdata

file, obtained from the DCS, shall not be given to anyone else without the prior written approval of the Director General of the DCS.

- The draft report of the Study/Analysis should be submitted to the DCS and the concurrence of the DG, DCS, should be obtained before publishing it. Once published, a copy of the final report should be submitted to the DCS.

[Department : The Department of Census and Statistics]

Source : http://www.statistics.gov.lk/databases/data%20dissemination/DataDissaPolicy_2007Oct26.pdf

Citation Requirements

"Department of Census and Statistics, National Survey on Self-Reported Health 2014, Version 1.0 of the public use dataset (January 2016), provided by the National Data Archive, Data Processing Division, www.statistics.gov.lk"

Rights & Disclaimer

Disclaimer

The Department of Census and Statistics bears no responsibility for any results or interpretations arising from the secondary use of the data.

Copyright

(C) 2020, Department of Census and Statistics

Files Description

Dataset contains 1 file(s)

2014 Self reported health survey	
# Cases	81376
# Variable(s)	289

Variables List

Dataset contains 289 variable(s)

File 2014 Self reported health survey							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	ct	-	discrete	numeric-2.0	81376	0	-
2	year	-	discrete	numeric-4.0	81376	0	-
3	month	-	discrete	numeric-2.0	81376	0	-
4	sector	-	discrete	numeric-1.0	81376	0	-
5	district	-	continuous	numeric-2.0	81376	0	-
6	ds	-	continuous	numeric-2.0	81376	0	-
7	cbno	Psu No	continuous	numeric-11.0	81376	0	-
8	huno	-	discrete	numeric-2.0	81376	0	-
9	hhno	-	discrete	numeric-1.0	81376	0	-
10	hhserno	-	continuous	numeric-3.0	81376	0	-
11	person	-	discrete	numeric-2.1	81376	0	-
12	rela	-	discrete	numeric-1.0	81376	0	-
13	sex	-	discrete	numeric-1.0	81376	0	-
14	byear	-	continuous	numeric-2.1	81376	0	-
15	bmonth	-	discrete	numeric-2.1	81376	0	-
16	age	-	continuous	numeric-2.1	81376	0	-
17	eth	-	discrete	numeric-1.0	81376	0	-
18	reli	-	discrete	numeric-1.0	81376	0	-
19	marital	-	discrete	numeric-1.0	81376	0	-
20	edu	-	discrete	numeric-2.1	74826	6550	-
21	sch	-	discrete	numeric-1.0	74826	6550	-
22	sin	-	discrete	numeric-1.0	67647	13729	-
23	tamil	-	discrete	numeric-1.0	67647	13729	-
24	eng	-	discrete	numeric-1.0	67647	13729	-
25	q2	-	discrete	numeric-1.0	60553	20823	-
26	q3	-	discrete	numeric-1.0	28994	52382	-
27	q4	-	discrete	numeric-1.0	31559	49817	-
28	q5	-	discrete	numeric-1.0	1421	79955	-
29	q6a	-	discrete	numeric-1.0	30138	51238	-
30	q6b1	-	continuous	numeric-2.0	2031	79345	-
31	q6b2	-	continuous	numeric-2.0	918	80458	-
32	q6b3	-	continuous	numeric-2.0	71	81305	-
33	q7	-	continuous	numeric-4.2	30415	50961	-
34	q8	-	continuous	numeric-5.2	30415	50961	-
35	q9	-	discrete	numeric-1.0	30415	50961	-
36	q10	-	discrete	numeric-8.2	17358	64018	-

File 2014 Self reported health survey							
#	Name	Label	Type	Format	Valid	Invalid	Question
37	q11	-	discrete	numeric-8.2	14642	66734	-
38	q12	-	discrete	numeric-8.2	14642	66734	-
39	q13	-	discrete	numeric-8.2	14642	66734	-
40	q14	-	discrete	numeric-8.2	14642	66734	-
41	q15	-	discrete	numeric-8.2	25708	55668	-
42	q16	-	discrete	numeric-8.2	25708	55668	-
43	q17	-	discrete	numeric-8.2	25708	55668	-
44	q18	-	discrete	numeric-8.2	25403	55973	-
45	q19	-	discrete	numeric-8.2	25403	55973	-
46	q20	-	continuous	numeric-2.0	30411	50965	-
47	q21	-	continuous	numeric-2.0	30411	50965	-
48	q23	-	discrete	numeric-1.0	7054	74322	-
49	q24	-	discrete	numeric-1.0	30408	50968	-
50	q25	-	continuous	numeric-4.0	2525	78851	-
51	q26	-	continuous	numeric-5.0	2525	78851	-
52	q27	-	discrete	numeric-1.0	2525	78851	-
53	q28	-	discrete	numeric-1.0	394	80982	-
54	q29	-	discrete	numeric-1.0	185	81191	-
55	q30	-	discrete	numeric-1.0	185	81191	-
56	q31	-	discrete	numeric-1.0	185	81191	-
57	q32	-	discrete	numeric-1.0	186	81190	-
58	q33	-	discrete	numeric-1.0	2514	78862	-
59	q34	-	discrete	numeric-1.0	2517	78859	-
60	q35	-	discrete	numeric-1.0	2517	78859	-
61	q36	-	discrete	numeric-1.0	2509	78867	-
62	q37	-	discrete	numeric-1.0	2504	78872	-
63	q38	-	continuous	numeric-2.0	2528	78848	-
64	q39	-	continuous	numeric-2.0	2528	78848	-
65	q40a	-	continuous	numeric-2.0	30412	50964	-
66	q40b	-	continuous	numeric-2.0	27408	53968	-
67	q41	-	discrete	numeric-1.0	3594	77782	-
68	q42	-	discrete	numeric-1.0	872	80504	-
69	q43	-	continuous	numeric-2.0	871	80505	-
70	q44	-	discrete	numeric-1.0	872	80504	-
71	q45	-	discrete	numeric-1.0	30415	50961	-
72	q45a1	-	continuous	numeric-6.0	81376	0	-
73	q45a2	-	continuous	numeric-6.0	81376	0	-
74	q45a3	-	continuous	numeric-6.0	81376	0	-
75	wagemont..	-	continuous	numeric-8.2	81376	0	-

File 2014 Self reported health survey							
#	Name	Label	Type	Format	Valid	Invalid	Question
76	q45b1	-	continuous	numeric-6.0	6331	75045	-
77	q45b2	-	continuous	numeric-2.0	6331	75045	-
78	q45b3	-	continuous	numeric-6.0	6382	74994	-
79	q45b4	-	continuous	numeric-6.0	545	80831	-
80	wagedaily	-	continuous	numeric-8.2	81376	0	-
81	mainoccw ..	-	continuous	numeric-8.2	81376	0	-
82	q45c	-	continuous	numeric-6.0	10573	70803	-
83	q46	-	discrete	numeric-1.0	30415	50961	-
84	q46a1	-	continuous	numeric-6.0	69	81307	-
85	q46a2	-	discrete	numeric-6.0	1	81375	-
86	q46a3	-	continuous	numeric-6.0	2	81374	-
87	q46b1	-	continuous	numeric-6.0	309	81067	-
88	q46b2	-	continuous	numeric-2.0	309	81067	-
89	q46b3	-	continuous	numeric-6.0	314	81062	-
90	q46b4	-	continuous	numeric-6.0	37	81339	-
91	q46c	-	continuous	numeric-6.0	1679	79697	-
92	q47	-	discrete	numeric-1.0	30138	51238	-
93	q48	-	discrete	numeric-1.0	2358	79018	-
94	q49a	-	discrete	numeric-1.0	1364	80012	-
95	q49b	-	discrete	numeric-1.0	490	80886	-
96	q49c	-	discrete	numeric-1.0	210	81166	-
97	q50	-	discrete	numeric-1.0	996	80380	-
98	q51	-	discrete	numeric-8.2	1944	79432	-
99	q52	-	discrete	numeric-8.2	27758	53618	-
100	q53	-	discrete	numeric-8.2	1434	79942	-
101	q54	-	discrete	numeric-8.2	912	80464	-
102	q55	-	discrete	numeric-8.2	172	81204	-
103	q55a	-	discrete	numeric-8.2	148	81228	-
104	q55b	-	discrete	numeric-8.2	59	81317	-
105	q55c	-	discrete	numeric-8.2	26	81350	-
106	q56	-	continuous	numeric-8.2	1065	80311	-
107	q57	-	continuous	numeric-6.0	1419	79957	-
108	q58	-	discrete	numeric-1.0	1419	79957	-
109	q59	-	discrete	numeric-1.0	1419	79957	-
110	q60	-	continuous	numeric-4.0	484	80892	-
111	q61	-	discrete	numeric-1.0	484	80892	-
112	q62	-	discrete	numeric-1.0	60546	20830	-
113	q63a1	-	continuous	numeric-3.0	5711	75665	-
114	q63a2	-	discrete	numeric-1.0	5712	75664	-

File 2014 Self reported health survey							
#	Name	Label	Type	Format	Valid	Invalid	Question
115	q63a3	-	continuous	numeric-2.0	5710	75666	-
116	q63a4	-	continuous	numeric-2.0	5710	75666	-
117	q63b1	-	continuous	numeric-3.0	742	80634	-
118	q63b2	-	discrete	numeric-1.0	743	80633	-
119	q63b3	-	continuous	numeric-2.0	734	80642	-
120	q63b4	-	continuous	numeric-2.0	700	80676	-
121	q64	-	discrete	numeric-2.0	54838	26538	-
122	DSCode	-	continuous	numeric-11.0	81376	0	-
123	iiinf	-	continuous	numeric-8.2	81376	0	-
124	emp	-	discrete	numeric-8.2	30415	50961	-
125	unp	-	discrete	numeric-8.2	1434	79942	-
126	inc	-	discrete	numeric-8.2	28704	52672	-
127	la	-	discrete	numeric-8.2	31849	49527	-
128	pop	-	discrete	numeric-8.2	60553	20823	-
129	qtr	-	discrete	numeric-8.2	81376	0	-
130	annualfac	-	continuous	numeric-8.2	81376	0	-
131	HQ1	-	discrete	numeric-1.0	81376	0	-
132	HQ2_1	-	discrete	numeric-2.1	14352	67024	-
133	HQ2_2	-	discrete	numeric-2.1	3271	78105	-
134	HQ2_3	-	discrete	numeric-2.1	701	80675	-
135	HQ3A	-	discrete	numeric-2.1	81376	0	-
136	HQ3A_1	-	discrete	numeric-2.1	14354	67022	-
137	HQ3A_2	-	discrete	numeric-2.1	1049	80327	-
138	HQ3A_3	-	discrete	numeric-2.1	111	81265	-
139	HQ3B	-	discrete	numeric-2.1	81376	0	-
140	HQ3B_1	-	discrete	numeric-2.1	3257	78119	-
141	HQ3B_2	-	discrete	numeric-2.1	366	81010	-
142	HQ3B_3	-	discrete	numeric-2.1	65	81311	-
143	HQ3C	-	discrete	numeric-2.1	81374	2	-
144	HQ3C_1	-	discrete	numeric-2.1	697	80679	-
145	HQ3C_2	-	discrete	numeric-2.0	98	81278	-
146	HQ3C_3	-	discrete	numeric-2.1	26	81350	-
147	HQ4A	-	discrete	numeric-1.0	81376	0	-
148	HQ4B_1	-	discrete	numeric-2.1	81376	0	-
149	HQ4B_2	-	discrete	numeric-2.1	81376	0	-
150	HQ4B_3	-	discrete	numeric-2.1	81376	0	-
151	HQ5A	-	discrete	numeric-2.1	81376	0	-
152	HQ5A_1	-	discrete	numeric-2.1	81376	0	-
153	HQ5A_2	-	discrete	numeric-2.1	81374	2	-

File 2014 Self reported health survey							
#	Name	Label	Type	Format	Valid	Invalid	Question
154	HQ5A_3	-	discrete	numeric-2.1	81376	0	-
155	HQ5B	-	discrete	numeric-2.1	81376	0	-
156	HQ5B_1	-	discrete	numeric-2.1	81376	0	-
157	HQ5B_2	-	discrete	numeric-2.1	81376	0	-
158	HQ5B_3	-	discrete	numeric-2.1	81376	0	-
159	HQ5C	-	discrete	numeric-2.1	81376	0	-
160	HQ5C_1	-	discrete	numeric-2.1	81376	0	-
161	HQ5C_2	-	discrete	numeric-2.1	81376	0	-
162	HQ5C_3	-	discrete	numeric-2.1	81376	0	-
163	HQ6	-	discrete	numeric-1.0	81238	138	-
164	HQ7	-	discrete	numeric-1.0	916	80460	-
165	HQ8	-	discrete	numeric-1.0	916	80460	-
166	HQ9	-	discrete	numeric-1.0	81237	139	-
167	HQ10	-	discrete	numeric-1.0	81237	139	-
168	V27	-	discrete	numeric-1.0	0	81376	-
169	HQ11	-	discrete	numeric-1.0	81189	187	-
170	HQ12	-	discrete	numeric-1.0	81190	186	-
171	HQ13A	-	continuous	numeric-3.0	2001	79375	-
172	HQ13B	-	continuous	numeric-3.0	3091	78285	-
173	HQ13C	-	continuous	numeric-3.0	183	81193	-
174	HQ14	-	discrete	numeric-1.0	81190	186	-
175	HQ15A	-	continuous	numeric-2.0	3119	78257	-
176	HQ15A_1	-	continuous	numeric-2.0	3119	78257	-
177	HQ15B	-	discrete	numeric-2.0	250	81126	-
178	HQ15B_1_A	-	continuous	numeric-2.0	250	81126	-
179	HQ15C	-	continuous	numeric-2.0	273	81103	-
180	HQ15C_1	-	continuous	numeric-2.0	273	81103	-
181	HQ15D	-	discrete	numeric-2.0	443	80933	-
182	HQ15D_1	-	continuous	numeric-2.0	443	80933	-
183	HQ15E	-	discrete	numeric-2.0	34	81342	-
184	HQ15E_1	-	continuous	numeric-2.0	34	81342	-
185	HQ16	-	discrete	numeric-1.0	81376	0	-
186	HQ17A	-	discrete	numeric-1.0	81376	0	-
187	HQ17B	-	discrete	numeric-1.0	81365	11	-
188	HQ17C	-	discrete	numeric-1.0	81332	44	-
189	HH01	-	discrete	numeric-1.0	81376	0	-
190	HH02	-	discrete	numeric-2.1	2182	79194	-
191	HH100A	-	continuous	numeric-2.1	2149	79227	-
192	HH100B	-	discrete	numeric-2.1	75	81301	-

File 2014 Self reported health survey							
#	Name	Label	Type	Format	Valid	Invalid	Question
193	HH100C15	-	discrete	numeric-1.0	2182	79194	-
194	HH3100	-	discrete	numeric-1.0	2182	79194	-
195	HH101A	-	discrete	numeric-2.1	43	81333	-
196	HH101B	-	discrete	numeric-2.1	0	81376	-
197	HH101C	-	discrete	numeric-1.0	43	81333	-
198	HH3101	-	discrete	numeric-1.0	43	81333	-
199	HH102A	-	discrete	numeric-2.1	6	81370	-
200	HH102B	-	discrete	numeric-2.1	0	81376	-
201	HH102C	-	discrete	numeric-1.0	6	81370	-
202	HH3102	-	discrete	numeric-1.0	6	81370	-
203	HH103A	-	discrete	numeric-2.1	0	81376	-
204	HH103B	-	discrete	numeric-2.1	0	81376	-
205	HH103C	-	discrete	numeric-1.0	0	81376	-
206	HH3103	-	discrete	numeric-1.0	0	81376	-
207	HH104A	-	discrete	numeric-2.1	0	81376	-
208	HH104B	-	discrete	character-2	0	0	-
209	HH104C	-	discrete	numeric-1.0	0	81376	-
210	HH3104	-	discrete	numeric-1.0	0	81376	-
211	HH105A	-	discrete	numeric-2.1	0	81376	-
212	HH105B	-	discrete	numeric-2.1	0	81376	-
213	HH105C	-	discrete	numeric-1.0	0	81376	-
214	HH3105	-	discrete	numeric-1.0	37	81339	-
215	HH3A	-	discrete	numeric-2.1	81365	11	-
216	HH4	-	discrete	numeric-1.0	81373	3	-
217	HU1	-	discrete	numeric-1.0	81344	32	-
218	HU2	-	discrete	character-6	3504	0	-
219	HU3	-	discrete	numeric-1.0	81344	32	-
220	HU4	-	discrete	numeric-2.1	81344	32	-
221	Cho3	-	discrete	numeric-8.2	1338	80038	-
222	Cho4	-	discrete	numeric-8.2	288	81088	-
223	Cho5	-	discrete	numeric-8.2	226	81150	-
224	Cho6	-	discrete	numeric-8.2	2093	79283	-
225	Cho7	-	discrete	numeric-8.2	445	80931	-
226	Cho8	-	discrete	numeric-8.2	1667	79709	-
227	Cho9	-	discrete	numeric-8.2	255	81121	-
228	Cho10	-	discrete	numeric-8.2	2294	79082	-
229	age1	-	discrete	numeric-8.2	81376	0	-
230	edu1	-	discrete	numeric-8.2	81376	0	-
231	ethnew	-	discrete	numeric-8.2	81376	0	-

File 2014 Self reported health survey							
#	Name	Label	Type	Format	Valid	Invalid	Question
232	age2	-	discrete	numeric-8.2	54243	27133	-
233	Q8A1	-	discrete	numeric-8.2	30415	50961	-
234	Occu2new	-	discrete	numeric-8.2	81376	0	-
235	q8a3	-	discrete	numeric-8.2	30415	50961	-
236	filter_\$	cho3new = 3 (FILTER)	discrete	numeric-1.0	81376	0	-
237	Cho1	-	discrete	numeric-8.2	81376	0	-
238	Cho2	-	discrete	numeric-8.2	81376	0	-
239	cho3new	-	discrete	numeric-8.2	81376	0	-
240	sa	-	discrete	numeric-8.2	81376	0	-
241	choplace..	-	discrete	numeric-8.2	14358	67018	-
242	Cho4B2	-	discrete	numeric-8.2	557	80819	-
243	Cho4B3	-	discrete	numeric-8.2	6928	74448	-
244	Cho4B4	-	discrete	numeric-8.2	4060	77316	-
245	Cho4B5	-	discrete	numeric-8.2	924	80452	-
246	Cho4B6	-	discrete	numeric-8.2	587	80789	-
247	Cho4B7	-	discrete	numeric-8.2	547	80829	-
248	Cho4B8	-	discrete	numeric-8.2	235	81141	-
249	Cho4B9	-	discrete	numeric-8.2	948	80428	-
250	Cho4B10	-	discrete	numeric-8.2	335	81041	-
251	Cho4B1	-	discrete	numeric-8.2	149	81227	-
252	fewcou	-	discrete	numeric-8.2	1899	79477	-
253	nonplace..	-	discrete	numeric-8.2	11955	69421	-
254	VAR00001	-	continuous	numeric-2.1	81376	0	-
255	var00002	-	continuous	numeric-8.2	81376	0	-
256	death1age	-	continuous	numeric-8.2	81376	0	-
257	death2age	-	discrete	numeric-8.2	43	81333	-
258	death3age	-	discrete	numeric-8.2	6	81370	-
259	ageforch..	-	discrete	numeric-8.2	81376	0	-
260	ageforch..	-	discrete	numeric-8.2	81376	0	-
261	ageforch..	-	discrete	numeric-8.2	81376	0	-
262	ageall	-	discrete	numeric-8.2	81376	0	-
263	age25above	-	discrete	numeric-8.2	48823	32553	-
264	q10a	-	discrete	numeric-1.0	17358	64018	-
265	q11a	-	discrete	numeric-1.0	14642	66734	-
266	q12a	-	discrete	numeric-1.0	14642	66734	-
267	q13a	-	discrete	numeric-1.0	14642	66734	-
268	q14a	-	discrete	numeric-1.0	14642	66734	-
269	q15a	-	discrete	numeric-1.0	25708	55668	-
270	q16a	-	discrete	numeric-1.0	25708	55668	-

File 2014 Self reported health survey							
#	Name	Label	Type	Format	Valid	Invalid	Question
271	q17a	-	discrete	numeric-1.0	25708	55668	-
272	q18a	-	discrete	numeric-1.0	25403	55973	-
273	q19a	-	discrete	numeric-1.0	25403	55973	-
274	FoInfose	-	discrete	numeric-8.2	30415	50961	-
275	a1	-	discrete	numeric-8.2	20823	60553	-
276	diahbp	-	discrete	numeric-8.2	81376	0	-
277	ageworking	-	discrete	numeric-8.2	60553	20823	-
278	qq45a1	-	continuous	numeric-8.2	81376	0	-
279	qq45a2	-	continuous	numeric-8.2	81376	0	-
280	qq45a3	-	continuous	numeric-8.2	81376	0	-
281	qq45b3	-	continuous	numeric-8.2	81376	0	-
282	qq45b4	-	continuous	numeric-8.2	81376	0	-
283	qq45c	-	continuous	numeric-8.2	81376	0	-
284	qq45a1full	-	continuous	numeric-8.2	81376	0	-
285	qq45b1full	-	continuous	numeric-8.2	81376	0	-
286	qq45c1full	-	continuous	numeric-8.2	81376	0	-
287	qq45full	-	continuous	numeric-8.2	81376	0	-
288	agealcohol	-	discrete	numeric-8.2	81376	0	-
289	var00003	-	discrete	numeric-8.2	17358	64018	-

Variables Description

Dataset contains 289 variable(s)

File : 2014 Self reported health survey

ct

Information [Type= discrete] [Format=numeric] [Range= 2-2] [Missing=*]

Statistics [NW/ W] [Valid=81376 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
2		81376	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

year

Information [Type= discrete] [Format=numeric] [Range= 2014-2015] [Missing=*]

Statistics [NW/ W] [Valid=81376 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
2014		81340	100.0%
2015		36	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

month

Information [Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]

Statistics [NW/ W] [Valid=81376 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1		6957	8.5%
2		7007	8.6%
3		6995	8.6%
4		7070	8.7%
5		6851	8.4%
6		6662	8.2%
7		6681	8.2%
8		6644	8.2%
9		6436	7.9%
10		6655	8.2%
11		6812	8.4%
12		6606	8.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sector

Information [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]

Statistics [NW/ W] [Valid=81376 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1		13115	16.1%
2		64712	79.5%
3		3549	4.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

district

Information [Type= continuous] [Format=numeric] [Range= 11-92] [Missing=*]

Statistics [NW/ W] [Valid=81376 /-] [Invalid=0 /-] [Mean=41.986 /-] [StdDev=26.092 /-]

File : 2014 Self reported health survey

ds

Information	[Type= continuous] [Format=numeric] [Range= 1-87] [Missing=*]
Statistics [NW/ W]	[Valid=81376 /-] [Invalid=0 /-] [Mean=24.358 /-] [StdDev=16.733 /-]

cbno: Psu No

Information	[Type= continuous] [Format=numeric] [Range= 1-259] [Missing=*]
Statistics [NW/ W]	[Valid=81376 /-] [Invalid=0 /-] [Mean=68.931 /-] [StdDev=57.708 /-]

huno

Information	[Type= discrete] [Format=numeric] [Range= 1-10] [Missing=*]
Statistics [NW/ W]	[Valid=81376 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1		8133	10.0%
2		8251	10.1%
3		8312	10.2%
4		8312	10.2%
5		8227	10.1%
6		8142	10.0%
7		8235	10.1%
8		7975	9.8%
9		8102	10.0%
10		7687	9.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hhno

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=81376 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1		81027	99.6%
2		299	0.4%
3		38	0.0%
4		9	0.0%
5		3	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hhserno

Information	[Type= continuous] [Format=numeric] [Range= 1-367] [Missing=*]
Statistics [NW/ W]	[Valid=81376 /-] [Invalid=0 /-] [Mean=57.142 /-] [StdDev=48.709 /-]

person

Information	[Type= discrete] [Format=numeric] [Range= 1-15] [Missing=*]
Statistics [NW/ W]	[Valid=81376 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1		21446	26.4%
2		20046	24.6%
3		16829	20.7%
4		12238	15.0%

File : 2014 Self reported health survey

person

Value	Label	Cases	Percentage
5		6455	7.9%
6		2758	3.4%
7		984	1.2%
8		352	0.4%
9		154	0.2%
10		65	0.1%
11		31	0.0%
12		8	0.0%
13		5	0.0%
14		3	0.0%
15		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

rela

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=81376 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1		21446	26.4%
2		15206	18.7%
3		32064	39.4%
4		1694	2.1%
5		10771	13.2%
6		98	0.1%
7		41	0.1%
9		56	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sex

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=81376 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1		38749	47.6%
2		42627	52.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

byear

Information	[Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*]
Statistics [NW/ W]	[Valid=81376 /-] [Invalid=0 /-] [Mean=55.311 /-] [StdDev=31.999 /-]

bmonth

Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]
Statistics [NW/ W]	[Valid=81376 /-] [Invalid=0 /-] [Mean=6.41 /-] [StdDev=3.433 /-]

Value	Label	Cases	Percentage
1		6900	8.5%
2		6448	7.9%

File : 2014 Self reported health survey

bmonth

Value	Label	Cases	Percentage
3		7400	9.1%
4		7257	8.9%
5		6991	8.6%
6		7005	8.6%
7		6737	8.3%
8		6565	8.1%
9		6159	7.6%
10		6977	8.6%
11		6489	8.0%
12		6448	7.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

age

Information	[Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*]
Statistics [NW/ W]	[Valid=81376 /-] [Invalid=0 /-] [Mean=33.41 /-] [StdDev=21.744 /-]

eth

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=81376 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1		58109	71.4%
2		11955	14.7%
3		3085	3.8%
4		7879	9.7%
5		210	0.3%
6		104	0.1%
9		34	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

reli

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=81376 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1		55043	67.6%
2		12214	15.0%
3		8185	10.1%
4		5933	7.3%
9		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

marital

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=81376 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1		35548	43.7%

File : 2014 Self reported health survey

marital

Value	Label	Cases	Percentage
2		39826	48.9%
3		5124	6.3%
4		238	0.3%
5		640	0.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

edu

Information	[Type= discrete] [Format=numeric] [Range= 0-19] [Missing=*]
Statistics [NW/ W]	[Valid=74826 /-] [Invalid=6550 /-] [Mean=8.729 /-] [StdDev=4.122 /-]

Value	Label	Cases	Percentage
0		1821	2.4%
1		2136	2.9%
2		2894	3.9%
3		2919	3.9%
4		3670	4.9%
5		4553	6.1%
6		3433	4.6%
7		3956	5.3%
8		5294	7.1%
9		4051	5.4%
10		16823	22.5%
11		6889	9.2%
12		4240	5.7%
13		7632	10.2%
14		243	0.3%
15		1420	1.9%
16		311	0.4%
17		65	0.1%
19		2476	3.3%
Sysmiss		6550	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sch

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=74826 /-] [Invalid=6550 /-]

Value	Label	Cases	Percentage
1		17890	23.9%
2		520	0.7%
3		936	1.3%
4		306	0.4%
5		55174	73.7%
Sysmiss		6550	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File : 2014 Self reported health survey

sin

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W] [Valid=67647 /-] [Invalid=13729 /-]

Value	Label	Cases	Percentage
1		49010	72.4%
2		18637	27.6%
Sysmiss		13729	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

tamil

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W] [Valid=67647 /-] [Invalid=13729 /-]

Value	Label	Cases	Percentage
1		17084	25.3%
2		50563	74.7%
Sysmiss		13729	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

eng

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W] [Valid=67647 /-] [Invalid=13729 /-]

Value	Label	Cases	Percentage
1		11169	16.5%
2		56478	83.5%
Sysmiss		13729	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

q2

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W] [Valid=60553 /-] [Invalid=20823 /-]

Value	Label	Cases	Percentage
1		28994	47.9%
2		31559	52.1%
Sysmiss		20823	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

q3

Information [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]

Statistics [NW/ W] [Valid=28994 /-] [Invalid=52382 /-]

Value	Label	Cases	Percentage
1		26569	91.6%
2		102	0.4%
3		2323	8.0%
Sysmiss		52382	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File : 2014 Self reported health survey

q4

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W] [Valid=31559 /-] [Invalid=49817 /-]

Value	Label	Cases	Percentage
1		1421	4.5%
2		30138	95.5%
Sysmiss		49817	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

q5

Information [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]

Statistics [NW/ W] [Valid=1421 /-] [Invalid=79955 /-]

Value	Label	Cases	Percentage
1		288	20.3%
2		192	13.5%
3		181	12.7%
4		433	30.5%
5		111	7.8%
9		216	15.2%
Sysmiss		79955	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

q6a

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W] [Valid=30138 /-] [Invalid=51238 /-]

Value	Label	Cases	Percentage
1		2298	7.6%
2		27840	92.4%
Sysmiss		51238	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

q6b1

Information [Type= continuous] [Format=numeric] [Range= 0-70] [Missing=*]

Statistics [NW/ W] [Valid=2031 /-] [Invalid=79345 /-] [Mean=3.72 /-] [StdDev=3.918 /-]

q6b2

Information [Type= continuous] [Format=numeric] [Range= 0-30] [Missing=*]

Statistics [NW/ W] [Valid=918 /-] [Invalid=80458 /-] [Mean=4.304 /-] [StdDev=4.117 /-]

q6b3

Information [Type= continuous] [Format=numeric] [Range= 0-50] [Missing=*]

Statistics [NW/ W] [Valid=71 /-] [Invalid=81305 /-] [Mean=23.155 /-] [StdDev=14.966 /-]

q7

Information [Type= continuous] [Format=numeric] [Range= 110-9629] [Missing=*]

Statistics [NW/ W] [Valid=30415 /-] [Invalid=50961 /-] [Mean=6358.748 /-] [StdDev=2358.719 /-]

File : 2014 Self reported health survey

q8

Information [Type= continuous] [Format=numeric] [Range= 1111-99009] [Missing=*]

Statistics [NW/ W] [Valid=30415 /-] [Invalid=50961 /-] [Mean=36405.424 /-] [StdDev=31924.699 /-]

q9

Information [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]

Statistics [NW/ W] [Valid=30415 /-] [Invalid=50961 /-]

Value	Label	Cases	Percentage
1		17358	57.1%
2		830	2.7%
3		9743	32.0%
4		2484	8.2%
Sysmiss		50961	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

q10

Information [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]

Statistics [NW/ W] [Valid=17358 /-] [Invalid=64018 /-] [Mean=1.972 /-] [StdDev=1.086 /-]

Value	Label	Cases	Percentage
1		7775	44.8%
2		5008	28.9%
3		1859	10.7%
4		2716	15.6%
Sysmiss		64018	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

q11

Information [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]

Statistics [NW/ W] [Valid=14642 /-] [Invalid=66734 /-] [Mean=1.464 /-] [StdDev=0.539 /-]

Value	Label	Cases	Percentage
1		8153	55.7%
2		6186	42.2%
3		303	2.1%
Sysmiss		66734	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

q12

Information [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]

Statistics [NW/ W] [Valid=14642 /-] [Invalid=66734 /-] [Mean=1.542 /-] [StdDev=0.519 /-]

Value	Label	Cases	Percentage
1		6863	46.9%
2		7621	52.0%
3		158	1.1%
Sysmiss		66734	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File : 2014 Self reported health survey

q13

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=14642 /-] [Invalid=66734 /-] [Mean=1.464 /-] [StdDev=0.515 /-]

Value	Label	Cases	Percentage
1		7967	54.4%
2		6552	44.7%
3		123	0.8%
Sysmiss		66734	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

q14

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=14642 /-] [Invalid=66734 /-] [Mean=2.434 /-] [StdDev=0.857 /-]

Value	Label	Cases	Percentage
1		3580	24.5%
2		1128	7.7%
3		9934	67.8%
Sysmiss		66734	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

q15

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=25708 /-] [Invalid=55668 /-] [Mean=1.826 /-] [StdDev=0.534 /-]

Value	Label	Cases	Percentage
1		6294	24.5%
2		17591	68.4%
3		1823	7.1%
Sysmiss		55668	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

q16

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=25708 /-] [Invalid=55668 /-] [Mean=2.46 /-] [StdDev=0.933 /-]

Value	Label	Cases	Percentage
1		6119	23.8%
2		3524	13.7%
3		14194	55.2%
4		1871	7.3%
Sysmiss		55668	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

q17

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=25708 /-] [Invalid=55668 /-] [Mean=5.355 /-] [StdDev=2.384 /-]

Value	Label	Cases	Percentage
1		4442	17.3%

File : 2014 Self reported health survey

q17

Value	Label	Cases	Percentage
2		1041	4.0%
3		912	3.5%
4		1032	4.0%
5		770	3.0%
6		2453	9.5%
7		14753	57.4%
8		305	1.2%
Sysmiss		55668	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

q18

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=25403 /-] [Invalid=55973 /-] [Mean=2.039 /-] [StdDev=0.757 /-]

Value	Label	Cases	Percentage
1		5075	20.0%
2		15985	62.9%
3		2622	10.3%
4		1721	6.8%
Sysmiss		55973	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

q19

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=25403 /-] [Invalid=55973 /-] [Mean=1.088 /-] [StdDev=0.33 /-]

Value	Label	Cases	Percentage
1		23514	92.6%
2		1531	6.0%
3		358	1.4%
Sysmiss		55973	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

q20

Information	[Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*]
Statistics [NW/ W]	[Valid=30411 /-] [Invalid=50965 /-] [Mean=46.336 /-] [StdDev=14.4 /-]

q21

Information	[Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*]
Statistics [NW/ W]	[Valid=30411 /-] [Invalid=50965 /-] [Mean=41.503 /-] [StdDev=18.141 /-]

q23

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=7054 /-] [Invalid=74322 /-]

Value	Label	Cases	Percentage
1		1311	18.6%
2		298	4.2%

File : 2014 Self reported health survey

q23

Value	Label	Cases	Percentage
3		857	12.1%
4		556	7.9%
5		316	4.5%
6		34	0.5%
7		1075	15.2%
8		1963	27.8%
9		644	9.1%
Sysmiss		74322	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.















q24

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=30408 /-] [Invalid=50968 /-]		
Value	Label	Cases	Percentage
1		2525	8.3%
2		27883	91.7%
Sysmiss		50968	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

q25

Information	[Type= continuous] [Format=numeric] [Range= 220-9629] [Missing=*]
Statistics [NW/ W]	[Valid=2525 /-] [Invalid=78851 /-] [Mean=6468.805 /-] [StdDev=1865.754 /-]

# q26			
Information	[Type= continuous] [Format=numeric] [Range= 1111-98103] [Missing=*]		
Statistics [NW/ W]	[Valid=2525 /-] [Invalid=78851 /-] [Mean=19209.733 /-] [StdDev=28714.798 /-]		
# q27			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=2525 /-] [Invalid=78851 /-]		
Value	Label	Cases	Percentage
1		394	 15.6%
2		88	 3.5%
3		1591	 63.0%
4		452	 17.9%
Sysmiss		78851	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# q28			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=394 /-] [Invalid=80982 /-]		
Value	Label	Cases	Percentage
1		9	 2.3%
2		122	 31.0%
3		48	 12.2%
4		215	 54.6%
Sysmiss		80982	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# q29			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=185 /-] [Invalid=81191 /-]		
Value	Label	Cases	Percentage
1		6	 3.2%
2		174	 94.1%
3		5	 2.7%
Sysmiss		81191	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# q30			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=185 /-] [Invalid=81191 /-]		
Value	Label	Cases	Percentage
1		6	 3.2%
2		176	 95.1%
3		3	 1.6%
Sysmiss		81191	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# q31			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		

# q31			
Statistics [NW/ W]		[Valid=185 /-] [Invalid=81191 /-]	
Value	Label	Cases	Percentage
1		15	8.1%
2		165	89.2%
3		5	2.7%
Sysmiss		81191	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# q32			
Information		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/ W]		[Valid=186 /-] [Invalid=81190 /-]	
Value	Label	Cases	Percentage
1		12	6.5%
2		11	5.9%
3		163	87.6%
Sysmiss		81190	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# q33			
Information		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/ W]		[Valid=2514 /-] [Invalid=78862 /-]	
Value	Label	Cases	Percentage
1		89	3.5%
2		2337	93.0%
3		88	3.5%
Sysmiss		78862	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# q34			
Information		[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/ W]		[Valid=2517 /-] [Invalid=78859 /-]	
Value	Label	Cases	Percentage
1		77	3.1%
2		297	11.8%
3		2069	82.2%
4		74	2.9%
Sysmiss		78859	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# q35			
Information		[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]	
Statistics [NW/ W]		[Valid=2517 /-] [Invalid=78859 /-]	
Value	Label	Cases	Percentage
1		243	9.7%
2		24	1.0%
3		15	0.6%
4		15	0.6%

# q35			
Value	Label	Cases	Percentage
5		3	0.1%
6		15	0.6%
7		2194	87.2%
8		8	0.3%
Sysmiss		78859	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# q36			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=2509 /-] [Invalid=78867 /-]		
Value	Label	Cases	Percentage
1		56	2.2%
2		2118	84.4%
3		220	8.8%
9		115	4.6%
Sysmiss		78867	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# q37			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=2504 /-] [Invalid=78872 /-]		
Value	Label	Cases	Percentage
1		2155	86.1%
2		323	12.9%
3		26	1.0%
Sysmiss		78872	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# q38			
Information	[Type= continuous] [Format=numeric] [Range= 0-84] [Missing=*]		
Statistics [NW/ W]	[Valid=2528 /-] [Invalid=78848 /-] [Mean=21.053 /-] [StdDev=10.82 /-]		
# q39			
Information	[Type= continuous] [Format=numeric] [Range= 0-84] [Missing=*]		
Statistics [NW/ W]	[Valid=2528 /-] [Invalid=78848 /-] [Mean=20.162 /-] [StdDev=11.339 /-]		
# q40a			
Information	[Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*]		
Statistics [NW/ W]	[Valid=30412 /-] [Invalid=50964 /-] [Mean=48.125 /-] [StdDev=15.005 /-]		
# q40b			
Information	[Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*]		
Statistics [NW/ W]	[Valid=27408 /-] [Invalid=53968 /-] [Mean=45.834 /-] [StdDev=16.898 /-]		
# q41			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=3594 /-] [Invalid=77782 /-]		

# q41			
Value	Label	Cases	Percentage
1		871	24.2%
2		2723	75.8%
Sysmiss		77782	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# q42			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=872 /-] [Invalid=80504 /-]		
Value	Label	Cases	Percentage
1		481	55.2%
2		113	13.0%
3		129	14.8%
4		149	17.1%
Sysmiss		80504	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# q43			
Information	[Type= continuous] [Format=numeric] [Range= 0-86] [Missing=*]		
Statistics [NW/ W]	[Valid=871 /-] [Invalid=80505 /-] [Mean=23.682 /-] [StdDev=10.393 /-]		
# q44			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=872 /-] [Invalid=80504 /-]		
Value	Label	Cases	Percentage
1		852	97.7%
2		20	2.3%
Sysmiss		80504	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# q45			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=30415 /-] [Invalid=50961 /-]		
Value	Label	Cases	Percentage
1		17358	57.1%
2		13057	42.9%
Sysmiss		50961	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# q45a1			
Information	[Type= continuous] [Format=numeric] [Range= 0-999999] [Missing=*]		
Statistics [NW/ W]	[Valid=81376 /-] [Invalid=0 /-] [Mean=3028.114 /-] [StdDev=10785.212 /-]		
# q45a2			
Information	[Type= continuous] [Format=numeric] [Range= 0-300000] [Missing=*]		
Statistics [NW/ W]	[Valid=81376 /-] [Invalid=0 /-] [Mean=111.545 /-] [StdDev=1692.456 /-]		
# q45a3			
Information	[Type= continuous] [Format=numeric] [Range= 0-200000] [Missing=*]		

# q45a3			
Statistics [NW/ W]	[Valid=81376 /-] [Invalid=0 /-] [Mean=32.649 /-] [StdDev=1058.997 /-]		
# wagemonthly			
Information	[Type= continuous] [Format=numeric] [Range= 0-999999] [Missing=*]		
Statistics [NW/ W]	[Valid=81376 /-] [Invalid=0 /-] [Mean=3172.309 /-] [StdDev=11298.228 /-]		
# q45b1			
Information	[Type= continuous] [Format=numeric] [Range= 50-12000] [Missing=*]		
Statistics [NW/ W]	[Valid=6331 /-] [Invalid=75045 /-] [Mean=809.475 /-] [StdDev=410.514 /-]		
# q45b2			
Information	[Type= continuous] [Format=numeric] [Range= 0-31] [Missing=*]		
Statistics [NW/ W]	[Valid=6331 /-] [Invalid=75045 /-] [Mean=17.907 /-] [StdDev=5.653 /-]		
# q45b3			
Information	[Type= continuous] [Format=numeric] [Range= 0-250000] [Missing=*]		
Statistics [NW/ W]	[Valid=6382 /-] [Invalid=74994 /-] [Mean=14186.843 /-] [StdDev=8436.196 /-]		
# q45b4			
Information	[Type= continuous] [Format=numeric] [Range= 0-113400] [Missing=*]		
Statistics [NW/ W]	[Valid=545 /-] [Invalid=80831 /-] [Mean=3228.714 /-] [StdDev=7709.586 /-]		
# wagedaily			
Information	[Type= continuous] [Format=numeric] [Range= 0-50910] [Missing=*]		
Statistics [NW/ W]	[Valid=81376 /-] [Invalid=0 /-] [Mean=92.755 /-] [StdDev=1324.822 /-]		
# mainocwage			
Information	[Type= continuous] [Format=numeric] [Range= 0-999999] [Missing=*]		
Statistics [NW/ W]	[Valid=81376 /-] [Invalid=0 /-] [Mean=3265.063 /-] [StdDev=11349.74 /-]		
# q45c			
Information	[Type= continuous] [Format=numeric] [Range= 0-900000] [Missing=*]		
Statistics [NW/ W]	[Valid=10573 /-] [Invalid=70803 /-] [Mean=19077.056 /-] [StdDev=29640.357 /-]		
# q46			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=30415 /-] [Invalid=50961 /-]		
Value	Label	Cases	Percentage
1		394	1.3%
2		30021	98.7%
Systemmiss		50961	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# q46a1			
Information	[Type= continuous] [Format=numeric] [Range= 1000-55000] [Missing=*]		
Statistics [NW/ W]	[Valid=69 /-] [Invalid=81307 /-] [Mean=12801.449 /-] [StdDev=12957.583 /-]		
# q46a2			
Information	[Type= discrete] [Format=numeric] [Range= 10000-10000] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=81375 /-]		

# q46a2			
Value	Label	Cases	Percentage
10000		1	100.0%
Sysmiss		81375	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# q46a3			
Information	[Type= continuous] [Format=numeric] [Range= 2500-13200] [Missing=*]		
Statistics [NW/ W]	[Valid=2 /-] [Invalid=81374 /-] [Mean=7850 /-] [StdDev=7566.043 /-]		
# q46b1			
Information	[Type= continuous] [Format=numeric] [Range= 200-1500] [Missing=*]		
Statistics [NW/ W]	[Valid=309 /-] [Invalid=81067 /-] [Mean=841.958 /-] [StdDev=260.858 /-]		
# q46b2			
Information	[Type= continuous] [Format=numeric] [Range= 2-28] [Missing=*]		
Statistics [NW/ W]	[Valid=309 /-] [Invalid=81067 /-] [Mean=9.641 /-] [StdDev=4.892 /-]		
# q46b3			
Information	[Type= continuous] [Format=numeric] [Range= 0-50000] [Missing=*]		
Statistics [NW/ W]	[Valid=314 /-] [Invalid=81062 /-] [Mean=8023.949 /-] [StdDev=5261.994 /-]		
# q46b4			
Information	[Type= continuous] [Format=numeric] [Range= 200-10700] [Missing=*]		
Statistics [NW/ W]	[Valid=37 /-] [Invalid=81339 /-] [Mean=2677.973 /-] [StdDev=3047.23 /-]		
# q46c			
Information	[Type= continuous] [Format=numeric] [Range= 0-350000] [Missing=*]		
Statistics [NW/ W]	[Valid=1679 /-] [Invalid=79697 /-] [Mean=9234.932 /-] [StdDev=17363.455 /-]		
# q47			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=30138 /-] [Invalid=51238 /-]		
Value	Label	Cases	Percentage
1		2358	7.8%
2		27725	92.0%
3		55	0.2%
Sysmiss		51238	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# q48			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=2358 /-] [Invalid=79018 /-]		
Value	Label	Cases	Percentage
1		1362	57.8%
2		996	42.2%
Sysmiss		79018	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# q49a			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		

# q49a			
Statistics [NW/ W]		[Valid=1364 /-] [Invalid=80012 /-]	
Value	Label	Cases	Percentage
1		236	17.3%
2		219	16.1%
3		268	19.6%
4		465	34.1%
5		118	8.7%
9		58	4.3%
Sysmiss		80012	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# q49b			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=490 /-] [Invalid=80886 /-]	
Value	Label	Cases	Percentage
1		1	0.2%
2		48	9.8%
3		191	39.0%
4		211	43.1%
5		27	5.5%
9		12	2.4%
Sysmiss		80886	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# q49c			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=210 /-] [Invalid=81166 /-]	
Value	Label	Cases	Percentage
1		1	0.5%
3		20	9.5%
4		153	72.9%
5		32	15.2%
9		4	1.9%
Sysmiss		81166	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# q50			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=996 /-] [Invalid=80380 /-]	
Value	Label	Cases	Percentage
1		50	5.0%
2		137	13.8%
3		146	14.7%
4		102	10.2%
5		89	8.9%
6		205	20.6%
7		114	11.4%

# q50			
Value	Label	Cases	Percentage
9		153	15.4%
Sysmiss		80380	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# q51			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=1944 /-] [Invalid=79432 /-] [Mean=1.288 /-] [StdDev=0.453 /-]		
Value	Label	Cases	Percentage
1		1384	71.2%
2		560	28.8%
Sysmiss		79432	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# q52			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=27758 /-] [Invalid=53618 /-] [Mean=2.284 /-] [StdDev=1.281 /-]		
Value	Label	Cases	Percentage
1		5694	20.5%
2		13899	50.1%
3		5710	20.6%
4		1864	6.7%
9		591	2.1%
Sysmiss		53618	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# q53			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=1434 /-] [Invalid=79942 /-] [Mean=2.124 /-] [StdDev=0.591 /-]		
Value	Label	Cases	Percentage
1		172	12.0%
2		912	63.6%
3		350	24.4%
Sysmiss		79942	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

# q54			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=912 /-] [Invalid=80464 /-] [Mean=2.711 /-] [StdDev=1.308 /-]		
Value	Label	Cases	Percentage
1		308	33.8%
2		26	2.9%
3		200	21.9%
4		378	41.4%
Sysmiss		80464	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# q55			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=172 /-] [Invalid=81204 /-] [Mean=1.14 /-] [StdDev=0.348 /-]		
Value	Label	Cases	Percentage
1		148	86.0%
2		24	14.0%
Sysmiss		81204	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# q55a			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=148 /-] [Invalid=81228 /-] [Mean=2.054 /-] [StdDev=1.992 /-]		
Value	Label	Cases	Percentage
1		101	68.2%
2		11	7.4%
3		7	4.7%
4		13	8.8%
5		9	6.1%
9		7	4.7%
Sysmiss		81228	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# q55b			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=59 /-] [Invalid=81317 /-] [Mean=2.898 /-] [StdDev=1.605 /-]		
Value	Label	Cases	Percentage
1		1	1.7%
2		30	50.8%
3		17	28.8%
4		8	13.6%
9		3	5.1%
Sysmiss		81317	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# q55c			
Information	[Type= discrete] [Format=numeric] [Range= 2-5] [Missing=*]		
Statistics [NW/ W]	[Valid=26 /-] [Invalid=81350 /-] [Mean=3.577 /-] [StdDev=0.703 /-]		

# q55c			
Value	Label	Cases	Percentage
2		1	3.8%
3		11	42.3%
4		12	46.2%
5		2	7.7%
Sysmiss		81350	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# q56			
Information	[Type= continuous] [Format=numeric] [Range= 110-9629] [Missing=*]		
Statistics [NW/ W]	[Valid=1065 /-] [Invalid=80311 /-] [Mean=5212.379 /-] [StdDev=2386.065 /-]		
# q57			
Information	[Type= continuous] [Format=numeric] [Range= 1000-300000] [Missing=*]		
Statistics [NW/ W]	[Valid=1419 /-] [Invalid=79957 /-] [Mean=22277.32 /-] [StdDev=20953.747 /-]		
# q58			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=1419 /-] [Invalid=79957 /-]		
Value	Label	Cases	Percentage
1		471	33.2%
2		355	25.0%
3		593	41.8%
Sysmiss		79957	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# q59			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=1419 /-] [Invalid=79957 /-]		
Value	Label	Cases	Percentage
1		484	34.1%
2		935	65.9%
Sysmiss		79957	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# q60			
Information	[Type= continuous] [Format=numeric] [Range= 120-9629] [Missing=*]		
Statistics [NW/ W]	[Valid=484 /-] [Invalid=80892 /-] [Mean=6041.634 /-] [StdDev=2482.498 /-]		
# q61			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=484 /-] [Invalid=80892 /-]		
Value	Label	Cases	Percentage
1		414	85.5%
2		4	0.8%
3		43	8.9%
4		23	4.8%
Sysmiss		80892	

# q61			
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# q62			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=60546 /-] [Invalid=20830 /-]	
Value	Label	Cases	Percentage
1		5708	9.4%
2		54838	90.6%
Sysmiss		20830	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# q63a1			
Information		[Type= continuous] [Format=numeric] [Range= 2-983] [Missing=*]	
Statistics [NW/ W]		[Valid=5711 /-] [Invalid=75665 /-] [Mean=576.216 /-] [StdDev=266.971 /-]	
# q63a2			
Information		[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/ W]		[Valid=5712 /-] [Invalid=75664 /-]	
Value	Label	Cases	Percentage
1		3796	66.5%
2		1592	27.9%
3		244	4.3%
4		80	1.4%
Sysmiss		75664	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# q63a3			
Information		[Type= continuous] [Format=numeric] [Range= 0-97] [Missing=*]	
Statistics [NW/ W]		[Valid=5710 /-] [Invalid=75666 /-] [Mean=32.77 /-] [StdDev=18.197 /-]	
# q63a4			
Information		[Type= continuous] [Format=numeric] [Range= 0-96] [Missing=*]	
Statistics [NW/ W]		[Valid=5710 /-] [Invalid=75666 /-] [Mean=11.591 /-] [StdDev=10.892 /-]	
# q63b1			
Information		[Type= continuous] [Format=numeric] [Range= 12-983] [Missing=*]	
Statistics [NW/ W]		[Valid=742 /-] [Invalid=80634 /-] [Mean=646.183 /-] [StdDev=267.658 /-]	
# q63b2			
Information		[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/ W]		[Valid=743 /-] [Invalid=80633 /-]	
Value	Label	Cases	Percentage
1		512	68.9%
2		201	27.1%
3		22	3.0%
4		8	1.1%
Sysmiss		80633	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

# q63b3			
Information	[Type= continuous] [Format=numeric] [Range= 1-47] [Missing=*]		
Statistics [NW/ W]	[Valid=734 /-] [Invalid=80642 /-] [Mean=34.787 /-] [StdDev=17.04 /-]		
# q63b4			
Information	[Type= continuous] [Format=numeric] [Range= 0-60] [Missing=*]		
Statistics [NW/ W]	[Valid=700 /-] [Invalid=80676 /-] [Mean=9.877 /-] [StdDev=8.636 /-]		
# q64			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=54838 /-] [Invalid=26538 /-]		
Value	Label	Cases	Percentage
1		2769	5.0%
2		11236	20.5%
3		2678	4.9%
4		1157	2.1%
5		91	0.2%
6		669	1.2%
7		32120	58.6%
8		189	0.3%
9		3929	7.2%
Sysmiss		26538	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# DSCode			
Information	[Type= continuous] [Format=numeric] [Range= 3-87] [Missing=*]		
Statistics [NW/ W]	[Valid=81376 /-] [Invalid=0 /-] [Mean=24.164 /-] [StdDev=16.779 /-]		
# iinf			
Information	[Type= continuous] [Format=numeric] [Range= 103.835272703517-3446.9039802433] [Missing=*]		
Statistics [NW/ W]	[Valid=81376 /-] [Invalid=0 /-] [Mean=1086.222 /-] [StdDev=457.28 /-]		
# emp			
Information	[Type= discrete] [Format=numeric] [Range= 1-1] [Missing=*]		
Statistics [NW/ W]	[Valid=30415 /-] [Invalid=50961 /-] [Mean=1 /-] [StdDev=0 /-]		
Value	Label	Cases	Percentage
1		30415	100.0%
Sysmiss		50961	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# unp			
Information	[Type= discrete] [Format=numeric] [Range= 1-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1434 /-] [Invalid=79942 /-] [Mean=1 /-] [StdDev=0 /-]		
Value	Label	Cases	Percentage
1		1434	100.0%
Sysmiss		79942	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# inc			
Information	[Type= discrete] [Format=numeric] [Range= 1-1] [Missing=*]		

# inc			
Statistics [NW/ W]		[Valid=28704 /-] [Invalid=52672 /-] [Mean=1 /-] [StdDev=0 /-]	
Value	Label	Cases	Percentage
1		28704	100.0%
Systemiss		52672	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# la			
Information		[Type= discrete] [Format=numeric] [Range= 1-1] [Missing=*]	
Statistics [NW/ W]		[Valid=31849 /-] [Invalid=49527 /-] [Mean=1 /-] [StdDev=0 /-]	
Value	Label	Cases	Percentage
1		31849	100.0%
Systemiss		49527	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# pop			
Information		[Type= discrete] [Format=numeric] [Range= 1-1] [Missing=*]	
Statistics [NW/ W]		[Valid=60553 /-] [Invalid=20823 /-] [Mean=1 /-] [StdDev=0 /-]	
Value	Label	Cases	Percentage
1		60553	100.0%
Systemiss		20823	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# qtr			
Information		[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/ W]		[Valid=81376 /-] [Invalid=0 /-] [Mean=2.479 /-] [StdDev=1.122 /-]	
Value	Label	Cases	Percentage
1		20959	25.8%
2		20583	25.3%
3		19761	24.3%
4		20073	24.7%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# annualfac			
Information		[Type= continuous] [Format=numeric] [Range= 25.9588181758792-861.725995060826] [Missing=*]	
Statistics [NW/ W]		[Valid=81376 /-] [Invalid=0 /-] [Mean=271.556 /-] [StdDev=114.32 /-]	
# HQ1			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=81376 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1		14358	17.6%
2		67018	82.4%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# HQ2_1			
Information		[Type= discrete] [Format=numeric] [Range= 1-10] [Missing=*]	
Statistics [NW/ W]		[Valid=14352 /-] [Invalid=67024 /-] [Mean=4.027 /-] [StdDev=3.256 /-]	

HQ2_1

Value	Label	Cases	Percentage
1		4190	29.2%
2		3775	26.3%
3		728	5.1%
4		192	1.3%
5		167	1.2%
6		1749	12.2%
7		405	2.8%
8		1151	8.0%
9		220	1.5%
10		1775	12.4%
Sysmiss		67024	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HQ2_2

Information	[Type= discrete] [Format=numeric] [Range= 2-10] [Missing=*]
Statistics [NW/ W]	[Valid=3271 /-] [Invalid=78105 /-] [Mean=4.165 /-] [StdDev=2.938 /-]

Value	Label	Cases	Percentage
2		1749	53.5%
3		375	11.5%
4		68	2.1%
5		43	1.3%
6		250	7.6%
7		30	0.9%
8		364	11.1%
9		27	0.8%
10		365	11.2%
Sysmiss		78105	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HQ2_3

Information	[Type= discrete] [Format=numeric] [Range= 3-10] [Missing=*]
Statistics [NW/ W]	[Valid=701 /-] [Invalid=80675 /-] [Mean=6.264 /-] [StdDev=2.77 /-]

Value	Label	Cases	Percentage
3		235	33.5%
4		28	4.0%
5		16	2.3%
6		95	13.6%
7		10	1.4%
8		154	22.0%
9		8	1.1%
10		155	22.1%
Sysmiss		80675	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HQ3A

Information	[Type= discrete] [Format=numeric] [Range= 0-10] [Missing=*]
--------------------	---

# HQ3A			
Statistics [NW/ W]		[Valid=81376 /-] [Invalid=0 /-] [Mean=0.712 /-] [StdDev=2.059 /-]	
Value	Label	Cases	Percentage
0		67020	82.4%
1		4190	5.1%
2		3764	4.6%
3		728	0.9%
4		193	0.2%
5		168	0.2%
6		1751	2.2%
7		405	0.5%
8		1150	1.4%
9		222	0.3%
10		1785	2.2%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# HQ3A_1			
Information		[Type= discrete] [Format=numeric] [Range= 1-10] [Missing=*]	
Statistics [NW/ W]		[Valid=14354 /-] [Invalid=67022 /-] [Mean=3.957 /-] [StdDev=1.559 /-]	
Value	Label	Cases	Percentage
1		716	5.0%
2		532	3.7%
3		5612	39.1%
4		3291	22.9%
5		1318	9.2%
6		2428	16.9%
7		138	1.0%
8		92	0.6%
9		110	0.8%
10		117	0.8%
Sysmiss		67022	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# HQ3A_2			
Information		[Type= discrete] [Format=numeric] [Range= 1-10] [Missing=*]	
Statistics [NW/ W]		[Valid=1049 /-] [Invalid=80327 /-] [Mean=5.043 /-] [StdDev=1.404 /-]	
Value	Label	Cases	Percentage
1		1	0.1%
2		3	0.3%
3		69	6.6%
4		410	39.1%
5		151	14.4%
6		330	31.5%
7		31	3.0%
8		19	1.8%
9		18	1.7%
10		17	1.6%

# HQ3A_2			
Value	Label	Cases	Percentage
Systemmiss		80327	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# HQ3A_3			
Information	[Type= discrete] [Format=numeric] [Range= 2-8] [Missing=*]		
Statistics [NW/ W]	[Valid=111 /-] [Invalid=81265 /-] [Mean=5.802 /-] [StdDev=1.069 /-]		
Value	Label	Cases	Percentage
2		1	0.9%
4		12	10.8%
5		20	18.0%
6		62	55.9%
7		6	5.4%
8		10	9.0%
Systemmiss		81265	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# HQ3B			
Information	[Type= discrete] [Format=numeric] [Range= 0-10] [Missing=*]		
Statistics [NW/ W]	[Valid=81376 /-] [Invalid=0 /-] [Mean=0.167 /-] [StdDev=1.005 /-]		
Value	Label	Cases	Percentage
0		78103	96.0%
2		1760	2.2%
3		374	0.5%
4		67	0.1%
5		42	0.1%
6		247	0.3%
7		30	0.0%
8		366	0.4%
9		25	0.0%
10		362	0.4%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# HQ3B_1			
Information	[Type= discrete] [Format=numeric] [Range= 1-10] [Missing=*]		
Statistics [NW/ W]	[Valid=3257 /-] [Invalid=78119 /-]		
Value	Label	Cases	Percentage
1		64	2.0%
2		124	3.8%
3		1314	40.3%
4		829	25.5%
5		310	9.5%
6		541	16.6%
7		29	0.9%
8		18	0.6%
9		11	0.3%
10		17	0.5%

# HQ3B_1			
Value	Label	Cases	Percentage
Sysmiss		78119	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# HQ3B_2			
Information		[Type= discrete] [Format=numeric] [Range= 2-10] [Missing=*]	
Statistics [NW/ W]		[Valid=366 /-] [Invalid=81010 /-]	
Value	Label	Cases	Percentage
2		2	0.5%
3		14	3.8%
4		158	43.2%
5		38	10.4%
6		136	37.2%
7		2	0.5%
8		7	1.9%
9		7	1.9%
10		2	0.5%
Sysmiss		81010	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# HQ3B_3			
Information		[Type= discrete] [Format=numeric] [Range= 4-9] [Missing=*]	
Statistics [NW/ W]		[Valid=65 /-] [Invalid=81311 /-] [Mean=6.015 /-] [StdDev=1.008 /-]	
Value	Label	Cases	Percentage
4		4	6.2%
5		9	13.8%
6		43	66.2%
7		2	3.1%
8		5	7.7%
9		2	3.1%
Sysmiss		81311	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# HQ3C			
Information		[Type= discrete] [Format=numeric] [Range= 0-10] [Missing=*]	
Statistics [NW/ W]		[Valid=81374 /-] [Invalid=2 /-] [Mean=0.0531 /-] [StdDev=0.626 /-]	
Value	Label	Cases	Percentage
0		80679	99.1%
3		236	0.3%
4		28	0.0%
5		16	0.0%
6		96	0.1%
7		10	0.0%
8		153	0.2%
9		8	0.0%
10		148	0.2%
Sysmiss		2	

# HQ3C			
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# HQ3C_1			
Information		[Type= discrete] [Format=numeric] [Range= 1-10] [Missing=*]	
Statistics [NW/ W]		[Valid=697 /-] [Invalid=80679 /-] [Mean=3.954 /-] [StdDev=1.372 /-]	
Value	Label	Cases	Percentage
1		10	1.4%
2		23	3.3%
3		290	41.6%
4		202	29.0%
5		53	7.6%
6		103	14.8%
7		4	0.6%
8		3	0.4%
9		3	0.4%
10		6	0.9%
Sysmiss		80679	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# HQ3C_2			
Information		[Type= discrete] [Format=numeric] [Range= 2-9] [Missing=*]	
Statistics [NW/ W]		[Valid=98 /-] [Invalid=81278 /-]	
Value	Label	Cases	Percentage
2		2	2.0%
3		1	1.0%
4		48	49.0%
5		10	10.2%
6		29	29.6%
8		2	2.0%
9		6	6.1%
Sysmiss		81278	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# HQ3C_3			
Information		[Type= discrete] [Format=numeric] [Range= 2-8] [Missing=*]	
Statistics [NW/ W]		[Valid=26 /-] [Invalid=81350 /-] [Mean=5.885 /-] [StdDev=1.033 /-]	
Value	Label	Cases	Percentage
2		1	3.8%
5		3	11.5%
6		20	76.9%
8		2	7.7%
Sysmiss		81350	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# HQ4A			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=81376 /-] [Invalid=0 /-]	

# HQ4A			
Value	Label	Cases	Percentage
1		11955	14.7%
2		69421	85.3%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# HQ4B_1			
Information		[Type= discrete] [Format=numeric] [Range= 0-10] [Missing=*]	
Statistics [NW/ W]		[Valid=81376 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0		69421	85.3%
1		149	0.2%
2		531	0.7%
3		6609	8.1%
4		2141	2.6%
5		449	0.6%
6		447	0.5%
7		422	0.5%
8		160	0.2%
9		767	0.9%
10		280	0.3%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# HQ4B_2			
Information		[Type= discrete] [Format=numeric] [Range= 0-10] [Missing=*]	
Statistics [NW/ W]		[Valid=81376 /-] [Invalid=0 /-] [Mean=0.152 /-] [StdDev=0.861 /-]	
Value	Label	Cases	Percentage
0		78628	96.6%
2		26	0.0%
3		306	0.4%
4		1804	2.2%
5		213	0.3%
6		91	0.1%
7		97	0.1%
8		49	0.1%
9		118	0.1%
10		44	0.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# HQ4B_3			
Information		[Type= discrete] [Format=numeric] [Range= 0-10] [Missing=*]	
Statistics [NW/ W]		[Valid=81376 /-] [Invalid=0 /-] [Mean=0.0391 /-] [StdDev=0.488 /-]	
Value	Label	Cases	Percentage
0		80809	99.3%
3		13	0.0%
4		115	0.1%
5		262	0.3%
6		49	0.1%

HQ4B_3

Value	Label	Cases	Percentage
7		28	0.0%
8		26	0.0%
9		63	0.1%
10		11	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# HQ5A			
Information		[Type= discrete] [Format=numeric] [Range= 0-10] [Missing=*]	
Statistics [NW/ W]		[Valid=81376 /-] [Invalid=0 /-] [Mean=0.596 /-] [StdDev=1.627 /-]	
Value	Label	Cases	Percentage
0		69421	85.3%
1		149	0.2%
2		531	0.7%
3		6609	8.1%
4		2141	2.6%
5		449	0.6%
6		447	0.5%
7		422	0.5%
8		159	0.2%
9		768	0.9%
10		280	0.3%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# HQ5A_1			
Information		[Type= discrete] [Format=numeric] [Range= 0-10] [Missing=*]	
Statistics [NW/ W]		[Valid=81376 /-] [Invalid=0 /-] [Mean=0.63 /-] [StdDev=1.628 /-]	
Value	Label	Cases	Percentage
0		69421	85.3%
1		251	0.3%
2		632	0.8%
3		4170	5.1%
4		1589	2.0%
5		1427	1.8%
6		3685	4.5%
7		71	0.1%
8		53	0.1%
9		31	0.0%
10		46	0.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# HQ5A_2			
Information		[Type= discrete] [Format=numeric] [Range= 0-10] [Missing=*]	
Statistics [NW/ W]		[Valid=81374 /-] [Invalid=2 /-] [Mean=0.0524 /-] [StdDev=0.54 /-]	
Value	Label	Cases	Percentage
0		80578	99.0%
2		6	0.0%
3		34	0.0%
4		202	0.2%
5		72	0.1%
6		443	0.5%
7		13	0.0%
8		13	0.0%
9		5	0.0%

# HQ5A_2			
Value	Label	Cases	Percentage
10		8	0.0%
Sysmiss		2	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# HQ5A_3			
Information	[Type= discrete] [Format=numeric] [Range= 0-10] [Missing=*]		
Statistics [NW/ W]	[Valid=81376 /-] [Invalid=0 /-] [Mean=0.00431 /-] [StdDev=0.162 /-]		
Value	Label	Cases	Percentage
0		81316	99.9%
4		8	0.0%
5		10	0.0%
6		33	0.0%
7		3	0.0%
8		5	0.0%
10		1	0.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# HQ5B			
Information	[Type= discrete] [Format=numeric] [Range= 0-10] [Missing=*]		
Statistics [NW/ W]	[Valid=81376 /-] [Invalid=0 /-] [Mean=0.152 /-] [StdDev=0.861 /-]		
Value	Label	Cases	Percentage
0		78628	96.6%
2		26	0.0%
3		306	0.4%
4		1804	2.2%
5		213	0.3%
6		91	0.1%
7		97	0.1%
8		50	0.1%
9		117	0.1%
10		44	0.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# HQ5B_1			
Information	[Type= discrete] [Format=numeric] [Range= 0-10] [Missing=*]		
Statistics [NW/ W]	[Valid=81376 /-] [Invalid=0 /-] [Mean=0.138 /-] [StdDev=0.779 /-]		
Value	Label	Cases	Percentage
0		78631	96.6%
1		39	0.0%
2		141	0.2%
3		1078	1.3%
4		528	0.6%
5		284	0.3%
6		649	0.8%
7		7	0.0%
8		11	0.0%

# HQ5B_1			
Value	Label	Cases	Percentage
9		5	0.0%
10		3	0.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# HQ5B_2			
Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]		
Statistics [NW/ W]	[Valid=81376 /-] [Invalid=0 /-] [Mean=0.0324 /-] [StdDev=0.423 /-]		
Value	Label	Cases	Percentage
0		80881	99.4%
2		1	0.0%
3		11	0.0%
4		150	0.2%
5		17	0.0%
6		300	0.4%
7		8	0.0%
8		8	0.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# HQ5B_3			
Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]		
Statistics [NW/ W]	[Valid=81376 /-] [Invalid=0 /-] [Mean=0.00296 /-] [StdDev=0.133 /-]		
Value	Label	Cases	Percentage
0		81335	99.9%
4		4	0.0%
5		3	0.0%
6		31	0.0%
8		3	0.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# HQ5C			
Information	[Type= discrete] [Format=numeric] [Range= 0-10] [Missing=*]		
Statistics [NW/ W]	[Valid=81376 /-] [Invalid=0 /-] [Mean=0.0391 /-] [StdDev=0.488 /-]		
Value	Label	Cases	Percentage
0		80809	99.3%
3		13	0.0%
4		115	0.1%
5		262	0.3%
6		49	0.1%
7		28	0.0%
8		26	0.0%
9		63	0.1%
10		11	0.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# HQ5C_1			
Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=81376 /-] [Invalid=0 /-] [Mean=0.0255 /-] [StdDev=0.319 /-]		

HQ5C_1

Value	Label	Cases	Percentage
0		80809	99.3%
1		10	0.0%
2		25	0.0%
3		264	0.3%
4		185	0.2%
5		31	0.0%
6		46	0.1%
7		1	0.0%
9		5	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HQ5C_2

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=81376 /-] [Invalid=0 /-] [Mean=0.0176 /-] [StdDev=0.309 /-]

Value	Label	Cases	Percentage
0		81103	99.7%
2		1	0.0%
3		7	0.0%
4		93	0.1%
5		7	0.0%
6		159	0.2%
7		3	0.0%
8		3	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HQ5C_3

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=81376 /-] [Invalid=0 /-] [Mean=0.00249 /-] [StdDev=0.123 /-]

Value	Label	Cases	Percentage
0		81342	100.0%
4		2	0.0%
5		3	0.0%
6		26	0.0%
8		3	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HQ6

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=81238 /-] [Invalid=138 /-]


















Value	Label	Cases	Percentage
1		916	1.1%
2		80322	98.9%
Sysmiss		138	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# HQ7			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=916 /-] [Invalid=80460 /-]		
Value	Label	Cases	Percentage
1		265	28.9%
2		230	25.1%
3		421	46.0%
Sysmiss		80460	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# HQ8			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=916 /-] [Invalid=80460 /-]		
Value	Label	Cases	Percentage
1		122	13.3%
2		392	42.8%
3		293	32.0%
4		109	11.9%
Sysmiss		80460	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# HQ9			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=81237 /-] [Invalid=139 /-]		
Value	Label	Cases	Percentage
1		40657	50.0%
2		40580	50.0%
Sysmiss		139	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# HQ10			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=81237 /-] [Invalid=139 /-]		
Value	Label	Cases	Percentage
1		32374	39.9%
2		47586	58.6%
3		1277	1.6%
Sysmiss		139	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# V27			
Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=81376 /-]		
Value	Label	Cases	Percentage
Sysmiss		81376	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# HQ11			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		

# HQ11			
Statistics [NW/ W]	[Valid=81189 /-] [Invalid=187 /-]		
Value	Label	Cases	Percentage
1		20468	25.2%
2		59156	72.9%
3		1565	1.9%
Sysmiss		187	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# HQ12			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=81190 /-] [Invalid=186 /-]		
Value	Label	Cases	Percentage
1		4918	6.1%
2		76272	93.9%
Sysmiss		186	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# HQ13A			
Information	[Type= continuous] [Format=numeric] [Range= 1-255] [Missing=*]		
Statistics [NW/ W]	[Valid=2001 /-] [Invalid=79375 /-] [Mean=39.891 /-] [StdDev=34.981 /-]		
# HQ13B			
Information	[Type= continuous] [Format=numeric] [Range= 1-150] [Missing=*]		
Statistics [NW/ W]	[Valid=3091 /-] [Invalid=78285 /-] [Mean=18.557 /-] [StdDev=15.409 /-]		
# HQ13C			
Information	[Type= continuous] [Format=numeric] [Range= 1-140] [Missing=*]		
Statistics [NW/ W]	[Valid=183 /-] [Invalid=81193 /-] [Mean=22.202 /-] [StdDev=20.992 /-]		
# HQ14			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=81190 /-] [Invalid=186 /-]		
Value	Label	Cases	Percentage
1		3943	4.9%
2		77247	95.1%
Sysmiss		186	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# HQ15A			
Information	[Type= continuous] [Format=numeric] [Range= 0-25] [Missing=*]		
Statistics [NW/ W]	[Valid=3119 /-] [Invalid=78257 /-] [Mean=1.073 /-] [StdDev=1.74 /-]		
# HQ15A_1			
Information	[Type= continuous] [Format=numeric] [Range= 0-87] [Missing=*]		
Statistics [NW/ W]	[Valid=3119 /-] [Invalid=78257 /-] [Mean=17.822 /-] [StdDev=22.892 /-]		
# HQ15B			
Information	[Type= discrete] [Format=numeric] [Range= 0-10] [Missing=*]		
Statistics [NW/ W]	[Valid=250 /-] [Invalid=81126 /-] [Mean=2.02 /-] [StdDev=1.72 /-]		

# HQ15B			
Value	Label	Cases	Percentage
0		21	8.4%
1		94	37.6%
2		76	30.4%
3		26	10.4%
4		19	7.6%
5		1	0.4%
6		2	0.8%
7		7	2.8%
9		1	0.4%
10		3	1.2%
Sysmiss		81126	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# HQ15B_1_A			
Information	[Type= continuous] [Format=numeric] [Range= 0-75] [Missing=*]		
Statistics [NW/ W]	[Valid=250 /-] [Invalid=81126 /-] [Mean=6.22 /-] [StdDev=17.105 /-]		
# HQ15C			
Information	[Type= continuous] [Format=numeric] [Range= 1-25] [Missing=*]		
Statistics [NW/ W]	[Valid=273 /-] [Invalid=81103 /-] [Mean=5.388 /-] [StdDev=4.275 /-]		
# HQ15C_1			
Information	[Type= continuous] [Format=numeric] [Range= 0-50] [Missing=*]		
Statistics [NW/ W]	[Valid=273 /-] [Invalid=81103 /-] [Mean=0.549 /-] [StdDev=5.222 /-]		
# HQ15D			
Information	[Type= discrete] [Format=numeric] [Range= 0-20] [Missing=*]		
Statistics [NW/ W]	[Valid=443 /-] [Invalid=80933 /-] [Mean=2.688 /-] [StdDev=2.734 /-]		
Value	Label	Cases	Percentage
0		23	5.2%
1		163	36.8%
2		118	26.6%
3		37	8.4%
4		32	7.2%
5		16	3.6%
6		6	1.4%
7		27	6.1%
8		2	0.5%
10		8	1.8%
11		1	0.2%
12		3	0.7%
13		1	0.2%
14		3	0.7%
15		2	0.5%
20		1	0.2%
Sysmiss		80933	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

# HQ15D_1			
Information		[Type= continuous] [Format=numeric] [Range= 0-50] [Missing=*]	
Statistics [NW/ W]		[Valid=443 /-] [Invalid=80933 /-] [Mean=2.646 /-] [StdDev=10.725 /-]	
# HQ15E			
Information		[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]	
Statistics [NW/ W]		[Valid=34 /-] [Invalid=81342 /-] [Mean=1.618 /-] [StdDev=1.724 /-]	
Value	Label	Cases	Percentage
0		7	 20.6%
1		16	 47.1%
2		5	 14.7%
3		1	 2.9%
4		2	 5.9%
5		1	 2.9%
6		1	 2.9%
7		1	 2.9%
Sysmiss		81342	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# HQ15E_1			
Information		[Type= continuous] [Format=numeric] [Range= 0-50] [Missing=*]	
Statistics [NW/ W]		[Valid=34 /-] [Invalid=81342 /-] [Mean=11.765 /-] [StdDev=20.63 /-]	
# HQ16			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=81376 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1		8964	 11.0%
2		72412	 89.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# HQ17A			
Information		[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]	
Statistics [NW/ W]		[Valid=81376 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0		72412	 89.0%
1		3249	 4.0%
2		608	 0.7%
3		3054	 3.8%
4		2053	 2.5%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# HQ17B			
Information		[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]	
Statistics [NW/ W]		[Valid=81365 /-] [Invalid=11 /-]	
Value	Label	Cases	Percentage
0		81134	 99.7%
2		11	 0.0%

# HQ17B			
Value	Label	Cases	Percentage
3		171	0.2%
4		49	0.1%
Sysmiss		11	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# HQ17C			
Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]		
Statistics [NW/ W]	[Valid=81332 /-] [Invalid=44 /-]		
Value	Label	Cases	Percentage
0		81330	100.0%
3		2	0.0%
Sysmiss		44	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# HH01			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=81376 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1		2182	2.7%
2		79194	97.3%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# HH02			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=2182 /-] [Invalid=79194 /-] [Mean=1.022 /-] [StdDev=0.166 /-]		
Value	Label	Cases	Percentage
1		2139	98.0%
2		37	1.7%
3		6	0.3%
Sysmiss		79194	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# HH100A			
Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]		
Statistics [NW/ W]	[Valid=2149 /-] [Invalid=79227 /-] [Mean=67.875 /-] [StdDev=18.744 /-]		
# HH100B			
Information	[Type= discrete] [Format=numeric] [Range= 1-11] [Missing=*]		
Statistics [NW/ W]	[Valid=75 /-] [Invalid=81301 /-] [Mean=3.907 /-] [StdDev=3.35 /-]		
Value	Label	Cases	Percentage
1		22	29.3%
2		24	32.0%
3		2	2.7%
5		5	6.7%
7		4	5.3%
8		9	12.0%
10		7	9.3%

# HH100B			
Value	Label	Cases	Percentage
11		2	2.7%
Sysmiss		81301	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# HH100C15			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=2182 /-] [Invalid=79194 /-]		
Value	Label	Cases	Percentage
1		1333	61.1%
2		849	38.9%
Sysmiss		79194	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# HH3100			
Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]		
Statistics [NW/ W]	[Valid=2182 /-] [Invalid=79194 /-]		
Value	Label	Cases	Percentage
1		143	6.6%
2		33	1.5%
3		20	0.9%
4		27	1.2%
5		5	0.2%
6		1124	51.5%
7		830	38.0%
Sysmiss		79194	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# HH101A			
Information	[Type= discrete] [Format=numeric] [Range= 70-83] [Missing=*]		
Statistics [NW/ W]	[Valid=43 /-] [Invalid=81333 /-] [Mean=77.349 /-] [StdDev=4.498 /-]		
Value	Label	Cases	Percentage
70		4	9.3%
71		8	18.6%
77		3	7.0%
78		6	14.0%
80		15	34.9%
82		2	4.7%
83		5	11.6%
Sysmiss		81333	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# HH101B			
Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=81376 /-]		
Value	Label	Cases	Percentage
Sysmiss		81376	

# HH101B			
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# HH101C			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=43 /-] [Invalid=81333 /-]		
Value	Label	Cases	Percentage
1		11	25.6%
2		32	74.4%
Sysmiss		81333	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# HH3101			
Information	[Type= discrete] [Format=numeric] [Range= 6-7] [Missing=*]		
Statistics [NW/ W]	[Valid=43 /-] [Invalid=81333 /-]		
Value	Label	Cases	Percentage
6		29	67.4%
7		14	32.6%
Sysmiss		81333	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# HH102A			
Information	[Type= discrete] [Format=numeric] [Range= 33-33] [Missing=*]		
Statistics [NW/ W]	[Valid=6 /-] [Invalid=81370 /-] [Mean=33 /-] [StdDev=0 /-]		
Value	Label	Cases	Percentage
33		6	100.0%
Sysmiss		81370	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# HH102B			
Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=81376 /-]		
Value	Label	Cases	Percentage
Sysmiss		81376	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

# HH102C			
Information	[Type= discrete] [Format=numeric] [Range= 1-1] [Missing=*]		
Statistics [NW/ W]	[Valid=6 /-] [Invalid=81370 /-]		
Value	Label	Cases	Percentage
1		6	100.0%
Sysmiss		81370	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# HH3102			
Information	[Type= discrete] [Format=numeric] [Range= 7-7] [Missing=*]		
Statistics [NW/ W]	[Valid=6 /-] [Invalid=81370 /-]		
Value	Label	Cases	Percentage
7		6	100.0%
Sysmiss		81370	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# HH103A			
Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=81376 /-]		
Value	Label	Cases	Percentage
Sysmiss		81376	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# HH103B			
Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=81376 /-]		
Value	Label	Cases	Percentage
Sysmiss		81376	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# HH103C			
Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=81376 /-]		
Value	Label	Cases	Percentage
Sysmiss		81376	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# HH3103			
Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=81376 /-]		
Value	Label	Cases	Percentage
Sysmiss		81376	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# HH104A			
Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=81376 /-]		

# HH104A			
Value	Label	Cases	Percentage
Sysmiss		81376	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# HH104B			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=0 /-]		
# HH104C			
Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=81376 /-]		
Value	Label	Cases	Percentage
Sysmiss		81376	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# HH3104			
Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=81376 /-]		
Value	Label	Cases	Percentage
Sysmiss		81376	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# HH105A			
Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=81376 /-]		
Value	Label	Cases	Percentage
Sysmiss		81376	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# HH105B			
Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=81376 /-]		
Value	Label	Cases	Percentage
Sysmiss		81376	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# HH105C			
Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=81376 /-]		
Value	Label	Cases	Percentage
Sysmiss		81376	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# HH3105			
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=37 /-] [Invalid=81339 /-]		
Value	Label	Cases	Percentage
1		21	56.8%

HH3105

Value	Label	Cases	Percentage
2		7	18.9%
3		4	10.8%
5		5	13.5%
Sysmiss		81339	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HH3A

Information	[Type= discrete] [Format=numeric] [Range= 1-21] [Missing=*]
Statistics [NW/ W]	[Valid=81365 /-] [Invalid=11 /-]

Value	Label	Cases	Percentage
1		39577	48.6%
2		30265	37.2%
3		6726	8.3%
4		3027	3.7%
5		1056	1.3%
6		451	0.6%
7		160	0.2%
8		35	0.0%
9		11	0.0%
10		26	0.0%
11		11	0.0%
12		14	0.0%
13		2	0.0%
21		4	0.0%
Sysmiss		11	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HH4

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=81373 /-] [Invalid=3 /-]

Value	Label	Cases	Percentage
1		2752	3.4%
2		14745	18.1%
3		36606	45.0%
4		18486	22.7%
5		8784	10.8%
Sysmiss		3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HU1

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=81344 /-] [Invalid=32 /-]

Value	Label	Cases	Percentage
1		71573	88.0%
2		1539	1.9%
3		1965	2.4%

HU1

Value	Label	Cases	Percentage
4		4736	5.8%
5		615	0.8%
6		916	1.1%
Sysmiss		32	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HU2

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=3504 /-] [Invalid=0 /-]













Value	Label	Cases	Percentage
000000		1	0.0%
000001		10	0.3%
000012		22	0.6%
000018		5	0.1%
000035		5	0.1%
000050		3	0.1%
000058		11	0.3%
000075		1	0.0%
000100		11	0.3%
000120		5	0.1%
000150		2	0.1%
000200		11	0.3%
000250		25	0.7%
000300		34	1.0%
000350		4	0.1%
000400		6	0.2%
000450		4	0.1%
000500		57	1.6%
000600		5	0.1%
000650		1	0.0%
000700		10	0.3%
000800		9	0.3%
000900		6	0.2%
001000		169	4.8%
001050		3	0.1%
001200		8	0.2%
001250		4	0.1%
001400		10	0.3%
001500		144	4.1%
001650		3	0.1%
001700		5	0.1%
001800		5	0.1%
001820		5	0.1%
001870		4	0.1%
001900		2	0.1%

HU2

Value	Label	Cases	Percentage
001920		3	0.1%
001950		3	0.1%
002000		304	8.7%
002100		2	0.1%
002150		4	0.1%
002160		1	0.0%
002200		7	0.2%
002250		3	0.1%
002300		6	0.2%
002450		3	0.1%
002500		140	4.0%
002600		2	0.1%
002867		3	0.1%
002900		16	0.5%
003000		266	7.6%
003450		5	0.1%
003500		90	2.6%
003600		2	0.1%
003700		4	0.1%
003800		8	0.2%
004000		202	5.8%
004400		3	0.1%
004500		39	1.1%
004534		2	0.1%
005000		346	9.9%
005500		36	1.0%
006000		125	3.6%
006500		38	1.1%
007000		111	3.2%
007500		38	1.1%
008000		236	6.7%
008200		3	0.1%
008333		7	0.2%
008500		14	0.4%
009000		50	1.4%
009500		6	0.2%
009800		4	0.1%
010000		222	6.3%
010001		2	0.1%
010500		2	0.1%
010800		5	0.1%
011000		41	1.2%
011500		10	0.3%
012000		86	2.5%
012500		14	0.4%

# HU2			
Value	Label	Cases	Percentage
013000		12	0.3%
013500		6	0.2%
014000		20	0.6%
015000		78	2.2%
016000		12	0.3%
016500		7	0.2%
017000		32	0.9%
017500		4	0.1%
018000		31	0.9%
020000		67	1.9%
022000		6	0.2%
023000		6	0.2%
025000		19	0.5%
027500		6	0.2%
028000		5	0.1%
029000		4	0.1%
030000		33	0.9%
035000		4	0.1%
040000		17	0.5%
075000		5	0.1%
170000		6	0.2%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# HU3			
Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]		
Statistics [NW/ W]	[Valid=81344 /-] [Invalid=32 /-]		
Value	Label	Cases	Percentage
1		73523	90.4%
2		2694	3.3%
3		948	1.2%
4		3118	3.8%
5		852	1.0%
6		209	0.3%
Sysmiss		32	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# HU4			
Information	[Type= discrete] [Format=numeric] [Range= 0-15] [Missing=*]		
Statistics [NW/ W]	[Valid=81344 /-] [Invalid=32 /-] [Mean=2.452 /-] [StdDev=1.09 /-]		
Value	Label	Cases	Percentage
0		1091	1.3%
1		13808	17.0%
2		29039	35.7%
3		25683	31.6%
4		9177	11.3%
5		1936	2.4%

# HU4			
Value	Label	Cases	Percentage
6		430	0.5%
7		86	0.1%
8		44	0.1%
10		16	0.0%
11		7	0.0%
12		16	0.0%
13		8	0.0%
15		3	0.0%
Sysmiss		32	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Cho3			
Information	[Type= discrete] [Format=numeric] [Range= 3-3] [Missing=*]		
Statistics [NW/ W]	[Valid=1338 /-] [Invalid=80038 /-] [Mean=3 /-] [StdDev=0 /-]		
Value	Label	Cases	Percentage
3		1338	100.0%
Sysmiss		80038	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Cho4			
Information	[Type= discrete] [Format=numeric] [Range= 4-4] [Missing=*]		
Statistics [NW/ W]	[Valid=288 /-] [Invalid=81088 /-] [Mean=4 /-] [StdDev=0 /-]		
Value	Label	Cases	Percentage
4		288	100.0%
Sysmiss		81088	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Cho5			
Information	[Type= discrete] [Format=numeric] [Range= 5-5] [Missing=*]		
Statistics [NW/ W]	[Valid=226 /-] [Invalid=81150 /-] [Mean=5 /-] [StdDev=0 /-]		
Value	Label	Cases	Percentage
5		226	100.0%
Sysmiss		81150	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Cho6			
Information	[Type= discrete] [Format=numeric] [Range= 6-6] [Missing=*]		
Statistics [NW/ W]	[Valid=2093 /-] [Invalid=79283 /-] [Mean=6 /-] [StdDev=0 /-]		
Value	Label	Cases	Percentage
6		2093	100.0%
Sysmiss		79283	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Cho7			
Information	[Type= discrete] [Format=numeric] [Range= 7-7] [Missing=*]		
Statistics [NW/ W]	[Valid=445 /-] [Invalid=80931 /-] [Mean=7 /-] [StdDev=0 /-]		

# Cho7			
Value	Label	Cases	Percentage
7		445	 100.0%
Sysmiss		80931	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Cho8			
Information	[Type= discrete] [Format=numeric] [Range= 8-8] [Missing=*]		
Statistics [NW/ W]	[Valid=1667 /-] [Invalid=79709 /-] [Mean=8 /-] [StdDev=0 /-]		
Value	Label	Cases	Percentage
8		1667	 100.0%
Sysmiss		79709	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Cho9			
Information	[Type= discrete] [Format=numeric] [Range= 9-9] [Missing=*]		
Statistics [NW/ W]	[Valid=255 /-] [Invalid=81121 /-] [Mean=9 /-] [StdDev=0 /-]		
Value	Label	Cases	Percentage
9		255	 100.0%
Sysmiss		81121	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Cho10			
Information	[Type= discrete] [Format=numeric] [Range= 10-10] [Missing=*]		
Statistics [NW/ W]	[Valid=2294 /-] [Invalid=79082 /-] [Mean=10 /-] [StdDev=0 /-]		
Value	Label	Cases	Percentage
10		2294	 100.0%
Sysmiss		79082	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# age1			
Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]		
Statistics [NW/ W]	[Valid=81376 /-] [Invalid=0 /-] [Mean=3.379 /-] [StdDev=2.061 /-]		
Value	Label	Cases	Percentage
1		24626	 30.3%
2		7927	 9.7%
3		11191	 13.8%
4		10866	 13.4%
5		10624	 13.1%
6		8649	 10.6%
7		7493	 9.2%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# edu1			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=81376 /-] [Invalid=0 /-] [Mean=2.04 /-] [StdDev=0.97 /-]		
Value	Label	Cases	Percentage
1		27084	 33.3%

# edu1			
Value	Label	Cases	Percentage
2		33557	41.2%
3		11129	13.7%
4		9606	11.8%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# ethnew			
Information		[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/ W]		[Valid=81376 /-] [Invalid=0 /-] [Mean=1.467 /-] [StdDev=0.834 /-]	
Value	Label	Cases	Percentage
1		58109	71.4%
2		11955	14.7%
3		7879	9.7%
4		3433	4.2%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# age2			
Information		[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]	
Statistics [NW/ W]		[Valid=54243 /-] [Invalid=27133 /-] [Mean=3.523 /-] [StdDev=1.552 /-]	
Value	Label	Cases	Percentage
1		5420	10.0%
2		11191	20.6%
3		10866	20.0%
4		10624	19.6%
5		8649	15.9%
6		7493	13.8%
Sysmiss		27133	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q8A1			
Information		[Type= discrete] [Format=numeric] [Range= 1-21] [Missing=*]	
Statistics [NW/ W]		[Valid=30415 /-] [Invalid=50961 /-] [Mean=6.511 /-] [StdDev=5.686 /-]	
Value	Label	Cases	Percentage
1		8886	29.2%
2		281	0.9%
3		5395	17.7%
4		66	0.2%
5		50	0.2%
6		2129	7.0%
7		4017	13.2%
8		1863	6.1%
9		740	2.4%
10		222	0.7%
11		544	1.8%
12		49	0.2%
13		186	0.6%
14		386	1.3%

# Q8A1			
Value	Label	Cases	Percentage
15		2361	7.8%
16		1259	4.1%
17		522	1.7%
18		146	0.5%
19		540	1.8%
20		742	2.4%
21		31	0.1%
Sysmiss		50961	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Occu2new			
Information	[Type= discrete] [Format=numeric] [Range= 0-15] [Missing=*]		
Statistics [NW/ W]	[Valid=81376 /-] [Invalid=0 /-] [Mean=11.675 /-] [StdDev=4.539 /-]		
Value	Label	Cases	Percentage
0		119	0.1%
1		1392	1.7%
2		1943	2.4%
3		1781	2.2%
4		1237	1.5%
5		3574	4.4%
6		6089	7.5%
7		5199	6.4%
8		2483	3.1%
9		6598	8.1%
15		50961	62.6%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# q8a3			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=30415 /-] [Invalid=50961 /-] [Mean=2.155 /-] [StdDev=0.846 /-]		
Value	Label	Cases	Percentage
1		8886	29.2%
2		7921	26.0%
3		13608	44.7%
Sysmiss		50961	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# filter_\$: cho3new = 3 (FILTER)			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=81376 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	Not Selected	80038	98.4%
1	Selected	1338	1.6%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Cho1			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		

# Cho1			
Statistics [NW/ W]		[Valid=81376 /-] [Invalid=0 /-] [Mean=0.0515 /-] [StdDev=0.221 /-]	
Value	Label	Cases	Percentage
0		77186	94.9%
1		4190	5.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Cho2			
Information		[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]	
Statistics [NW/ W]		[Valid=81376 /-] [Invalid=0 /-] [Mean=0.136 /-] [StdDev=0.503 /-]	
Value	Label	Cases	Percentage
0		75857	93.2%
2		5519	6.8%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# cho3new			
Information		[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]	
Statistics [NW/ W]		[Valid=81376 /-] [Invalid=0 /-] [Mean=0.0493 /-] [StdDev=0.382 /-]	
Value	Label	Cases	Percentage
0		80038	98.4%
3		1338	1.6%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# sa			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=81376 /-] [Invalid=0 /-] [Mean=0.028 /-] [StdDev=0.165 /-]	
Value	Label	Cases	Percentage
0		79101	97.2%
1		2275	2.8%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# choplacenew			
Information		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/ W]		[Valid=14358 /-] [Invalid=67018 /-] [Mean=1.276 /-] [StdDev=0.545 /-]	
Value	Label	Cases	Percentage
1		11087	77.2%
2		2576	17.9%
3		695	4.8%
Sysmiss		67018	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Cho4B2			
Information		[Type= discrete] [Format=numeric] [Range= 2-2] [Missing=*]	
Statistics [NW/ W]		[Valid=557 /-] [Invalid=80819 /-] [Mean=2 /-] [StdDev=0 /-]	
Value	Label	Cases	Percentage
2		557	100.0%
Sysmiss		80819	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

# Cho4B3			
Information		[Type= discrete] [Format=numeric] [Range= 3-3] [Missing=*]	
Statistics [NW/ W]		[Valid=6928 /-] [Invalid=74448 /-] [Mean=3 /-] [StdDev=0 /-]	
Value	Label	Cases	Percentage
3		6928	100.0%
Sysmiss		74448	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Cho4B4			
Information		[Type= discrete] [Format=numeric] [Range= 4-4] [Missing=*]	
Statistics [NW/ W]		[Valid=4060 /-] [Invalid=77316 /-] [Mean=4 /-] [StdDev=0 /-]	
Value	Label	Cases	Percentage
4		4060	100.0%
Sysmiss		77316	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Cho4B5			
Information		[Type= discrete] [Format=numeric] [Range= 5-5] [Missing=*]	
Statistics [NW/ W]		[Valid=924 /-] [Invalid=80452 /-] [Mean=5 /-] [StdDev=0 /-]	
Value	Label	Cases	Percentage
5		924	100.0%
Sysmiss		80452	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Cho4B6			
Information		[Type= discrete] [Format=numeric] [Range= 6-6] [Missing=*]	
Statistics [NW/ W]		[Valid=587 /-] [Invalid=80789 /-] [Mean=6 /-] [StdDev=0 /-]	
Value	Label	Cases	Percentage
6		587	100.0%
Sysmiss		80789	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Cho4B7			
Information		[Type= discrete] [Format=numeric] [Range= 7-7] [Missing=*]	
Statistics [NW/ W]		[Valid=547 /-] [Invalid=80829 /-] [Mean=7 /-] [StdDev=0 /-]	
Value	Label	Cases	Percentage
7		547	100.0%
Sysmiss		80829	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Cho4B8			
Information		[Type= discrete] [Format=numeric] [Range= 8-8] [Missing=*]	
Statistics [NW/ W]		[Valid=235 /-] [Invalid=81141 /-] [Mean=8 /-] [StdDev=0 /-]	
Value	Label	Cases	Percentage
8		235	100.0%
Sysmiss		81141	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

# Cho4B9			
Information		[Type= discrete] [Format=numeric] [Range= 9-9] [Missing=*]	
Statistics [NW/ W]		[Valid=948 /-] [Invalid=80428 /-] [Mean=9 /-] [StdDev=0 /-]	
Value	Label	Cases	Percentage
9		948	100.0%
Sysmiss		80428	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Cho4B10			
Information		[Type= discrete] [Format=numeric] [Range= 10-10] [Missing=*]	
Statistics [NW/ W]		[Valid=335 /-] [Invalid=81041 /-] [Mean=10 /-] [StdDev=0 /-]	
Value	Label	Cases	Percentage
10		335	100.0%
Sysmiss		81041	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

# Cho4B1			
Information	[Type= discrete] [Format=numeric] [Range= 1-1] [Missing=*]		
Statistics [NW/ W]	[Valid=149 /-] [Invalid=81227 /-] [Mean=1 /-] [StdDev=0 /-]		
Value	Label	Cases	Percentage
1		149	100.0%
Sysmiss		81227	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# fewcou			
Information	[Type= discrete] [Format=numeric] [Range= 1-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1899 /-] [Invalid=79477 /-] [Mean=1 /-] [StdDev=0 /-]		
Value	Label	Cases	Percentage
1		1899	100.0%
Sysmiss		79477	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# nonplaceneu			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=11955 /-] [Invalid=69421 /-] [Mean=1.277 /-] [StdDev=0.543 /-]		
Value	Label	Cases	Percentage
1		9207	77.0%
2		2181	18.2%
3		567	4.7%
Sysmiss		69421	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# VAR00001			
Information	[Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*]		
Statistics [NW/ W]	[Valid=81376 /-] [Invalid=0 /-] [Mean=1.792 /-] [StdDev=11.302 /-]		
# var00002			
Information	[Type= continuous] [Format=numeric] [Range= 0-0.11] [Missing=*]		
Statistics [NW/ W]	[Valid=81376 /-] [Invalid=0 /-] [Mean=3.6e-05 /-] [StdDev=0.00156 /-]		
# death1age			
Information	[Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*]		
Statistics [NW/ W]	[Valid=81376 /-] [Invalid=0 /-] [Mean=1.793 /-] [StdDev=11.302 /-]		
# death2age			
Information	[Type= discrete] [Format=numeric] [Range= 70-83] [Missing=*]		
Statistics [NW/ W]	[Valid=43 /-] [Invalid=81333 /-] [Mean=77.349 /-] [StdDev=4.498 /-]		
Value	Label	Cases	Percentage
70		4	9.3%
71		8	18.6%
77		3	7.0%
78		6	14.0%
80		15	34.9%
82		2	4.7%
83		5	11.6%












# death2age			
Value	Label	Cases	Percentage
81333			
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# death3age			
Information		[Type= discrete] [Format=numeric] [Range= 33-33] [Missing=*]	
Statistics [NW/ W]		[Valid=6 /-] [Invalid=81370 /-] [Mean=33 /-] [StdDev=0 /-]	
Value	Label	Cases	Percentage
33		6	100.0%
81370			
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# ageforchronic			
Information		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/ W]		[Valid=81376 /-] [Invalid=0 /-] [Mean=1.809 /-] [StdDev=0.663 /-]	
Value	Label	Cases	Percentage
1		27133	33.3%
2		42647	52.4%
3		11596	14.2%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# ageforchronic1			
Information		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/ W]		[Valid=81376 /-] [Invalid=0 /-] [Mean=1.742 /-] [StdDev=0.69 /-]	
Value	Label	Cases	Percentage
1		32553	40.0%
2		37227	45.7%
3		11596	14.2%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# ageforchecking			
Information		[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/ W]		[Valid=81376 /-] [Invalid=0 /-] [Mean=2.203 /-] [StdDev=1.055 /-]	
Value	Label	Cases	Percentage
1		27133	33.3%
2		22207	27.3%
3		20440	25.1%
4		11596	14.2%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# ageall			
Information		[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/ W]		[Valid=81376 /-] [Invalid=0 /-] [Mean=2.487 /-] [StdDev=1.023 /-]	
Value	Label	Cases	Percentage
1		20823	25.6%
2		11730	14.4%
3		37227	45.7%

# ageall			
Value	Label	Cases	Percentage
4		11596	14.2%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# age25above			
Information	[Type= discrete] [Format=numeric] [Range= 1-1] [Missing=*]		
Statistics [NW/ W]	[Valid=48823 /-] [Invalid=32553 /-] [Mean=1 /-] [StdDev=0 /-]		
Value	Label	Cases	Percentage
1		48823	100.0%
Sysmiss		32553	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# q10a			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=17358 /-] [Invalid=64018 /-]		
Value	Label	Cases	Percentage
1		7775	44.8%
2		5008	28.9%
3		1859	10.7%
4		2716	15.6%
Sysmiss		64018	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# q11a			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=14642 /-] [Invalid=66734 /-]		
Value	Label	Cases	Percentage
1		8153	55.7%
2		6186	42.2%
3		303	2.1%
Sysmiss		66734	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# q12a			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=14642 /-] [Invalid=66734 /-]		
Value	Label	Cases	Percentage
1		6863	46.9%
2		7621	52.0%
3		158	1.1%
Sysmiss		66734	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# q13a			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=14642 /-] [Invalid=66734 /-]		

# q13a			
Value	Label	Cases	Percentage
1		7967	54.4%
2		6552	44.7%
3		123	0.8%
Sysmiss		66734	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# q14a			
Information		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/ W]		[Valid=14642 /-] [Invalid=66734 /-]	
Value	Label	Cases	Percentage
1		3580	24.5%
2		1128	7.7%
3		9934	67.8%
Sysmiss		66734	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# q15a			
Information		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/ W]		[Valid=25708 /-] [Invalid=55668 /-]	
Value	Label	Cases	Percentage
1		6294	24.5%
2		17591	68.4%
3		1823	7.1%
Sysmiss		55668	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# q16a			
Information		[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/ W]		[Valid=25708 /-] [Invalid=55668 /-]	
Value	Label	Cases	Percentage
1		6119	23.8%
2		3524	13.7%
3		14194	55.2%
4		1871	7.3%
Sysmiss		55668	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# q17a			
Information		[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]	
Statistics [NW/ W]		[Valid=25708 /-] [Invalid=55668 /-]	
Value	Label	Cases	Percentage
1		4442	17.3%
2		1041	4.0%
3		912	3.5%
4		1032	4.0%
5		770	3.0%

# q17a			
Value	Label	Cases	Percentage
6		2453	9.5%
7		14753	57.4%
8		305	1.2%
Sysmiss		55668	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# q18a			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=25403 /-] [Invalid=55973 /-]		
Value	Label	Cases	Percentage
1		5075	20.0%
2		15985	62.9%
3		2622	10.3%
4		1721	6.8%
Sysmiss		55973	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# q19a			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=25403 /-] [Invalid=55973 /-]		
Value	Label	Cases	Percentage
1		23514	92.6%
2		1531	6.0%
3		358	1.4%
Sysmiss		55973	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# FoInfose			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=30415 /-] [Invalid=50961 /-] [Mean=1.599 /-] [StdDev=0.49 /-]		
Value	Label	Cases	Percentage
1		12203	40.1%
2		18212	59.9%
Sysmiss		50961	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# a1			
Information	[Type= discrete] [Format=numeric] [Range= 1-1] [Missing=*]		
Statistics [NW/ W]	[Valid=20823 /-] [Invalid=60553 /-] [Mean=1 /-] [StdDev=0 /-]		
Value	Label	Cases	Percentage
1		20823	100.0%
Sysmiss		60553	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# diahbp			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=81376 /-] [Invalid=0 /-] [Mean=1.949 /-] [StdDev=0.221 /-]		

# diahbp			
Value	Label	Cases	Percentage
1		4190	5.1%
2		77186	94.9%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# ageworking			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=60553 /-] [Invalid=20823 /-] [Mean=1.998 /-] [StdDev=0.621 /-]		
Value	Label	Cases	Percentage
1		11730	19.4%
2		37227	61.5%
3		11596	19.2%
Sysmiss		20823	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# qq45a1			
Information	[Type= continuous] [Format=numeric] [Range= 0-999999] [Missing=*]		
Statistics [NW/ W]	[Valid=81376 /-] [Invalid=0 /-] [Mean=3028.114 /-] [StdDev=10785.212 /-]		
# qq45a2			
Information	[Type= continuous] [Format=numeric] [Range= 0-300000] [Missing=*]		
Statistics [NW/ W]	[Valid=81376 /-] [Invalid=0 /-] [Mean=111.545 /-] [StdDev=1692.456 /-]		
# qq45a3			
Information	[Type= continuous] [Format=numeric] [Range= 0-200000] [Missing=*]		
Statistics [NW/ W]	[Valid=81376 /-] [Invalid=0 /-] [Mean=32.649 /-] [StdDev=1058.997 /-]		
# qq45b3			
Information	[Type= continuous] [Format=numeric] [Range= 0-250000] [Missing=*]		
Statistics [NW/ W]	[Valid=81376 /-] [Invalid=0 /-] [Mean=1112.618 /-] [StdDev=4486.372 /-]		
# qq45b4			
Information	[Type= continuous] [Format=numeric] [Range= 0-113400] [Missing=*]		
Statistics [NW/ W]	[Valid=81376 /-] [Invalid=0 /-] [Mean=21.624 /-] [StdDev=683.152 /-]		
# qq45c			
Information	[Type= continuous] [Format=numeric] [Range= 0-900000] [Missing=*]		
Statistics [NW/ W]	[Valid=81376 /-] [Invalid=0 /-] [Mean=2478.639 /-] [StdDev=12461.168 /-]		
# qq45a1full			
Information	[Type= continuous] [Format=numeric] [Range= 0-999999] [Missing=*]		
Statistics [NW/ W]	[Valid=81376 /-] [Invalid=0 /-] [Mean=3172.309 /-] [StdDev=11298.228 /-]		
# qq45b1full			
Information	[Type= continuous] [Format=numeric] [Range= 0-250000] [Missing=*]		
Statistics [NW/ W]	[Valid=81376 /-] [Invalid=0 /-] [Mean=1134.242 /-] [StdDev=4570.513 /-]		
# qq45c1full			
Information	[Type= continuous] [Format=numeric] [Range= 0-900000] [Missing=*]		
Statistics [NW/ W]	[Valid=81376 /-] [Invalid=0 /-] [Mean=2478.639 /-] [StdDev=12461.168 /-]		

# qq45full			
Information	[Type= continuous] [Format=numeric] [Range= 0-999999] [Missing=*]		
Statistics [NW/ W]	[Valid=81376 /-] [Invalid=0 /-] [Mean=4306.551 /-] [StdDev=11888.8 /-]		
# agealcohol			
Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]		
Statistics [NW/ W]	[Valid=81376 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1		22079	 27.1%
2		6268	 7.7%
3		10463	 12.9%
4		11574	 14.2%
5		10640	 13.1%
6		9678	 11.9%
7		10674	 13.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# var00003			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=17358 /-] [Invalid=64018 /-] [Mean=1.972 /-] [StdDev=1.086 /-]		
Value	Label	Cases	Percentage
1		7775	 44.8%
2		5008	 28.9%
3		1859	 10.7%
4		2716	 15.6%
Sysmiss		64018	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			