

Sri Lanka - Crop Estimating Survey on Paddy (Maha) - 2001

Department of Census and Statistics

Report generated on: January 10, 2023

Visit our data catalog at: <http://10.10.106.183/index.php>

Identification

SURVEY ID NUMBER

LKA-DCS-CESP[M]-2001-v1.0

TITLE

Crop Estimating Survey on Paddy (Maha) - 2001

COUNTRY

Name	Country code
Sri Lanka	LKA

STUDY TYPE

Agricultural Survey [ag/oth]

SERIES INFORMATION

This survey was started in the year 1950. It is conducted covering Yala and Maha seasons with a view to estimate the average yield of paddy and production by District. In a Maha season about 6000 and in a Yala season about 4000 experiments are being conducted for this survey and it is the only source to estimate the country's paddy production. The findings are essential to calculate various important figures such as volume of additional rice requirement of the country to be imported

This survey is carried out in each season of a cultivation year to collect the paddy extent under categories namely;

Asweddumized Extent

Sown Extent

Harvested Extent

Paddy extent is estimated on the basis of complete enumeration of paddy parcels in the county covering both Maha and Yala seasons.

All these variables are being collected through a form known as P1. The extent categories are again classified by type of irrigation namely;

Major Irrigation Schemes

Minor Irrigation Schemes

Rain-fed

ABSTRACT

Crop estimating survey on paddy which is popularly known as "Crop Cutting Survey" commenced in the year 1950. It is conducted covering Maha and Yala season with a view to estimate the average yield of paddy and production by District. In a Maha season about 6,000 and in a Yala season about 4,000 experiments are being conducted for this survey and it is the only source to estimate the country's paddy production. Policy Planners are benefited by these data in numerous ways for taking the decisions such as volume of additional rice requirement of the country to be imported in time, evaluation of extension programs undertaken to uplift the average yields of paddy, pricing policies of rice, mobilization of stocks from one place to another and many more. Therefore, it is a great responsibility to estimate paddy production accurately and timely to fulfill the national requirement.

Field staff attached to each District has been entrusted with many responsibilities on various data collection activities and among them, method of data collection for crop cutting is different from the other surveys. This survey is associated with an objective approach; as such crop cutting officers should carry out experiments in the field by themselves. According to the standard procedure, the crop cutting officer must visit the selected paddy field and they should follow a number of steps such as; demarcate the specified plot of land equivalent to 16' ½" X 16' 1/2" (a paddy land of one perch of an acre), harvest the crop of the plot, thresh the grain, measure the grain using standard set of seers and finally report the results through the prescribed form CC3.

Concepts, Definitions and Classifications associated with Crop Estimation of Paddy Survey

Seasons - In Sri Lanka there are two major cultivation seasons associated with two monsoons and they are known as Maha season and Yala Season.

Maha Season is the main season associated with North-east monsoons effective during September - April in the following year. When a particular crop is planted and harvested during this period is known to be Maha Crop.

Yala season is the secondary season which is associated with South-west monsoons effective during the period between May to September. When a particular crop is planted and harvested during this period is known to be Yala Crop.

Mode of Irrigation

There are three type of irrigations related with paddy cultivation. They are (1). Major Irrigation schemes (2). Minor Irrigation schemes (3). Rain-fed schemes.

Major Irrigation schemes defined to be an irrigated scheme of which water is fed to more than 200 acres otherwise it defines as a Minor Irrigation scheme.

Rain-fed is defined, if the cultivated extent is purely depending on rain water in absence of permanent water tank or reservoir.

Volume of Production is reported in Metric Tons.

Average Yield per acre or Hectare: An Indicator of productivity per area unit (2.471 acres = 1 hectare while 1 hectare is equal to 1,000 square meters) estimated through crop cutting survey. Average yield per acre is reported in Bushels while per hectare is reported in Kgs.

Average yield is expressed in terms of Paddy (grain with the husk form but not in Rice form)

Area Harvested refers to the gross area of which the harvest is gathered excluding the area damaged due to different causes.

Gross Area refers to the extent of which reported by enumerators or respondents based on cultivated extent estimated by seed rates but not based on cadastral surveys while Net Area refers to the extent evolved by deducting the extent set a part for bunds and ridges.

Production for a year should consider to be the sum of the production of Maha season and Yala season. For instance the production of the year 2005 is to be the sum of 2004/05 Maha season and Yala season of 2005.

KIND OF DATA

Sample survey data [ssd]

UNIT OF ANALYSIS

Paddy land Parcel 16 1/2" X 16 1/2", Where smaller experimental plot sizes are used in terraced fields.

Version

VERSION DESCRIPTION

V1.0: Full edited dataset, original version for internal DPD Use

VERSION DATE

2008-12-03

Scope

NOTES

Geographical information

Paddy parcel information

System of tenure

Method of preparation of land

Variety of seed

Method of sowing

Application of Fertilizer
Weeding
Insects/Fungus control
Adverse affects on crop
Yield

TOPICS

Topic	Vocabulary	URI
agricultural, forestry and rural industry [2.1]	CESSDA	Link

Coverage

GEOGRAPHIC COVERAGE

National Coverage

UNIVERSE

The survey covered a random sample from all the paddy lands in Sri Lanka

Producers and sponsors

PRIMARY INVESTIGATORS

Name	Affiliation
Department of Census and Statistics	Ministry of Finance and Planning

FUNDING AGENCY/SPONSOR

Name	Abbreviation
Government of Sri Lanka	GOSL

Sampling

SAMPLING PROCEDURE

Sampling Design: The sampling design adopted in the survey is a stratified multistage sampling method where DS Divisions were treated as strata and mode of irrigation schemes namely; Major, Minor, and Rain-fed as sub strata. Number of villages to be selected for crop cutting experiments in each scheme is decided on the basis of the following proportions.

Acreage sown in the previous corresponding season Number of villages to be selected

< 500 Acres 3

500 - <1000 Acres 5

1000 - < 5000 Acres 10

5000 - < 10,000 Acres 15

10,000 - < 15,000 Acres 20

15,000 - < 20,000 Acres 25

20,000 Acres and above 30

Though the recommended design is such, considering the sampling variances occurred during the previous seasons, the number of experimental villages to be selected is being curtailed in order to keep the number of villages within a range of 3,000 for a Maha season and 2,000 for a Yala season in a year. Other reasons for such restrictions were related to practical aspects like cost of the survey and number of personnel that could be deployed to carry out crop cuttings.

In each selected village two crop cutting experiments are conducted. At present the sample villages and the parcels are selected at random. However, prior to 1980, selection of villages as well as parcels was done at random with probability proportional to the area cultivated during the previous corresponding season with replacement. As the procedure was somewhat laborious and time consuming, it was replaced with the present system i.e. both stages at random. Sample

villages are selected in the head office while the selections of parcels are done at the respective Districts.

Controlling of Non-sampling Errors: In view of the accuracy of the experimental results, a sample of 1/5 of selected villages are to be supervised by executive officers/District Heads identified from the District such as DS/GA, Divisional Secretary, Director/Deputy Director of Agriculture, Deputy Commissioners of Agrarian Development in addition to the Senior Staff of DCS attached to the District. Spot checks are to be performed by them by visiting the sample villages.

Data Collection

DATES OF DATA COLLECTION

Start	End
2000-10-01	2001-04-30

DATA COLLECTION MODE

Face-to-face [f2f]

SUPERVISION

"Agricultural Research and Production Assistants (ARPO) earlier known as "Govi Sevana Niyamakass" of Agrarian Development Department attached to Agrarian Service Centers do play the role of "Primary Reporters" to report the extent in P1 form which is parcel-wise enumeration of all paddy growing parcels.

They list out the area Asweddumized, Sown and Harvested in Maha and Yala seasons at village/Yaya, Tract/Kandam in the prescribed form. Here the "paddy parcel" is defined to be piece/plot of land cultivated by one individual farmer or group of farmers jointly surrounded by another paddy parcel cultivated by another individual farmer or group of farmers or any land cultivated with crops other than paddy or uncultivated land such as road, stream etc.

The paddy extent thus enumerated is summarized by Village/Yaya/Tract/Kandam and transferred to the form known as P2 which gives the aggregate extent under paddy by above categories and by irrigation modes at GN division level and by DS level. This form is prepared by the Range Statistical Officer attached to a particular DS. During the Yala season the sown and harvested extents are recorded while asweddumized extent is updated, only if there occurs a change.

However, it is to be noted that the Districts where ARPOs are not appointed, Grama Niladaris (GNN) are still acting as primary reporters for the collection of paddy statistics as well as other agricultural statistics. This is specifically true for Northern and Eastern Provinces.

The aggregate extent prepared for DS level leads to the compilation of paddy extent at various higher levels such as District and All Island Level. It is important to note that the extent reported/listed in the P1 form is the "Gross Extent" since the extent of most of the paddy parcels are not based on any cadastral survey or measures, but reported extent are based on seed rates or traditional measurement or guesstimates as per the knowledge of respective farmers. This gross extent is ultimately converted to net-extent by applying correction factors which were determined at District level through a land measurement survey carried out by means of a sample of paddy parcels with the assistance of the Survey General Department in 1970s.

The list prepared by the primary reporters in the P1 form acts as the basis for the selection of sample of paddy parcels while the list of paddy growing villages compiled in the P2 form acts the basis to select villages for the National Crop Cutting Survey on Paddy conducted by the Agriculture and Environment Statistics Division of DCS.

DATA COLLECTION NOTES

Crop Cutting Officers: Once the list of villages are transmitted to the Statistics Branch of the respective District, the Head of the Division Deputy Director/Senior Statistician/Statistician has to identify the crop cutting officers who are to be suitable for conducting these experiments in the selected villages. Guideline is to choose them preferably out of the field officers attached to the respective DS Divisions who are related to the discipline of agriculture such as Agricultural Officers/Agricultural Instructors of the Ministry of Agriculture, Divisional Officers of Department of Agrarian Development, Colonization Officers, etc. in addition to the Range Statistical Officers of DCS. Range Statistical Officers should undertake at least three experiments in his range. The direction is to discuss this matter in the District Agriculture Committee Meeting (DAC) held once in a month chaired by District Secretary/Government Agent and then assign the villages in concurrence with the DS/GA

The Statistical officer (SO) or the Agriculture Instructor (AI) in the area visits the selected paddy land along with the farmer

and cuts the crop in the demarcated area. The crop is measured in Seers then and there and the yield is recorded. Then in the same way yield for the other parcel is recorded. The crop collected for measuring is returned to the farmer. In addition to the yield recorded in this manner, other relevant information requested in the form C.C.3 has to be collected .

Ancillary Information: When crop cuttings are done in the field, in addition to sample fields selected for crop cuttings, an extra set of sample (four parcels) fields are selected to collect ancillary information related to the paddy crop viz. usage inputs, system of tenure, variety of seed, etc. Along with the final estimates on production and average yield the estimated extent related to the above characteristics are being disseminated.

DATA COLLECTORS

Questionnaires

QUESTIONNAIRES

The questionnaire is Form C.C.3 printed in Sinhala/English and Tamil/English languages. It has three parts.

Part I is about the geographical and Paddy land parcel information.

Part II includes System of tenure, Method of preparation of land, Variety of seed, Method of sowing, Application of Fertilizer, Weeding, Insecticides, Fungicides, Adverse affects on crop.

Part III Collects yield information.

In the questionnaire the above information is recorded for two parcels selected for the survey. The same Form C.C.3 is used to collect data for both Yala and Maha seasons. Maha Season falls during "North-east monsoon" from September to April in the following year. Yala season is effective during the period from May to end of August.

Data Appraisal

ESTIMATES OF SAMPLING ERROR

Formulae needed to calculate Avg. Yield & Variance for a given Stratum is available in the External Resource Section.

Access policy

CONTACTS

Name	Affiliation	Email	URL
Director General	Department of Census and Statistics	dgcensus@slt.gov.lk	Link
Director	Department of Census and Statistics	agriculture@sltnet.lk	Link
Information Unit	Department of Census and Statistics	information@statistics.gov.lk	Link

CONFIDENTIALITY

Under the Statistical ordinance, micro data cannot be released with identifications for public use. Procedures are in place to ensure that information relating to any particular individual person, household or undertaking will be kept strictly confidential and will not be divulged to external parties. Information on individual or individual Household/establishment will not be divulged or published in such a form that will facilitate the identification of any particular person or establishment as the data have been collected under the Census/Statistical ordinance, according to which the information at individual level cannot be divulged and such information is strictly confidential.

ACCESS CONDITIONS

The dataset has been anonymized and is available as a Public Use Dataset. It is accessible to all for statistical and research purposes only, under the following terms and conditions:

1. The data and other materials will not be redistributed or sold to other individuals, institutions, or organizations without the written agreement.

2. The data will be used for statistical and scientific research purposes only. They will be used solely for reporting of aggregated information, and not for investigation of specific individuals or organizations.
3. No attempt will be made to re-identify respondents, and no use will be made of the identity of any person or establishment discovered inadvertently.
4. No attempt will be made to produce links among datasets provided by the Department or among data from the Department and other datasets that could identify individuals or organizations.
5. Any books, articles, conference papers, theses, dissertations, reports, or other publications that employ data obtained from the Department will cite the source of data in accordance with the Citation Requirement provided with each dataset.
6. An electronic copy of all reports and publications based on the requested data will be sent to the Department

The following rules apply to micro data released by the Department of Census and Statistics.

- Only the requests of Government Institutions, Recognized Universities, Students, and selected international agencies are entertained. However, the Data users are required to strictly adhere to the terms stipulated in the agreement form.
- All the data requests should be made to Director General (DG) of the DCS as the sole authority of releasing data is vested with the DG of the DCS. The DCS of Sri Lanka reserves sole right to approve or reject any data request made depending on the confidential nature of the data set and intended purpose of the study or analysis.
- Requests for micro data should be made through the agreement form designed by DCS for this purpose (Form D.R.1). The agreement form should be filled in triplicate and the Study/project proposal should accompany the filled agreement form. If requests are made for the micro data of more than one survey, a separate agreement should be signed.
- If the data request is from a student a letter from the respective Dept. Head/Dean/Supervisor, recommending the issue of data, should also be accompanied.
- If the request is approved only 25% of the data file is released at the first stage. The release of the total data file is considered only after reviewing the draft report prepared on the basis of the 25% sample data file.
- The released Data file should be used only for the specific study/Analysis mentioned in the agreement form and shall not be used for any other purpose without the prior approval of the Director General of the DCS. Moreover, Copies of the micro-data file, obtained from the DCS, shall not be given to anyone else without the prior written approval of the Director General of the DCS.
- The draft report of the Study/Analysis should be submitted to the DCS and the concurrence of the DG of the DCS, should be obtained before publishing it. Once published, a copy of the final report should be submitted to the DCS.

[Department : The Department of Census and Statistics (DCS)]

Source : http://www.statistics.gov.lk/databases/data_dissemination/DataDissaPolicy_2007Oct26.pdf

CITATION REQUIREMENTS

Department of Census and Statistics, Crop Estimation Survey on Paddy [Maha] 2001, Version 1.0 of the internal use dataset December 2008, provided by the National Data Archive, Data Processing Division, www.statistics.gov.lk

ACCESS AUTHORITY

Name	Affiliation	Email	URL
Director General	Department of Census and Statistics	directorgeneral@slt.gov.lk	Link

Disclaimer and copyrights

DISCLAIMER

The Department of Census and Statistics bears no responsibility for any results or interpretations arising from the secondary use of the data.

COPYRIGHT

(c) 2008, Department of Census and Statistics

Metadata production

DDI DOCUMENT ID

DDI-LKA-DCS-CESP[M]-2001-v1.0

PRODUCERS

Name	Abbreviation	Affiliation	Role
Department of Census and Statistics	DCS	Ministry Of Finance and Planning	Conducting the survey

DATE OF METADATA PRODUCTION

2008-12-03

DDI DOCUMENT VERSION

Version 1.0 (2008)

Data Dictionary

Data file	Cases	Variables
2000_2001maha	4831	28

Data file: 2000_2001maha

Cases: 4831

Variables: 28

Variables

ID	Name	Label	Question
V85	d_r		
V86	sea	Season	
V87	yr	Year	
V88	dist	District	
V89	aga	AGA Division	
V90	irr	Irrigation Type	
V91	vil	Village	
V92	ld	Parcel No	
V93	a	Extent Sown - Acres	
V94	r	Extent Sown - Rood	
V95	p	Extent Sown - Perches	
V96	lid	Number of Liyadda in parcel	
V97	len	Liyadda Length	
V98	bre	Liyadda - Breadth	
V99	ten	System of Tenure	
V100	pre	Preparation of Land	
V101	ver	Variety of seed	
V102	sow	Sowing method	
V103	fer	Fertilizer application	
V104	che	Chemical Fert. if Applied (KG)	
V105	org	Organic Fert. if Applied (KG)	
V106	wee	Weeding	
V107	inc	Insecticides	
V108	fun	Fungicides	
V109	dam	Adverse Affects on Crop	
V110	yld	Yield	
V111	recn	Record Number	
V112	sn	Serial Number	

Total: 28

D_R:**Data file:** 2000_2001maha**Overview**

Valid: 0 Invalid: 0

Type: Discrete Width: 1 Range: - Format: character

SEA: Season**Data file:** 2000_2001maha**Overview**

Valid: 4831 Invalid: 0

Type: Discrete Width: 1 Range: - Format: character

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		2	0%
3		2	0%
6		1	0%
M		414	8.6%
m		4411	91.3%
y		1	0%

YR: Year**Data file:** 2000_2001maha**Overview**

Valid: 4831 Invalid: 0

Type: Discrete Decimal: 0 Width: 2 Range: 0 - 7 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		4	0.1%
1		4825	99.9%
6		1	0%
7		1	0%

DIST: District**Data file: 2000_2001maha****Overview**

Valid: 4831 Invalid: 0

Type: Discrete Decimal: 0 Width: 2 Range: 2 - 27 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
2		261	5.4%
3		80	1.7%
4		68	1.4%
5		202	4.2%
6		271	5.6%
7		452	9.4%
8		221	4.6%
10		396	8.2%
11		284	5.9%
12		240	5%
13		124	2.6%
14		156	3.2%
15		1	0%
16		1	0%
20		599	12.4%
21		528	10.9%
22		25	0.5%
23		340	7%
24		290	6%
25		165	3.4%
27		127	2.6%

AGA: AGA Division**Data file: 2000_2001maha****Overview**

Valid: 4831 Invalid: 0 Minimum: 0 Maximum: 30 Mean: 7.499 Standard deviation: 5.087

Type: Continuous Decimal: 0 Width: 2 Range: 0 - 30 Format: Numeric

IRR: Irrigation Type**Data file:** 2000_2001maha**Overview**

Valid: 4831 Invalid: 0

Type: Discrete Decimal: 0 Width: 1 Range: 0 - 3 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		1	0%
1		1859	38.5%
2		1547	32%
3		1424	29.5%

VIL: Village**Data file:** 2000_2001maha**Overview**

Valid: 4831 Invalid: 0 Minimum: 0 Maximum: 91 Mean: 5.579 Standard deviation: 7.329

Type: Continuous Decimal: 0 Width: 2 Range: 0 - 91 Format: Numeric

LD: Parcel No**Data file:** 2000_2001maha**Overview**

Valid: 4831 Invalid: 0

Type: Discrete Decimal: 0 Width: 1 Range: 0 - 2 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		1	0%
1		2438	50.5%
2		2392	49.5%

A: Extent Sown - Acres**Data file:** 2000_2001maha

Overview

Valid: 4831 Invalid: 0

Type: Discrete Decimal: 0 Width: 2 Range: 0 - 24 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		2250	46.6%
1		992	20.5%
2		1065	22%
3		278	5.8%
4		83	1.7%
5		113	2.3%
6		16	0.3%
7		10	0.2%
8		4	0.1%
9		1	0%
10		7	0.1%
12		1	0%
13		2	0%
15		2	0%
16		3	0.1%
18		1	0%
19		2	0%
24		1	0%

R: Extent Sown - Rood

Data file: 2000_2001maha

Overview

Valid: 4800 Invalid: 31

Type: Discrete Decimal: 0 Width: 1 Range: 0 - 5 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		1893	39.4%
1		881	18.4%

2		1627	33.9%
3		398	8.3%
5		1	0%
Sysmiss		31	

PRE: Preparation of Land

Data file: 2000_2001maha

Overview

Valid: 4831 Invalid: 0

Type: Discrete Decimal: 0 Width: 1 Range: 0 - 7 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		2	0%
1		2822	58.4%
2		850	17.6%
3		182	3.8%
4		417	8.6%
5		217	4.5%
6		198	4.1%
7		143	3%

VER: Variety of seed

Data file: 2000_2001maha

Overview

Valid: 4831 Invalid: 0

Type: Discrete Decimal: 0 Width: 1 Range: 0 - 3 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		2	0%
1		4649	96.2%
2		125	2.6%
3		55	1.1%

SOW: Sowing method**Data file:** 2000_2001maha**Overview**

Valid: 4831 Invalid: 0

Type: Discrete Decimal: 0 Width: 1 Range: 0 - 4 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		2	0%
1		3787	78.4%
2		90	1.9%
3		943	19.5%
4		9	0.2%

FER: Fertilizer application**Data file:** 2000_2001maha**Overview**

Valid: 4831 Invalid: 0

Type: Discrete Decimal: 0 Width: 1 Range: 0 - 4 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		3	0.1%
1		4069	84.2%
2		25	0.5%
3		638	13.2%
4		96	2%

CHE: Chemical Fert. if Applied (KG)**Data file:** 2000_2001maha**Overview**

Valid: 4762 Invalid: 69 Minimum: 0 Maximum: 8000 Mean: 315.362 Standard deviation: 369.45

Type: Continuous Decimal: 0 Width: 4 Range: 0 - 8000 Format: Numeric

P: Extent Sown - Perches**Data file:** 2000_2001maha**Overview**

Valid: 4532 Invalid: 299 Minimum: 0 Maximum: 39 Mean: 3.763 Standard deviation: 8.338
 Type: Continuous Decimal: 0 Width: 2 Range: 0 - 39 Format: Numeric

LID: Number of Liyadda in parcel**Data file:** 2000_2001maha**Overview**

Valid: 3106 Invalid: 1725 Minimum: 0 Maximum: 207 Mean: 12.167 Standard deviation: 19.284
 Type: Continuous Decimal: 0 Width: 3 Range: 0 - 207 Format: Numeric

LEN: Liyadda Length**Data file:** 2000_2001maha**Overview**

Valid: 3029 Invalid: 1802 Minimum: 0 Maximum: 405 Mean: 30.584 Standard deviation: 40.598
 Type: Continuous Decimal: 0 Width: 3 Range: 0 - 405 Format: Numeric

BRE: Liyadda - Bredth**Data file:** 2000_2001maha**Overview**

Valid: 3032 Invalid: 1799 Minimum: 0 Maximum: 301 Mean: 19.045 Standard deviation: 24.98
 Type: Continuous Decimal: 0 Width: 3 Range: 0 - 301 Format: Numeric

TEN: System of Tenure**Data file:** 2000_2001maha**Overview**

Valid: 4831 Invalid: 0
 Type: Discrete Decimal: 0 Width: 1 Range: 0 - 4 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		2	0%

1		3278	67.9%
2		406	8.4%
3		995	20.6%
4		150	3.1%

ORG: Organic Fert. if Applied (KG)

Data file: 2000_2001maha

Overview

Valid: 2386 Invalid: 2445 Minimum: 0 Maximum: 22261 Mean: 437.138 Standard deviation: 1443.538
 Type: Continuous Decimal: 0 Width: 5 Range: 0 - 22261 Format: Numeric

WEE: Weeding

Data file: 2000_2001maha

Overview

Valid: 4831 Invalid: 0
 Type: Discrete Decimal: 0 Width: 1 Range: 0 - 4 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		3	0.1%
1		1262	26.1%
2		3106	64.3%
3		91	1.9%
4		369	7.6%

INC: Insecticides

Data file: 2000_2001maha

Overview

Valid: 4825 Invalid: 6
 Type: Discrete Decimal: 0 Width: 1 Range: 0 - 2 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

0		3	0.1%
1		3050	63.2%
2		1772	36.7%
Sysmiss		6	

FUN: Fungicides

Data file: 2000_2001maha

Overview

Valid: 4811 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 0 - 2 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		3	0.1%
1		1039	21.6%
2		3769	78.3%
Sysmiss		20	

DAM: Adverse Affects on Crop

Data file: 2000_2001maha

Overview

Valid: 4808 Invalid: 23

Type: Discrete Decimal: 0 Width: 1 Range: 0 - 7 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		3	0.1%
1		2	0%
2		16	0.3%
3		33	0.7%
4		10	0.2%
5		8	0.2%
6		3490	72.6%
7		1246	25.9%

Sysmiss		23	
---------	--	----	--

YLD: Yield

Data file: 2000_2001maha

Overview

Valid: 3241 Invalid: 1590 Minimum: 0 Maximum: 91.95 Mean: 10.155 Standard deviation: 9.436
 Type: Continuous Decimal: 2 Width: 5 Range: 0 - 91.95 Format: Numeric

RECNUM: Record Number

Data file: 2000_2001maha

Overview

Valid: 4527 Invalid: 304 Minimum: 0 Maximum: 1143 Mean: 115.762 Standard deviation: 95.048
 Type: Continuous Decimal: 0 Width: 4 Range: 0 - 1143 Format: Numeric

SN: Serial Number

Data file: 2000_2001maha

Overview

Valid: 0 Invalid: 0
 Type: Discrete Width: 5 Range: - Format: character

Download related resources

Questionnaires

Crop Estimation Survey on Paddy - Survey Schedule

Title Crop Estimation Survey on Paddy - Survey Schedule
 Filename CC3.pdf

Technical documents

Formulae to Calculate Avg. Yield & Variance for a given Stratum

Title Formulae to Calculate Avg. Yield & Variance for a given Stratum
 Filename Formulae to Calculate Avg. Yield & Variance for a given Stratum.doc

Other materials

Crop Estimation Survey on Paddy 2006 - Preliminary Cultivator Information Collecting Form

Title Crop Estimation Survey on Paddy 2006 - Preliminary Cultivator Information Collecting Form
 Filename CC1.pdf

Crop Estimation Survey on Paddy - Cultivators Selected for Survey

Title Crop Estimation Survey on Paddy - Cultivators Selected for Survey
 Filename CC2.pdf

Crop Estimation Survey on Paddy - Quality Checking Report

Title Crop Estimation Survey on Paddy - Quality Checking Report
 Filename CC4.pdf

Study Documentation of CESP(M)01 Project

Title Study Documentation of CESP(M)01 Project
 Filename Study Documentation of CESP(M)01 Project.pdf

Time series data of Extent, Yield and Production 77-08

Title Time series data of Extent, Yield and Production 77-08
 Filename Time Series Data of Extent, Yield, Production 77-08.xls

Time Series of Sown, Harvested, Yield, Production - Maha 1970-2008

Title Time Series of Sown, Harvested, Yield, Production - Maha 1970-2008

Filename Time Series of Sown, Harvested, Yield, Production - Maha 1970-2008.xls

District Codes List for Crop Estimation Survey of Paddy

Title District Codes List for Crop Estimation Survey of Paddy

Filename District Codes List.xls
