

Sri Lanka

Statistics Division, Ministry of Education

Census of Government Schools - 2003

Study Documentation

November 24, 2009

Metadata Production

Metadata Producer(s)	Department of Census and Statistics (DCS) , Ministry of Finance and Planning , Documentation Ministry of Education (MOE) , Government of Sri Lanka , Data Collection
Production Date	November 14, 2009
Version	Version 1.0 (May 2009).
Identification	DDI-LKA-MOE-CGS-2003-v1.0

This document was generated using the [IHSN Microdata Management Toolkit](#)

Table of Contents

<u>Overview</u>	1
<u>Scope & Coverage</u>	2
<u>Producers & Sponsors</u>	2
<u>Data Collection</u>	3
<u>Accessibility</u>	3
<u>Rights & Disclaimer</u>	3
<u>Files Description</u>	4
<u>Part 1</u>	4
<u>Part 2</u>	4
<u>Part 3</u>	4
<u>Part 4</u>	4
<u>Part 5</u>	4
<u>Part 6</u>	5
<u>Part 7</u>	5
<u>Part 8A1</u>	5
<u>Part 8A2</u>	5
<u>Part 8B</u>	6
<u>Part 9</u>	6
<u>Part 10</u>	6
<u>Part 11</u>	6
<u>Teachers Details</u>	7
<u>Variables List</u>	8
<u>Part 1</u>	8
<u>Part 2</u>	8
<u>Part 3</u>	16
<u>Part 4</u>	23
<u>Part 5</u>	26
<u>Part 6</u>	27
<u>Part 7</u>	27
<u>Part 8A1</u>	29
<u>Part 8A2</u>	36
<u>Part 8B</u>	43
<u>Part 9</u>	45
<u>Part 10</u>	50
<u>Part 11</u>	53
<u>Teachers Details</u>	59
<u>Variables Description</u>	61
<u>Part 1</u>	61
<u>Part 2</u>	68
<u>Part 3</u>	131
<u>Part 4</u>	262
<u>Part 5</u>	300
<u>Part 6</u>	307
<u>Part 7</u>	314
<u>Part 8A1</u>	334
<u>Part 8A2</u>	414

<u>Part 8B</u>	473
<u>Part 9</u>	498
<u>Part 10</u>	545
<u>Part 11</u>	576
<u>Teachers Details</u>	604
<u>Documentation</u>	612

Sri Lanka (2003)

Census of Government Schools - 2003 (CGS-2003)**Overview**

Type	Administrative Records, Education (ad/edu]
Identification	LKA-MOE-CGS-2003-v1.0
Version	Production Date: 2009-05-14 v1.0: Full edited dataset, original version for internal use of the Ministry of Education.
Series	<p>The Census of Schools has been conducted, since 1960. This census is the forty third one in a series of censuses conducted annually. This census provides valuable information about government school and teachers to policy makers, planners and researchers..</p> <p>The questionnaire is filled by Principals of the schools and it contains following parts.</p> <ul style="list-style-type: none"> - Identification information about the school - Details about the school children - Details about the disabled students - Physical facilities - Non academic staff - Details about the teachers

Abstract

The Ministry of Education has conducted an uninterrupted series of annual school census for well over four decades.

The main objective of the census is to collect following information

- Information about the school
- Students
- Teachers
- Non-academic staff
- Physical facilities

Kind of Data	Census/enumeration data [cen]
Unit of Analysis	School Student Teacher

Scope & Coverage

Scope

The scope of the School Census - 2003 includes:

- Part 1 : Identification Information
- Part 2 : Students in School (on 2003 July 1st)
- Part 3 : Students by birth year
- Part 4 : Students who failed in the year 2002
- Part 5 : Students in grade 1
- Part 6 : A/L Science Students
- Part 7 : Students by grade according to the subjects study (Religion, Technical subjects and Aesthetic)
- Part 8A : Disabled students
- Part 8B : Disabled students by birth year
- Part 9 : Student by race and religion
- Part 10A : Students who obtained grade 5 scholarship grants
- Part 10B : Students in grade 6
- Part 11 : Examination Results (Year 2002)
 - Grade 5
 - G. C. E. (O/L)
 - G. C. E. (A/L)
- Part 12 : Health and Nutrition programs in the school
- Part 13 : Physical resources
 - Toilet facilities
 - Science Laboratories (Grade 6-11)
 - Science Laboratories (A/L Students)
 - Library
 - Resources of the Library and the Educational Resources Centre
 - School Land
 - Vehicles belongs to the School
- Part 14 : Allocations for Qualitative Improvements in 2002
- Part 15 : Transferred, Resigned and Retired Teachers in 2002
- Part 16 : Non Academic Staff Members Details

Details of Teachers

Topics	EDUCATION [6]
--------	---------------

Geographic Coverage

National Coverage - Government Schools

Universe

All Government Schools

Producers & Sponsors

Primary Investigator(s)	Statistics Division, Ministry of Education
-------------------------	--

<u>Data Collection</u>	
Data Collection Dates	start 2003-07-01 end 2003-07-01
Data Collection Mode	Mail Questionnaire [mail]
<u>Data Collection Notes</u>	
<p>The questionnaires are handed over to the Divisional Directors. Divisional Directors distributed the questionnaires to the schools in their divisions Divisional Director collects the filled questionnaires and handed over to the Zonal office. Data entry is done by the Zonal office and data file is mailed to the Statistical Branch of Ministry of Education.</p>	

<u>Other Processing</u>	
Data processing included the following steps.	
<ol style="list-style-type: none"> 1. Accepting the data files from the zonal offices through e-mail by Statistical Branch of the MOE. 2. Run edit program. 3. Produce error report and return to the Zonal office 4. Correction of errors on the report by the Zonal Office 5. Re-run the edit program and repeat the error correction procedure 6. Merge the data files 7.. Produce final tables on clean data . 	

<u>Accessibility</u>	
Access Authority	Additional Secretary Planning (Ministry of Education) , www.moe.gov.lk , mail.moe.gov.lk
Contact(s)	Statistics Division (Ministry of Education) , www.moe.gov.lk , mail.moe.gov.lk
<u>Confidentiality</u>	
The degree of confidentiality of this microdata set is determined by the Access Authority. Please refer to the Access Authority for further details.	
<u>Access Conditions</u>	
Please contact the Access Authority for Access Terms and Conditions.	
<u>Citation Requirements</u>	
"Department of Census and Statistics, Census of Schools 2003 [CGS2003], Version 1.0 of the public use dataset. (May 2009)"	

<u>Rights & Disclaimer</u>	
<u>Disclaimer</u>	
Copyright	(C) 2003, Ministry of Education

Files Description

Dataset contains 14 file(s)

Part 1

# Cases	10096
# Variable(s)	23

File Content

This file contains the information of the Part 1 of the Government School Census Schedule 2003.

Producer

Ministry of Education

Part 2

# Cases	10096
# Variable(s)	277

File Content

This file contains the information of the Part 2 of the Government School Census Schedule 2003.

Producer

Ministry of Education

Part 3

# Cases	10096
# Variable(s)	273

File Content

This file contains the information of the Part 3 of the Government School Census Schedule 2003.

Producer

Ministry of Education

Part 4

# Cases	10096
# Variable(s)	79

File Content

This file contains the information of the Part 4 of the Government School Census Schedule 2003.

Producer

Ministry of Education

Part 5

# Cases	10096
# Variable(s)	37

File Content

This file contains the information of the Part 5 of the Government School Census Schedule 2003.

Producer

Ministry of Education

Part 6

# Cases	10096
# Variable(s)	16

File Content

This file contains the information of the Part 6 of the Government School Census Schedule 2003.

Producer

Ministry of Education

Part 7

# Cases	10096
# Variable(s)	66

File Content

This file contains the information of the Part 7 of the Government School Census Schedule 2003.

Producer

Ministry of Education

Part 8A1

# Cases	10096
# Variable(s)	261

File Content

This file contains the information of the Part 8A1 of the Government School Census Schedule 2003.

Producer

Ministry of Education

Part 8A2

# Cases	10096
---------	-------

Census of Government Schools - 2003 - Files Description

# Variable(s)	235
<u>File Content</u> This file contains the information of the Part 8A2 of the Government School Census Schedule 2003.	
<u>Producer</u> Ministry of Education	

Part 8B	
# Cases	10096
# Variable(s)	85
<u>File Content</u> This file contains the information of the Part 8B of the Government School Census Schedule 2003.	
<u>Producer</u> Ministry of Education	

Part 9	
# Cases	10096
# Variable(s)	181
<u>File Content</u> This file contains the information of the Part 9 of the Government School Census Schedule 2003.	
<u>Producer</u> Ministry of Education	

Part 10	
# Cases	10096
# Variable(s)	115
<u>File Content</u> This file contains the information of the Part 10 of the Government School Census Schedule 2003.	
<u>Producer</u> Ministry of Education	

Part 11	
# Cases	10096
# Variable(s)	209
<u>File Content</u> This file contains the information of the Part 11 of the Government School Census Schedule 2003.	

Producer

Ministry of Education

Teachers Details

# Cases	189800
# Variable(s)	25

File Content

This file contains the information of the Teachers Details of the Government School Census - Teacher's Schedule 2003.

Producer

Ministry of Education

Variables List

Dataset contains 1882 variable(s)

File Part 1							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	V28	School Identification Code	discrete	character-7	10096	0	-
2	V29	School Number	discrete	character-5	10096	0	-
3	V27	1. District	discrete	character-2	10096	0	-
4	V32	2.Electorate	discrete	character-3	10096	0	-
5	V33	3. Divisional Secretariat Number	discrete	character-2	10096	0	-
6	V35	4. Local Government	discrete	character-1	10096	0	-
7	V36	5. Educational Zone	discrete	character-2	10096	0	-
8	V37	6. Educational Division	discrete	character-2	10096	0	-
9	V38	Name of the School	discrete	character-40	10096	-	-
10	V39	Address of the School	discrete	character-40	10096	-	-
11	V40	Telephone Number	discrete	character-10	1975	0	-
12	V41	7. Type of this School	discrete	character-1	10094	0	-
13	V42	8. School Classified by Race	discrete	character-1	10094	0	-
14	V43	12. Study language of the Students	discrete	character-1	9790	0	-
15	V45	13. Male, Female or Mixed School	discrete	character-1	9790	0	-
16	V46	14. Is this a National School?	discrete	character-1	9790	0	-
17	V48	16. Grade as at 2003-06-01	discrete	character-1	9790	0	-
18	V44	9. School Functioning or not	discrete	character-1	10096	0	-
19	V30	10. Date of Temporarily Colsed?	discrete	character-2	306	0	-
20	V49	11. Reason for closed?	discrete	character-1	306	0	-
21	V58	15. School according to ministry classification	discrete	character-1	9790	0	-
22	V59	17. Which level of supervisor	discrete	character-4	9789	0	-
23	V50	18.. How many days closed in 2002	discrete	numeric-3.0	10096	0	-

File Part 2							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	V278	SCID_03	discrete	character-7	10096	0	-
2	V279	P2_R1C1	discrete	numeric-4.0	10096	0	-
3	V280	P2_R1C2	discrete	numeric-4.0	10096	0	-
4	V281	P2_R1C3	discrete	numeric-4.0	10096	0	-
5	V282	P2_R1C4	discrete	numeric-4.0	10096	0	-
6	V283	P2_R1C5	discrete	numeric-4.0	10096	0	-
7	V284	P2_R1C6	discrete	numeric-4.0	10096	0	-
8	V285	P2_R1C7	discrete	numeric-4.0	10096	0	-
9	V286	P2_R1C8	discrete	numeric-4.0	10096	0	-
10	V287	P2_R1C9	discrete	numeric-4.0	10096	0	-
11	V288	P2_R1C10	discrete	numeric-4.0	10096	0	-
12	V289	P2_R1C11	discrete	numeric-4.0	10096	0	-
13	V290	P2_R1C12	discrete	numeric-4.0	10096	0	-
14	V291	P2_R2C1	discrete	numeric-4.0	10096	0	-
15	V292	P2_R2C2	discrete	numeric-4.0	10096	0	-
16	V293	P2_R2C3	discrete	numeric-4.0	10096	0	-
17	V294	P2_R2C4	discrete	numeric-4.0	10096	0	-
18	V295	P2_R2C5	discrete	numeric-4.0	10096	0	-
19	V296	P2_R2C6	discrete	numeric-4.0	10096	0	-
20	V297	P2_R2C7	discrete	numeric-4.0	10096	0	-
21	V298	P2_R2C8	discrete	numeric-4.0	10096	0	-
22	V299	P2_R2C9	discrete	numeric-4.0	10096	0	-
23	V300	P2_R2C10	discrete	numeric-4.0	10096	0	-
24	V301	P2_R2C11	discrete	numeric-4.0	10096	0	-
25	V302	P2_R2C12	discrete	numeric-4.0	10096	0	-
26	V303	P2_R3C1	discrete	numeric-4.0	10096	0	-
27	V304	P2_R3C2	discrete	numeric-4.0	10096	0	-
28	V305	P2_R3C3	discrete	numeric-4.0	10096	0	-
29	V306	P2_R3C4	discrete	numeric-4.0	10096	0	-
30	V307	P2_R3C5	discrete	numeric-4.0	10096	0	-
31	V308	P2_R3C6	discrete	numeric-4.0	10096	0	-
32	V309	P2_R3C7	discrete	numeric-4.0	10096	0	-
33	V310	P2_R3C8	discrete	numeric-4.0	10096	0	-
34	V311	P2_R3C9	discrete	numeric-4.0	10096	0	-
35	V312	P2_R3C10	discrete	numeric-4.0	10096	0	-
36	V313	P2_R3C11	discrete	numeric-4.0	10096	0	-
37	V314	P2_R3C12	discrete	numeric-4.0	10096	0	-

Census of Government Schools - 2003 - Variables List

File Part 2 (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
38	V315	P2_R4C1	discrete	numeric-4.0	10096	0	-
39	V316	P2_R4C2	discrete	numeric-4.0	10096	0	-
40	V317	P2_R4C3	discrete	numeric-4.0	10096	0	-
41	V318	P2_R4C4	discrete	numeric-4.0	10096	0	-
42	V319	P2_R4C5	discrete	numeric-4.0	10096	0	-
43	V320	P2_R4C6	discrete	numeric-4.0	10096	0	-
44	V321	P2_R4C7	discrete	numeric-4.0	10096	0	-
45	V322	P2_R4C8	discrete	numeric-4.0	10096	0	-
46	V323	P2_R4C9	discrete	numeric-4.0	10096	0	-
47	V324	P2_R4C10	discrete	numeric-4.0	10096	0	-
48	V325	P2_R4C11	discrete	numeric-4.0	10096	0	-
49	V326	P2_R4C12	discrete	numeric-4.0	10096	0	-
50	V327	P2_R5C1	discrete	numeric-4.0	10096	0	-
51	V328	P2_R5C2	discrete	numeric-4.0	10096	0	-
52	V329	P2_R5C3	discrete	numeric-4.0	10096	0	-
53	V330	P2_R5C4	discrete	numeric-4.0	10096	0	-
54	V331	P2_R5C5	discrete	numeric-4.0	10096	0	-
55	V332	P2_R5C6	discrete	numeric-4.0	10096	0	-
56	V333	P2_R5C7	discrete	numeric-4.0	10096	0	-
57	V334	P2_R5C8	discrete	numeric-4.0	10096	0	-
58	V335	P2_R5C9	discrete	numeric-4.0	10096	0	-
59	V336	P2_R5C10	discrete	numeric-4.0	10096	0	-
60	V337	P2_R5C11	discrete	numeric-4.0	10096	0	-
61	V338	P2_R5C12	discrete	numeric-4.0	10096	0	-
62	V339	P2_R6C1	discrete	numeric-4.0	10096	0	-
63	V340	P2_R6C2	discrete	numeric-4.0	10096	0	-
64	V341	P2_R6C3	discrete	numeric-4.0	10096	0	-
65	V342	P2_R6C4	discrete	numeric-4.0	10096	0	-
66	V343	P2_R6C5	discrete	numeric-4.0	10096	0	-
67	V344	P2_R6C6	discrete	numeric-4.0	10096	0	-
68	V345	P2_R6C7	discrete	numeric-4.0	10096	0	-
69	V346	P2_R6C8	discrete	numeric-4.0	10096	0	-
70	V347	P2_R6C9	discrete	numeric-4.0	10096	0	-
71	V348	P2_R6C10	discrete	numeric-4.0	10096	0	-
72	V349	P2_R6C11	discrete	numeric-4.0	10096	0	-
73	V350	P2_R6C12	discrete	numeric-4.0	10096	0	-
74	V351	P2_R7C1	discrete	numeric-4.0	10096	0	-

File Part 2 (cont.)

#	Name	Label	Type	Format	Valid	Invalid	Question
75	V352	P2_R7C2	discrete	numeric-4.0	10096	0	-
76	V353	P2_R7C3	discrete	numeric-4.0	10096	0	-
77	V354	P2_R7C4	discrete	numeric-4.0	10096	0	-
78	V355	P2_R7C5	discrete	numeric-4.0	10096	0	-
79	V356	P2_R7C6	discrete	numeric-4.0	10096	0	-
80	V357	P2_R7C7	discrete	numeric-4.0	10096	0	-
81	V358	P2_R7C8	discrete	numeric-4.0	10096	0	-
82	V359	P2_R7C9	discrete	numeric-4.0	10096	0	-
83	V360	P2_R7C10	discrete	numeric-4.0	10096	0	-
84	V361	P2_R7C11	discrete	numeric-4.0	10096	0	-
85	V362	P2_R7C12	discrete	numeric-4.0	10096	0	-
86	V363	P2_R8C1	discrete	numeric-4.0	10096	0	-
87	V364	P2_R8C2	discrete	numeric-4.0	10096	0	-
88	V365	P2_R8C3	discrete	numeric-4.0	10096	0	-
89	V366	P2_R8C4	discrete	numeric-4.0	10096	0	-
90	V367	P2_R8C5	discrete	numeric-4.0	10096	0	-
91	V368	P2_R8C6	discrete	numeric-4.0	10096	0	-
92	V369	P2_R8C7	discrete	numeric-4.0	10096	0	-
93	V370	P2_R8C8	discrete	numeric-4.0	10096	0	-
94	V371	P2_R8C9	discrete	numeric-4.0	10096	0	-
95	V372	P2_R8C10	discrete	numeric-4.0	10096	0	-
96	V373	P2_R8C11	discrete	numeric-4.0	10096	0	-
97	V374	P2_R8C12	discrete	numeric-4.0	10096	0	-
98	V375	P2_R9C1	discrete	numeric-4.0	10096	0	-
99	V376	P2_R9C2	discrete	numeric-4.0	10096	0	-
100	V377	P2_R9C3	discrete	numeric-4.0	10096	0	-
101	V378	P2_R9C4	discrete	numeric-4.0	10096	0	-
102	V379	P2_R9C5	discrete	numeric-4.0	10096	0	-
103	V380	P2_R9C6	discrete	numeric-4.0	10096	0	-
104	V381	P2_R9C7	discrete	numeric-4.0	10096	0	-
105	V382	P2_R9C8	discrete	numeric-4.0	10096	0	-
106	V383	P2_R9C9	discrete	numeric-4.0	10096	0	-
107	V384	P2_R9C10	discrete	numeric-4.0	10096	0	-
108	V385	P2_R9C11	discrete	numeric-4.0	10096	0	-
109	V386	P2_R9C12	discrete	numeric-4.0	10096	0	-
110	V387	P2_R10C1	discrete	numeric-4.0	10096	0	-
111	V388	P2_R10C2	discrete	numeric-4.0	10096	0	-

Census of Government Schools - 2003 - Variables List

File Part 2 (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
112	V389	P2_R10C3	discrete	numeric-4.0	10096	0	-
113	V390	P2_R10C4	discrete	numeric-4.0	10096	0	-
114	V391	P2_R10C5	discrete	numeric-4.0	10096	0	-
115	V392	P2_R10C6	discrete	numeric-4.0	10096	0	-
116	V393	P2_R10C7	discrete	numeric-4.0	10096	0	-
117	V394	P2_R10C8	discrete	numeric-4.0	10096	0	-
118	V395	P2_R10C9	discrete	numeric-4.0	10096	0	-
119	V396	P2_R10C10	discrete	numeric-4.0	10096	0	-
120	V397	P2_R10C11	discrete	numeric-4.0	10096	0	-
121	V398	P2_R10C12	discrete	numeric-4.0	10096	0	-
122	V399	P2_R11C1	discrete	numeric-4.0	10096	0	-
123	V400	P2_R11C2	discrete	numeric-4.0	10096	0	-
124	V401	P2_R11C3	discrete	numeric-4.0	10096	0	-
125	V402	P2_R11C4	discrete	numeric-4.0	10096	0	-
126	V403	P2_R11C5	discrete	numeric-4.0	10096	0	-
127	V404	P2_R11C6	discrete	numeric-4.0	10096	0	-
128	V405	P2_R11C7	discrete	numeric-4.0	10096	0	-
129	V406	P2_R11C8	discrete	numeric-4.0	10096	0	-
130	V407	P2_R11C9	discrete	numeric-4.0	10096	0	-
131	V408	P2_R11C10	discrete	numeric-4.0	10096	0	-
132	V409	P2_R11C11	discrete	numeric-4.0	10096	0	-
133	V410	P2_R11C12	discrete	numeric-4.0	10096	0	-
134	V411	P2_R12C1	discrete	numeric-4.0	10096	0	-
135	V412	P2_R12C2	discrete	numeric-4.0	10096	0	-
136	V413	P2_R12C3	discrete	numeric-4.0	10096	0	-
137	V414	P2_R12C4	discrete	numeric-4.0	10096	0	-
138	V415	P2_R12C5	discrete	numeric-4.0	10096	0	-
139	V416	P2_R12C6	discrete	numeric-4.0	10096	0	-
140	V417	P2_R12C7	discrete	numeric-4.0	10096	0	-
141	V418	P2_R12C8	discrete	numeric-4.0	10096	0	-
142	V419	P2_R12C9	discrete	numeric-4.0	10096	0	-
143	V420	P2_R12C10	discrete	numeric-4.0	10096	0	-
144	V421	P2_R12C11	discrete	numeric-4.0	10096	0	-
145	V422	P2_R12C12	discrete	numeric-4.0	10096	0	-
146	V423	P2_R13C1	discrete	numeric-4.0	10096	0	-
147	V424	P2_R13C2	discrete	numeric-4.0	10096	0	-
148	V425	P2_R13C3	discrete	numeric-4.0	10096	0	-

File Part 2 (cont.)

#	Name	Label	Type	Format	Valid	Invalid	Question
149	V426	P2_R13C4	discrete	numeric-4.0	10096	0	-
150	V427	P2_R13C5	discrete	numeric-4.0	10096	0	-
151	V428	P2_R13C6	discrete	numeric-4.0	10096	0	-
152	V429	P2_R13C7	discrete	numeric-4.0	10096	0	-
153	V430	P2_R13C8	discrete	numeric-4.0	10096	0	-
154	V431	P2_R13C9	discrete	numeric-4.0	10096	0	-
155	V432	P2_R13C10	discrete	numeric-4.0	10096	0	-
156	V433	P2_R13C11	discrete	numeric-4.0	10096	0	-
157	V434	P2_R13C12	discrete	numeric-4.0	10096	0	-
158	V435	P2_R14C1	discrete	numeric-4.0	10096	0	-
159	V436	P2_R14C2	discrete	numeric-4.0	10096	0	-
160	V437	P2_R14C3	discrete	numeric-4.0	10096	0	-
161	V438	P2_R14C4	discrete	numeric-4.0	10096	0	-
162	V439	P2_R14C5	discrete	numeric-4.0	10096	0	-
163	V440	P2_R14C6	discrete	numeric-4.0	10096	0	-
164	V441	P2_R14C7	discrete	numeric-4.0	10096	0	-
165	V442	P2_R14C8	discrete	numeric-4.0	10096	0	-
166	V443	P2_R14C9	discrete	numeric-4.0	10096	0	-
167	V444	P2_R14C10	discrete	numeric-4.0	10096	0	-
168	V445	P2_R14C11	discrete	numeric-4.0	10096	0	-
169	V446	P2_R14C12	discrete	numeric-4.0	10096	0	-
170	V447	P2_R15C1	discrete	numeric-4.0	10096	0	-
171	V448	P2_R15C2	discrete	numeric-4.0	10096	0	-
172	V449	P2_R15C3	discrete	numeric-4.0	10096	0	-
173	V450	P2_R15C4	discrete	numeric-4.0	10096	0	-
174	V451	P2_R15C5	discrete	numeric-4.0	10096	0	-
175	V452	P2_R15C6	discrete	numeric-4.0	10096	0	-
176	V453	P2_R15C7	discrete	numeric-4.0	10096	0	-
177	V454	P2_R15C8	discrete	numeric-4.0	10096	0	-
178	V455	P2_R15C9	discrete	numeric-4.0	10096	0	-
179	V456	P2_R15C10	discrete	numeric-4.0	10096	0	-
180	V457	P2_R15C11	discrete	numeric-4.0	10096	0	-
181	V458	P2_R15C12	discrete	numeric-4.0	10096	0	-
182	V459	P2_R16C1	discrete	numeric-4.0	10096	0	-
183	V460	P2_R16C2	discrete	numeric-4.0	10096	0	-
184	V461	P2_R16C3	discrete	numeric-4.0	10096	0	-
185	V462	P2_R16C4	discrete	numeric-4.0	10096	0	-

File Part 2 (cont.)

#	Name	Label	Type	Format	Valid	Invalid	Question
186	V463	P2_R16C5	discrete	numeric-4.0	10096	0	-
187	V464	P2_R16C6	discrete	numeric-4.0	10096	0	-
188	V465	P2_R16C7	discrete	numeric-4.0	10096	0	-
189	V466	P2_R16C8	discrete	numeric-4.0	10096	0	-
190	V467	P2_R16C9	discrete	numeric-4.0	10096	0	-
191	V468	P2_R16C10	discrete	numeric-4.0	10096	0	-
192	V469	P2_R16C11	discrete	numeric-4.0	10096	0	-
193	V470	P2_R16C12	discrete	numeric-4.0	10096	0	-
194	V471	P2_R17C1	discrete	numeric-4.0	10096	0	-
195	V472	P2_R17C2	discrete	numeric-4.0	10096	0	-
196	V473	P2_R17C3	discrete	numeric-4.0	10096	0	-
197	V474	P2_R17C4	discrete	numeric-4.0	10096	0	-
198	V475	P2_R17C5	discrete	numeric-4.0	10096	0	-
199	V476	P2_R17C6	discrete	numeric-4.0	10096	0	-
200	V477	P2_R17C7	discrete	numeric-4.0	10096	0	-
201	V478	P2_R17C8	discrete	numeric-4.0	10096	0	-
202	V479	P2_R17C9	discrete	numeric-4.0	10096	0	-
203	V480	P2_R17C10	discrete	numeric-4.0	10096	0	-
204	V481	P2_R17C11	discrete	numeric-4.0	10096	0	-
205	V482	P2_R17C12	discrete	numeric-4.0	10096	0	-
206	V483	P2_R18C1	discrete	numeric-4.0	10096	0	-
207	V484	P2_R18C2	discrete	numeric-4.0	10096	0	-
208	V485	P2_R18C3	discrete	numeric-4.0	10096	0	-
209	V486	P2_R18C4	discrete	numeric-4.0	10096	0	-
210	V487	P2_R18C5	discrete	numeric-4.0	10096	0	-
211	V488	P2_R18C6	discrete	numeric-4.0	10096	0	-
212	V489	P2_R18C7	discrete	numeric-4.0	10096	0	-
213	V490	P2_R18C8	discrete	numeric-4.0	10096	0	-
214	V491	P2_R18C9	discrete	numeric-4.0	10096	0	-
215	V492	P2_R18C10	discrete	numeric-4.0	10096	0	-
216	V493	P2_R18C11	discrete	numeric-4.0	10096	0	-
217	V494	P2_R18C12	discrete	numeric-4.0	10096	0	-
218	V495	P2_R19C1	discrete	numeric-4.0	10096	0	-
219	V496	P2_R19C2	discrete	numeric-4.0	10096	0	-
220	V497	P2_R19C3	discrete	numeric-4.0	10096	0	-
221	V498	P2_R19C4	discrete	numeric-4.0	10096	0	-
222	V499	P2_R19C5	discrete	numeric-4.0	10096	0	-

Census of Government Schools - 2003 - Variables List

File Part 2 (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
223	V500	P2_R19C6	discrete	numeric-4.0	10096	0	-
224	V501	P2_R19C7	discrete	numeric-4.0	10096	0	-
225	V502	P2_R19C8	discrete	numeric-4.0	10096	0	-
226	V503	P2_R19C9	discrete	numeric-4.0	10096	0	-
227	V504	P2_R19C10	discrete	numeric-4.0	10096	0	-
228	V505	P2_R19C11	discrete	numeric-4.0	10096	0	-
229	V506	P2_R19C12	discrete	numeric-4.0	10096	0	-
230	V507	P2_R20C1	discrete	numeric-4.0	10096	0	-
231	V508	P2_R20C2	discrete	numeric-4.0	10096	0	-
232	V509	P2_R20C3	discrete	numeric-4.0	10096	0	-
233	V510	P2_R20C4	discrete	numeric-4.0	10096	0	-
234	V511	P2_R20C5	discrete	numeric-4.0	10096	0	-
235	V512	P2_R20C6	discrete	numeric-4.0	10096	0	-
236	V513	P2_R20C7	discrete	numeric-4.0	10096	0	-
237	V514	P2_R20C8	discrete	numeric-4.0	10096	0	-
238	V515	P2_R20C9	discrete	numeric-4.0	10096	0	-
239	V516	P2_R20C10	discrete	numeric-4.0	10096	0	-
240	V517	P2_R20C11	discrete	numeric-4.0	10096	0	-
241	V518	P2_R20C12	discrete	numeric-4.0	10096	0	-
242	V519	P2_R21C1	discrete	numeric-4.0	10096	0	-
243	V520	P2_R21C2	discrete	numeric-4.0	10096	0	-
244	V521	P2_R21C3	discrete	numeric-4.0	10096	0	-
245	V522	P2_R21C4	discrete	numeric-4.0	10096	0	-
246	V523	P2_R21C5	discrete	numeric-4.0	10096	0	-
247	V524	P2_R21C6	discrete	numeric-4.0	10096	0	-
248	V525	P2_R21C7	discrete	numeric-4.0	10096	0	-
249	V526	P2_R21C8	discrete	numeric-4.0	10096	0	-
250	V527	P2_R21C9	discrete	numeric-4.0	10096	0	-
251	V528	P2_R21C10	discrete	numeric-4.0	10096	0	-
252	V529	P2_R21C11	discrete	numeric-4.0	10096	0	-
253	V530	P2_R21C12	discrete	numeric-4.0	10096	0	-
254	V531	P2_R22C1	discrete	numeric-4.0	10096	0	-
255	V532	P2_R22C2	discrete	numeric-4.0	10096	0	-
256	V533	P2_R22C3	discrete	numeric-4.0	10096	0	-
257	V534	P2_R22C4	discrete	numeric-4.0	10096	0	-
258	V535	P2_R22C5	discrete	numeric-4.0	10096	0	-
259	V536	P2_R22C6	discrete	numeric-4.0	10096	0	-

Census of Government Schools - 2003 - Variables List

File Part 2 (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
260	V537	P2_R22C7	discrete	numeric-4.0	10096	0	-
261	V538	P2_R22C8	discrete	numeric-4.0	10096	0	-
262	V539	P2_R22C9	discrete	numeric-4.0	10096	0	-
263	V540	P2_R22C10	discrete	numeric-4.0	10096	0	-
264	V541	P2_R22C11	discrete	numeric-4.0	10096	0	-
265	V542	P2_R22C12	discrete	numeric-4.0	10096	0	-
266	V543	P2_R23C1	discrete	numeric-4.0	10096	0	-
267	V544	P2_R23C2	discrete	numeric-4.0	10096	0	-
268	V545	P2_R23C3	discrete	numeric-4.0	10096	0	-
269	V546	P2_R23C4	discrete	numeric-4.0	10096	0	-
270	V547	P2_R23C5	discrete	numeric-4.0	10096	0	-
271	V548	P2_R23C6	discrete	numeric-4.0	10096	0	-
272	V549	P2_R23C7	discrete	numeric-4.0	10096	0	-
273	V550	P2_R23C8	discrete	numeric-4.0	10096	0	-
274	V551	P2_R23C9	discrete	numeric-4.0	10096	0	-
275	V552	P2_R23C10	discrete	numeric-4.0	10096	0	-
276	V553	P2_R23C11	discrete	numeric-4.0	10096	0	-
277	V554	P2_R23C12	discrete	numeric-4.0	10096	0	-

File Part 3							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	V274	SCID_03	discrete	character-7	10096	0	-
2	V275	Y1_R1C1	discrete	numeric-3.0	10096	0	-
3	V276	Y1_R1C2	discrete	numeric-3.0	10096	0	-
4	V277	Y1_R1C3	discrete	numeric-3.0	10096	0	-
5	V278	Y1_R1C4	discrete	numeric-3.0	10096	0	-
6	V279	Y1_R2C1	discrete	numeric-3.0	10096	0	-
7	V280	Y1_R2C2	discrete	numeric-3.0	10096	0	-
8	V281	Y1_R2C3	discrete	numeric-3.0	10096	0	-
9	V282	Y1_R2C4	discrete	numeric-3.0	10096	0	-
10	V283	Y1_R3C1	discrete	numeric-3.0	10096	0	-
11	V284	Y1_R3C2	discrete	numeric-3.0	10096	0	-
12	V285	Y1_R3C3	discrete	numeric-3.0	10096	0	-
13	V286	Y1_R3C4	discrete	numeric-3.0	10096	0	-
14	V287	Y1_R4C1	discrete	numeric-3.0	10096	0	-
15	V288	Y1_R4C2	discrete	numeric-3.0	10096	0	-

Census of Government Schools - 2003 - Variables List

File Part 3 (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
16	V289	Y1_R4C3	discrete	numeric-3.0	10096	0	-
17	V290	Y1_R4C4	discrete	numeric-3.0	10096	0	-
18	V291	Y2_R1C1	discrete	numeric-3.0	10096	0	-
19	V292	Y2_R1C2	discrete	numeric-3.0	10096	0	-
20	V293	Y2_R1C3	discrete	numeric-3.0	10096	0	-
21	V294	Y2_R1C4	discrete	numeric-3.0	10096	0	-
22	V295	Y2_R2C1	discrete	numeric-3.0	10096	0	-
23	V296	Y2_R2C2	discrete	numeric-3.0	10096	0	-
24	V297	Y2_R2C3	discrete	numeric-3.0	10096	0	-
25	V298	Y2_R2C4	discrete	numeric-3.0	10096	0	-
26	V299	Y2_R3C1	discrete	numeric-3.0	10096	0	-
27	V300	Y2_R3C2	discrete	numeric-3.0	10096	0	-
28	V301	Y2_R3C3	discrete	numeric-3.0	10096	0	-
29	V302	Y2_R3C4	discrete	numeric-3.0	10096	0	-
30	V303	Y2_R4C1	discrete	numeric-3.0	10096	0	-
31	V304	Y2_R4C2	discrete	numeric-3.0	10096	0	-
32	V305	Y2_R4C3	discrete	numeric-3.0	10096	0	-
33	V306	Y2_R4C4	discrete	numeric-3.0	10096	0	-
34	V307	Y3_R1C1	discrete	numeric-3.0	10096	0	-
35	V308	Y3_R1C2	discrete	numeric-3.0	10096	0	-
36	V309	Y3_R1C3	discrete	numeric-3.0	10096	0	-
37	V310	Y3_R1C4	discrete	numeric-3.0	10096	0	-
38	V311	Y3_R2C1	discrete	numeric-3.0	10096	0	-
39	V312	Y3_R2C2	discrete	numeric-3.0	10096	0	-
40	V313	Y3_R2C3	discrete	numeric-3.0	10096	0	-
41	V314	Y3_R2C4	discrete	numeric-3.0	10096	0	-
42	V315	Y3_R3C1	discrete	numeric-3.0	10096	0	-
43	V316	Y3_R3C2	discrete	numeric-3.0	10096	0	-
44	V317	Y3_R3C3	discrete	numeric-3.0	10096	0	-
45	V318	Y3_R3C4	discrete	numeric-3.0	10096	0	-
46	V319	Y3_R4C1	discrete	numeric-3.0	10096	0	-
47	V320	Y3_R4C2	discrete	numeric-3.0	10096	0	-
48	V321	Y3_R4C3	discrete	numeric-3.0	10096	0	-
49	V322	Y3_R4C4	discrete	numeric-3.0	10096	0	-
50	V323	Y4_R1C1	discrete	numeric-3.0	10096	0	-
51	V324	Y4_R1C2	discrete	numeric-3.0	10096	0	-
52	V325	Y4_R1C3	discrete	numeric-3.0	10096	0	-

File Part 3 (cont.)

#	Name	Label	Type	Format	Valid	Invalid	Question
53	V326	Y4_R1C4	discrete	numeric-3.0	10096	0	-
54	V327	Y4_R2C1	discrete	numeric-3.0	10096	0	-
55	V328	Y4_R2C2	discrete	numeric-3.0	10096	0	-
56	V329	Y4_R2C3	discrete	numeric-3.0	10096	0	-
57	V330	Y4_R2C4	discrete	numeric-3.0	10096	0	-
58	V331	Y4_R3C1	discrete	numeric-3.0	10096	0	-
59	V332	Y4_R3C2	discrete	numeric-3.0	10096	0	-
60	V333	Y4_R3C3	discrete	numeric-3.0	10096	0	-
61	V334	Y4_R3C4	discrete	numeric-3.0	10096	0	-
62	V335	Y4_R4C1	discrete	numeric-3.0	10096	0	-
63	V336	Y4_R4C2	discrete	numeric-3.0	10096	0	-
64	V337	Y4_R4C3	discrete	numeric-3.0	10096	0	-
65	V338	Y4_R4C4	discrete	numeric-3.0	10096	0	-
66	V339	Y5_R1C1	discrete	numeric-3.0	10096	0	-
67	V340	Y5_R1C2	discrete	numeric-3.0	10096	0	-
68	V341	Y5_R1C3	discrete	numeric-3.0	10096	0	-
69	V342	Y5_R1C4	discrete	numeric-3.0	10096	0	-
70	V343	Y5_R2C1	discrete	numeric-3.0	10096	0	-
71	V344	Y5_R2C2	discrete	numeric-3.0	10096	0	-
72	V345	Y5_R2C3	discrete	numeric-3.0	10096	0	-
73	V346	Y5_R2C4	discrete	numeric-3.0	10096	0	-
74	V347	Y5_R3C1	discrete	numeric-3.0	10096	0	-
75	V348	Y5_R3C2	discrete	numeric-3.0	10096	0	-
76	V349	Y5_R3C3	discrete	numeric-3.0	10096	0	-
77	V350	Y5_R3C4	discrete	numeric-3.0	10096	0	-
78	V351	Y5_R4C1	discrete	numeric-3.0	10096	0	-
79	V352	Y5_R4C2	discrete	numeric-3.0	10096	0	-
80	V353	Y5_R4C3	discrete	numeric-3.0	10096	0	-
81	V354	Y5_R4C4	discrete	numeric-3.0	10096	0	-
82	V355	Y6_R1C1	discrete	numeric-3.0	10096	0	-
83	V356	Y6_R1C2	discrete	numeric-3.0	10096	0	-
84	V357	Y6_R1C3	discrete	numeric-3.0	10096	0	-
85	V358	Y6_R1C4	discrete	numeric-3.0	10096	0	-
86	V359	Y6_R2C1	discrete	numeric-3.0	10096	0	-
87	V360	Y6_R2C2	discrete	numeric-3.0	10096	0	-
88	V361	Y6_R2C3	discrete	numeric-3.0	10096	0	-
89	V362	Y6_R2C4	discrete	numeric-3.0	10096	0	-

File Part 3 (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
90	V363	Y6_R3C1	discrete	numeric-3.0	10096	0	-
91	V364	Y6_R3C2	discrete	numeric-3.0	10096	0	-
92	V365	Y6_R3C3	discrete	numeric-3.0	10096	0	-
93	V366	Y6_R3C4	discrete	numeric-3.0	10096	0	-
94	V367	Y6_R4C1	discrete	numeric-3.0	10096	0	-
95	V368	Y6_R4C2	discrete	numeric-3.0	10096	0	-
96	V369	Y6_R4C3	discrete	numeric-3.0	10096	0	-
97	V370	Y6_R4C4	discrete	numeric-3.0	10096	0	-
98	V371	Y7_R1C1	discrete	numeric-3.0	10096	0	-
99	V372	Y7_R1C2	discrete	numeric-3.0	10096	0	-
100	V373	Y7_R1C3	discrete	numeric-3.0	10096	0	-
101	V374	Y7_R1C4	discrete	numeric-3.0	10096	0	-
102	V375	Y7_R2C1	discrete	numeric-3.0	10096	0	-
103	V376	Y7_R2C2	discrete	numeric-3.0	10096	0	-
104	V377	Y7_R2C3	discrete	numeric-3.0	10096	0	-
105	V378	Y7_R2C4	discrete	numeric-3.0	10096	0	-
106	V379	Y7_R3C1	discrete	numeric-3.0	10096	0	-
107	V380	Y7_R3C2	discrete	numeric-3.0	10096	0	-
108	V381	Y7_R3C3	discrete	numeric-3.0	10096	0	-
109	V382	Y7_R3C4	discrete	numeric-3.0	10096	0	-
110	V383	Y7_R4C1	discrete	numeric-3.0	10096	0	-
111	V384	Y7_R4C2	discrete	numeric-3.0	10096	0	-
112	V385	Y7_R4C3	discrete	numeric-3.0	10096	0	-
113	V386	Y7_R4C4	discrete	numeric-3.0	10096	0	-
114	V387	Y8_R1C1	discrete	numeric-3.0	10096	0	-
115	V388	Y8_R1C2	discrete	numeric-3.0	10096	0	-
116	V389	Y8_R1C3	discrete	numeric-3.0	10096	0	-
117	V390	Y8_R1C4	discrete	numeric-3.0	10096	0	-
118	V391	Y8_R1C5	discrete	numeric-3.0	10096	0	-
119	V392	Y8_R2C1	discrete	numeric-3.0	10096	0	-
120	V393	Y8_R2C2	discrete	numeric-3.0	10096	0	-
121	V394	Y8_R2C3	discrete	numeric-3.0	10096	0	-
122	V395	Y8_R2C4	discrete	numeric-3.0	10096	0	-
123	V396	Y8_R2C5	discrete	numeric-3.0	10096	0	-
124	V397	Y8_R3C1	discrete	numeric-3.0	10096	0	-
125	V398	Y8_R3C2	discrete	numeric-3.0	10096	0	-
126	V399	Y8_R3C3	discrete	numeric-3.0	10096	0	-

Census of Government Schools - 2003 - Variables List

File Part 3 (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
127	V400	Y8_R3C4	discrete	numeric-3.0	10096	0	-
128	V401	Y8_R3C5	discrete	numeric-3.0	10096	0	-
129	V402	Y8_R4C1	discrete	numeric-3.0	10096	0	-
130	V403	Y8_R4C2	discrete	numeric-3.0	10096	0	-
131	V404	Y8_R4C3	discrete	numeric-3.0	10096	0	-
132	V405	Y8_R4C4	discrete	numeric-3.0	10096	0	-
133	V406	Y8_R4C5	discrete	numeric-3.0	10096	0	-
134	V407	Y9_R1C1	discrete	numeric-3.0	10096	0	-
135	V408	Y9_R1C2	discrete	numeric-3.0	10096	0	-
136	V409	Y9_R1C3	discrete	numeric-3.0	10096	0	-
137	V410	Y9_R1C4	discrete	numeric-3.0	10096	0	-
138	V411	Y9_R1C5	discrete	numeric-3.0	10096	0	-
139	V412	Y9_R2C1	discrete	numeric-3.0	10096	0	-
140	V413	Y9_R2C2	discrete	numeric-3.0	10096	0	-
141	V414	Y9_R2C3	discrete	numeric-3.0	10096	0	-
142	V415	Y9_R2C4	discrete	numeric-3.0	10096	0	-
143	V416	Y9_R2C5	discrete	numeric-3.0	10096	0	-
144	V417	Y9_R3C1	discrete	numeric-3.0	10096	0	-
145	V418	Y9_R3C2	discrete	numeric-3.0	10096	0	-
146	V419	Y9_R3C3	discrete	numeric-3.0	10096	0	-
147	V420	Y9_R3C4	discrete	numeric-3.0	10096	0	-
148	V421	Y9_R3C5	discrete	numeric-3.0	10096	0	-
149	V422	Y9_R4C1	discrete	numeric-3.0	10096	0	-
150	V423	Y9_R4C2	discrete	numeric-3.0	10096	0	-
151	V424	Y9_R4C3	discrete	numeric-3.0	10096	0	-
152	V425	Y9_R4C4	discrete	numeric-3.0	10096	0	-
153	V426	Y9_R4C5	discrete	numeric-3.0	10096	0	-
154	V427	Y10_R1C1	discrete	numeric-3.0	10096	0	-
155	V428	Y10_R1C2	discrete	numeric-3.0	10096	0	-
156	V429	Y10_R1C3	discrete	numeric-3.0	10096	0	-
157	V430	Y10_R1C4	discrete	numeric-3.0	10096	0	-
158	V431	Y10_R1C5	discrete	numeric-3.0	10096	0	-
159	V432	Y10_R2C1	discrete	numeric-3.0	10096	0	-
160	V433	Y10_R2C2	discrete	numeric-3.0	10096	0	-
161	V434	Y10_R2C3	discrete	numeric-3.0	10096	0	-
162	V435	Y10_R2C4	discrete	numeric-3.0	10096	0	-
163	V436	Y10_R2C5	discrete	numeric-3.0	10096	0	-

File Part 3 (cont.)

#	Name	Label	Type	Format	Valid	Invalid	Question
164	V437	Y10_R3C1	discrete	numeric-3.0	10096	0	-
165	V438	Y10_R3C2	discrete	numeric-3.0	10096	0	-
166	V439	Y10_R3C3	discrete	numeric-3.0	10096	0	-
167	V440	Y10_R3C4	discrete	numeric-3.0	10096	0	-
168	V441	Y10_R3C5	discrete	numeric-3.0	10096	0	-
169	V442	Y10_R4C1	discrete	numeric-3.0	10096	0	-
170	V443	Y10_R4C2	discrete	numeric-3.0	10096	0	-
171	V444	Y10_R4C3	discrete	numeric-3.0	10096	0	-
172	V445	Y10_R4C4	discrete	numeric-3.0	10096	0	-
173	V446	Y10_R4C5	discrete	numeric-3.0	10096	0	-
174	V447	Y11_R1C1	discrete	numeric-3.0	10096	0	-
175	V448	Y11_R1C2	discrete	numeric-3.0	10096	0	-
176	V449	Y11_R1C3	discrete	numeric-3.0	10096	0	-
177	V450	Y11_R1C4	discrete	numeric-3.0	10096	0	-
178	V451	Y11_R1C5	discrete	numeric-3.0	10096	0	-
179	V452	Y11_R2C1	discrete	numeric-3.0	10096	0	-
180	V453	Y11_R2C2	discrete	numeric-3.0	10096	0	-
181	V454	Y11_R2C3	discrete	numeric-3.0	10096	0	-
182	V455	Y11_R2C4	discrete	numeric-3.0	10096	0	-
183	V456	Y11_R2C5	discrete	numeric-3.0	10096	0	-
184	V457	Y11_R3C1	discrete	numeric-3.0	10096	0	-
185	V458	Y11_R3C2	discrete	numeric-3.0	10096	0	-
186	V459	Y11_R3C3	discrete	numeric-3.0	10096	0	-
187	V460	Y11_R3C4	discrete	numeric-3.0	10096	0	-
188	V461	Y11_R3C5	discrete	numeric-3.0	10096	0	-
189	V462	Y11_R4C1	discrete	numeric-3.0	10096	0	-
190	V463	Y11_R4C2	discrete	numeric-3.0	10096	0	-
191	V464	Y11_R4C3	discrete	numeric-3.0	10096	0	-
192	V465	Y11_R4C4	discrete	numeric-3.0	10096	0	-
193	V466	Y11_R4C5	discrete	numeric-3.0	10096	0	-
194	V467	Y11R_R1C1	discrete	numeric-3.0	10096	0	-
195	V468	Y11R_R1C2	discrete	numeric-3.0	10096	0	-
196	V469	Y11R_R1C3	discrete	numeric-3.0	10096	0	-
197	V470	Y11R_R1C4	discrete	numeric-3.0	10096	0	-
198	V471	Y11R_R1C5	discrete	numeric-3.0	10096	0	-
199	V472	Y11R_R2C1	discrete	numeric-3.0	10096	0	-
200	V473	Y11R_R2C2	discrete	numeric-3.0	10096	0	-

File Part 3 (cont.)

#	Name	Label	Type	Format	Valid	Invalid	Question
201	V474	Y11R_R2C3	discrete	numeric-3.0	10096	0	-
202	V475	Y11R_R2C4	discrete	numeric-3.0	10096	0	-
203	V476	Y11R_R2C5	discrete	numeric-3.0	10096	0	-
204	V477	Y11R_R3C1	discrete	numeric-3.0	10096	0	-
205	V478	Y11R_R3C2	discrete	numeric-3.0	10096	0	-
206	V479	Y11R_R3C3	discrete	numeric-3.0	10096	0	-
207	V480	Y11R_R3C4	discrete	numeric-3.0	10096	0	-
208	V481	Y11R_R3C5	discrete	numeric-3.0	10096	0	-
209	V482	Y11R_R4C1	discrete	numeric-3.0	10096	0	-
210	V483	Y11R_R4C2	discrete	numeric-3.0	10096	0	-
211	V484	Y11R_R4C3	discrete	numeric-3.0	10096	0	-
212	V485	Y11R_R4C4	discrete	numeric-3.0	10096	0	-
213	V486	Y11R_R4C5	discrete	numeric-3.0	10096	0	-
214	V487	Y12_R1C1	discrete	numeric-3.0	10096	0	-
215	V488	Y12_R1C2	discrete	numeric-3.0	10096	0	-
216	V489	Y12_R1C3	discrete	numeric-3.0	10096	0	-
217	V490	Y12_R1C4	discrete	numeric-3.0	10096	0	-
218	V491	Y12_R1C5	discrete	numeric-3.0	10096	0	-
219	V492	Y12_R2C1	discrete	numeric-3.0	10096	0	-
220	V493	Y12_R2C2	discrete	numeric-3.0	10096	0	-
221	V494	Y12_R2C3	discrete	numeric-3.0	10096	0	-
222	V495	Y12_R2C4	discrete	numeric-3.0	10096	0	-
223	V496	Y12_R2C5	discrete	numeric-3.0	10096	0	-
224	V497	Y12_R3C1	discrete	numeric-3.0	10096	0	-
225	V498	Y12_R3C2	discrete	numeric-3.0	10096	0	-
226	V499	Y12_R3C3	discrete	numeric-3.0	10096	0	-
227	V500	Y12_R3C4	discrete	numeric-3.0	10096	0	-
228	V501	Y12_R3C5	discrete	numeric-3.0	10096	0	-
229	V502	Y12_R4C1	discrete	numeric-3.0	10096	0	-
230	V503	Y12_R4C2	discrete	numeric-3.0	10096	0	-
231	V504	Y12_R4C3	discrete	numeric-3.0	10096	0	-
232	V505	Y12_R4C4	discrete	numeric-3.0	10096	0	-
233	V506	Y12_R4C5	discrete	numeric-3.0	10096	0	-
234	V507	Y13_R1C1	discrete	numeric-3.0	10096	0	-
235	V508	Y13_R1C2	discrete	numeric-3.0	10096	0	-
236	V509	Y13_R1C3	discrete	numeric-3.0	10096	0	-
237	V510	Y13_R1C4	discrete	numeric-3.0	10096	0	-

File Part 3 (cont.)

#	Name	Label	Type	Format	Valid	Invalid	Question
238	V511	Y13_R1C5	discrete	numeric-3.0	10096	0	-
239	V512	Y13_R2C1	discrete	numeric-3.0	10096	0	-
240	V513	Y13_R2C2	discrete	numeric-3.0	10096	0	-
241	V514	Y13_R2C3	discrete	numeric-3.0	10096	0	-
242	V515	Y13_R2C4	discrete	numeric-3.0	10096	0	-
243	V516	Y13_R2C5	discrete	numeric-3.0	10096	0	-
244	V517	Y13_R3C1	discrete	numeric-3.0	10096	0	-
245	V518	Y13_R3C2	discrete	numeric-3.0	10096	0	-
246	V519	Y13_R3C3	discrete	numeric-3.0	10096	0	-
247	V520	Y13_R3C4	discrete	numeric-3.0	10096	0	-
248	V521	Y13_R3C5	discrete	numeric-3.0	10096	0	-
249	V522	Y13_R4C1	discrete	numeric-3.0	10096	0	-
250	V523	Y13_R4C2	discrete	numeric-3.0	10096	0	-
251	V524	Y13_R4C3	discrete	numeric-3.0	10096	0	-
252	V525	Y13_R4C4	discrete	numeric-3.0	10096	0	-
253	V526	Y13_R4C5	discrete	numeric-3.0	10096	0	-
254	V527	Y13R_R1C1	discrete	numeric-3.0	10096	0	-
255	V528	Y13R_R1C2	discrete	numeric-3.0	10096	0	-
256	V529	Y13R_R1C3	discrete	numeric-3.0	10096	0	-
257	V530	Y13R_R1C4	discrete	numeric-3.0	10096	0	-
258	V531	Y13R_R1C5	discrete	numeric-3.0	10096	0	-
259	V532	Y13R_R2C1	discrete	numeric-3.0	10096	0	-
260	V533	Y13R_R2C2	discrete	numeric-3.0	10096	0	-
261	V534	Y13R_R2C3	discrete	numeric-3.0	10096	0	-
262	V535	Y13R_R2C4	discrete	numeric-3.0	10096	0	-
263	V536	Y13R_R2C5	discrete	numeric-3.0	10096	0	-
264	V537	Y13R_R3C1	discrete	numeric-3.0	10096	0	-
265	V538	Y13R_R3C2	discrete	numeric-3.0	10096	0	-
266	V539	Y13R_R3C3	discrete	numeric-3.0	10096	0	-
267	V540	Y13R_R3C4	discrete	numeric-3.0	10096	0	-
268	V541	Y13R_R3C5	discrete	numeric-3.0	10096	0	-
269	V542	Y13R_R4C1	discrete	numeric-3.0	10096	0	-
270	V543	Y13R_R4C2	discrete	numeric-3.0	10096	0	-
271	V544	Y13R_R4C3	discrete	numeric-3.0	10096	0	-
272	V545	Y13R_R4C4	discrete	numeric-3.0	10096	0	-
273	V546	Y13R_R4C5	discrete	numeric-3.0	10096	0	-

File Part 4							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	V80	SCID_03	discrete	character-7	10096	0	-
2	V81	P4_R1C1	discrete	numeric-3.0	10096	0	-
3	V82	P4_R1C2	discrete	numeric-3.0	10096	0	-
4	V83	P4_R1C3	discrete	numeric-3.0	10096	0	-
5	V84	P4_R1C4	discrete	numeric-3.0	10096	0	-
6	V85	P4_R1C5	discrete	numeric-3.0	10096	0	-
7	V86	P4_R1C6	discrete	numeric-3.0	10096	0	-
8	V87	P4_R1C7	discrete	numeric-3.0	10096	0	-
9	V88	P4_R1C8	discrete	numeric-3.0	10096	0	-
10	V89	P4_R1C9	discrete	numeric-3.0	10096	0	-
11	V90	P4_R2C1	discrete	numeric-3.0	10096	0	-
12	V91	P4_R2C2	discrete	numeric-3.0	10096	0	-
13	V92	P4_R2C3	discrete	numeric-3.0	10096	0	-
14	V93	P4_R2C4	discrete	numeric-3.0	10096	0	-
15	V94	P4_R2C5	discrete	numeric-3.0	10096	0	-
16	V95	P4_R2C6	discrete	numeric-3.0	10096	0	-
17	V96	P4_R2C7	discrete	numeric-3.0	10096	0	-
18	V97	P4_R2C8	discrete	numeric-3.0	10096	0	-
19	V98	P4_R2C9	discrete	numeric-3.0	10096	0	-
20	V99	P4_R3C1	discrete	numeric-3.0	10096	0	-
21	V100	P4_R3C2	discrete	numeric-3.0	10096	0	-
22	V101	P4_R3C3	discrete	numeric-3.0	10096	0	-
23	V102	P4_R3C4	discrete	numeric-3.0	10096	0	-
24	V103	P4_R3C5	discrete	numeric-3.0	10096	0	-
25	V104	P4_R3C6	discrete	numeric-3.0	10096	0	-
26	V105	P4_R4C1	discrete	numeric-3.0	10096	0	-
27	V106	P4_R4C2	discrete	numeric-3.0	10096	0	-
28	V107	P4_R4C3	discrete	numeric-3.0	10096	0	-
29	V108	P4_R4C4	discrete	numeric-3.0	10096	0	-
30	V109	P4_R4C5	discrete	numeric-3.0	10096	0	-
31	V110	P4_R4C6	discrete	numeric-3.0	10096	0	-
32	V111	P4_R5C1	discrete	numeric-3.0	10096	0	-
33	V112	P4_R5C2	discrete	numeric-3.0	10096	0	-
34	V113	P4_R5C3	discrete	numeric-3.0	10096	0	-
35	V114	P4_R5C4	discrete	numeric-3.0	10096	0	-
36	V115	P4_R5C5	discrete	numeric-3.0	10096	0	-
37	V116	P4_R5C6	discrete	numeric-3.0	10096	0	-

Census of Government Schools - 2003 - Variables List

File Part 4 (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
38	V117	P4_R6C1	discrete	numeric-3.0	10096	0	-
39	V118	P4_R6C2	discrete	numeric-3.0	10096	0	-
40	V119	P4_R6C3	discrete	numeric-3.0	10096	0	-
41	V120	P4_R6C4	discrete	numeric-3.0	10096	0	-
42	V121	P4_R6C5	discrete	numeric-3.0	10096	0	-
43	V122	P4_R6C6	discrete	numeric-3.0	10096	0	-
44	V123	P4_R6C7	discrete	numeric-3.0	10096	0	-
45	V124	P4_R6C8	discrete	numeric-3.0	10096	0	-
46	V125	P4_R6C9	discrete	numeric-3.0	10096	0	-
47	V126	P4_R7C1	discrete	numeric-3.0	10096	0	-
48	V127	P4_R7C2	discrete	numeric-3.0	10096	0	-
49	V128	P4_R7C3	discrete	numeric-3.0	10096	0	-
50	V129	P4_R7C4	discrete	numeric-3.0	10096	0	-
51	V130	P4_R7C5	discrete	numeric-3.0	10096	0	-
52	V131	P4_R7C6	discrete	numeric-3.0	10096	0	-
53	V132	P4_R8C1	discrete	numeric-3.0	10096	0	-
54	V133	P4_R8C2	discrete	numeric-3.0	10096	0	-
55	V134	P4_R8C3	discrete	numeric-3.0	10096	0	-
56	V135	P4_R8C4	discrete	numeric-3.0	10096	0	-
57	V136	P4_R8C5	discrete	numeric-3.0	10096	0	-
58	V137	P4_R8C6	discrete	numeric-3.0	10096	0	-
59	V138	P4_R9C1	discrete	numeric-3.0	10096	0	-
60	V139	P4_R9C2	discrete	numeric-3.0	10096	0	-
61	V140	P4_R9C3	discrete	numeric-3.0	10096	0	-
62	V141	P4_R9C4	discrete	numeric-3.0	10096	0	-
63	V142	P4_R9C5	discrete	numeric-3.0	10096	0	-
64	V143	P4_R9C6	discrete	numeric-3.0	10096	0	-
65	V144	P4_R10C1	discrete	numeric-3.0	10096	0	-
66	V145	P4_R10C2	discrete	numeric-3.0	10096	0	-
67	V146	P4_R10C3	discrete	numeric-3.0	10096	0	-
68	V147	P4_R10C4	discrete	numeric-3.0	10096	0	-
69	V148	P4_R10C5	discrete	numeric-3.0	10096	0	-
70	V149	P4_R10C6	discrete	numeric-3.0	10096	0	-
71	V150	P4_R11C1	discrete	numeric-3.0	10096	0	-
72	V151	P4_R11C2	discrete	numeric-3.0	10096	0	-
73	V152	P4_R11C3	discrete	numeric-3.0	10096	0	-
74	V153	P4_R11C4	discrete	numeric-3.0	10096	0	-

Census of Government Schools - 2003 - Variables List

File Part 4 (cont.)

#	Name	Label	Type	Format	Valid	Invalid	Question
75	V154	P4_R11C5	discrete	numeric-3.0	10096	0	-
76	V155	P4_R11C6	discrete	numeric-3.0	10096	0	-
77	V156	P4_R11C7	discrete	numeric-3.0	10096	0	-
78	V157	P4_R11C8	discrete	numeric-3.0	10096	0	-
79	V158	P4_R11C9	discrete	numeric-3.0	10096	0	-

File Part 5

#	Name	Label	Type	Format	Valid	Invalid	Question
1	V38	SCID_03	discrete	character-7	10096	0	-
2	V39	P5_R1C1	discrete	numeric-4.0	10096	0	-
3	V40	P5_R1C2	discrete	numeric-4.0	10096	0	-
4	V41	P5_R1C3	discrete	numeric-4.0	10096	0	-
5	V42	P5_R1C4	discrete	numeric-4.0	10096	0	-
6	V43	P5_R1C5	discrete	numeric-4.0	10096	0	-
7	V44	P5_R1C6	discrete	numeric-4.0	10096	0	-
8	V45	P5_R1C7	discrete	numeric-4.0	10096	0	-
9	V46	P5_R1C8	discrete	numeric-4.0	10096	0	-
10	V47	P5_R1C9	discrete	numeric-4.0	10096	0	-
11	V48	P5_R1C10	discrete	numeric-4.0	10096	0	-
12	V49	P5_R1C11	discrete	numeric-4.0	10096	0	-
13	V50	P5_R1C12	discrete	numeric-4.0	10096	0	-
14	V51	P5_R2C1	discrete	numeric-4.0	10096	0	-
15	V52	P5_R2C2	discrete	numeric-4.0	10096	0	-
16	V53	P5_R2C3	discrete	numeric-4.0	10096	0	-
17	V54	P5_R2C4	discrete	numeric-4.0	10096	0	-
18	V55	P5_R2C5	discrete	numeric-4.0	10096	0	-
19	V56	P5_R2C6	discrete	numeric-4.0	10096	0	-
20	V57	P5_R2C7	discrete	numeric-4.0	10096	0	-
21	V58	P5_R2C8	discrete	numeric-4.0	10096	0	-
22	V59	P5_R2C9	discrete	numeric-4.0	10096	0	-
23	V60	P5_R2C10	discrete	numeric-4.0	10096	0	-
24	V61	P5_R2C11	discrete	numeric-4.0	10096	0	-
25	V62	P5_R2C12	discrete	numeric-4.0	10096	0	-
26	V63	P5_R3C1	discrete	numeric-4.0	10096	0	-
27	V64	P5_R3C2	discrete	numeric-4.0	10096	0	-
28	V65	P5_R3C3	discrete	numeric-4.0	10096	0	-

Census of Government Schools - 2003 - Variables List

File Part 5 (cont.)

#	Name	Label	Type	Format	Valid	Invalid	Question
29	V66	P5_R3C4	discrete	numeric-4.0	10096	0	-
30	V67	P5_R3C5	discrete	numeric-4.0	10096	0	-
31	V68	P5_R3C6	discrete	numeric-4.0	10096	0	-
32	V69	P5_R3C7	discrete	numeric-4.0	10096	0	-
33	V70	P5_R3C8	discrete	numeric-4.0	10096	0	-
34	V71	P5_R3C9	discrete	numeric-4.0	10096	0	-
35	V72	P5_R3C10	discrete	numeric-4.0	10096	0	-
36	V73	P5_R3C11	discrete	numeric-4.0	10096	0	-
37	V74	P5_R3C12	discrete	numeric-4.0	10096	0	-

File Part 6

#	Name	Label	Type	Format	Valid	Invalid	Question
1	V17	SCID_03	discrete	character-7	10096	0	-
2	V18	P6_R1C1	discrete	numeric-4.0	10096	0	-
3	V19	P6_R1C2	discrete	numeric-4.0	10096	0	-
4	V20	P6_R1C3	discrete	numeric-4.0	10096	0	-
5	V21	P6_R1C4	discrete	numeric-4.0	10096	0	-
6	V22	P6_R1C5	discrete	numeric-4.0	10096	0	-
7	V23	P6_R2C1	discrete	numeric-4.0	10096	0	-
8	V24	P6_R2C2	discrete	numeric-4.0	10096	0	-
9	V25	P6_R2C3	discrete	numeric-4.0	10096	0	-
10	V26	P6_R2C4	discrete	numeric-4.0	10096	0	-
11	V27	P6_R2C5	discrete	numeric-4.0	10096	0	-
12	V28	P6_R3C1	discrete	numeric-4.0	10096	0	-
13	V29	P6_R3C2	discrete	numeric-4.0	10096	0	-
14	V30	P6_R3C3	discrete	numeric-4.0	10096	0	-
15	V31	P6_R3C4	discrete	numeric-4.0	10096	0	-
16	V32	P6_R3C5	discrete	numeric-4.0	10096	0	-

File Part 7

#	Name	Label	Type	Format	Valid	Invalid	Question
1	V67	SCID_03	discrete	character-7	10096	0	-
2	V68	P7_R1	discrete	numeric-1.0	10096	0	-
3	V69	P7_R2	discrete	numeric-1.0	10096	0	-
4	V70	P7_R3	discrete	numeric-1.0	10096	0	-

File Part 7 (cont.)

#	Name	Label	Type	Format	Valid	Invalid	Question
5	V71	P7_R4	discrete	numeric-1.0	10096	0	-
6	V72	P7_R5	discrete	numeric-1.0	10096	0	-
7	V73	P7_R6	discrete	numeric-1.0	10096	0	-
8	V74	P7_R7	discrete	numeric-1.0	10096	0	-
9	V75	P7_R8	discrete	numeric-1.0	10096	0	-
10	V76	P7_R9	discrete	numeric-1.0	10096	0	-
11	V77	P7_R10	discrete	numeric-1.0	10096	0	-
12	V78	P7_R11	discrete	numeric-1.0	10096	0	-
13	V79	P7_R12	discrete	numeric-1.0	10096	0	-
14	V80	P7_R13C1	discrete	numeric-3.0	10096	0	-
15	V81	P7_R13C2	discrete	numeric-3.0	10096	0	-
16	V82	P7_R14C1	discrete	numeric-3.0	10096	0	-
17	V83	P7_R14C2	discrete	numeric-3.0	10096	0	-
18	V84	P7_R15C1	discrete	numeric-3.0	10096	0	-
19	V85	P7_R15C2	discrete	numeric-3.0	10096	0	-
20	V86	P7_R16C1	discrete	numeric-3.0	10096	0	-
21	V87	P7_R16C2	discrete	numeric-3.0	10096	0	-
22	V88	P7_R17C1	discrete	numeric-3.0	10096	0	-
23	V89	P7_R17C2	discrete	numeric-3.0	10096	0	-
24	V90	P7_R18C1	discrete	numeric-3.0	10096	0	-
25	V91	P7_R18C2	discrete	numeric-3.0	10096	0	-
26	V92	P7_R19C1	discrete	numeric-3.0	10096	0	-
27	V93	P7_R19C2	discrete	numeric-3.0	10096	0	-
28	V94	P7_R20C1	discrete	numeric-5.0	10096	0	-
29	V95	P7_R20C2	discrete	numeric-2.0	10096	0	-
30	V96	P7_R21C1	discrete	numeric-5.0	10096	0	-
31	V97	P7_R21C2	discrete	numeric-2.0	10096	0	-
32	V98	P7_R22C2	discrete	numeric-2.0	10096	0	-
33	V99	P7_R23C1	discrete	numeric-5.0	10096	0	-
34	V100	P7_R23C2	discrete	numeric-2.0	10096	0	-
35	V101	P7_R24C1	discrete	numeric-5.0	10096	0	-
36	V102	P7_R24C2	discrete	numeric-2.0	10096	0	-
37	V103	P7_R25C1	discrete	numeric-5.0	10096	0	-
38	V104	P7_R25C2	discrete	numeric-2.0	10096	0	-
39	V105	P7_R26C1	discrete	numeric-5.0	10096	0	-
40	V106	P7_R26C2	discrete	numeric-2.0	10096	0	-
41	V107	P7_R27C1	discrete	numeric-5.0	10096	0	-

Census of Government Schools - 2003 - Variables List

File Part 7 (cont.)

#	Name	Label	Type	Format	Valid	Invalid	Question
42	V108	P7_R27C2	discrete	numeric-2.0	10096	0	-
43	V109	P7_R28C1	discrete	numeric-2.0	10096	0	-
44	V110	P7_R28C2	discrete	numeric-5.0	10096	0	-
45	V111	P7_R29C1	discrete	numeric-2.0	10096	0	-
46	V112	P7_R29C2	discrete	numeric-5.0	10096	0	-
47	V113	P7_R30C1	discrete	numeric-2.0	10096	0	-
48	V114	P7_R30C2	discrete	numeric-5.0	10096	0	-
49	V115	P7_R31C1	discrete	numeric-2.0	10096	0	-
50	V116	P7_R31C2	discrete	numeric-5.0	10096	0	-
51	V117	P7_R32C1	discrete	numeric-2.0	10096	0	-
52	V118	P7_R32C2	discrete	numeric-5.0	10096	0	-
53	V119	P7_R33C1	discrete	numeric-2.0	10096	0	-
54	V120	P7_R33C2	discrete	numeric-5.0	10096	0	-
55	V121	P7_R34C1	discrete	numeric-2.0	10096	0	-
56	V122	P7_R34C2	discrete	numeric-5.0	10096	0	-
57	V123	P7_R35C1	discrete	numeric-2.0	10096	0	-
58	V124	P7_R35C2	discrete	numeric-5.0	10096	0	-
59	V125	P7_R36C1	discrete	numeric-2.0	10096	0	-
60	V126	P7_R36C2	discrete	numeric-5.0	10096	0	-
61	V127	P7_R37C1	discrete	numeric-2.0	10096	0	-
62	V128	P7_R37C2	discrete	numeric-5.0	10096	0	-
63	V129	P7_R38C1	discrete	numeric-2.0	10096	0	-
64	V130	P7_R38C2	discrete	numeric-5.0	10096	0	-
65	V131	P7_R39C1	discrete	numeric-2.0	10096	0	-
66	V132	P7_R39C2	discrete	numeric-5.0	10096	0	-

File Part 8A1

#	Name	Label	Type	Format	Valid	Invalid	Question
1	V262	SCID_03	discrete	character-7	10096	0	-
2	V263	P8A_R1C1	discrete	numeric-3.0	10096	0	-
3	V264	P8A_R1C2	discrete	numeric-3.0	10096	0	-
4	V265	P8A_R1C3	discrete	numeric-3.0	10096	0	-
5	V266	P8A_R1C4	discrete	numeric-3.0	10096	0	-
6	V267	P8A_R1C5	discrete	numeric-3.0	10096	0	-
7	V268	P8A_R1C6	discrete	numeric-3.0	10096	0	-
8	V269	P8A_R1C7	discrete	numeric-3.0	10096	0	-

Census of Government Schools - 2003 - Variables List

File Part 8A1 (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
9	V270	P8A_R1C8	discrete	numeric-3.0	10096	0	-
10	V271	P8A_R1C9	discrete	numeric-3.0	10096	0	-
11	V272	P8A_R1C10	discrete	numeric-3.0	10096	0	-
12	V273	P8A_R1C11	discrete	numeric-3.0	10096	0	-
13	V274	P8A_R1C12	discrete	numeric-3.0	10096	0	-
14	V275	P8A_R1C13	discrete	numeric-3.0	10096	0	-
15	V276	P8A_R1C14	discrete	numeric-3.0	10096	0	-
16	V277	P8A_R1C15	discrete	numeric-3.0	10096	0	-
17	V278	P8A_R1C16	discrete	numeric-3.0	10096	0	-
18	V279	P8A_R1C17	discrete	numeric-3.0	10096	0	-
19	V280	P8A_R1C18	discrete	numeric-3.0	10096	0	-
20	V281	P8A_R1C19	discrete	numeric-3.0	10096	0	-
21	V282	P8A_R1C20	discrete	numeric-3.0	10096	0	-
22	V283	P8A_R1C21	discrete	numeric-3.0	10096	0	-
23	V284	P8A_R1C22	discrete	numeric-3.0	10096	0	-
24	V285	P8A_R1C23	discrete	numeric-3.0	10096	0	-
25	V286	P8A_R1C24	discrete	numeric-3.0	10096	0	-
26	V287	P8A_R1C25	continuous	numeric-3.0	10096	0	-
27	V288	P8A_R1C26	continuous	numeric-3.0	10096	0	-
28	V289	P8A_R2C1	discrete	numeric-3.0	10096	0	-
29	V290	P8A_R2C2	discrete	numeric-3.0	10096	0	-
30	V291	P8A_R2C3	discrete	numeric-3.0	10096	0	-
31	V292	P8A_R2C4	discrete	numeric-3.0	10096	0	-
32	V293	P8A_R2C5	discrete	numeric-3.0	10096	0	-
33	V294	P8A_R2C6	discrete	numeric-3.0	10096	0	-
34	V295	P8A_R2C7	discrete	numeric-3.0	10096	0	-
35	V296	P8A_R2C8	discrete	numeric-3.0	10096	0	-
36	V297	P8A_R2C9	discrete	numeric-3.0	10096	0	-
37	V298	P8A_R2C10	discrete	numeric-3.0	10096	0	-
38	V299	P8A_R2C11	discrete	numeric-3.0	10096	0	-
39	V300	P8A_R2C12	continuous	numeric-3.0	10096	0	-
40	V301	P8A_R2C13	discrete	numeric-3.0	10096	0	-
41	V302	P8A_R2C14	discrete	numeric-3.0	10096	0	-
42	V303	P8A_R2C15	discrete	numeric-3.0	10096	0	-
43	V304	P8A_R2C16	discrete	numeric-3.0	10096	0	-
44	V305	P8A_R2C17	discrete	numeric-3.0	10096	0	-
45	V306	P8A_R2C18	discrete	numeric-3.0	10096	0	-

File Part 8A1 (cont.)

#	Name	Label	Type	Format	Valid	Invalid	Question
46	V307	P8A_R2C19	discrete	numeric-3.0	10096	0	-
47	V308	P8A_R2C20	discrete	numeric-3.0	10096	0	-
48	V309	P8A_R2C21	discrete	numeric-3.0	10096	0	-
49	V310	P8A_R2C22	discrete	numeric-3.0	10096	0	-
50	V311	P8A_R2C23	discrete	numeric-3.0	10096	0	-
51	V312	P8A_R2C24	discrete	numeric-3.0	10096	0	-
52	V313	P8A_R2C25	continuous	numeric-3.0	10096	0	-
53	V314	P8A_R2C26	continuous	numeric-3.0	10096	0	-
54	V315	P8A_R3C1	discrete	numeric-3.0	10096	0	-
55	V316	P8A_R3C2	discrete	numeric-3.0	10096	0	-
56	V317	P8A_R3C3	discrete	numeric-3.0	10096	0	-
57	V318	P8A_R3C4	discrete	numeric-3.0	10096	0	-
58	V319	P8A_R3C5	discrete	numeric-3.0	10096	0	-
59	V320	P8A_R3C6	discrete	numeric-3.0	10096	0	-
60	V321	P8A_R3C7	discrete	numeric-3.0	10096	0	-
61	V322	P8A_R3C8	discrete	numeric-3.0	10096	0	-
62	V323	P8A_R3C9	discrete	numeric-3.0	10096	0	-
63	V324	P8A_R3C10	discrete	numeric-3.0	10096	0	-
64	V325	P8A_R3C11	continuous	numeric-3.0	10096	0	-
65	V326	P8A_R3C12	discrete	numeric-3.0	10096	0	-
66	V327	P8A_R3C13	discrete	numeric-3.0	10096	0	-
67	V328	P8A_R3C14	discrete	numeric-3.0	10096	0	-
68	V329	P8A_R3C15	discrete	numeric-3.0	10096	0	-
69	V330	P8A_R3C16	discrete	numeric-3.0	10096	0	-
70	V331	P8A_R3C17	discrete	numeric-3.0	10096	0	-
71	V332	P8A_R3C18	discrete	numeric-3.0	10096	0	-
72	V333	P8A_R3C19	discrete	numeric-3.0	10096	0	-
73	V334	P8A_R3C20	discrete	numeric-3.0	10096	0	-
74	V335	P8A_R3C21	discrete	numeric-3.0	10096	0	-
75	V336	P8A_R3C22	discrete	numeric-3.0	10096	0	-
76	V337	P8A_R3C23	discrete	numeric-3.0	10096	0	-
77	V338	P8A_R3C24	discrete	numeric-3.0	10096	0	-
78	V339	P8A_R3C25	continuous	numeric-3.0	10096	0	-
79	V340	P8A_R3C26	continuous	numeric-3.0	10096	0	-
80	V341	P8A_R4C1	discrete	numeric-3.0	10096	0	-
81	V342	P8A_R4C2	discrete	numeric-3.0	10096	0	-
82	V343	P8A_R4C3	discrete	numeric-3.0	10096	0	-

Census of Government Schools - 2003 - Variables List

File Part 8A1 (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
83	V344	P8A_R4C4	discrete	numeric-3.0	10096	0	-
84	V345	P8A_R4C5	discrete	numeric-3.0	10096	0	-
85	V346	P8A_R4C6	discrete	numeric-3.0	10096	0	-
86	V347	P8A_R4C7	discrete	numeric-3.0	10096	0	-
87	V348	P8A_R4C8	discrete	numeric-3.0	10096	0	-
88	V349	P8A_R4C9	discrete	numeric-3.0	10096	0	-
89	V350	P8A_R4C10	discrete	numeric-3.0	10096	0	-
90	V351	P8A_R4C11	continuous	numeric-3.0	10096	0	-
91	V352	P8A_R4C12	discrete	numeric-3.0	10096	0	-
92	V353	P8A_R4C13	discrete	numeric-3.0	10096	0	-
93	V354	P8A_R4C14	discrete	numeric-3.0	10096	0	-
94	V355	P8A_R4C15	discrete	numeric-3.0	10096	0	-
95	V356	P8A_R4C16	discrete	numeric-3.0	10096	0	-
96	V357	P8A_R4C17	discrete	numeric-3.0	10096	0	-
97	V358	P8A_R4C18	discrete	numeric-3.0	10096	0	-
98	V359	P8A_R4C19	discrete	numeric-3.0	10096	0	-
99	V360	P8A_R4C20	discrete	numeric-3.0	10096	0	-
100	V361	P8A_R4C21	discrete	numeric-3.0	10096	0	-
101	V362	P8A_R4C22	discrete	numeric-3.0	10096	0	-
102	V363	P8A_R4C23	discrete	numeric-3.0	10096	0	-
103	V364	P8A_R4C24	discrete	numeric-3.0	10096	0	-
104	V365	P8A_R4C25	continuous	numeric-3.0	10096	0	-
105	V366	P8A_R4C26	continuous	numeric-3.0	10096	0	-
106	V367	P8A_R5C1	discrete	numeric-3.0	10096	0	-
107	V368	P8A_R5C2	discrete	numeric-3.0	10096	0	-
108	V369	P8A_R5C3	discrete	numeric-3.0	10096	0	-
109	V370	P8A_R5C4	discrete	numeric-3.0	10096	0	-
110	V371	P8A_R5C5	discrete	numeric-3.0	10096	0	-
111	V372	P8A_R5C6	discrete	numeric-3.0	10096	0	-
112	V373	P8A_R5C7	discrete	numeric-3.0	10096	0	-
113	V374	P8A_R5C8	discrete	numeric-3.0	10096	0	-
114	V375	P8A_R5C9	discrete	numeric-3.0	10096	0	-
115	V376	P8A_R5C10	discrete	numeric-3.0	10096	0	-
116	V377	P8A_R5C11	discrete	numeric-3.0	10096	0	-
117	V378	P8A_R5C12	discrete	numeric-3.0	10096	0	-
118	V379	P8A_R5C13	discrete	numeric-3.0	10096	0	-
119	V380	P8A_R5C14	discrete	numeric-3.0	10096	0	-

File Part 8A1 (cont.)

#	Name	Label	Type	Format	Valid	Invalid	Question
120	V381	P8A_R5C15	discrete	numeric-3.0	10096	0	-
121	V382	P8A_R5C16	discrete	numeric-3.0	10096	0	-
122	V383	P8A_R5C17	discrete	numeric-3.0	10096	0	-
123	V384	P8A_R5C18	discrete	numeric-3.0	10096	0	-
124	V385	P8A_R5C19	discrete	numeric-3.0	10096	0	-
125	V386	P8A_R5C20	discrete	numeric-3.0	10096	0	-
126	V387	P8A_R5C21	discrete	numeric-3.0	10096	0	-
127	V388	P8A_R5C22	discrete	numeric-3.0	10096	0	-
128	V389	P8A_R5C23	discrete	numeric-3.0	10096	0	-
129	V390	P8A_R5C24	discrete	numeric-3.0	10096	0	-
130	V391	P8A_R5C25	continuous	numeric-3.0	10096	0	-
131	V392	P8A_R5C26	continuous	numeric-3.0	10096	0	-
132	V393	P8A_R6C1	discrete	numeric-3.0	10096	0	-
133	V394	P8A_R6C2	discrete	numeric-3.0	10096	0	-
134	V395	P8A_R6C3	discrete	numeric-3.0	10096	0	-
135	V396	P8A_R6C4	discrete	numeric-3.0	10096	0	-
136	V397	P8A_R6C5	discrete	numeric-3.0	10096	0	-
137	V398	P8A_R6C6	discrete	numeric-3.0	10096	0	-
138	V399	P8A_R6C7	discrete	numeric-3.0	10096	0	-
139	V400	P8A_R6C8	discrete	numeric-3.0	10096	0	-
140	V401	P8A_R6C9	discrete	numeric-3.0	10096	0	-
141	V402	P8A_R6C10	discrete	numeric-3.0	10096	0	-
142	V403	P8A_R6C11	continuous	numeric-3.0	10096	0	-
143	V404	P8A_R6C12	discrete	numeric-3.0	10096	0	-
144	V405	P8A_R6C13	discrete	numeric-3.0	10096	0	-
145	V406	P8A_R6C14	discrete	numeric-3.0	10096	0	-
146	V407	P8A_R6C15	discrete	numeric-3.0	10096	0	-
147	V408	P8A_R6C16	discrete	numeric-3.0	10096	0	-
148	V409	P8A_R6C17	discrete	numeric-3.0	10096	0	-
149	V410	P8A_R6C18	discrete	numeric-3.0	10096	0	-
150	V411	P8A_R6C19	continuous	numeric-3.0	10096	0	-
151	V412	P8A_R6C20	discrete	numeric-3.0	10096	0	-
152	V413	P8A_R6C21	discrete	numeric-3.0	10096	0	-
153	V414	P8A_R6C22	discrete	numeric-3.0	10096	0	-
154	V415	P8A_R6C23	discrete	numeric-3.0	10096	0	-
155	V416	P8A_R6C24	discrete	numeric-3.0	10096	0	-
156	V417	P8A_R6C25	continuous	numeric-3.0	10096	0	-

File Part 8A1 (cont.)

#	Name	Label	Type	Format	Valid	Invalid	Question
157	V418	P8A_R6C26	discrete	numeric-3.0	10096	0	-
158	V419	P8A_R7C1	discrete	numeric-3.0	10096	0	-
159	V420	P8A_R7C2	discrete	numeric-3.0	10096	0	-
160	V421	P8A_R7C3	discrete	numeric-3.0	10096	0	-
161	V422	P8A_R7C4	discrete	numeric-3.0	10096	0	-
162	V423	P8A_R7C5	discrete	numeric-3.0	10096	0	-
163	V424	P8A_R7C6	discrete	numeric-3.0	10096	0	-
164	V425	P8A_R7C7	discrete	numeric-3.0	10096	0	-
165	V426	P8A_R7C8	discrete	numeric-3.0	10096	0	-
166	V427	P8A_R7C9	discrete	numeric-3.0	10096	0	-
167	V428	P8A_R7C10	discrete	numeric-3.0	10096	0	-
168	V429	P8A_R7C11	discrete	numeric-3.0	10096	0	-
169	V430	P8A_R7C12	discrete	numeric-3.0	10096	0	-
170	V431	P8A_R7C13	discrete	numeric-3.0	10096	0	-
171	V432	P8A_R7C14	discrete	numeric-3.0	10096	0	-
172	V433	P8A_R7C15	discrete	numeric-3.0	10096	0	-
173	V434	P8A_R7C16	discrete	numeric-3.0	10096	0	-
174	V435	P8A_R7C17	discrete	numeric-3.0	10096	0	-
175	V436	P8A_R7C18	discrete	numeric-3.0	10096	0	-
176	V437	P8A_R7C19	discrete	numeric-3.0	10096	0	-
177	V438	P8A_R7C20	discrete	numeric-3.0	10096	0	-
178	V439	P8A_R7C21	discrete	numeric-3.0	10096	0	-
179	V440	P8A_R7C22	discrete	numeric-3.0	10096	0	-
180	V441	P8A_R7C23	discrete	numeric-3.0	10096	0	-
181	V442	P8A_R7C24	discrete	numeric-3.0	10096	0	-
182	V443	P8A_R7C25	continuous	numeric-3.0	10096	0	-
183	V444	P8A_R7C26	continuous	numeric-3.0	10096	0	-
184	V445	P8A_R8C1	discrete	numeric-3.0	10096	0	-
185	V446	P8A_R8C2	discrete	numeric-3.0	10096	0	-
186	V447	P8A_R8C3	discrete	numeric-3.0	10096	0	-
187	V448	P8A_R8C4	discrete	numeric-3.0	10096	0	-
188	V449	P8A_R8C5	discrete	numeric-3.0	10096	0	-
189	V450	P8A_R8C6	discrete	numeric-3.0	10096	0	-
190	V451	P8A_R8C7	discrete	numeric-3.0	10096	0	-
191	V452	P8A_R8C8	continuous	numeric-3.0	10096	0	-
192	V453	P8A_R8C9	discrete	numeric-3.0	10096	0	-
193	V454	P8A_R8C10	discrete	numeric-3.0	10096	0	-

File Part 8A1 (cont.)

#	Name	Label	Type	Format	Valid	Invalid	Question
194	V455	P8A_R8C11	discrete	numeric-3.0	10096	0	-
195	V456	P8A_R8C12	discrete	numeric-3.0	10096	0	-
196	V457	P8A_R8C13	discrete	numeric-3.0	10096	0	-
197	V458	P8A_R8C14	discrete	numeric-3.0	10096	0	-
198	V459	P8A_R8C15	discrete	numeric-3.0	10096	0	-
199	V460	P8A_R8C16	discrete	numeric-3.0	10096	0	-
200	V461	P8A_R8C17	discrete	numeric-3.0	10096	0	-
201	V462	P8A_R8C18	discrete	numeric-3.0	10096	0	-
202	V463	P8A_R8C19	discrete	numeric-3.0	10096	0	-
203	V464	P8A_R8C20	discrete	numeric-3.0	10096	0	-
204	V465	P8A_R8C21	discrete	numeric-3.0	10096	0	-
205	V466	P8A_R8C22	discrete	numeric-3.0	10096	0	-
206	V467	P8A_R8C23	discrete	numeric-3.0	10096	0	-
207	V468	P8A_R8C24	discrete	numeric-3.0	10096	0	-
208	V469	P8A_R8C25	continuous	numeric-3.0	10096	0	-
209	V470	P8A_R8C26	continuous	numeric-3.0	10096	0	-
210	V471	P8A_R9C1	discrete	numeric-3.0	10096	0	-
211	V472	P8A_R9C2	discrete	numeric-3.0	10096	0	-
212	V473	P8A_R9C3	discrete	numeric-3.0	10096	0	-
213	V474	P8A_R9C4	discrete	numeric-3.0	10096	0	-
214	V475	P8A_R9C5	discrete	numeric-3.0	10096	0	-
215	V476	P8A_R9C6	discrete	numeric-3.0	10096	0	-
216	V477	P8A_R9C7	discrete	numeric-3.0	10096	0	-
217	V478	P8A_R9C8	discrete	numeric-3.0	10096	0	-
218	V479	P8A_R9C9	discrete	numeric-3.0	10096	0	-
219	V480	P8A_R9C10	discrete	numeric-3.0	10096	0	-
220	V481	P8A_R9C11	discrete	numeric-3.0	10096	0	-
221	V482	P8A_R9C12	discrete	numeric-3.0	10096	0	-
222	V483	P8A_R9C13	discrete	numeric-3.0	10096	0	-
223	V484	P8A_R9C14	discrete	numeric-3.0	10096	0	-
224	V485	P8A_R9C15	discrete	numeric-3.0	10096	0	-
225	V486	P8A_R9C16	discrete	numeric-3.0	10096	0	-
226	V487	P8A_R9C17	discrete	numeric-3.0	10096	0	-
227	V488	P8A_R9C18	discrete	numeric-3.0	10096	0	-
228	V489	P8A_R9C19	discrete	numeric-3.0	10096	0	-
229	V490	P8A_R9C20	discrete	numeric-3.0	10096	0	-
230	V491	P8A_R9C21	discrete	numeric-3.0	10096	0	-

File Part 8A1 (cont.)

#	Name	Label	Type	Format	Valid	Invalid	Question
231	V492	P8A_R9C22	discrete	numeric-3.0	10096	0	-
232	V493	P8A_R9C23	discrete	numeric-3.0	10096	0	-
233	V494	P8A_R9C24	discrete	numeric-3.0	10096	0	-
234	V495	P8A_R9C25	continuous	numeric-3.0	10096	0	-
235	V496	P8A_R9C26	continuous	numeric-3.0	10096	0	-
236	V497	P8A_R10C1	discrete	numeric-3.0	10096	0	-
237	V498	P8A_R10C2	discrete	numeric-3.0	10096	0	-
238	V499	P8A_R10C3	discrete	numeric-3.0	10096	0	-
239	V500	P8A_R10C4	discrete	numeric-3.0	10096	0	-
240	V501	P8A_R10C5	discrete	numeric-3.0	10096	0	-
241	V502	P8A_R10C6	discrete	numeric-3.0	10096	0	-
242	V503	P8A_R10C7	discrete	numeric-3.0	10096	0	-
243	V504	P8A_R10C8	continuous	numeric-3.0	10096	0	-
244	V505	P8A_R10C9	discrete	numeric-3.0	10096	0	-
245	V506	P8A_R10C10	discrete	numeric-3.0	10096	0	-
246	V507	P8A_R10C11	discrete	numeric-3.0	10096	0	-
247	V508	P8A_R10C12	discrete	numeric-3.0	10096	0	-
248	V509	P8A_R10C13	discrete	numeric-3.0	10096	0	-
249	V510	P8A_R10C14	discrete	numeric-3.0	10096	0	-
250	V511	P8A_R10C15	discrete	numeric-3.0	10096	0	-
251	V512	P8A_R10C16	discrete	numeric-3.0	10096	0	-
252	V513	P8A_R10C17	discrete	numeric-3.0	10096	0	-
253	V514	P8A_R10C18	discrete	numeric-3.0	10096	0	-
254	V515	P8A_R10C19	discrete	numeric-3.0	10096	0	-
255	V516	P8A_R10C20	discrete	numeric-3.0	10096	0	-
256	V517	P8A_R10C21	discrete	numeric-3.0	10096	0	-
257	V518	P8A_R10C22	discrete	numeric-3.0	10096	0	-
258	V519	P8A_R10C23	discrete	numeric-3.0	10096	0	-
259	V520	P8A_R10C24	discrete	numeric-3.0	10096	0	-
260	V521	P8A_R10C25	continuous	numeric-3.0	10096	0	-
261	V522	P8A_R10C26	continuous	numeric-3.0	10096	0	-

File Part 8A2

#	Name	Label	Type	Format	Valid	Invalid	Question
1	V236	SCID_03	discrete	character-7	10096	0	-
2	V237	P8A_R11C1	discrete	numeric-3.0	10096	0	-

File Part 8A2 (cont.)

#	Name	Label	Type	Format	Valid	Invalid	Question
3	V238	P8A_R11C2	discrete	numeric-3.0	10096	0	-
4	V239	P8A_R11C3	discrete	numeric-3.0	10096	0	-
5	V240	P8A_R11C4	discrete	numeric-3.0	10096	0	-
6	V241	P8A_R11C5	discrete	numeric-3.0	10096	0	-
7	V242	P8A_R11C6	discrete	numeric-3.0	10096	0	-
8	V243	P8A_R11C7	discrete	numeric-3.0	10096	0	-
9	V244	P8A_R11C8	discrete	numeric-3.0	10096	0	-
10	V245	P8A_R11C9	discrete	numeric-3.0	10096	0	-
11	V246	P8A_R11C10	discrete	numeric-3.0	10096	0	-
12	V247	P8A_R11C11	discrete	numeric-3.0	10096	0	-
13	V248	P8A_R11C12	discrete	numeric-3.0	10096	0	-
14	V249	P8A_R11C13	discrete	numeric-3.0	10096	0	-
15	V250	P8A_R11C14	discrete	numeric-3.0	10096	0	-
16	V251	P8A_R11C15	discrete	numeric-3.0	10096	0	-
17	V252	P8A_R11C16	discrete	numeric-3.0	10096	0	-
18	V253	P8A_R11C17	discrete	numeric-3.0	10096	0	-
19	V254	P8A_R11C18	discrete	numeric-3.0	10096	0	-
20	V255	P8A_R11C19	discrete	numeric-3.0	10096	0	-
21	V256	P8A_R11C20	discrete	numeric-3.0	10096	0	-
22	V257	P8A_R11C21	discrete	numeric-3.0	10096	0	-
23	V258	P8A_R11C22	discrete	numeric-3.0	10096	0	-
24	V259	P8A_R11C23	discrete	numeric-3.0	10096	0	-
25	V260	P8A_R11C24	discrete	numeric-3.0	10096	0	-
26	V261	P8A_R11C25	discrete	numeric-3.0	10096	0	-
27	V262	P8A_R11C26	discrete	numeric-3.0	10096	0	-
28	V263	P8A_R12C1	discrete	numeric-3.0	10096	0	-
29	V264	P8A_R12C2	discrete	numeric-3.0	10096	0	-
30	V265	P8A_R12C3	discrete	numeric-3.0	10096	0	-
31	V266	P8A_R12C4	discrete	numeric-3.0	10096	0	-
32	V267	P8A_R12C5	discrete	numeric-3.0	10096	0	-
33	V268	P8A_R12C6	discrete	numeric-3.0	10096	0	-
34	V269	P8A_R12C7	discrete	numeric-3.0	10096	0	-
35	V270	P8A_R12C8	discrete	numeric-3.0	10096	0	-
36	V271	P8A_R12C9	discrete	numeric-3.0	10096	0	-
37	V272	P8A_R12C10	discrete	numeric-3.0	10096	0	-
38	V273	P8A_R12C11	discrete	numeric-3.0	10096	0	-
39	V274	P8A_R12C12	discrete	numeric-3.0	10096	0	-

File Part 8A2 (cont.)

#	Name	Label	Type	Format	Valid	Invalid	Question
40	V275	P8A_R12C13	discrete	numeric-3.0	10096	0	-
41	V276	P8A_R12C14	discrete	numeric-3.0	10096	0	-
42	V277	P8A_R12C15	discrete	numeric-3.0	10096	0	-
43	V278	P8A_R12C16	discrete	numeric-3.0	10096	0	-
44	V279	P8A_R12C17	discrete	numeric-3.0	10096	0	-
45	V280	P8A_R12C18	discrete	numeric-3.0	10096	0	-
46	V281	P8A_R12C19	discrete	numeric-3.0	10096	0	-
47	V282	P8A_R12C20	discrete	numeric-3.0	10096	0	-
48	V283	P8A_R12C21	discrete	numeric-3.0	10096	0	-
49	V284	P8A_R12C22	discrete	numeric-3.0	10096	0	-
50	V285	P8A_R12C23	discrete	numeric-3.0	10096	0	-
51	V286	P8A_R12C24	discrete	numeric-3.0	10096	0	-
52	V287	P8A_R12C25	discrete	numeric-3.0	10096	0	-
53	V288	P8A_R12C26	discrete	numeric-3.0	10096	0	-
54	V289	P8A_R13C1	discrete	numeric-3.0	10096	0	-
55	V290	P8A_R13C2	discrete	numeric-3.0	10096	0	-
56	V291	P8A_R13C3	discrete	numeric-3.0	10096	0	-
57	V292	P8A_R13C4	discrete	numeric-3.0	10096	0	-
58	V293	P8A_R13C5	discrete	numeric-3.0	10096	0	-
59	V294	P8A_R13C6	discrete	numeric-3.0	10096	0	-
60	V295	P8A_R13C7	discrete	numeric-3.0	10096	0	-
61	V296	P8A_R13C8	discrete	numeric-3.0	10096	0	-
62	V297	P8A_R13C9	discrete	numeric-3.0	10096	0	-
63	V298	P8A_R13C10	discrete	numeric-3.0	10096	0	-
64	V299	P8A_R13C11	discrete	numeric-3.0	10096	0	-
65	V300	P8A_R13C12	discrete	numeric-3.0	10096	0	-
66	V301	P8A_R13C13	discrete	numeric-3.0	10096	0	-
67	V302	P8A_R13C14	discrete	numeric-3.0	10096	0	-
68	V303	P8A_R13C15	discrete	numeric-3.0	10096	0	-
69	V304	P8A_R13C16	discrete	numeric-3.0	10096	0	-
70	V305	P8A_R13C17	discrete	numeric-3.0	10096	0	-
71	V306	P8A_R13C18	discrete	numeric-3.0	10096	0	-
72	V307	P8A_R13C19	discrete	numeric-3.0	10096	0	-
73	V308	P8A_R13C20	discrete	numeric-3.0	10096	0	-
74	V309	P8A_R13C21	discrete	numeric-3.0	10096	0	-
75	V310	P8A_R13C22	discrete	numeric-3.0	10096	0	-
76	V311	P8A_R13C23	discrete	numeric-3.0	10096	0	-

File Part 8A2 (cont.)

#	Name	Label	Type	Format	Valid	Invalid	Question
77	V312	P8A_R13C24	discrete	numeric-3.0	10096	0	-
78	V313	P8A_R13C25	discrete	numeric-3.0	10096	0	-
79	V314	P8A_R13C26	discrete	numeric-3.0	10096	0	-
80	V315	P8A_R14C1	discrete	numeric-3.0	10096	0	-
81	V316	P8A_R14C2	discrete	numeric-3.0	10096	0	-
82	V317	P8A_R14C3	discrete	numeric-3.0	10096	0	-
83	V318	P8A_R14C4	discrete	numeric-3.0	10096	0	-
84	V319	P8A_R14C5	discrete	numeric-3.0	10096	0	-
85	V320	P8A_R14C6	discrete	numeric-3.0	10096	0	-
86	V321	P8A_R14C7	discrete	numeric-3.0	10096	0	-
87	V322	P8A_R14C8	discrete	numeric-3.0	10096	0	-
88	V323	P8A_R14C9	discrete	numeric-3.0	10096	0	-
89	V324	P8A_R14C10	discrete	numeric-3.0	10096	0	-
90	V325	P8A_R14C11	discrete	numeric-3.0	10096	0	-
91	V326	P8A_R14C12	discrete	numeric-3.0	10096	0	-
92	V327	P8A_R14C13	discrete	numeric-3.0	10096	0	-
93	V328	P8A_R14C14	discrete	numeric-3.0	10096	0	-
94	V329	P8A_R14C15	discrete	numeric-3.0	10096	0	-
95	V330	P8A_R14C16	discrete	numeric-3.0	10096	0	-
96	V331	P8A_R14C17	discrete	numeric-3.0	10096	0	-
97	V332	P8A_R14C18	discrete	numeric-3.0	10096	0	-
98	V333	P8A_R14C19	discrete	numeric-3.0	10096	0	-
99	V334	P8A_R14C20	discrete	numeric-3.0	10096	0	-
100	V335	P8A_R14C21	discrete	numeric-3.0	10096	0	-
101	V336	P8A_R14C22	discrete	numeric-3.0	10096	0	-
102	V337	P8A_R14C23	discrete	numeric-3.0	10096	0	-
103	V338	P8A_R14C24	discrete	numeric-3.0	10096	0	-
104	V339	P8A_R14C25	discrete	numeric-3.0	10096	0	-
105	V340	P8A_R14C26	discrete	numeric-3.0	10096	0	-
106	V341	P8A_R15C1	discrete	numeric-3.0	10096	0	-
107	V342	P8A_R15C2	discrete	numeric-3.0	10096	0	-
108	V343	P8A_R15C3	discrete	numeric-3.0	10096	0	-
109	V344	P8A_R15C4	discrete	numeric-3.0	10096	0	-
110	V345	P8A_R15C5	discrete	numeric-3.0	10096	0	-
111	V346	P8A_R15C6	discrete	numeric-3.0	10096	0	-
112	V347	P8A_R15C7	discrete	numeric-3.0	10096	0	-
113	V348	P8A_R15C8	continuous	numeric-3.0	10096	0	-

File Part 8A2 (cont.)

#	Name	Label	Type	Format	Valid	Invalid	Question
114	V349	P8A_R15C9	discrete	numeric-3.0	10096	0	-
115	V350	P8A_R15C10	discrete	numeric-3.0	10096	0	-
116	V351	P8A_R15C11	discrete	numeric-3.0	10096	0	-
117	V352	P8A_R15C12	discrete	numeric-3.0	10096	0	-
118	V353	P8A_R15C13	discrete	numeric-3.0	10096	0	-
119	V354	P8A_R15C14	discrete	numeric-3.0	10096	0	-
120	V355	P8A_R15C15	discrete	numeric-3.0	10096	0	-
121	V356	P8A_R15C16	discrete	numeric-3.0	10096	0	-
122	V357	P8A_R15C17	discrete	numeric-3.0	10096	0	-
123	V358	P8A_R15C18	discrete	numeric-3.0	10096	0	-
124	V359	P8A_R15C19	discrete	numeric-3.0	10096	0	-
125	V360	P8A_R15C20	discrete	numeric-3.0	10096	0	-
126	V361	P8A_R15C21	discrete	numeric-3.0	10096	0	-
127	V362	P8A_R15C22	discrete	numeric-3.0	10096	0	-
128	V363	P8A_R15C23	discrete	numeric-3.0	10096	0	-
129	V364	P8A_R15C24	discrete	numeric-3.0	10096	0	-
130	V365	P8A_R15C25	discrete	numeric-3.0	10096	0	-
131	V366	P8A_R15C26	continuous	numeric-3.0	10096	0	-
132	V367	P8A_R16C1	discrete	numeric-3.0	10096	0	-
133	V368	P8A_R16C2	discrete	numeric-3.0	10096	0	-
134	V369	P8A_R16C3	discrete	numeric-3.0	10096	0	-
135	V370	P8A_R16C4	discrete	numeric-3.0	10096	0	-
136	V371	P8A_R16C5	discrete	numeric-3.0	10096	0	-
137	V372	P8A_R16C6	discrete	numeric-3.0	10096	0	-
138	V373	P8A_R16C7	discrete	numeric-3.0	10096	0	-
139	V374	P8A_R16C8	discrete	numeric-3.0	10096	0	-
140	V375	P8A_R16C9	discrete	numeric-3.0	10096	0	-
141	V376	P8A_R16C10	discrete	numeric-3.0	10096	0	-
142	V377	P8A_R16C11	discrete	numeric-3.0	10096	0	-
143	V378	P8A_R16C12	discrete	numeric-3.0	10096	0	-
144	V379	P8A_R16C13	discrete	numeric-3.0	10096	0	-
145	V380	P8A_R16C14	discrete	numeric-3.0	10096	0	-
146	V381	P8A_R16C15	discrete	numeric-3.0	10096	0	-
147	V382	P8A_R16C16	discrete	numeric-3.0	10096	0	-
148	V383	P8A_R16C17	discrete	numeric-3.0	10096	0	-
149	V384	P8A_R16C18	discrete	numeric-3.0	10096	0	-
150	V385	P8A_R16C19	discrete	numeric-3.0	10096	0	-

Census of Government Schools - 2003 - Variables List

File Part 8A2 (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
151	V386	P8A_R16C20	discrete	numeric-3.0	10096	0	-
152	V387	P8A_R16C21	discrete	numeric-3.0	10096	0	-
153	V388	P8A_R16C22	discrete	numeric-3.0	10096	0	-
154	V389	P8A_R16C23	discrete	numeric-3.0	10096	0	-
155	V390	P8A_R16C24	discrete	numeric-3.0	10096	0	-
156	V391	P8A_R16C25	discrete	numeric-3.0	10096	0	-
157	V392	P8A_R16C26	discrete	numeric-3.0	10096	0	-
158	V393	P8A_R17C1	discrete	numeric-3.0	10096	0	-
159	V394	P8A_R17C2	discrete	numeric-3.0	10096	0	-
160	V395	P8A_R17C3	discrete	numeric-3.0	10096	0	-
161	V396	P8A_R17C4	discrete	numeric-3.0	10096	0	-
162	V397	P8A_R17C5	discrete	numeric-3.0	10096	0	-
163	V398	P8A_R17C6	discrete	numeric-3.0	10096	0	-
164	V399	P8A_R17C7	discrete	numeric-3.0	10096	0	-
165	V400	P8A_R17C8	discrete	numeric-3.0	10096	0	-
166	V401	P8A_R17C9	discrete	numeric-3.0	10096	0	-
167	V402	P8A_R17C10	discrete	numeric-3.0	10096	0	-
168	V403	P8A_R17C11	discrete	numeric-3.0	10096	0	-
169	V404	P8A_R17C12	discrete	numeric-3.0	10096	0	-
170	V405	P8A_R17C13	discrete	numeric-3.0	10096	0	-
171	V406	P8A_R17C14	discrete	numeric-3.0	10096	0	-
172	V407	P8A_R17C15	discrete	numeric-3.0	10096	0	-
173	V408	P8A_R17C16	discrete	numeric-3.0	10096	0	-
174	V409	P8A_R17C17	discrete	numeric-3.0	10096	0	-
175	V410	P8A_R17C18	discrete	numeric-3.0	10096	0	-
176	V411	P8A_R17C19	discrete	numeric-3.0	10096	0	-
177	V412	P8A_R17C20	discrete	numeric-3.0	10096	0	-
178	V413	P8A_R17C21	discrete	numeric-3.0	10096	0	-
179	V414	P8A_R17C22	discrete	numeric-3.0	10096	0	-
180	V415	P8A_R17C23	discrete	numeric-3.0	10096	0	-
181	V416	P8A_R17C24	discrete	numeric-3.0	10096	0	-
182	V417	P8A_R17C25	discrete	numeric-3.0	10096	0	-
183	V418	P8A_R17C26	discrete	numeric-3.0	10096	0	-
184	V419	P8A_R18C1	discrete	numeric-3.0	10096	0	-
185	V420	P8A_R18C2	discrete	numeric-3.0	10096	0	-
186	V421	P8A_R18C3	discrete	numeric-3.0	10096	0	-
187	V422	P8A_R18C4	discrete	numeric-3.0	10096	0	-

File Part 8A2 (cont.)

#	Name	Label	Type	Format	Valid	Invalid	Question
188	V423	P8A_R18C5	discrete	numeric-3.0	10096	0	-
189	V424	P8A_R18C6	discrete	numeric-3.0	10096	0	-
190	V425	P8A_R18C7	discrete	numeric-3.0	10096	0	-
191	V426	P8A_R18C8	discrete	numeric-3.0	10096	0	-
192	V427	P8A_R18C9	discrete	numeric-3.0	10096	0	-
193	V428	P8A_R18C10	discrete	numeric-3.0	10096	0	-
194	V429	P8A_R18C11	discrete	numeric-3.0	10096	0	-
195	V430	P8A_R18C12	discrete	numeric-3.0	10096	0	-
196	V431	P8A_R18C13	continuous	numeric-3.0	10096	0	-
197	V432	P8A_R18C14	discrete	numeric-3.0	10096	0	-
198	V433	P8A_R18C15	discrete	numeric-3.0	10096	0	-
199	V434	P8A_R18C16	discrete	numeric-3.0	10096	0	-
200	V435	P8A_R18C17	discrete	numeric-3.0	10096	0	-
201	V436	P8A_R18C18	discrete	numeric-3.0	10096	0	-
202	V437	P8A_R18C19	discrete	numeric-3.0	10096	0	-
203	V438	P8A_R18C20	discrete	numeric-3.0	10096	0	-
204	V439	P8A_R18C21	continuous	numeric-3.0	10096	0	-
205	V440	P8A_R18C22	discrete	numeric-3.0	10096	0	-
206	V441	P8A_R18C23	discrete	numeric-3.0	10096	0	-
207	V442	P8A_R18C24	discrete	numeric-3.0	10096	0	-
208	V443	P8A_R18C25	continuous	numeric-3.0	10096	0	-
209	V444	P8A_R18C26	continuous	numeric-3.0	10096	0	-
210	V445	P8A_R19C1	continuous	numeric-3.0	10096	0	-
211	V446	P8A_R19C2	continuous	numeric-3.0	10096	0	-
212	V447	P8A_R19C3	continuous	numeric-3.0	10096	0	-
213	V448	P8A_R19C4	continuous	numeric-3.0	10096	0	-
214	V449	P8A_R19C5	continuous	numeric-3.0	10096	0	-
215	V450	P8A_R19C6	continuous	numeric-3.0	10096	0	-
216	V451	P8A_R19C7	continuous	numeric-3.0	10096	0	-
217	V452	P8A_R19C8	continuous	numeric-3.0	10096	0	-
218	V453	P8A_R19C9	continuous	numeric-3.0	10096	0	-
219	V454	P8A_R19C10	discrete	numeric-3.0	10096	0	-
220	V455	P8A_R19C11	continuous	numeric-3.0	10096	0	-
221	V456	P8A_R19C12	continuous	numeric-3.0	10096	0	-
222	V457	P8A_R19C13	continuous	numeric-3.0	10096	0	-
223	V458	P8A_R19C14	continuous	numeric-3.0	10096	0	-
224	V459	P8A_R19C15	discrete	numeric-3.0	10096	0	-

Census of Government Schools - 2003 - Variables List

File Part 8A2 (cont.)

#	Name	Label	Type	Format	Valid	Invalid	Question
225	V460	P8A_R19C16	discrete	numeric-3.0	10096	0	-
226	V461	P8A_R19C17	discrete	numeric-3.0	10096	0	-
227	V462	P8A_R19C18	discrete	numeric-3.0	10096	0	-
228	V463	P8A_R19C19	continuous	numeric-3.0	10096	0	-
229	V464	P8A_R19C20	discrete	numeric-3.0	10096	0	-
230	V465	P8A_R19C21	continuous	numeric-3.0	10096	0	-
231	V466	P8A_R19C22	continuous	numeric-3.0	10096	0	-
232	V467	P8A_R19C23	continuous	numeric-3.0	10096	0	-
233	V468	P8A_R19C24	continuous	numeric-3.0	10096	0	-
234	V469	P8A_R19C25	continuous	numeric-3.0	10096	0	-
235	V470	P8A_R19C26	continuous	numeric-3.0	10096	0	-

File Part 8B

#	Name	Label	Type	Format	Valid	Invalid	Question
1	V86	SCID_03	discrete	character-7	10096	0	-
2	V87	P8B_R1C1	discrete	numeric-3.0	10096	0	-
3	V88	P8B_R1C2	discrete	numeric-3.0	10096	0	-
4	V89	P8B_R1C3	discrete	numeric-3.0	10096	0	-
5	V90	P8B_R1C4	discrete	numeric-3.0	10096	0	-
6	V91	P8B_R1C5	discrete	numeric-5.0	10096	0	-
7	V92	P8B_R1C6	discrete	numeric-3.0	10096	0	-
8	V93	P8B_R1C7	discrete	numeric-3.0	10096	0	-
9	V94	P8B_R1C8	discrete	numeric-3.0	10096	0	-
10	V95	P8B_R1C9	discrete	numeric-3.0	10096	0	-
11	V96	P8B_R1C10	discrete	numeric-3.0	10096	0	-
12	V97	P8B_R1C11	discrete	numeric-3.0	10096	0	-
13	V98	P8B_R1C12	discrete	numeric-3.0	10096	0	-
14	V99	P8B_R1C13	discrete	numeric-3.0	10096	0	-
15	V100	P8B_R1C14	discrete	numeric-3.0	10096	0	-
16	V101	P8B_R1C15	discrete	numeric-3.0	10096	0	-
17	V102	P8B_R1C16	discrete	numeric-3.0	10096	0	-
18	V103	P8B_R1C17	discrete	numeric-3.0	10096	0	-
19	V104	P8B_R1C18	discrete	numeric-3.0	10096	0	-
20	V105	P8B_R1C19	discrete	numeric-3.0	10096	0	-
21	V106	P8B_R1C20	discrete	numeric-3.0	10096	0	-
22	V107	P8B_R1C21	continuous	numeric-3.0	10096	0	-

File Part 8B (cont.)

#	Name	Label	Type	Format	Valid	Invalid	Question
23	V108	P8B_R2C1	discrete	numeric-3.0	10096	0	-
24	V109	P8B_R2C2	discrete	numeric-3.0	10096	0	-
25	V110	P8B_R2C3	discrete	numeric-3.0	10096	0	-
26	V111	P8B_R2C4	discrete	numeric-3.0	10096	0	-
27	V112	P8B_R2C5	discrete	numeric-3.0	10096	0	-
28	V113	P8B_R2C6	discrete	numeric-3.0	10096	0	-
29	V114	P8B_R2C7	discrete	numeric-3.0	10096	0	-
30	V115	P8B_R2C8	discrete	numeric-3.0	10096	0	-
31	V116	P8B_R2C9	discrete	numeric-3.0	10096	0	-
32	V117	P8B_R2C10	discrete	numeric-3.0	10096	0	-
33	V118	P8B_R2C11	discrete	numeric-3.0	10096	0	-
34	V119	P8B_R2C12	discrete	numeric-3.0	10096	0	-
35	V120	P8B_R2C13	discrete	numeric-3.0	10096	0	-
36	V121	P8B_R2C14	discrete	numeric-3.0	10096	0	-
37	V122	P8B_R2C15	discrete	numeric-3.0	10096	0	-
38	V123	P8B_R2C16	discrete	numeric-3.0	10096	0	-
39	V124	P8B_R2C17	discrete	numeric-3.0	10096	0	-
40	V125	P8B_R2C18	discrete	numeric-3.0	10096	0	-
41	V126	P8B_R2C19	discrete	numeric-3.0	10096	0	-
42	V127	P8B_R2C20	discrete	numeric-3.0	10096	0	-
43	V128	P8B_R2C21	continuous	numeric-3.0	10096	0	-
44	V129	P8B_R3C1	discrete	numeric-3.0	10096	0	-
45	V130	P8B_R3C2	continuous	numeric-3.0	10096	0	-
46	V131	P8B_R3C3	continuous	numeric-3.0	10096	0	-
47	V132	P8B_R3C4	continuous	numeric-3.0	10096	0	-
48	V133	P8B_R3C5	continuous	numeric-3.0	10096	0	-
49	V134	P8B_R3C6	continuous	numeric-3.0	10096	0	-
50	V135	P8B_R3C7	continuous	numeric-3.0	10096	0	-
51	V136	P8B_R3C8	continuous	numeric-3.0	10096	0	-
52	V137	P8B_R3C9	discrete	numeric-3.0	10096	0	-
53	V138	P8B_R3C10	discrete	numeric-3.0	10096	0	-
54	V139	P8B_R3C11	continuous	numeric-3.0	10096	0	-
55	V140	P8B_R3C12	discrete	numeric-3.0	10096	0	-
56	V141	P8B_R3C13	discrete	numeric-3.0	10096	0	-
57	V142	P8B_R3C14	discrete	numeric-3.0	10096	0	-
58	V143	P8B_R3C15	discrete	numeric-3.0	10096	0	-
59	V144	P8B_R3C16	discrete	numeric-3.0	10096	0	-

Census of Government Schools - 2003 - Variables List

File Part 8B (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
60	V145	P8B_R3C17	discrete	numeric-3.0	10096	0	-
61	V146	P8B_R3C18	discrete	numeric-3.0	10096	0	-
62	V147	P8B_R3C19	discrete	numeric-3.0	10096	0	-
63	V148	P8B_R3C20	continuous	numeric-3.0	10096	0	-
64	V149	P8B_R3C21	continuous	numeric-3.0	10096	0	-
65	V150	P8B_R4C1	discrete	numeric-3.0	10096	0	-
66	V151	P8B_R4C2	continuous	numeric-3.0	10096	0	-
67	V152	P8B_R4C3	discrete	numeric-3.0	10096	0	-
68	V153	P8B_R4C4	discrete	numeric-3.0	10096	0	-
69	V154	P8B_R4C5	discrete	numeric-3.0	10096	0	-
70	V155	P8B_R4C6	continuous	numeric-3.0	10096	0	-
71	V156	P8B_R4C7	continuous	numeric-3.0	10096	0	-
72	V157	P8B_R4C8	discrete	numeric-3.0	10096	0	-
73	V158	P8B_R4C9	discrete	numeric-3.0	10096	0	-
74	V159	P8B_R4C10	continuous	numeric-3.0	10096	0	-
75	V160	P8B_R4C11	continuous	numeric-3.0	10096	0	-
76	V161	P8B_R4C12	discrete	numeric-3.0	10096	0	-
77	V162	P8B_R4C13	continuous	numeric-3.0	10096	0	-
78	V163	P8B_R4C14	discrete	numeric-3.0	10096	0	-
79	V164	P8B_R4C15	continuous	numeric-3.0	10096	0	-
80	V165	P8B_R4C16	discrete	numeric-3.0	10096	0	-
81	V166	P8B_R4C17	continuous	numeric-3.0	10096	0	-
82	V167	P8B_R4C18	discrete	numeric-3.0	10096	0	-
83	V168	P8B_R4C19	discrete	numeric-3.0	10096	0	-
84	V169	P8B_R4C20	continuous	numeric-3.0	10096	0	-
85	V170	P8B_R4C21	continuous	numeric-3.0	10096	0	-

File Part 9							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	V182	SCID_03	discrete	character-7	10096	0	-
2	V183	P9_R1C1	continuous	numeric-2.0	10096	0	-
3	V184	P9_R1C2	discrete	numeric-2.0	10096	0	-
4	V185	P9_R1C3	discrete	numeric-2.0	10096	0	-
5	V186	P9_R1C4	discrete	numeric-2.0	10096	0	-
6	V187	P9_R1C5	discrete	numeric-2.0	10096	0	-
7	V188	P9_R1C6	discrete	numeric-2.0	10096	0	-

File Part 9 (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
8	V189	P9_R1C7	discrete	numeric-2.0	10096	0	-
9	V190	P9_R1C8	discrete	numeric-2.0	10096	0	-
10	V191	P9_R1C9	discrete	numeric-2.0	10096	0	-
11	V192	P9_R1C10	discrete	numeric-2.0	10096	0	-
12	V193	P9_R1C11	discrete	numeric-2.0	10096	0	-
13	V194	P9_R1C12	discrete	numeric-2.0	10096	0	-
14	V195	P9_R1C13	discrete	numeric-2.0	10096	0	-
15	V196	P9_R1C14	discrete	numeric-2.0	10096	0	-
16	V197	P9_R2C1	continuous	numeric-2.0	10096	0	-
17	V198	P9_R2C2	discrete	numeric-2.0	10096	0	-
18	V199	P9_R2C3	discrete	numeric-2.0	10096	0	-
19	V200	P9_R2C4	discrete	numeric-2.0	10096	0	-
20	V201	P9_R2C5	discrete	numeric-2.0	10096	0	-
21	V202	P9_R2C6	discrete	numeric-2.0	10096	0	-
22	V203	P9_R2C7	discrete	numeric-2.0	10096	0	-
23	V204	P9_R2C8	discrete	numeric-2.0	10096	0	-
24	V205	P9_R2C9	discrete	numeric-2.0	10096	0	-
25	V206	P9_R2C10	discrete	numeric-2.0	10096	0	-
26	V207	P9_R2C11	discrete	numeric-2.0	10096	0	-
27	V208	P9_R2C12	discrete	numeric-2.0	10096	0	-
28	V209	P9_R2C13	discrete	numeric-2.0	10096	0	-
29	V210	P9_R2C14	discrete	numeric-2.0	10096	0	-
30	V211	P9_R3C1	continuous	numeric-2.0	10096	0	-
31	V212	P9_R3C2	discrete	numeric-2.0	10096	0	-
32	V213	P9_R3C3	discrete	numeric-2.0	10096	0	-
33	V214	P9_R3C4	discrete	numeric-2.0	10096	0	-
34	V215	P9_R3C5	discrete	numeric-2.0	10096	0	-
35	V216	P9_R3C6	discrete	numeric-2.0	10096	0	-
36	V217	P9_R3C7	discrete	numeric-2.0	10096	0	-
37	V218	P9_R3C8	discrete	numeric-2.0	10096	0	-
38	V219	P9_R3C9	discrete	numeric-2.0	10096	0	-
39	V220	P9_R3C10	discrete	numeric-2.0	10096	0	-
40	V221	P9_R3C11	discrete	numeric-2.0	10096	0	-
41	V222	P9_R3C12	discrete	numeric-2.0	10096	0	-
42	V223	P9_R3C13	discrete	numeric-2.0	10096	0	-
43	V224	P9_R3C14	discrete	numeric-2.0	10096	0	-
44	V225	P9_R4C1	continuous	numeric-2.0	10096	0	-

File Part 9 (cont.)

#	Name	Label	Type	Format	Valid	Invalid	Question
45	V226	P9_R4C2	discrete	numeric-2.0	10096	0	-
46	V227	P9_R4C3	discrete	numeric-2.0	10096	0	-
47	V228	P9_R4C4	discrete	numeric-2.0	10096	0	-
48	V229	P9_R4C5	discrete	numeric-2.0	10096	0	-
49	V230	P9_R4C6	discrete	numeric-2.0	10096	0	-
50	V231	P9_R4C7	discrete	numeric-2.0	10096	0	-
51	V232	P9_R4C8	discrete	numeric-2.0	10096	0	-
52	V233	P9_R4C9	discrete	numeric-2.0	10096	0	-
53	V234	P9_R4C10	discrete	numeric-2.0	10096	0	-
54	V235	P9_R4C11	discrete	numeric-2.0	10096	0	-
55	V236	P9_R4C12	discrete	numeric-2.0	10096	0	-
56	V237	P9_R4C13	discrete	numeric-2.0	10096	0	-
57	V238	P9_R4C14	discrete	numeric-2.0	10096	0	-
58	V239	P9_R5C1	continuous	numeric-2.0	10096	0	-
59	V240	P9_R5C2	discrete	numeric-2.0	10096	0	-
60	V241	P9_R5C3	discrete	numeric-2.0	10096	0	-
61	V242	P9_R5C4	discrete	numeric-2.0	10096	0	-
62	V243	P9_R5C5	discrete	numeric-2.0	10096	0	-
63	V244	P9_R5C6	discrete	numeric-2.0	10096	0	-
64	V245	P9_R5C7	discrete	numeric-2.0	10096	0	-
65	V246	P9_R5C8	discrete	numeric-2.0	10096	0	-
66	V247	P9_R5C9	discrete	numeric-2.0	10096	0	-
67	V248	P9_R5C10	discrete	numeric-2.0	10096	0	-
68	V249	P9_R5C11	discrete	numeric-2.0	10096	0	-
69	V250	P9_R5C12	discrete	numeric-2.0	10096	0	-
70	V251	P9_R5C13	discrete	numeric-2.0	10096	0	-
71	V252	P9_R5C14	discrete	numeric-2.0	10096	0	-
72	V253	P9_R6C1	continuous	numeric-2.0	10096	0	-
73	V254	P9_R6C2	discrete	numeric-2.0	10096	0	-
74	V255	P9_R6C3	discrete	numeric-2.0	10096	0	-
75	V256	P9_R6C4	discrete	numeric-2.0	10096	0	-
76	V257	P9_R6C5	discrete	numeric-2.0	10096	0	-
77	V258	P9_R6C6	discrete	numeric-2.0	10096	0	-
78	V259	P9_R6C7	discrete	numeric-2.0	10096	0	-
79	V260	P9_R6C8	discrete	numeric-2.0	10096	0	-
80	V261	P9_R6C9	discrete	numeric-2.0	10096	0	-
81	V262	P9_R6C10	discrete	numeric-2.0	10096	0	-

File Part 9 (cont.)

#	Name	Label	Type	Format	Valid	Invalid	Question
82	V263	P9_R6C11	discrete	numeric-2.0	10096	0	-
83	V264	P9_R6C12	discrete	numeric-2.0	10096	0	-
84	V265	P9_R6C13	discrete	numeric-2.0	10096	0	-
85	V266	P9_R6C14	discrete	numeric-2.0	10096	0	-
86	V267	P9_R7C1	continuous	numeric-2.0	10096	0	-
87	V268	P9_R7C2	discrete	numeric-2.0	10096	0	-
88	V269	P9_R7C3	discrete	numeric-2.0	10096	0	-
89	V270	P9_R7C4	discrete	numeric-2.0	10096	0	-
90	V271	P9_R7C5	discrete	numeric-2.0	10096	0	-
91	V272	P9_R7C6	discrete	numeric-2.0	10096	0	-
92	V273	P9_R7C7	discrete	numeric-2.0	10096	0	-
93	V274	P9_R7C8	discrete	numeric-2.0	10096	0	-
94	V275	P9_R7C9	discrete	numeric-2.0	10096	0	-
95	V276	P9_R7C10	discrete	numeric-2.0	10096	0	-
96	V277	P9_R7C11	discrete	numeric-2.0	10096	0	-
97	V278	P9_R7C12	discrete	numeric-2.0	10096	0	-
98	V279	P9_R7C13	discrete	numeric-2.0	10096	0	-
99	V280	P9_R7C14	discrete	numeric-2.0	10096	0	-
100	V281	P9_R8C1	continuous	numeric-2.0	10096	0	-
101	V282	P9_R8C2	discrete	numeric-2.0	10096	0	-
102	V283	P9_R8C3	discrete	numeric-2.0	10096	0	-
103	V284	P9_R8C4	discrete	numeric-2.0	10096	0	-
104	V285	P9_R8C5	discrete	numeric-2.0	10096	0	-
105	V286	P9_R8C6	discrete	numeric-2.0	10096	0	-
106	V287	P9_R8C7	discrete	numeric-2.0	10096	0	-
107	V288	P9_R8C8	discrete	numeric-2.0	10096	0	-
108	V289	P9_R8C9	discrete	numeric-2.0	10096	0	-
109	V290	P9_R8C10	discrete	numeric-2.0	10096	0	-
110	V291	P9_R8C11	discrete	numeric-2.0	10096	0	-
111	V292	P9_R8C12	discrete	numeric-2.0	10096	0	-
112	V293	P9_R8C13	discrete	numeric-2.0	10096	0	-
113	V294	P9_R8C14	discrete	numeric-2.0	10096	0	-
114	V295	P9_R9C1	continuous	numeric-2.0	10096	0	-
115	V296	P9_R9C2	discrete	numeric-2.0	10096	0	-
116	V297	P9_R9C3	discrete	numeric-2.0	10096	0	-
117	V298	P9_R9C4	discrete	numeric-2.0	10096	0	-
118	V299	P9_R9C5	discrete	numeric-2.0	10096	0	-

Census of Government Schools - 2003 - Variables List

File Part 9 (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
119	V300	P9_R9C6	discrete	numeric-2.0	10096	0	-
120	V301	P9_R9C7	discrete	numeric-2.0	10096	0	-
121	V302	P9_R9C8	discrete	numeric-2.0	10096	0	-
122	V303	P9_R9C9	discrete	numeric-2.0	10096	0	-
123	V304	P9_R9C10	discrete	numeric-2.0	10096	0	-
124	V305	P9_R9C11	discrete	numeric-2.0	10096	0	-
125	V306	P9_R9C12	discrete	numeric-2.0	10096	0	-
126	V307	P9_R9C13	discrete	numeric-2.0	10096	0	-
127	V308	P9_R9C14	discrete	numeric-2.0	10096	0	-
128	V309	P9_R10C1	continuous	numeric-2.0	10096	0	-
129	V310	P9_R10C2	discrete	numeric-2.0	10096	0	-
130	V311	P9_R10C3	discrete	numeric-2.0	10096	0	-
131	V312	P9_R10C4	discrete	numeric-2.0	10096	0	-
132	V313	P9_R10C5	discrete	numeric-2.0	10096	0	-
133	V314	P9_R10C6	discrete	numeric-2.0	10096	0	-
134	V315	P9_R10C7	discrete	numeric-2.0	10096	0	-
135	V316	P9_R10C8	discrete	numeric-2.0	10096	0	-
136	V317	P9_R10C9	discrete	numeric-2.0	10096	0	-
137	V318	P9_R10C10	discrete	numeric-2.0	10096	0	-
138	V319	P9_R10C11	discrete	numeric-2.0	10096	0	-
139	V320	P9_R10C12	discrete	numeric-2.0	10096	0	-
140	V321	P9_R10C13	discrete	numeric-2.0	10096	0	-
141	V322	P9_R10C14	discrete	numeric-2.0	10096	0	-
142	V323	P9_R11C1	continuous	numeric-2.0	10096	0	-
143	V324	P9_R11C2	discrete	numeric-2.0	10096	0	-
144	V325	P9_R11C3	discrete	numeric-2.0	10096	0	-
145	V326	P9_R11C4	discrete	numeric-2.0	10096	0	-
146	V327	P9_R11C5	discrete	numeric-2.0	10096	0	-
147	V328	P9_R11C6	discrete	numeric-2.0	10096	0	-
148	V329	P9_R11C7	discrete	numeric-2.0	10096	0	-
149	V330	P9_R11C8	discrete	numeric-2.0	10096	0	-
150	V331	P9_R11C9	discrete	numeric-2.0	10096	0	-
151	V332	P9_R11C10	discrete	numeric-2.0	10096	0	-
152	V333	P9_R11C11	discrete	numeric-2.0	10096	0	-
153	V334	P9_R11C12	discrete	numeric-2.0	10096	0	-
154	V335	P9_R11C13	discrete	numeric-2.0	10096	0	-
155	V336	P9_R11C14	discrete	numeric-2.0	10096	0	-

Census of Government Schools - 2003 - Variables List

File Part 9 (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
156	V337	P9_R12C1	continuous	numeric-2.0	10096	0	-
157	V338	P9_R12C2	discrete	numeric-2.0	10096	0	-
158	V339	P9_R12C3	discrete	numeric-2.0	10096	0	-
159	V340	P9_R12C4	discrete	numeric-2.0	10096	0	-
160	V341	P9_R12C5	discrete	numeric-2.0	10096	0	-
161	V342	P9_R12C6	discrete	numeric-2.0	10096	0	-
162	V343	P9_R12C7	discrete	numeric-2.0	10096	0	-
163	V344	P9_R12C8	discrete	numeric-2.0	10096	0	-
164	V345	P9_R12C9	discrete	numeric-2.0	10096	0	-
165	V346	P9_R12C10	discrete	numeric-2.0	10096	0	-
166	V347	P9_R12C11	discrete	numeric-2.0	10096	0	-
167	V348	P9_R12C12	discrete	numeric-2.0	10096	0	-
168	V349	P9_R12C13	discrete	numeric-2.0	10096	0	-
169	V350	P9_R12C14	discrete	numeric-2.0	10096	0	-
170	V351	P9_R13C3	discrete	numeric-2.0	10096	0	-
171	V352	P9_R13C4	discrete	numeric-2.0	10096	0	-
172	V353	P9_R13C5	discrete	numeric-2.0	10096	0	-
173	V354	P9_R13C6	continuous	numeric-2.0	10096	0	-
174	V355	P9_R13C7	discrete	numeric-2.0	10096	0	-
175	V356	P9_R13C8	discrete	numeric-2.0	10096	0	-
176	V357	P9_R13C9	discrete	numeric-2.0	10096	0	-
177	V358	P9_R13C10	discrete	numeric-2.0	10096	0	-
178	V359	P9_R13C11	discrete	numeric-2.0	10096	0	-
179	V360	P9_R13C12	discrete	numeric-2.0	10096	0	-
180	V361	P9_R13C13	discrete	numeric-2.0	10096	0	-
181	V362	P9_R13C14	discrete	numeric-2.0	10096	0	-

File Part 10							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	V116	SCID_03	discrete	character-7	10096	0	-
2	V117	P10_R1C1	discrete	numeric-3.0	10096	0	-
3	V118	P10_R1C2	discrete	numeric-3.0	10096	0	-
4	V119	P10_R1C3	discrete	numeric-3.0	10096	0	-
5	V120	P10_R1C4	discrete	numeric-3.0	10096	0	-
6	V121	P10_R1C5	discrete	numeric-3.0	10096	0	-
7	V122	P10_R1C6	discrete	numeric-3.0	10096	0	-

File Part 10 (cont.)

#	Name	Label	Type	Format	Valid	Invalid	Question
8	V123	P10_R2C1	discrete	numeric-3.0	10096	0	-
9	V124	P10_R2C2	discrete	numeric-3.0	10096	0	-
10	V125	P10_R2C3	discrete	numeric-3.0	10096	0	-
11	V126	P10_R2C4	discrete	numeric-3.0	10096	0	-
12	V127	P10_R2C5	discrete	numeric-3.0	10096	0	-
13	V128	P10_R2C6	discrete	numeric-3.0	10096	0	-
14	V129	P10_R3C1	discrete	numeric-3.0	10096	0	-
15	V130	P10_R3C2	discrete	numeric-3.0	10096	0	-
16	V131	P10_R3C3	discrete	numeric-3.0	10096	0	-
17	V132	P10_R3C4	discrete	numeric-3.0	10096	0	-
18	V133	P10_R3C5	discrete	numeric-3.0	10096	0	-
19	V134	P10_R3C6	discrete	numeric-3.0	10096	0	-
20	V135	P10_R4C1	discrete	numeric-3.0	10096	0	-
21	V136	P10_R4C2	discrete	numeric-3.0	10096	0	-
22	V137	P10_R4C3	discrete	numeric-3.0	10096	0	-
23	V138	P10_R4C4	discrete	numeric-3.0	10096	0	-
24	V139	P10_R4C5	discrete	numeric-3.0	10096	0	-
25	V140	P10_R4C6	discrete	numeric-3.0	10096	0	-
26	V141	P10_R5C1	discrete	numeric-3.0	10096	0	-
27	V142	P10_R5C2	discrete	numeric-3.0	10096	0	-
28	V143	P10_R5C3	discrete	numeric-3.0	10096	0	-
29	V144	P10_R5C4	discrete	numeric-3.0	10096	0	-
30	V145	P10_R5C5	discrete	numeric-3.0	10096	0	-
31	V146	P10_R5C6	discrete	numeric-3.0	10096	0	-
32	V147	P10_R6C1	discrete	numeric-3.0	10096	0	-
33	V148	P10_R6C2	discrete	numeric-3.0	10096	0	-
34	V149	P10_R6C3	discrete	numeric-3.0	10096	0	-
35	V150	P10_R6C4	discrete	numeric-3.0	10096	0	-
36	V151	P10_R6C5	discrete	numeric-3.0	10096	0	-
37	V152	P10_R6C6	discrete	numeric-3.0	10096	0	-
38	V153	P10_R7C1	discrete	numeric-3.0	10096	0	-
39	V154	P10_R7C2	discrete	numeric-3.0	10096	0	-
40	V155	P10_R7C3	discrete	numeric-3.0	10096	0	-
41	V156	P10_R7C4	discrete	numeric-3.0	10096	0	-
42	V157	P10_R7C5	discrete	numeric-3.0	10096	0	-
43	V158	P10_R7C6	discrete	numeric-3.0	10096	0	-
44	V159	P10_R8C1	discrete	numeric-3.0	10096	0	-

File Part 10 (cont.)

#	Name	Label	Type	Format	Valid	Invalid	Question
45	V160	P10_R8C2	discrete	numeric-3.0	10096	0	-
46	V161	P10_R8C3	discrete	numeric-3.0	10096	0	-
47	V162	P10_R8C4	discrete	numeric-3.0	10096	0	-
48	V163	P10_R8C5	discrete	numeric-3.0	10096	0	-
49	V164	P10_R8C6	discrete	numeric-3.0	10096	0	-
50	V165	P10_R9C1	discrete	numeric-3.0	10096	0	-
51	V166	P10_R9C2	discrete	numeric-3.0	10096	0	-
52	V167	P10_R9C3	discrete	numeric-3.0	10096	0	-
53	V168	P10_R9C4	discrete	numeric-3.0	10096	0	-
54	V169	P10_R9C5	discrete	numeric-3.0	10096	0	-
55	V170	P10_R9C6	discrete	numeric-3.0	10096	0	-
56	V171	P10_R10C1	discrete	numeric-3.0	10096	0	-
57	V172	P10_R10C2	discrete	numeric-3.0	10096	0	-
58	V173	P10_R10C3	discrete	numeric-3.0	10096	0	-
59	V174	P10_R10C4	discrete	numeric-3.0	10096	0	-
60	V175	P10_R10C5	discrete	numeric-3.0	10096	0	-
61	V176	P10_R10C6	discrete	numeric-3.0	10096	0	-
62	V177	P10_R11C1	discrete	numeric-3.0	10096	0	-
63	V178	P10_R11C2	discrete	numeric-3.0	10096	0	-
64	V179	P10_R11C3	discrete	numeric-3.0	10096	0	-
65	V180	P10_R11C4	discrete	numeric-3.0	10096	0	-
66	V181	P10_R11C5	discrete	numeric-3.0	10096	0	-
67	V182	P10_R11C6	discrete	numeric-3.0	10096	0	-
68	V183	P10_R12C1	discrete	numeric-3.0	10096	0	-
69	V184	P10_R12C2	discrete	numeric-3.0	10096	0	-
70	V185	P10_R12C3	discrete	numeric-3.0	10096	0	-
71	V186	P10_R12C4	discrete	numeric-3.0	10096	0	-
72	V187	P10_R12C5	discrete	numeric-3.0	10096	0	-
73	V188	P10_R12C6	discrete	numeric-3.0	10096	0	-
74	V189	P10_R13C1	discrete	numeric-3.0	10096	0	-
75	V190	P10_R13C2	discrete	numeric-3.0	10096	0	-
76	V191	P10_R13C3	discrete	numeric-3.0	10096	0	-
77	V192	P10_R13C4	discrete	numeric-3.0	10096	0	-
78	V193	P10_R13C5	continuous	numeric-3.0	10096	0	-
79	V194	P10_R13C6	continuous	numeric-3.0	10096	0	-
80	V195	P10_R14C1	discrete	numeric-3.0	10096	0	-
81	V196	P10_R14C2	discrete	numeric-3.0	10096	0	-

File Part 10 (cont.)

#	Name	Label	Type	Format	Valid	Invalid	Question
82	V197	P10_R14C3	discrete	numeric-3.0	10096	0	-
83	V198	P10_R14C4	discrete	numeric-3.0	10096	0	-
84	V199	P10_R14C5	discrete	numeric-3.0	10096	0	-
85	V200	P10_R14C6	discrete	numeric-3.0	10096	0	-
86	V201	P10_R15C1	discrete	numeric-3.0	10096	0	-
87	V202	P10_R15C2	discrete	numeric-3.0	10096	0	-
88	V203	P10_R15C3	discrete	numeric-3.0	10096	0	-
89	V204	P10_R15C4	discrete	numeric-3.0	10096	0	-
90	V205	P10_R15C5	discrete	numeric-3.0	10096	0	-
91	V206	P10_R15C6	discrete	numeric-3.0	10096	0	-
92	V207	P10_R16C1	discrete	numeric-3.0	10096	0	-
93	V208	P10_R16C2	discrete	numeric-3.0	10096	0	-
94	V209	P10_R16C3	discrete	numeric-3.0	10096	0	-
95	V210	P10_R16C4	discrete	numeric-3.0	10096	0	-
96	V211	P10_R16C5	discrete	numeric-3.0	10096	0	-
97	V212	P10_R16C6	discrete	numeric-3.0	10096	0	-
98	V213	P10_R17C1	discrete	numeric-3.0	10096	0	-
99	V214	P10_R17C2	discrete	numeric-3.0	10096	0	-
100	V215	P10_R17C3	discrete	numeric-3.0	10096	0	-
101	V216	P10_R17C4	discrete	numeric-3.0	10096	0	-
102	V217	P10_R17C5	discrete	numeric-3.0	10096	0	-
103	V218	P10_R17C6	discrete	numeric-3.0	10096	0	-
104	V219	P10_R18C1	discrete	numeric-3.0	10096	0	-
105	V220	P10_R18C2	discrete	numeric-3.0	10096	0	-
106	V221	P10_R18C3	discrete	numeric-3.0	10096	0	-
107	V222	P10_R18C4	discrete	numeric-3.0	10096	0	-
108	V223	P10_R18C5	discrete	numeric-3.0	10096	0	-
109	V224	P10_R18C6	discrete	numeric-3.0	10096	0	-
110	V225	P10_R19C1	continuous	numeric-3.0	10096	0	-
111	V226	P10_R19C2	continuous	numeric-3.0	10096	0	-
112	V227	P10_R19C3	continuous	numeric-3.0	10096	0	-
113	V228	P10_R19C4	discrete	numeric-3.0	10096	0	-
114	V229	P10_R19C5	continuous	numeric-3.0	10096	0	-
115	V230	P10_R19C6	continuous	numeric-3.0	10096	0	-

File Part 11

#	Name	Label	Type	Format	Valid	Invalid	Question
1	V210	SCID_03	discrete	character-7	10096	0	-
2	V211	P11_R1C1	continuous	numeric-3.0	10096	0	-
3	V212	P11_R1C2	continuous	numeric-3.0	10096	0	-
4	V213	P11_R1C3	continuous	numeric-3.0	10096	0	-
5	V214	P11_R1C4	continuous	numeric-3.0	10096	0	-
6	V215	P11_R1C5	continuous	numeric-3.0	10096	0	-
7	V216	P11_R1C6	continuous	numeric-3.0	10096	0	-
8	V217	P11_R1C7	continuous	numeric-3.0	10096	0	-
9	V218	P11_R1C8	continuous	numeric-3.0	10096	0	-
10	V219	P11_R1C9	continuous	numeric-3.0	10096	0	-
11	V220	P11_R1C10	continuous	numeric-3.0	10096	0	-
12	V221	P11_R1C11	continuous	numeric-3.0	10096	0	-
13	V222	P11_R1C12	continuous	numeric-3.0	10096	0	-
14	V223	P11_R1C13	continuous	numeric-3.0	10096	0	-
15	V224	P11_R1C14	continuous	numeric-3.0	10096	0	-
16	V225	P11_R1C15	continuous	numeric-3.0	10096	0	-
17	V226	P11_R1C16	continuous	numeric-3.0	10096	0	-
18	V227	P11_R1C17	continuous	numeric-3.0	10096	0	-
19	V228	P11_R1C18	continuous	numeric-3.0	10096	0	-
20	V229	P11_R1C19	continuous	numeric-3.0	10096	0	-
21	V230	P11_R1C20	continuous	numeric-3.0	10096	0	-
22	V231	P11_R1C21	continuous	numeric-3.0	10096	0	-
23	V232	P11_R1C22	continuous	numeric-3.0	10096	0	-
24	V233	P11_R2C1	continuous	numeric-3.0	10096	0	-
25	V234	P11_R2C2	continuous	numeric-3.0	10096	0	-
26	V235	P11_R2C3	discrete	numeric-3.0	10096	0	-
27	V236	P11_R2C4	continuous	numeric-3.0	10096	0	-
28	V237	P11_R2C5	discrete	numeric-3.0	10096	0	-
29	V238	P11_R2C6	continuous	numeric-3.0	10096	0	-
30	V239	P11_R2C7	continuous	numeric-3.0	10096	0	-
31	V240	P11_R2C8	continuous	numeric-3.0	10096	0	-
32	V241	P11_R2C9	discrete	numeric-3.0	10096	0	-
33	V242	P11_R2C10	continuous	numeric-3.0	10096	0	-
34	V243	P11_R2C11	continuous	numeric-3.0	10096	0	-
35	V244	P11_R2C12	continuous	numeric-3.0	10096	0	-
36	V245	P11_R2C13	continuous	numeric-3.0	10096	0	-
37	V246	P11_R2C14	continuous	numeric-3.0	10096	0	-

File Part 11 (cont.)

#	Name	Label	Type	Format	Valid	Invalid	Question
38	V247	P11_R2C15	continuous	numeric-3.0	10096	0	-
39	V248	P11_R2C16	continuous	numeric-3.0	10096	0	-
40	V249	P11_R2C17	continuous	numeric-3.0	10096	0	-
41	V250	P11_R2C18	continuous	numeric-3.0	10096	0	-
42	V251	P11_R2C19	continuous	numeric-3.0	10096	0	-
43	V252	P11_R2C20	continuous	numeric-3.0	10096	0	-
44	V253	P11_R2C21	continuous	numeric-3.0	10096	0	-
45	V254	P11_R2C22	continuous	numeric-3.0	10096	0	-
46	V255	P11_R3C1	continuous	numeric-3.0	10096	0	-
47	V256	P11_R3C2	continuous	numeric-3.0	10096	0	-
48	V257	P11_R3C3	continuous	numeric-3.0	10096	0	-
49	V258	P11_R3C4	continuous	numeric-3.0	10096	0	-
50	V259	P11_R3C5	continuous	numeric-3.0	10096	0	-
51	V260	P11_R3C6	continuous	numeric-3.0	10096	0	-
52	V261	P11_R3C7	continuous	numeric-3.0	10096	0	-
53	V262	P11_R3C8	continuous	numeric-3.0	10096	0	-
54	V263	P11_R3C9	continuous	numeric-3.0	10096	0	-
55	V264	P11_R3C10	continuous	numeric-3.0	10096	0	-
56	V265	P11_R3C11	continuous	numeric-3.0	10096	0	-
57	V266	P11_R3C12	continuous	numeric-3.0	10096	0	-
58	V267	P11_R3C13	continuous	numeric-3.0	10096	0	-
59	V268	P11_R3C14	continuous	numeric-3.0	10096	0	-
60	V269	P11_R3C15	continuous	numeric-3.0	10096	0	-
61	V270	P11_R3C16	continuous	numeric-3.0	10096	0	-
62	V271	P11_R3C17	continuous	numeric-3.0	10096	0	-
63	V272	P11_R3C18	continuous	numeric-3.0	10096	0	-
64	V273	P11_R3C19	continuous	numeric-3.0	10096	0	-
65	V274	P11_R3C20	continuous	numeric-3.0	10096	0	-
66	V275	P11_R3C21	continuous	numeric-3.0	10096	0	-
67	V276	P11_R3C22	continuous	numeric-3.0	10096	0	-
68	V277	P11_R4C1	continuous	numeric-3.0	10096	0	-
69	V278	P11_R4C2	continuous	numeric-3.0	10096	0	-
70	V279	P11_R4C3	continuous	numeric-3.0	10096	0	-
71	V280	P11_R4C4	continuous	numeric-3.0	10096	0	-
72	V281	P11_R4C5	continuous	numeric-3.0	10096	0	-
73	V282	P11_R4C6	continuous	numeric-3.0	10096	0	-
74	V283	P11_R4C7	continuous	numeric-3.0	10096	0	-

File Part 11 (cont.)

#	Name	Label	Type	Format	Valid	Invalid	Question
75	V284	P11_R4C8	continuous	numeric-3.0	10096	0	-
76	V285	P11_R4C9	continuous	numeric-3.0	10096	0	-
77	V286	P11_R4C10	continuous	numeric-3.0	10096	0	-
78	V287	P11_R4C11	continuous	numeric-3.0	10096	0	-
79	V288	P11_R4C12	continuous	numeric-3.0	10096	0	-
80	V289	P11_R4C13	continuous	numeric-3.0	10096	0	-
81	V290	P11_R4C14	continuous	numeric-3.0	10096	0	-
82	V291	P11_R4C15	continuous	numeric-3.0	10096	0	-
83	V292	P11_R4C16	continuous	numeric-3.0	10096	0	-
84	V293	P11_R4C17	continuous	numeric-3.0	10096	0	-
85	V294	P11_R4C18	continuous	numeric-3.0	10096	0	-
86	V295	P11_R4C19	continuous	numeric-3.0	10096	0	-
87	V296	P11_R4C20	continuous	numeric-3.0	10096	0	-
88	V297	P11_R4C21	continuous	numeric-3.0	10096	0	-
89	V298	P11_R4C22	continuous	numeric-3.0	10096	0	-
90	V299	P11_R5C1	continuous	numeric-3.0	10096	0	-
91	V300	P11_R5C2	continuous	numeric-3.0	10096	0	-
92	V301	P11_R5C3	continuous	numeric-3.0	10096	0	-
93	V302	P11_R5C4	continuous	numeric-3.0	10096	0	-
94	V303	P11_R5C5	continuous	numeric-3.0	10096	0	-
95	V304	P11_R5C6	continuous	numeric-3.0	10096	0	-
96	V305	P11_R5C7	continuous	numeric-3.0	10096	0	-
97	V306	P11_R5C8	continuous	numeric-3.0	10096	0	-
98	V307	P11_R5C9	continuous	numeric-3.0	10096	0	-
99	V308	P11_R5C10	continuous	numeric-3.0	10096	0	-
100	V309	P11_R5C11	continuous	numeric-3.0	10096	0	-
101	V310	P11_R5C12	continuous	numeric-3.0	10096	0	-
102	V311	P11_R5C13	continuous	numeric-3.0	10096	0	-
103	V312	P11_R5C14	continuous	numeric-3.0	10096	0	-
104	V313	P11_R5C15	continuous	numeric-3.0	10096	0	-
105	V314	P11_R5C16	continuous	numeric-3.0	10096	0	-
106	V315	P11_R5C17	continuous	numeric-3.0	10096	0	-
107	V316	P11_R5C18	continuous	numeric-3.0	10096	0	-
108	V317	P11_R5C19	continuous	numeric-3.0	10096	0	-
109	V318	P11_R5C20	continuous	numeric-3.0	10096	0	-
110	V319	P11_R5C21	continuous	numeric-3.0	10096	0	-
111	V320	P11_R5C22	continuous	numeric-3.0	10096	0	-

File Part 11 (cont.)

#	Name	Label	Type	Format	Valid	Invalid	Question
112	V321	P11_R6C19	continuous	numeric-3.0	10096	0	-
113	V322	P11_R6C20	continuous	numeric-3.0	10096	0	-
114	V323	P11_R6C21	continuous	numeric-3.0	10096	0	-
115	V324	P11_R6C22	continuous	numeric-3.0	10096	0	-
116	V325	P11_R7C19	continuous	numeric-3.0	10096	0	-
117	V326	P11_R7C20	continuous	numeric-3.0	10096	0	-
118	V327	P11_R7C21	continuous	numeric-3.0	10096	0	-
119	V328	P11_R7C22	continuous	numeric-3.0	10096	0	-
120	V329	P11_R8C19	continuous	numeric-3.0	10096	0	-
121	V330	P11_R8C20	continuous	numeric-3.0	10096	0	-
122	V331	P11_R8C21	continuous	numeric-3.0	10096	0	-
123	V332	P11_R8C22	continuous	numeric-3.0	10096	0	-
124	V333	P11_R9C19	continuous	numeric-3.0	10096	0	-
125	V334	P11_R9C20	continuous	numeric-3.0	10096	0	-
126	V335	P11_R9C21	continuous	numeric-3.0	10096	0	-
127	V336	P11_R9C22	continuous	numeric-3.0	10096	0	-
128	V337	P11_R10C19	discrete	numeric-3.0	10096	0	-
129	V338	P11_R10C20	continuous	numeric-3.0	10096	0	-
130	V339	P11_R10C21	discrete	numeric-3.0	10096	0	-
131	V340	P11_R10C22	discrete	numeric-3.0	10096	0	-
132	V341	P11_R11C19	continuous	numeric-3.0	10096	0	-
133	V342	P11_R11C20	continuous	numeric-3.0	10096	0	-
134	V343	P11_R11C21	continuous	numeric-3.0	10096	0	-
135	V344	P11_R11C22	continuous	numeric-3.0	10096	0	-
136	V345	P11_R12C19	continuous	numeric-3.0	10096	0	-
137	V346	P11_R12C20	continuous	numeric-3.0	10096	0	-
138	V347	P11_R12C21	continuous	numeric-3.0	10096	0	-
139	V348	P11_R12C22	continuous	numeric-3.0	10096	0	-
140	V349	P11_R13C19	continuous	numeric-3.0	10096	0	-
141	V350	P11_R13C20	continuous	numeric-3.0	10096	0	-
142	V351	P11_R13C21	continuous	numeric-3.0	10096	0	-
143	V352	P11_R13C22	continuous	numeric-3.0	10096	0	-
144	V353	P11_R14C19	continuous	numeric-3.0	10096	0	-
145	V354	P11_R14C20	continuous	numeric-3.0	10096	0	-
146	V355	P11_R14C21	continuous	numeric-3.0	10096	0	-
147	V356	P11_R14C22	continuous	numeric-3.0	10096	0	-
148	V357	P11_R15C19	continuous	numeric-3.0	10096	0	-

File Part 11 (cont.)

#	Name	Label	Type	Format	Valid	Invalid	Question
149	V358	P11_R15C20	continuous	numeric-3.0	10096	0	-
150	V359	P11_R15C21	continuous	numeric-3.0	10096	0	-
151	V360	P11_R15C22	continuous	numeric-3.0	10096	0	-
152	V361	P11_R16C19	continuous	numeric-3.0	10096	0	-
153	V362	P11_R16C20	continuous	numeric-3.0	10096	0	-
154	V363	P11_R16C21	continuous	numeric-3.0	10096	0	-
155	V364	P11_R16C22	continuous	numeric-3.0	10096	0	-
156	V365	P11_R17C19	continuous	numeric-3.0	10096	0	-
157	V366	P11_R17C20	continuous	numeric-3.0	10096	0	-
158	V367	P11_R17C21	continuous	numeric-3.0	10096	0	-
159	V368	P11_R17C22	continuous	numeric-3.0	10096	0	-
160	V369	P11_R18C13	continuous	numeric-3.0	0	10096	-
161	V370	P11_R18C14	continuous	numeric-3.0	0	10096	-
162	V371	P11_R18C15	continuous	numeric-3.0	0	10096	-
163	V372	P11_R18C16	continuous	numeric-3.0	0	10096	-
164	V373	P11_R18C17	continuous	numeric-3.0	0	10096	-
165	V374	P11_R18C18	continuous	numeric-3.0	0	10096	-
166	V375	P11_R18C19	continuous	numeric-3.0	10096	0	-
167	V376	P11_R18C20	continuous	numeric-3.0	10096	0	-
168	V377	P11_R18C21	continuous	numeric-3.0	10096	0	-
169	V378	P11_R18C22	continuous	numeric-3.0	10096	0	-
170	V379	P11_R19C13	continuous	numeric-3.0	10096	0	-
171	V380	P11_R19C14	continuous	numeric-3.0	10096	0	-
172	V381	P11_R19C15	continuous	numeric-3.0	10096	0	-
173	V382	P11_R19C16	continuous	numeric-3.0	10096	0	-
174	V383	P11_R19C17	continuous	numeric-3.0	10096	0	-
175	V384	P11_R19C18	continuous	numeric-3.0	10096	0	-
176	V385	P11_R19C19	continuous	numeric-3.0	10096	0	-
177	V386	P11_R19C20	continuous	numeric-3.0	10096	0	-
178	V387	P11_R19C21	continuous	numeric-3.0	10096	0	-
179	V388	P11_R19C22	continuous	numeric-3.0	10096	0	-
180	V389	P11_R20C13	continuous	numeric-3.0	10096	0	-
181	V390	P11_R20C14	continuous	numeric-3.0	10096	0	-
182	V391	P11_R20C15	continuous	numeric-3.0	10096	0	-
183	V392	P11_R20C16	continuous	numeric-3.0	10096	0	-
184	V393	P11_R20C17	continuous	numeric-3.0	10096	0	-
185	V394	P11_R20C18	continuous	numeric-3.0	10096	0	-

File Part 11 (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
186	V395	P11_R20C19	continuous	numeric-3.0	10096	0	-
187	V396	P11_R20C20	continuous	numeric-3.0	10096	0	-
188	V397	P11_R20C21	continuous	numeric-3.0	10096	0	-
189	V398	P11_R20C22	continuous	numeric-3.0	10096	0	-
190	V399	P11_R21C13	continuous	numeric-3.0	10096	0	-
191	V400	P11_R21C14	continuous	numeric-3.0	10096	0	-
192	V401	P11_R21C15	continuous	numeric-3.0	10096	0	-
193	V402	P11_R21C16	continuous	numeric-3.0	10096	0	-
194	V403	P11_R21C17	continuous	numeric-3.0	10096	0	-
195	V404	P11_R21C18	continuous	numeric-3.0	10096	0	-
196	V405	P11_R21C19	continuous	numeric-3.0	10096	0	-
197	V406	P11_R21C20	continuous	numeric-3.0	10096	0	-
198	V407	P11_R21C21	continuous	numeric-3.0	10096	0	-
199	V408	P11_R21C22	continuous	numeric-3.0	10096	0	-
200	V409	P11_R22C13	continuous	numeric-3.0	10096	0	-
201	V410	P11_R22C14	continuous	numeric-3.0	10096	0	-
202	V411	P11_R22C15	continuous	numeric-3.0	10096	0	-
203	V412	P11_R22C16	continuous	numeric-3.0	10096	0	-
204	V413	P11_R22C17	continuous	numeric-3.0	10096	0	-
205	V414	P11_R22C18	continuous	numeric-3.0	10096	0	-
206	V415	P11_R22C19	continuous	numeric-3.0	10096	0	-
207	V416	P11_R22C20	continuous	numeric-3.0	10096	0	-
208	V417	P11_R22C21	continuous	numeric-3.0	10096	0	-
209	V418	P11_R22C22	continuous	numeric-3.0	10096	0	-

File Teachers Details							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	V24	SCID_98	discrete	character-7	189800	0	-
2	V25	SEQ_TEA	discrete	character-3	189800	0	-
3	V26	1. Name of the Teacher	discrete	character-30	189800	-	-
4	V27	2. Birth - Year	discrete	numeric-4.0	189800	0	-
5	V28	3. Birth - Month	discrete	numeric-2.0	189800	0	-
6	V29	4. Birth - Date	discrete	numeric-2.0	189800	0	-
7	V30	5. Sex	discrete	numeric-1.0	189800	0	-
8	V31	5. Ethnicity	discrete	numeric-1.0	189800	0	-
9	V32	7. Religion	discrete	numeric-1.0	189800	0	-

Census of Government Schools - 2003 - Variables List

File Teachers Details (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
10	V48	8. Marital Status	discrete	numeric-1.0	189800	0	-
11	V33	9. Appointment - Year	discrete	numeric-4.0	189800	0	-
12	V34	10. Appointment - Month	discrete	numeric-2.0	189800	0	-
13	V35	11. Appointment Nature	discrete	numeric-1.0	189800	0	-
14	V36	12. Medium of Teaching Appointment	discrete	numeric-1.0	189800	0	-
15	V37	13. Your Position in this School	discrete	numeric-1.0	189800	0	-
16	V38	14. Highest Educational Qualification	discrete	numeric-1.0	189800	0	-
17	V39	15. Highest Professional Qualification	discrete	numeric-2.0	189800	0	-
18	V40	16. Classification of current appointment	discrete	numeric-2.0	189800	0	-
19	V41	17. Teaching Section	discrete	numeric-2.0	189800	0	-
20	V42	18. The subject teaches mostly	discrete	numeric-2.0	189800	0	-
21	V43	19. Service/Grade	discrete	numeric-2.0	189800	0	-
22	V44	20. Leave obtained in 2002 - Casual/Vacation Leave	discrete	numeric-3.0	189800	0	-
23	V47	21. Leave obtained in 2002 - Duty/Study Leave	discrete	numeric-3.0	189799	1	-
24	V45	22. Leave obtained in 2002 - Maternity Leave	discrete	numeric-3.0	189800	0	-
25	V46	23. Gross Salary - 2003 May	discrete	numeric-5.0	189800	0	-

Variables Description

Dataset contains 1882 variable(s)

File Part 1

#1 V28: School Identification Code

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]

#2 V29: School Number

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]

#3 V27: 1. District

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
01	Colombo	420	4.2%
02	Gampaha	545	5.4%
03	Kalutara	441	4.4%
04	Kandy	660	6.5%
05	Matale	318	3.1%
06	Nuwara Eliya	518	5.1%
07	Galle	461	4.6%
08	Matara	379	3.8%
09	Hambantota	321	3.2%
10	Jaffna	484	4.8%
11	Kilinochchi	99	1.0%
12	Mannar	111	1.1%
13	Vavuniya	193	1.9%
14	Mulativu	105	1.0%
15	Batticaloa	323	3.2%
16	Ampara	389	3.9%
17	Trincomalee	277	2.7%
18	Kurunegala	925	9.2%
19	Puttalam	353	3.5%
20	Anuradhapura	561	5.6%
21	Polonnaruwa	233	2.3%
22	Badulla	572	5.7%
23	Monaragala	263	2.6%
24	Ratnapura	593	5.9%

File Part 1 (cont.)

#3 V27: 1. District (cont.)

Value (cont.)	Label	Cases	Percentage
25	Kegalle	552	5.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#4 V32: 2. Electorate

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
Frequency table not shown (160 Modalities)	

#5 V33: 3. Divisional Secretariat Number

Value	Label	Cases	Percentage
01		1056	10.5%
02		948	9.4%
03		880	8.7%
04		846	8.4%
05		742	7.3%
06		548	5.4%
07		597	5.9%
08		554	5.5%
09		624	6.2%
10		541	5.4%
11		531	5.3%
12		385	3.8%
13		480	4.8%
14		268	2.7%
15		213	2.1%
16		197	2.0%
17		128	1.3%
18		100	1.0%
19		86	0.9%
20		89	0.9%
21		94	0.9%
22		31	0.3%
23		14	0.1%
24		30	0.3%
25		12	0.1%

File Part 1 (cont.)

#5 V33: 3. Divisional Secretariat Number (cont.)

Value (cont.)	Label	Cases	Percentage
26		29	0.3%
27		21	0.2%
28		15	0.1%
29		20	0.2%
30		17	0.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#6 V35: 4. Local Government

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Municipal Council	574	5.7%
2	Urban Council	332	3.3%
3	Pradeshiya Sabha	9190	91.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#7 V36: 5. Educational Zone

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
01		3111	30.8%
02		2190	21.7%
03		2004	19.8%
04		1508	14.9%
05		858	8.5%
06		297	2.9%
07		128	1.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#8 V37: 6. Educational Division

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
01		989	9.8%
02		966	9.6%
03		972	9.6%

File Part 1 (cont.)

#8 V37: 6. Educational Division (cont.)

Value (cont.)	Label	Cases	Percentage
04		881	8.7%
05		817	8.1%
06		586	5.8%
07		587	5.8%
08		631	6.3%
09		628	6.2%
10		561	5.6%
11		449	4.4%
12		429	4.2%
13		394	3.9%
14		279	2.8%
15		206	2.0%
16		200	2.0%
17		167	1.7%
18		82	0.8%
19		65	0.6%
20		75	0.7%
21		90	0.9%
22		42	0.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#9 V38: Name of the School

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-]

#10 V39: Address of the School

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-]

#11 V40: Telephone Number

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=1975 /-] [Invalid=0 /-]

#12 V41: 7. Type of this School

Information	[Type= discrete] [Format=character] [Missing=*]
-------------	---

File Part 1 (cont.)

#12 V41: 7. Type of this School (cont.)

Statistics [NW/ W] [Valid=10094 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Government	9327	92.4%
2	Government Aquired Estate	767	7.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#13 V42: 8. School Classified by Race

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=10094 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Sinhala	7064	70.0%
2	Tamil	2234	22.1%
3	Muslim	796	7.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#14 V43: 12. Study language of the Students

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=9790 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Sinhala only	6658	68.0%
2	Tamil only	2831	28.9%
3	Sinhala, Tamil	45	0.5%
4	Sinhala, English	189	1.9%
5	Tamil, English	46	0.5%
6	Sinhala, Tamil, English	21	0.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#15 V45: 13. Male, Female or Mixed School

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=9790 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Boys School	126	1.3%
2	Girls School	185	1.9%
3	Mixed School	9423	96.3%
4	Girls School but Boys in Primary and/or A/L Classes	41	0.4%
5	Boys School but Girls in Primary and/or A/L Classes	15	0.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 1 (cont.)

#16 V46: 14. Is this a National School?

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=9790 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	National Schhool	298	3.0%
2	Navodya (D.S.D) School	373	3.8%
3	National and Naovodya School	25	0.3%
4	Not a National School nor Navodya School	9094	92.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#17 V48: 16. Grade as at 2003-06-01

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=9790 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	1AB	606	6.2%
2	1C	1752	17.9%
3	Grade 2	4267	43.6%
4	Grade 3	3165	32.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#18 V44: 9. School Functioning or not

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Functioning	9790	97.0%
2	Temporary Closed	306	3.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#19 V30: 10. Date of Temporarily Colsed?

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=306 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
00		29	9.5%
01		30	9.8%
02		38	12.4%
03		45	14.7%
85		6	2.0%

File Part 1 (cont.)

#19 V30: 10. Date of Temporarily Colsed? (cont.)

Value (cont.)	Label	Cases	Percentage
87		8	2.6%
89		4	1.3%
90		86	28.1%
91		14	4.6%
93		1	0.3%
94		2	0.7%
95		6	2.0%
96		10	3.3%
97		2	0.7%
98		13	4.2%
99		12	3.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#20 V49: 11. Reason for closed?

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=306 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Not Sufficient Students	148	48.4%
2	Disturbances in the Country	143	46.7%
3	Teachers not Available	5	1.6%
4	Other	10	3.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#21 V58: 15. School according to ministry classification

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=9790 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	More Popular School	1769	18.1%
2	Popular School	2686	27.4%
3	Not a Popular School	2079	21.2%
4	Difficult School	1816	18.5%
5	Very Difficult School	1440	14.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#22 V59: 17. Which level of supervisor

Information	[Type= discrete] [Format=character] [Missing=*]
-------------	---

File Part 1 (cont.)

#22 V59: 17. Which level of supervisor (cont.)

Statistics [NW/ W] [Valid=9789 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1		2605	26.6%
1 2		22	0.2%
12		3107	31.7%
123		300	3.1%
1234		26	0.3%
124		21	0.2%
13		30	0.3%
134		3	0.0%
14		7	0.1%
2		1946	19.9%
23		96	1.0%
234		9	0.1%
24		16	0.2%
3		75	0.8%
4		16	0.2%
5		1510	15.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#23 V50: 18.. How many days closed in 2002

Information [Type= discrete] [Format=numeric] [Range= 0-12] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10044	99.5%
1		27	0.3%
2		11	0.1%
3		5	0.0%
4		3	0.0%
5		2	0.0%
6		2	0.0%
9		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 2

#1 V278: SCID_03

Information	[Type= discrete] [Format=character] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

#2 V279: P2_R1C1

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Value	Label	Cases	Percentage
0		3618	35.8%
1		5046	50.0%
2		768	7.6%
3		326	3.2%
4		176	1.7%
5		106	1.0%
6		38	0.4%
7		13	0.1%
8		4	0.0%
9		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#3 V280: P2_R1C2

Information	[Type= discrete] [Format=numeric] [Range= 0-336] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Frequency table not shown (189 Modalities)
--

#4 V281: P2_R1C3

Information	[Type= discrete] [Format=numeric] [Range= 0-336] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Frequency table not shown (181 Modalities)
--

#5 V282: P2_R1C4

Information	[Type= discrete] [Format=numeric] [Range= 0-431] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Frequency table not shown (270 Modalities)
--

File Part 2 (cont.)

#6 V283: P2_R1C5

Information	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		7225	71.6%
1		2361	23.4%
2		366	3.6%
3		87	0.9%
4		39	0.4%
5		13	0.1%
6		3	0.0%
7		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#7 V284: P2_R1C6

Information	[Type= discrete] [Format=numeric] [Range= 0-240] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Frequency table not shown (110 Modalities)			

#8 V285: P2_R1C7

Information	[Type= discrete] [Format=numeric] [Range= 0-177] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Frequency table not shown (104 Modalities)			

#9 V286: P2_R1C8

Information	[Type= discrete] [Format=numeric] [Range= 0-268] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Frequency table not shown (165 Modalities)			

#10 V287: P2_R1C9

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10087	99.9%
1		7	0.1%
2		2	0.0%

File Part 2 (cont.)

#10 V287: P2_R1C9 (cont.)

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#11 V288: P2_R1C10

Information	[Type= discrete] [Format=numeric] [Range= 0-80] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10090	99.9%
24		1	0.0%
25		1	0.0%
26		1	0.0%
40		1	0.0%
60		1	0.0%
80		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#12 V289: P2_R1C11

Information	[Type= discrete] [Format=numeric] [Range= 0-47] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10090	99.9%
14		1	0.0%
19		2	0.0%
32		1	0.0%
39		1	0.0%
47		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#13 V290: P2_R1C12

Information	[Type= discrete] [Format=numeric] [Range= 0-80] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10087	99.9%
26		1	0.0%
32		1	0.0%
38		1	0.0%
39		1	0.0%
40		1	0.0%

File Part 2 (cont.)

#13 V290: P2_R1C12 (cont.)

Value (cont.)	Label	Cases	Percentage
44		1	0.0%
47		1	0.0%
79		1	0.0%
80		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#14 V291: P2_R2C1

Information	[Type= discrete] [Format=numeric] [Range= 0-10] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		3607	35.7%
1		5013	49.7%
2		820	8.1%
3		314	3.1%
4		181	1.8%
5		104	1.0%
6		37	0.4%
7		14	0.1%
8		4	0.0%
9		1	0.0%
10		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#15 V292: P2_R2C2

Information	[Type= discrete] [Format=numeric] [Range= 0-341] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
Frequency table not shown (192 Modalities)	

#16 V293: P2_R2C3

Information	[Type= discrete] [Format=numeric] [Range= 0-342] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
Frequency table not shown (187 Modalities)	

#17 V294: P2_R2C4

Information	[Type= discrete] [Format=numeric] [Range= 0-475] [Missing=*]
-------------	--

File Part 2 (cont.)

#17 V294: P2_R2C4 (cont.)

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Frequency table not shown (278 Modalities)

#18 V295: P2_R2C5

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		7233	71.6%
1		2339	23.2%
2		386	3.8%
3		87	0.9%
4		33	0.3%
5		13	0.1%
6		3	0.0%
7		1	0.0%
8		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#19 V296: P2_R2C6

Information [Type= discrete] [Format=numeric] [Range= 0-253] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Frequency table not shown (106 Modalities)

#20 V297: P2_R2C7

Information [Type= discrete] [Format=numeric] [Range= 0-238] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Frequency table not shown (104 Modalities)

#21 V298: P2_R2C8

Information [Type= discrete] [Format=numeric] [Range= 0-314] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Frequency table not shown (168 Modalities)

File Part 2 (cont.)

#22 V299: P2_R2C9

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10094	100.0%
1		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#23 V300: P2_R2C10

Information	[Type= discrete] [Format=numeric] [Range= 0-29] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10095	100.0%
29		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#24 V301: P2_R2C11

Information	[Type= discrete] [Format=numeric] [Range= 0-32] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10094	100.0%
26		1	0.0%
32		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#25 V302: P2_R2C12

Information	[Type= discrete] [Format=numeric] [Range= 0-55] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10094	100.0%
32		1	0.0%
55		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#26 V303: P2_R3C1

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
-------------	--

File Part 2 (cont.)

#26 V303: P2_R3C1 (cont.)

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		3586	35.5%
1		5045	50.0%
2		821	8.1%
3		303	3.0%
4		171	1.7%
5		102	1.0%
6		44	0.4%
7		13	0.1%
8		9	0.1%
9		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#27 V304: P2_R3C2

Information [Type= discrete] [Format=numeric] [Range= 0-348] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Frequency table not shown (191 Modalities)

#28 V305: P2_R3C3

Information [Type= discrete] [Format=numeric] [Range= 0-315] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Frequency table not shown (181 Modalities)

#29 V306: P2_R3C4

Information [Type= discrete] [Format=numeric] [Range= 0-436] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Frequency table not shown (278 Modalities)

#30 V307: P2_R3C5

Information [Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		7237	71.7%
1		2304	22.8%

File Part 2 (cont.)

#30 V307: P2_R3C5 (cont.)

Value (cont.)	Label	Cases	Percentage
2		406	4.0%
3		95	0.9%
4		35	0.3%
5		14	0.1%
6		3	0.0%
7		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#31 V308: P2_R3C6

Information	[Type= discrete] [Format=numeric] [Range= 0-243] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
Frequency table not shown (108 Modalities)	

#32 V309: P2_R3C7

Information	[Type= discrete] [Format=numeric] [Range= 0-241] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
Frequency table not shown (103 Modalities)	

#33 V310: P2_R3C8

Information	[Type= discrete] [Format=numeric] [Range= 0-286] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
Frequency table not shown (171 Modalities)	

#34 V311: P2_R3C9

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10095	100.0%
1		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#35 V312: P2_R3C10

Information	[Type= discrete] [Format=numeric] [Range= 0-28] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]

File Part 2 (cont.)

#35 V312: P2_R3C10 (cont.)

Value	Label	Cases	Percentage
0		10095	100.0%
28		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#36 V313: P2_R3C11

Information	[Type= discrete] [Format=numeric] [Range= 0-18] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10095	100.0%
18		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#37 V314: P2_R3C12

Information	[Type= discrete] [Format=numeric] [Range= 0-46] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10095	100.0%
46		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#38 V315: P2_R4C1

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		3598	35.6%
1		4980	49.3%
2		872	8.6%
3		309	3.1%
4		170	1.7%
5		97	1.0%
6		44	0.4%
7		17	0.2%
8		6	0.1%
9		3	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 2 (cont.)

#39 V316: P2_R4C2

Information	[Type= discrete] [Format=numeric] [Range= 0-320] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Frequency table not shown (196 Modalities)
--

#40 V317: P2_R4C3

Information	[Type= discrete] [Format=numeric] [Range= 0-312] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Frequency table not shown (190 Modalities)
--

#41 V318: P2_R4C4

Information	[Type= discrete] [Format=numeric] [Range= 0-523] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Frequency table not shown (276 Modalities)
--

#42 V319: P2_R4C5

Information	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Value	Label	Cases	Percentage
0		7249	71.8%
1		2302	22.8%
2		401	4.0%
3		98	1.0%
4		27	0.3%
5		14	0.1%
6		4	0.0%
7		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#43 V320: P2_R4C6

Information	[Type= discrete] [Format=numeric] [Range= 0-240] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Frequency table not shown (104 Modalities)
--

File Part 2 (cont.)**#44 V321: P2_R4C7**

Information	[Type= discrete] [Format=numeric] [Range= 0-267] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Frequency table not shown (107 Modalities)
--

#45 V322: P2_R4C8

Information	[Type= discrete] [Format=numeric] [Range= 0-285] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Frequency table not shown (167 Modalities)
--

#46 V323: P2_R4C9

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#47 V324: P2_R4C10

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#48 V325: P2_R4C11

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#49 V326: P2_R4C12

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

File Part 2 (cont.)

#49 V326: P2_R4C12 (cont.)

Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#50 V327: P2_R5C1

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		3583	35.5%
1		4923	48.8%
2		934	9.3%
3		333	3.3%
4		161	1.6%
5		98	1.0%
6		44	0.4%
7		13	0.1%
8		4	0.0%
9		3	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#51 V328: P2_R5C2

Information	[Type= discrete] [Format=numeric] [Range= 0-350] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Frequency table not shown (198 Modalities)			

#52 V329: P2_R5C3

Information	[Type= discrete] [Format=numeric] [Range= 0-325] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Frequency table not shown (191 Modalities)			

#53 V330: P2_R5C4

Information	[Type= discrete] [Format=numeric] [Range= 0-447] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Frequency table not shown (279 Modalities)			

File Part 2 (cont.)

#54 V331: P2_R5C5

Information [Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		7282	72.1%
1		2201	21.8%
2		452	4.5%
3		105	1.0%
4		38	0.4%
5		12	0.1%
6		4	0.0%
7		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#55 V332: P2_R5C6

Information [Type= discrete] [Format=numeric] [Range= 0-245] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Frequency table not shown (107 Modalities)

#56 V333: P2_R5C7

Information [Type= discrete] [Format=numeric] [Range= 0-251] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Frequency table not shown (107 Modalities)

#57 V334: P2_R5C8

Information [Type= discrete] [Format=numeric] [Range= 0-251] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Frequency table not shown (171 Modalities)

#58 V335: P2_R5C9

Information [Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 2 (cont.)

#59 V336: P2_R5C10

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#60 V337: P2_R5C11

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#61 V338: P2_R5C12

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#62 V339: P2_R6C1

Information	[Type= discrete] [Format=numeric] [Range= 0-10] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		4721	46.8%
1		3588	35.5%
2		1027	10.2%
3		382	3.8%
4		199	2.0%
5		103	1.0%
6		54	0.5%
7		13	0.1%
8		4	0.0%
9		3	0.0%
10		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 2 (cont.)

#63 V340: P2_R6C2

Information	[Type= discrete] [Format=numeric] [Range= 0-482] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Frequency table not shown (197 Modalities)
--

#64 V341: P2_R6C3

Information	[Type= discrete] [Format=numeric] [Range= 0-321] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Frequency table not shown (190 Modalities)
--

#65 V342: P2_R6C4

Information	[Type= discrete] [Format=numeric] [Range= 0-482] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Frequency table not shown (284 Modalities)
--

#66 V343: P2_R6C5

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Value	Label	Cases	Percentage
0		8234	81.6%
1		1094	10.8%
2		490	4.9%
3		177	1.8%
4		64	0.6%
5		21	0.2%
6		12	0.1%
7		3	0.0%
8		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#67 V344: P2_R6C6

Information	[Type= discrete] [Format=numeric] [Range= 0-275] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Frequency table not shown (134 Modalities)
--

File Part 2 (cont.)**#68 V345: P2_R6C7**

Information	[Type= discrete] [Format=numeric] [Range= 0-225] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Frequency table not shown (124 Modalities)
--

#69 V346: P2_R6C8

Information	[Type= discrete] [Format=numeric] [Range= 0-303] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Frequency table not shown (203 Modalities)
--

#70 V347: P2_R6C9

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Value	Label	Cases	Percentage
0		9856	97.6%
1		211	2.1%
2		24	0.2%
3		3	0.0%
4		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#71 V348: P2_R6C10

Information	[Type= discrete] [Format=numeric] [Range= 0-135] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Frequency table not shown (56 Modalities)

#72 V349: P2_R6C11

Information	[Type= discrete] [Format=numeric] [Range= 0-177] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Frequency table not shown (58 Modalities)

#73 V350: P2_R6C12

Information	[Type= discrete] [Format=numeric] [Range= 0-177] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Frequency table not shown (66 Modalities)

File Part 2 (cont.)

#74 V351: P2_R7C1

Information [Type= discrete] [Format=numeric] [Range= 0-11] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		4773	47.3%
1		3592	35.6%
2		998	9.9%
3		350	3.5%
4		193	1.9%
5		106	1.0%
6		54	0.5%
7		18	0.2%
8		6	0.1%
9		2	0.0%
10		3	0.0%
11		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#75 V352: P2_R7C2

Information [Type= discrete] [Format=numeric] [Range= 0-489] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Frequency table not shown (200 Modalities)

#76 V353: P2_R7C3

Information [Type= discrete] [Format=numeric] [Range= 0-354] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Frequency table not shown (203 Modalities)

#77 V354: P2_R7C4

Information [Type= discrete] [Format=numeric] [Range= 0-489] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Frequency table not shown (296 Modalities)

#78 V355: P2_R7C5

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

File Part 2 (cont.)

#78 V355: P2_R7C5 (cont.)

Value	Label	Cases	Percentage
0		8303	82.2%
1		1122	11.1%
2		423	4.2%
3		148	1.5%
4		65	0.6%
5		21	0.2%
6		13	0.1%
8		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#79 V356: P2_R7C6

Information	[Type= discrete] [Format=numeric] [Range= 0-279] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
Frequency table not shown (129 Modalities)	

#80 V357: P2_R7C7

Information	[Type= discrete] [Format=numeric] [Range= 0-224] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
Frequency table not shown (123 Modalities)	

#81 V358: P2_R7C8

Information	[Type= discrete] [Format=numeric] [Range= 0-314] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
Frequency table not shown (193 Modalities)	

#82 V359: P2_R7C9

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9971	98.8%
1		105	1.0%
2		16	0.2%
3		3	0.0%
4		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 2 (cont.)

#83 V360: P2_R7C10

Information	[Type= discrete] [Format=numeric] [Range= 0-140] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Frequency table not shown (43 Modalities)

#84 V361: P2_R7C11

Information	[Type= discrete] [Format=numeric] [Range= 0-185] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Frequency table not shown (53 Modalities)

#85 V362: P2_R7C12

Information	[Type= discrete] [Format=numeric] [Range= 0-185] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Frequency table not shown (58 Modalities)

#86 V363: P2_R8C1

Information	[Type= discrete] [Format=numeric] [Range= 0-13] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Value	Label	Cases	Percentage
0		4814	47.7%
1		3640	36.1%
2		942	9.3%
3		313	3.1%
4		190	1.9%
5		100	1.0%
6		59	0.6%
7		17	0.2%
8		14	0.1%
9		3	0.0%
10		2	0.0%
11		1	0.0%
13		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#87 V364: P2_R8C2

Information	[Type= discrete] [Format=numeric] [Range= 0-615] [Missing=*]
-------------	--

File Part 2 (cont.)

#87 V364: P2_R8C2 (cont.)

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Frequency table not shown (204 Modalities)

#88 V365: P2_R8C3

Information [Type= discrete] [Format=numeric] [Range= 0-400] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Frequency table not shown (198 Modalities)

#89 V366: P2_R8C4

Information [Type= discrete] [Format=numeric] [Range= 0-615] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Frequency table not shown (297 Modalities)

#90 V367: P2_R8C5

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		8379	83.0%
1		1114	11.0%
2		396	3.9%
3		131	1.3%
4		50	0.5%
5		10	0.1%
6		14	0.1%
7		1	0.0%
8		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#91 V368: P2_R8C6

Information [Type= discrete] [Format=numeric] [Range= 0-280] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Frequency table not shown (119 Modalities)

File Part 2 (cont.)

#92 V369: P2_R8C7

Information	[Type= discrete] [Format=numeric] [Range= 0-238] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Frequency table not shown (116 Modalities)
--

#93 V370: P2_R8C8

Information	[Type= discrete] [Format=numeric] [Range= 0-314] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Frequency table not shown (173 Modalities)
--

#94 V371: P2_R8C9

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Value	Label	Cases	Percentage
		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#95 V372: P2_R8C10

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Value	Label	Cases	Percentage
		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#96 V373: P2_R8C11

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Value	Label	Cases	Percentage
		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#97 V374: P2_R8C12

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

File Part 2 (cont.)

#97 V374: P2_R8C12 (cont.)

Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#98 V375: P2_R9C1

Information	[Type= discrete] [Format=numeric] [Range= 0-13] [Missing= *]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		5005	49.6%
1		3434	34.0%
2		933	9.2%
3		321	3.2%
4		197	2.0%
5		102	1.0%
6		60	0.6%
7		20	0.2%
8		15	0.1%
9		4	0.0%
10		2	0.0%
11		2	0.0%
13		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#99 V376: P2_R9C2

Information	[Type= discrete] [Format=numeric] [Range= 0-581] [Missing= *]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Frequency table not shown (205 Modalities)			

#100 V377: P2_R9C3

Information	[Type= discrete] [Format=numeric] [Range= 0-398] [Missing= *]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Frequency table not shown (206 Modalities)			

#101 V378: P2_R9C4

Information	[Type= discrete] [Format=numeric] [Range= 0-581] [Missing= *]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		

File Part 2 (cont.)

#101 V378: P2_R9C4 (cont.)

Frequency table not shown (302 Modalities)

#102 V379: P2_R9C5

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		8533	84.5%
1		1025	10.2%
2		340	3.4%
3		120	1.2%
4		53	0.5%
5		6	0.1%
6		15	0.1%
7		2	0.0%
8		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#103 V380: P2_R9C6

Information [Type= discrete] [Format=numeric] [Range= 0-304] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Frequency table not shown (114 Modalities)

#104 V381: P2_R9C7

Information [Type= discrete] [Format=numeric] [Range= 0-236] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Frequency table not shown (118 Modalities)

#105 V382: P2_R9C8

Information [Type= discrete] [Format=numeric] [Range= 0-315] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Frequency table not shown (179 Modalities)

#106 V383: P2_R9C9

Information [Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]

File Part 2 (cont.)

#106 V383: P2_R9C9 (cont.)

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#107 V384: P2_R9C10

Information [Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#108 V385: P2_R9C11

Information [Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#109 V386: P2_R9C12

Information [Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#110 V387: P2_R10C1

Information [Type= discrete] [Format=numeric] [Range= 0-13] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		5590	55.4%
1		2883	28.6%
2		909	9.0%
3		310	3.1%
4		198	2.0%

File Part 2 (cont.)

#110 V387: P2_R10C1 (cont.)

Value (cont.)	Label	Cases	Percentage
5		97	1.0%
6		59	0.6%
7		25	0.2%
8		15	0.1%
9		4	0.0%
10		4	0.0%
11		1	0.0%
13		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#111 V388: P2_R10C2

Information	[Type= discrete] [Format=numeric] [Range= 0-584] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
Frequency table not shown (204 Modalities)	

#112 V389: P2_R10C3

Information	[Type= discrete] [Format=numeric] [Range= 0-413] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
Frequency table not shown (199 Modalities)	

#113 V390: P2_R10C4

Information	[Type= discrete] [Format=numeric] [Range= 0-584] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
Frequency table not shown (303 Modalities)	

#114 V391: P2_R10C5

Value	Label	Cases	Percentage
0		8834	87.5%
1		794	7.9%
2		283	2.8%
3		97	1.0%
4		52	0.5%

File Part 2 (cont.)

#114 V391: P2_R10C5 (cont.)

Value (cont.)	Label	Cases	Percentage
5		15	0.1%
6		11	0.1%
7		5	0.0%
8		2	0.0%
9		3	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#115 V392: P2_R10C6

Information	[Type= discrete] [Format=numeric] [Range= 0-333] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
Frequency table not shown (118 Modalities)	

#116 V393: P2_R10C7

Information	[Type= discrete] [Format=numeric] [Range= 0-331] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
Frequency table not shown (117 Modalities)	

#117 V394: P2_R10C8

Information	[Type= discrete] [Format=numeric] [Range= 0-333] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
Frequency table not shown (179 Modalities)	

#118 V395: P2_R10C9

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#119 V396: P2_R10C10

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]

File Part 2 (cont.)

#119 V396: P2_R10C10 (cont.)

Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#120 V397: P2_R10C11

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#121 V398: P2_R10C12

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#122 V399: P2_R11C1

Information	[Type= discrete] [Format=numeric] [Range= 0-12] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		5653	56.0%
1		2869	28.4%
2		880	8.7%
3		296	2.9%
4		195	1.9%
5		102	1.0%
6		49	0.5%
7		27	0.3%
8		17	0.2%
9		6	0.1%
11		1	0.0%
12		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 2 (cont.)

#123 V400: P2_R11C2

Information	[Type= discrete] [Format=numeric] [Range= 0-529] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Frequency table not shown (201 Modalities)
--

#124 V401: P2_R11C3

Information	[Type= discrete] [Format=numeric] [Range= 0-382] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Frequency table not shown (198 Modalities)
--

#125 V402: P2_R11C4

Information	[Type= discrete] [Format=numeric] [Range= 0-529] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Frequency table not shown (300 Modalities)
--

#126 V403: P2_R11C5

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Value	Label	Cases	Percentage
0		8875	87.9%
1		788	7.8%
2		255	2.5%
3		95	0.9%
4		43	0.4%
5		22	0.2%
6		10	0.1%
7		4	0.0%
8		1	0.0%
9		3	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#127 V404: P2_R11C6

Information	[Type= discrete] [Format=numeric] [Range= 0-289] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Frequency table not shown (113 Modalities)
--

File Part 2 (cont.)

#128 V405: P2_R11C7

Information	[Type= discrete] [Format=numeric] [Range= 0-332] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Frequency table not shown (119 Modalities)
--

#129 V406: P2_R11C8

Information	[Type= discrete] [Format=numeric] [Range= 0-332] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Frequency table not shown (174 Modalities)
--

#130 V407: P2_R11C9

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Value	Label	Cases	Percentage
		10096	100.0%
0			

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#131 V408: P2_R11C10

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Value	Label	Cases	Percentage
		10096	100.0%
0			

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#132 V409: P2_R11C11

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Value	Label	Cases	Percentage
		10096	100.0%
0			

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#133 V410: P2_R11C12

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

File Part 2 (cont.)

#133 V410: P2_R11C12 (cont.)

Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#134 V411: P2_R12C1

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		7757	76.8%
1		2102	20.8%
2		152	1.5%
3		45	0.4%
4		22	0.2%
5		13	0.1%
6		3	0.0%
7		1	0.0%
8		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#135 V412: P2_R12C2

Information	[Type= discrete] [Format=numeric] [Range= 0-254] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Frequency table not shown (91 Modalities)			

#136 V413: P2_R12C3

Information	[Type= discrete] [Format=numeric] [Range= 0-129] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Frequency table not shown (88 Modalities)			

#137 V414: P2_R12C4

Information	[Type= discrete] [Format=numeric] [Range= 0-254] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Frequency table not shown (144 Modalities)			

File Part 2 (cont.)**#138 V415: P2_R12C5**

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9311	92.2%
1		716	7.1%
2		54	0.5%
3		10	0.1%
4		2	0.0%
5		3	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#139 V416: P2_R12C6

Information	[Type= discrete] [Format=numeric] [Range= 0-119] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Frequency table not shown (65 Modalities)			

#140 V417: P2_R12C7

Information	[Type= discrete] [Format=numeric] [Range= 0-196] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Frequency table not shown (61 Modalities)			

#141 V418: P2_R12C8

Information	[Type= discrete] [Format=numeric] [Range= 0-196] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Frequency table not shown (102 Modalities)			

#142 V419: P2_R12C9

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 2 (cont.)**#143 V420: P2_R12C10**

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#144 V421: P2_R12C11

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#145 V422: P2_R12C12

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#146 V423: P2_R13C1

Information	[Type= discrete] [Format=numeric] [Range= 0-11] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9673	95.8%
1		223	2.2%
2		80	0.8%
3		40	0.4%
4		32	0.3%
5		24	0.2%
6		11	0.1%
7		6	0.1%
8		4	0.0%
9		1	0.0%
10		1	0.0%
11		1	0.0%

File Part 2 (cont.)**#146 V423: P2_R13C1** (cont.)

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#147 V424: P2_R13C2

Information [Type= discrete] [Format=numeric] [Range= 0-407] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Frequency table not shown (103 Modalities)

#148 V425: P2_R13C3

Information [Type= discrete] [Format=numeric] [Range= 0-250] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Frequency table not shown (103 Modalities)

#149 V426: P2_R13C4

Information [Type= discrete] [Format=numeric] [Range= 0-407] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Frequency table not shown (149 Modalities)

#150 V427: P2_R13C5

Information [Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9936	98.4%
1		118	1.2%
2		23	0.2%
3		14	0.1%
4		3	0.0%
5		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#151 V428: P2_R13C6

Information [Type= discrete] [Format=numeric] [Range= 0-167] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Frequency table not shown (43 Modalities)

File Part 2 (cont.)

#152 V429: P2_R13C7

Information [Type= discrete] [Format=numeric] [Range= 0-126] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Frequency table not shown (40 Modalities)

#153 V430: P2_R13C8

Information [Type= discrete] [Format=numeric] [Range= 0-167] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Frequency table not shown (61 Modalities)

#154 V431: P2_R13C9

Information [Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10068	99.7%
1		25	0.2%
2		3	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#155 V432: P2_R13C10

Information [Type= discrete] [Format=numeric] [Range= 0-53] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10082	99.9%
2		1	0.0%
4		1	0.0%
5		2	0.0%
6		1	0.0%
8		1	0.0%
9		1	0.0%
11		2	0.0%
12		1	0.0%
25		1	0.0%
27		1	0.0%
45		1	0.0%
53		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 2 (cont.)

#156 V433: P2_R13C11

Information [Type= discrete] [Format=numeric] [Range= 0-21] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10077	99.8%
1		1	0.0%
2		3	0.0%
4		3	0.0%
6		3	0.0%
7		2	0.0%
8		1	0.0%
10		1	0.0%
12		1	0.0%
14		1	0.0%
17		1	0.0%
20		1	0.0%
21		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#157 V434: P2_R13C12

Information [Type= discrete] [Format=numeric] [Range= 0-53] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10068	99.7%
1		1	0.0%
2		2	0.0%
4		1	0.0%
5		1	0.0%
6		3	0.0%
7		3	0.0%
8		3	0.0%
9		1	0.0%
10		1	0.0%
11		1	0.0%
12		3	0.0%
14		1	0.0%
17		1	0.0%
21		1	0.0%
25		1	0.0%
27		1	0.0%

File Part 2 (cont.)

#157 V434: P2_R13C12 (cont.)

Value (cont.)	Label	Cases	Percentage
31		1	0.0%
45		1	0.0%
53		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#158 V435: P2_R14C1

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		8422	83.4%
1		1376	13.6%
2		199	2.0%
3		55	0.5%
4		30	0.3%
5		10	0.1%
6		4	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#159 V436: P2_R14C2

Information	[Type= discrete] [Format=numeric] [Range= 0-126] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Frequency table not shown (65 Modalities)			

#160 V437: P2_R14C3

Information	[Type= discrete] [Format=numeric] [Range= 0-182] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Frequency table not shown (100 Modalities)			

#161 V438: P2_R14C4

Information	[Type= discrete] [Format=numeric] [Range= 0-182] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Frequency table not shown (132 Modalities)			

File Part 2 (cont.)

#162 V439: P2_R14C5

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9507	94.2%
1		525	5.2%
2		58	0.6%
3		5	0.0%
4		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#163 V440: P2_R14C6

Information	[Type= discrete] [Format=numeric] [Range= 0-75] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
Frequency table not shown (47 Modalities)	

#164 V441: P2_R14C7

Information	[Type= discrete] [Format=numeric] [Range= 0-151] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
Frequency table not shown (60 Modalities)	

#165 V442: P2_R14C8

Information	[Type= discrete] [Format=numeric] [Range= 0-151] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
Frequency table not shown (74 Modalities)	

#166 V443: P2_R14C9

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10096	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#167 V444: P2_R14C10

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
-------------	--

File Part 2 (cont.)

#167 V444: P2_R14C10 (cont.)				
Statistics [NW/ W]		[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage	
0		10096	100.0%	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#168 V445: P2_R14C11				
Information		[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]		
Statistics [NW/ W]		[Valid=10096 /-] [Invalid=0 /-]		
Value		Cases	Percentage	
0		10096	100.0%	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#169 V446: P2_R14C12				
Information		[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]		
Statistics [NW/ W]		[Valid=10096 /-] [Invalid=0 /-]		
Value		Cases	Percentage	
0		10096	100.0%	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#170 V447: P2_R15C1				
Information		[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]		
Statistics [NW/ W]		[Valid=10096 /-] [Invalid=0 /-]		
Value		Cases	Percentage	
0		9144	90.6%	
1		729	7.2%	
2		161	1.6%	
3		50	0.5%	
4		11	0.1%	
5		1	0.0%	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#171 V448: P2_R15C2				
Information		[Type= discrete] [Format=numeric] [Range= 0-203] [Missing=*]		
Statistics [NW/ W]		[Valid=10096 /-] [Invalid=0 /-]		
Frequency table not shown (95 Modalities)				

File Part 2 (cont.)**#172 V449: P2_R15C3**

Information	[Type= discrete] [Format=numeric] [Range= 0-131] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Frequency table not shown (95 Modalities)

#173 V450: P2_R15C4

Information	[Type= discrete] [Format=numeric] [Range= 0-203] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Frequency table not shown (127 Modalities)
--

#174 V451: P2_R15C5

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Value	Label	Cases	Percentage
0		9787	96.9%
1		283	2.8%
2		23	0.2%
3		3	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#175 V452: P2_R15C6

Information	[Type= discrete] [Format=numeric] [Range= 0-110] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Frequency table not shown (46 Modalities)

#176 V453: P2_R15C7

Information	[Type= discrete] [Format=numeric] [Range= 0-80] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Frequency table not shown (41 Modalities)

#177 V454: P2_R15C8

Information	[Type= discrete] [Format=numeric] [Range= 0-110] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Frequency table not shown (62 Modalities)

File Part 2 (cont.)**#178 V455: P2_R15C9**

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10095	100.0%
1		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#179 V456: P2_R15C10

Information	[Type= discrete] [Format=numeric] [Range= 0-32] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10095	100.0%
32		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#180 V457: P2_R15C11

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#181 V458: P2_R15C12

Information	[Type= discrete] [Format=numeric] [Range= 0-32] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10095	100.0%
32		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#182 V459: P2_R16C1

Information	[Type= discrete] [Format=numeric] [Range= 0-10] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9667	95.8%

File Part 2 (cont.)

#182 V459: P2_R16C1 (cont.)

Value (cont.)	Label	Cases	Percentage
1		223	2.2%
2		86	0.9%
3		41	0.4%
4		33	0.3%
5		20	0.2%
6		12	0.1%
7		6	0.1%
8		5	0.0%
9		1	0.0%
10		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#183 V460: P2_R16C2

Information	[Type= discrete] [Format=numeric] [Range= 0-384] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
Frequency table not shown (98 Modalities)	

#184 V461: P2_R16C3

Information	[Type= discrete] [Format=numeric] [Range= 0-319] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
Frequency table not shown (103 Modalities)	

#185 V462: P2_R16C4

Information	[Type= discrete] [Format=numeric] [Range= 0-384] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
Frequency table not shown (144 Modalities)	

#186 V463: P2_R16C5

Value	Label	Cases	Percentage
0		9945	98.5%
1		111	1.1%
2		23	0.2%

File Part 2 (cont.)

#186 V463: P2_R16C5 (cont.)

Value (cont.)	Label	Cases	Percentage
3		10	0.1%
4		5	0.0%
5		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#187 V464: P2_R16C6

Information	[Type= discrete] [Format=numeric] [Range= 0-154] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
Frequency table not shown (44 Modalities)	

#188 V465: P2_R16C7

Information	[Type= discrete] [Format=numeric] [Range= 0-152] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
Frequency table not shown (39 Modalities)	

#189 V466: P2_R16C8

Information	[Type= discrete] [Format=numeric] [Range= 0-154] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
Frequency table not shown (61 Modalities)	

#190 V467: P2_R16C9

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10057	99.6%
1		37	0.4%
2		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#191 V468: P2_R16C10

Information	[Type= discrete] [Format=numeric] [Range= 0-66] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]

File Part 2 (cont.)

#191 V468: P2_R16C10 (cont.)

Value	Label	Cases	Percentage
0		10071	99.8%
1		1	0.0%
2		2	0.0%
3		2	0.0%
4		1	0.0%
5		3	0.0%
6		1	0.0%
7		2	0.0%
9		1	0.0%
11		1	0.0%
12		2	0.0%
15		1	0.0%
17		2	0.0%
23		1	0.0%
24		2	0.0%
26		1	0.0%
56		1	0.0%
66		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#192 V469: P2_R16C11

Information	[Type= discrete] [Format=numeric] [Range= 0-30] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10077	99.8%
2		1	0.0%
3		3	0.0%
4		3	0.0%
5		3	0.0%
6		1	0.0%
7		1	0.0%
8		1	0.0%
9		1	0.0%
12		1	0.0%
13		1	0.0%
14		1	0.0%
21		1	0.0%
30		1	0.0%

File Part 2 (cont.)

#192 V469: P2_R16C11 (cont.)

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#193 V470: P2_R16C12

Information	[Type= discrete] [Format=numeric] [Range= 0-66] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10057	99.6%
2		1	0.0%
3		3	0.0%
4		5	0.0%
5		7	0.1%
6		1	0.0%
7		2	0.0%
8		1	0.0%
11		2	0.0%
12		3	0.0%
13		2	0.0%
14		1	0.0%
17		2	0.0%
21		1	0.0%
23		1	0.0%
24		3	0.0%
26		1	0.0%
30		1	0.0%
56		1	0.0%
66		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#194 V471: P2_R17C1

Information	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		8449	83.7%
1		1347	13.3%
2		188	1.9%
3		68	0.7%
4		29	0.3%
5		12	0.1%

File Part 2 (cont.)

#194 V471: P2_R17C1 (cont.)

Value (cont.)	Label	Cases	Percentage
6		2	0.0%
7		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#195 V472: P2_R17C2

Information	[Type= discrete] [Format=numeric] [Range= 0-102] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
Frequency table not shown (63 Modalities)	

#196 V473: P2_R17C3

Information	[Type= discrete] [Format=numeric] [Range= 0-235] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
Frequency table not shown (111 Modalities)	

#197 V474: P2_R17C4

Information	[Type= discrete] [Format=numeric] [Range= 0-235] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
Frequency table not shown (135 Modalities)	

#198 V475: P2_R17C5

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]																								
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]																								
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Value</th> <th>Label</th> <th>Cases</th> <th>Percentage</th> </tr> </thead> <tbody> <tr> <td>0</td> <td></td> <td>9530</td> <td>94.4%</td> </tr> <tr> <td>1</td> <td></td> <td>493</td> <td>4.9%</td> </tr> <tr> <td>2</td> <td></td> <td>64</td> <td>0.6%</td> </tr> <tr> <td>3</td> <td></td> <td>8</td> <td>0.1%</td> </tr> <tr> <td>4</td> <td></td> <td>1</td> <td>0.0%</td> </tr> </tbody> </table>		Value	Label	Cases	Percentage	0		9530	94.4%	1		493	4.9%	2		64	0.6%	3		8	0.1%	4		1	0.0%
Value	Label	Cases	Percentage																						
0		9530	94.4%																						
1		493	4.9%																						
2		64	0.6%																						
3		8	0.1%																						
4		1	0.0%																						

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#199 V476: P2_R17C6

Information	[Type= discrete] [Format=numeric] [Range= 0-86] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]

File Part 2 (cont.)

#199 V476: P2_R17C6 (cont.)

Frequency table not shown (47 Modalities)

#200 V477: P2_R17C7

Information [Type= discrete] [Format=numeric] [Range= 0-135] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Frequency table not shown (62 Modalities)

#201 V478: P2_R17C8

Information [Type= discrete] [Format=numeric] [Range= 0-135] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Frequency table not shown (80 Modalities)

#202 V479: P2_R17C9

Information [Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#203 V480: P2_R17C10

Information [Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#204 V481: P2_R17C11

Information [Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 2 (cont.)

#205 V482: P2_R17C12

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#206 V483: P2_R18C1

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9173	90.9%
1		706	7.0%
2		158	1.6%
3		48	0.5%
4		10	0.1%
5		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#207 V484: P2_R18C2

Information	[Type= discrete] [Format=numeric] [Range= 0-200] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
Frequency table not shown (90 Modalities)	

#208 V485: P2_R18C3

Information	[Type= discrete] [Format=numeric] [Range= 0-139] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
Frequency table not shown (92 Modalities)	

#209 V486: P2_R18C4

Information	[Type= discrete] [Format=numeric] [Range= 0-200] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
Frequency table not shown (125 Modalities)	

File Part 2 (cont.)**#210 V487: P2_R18C5**

Information [Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9794	97.0%
1		274	2.7%
2		23	0.2%
3		5	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#211 V488: P2_R18C6

Information [Type= discrete] [Format=numeric] [Range= 0-101] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Frequency table not shown (46 Modalities)

#212 V489: P2_R18C7

Information [Type= discrete] [Format=numeric] [Range= 0-75] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Frequency table not shown (39 Modalities)

#213 V490: P2_R18C8

Information [Type= discrete] [Format=numeric] [Range= 0-101] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Frequency table not shown (59 Modalities)

#214 V491: P2_R18C9

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10094	100.0%
1		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#215 V492: P2_R18C10

Information [Type= discrete] [Format=numeric] [Range= 0-21] [Missing=*]

File Part 2 (cont.)

#215 V492: P2_R18C10 (cont.)

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10094	100.0%
13		1	0.0%
21		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#216 V493: P2_R18C11

Information [Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#217 V494: P2_R18C12

Information [Type= discrete] [Format=numeric] [Range= 0-21] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10094	100.0%
13		1	0.0%
21		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#218 V495: P2_R19C1

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9961	98.7%
1		96	1.0%
2		24	0.2%
3		3	0.0%
4		2	0.0%
5		4	0.0%
6		3	0.0%
7		2	0.0%
8		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 2 (cont.)

#219 V496: P2_R19C2

Information	[Type= discrete] [Format=numeric] [Range= 0-175] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Frequency table not shown (43 Modalities)

#220 V497: P2_R19C3

Information	[Type= discrete] [Format=numeric] [Range= 0-292] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Frequency table not shown (40 Modalities)

#221 V498: P2_R19C4

Information	[Type= discrete] [Format=numeric] [Range= 0-292] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Frequency table not shown (68 Modalities)

#222 V499: P2_R19C5

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Value	Label	Cases	Percentage
0		9991	99.0%
1		78	0.8%
2		19	0.2%
3		4	0.0%
4		4	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#223 V500: P2_R19C6

Information	[Type= discrete] [Format=numeric] [Range= 0-149] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Frequency table not shown (36 Modalities)

#224 V501: P2_R19C7

Information	[Type= discrete] [Format=numeric] [Range= 0-102] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Frequency table not shown (32 Modalities)

File Part 2 (cont.)

#225 V502: P2_R19C8

Information [Type= discrete] [Format=numeric] [Range= 0-149] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Frequency table not shown (54 Modalities)

#226 V503: P2_R19C9

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10085	99.9%
1		11	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#227 V504: P2_R19C10

Information [Type= discrete] [Format=numeric] [Range= 0-12] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10091	100.0%
1		1	0.0%
4		1	0.0%
5		1	0.0%
6		1	0.0%
12		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#228 V505: P2_R19C11

Information [Type= discrete] [Format=numeric] [Range= 0-19] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10089	99.9%
2		1	0.0%
4		1	0.0%
8		1	0.0%
9		1	0.0%
19		3	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 2 (cont.)

#229 V506: P2_R19C12

Information [Type= discrete] [Format=numeric] [Range= 0-19] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10085	99.9%
2		1	0.0%
4		1	0.0%
5		2	0.0%
6		1	0.0%
8		1	0.0%
9		1	0.0%
12		1	0.0%
19		3	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#230 V507: P2_R20C1

Information [Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9334	92.5%
1		672	6.7%
2		63	0.6%
3		16	0.2%
4		6	0.1%
5		5	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#231 V508: P2_R20C2

Information [Type= discrete] [Format=numeric] [Range= 0-71] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Frequency table not shown (51 Modalities)

#232 V509: P2_R20C3

Information [Type= discrete] [Format=numeric] [Range= 0-224] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Frequency table not shown (77 Modalities)

File Part 2 (cont.)

#233 V510: P2_R20C4

Information	[Type= discrete] [Format=numeric] [Range= 0-224] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Frequency table not shown (95 Modalities)

#234 V511: P2_R20C5

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Value	Label	Cases	Percentage
0		9753	96.6%
1		311	3.1%
2		27	0.3%
3		5	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#235 V512: P2_R20C6

Information	[Type= discrete] [Format=numeric] [Range= 0-93] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Frequency table not shown (43 Modalities)

#236 V513: P2_R20C7

Information	[Type= discrete] [Format=numeric] [Range= 0-96] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Frequency table not shown (56 Modalities)

#237 V514: P2_R20C8

Information	[Type= discrete] [Format=numeric] [Range= 0-106] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Frequency table not shown (73 Modalities)

#238 V515: P2_R20C9

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Value	Label	Cases	Percentage
0		10096	100.0%

File Part 2 (cont.)

#238 V515: P2_R20C9 (cont.)

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#239 V516: P2_R20C10

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#240 V517: P2_R20C11

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#241 V518: P2_R20C12

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#242 V519: P2_R21C1

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9738	96.5%
1		322	3.2%
2		26	0.3%
3		8	0.1%
4		1	0.0%
5		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 2 (cont.)

#243 V520: P2_R21C2

Information	[Type= discrete] [Format=numeric] [Range= 0-139] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Frequency table not shown (51 Modalities)

#244 V521: P2_R21C3

Information	[Type= discrete] [Format=numeric] [Range= 0-147] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Frequency table not shown (60 Modalities)

#245 V522: P2_R21C4

Information	[Type= discrete] [Format=numeric] [Range= 0-171] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Frequency table not shown (79 Modalities)

#246 V523: P2_R21C5

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Value	Label	Cases	Percentage
0		9906	98.1%
1		175	1.7%
2		15	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#247 V524: P2_R21C6

Information	[Type= discrete] [Format=numeric] [Range= 0-77] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Frequency table not shown (41 Modalities)

#248 V525: P2_R21C7

Information	[Type= discrete] [Format=numeric] [Range= 0-65] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Frequency table not shown (34 Modalities)

File Part 2 (cont.)

#249 V526: P2_R21C8

Information	[Type= discrete] [Format=numeric] [Range= 0-77] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Frequency table not shown (60 Modalities)

#250 V527: P2_R21C9

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#251 V528: P2_R21C10

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#252 V529: P2_R21C11

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#253 V530: P2_R21C12

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#254 V531: P2_R22C1

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]
-------------	--

File Part 2 (cont.)

#254 V531: P2_R22C1 (cont.)

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9642	95.5%
1		419	4.2%
2		28	0.3%
3		2	0.0%
4		5	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#255 V532: P2_R22C2

Information [Type= discrete] [Format=numeric] [Range= 0-30] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9667	95.8%
1		27	0.3%
2		28	0.3%
3		48	0.5%
4		44	0.4%
5		47	0.5%
6		51	0.5%
7		40	0.4%
8		32	0.3%
9		27	0.3%
10		24	0.2%
11		13	0.1%
12		12	0.1%
13		10	0.1%
14		4	0.0%
15		3	0.0%
16		7	0.1%
17		3	0.0%
18		3	0.0%
19		1	0.0%
22		1	0.0%
25		1	0.0%
26		1	0.0%
28		1	0.0%
30		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 2 (cont.)

#256 V533: P2_R22C3

Information		[Type= discrete] [Format=numeric] [Range= 0-41] [Missing=*]	
Statistics [NW/ W]		[Valid=10096 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0		9682	95.9%
1		48	0.5%
2		61	0.6%
3		72	0.7%
4		56	0.6%
5		60	0.6%
6		35	0.3%
7		27	0.3%
8		12	0.1%
9		11	0.1%
10		8	0.1%
11		5	0.0%
12		7	0.1%
13		2	0.0%
14		3	0.0%
16		4	0.0%
21		1	0.0%
32		1	0.0%
41		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#257 V534: P2_R22C4

Information		[Type= discrete] [Format=numeric] [Range= 0-41] [Missing=*]
Statistics [NW/ W]		[Valid=10096 /-] [Invalid=0 /-]
Frequency table not shown (38 Modalities)		

#258 V535: P2_R22C5

Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=10096 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0		10076	99.8%
1		20	0.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 2 (cont.)

#259 V536: P2_R22C6

Information	[Type= discrete] [Format=numeric] [Range= 0-33] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10077	99.8%
2		2	0.0%
3		2	0.0%
4		4	0.0%
6		2	0.0%
7		1	0.0%
8		3	0.0%
9		2	0.0%
10		1	0.0%
12		1	0.0%
33		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#260 V537: P2_R22C7

Information	[Type= discrete] [Format=numeric] [Range= 0-18] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10079	99.8%
1		1	0.0%
2		2	0.0%
3		1	0.0%
4		7	0.1%
5		1	0.0%
6		1	0.0%
7		1	0.0%
9		1	0.0%
14		1	0.0%
18		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#261 V538: P2_R22C8

Information	[Type= discrete] [Format=numeric] [Range= 0-36] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]

File Part 2 (cont.)

#261 V538: P2_R22C8 (cont.)

Value	Label	Cases	Percentage
0		10076	99.8%
3		1	0.0%
4		2	0.0%
6		1	0.0%
7		2	0.0%
8		1	0.0%
10		2	0.0%
11		1	0.0%
12		3	0.0%
13		1	0.0%
14		1	0.0%
15		1	0.0%
17		1	0.0%
18		2	0.0%
36		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#262 V539: P2_R22C9

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#263 V540: P2_R22C10

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#264 V541: P2_R22C11

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10096	100.0%

File Part 2 (cont.)

#264 V541: P2_R22C11 (cont.)

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#265 V542: P2_R22C12

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#266 V543: P2_R23C1

Information	[Type= discrete] [Format=numeric] [Range= 0-138] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Frequency table not shown (103 Modalities)			

#267 V544: P2_R23C2

Information	[Type= discrete] [Format=numeric] [Range= 0-5971] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Frequency table not shown (970 Modalities)			

#268 V545: P2_R23C3

Information	[Type= discrete] [Format=numeric] [Range= 0-5381] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Frequency table not shown (970 Modalities)			

#269 V546: P2_R23C4

Information	[Type= discrete] [Format=numeric] [Range= 0-5971] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		

#270 V547: P2_R23C5

Information	[Type= discrete] [Format=numeric] [Range= 0-95] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Frequency table not shown (75 Modalities)			

File Part 2 (cont.)

#271 V548: P2_R23C6

Information	[Type= discrete] [Format=numeric] [Range= 0-3744] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Frequency table not shown (595 Modalities)
--

#272 V549: P2_R23C7

Information	[Type= discrete] [Format=numeric] [Range= 0-2585] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Frequency table not shown (600 Modalities)
--

#273 V550: P2_R23C8

Information	[Type= discrete] [Format=numeric] [Range= 0-3744] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Frequency table not shown (935 Modalities)
--

#274 V551: P2_R23C9

Information	[Type= discrete] [Format=numeric] [Range= 0-10] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Value	Label	Cases	Percentage
0		9841	97.5%
1		113	1.1%
2		96	1.0%
3		10	0.1%
4		20	0.2%
5		7	0.1%
6		1	0.0%
7		1	0.0%
8		2	0.0%
9		3	0.0%
10		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#275 V552: P2_R23C10

Information	[Type= discrete] [Format=numeric] [Range= 0-345] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Frequency table not shown (74 Modalities)

File Part 2 (cont.)

#276 V553: P2_R23C11

Information	[Type= discrete] [Format=numeric] [Range= 0-413] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Frequency table not shown (85 Modalities)

#277 V554: P2_R23C12

Information	[Type= discrete] [Format=numeric] [Range= 0-413] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Frequency table not shown (114 Modalities)
--

File Part 3

#1 V274: SCID_03

Information	[Type= discrete] [Format=character] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

#2 V275: Y1_R1C1

Information	[Type= discrete] [Format=numeric] [Range= 0-37] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Value	Label	Cases	Percentage	
0		5344		52.9%
1		2229		22.1%
2		1076		10.7%
3		518		5.1%
4		280		2.8%
5		172		1.7%
6		127		1.3%
7		89		0.9%
8		58		0.6%
9		45		0.4%
10		26		0.3%
11		24		0.2%
12		27		0.3%
13		17		0.2%
14		11		0.1%

File Part 3 (cont.)

#2 V275: Y1_R1C1 (cont.)

Value (cont.)	Label	Cases	Percentage
15		13	0.1%
16		8	0.1%
17		6	0.1%
18		10	0.1%
19		3	0.0%
20		2	0.0%
21		3	0.0%
22		2	0.0%
23		2	0.0%
25		1	0.0%
27		2	0.0%
37		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#3 V276: Y1_R1C2

Information	[Type= discrete] [Format=numeric] [Range= 0-114] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		8975	88.9%
1		744	7.4%
2		201	2.0%
3		64	0.6%
4		36	0.4%
5		13	0.1%
6		12	0.1%
7		9	0.1%
8		7	0.1%
9		5	0.0%
10		4	0.0%
11		3	0.0%
12		1	0.0%
13		4	0.0%
14		2	0.0%
15		3	0.0%
16		3	0.0%
17		3	0.0%
22		2	0.0%
23		1	0.0%

File Part 3 (cont.)

#3 V276: Y1_R1C2 (cont.)

Value (cont.)	Label	Cases	Percentage
26		1	0.0%
30		1	0.0%
41		1	0.0%
114		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#4 V277: Y1_R1C3

Information	[Type= discrete] [Format=numeric] [Range= 0-12] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9861	97.7%
1		180	1.8%
2		40	0.4%
3		7	0.1%
4		4	0.0%
6		1	0.0%
7		1	0.0%
10		1	0.0%
12		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#5 V278: Y1_R1C4

Information	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9840	97.5%
1		188	1.9%
2		35	0.3%
3		20	0.2%
4		8	0.1%
5		1	0.0%
6		3	0.0%
7		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 3 (cont.)

#6 V279: Y1_R2C1

Information [Type= discrete] [Format=numeric] [Range= 0-52] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10020	99.2%
1		35	0.3%
2		15	0.1%
3		6	0.1%
4		4	0.0%
5		1	0.0%
6		3	0.0%
7		3	0.0%
8		1	0.0%
12		1	0.0%
13		1	0.0%
18		1	0.0%
19		1	0.0%
20		1	0.0%
22		1	0.0%
39		1	0.0%
52		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#7 V280: Y1_R2C2

Information [Type= discrete] [Format=numeric] [Range= 0-377] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Frequency table not shown (185 Modalities)

#8 V281: Y1_R2C3

Information [Type= discrete] [Format=numeric] [Range= 0-150] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		8216	81.4%
1		1069	10.6%
2		402	4.0%
3		187	1.9%
4		71	0.7%
5		45	0.4%

File Part 3 (cont.)

#8 V281: Y1_R2C3 (cont.)

Value (cont.)	Label	Cases	Percentage
6		35	0.3%
7		14	0.1%
8		17	0.2%
9		9	0.1%
10		8	0.1%
11		5	0.0%
12		4	0.0%
13		2	0.0%
14		1	0.0%
15		3	0.0%
16		3	0.0%
17		2	0.0%
18		1	0.0%
31		1	0.0%
150		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#9 V282: Y1_R2C4

Information	[Type= discrete] [Format=numeric] [Range= 0-46] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9362	92.7%
1		526	5.2%
2		129	1.3%
3		34	0.3%
4		16	0.2%
5		9	0.1%
6		6	0.1%
7		3	0.0%
8		4	0.0%
9		3	0.0%
10		1	0.0%
11		1	0.0%
14		1	0.0%
46		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 3 (cont.)**#10 V283: Y1_R3C1**

Information [Type= discrete] [Format=numeric] [Range= 0-30] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		5582	55.3%
1		2081	20.6%
2		1031	10.2%
3		516	5.1%
4		288	2.9%
5		171	1.7%
6		110	1.1%
7		72	0.7%
8		65	0.6%
9		46	0.5%
10		34	0.3%
11		25	0.2%
12		14	0.1%
13		9	0.1%
14		9	0.1%
15		2	0.0%
16		8	0.1%
17		5	0.0%
18		4	0.0%
19		7	0.1%
20		3	0.0%
21		5	0.0%
22		2	0.0%
23		2	0.0%
24		2	0.0%
25		1	0.0%
28		1	0.0%
30		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#11 V284: Y1_R3C2

Information [Type= discrete] [Format=numeric] [Range= 0-110] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9023	89.4%
1		701	6.9%

File Part 3 (cont.)

#11 V284: Y1_R3C2 (cont.)

Value (cont.)	Label	Cases	Percentage
2		194	1.9%
3		63	0.6%
4		30	0.3%
5		17	0.2%
6		11	0.1%
7		6	0.1%
8		8	0.1%
9		8	0.1%
10		2	0.0%
11		4	0.0%
12		5	0.0%
13		2	0.0%
14		3	0.0%
15		3	0.0%
16		2	0.0%
17		4	0.0%
18		2	0.0%
19		1	0.0%
20		1	0.0%
22		1	0.0%
23		1	0.0%
24		2	0.0%
27		1	0.0%
110		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#12 V285: Y1_R3C3

Information	[Type= discrete] [Format=numeric] [Range= 0-18] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Value	Label	Cases	Percentage
0		9884	97.9%
1		156	1.5%
2		31	0.3%
3		14	0.1%
4		6	0.1%
5		1	0.0%
8		1	0.0%
15		2	0.0%

File Part 3 (cont.)

#12 V285: Y1_R3C3 (cont.)

Value (cont.)	Label	Cases	Percentage
18		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#13 V286: Y1_R3C4

Information	[Type= discrete] [Format=numeric] [Range= 0-13] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9866	97.7%
1		175	1.7%
2		35	0.3%
3		11	0.1%
4		4	0.0%
5		3	0.0%
7		1	0.0%
13		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#14 V287: Y1_R4C1

Information	[Type= discrete] [Format=numeric] [Range= 0-33] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10002	99.1%
1		40	0.4%
2		15	0.1%
3		10	0.1%
4		1	0.0%
5		4	0.0%
6		2	0.0%
7		2	0.0%
8		5	0.0%
9		1	0.0%
10		3	0.0%
12		1	0.0%
14		1	0.0%
16		1	0.0%
18		2	0.0%
20		1	0.0%

File Part 3 (cont.)

#14 V287: Y1_R4C1 (cont.)

Value (cont.)	Label	Cases	Percentage
21		1	0.0%
22		1	0.0%
25		1	0.0%
33		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#15 V288: Y1_R4C2

Information	[Type= discrete] [Format=numeric] [Range= 0-308] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
Frequency table not shown (180 Modalities)	

#16 V289: Y1_R4C3

Value	Label	Cases	Percentage
0		8423	83.4%
1		976	9.7%
2		359	3.6%
3		156	1.5%
4		59	0.6%
5		38	0.4%
6		19	0.2%
7		15	0.1%
8		18	0.2%
9		9	0.1%
10		4	0.0%
11		2	0.0%
12		1	0.0%
13		2	0.0%
14		1	0.0%
15		2	0.0%
16		4	0.0%
19		1	0.0%
21		1	0.0%
25		1	0.0%
28		1	0.0%
29		1	0.0%

File Part 3 (cont.)**#16 V289: Y1_R4C3 (cont.)**

Value (cont.)	Label	Cases	Percentage
39		1	0.0%
41		1	0.0%
46		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#17 V290: Y1_R4C4

Information		[Type= discrete] [Format=numeric] [Range= 0-52] [Missing=*]	
Statistics [NW/ W]		[Valid=10096 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0		9459	93.7%
1		432	4.3%
2		129	1.3%
3		36	0.4%
4		11	0.1%
5		7	0.1%
6		10	0.1%
7		3	0.0%
8		3	0.0%
9		1	0.0%
10		2	0.0%
11		1	0.0%
19		1	0.0%
52		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#18 V291: Y2_R1C1

Information		[Type= discrete] [Format=numeric] [Range= 0-33] [Missing=*]	
Statistics [NW/ W]		[Valid=10096 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0		5467	54.2%
1		2169	21.5%
2		1053	10.4%
3		537	5.3%
4		269	2.7%
5		149	1.5%
6		117	1.2%
7		86	0.9%

File Part 3 (cont.)

#18 V291: Y2_R1C1 (cont.)

Value (cont.)	Label	Cases	Percentage
8		50	0.5%
9		45	0.4%
10		32	0.3%
11		33	0.3%
12		19	0.2%
13		14	0.1%
14		7	0.1%
15		13	0.1%
16		10	0.1%
17		7	0.1%
18		2	0.0%
19		2	0.0%
20		2	0.0%
21		3	0.0%
22		5	0.0%
24		2	0.0%
28		1	0.0%
29		1	0.0%
33		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#19 V292: Y2_R1C2

Information	[Type= discrete] [Format=numeric] [Range= 0-41] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		8754	86.7%
1		872	8.6%
2		276	2.7%
3		74	0.7%
4		40	0.4%
5		20	0.2%
6		11	0.1%
7		12	0.1%
8		7	0.1%
9		2	0.0%
10		4	0.0%
11		6	0.1%
12		2	0.0%

File Part 3 (cont.)

#19 V292: Y2_R1C2 (cont.)

Value (cont.)	Label	Cases	Percentage
13		1	0.0%
14		3	0.0%
15		1	0.0%
16		1	0.0%
18		1	0.0%
19		4	0.0%
20		1	0.0%
26		1	0.0%
38		1	0.0%
40		1	0.0%
41		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#20 V293: Y2_R1C3

Information	[Type= discrete] [Format=numeric] [Range= 0-15] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9769	96.8%
1		256	2.5%
2		44	0.4%
3		17	0.2%
4		3	0.0%
5		4	0.0%
8		2	0.0%
15		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#21 V294: Y2_R1C4

Information	[Type= discrete] [Format=numeric] [Range= 0-10] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9743	96.5%
1		266	2.6%
2		57	0.6%
3		14	0.1%
4		9	0.1%
5		4	0.0%

File Part 3 (cont.)

#21 V294: Y2_R1C4 (cont.)

Value (cont.)	Label	Cases	Percentage
6		2	0.0%
10		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#22 V295: Y2_R2C1

Information	[Type= discrete] [Format=numeric] [Range= 0-33] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10021	99.3%
1		39	0.4%
2		11	0.1%
3		5	0.0%
4		4	0.0%
5		2	0.0%
6		3	0.0%
7		2	0.0%
8		2	0.0%
9		1	0.0%
11		2	0.0%
15		1	0.0%
20		2	0.0%
33		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#23 V296: Y2_R2C2

Information	[Type= discrete] [Format=numeric] [Range= 0-391] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
Frequency table not shown (184 Modalities)	

#24 V297: Y2_R2C3

Information	[Type= discrete] [Format=numeric] [Range= 0-154] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
Frequency table not shown (37 Modalities)	

File Part 3 (cont.)

#25 V298: Y2_R2C4

Information [Type= discrete] [Format=numeric] [Range= 0-20] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9139	90.5%
1		639	6.3%
2		201	2.0%
3		62	0.6%
4		20	0.2%
5		16	0.2%
6		8	0.1%
7		3	0.0%
8		1	0.0%
9		1	0.0%
10		1	0.0%
11		1	0.0%
12		2	0.0%
15		1	0.0%
20		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#26 V299: Y2_R3C1

Information [Type= discrete] [Format=numeric] [Range= 0-32] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		5636	55.8%
1		2121	21.0%
2		1001	9.9%
3		519	5.1%
4		264	2.6%
5		150	1.5%
6		104	1.0%
7		73	0.7%
8		53	0.5%
9		42	0.4%
10		30	0.3%
11		22	0.2%
12		17	0.2%
13		12	0.1%
14		12	0.1%

File Part 3 (cont.)

#26 V299: Y2_R3C1 (cont.)

Value (cont.)	Label	Cases	Percentage
15		7	0.1%
16		5	0.0%
17		6	0.1%
18		3	0.0%
19		5	0.0%
20		2	0.0%
21		3	0.0%
22		2	0.0%
24		3	0.0%
25		1	0.0%
28		1	0.0%
30		1	0.0%
32		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#27 V300: Y2_R3C2

Information	[Type= discrete] [Format=numeric] [Range= 0-48] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		8872	87.9%
1		798	7.9%
2		225	2.2%
3		83	0.8%
4		41	0.4%
5		17	0.2%
6		7	0.1%
7		4	0.0%
8		7	0.1%
9		6	0.1%
10		7	0.1%
11		5	0.0%
12		3	0.0%
13		4	0.0%
14		3	0.0%
15		1	0.0%
16		1	0.0%
17		1	0.0%
18		1	0.0%

File Part 3 (cont.)

#27 V300: Y2_R3C2 (cont.)

Value (cont.)	Label	Cases	Percentage
19		1	0.0%
21		2	0.0%
24		1	0.0%
25		1	0.0%
26		1	0.0%
32		1	0.0%
33		1	0.0%
39		1	0.0%
48		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#28 V301: Y2_R3C3

Information	[Type= discrete] [Format=numeric] [Range= 0-12] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9788	96.9%
1		248	2.5%
2		38	0.4%
3		12	0.1%
4		6	0.1%
6		1	0.0%
9		1	0.0%
11		1	0.0%
12		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#29 V302: Y2_R3C4

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9803	97.1%
1		222	2.2%
2		46	0.5%
3		19	0.2%
4		3	0.0%
5		1	0.0%
8		2	0.0%

File Part 3 (cont.)

#29 V302: Y2_R3C4 (cont.)

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#30 V303: Y2_R4C1

Information	[Type= discrete] [Format=numeric] [Range= 0-53] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9997	99.0%
1		55	0.5%
2		10	0.1%
3		10	0.1%
4		3	0.0%
5		1	0.0%
6		2	0.0%
8		1	0.0%
9		3	0.0%
10		2	0.0%
12		1	0.0%
13		1	0.0%
15		2	0.0%
16		2	0.0%
18		1	0.0%
20		1	0.0%
21		1	0.0%
35		1	0.0%
43		1	0.0%
53		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#31 V304: Y2_R4C2

Information	[Type= discrete] [Format=numeric] [Range= 0-318] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Frequency table not shown (185 Modalities)			

#32 V305: Y2_R4C3

Information	[Type= discrete] [Format=numeric] [Range= 0-61] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Frequency table not shown (31 Modalities)			

File Part 3 (cont.)

#33 V306: Y2_R4C4

Information [Type= discrete] [Format=numeric] [Range= 0-49] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9241	91.5%
1		581	5.8%
2		157	1.6%
3		52	0.5%
4		31	0.3%
5		15	0.1%
6		8	0.1%
7		3	0.0%
9		4	0.0%
10		1	0.0%
11		1	0.0%
12		1	0.0%
49		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#34 V307: Y3_R1C1

Information [Type= discrete] [Format=numeric] [Range= 0-34] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		5627	55.7%
1		2159	21.4%
2		1020	10.1%
3		503	5.0%
4		244	2.4%
5		123	1.2%
6		116	1.1%
7		82	0.8%
8		55	0.5%
9		45	0.4%
10		27	0.3%
11		15	0.1%
12		19	0.2%
13		10	0.1%
14		6	0.1%
15		11	0.1%
16		6	0.1%

File Part 3 (cont.)

#34 V307: Y3_R1C1 (cont.)

Value (cont.)	Label	Cases	Percentage
17		6	0.1%
18		5	0.0%
19		3	0.0%
20		3	0.0%
22		2	0.0%
23		2	0.0%
24		1	0.0%
25		3	0.0%
31		1	0.0%
32		1	0.0%
34		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#35 V308: Y3_R1C2

Information	[Type= discrete] [Format=numeric] [Range= 0-105] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		8618	85.4%
1		971	9.6%
2		276	2.7%
3		97	1.0%
4		51	0.5%
5		25	0.2%
6		13	0.1%
7		9	0.1%
8		5	0.0%
9		4	0.0%
10		6	0.1%
11		3	0.0%
12		4	0.0%
13		3	0.0%
14		1	0.0%
15		1	0.0%
16		2	0.0%
18		1	0.0%
20		1	0.0%
24		1	0.0%
26		1	0.0%

File Part 3 (cont.)

#35 V308: Y3_R1C2 (cont.)

Value (cont.)	Label	Cases	Percentage
40		1	0.0%
46		1	0.0%
105		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#36 V309: Y3_R1C3

Information	[Type= discrete] [Format=numeric] [Range= 0-12] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9662	95.7%
1		337	3.3%
2		56	0.6%
3		26	0.3%
4		4	0.0%
5		4	0.0%
6		4	0.0%
11		1	0.0%
12		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#37 V310: Y3_R1C4

Information	[Type= discrete] [Format=numeric] [Range= 0-10] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9585	94.9%
1		362	3.6%
2		81	0.8%
3		36	0.4%
4		15	0.1%
5		9	0.1%
6		2	0.0%
7		2	0.0%
8		2	0.0%
9		1	0.0%
10		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 3 (cont.)**#38 V311: Y3_R2C1**

Information [Type= discrete] [Format=numeric] [Range= 0-83] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9980	98.9%
1		73	0.7%
2		13	0.1%
3		12	0.1%
4		2	0.0%
5		2	0.0%
6		3	0.0%
9		1	0.0%
10		1	0.0%
11		1	0.0%
12		2	0.0%
14		1	0.0%
15		1	0.0%
18		1	0.0%
25		1	0.0%
36		1	0.0%
83		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#39 V312: Y3_R2C2

Information [Type= discrete] [Format=numeric] [Range= 0-397] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Frequency table not shown (183 Modalities)

#40 V313: Y3_R2C3

Information [Type= discrete] [Format=numeric] [Range= 0-149] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		7200	71.3%
1		1437	14.2%
2		639	6.3%
3		347	3.4%
4		175	1.7%
5		103	1.0%

File Part 3 (cont.)

#40 V313: Y3_R2C3 (cont.)

Value (cont.)	Label	Cases	Percentage
6		66	0.7%
7		37	0.4%
8		25	0.2%
9		10	0.1%
10		20	0.2%
11		8	0.1%
12		3	0.0%
13		6	0.1%
14		4	0.0%
15		1	0.0%
16		3	0.0%
17		1	0.0%
18		2	0.0%
19		2	0.0%
21		1	0.0%
24		1	0.0%
27		1	0.0%
32		1	0.0%
59		1	0.0%
149		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#41 V314: Y3_R2C4

Information [Type= discrete] [Format=numeric] [Range= 0-46] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		8793	87.1%
1		821	8.1%
2		262	2.6%
3		104	1.0%
4		47	0.5%
5		24	0.2%
6		13	0.1%
7		14	0.1%
8		5	0.0%
9		4	0.0%
10		1	0.0%
11		1	0.0%

File Part 3 (cont.)

#41 V314: Y3_R2C4 (cont.)

Value (cont.)	Label	Cases	Percentage
12		1	0.0%
13		3	0.0%
16		2	0.0%
46		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#42 V315: Y3_R3C1

Information	[Type= discrete] [Format=numeric] [Range= 0-31] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		5718	56.6%
1		2092	20.7%
2		1036	10.3%
3		466	4.6%
4		252	2.5%
5		158	1.6%
6		88	0.9%
7		65	0.6%
8		58	0.6%
9		37	0.4%
10		19	0.2%
11		16	0.2%
12		24	0.2%
13		6	0.1%
14		12	0.1%
15		14	0.1%
16		12	0.1%
17		4	0.0%
18		3	0.0%
19		2	0.0%
20		3	0.0%
21		1	0.0%
22		2	0.0%
23		2	0.0%
24		1	0.0%
26		1	0.0%
28		1	0.0%
29		2	0.0%

File Part 3 (cont.)

#42 V315: Y3_R3C1 (cont.)

Value (cont.)	Label	Cases	Percentage
31		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#43 V316: Y3_R3C2

Information		[Type= discrete] [Format=numeric] [Range= 0-126] [Missing=*]	
Statistics [NW/ W]		[Valid=10096 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0		8668	85.9%
1		934	9.3%
2		283	2.8%
3		98	1.0%
4		38	0.4%
5		19	0.2%
6		12	0.1%
7		6	0.1%
8		3	0.0%
9		7	0.1%
10		7	0.1%
11		7	0.1%
12		2	0.0%
13		1	0.0%
14		3	0.0%
15		2	0.0%
16		2	0.0%
17		1	0.0%
21		1	0.0%
34		1	0.0%
126		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#44 V317: Y3_R3C3

Information		[Type= discrete] [Format=numeric] [Range= 0-13] [Missing=*]	
Statistics [NW/ W]		[Valid=10096 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0		9709	96.2%
1		303	3.0%
2		55	0.5%

File Part 3 (cont.)

#44 V317: Y3_R3C3 (cont.)

Value (cont.)	Label	Cases	Percentage
3		15	0.1%
4		5	0.0%
5		1	0.0%
6		4	0.0%
7		1	0.0%
8		1	0.0%
10		1	0.0%
13		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#45 V318: Y3_R3C4

Information	[Type= discrete] [Format=numeric] [Range= 0-16] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9638	95.5%
1		342	3.4%
2		76	0.8%
3		24	0.2%
4		6	0.1%
5		5	0.0%
8		2	0.0%
9		2	0.0%
16		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#46 V319: Y3_R4C1

Information	[Type= discrete] [Format=numeric] [Range= 0-21] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10003	99.1%
1		64	0.6%
2		11	0.1%
3		3	0.0%
4		5	0.0%
6		1	0.0%
7		1	0.0%
8		1	0.0%

File Part 3 (cont.)

#46 V319: Y3_R4C1 (cont.)

Value (cont.)	Label	Cases	Percentage
9		1	0.0%
11		1	0.0%
13		1	0.0%
14		1	0.0%
16		1	0.0%
17		1	0.0%
21		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#47 V320: Y3_R4C2

Information	[Type= discrete] [Format=numeric] [Range= 0-306] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Frequency table not shown (184 Modalities)
--

#48 V321: Y3_R4C3

Information	[Type= discrete] [Format=numeric] [Range= 0-201] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Value	Label	Cases	Percentage
0		7624	75.5%
1		1287	12.7%
2		552	5.5%
3		246	2.4%
4		140	1.4%
5		97	1.0%
6		56	0.6%
7		24	0.2%
8		22	0.2%
9		13	0.1%
10		3	0.0%
11		8	0.1%
13		4	0.0%
14		2	0.0%
15		2	0.0%
16		2	0.0%
17		1	0.0%
20		2	0.0%
21		2	0.0%

File Part 3 (cont.)

#48 V321: Y3_R4C3 (cont.)

Value (cont.)	Label	Cases	Percentage
23		3	0.0%
26		1	0.0%
28		1	0.0%
40		1	0.0%
63		1	0.0%
105		1	0.0%
201		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#49 V322: Y3_R4C4

Information	[Type= discrete] [Format=numeric] [Range= 0-50] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		8959	88.7%
1		750	7.4%
2		201	2.0%
3		89	0.9%
4		33	0.3%
5		26	0.3%
6		14	0.1%
7		8	0.1%
8		8	0.1%
9		1	0.0%
11		1	0.0%
12		2	0.0%
14		3	0.0%
50		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#50 V323: Y4_R1C1

Information	[Type= discrete] [Format=numeric] [Range= 0-35] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		5538	54.9%
1		2220	22.0%
2		1033	10.2%
3		455	4.5%

File Part 3 (cont.)

#50 V323: Y4_R1C1 (cont.)

Value (cont.)	Label	Cases	Percentage
4		289	2.9%
5		158	1.6%
6		96	1.0%
7		60	0.6%
8		55	0.5%
9		42	0.4%
10		38	0.4%
11		18	0.2%
12		23	0.2%
13		10	0.1%
14		19	0.2%
15		8	0.1%
16		6	0.1%
17		3	0.0%
18		3	0.0%
19		3	0.0%
20		5	0.0%
21		3	0.0%
22		3	0.0%
23		2	0.0%
24		3	0.0%
29		1	0.0%
31		1	0.0%
35		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#51 V324: Y4_R1C2

Information [Type= discrete] [Format=numeric] [Range= 0-84] [Missing=*]

Statistics [NW/ W] [Valid=10096 /] [Invalid=0 /]

Value	Label	Cases	Percentage
0		8454	83.7%
1		1085	10.7%
2		346	3.4%
3		87	0.9%
4		39	0.4%
5		19	0.2%
6		18	0.2%
7		8	0.1%

File Part 3 (cont.)

#51 V324: Y4_R1C2 (cont.)

Value (cont.)	Label	Cases	Percentage
8		9	0.1%
9		4	0.0%
10		4	0.0%
11		1	0.0%
12		1	0.0%
13		3	0.0%
14		2	0.0%
15		4	0.0%
17		1	0.0%
18		4	0.0%
19		1	0.0%
21		1	0.0%
22		2	0.0%
25		1	0.0%
43		1	0.0%
84		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#52 V325: Y4_R1C3

Information [Type= discrete] [Format=numeric] [Range= 0-16] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9632	95.4%
1		357	3.5%
2		72	0.7%
3		17	0.2%
4		5	0.0%
5		1	0.0%
6		3	0.0%
7		2	0.0%
8		2	0.0%
9		2	0.0%
12		1	0.0%
13		1	0.0%
16		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 3 (cont.)**#53 V326: Y4_R1C4**

Information [Type= discrete] [Format=numeric] [Range= 0-15] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9443	93.5%
1		481	4.8%
2		99	1.0%
3		37	0.4%
4		12	0.1%
5		11	0.1%
6		3	0.0%
7		5	0.0%
8		2	0.0%
9		1	0.0%
11		1	0.0%
15		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#54 V327: Y4_R2C1

Information [Type= discrete] [Format=numeric] [Range= 0-14] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9986	98.9%
1		77	0.8%
2		12	0.1%
3		7	0.1%
4		6	0.1%
5		1	0.0%
6		2	0.0%
7		2	0.0%
8		1	0.0%
11		1	0.0%
14		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#55 V328: Y4_R2C2

Information [Type= discrete] [Format=numeric] [Range= 0-348] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Frequency table not shown (183 Modalities)

File Part 3 (cont.)

#56 V329: Y4_R2C3

Information [Type= discrete] [Format=numeric] [Range= 0-136] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		6996	69.3%
1		1452	14.4%
2		704	7.0%
3		355	3.5%
4		206	2.0%
5		141	1.4%
6		86	0.9%
7		46	0.5%
8		32	0.3%
9		11	0.1%
10		15	0.1%
11		12	0.1%
12		5	0.0%
13		5	0.0%
14		2	0.0%
15		6	0.1%
16		3	0.0%
17		3	0.0%
18		1	0.0%
19		2	0.0%
20		3	0.0%
21		1	0.0%
24		2	0.0%
25		2	0.0%
33		1	0.0%
34		1	0.0%
36		1	0.0%
74		1	0.0%
136		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#57 V330: Y4_R2C4

Information [Type= discrete] [Format=numeric] [Range= 0-18] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		8451	83.7%

File Part 3 (cont.)

#57 V330: Y4_R2C4 (cont.)

Value (cont.)	Label	Cases	Percentage
1		958	9.5%
2		345	3.4%
3		141	1.4%
4		97	1.0%
5		42	0.4%
6		25	0.2%
7		9	0.1%
8		15	0.1%
9		1	0.0%
10		5	0.0%
11		1	0.0%
12		3	0.0%
13		1	0.0%
14		1	0.0%
18		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#58 V331: Y4_R3C1

Information	[Type= discrete] [Format=numeric] [Range= 0-29] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		5705	56.5%
1		2104	20.8%
2		1042	10.3%
3		473	4.7%
4		242	2.4%
5		160	1.6%
6		80	0.8%
7		74	0.7%
8		41	0.4%
9		41	0.4%
10		34	0.3%
11		16	0.2%
12		14	0.1%
13		16	0.2%
14		8	0.1%
15		4	0.0%
16		9	0.1%

File Part 3 (cont.)

#58 V331: Y4_R3C1 (cont.)

Value (cont.)	Label	Cases	Percentage
17		9	0.1%
18		8	0.1%
19		2	0.0%
20		6	0.1%
22		2	0.0%
24		1	0.0%
25		2	0.0%
26		1	0.0%
28		1	0.0%
29		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#59 V332: Y4_R3C2

Information		[Type= discrete] [Format=numeric] [Range= 0-34] [Missing=*]	
Statistics [NW/ W]		[Valid=10096 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0		8672	85.9%
1		940	9.3%
2		274	2.7%
3		90	0.9%
4		33	0.3%
5		24	0.2%
6		13	0.1%
7		6	0.1%
8		8	0.1%
9		8	0.1%
10		4	0.0%
11		7	0.1%
13		2	0.0%
14		3	0.0%
16		2	0.0%
17		2	0.0%
18		3	0.0%
19		1	0.0%
22		1	0.0%
26		2	0.0%
34		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 3 (cont.)**#60 V333: Y4_R3C3**

Information [Type= discrete] [Format=numeric] [Range= 0-20] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9700	96.1%
1		303	3.0%
2		59	0.6%
3		21	0.2%
4		6	0.1%
5		2	0.0%
6		3	0.0%
8		1	0.0%
20		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#61 V334: Y4_R3C4

Information [Type= discrete] [Format=numeric] [Range= 0-16] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9600	95.1%
1		344	3.4%
2		91	0.9%
3		29	0.3%
4		10	0.1%
5		7	0.1%
6		3	0.0%
7		6	0.1%
8		1	0.0%
12		2	0.0%
14		1	0.0%
16		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#62 V335: Y4_R4C1

Information [Type= discrete] [Format=numeric] [Range= 0-36] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9986	98.9%

File Part 3 (cont.)

#62 V335: Y4_R4C1 (cont.)

Value (cont.)	Label	Cases	Percentage
1		59	0.6%
2		23	0.2%
3		6	0.1%
4		4	0.0%
5		1	0.0%
6		2	0.0%
8		4	0.0%
9		1	0.0%
10		3	0.0%
12		1	0.0%
15		2	0.0%
17		1	0.0%
20		1	0.0%
34		1	0.0%
36		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#63 V336: Y4_R4C2

Information	[Type= discrete] [Format=numeric] [Range= 0-294] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]

Frequency table not shown (181 Modalities)

#64 V337: Y4_R4C3

Information	[Type= discrete] [Format=numeric] [Range= 0-78] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]

Frequency table not shown (32 Modalities)

#65 V338: Y4_R4C4

Information	[Type= discrete] [Format=numeric] [Range= 0-16] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		8789	87.1%
1		824	8.2%
2		269	2.7%
3		96	1.0%

File Part 3 (cont.)

#65 V338: Y4_R4C4 (cont.)

Value (cont.)	Label	Cases	Percentage
4		49	0.5%
5		30	0.3%
6		11	0.1%
7		9	0.1%
8		6	0.1%
9		3	0.0%
10		2	0.0%
11		3	0.0%
12		3	0.0%
13		1	0.0%
16		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#66 V339: Y5_R1C1

Information	[Type= discrete] [Format=numeric] [Range= 0-59] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
Frequency table not shown (32 Modalities)	

#67 V340: Y5_R1C2

Value	Label	Cases	Percentage
0		8363	82.8%
1		1137	11.3%
2		342	3.4%
3		112	1.1%
4		49	0.5%
5		32	0.3%
6		8	0.1%
7		11	0.1%
8		8	0.1%
9		6	0.1%
10		6	0.1%
11		7	0.1%
12		2	0.0%
13		1	0.0%
15		1	0.0%

File Part 3 (cont.)

#67 V340: Y5_R1C2 (cont.)

Value (cont.)	Label	Cases	Percentage
17		2	0.0%
19		1	0.0%
21		2	0.0%
22		1	0.0%
25		1	0.0%
28		2	0.0%
32		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#68 V341: Y5_R1C3

Information	[Type= discrete] [Format=numeric] [Range= 0-12] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Value	Label	Cases	Percentage
0		9482	93.9%
1		470	4.7%
2		86	0.9%
3		33	0.3%
4		7	0.1%
5		8	0.1%
6		2	0.0%
7		3	0.0%
8		1	0.0%
9		1	0.0%
10		1	0.0%
12		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#69 V342: Y5_R1C4

Information	[Type= discrete] [Format=numeric] [Range= 0-13] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Value	Label	Cases	Percentage
0		9183	91.0%
1		621	6.2%
2		159	1.6%
3		65	0.6%
4		25	0.2%
5		12	0.1%

File Part 3 (cont.)

#69 V342: Y5_R1C4 (cont.)

Value (cont.)	Label	Cases	Percentage
6		12	0.1%
7		7	0.1%
8		4	0.0%
9		1	0.0%
10		3	0.0%
12		1	0.0%
13		3	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#70 V343: Y5_R2C1

Information	[Type= discrete] [Format=numeric] [Range= 0-37] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9981	98.9%
1		78	0.8%
2		21	0.2%
3		4	0.0%
4		3	0.0%
5		2	0.0%
7		3	0.0%
10		1	0.0%
11		1	0.0%
20		1	0.0%
37		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#71 V344: Y5_R2C2

Information	[Type= discrete] [Format=numeric] [Range= 0-399] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
Frequency table not shown (192 Modalities)	

#72 V345: Y5_R2C3

Information	[Type= discrete] [Format=numeric] [Range= 0-174] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
Frequency table not shown (32 Modalities)	

File Part 3 (cont.)

#73 V346: Y5_R2C4

Information [Type= discrete] [Format=numeric] [Range= 0-19] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		7872	78.0%
1		1201	11.9%
2		475	4.7%
3		228	2.3%
4		126	1.2%
5		61	0.6%
6		40	0.4%
7		27	0.3%
8		13	0.1%
9		23	0.2%
10		13	0.1%
11		3	0.0%
12		3	0.0%
13		5	0.0%
14		2	0.0%
15		2	0.0%
17		1	0.0%
19		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#74 V347: Y5_R3C1

Information [Type= discrete] [Format=numeric] [Range= 0-32] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		5522	54.7%
1		2168	21.5%
2		1059	10.5%
3		530	5.2%
4		273	2.7%
5		156	1.5%
6		92	0.9%
7		65	0.6%
8		56	0.6%
9		36	0.4%
10		32	0.3%
11		22	0.2%

File Part 3 (cont.)

#74 V347: Y5_R3C1 (cont.)

Value (cont.)	Label	Cases	Percentage
12		14	0.1%
13		12	0.1%
14		7	0.1%
15		6	0.1%
16		9	0.1%
17		9	0.1%
18		4	0.0%
19		1	0.0%
20		7	0.1%
22		3	0.0%
23		2	0.0%
24		4	0.0%
25		3	0.0%
26		1	0.0%
28		1	0.0%
31		1	0.0%
32		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#75 V348: Y5_R3C2

Information	[Type= discrete] [Format=numeric] [Range= 0-42] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		8491	84.1%
1		1067	10.6%
2		311	3.1%
3		105	1.0%
4		49	0.5%
5		18	0.2%
6		11	0.1%
7		10	0.1%
8		4	0.0%
9		7	0.1%
10		4	0.0%
11		2	0.0%
12		2	0.0%
14		2	0.0%
15		1	0.0%

File Part 3 (cont.)

#75 V348: Y5_R3C2 (cont.)

Value (cont.)	Label	Cases	Percentage
16		4	0.0%
17		2	0.0%
18		1	0.0%
20		1	0.0%
21		1	0.0%
35		1	0.0%
37		1	0.0%
42		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#76 V349: Y5_R3C3

Information	[Type= discrete] [Format=numeric] [Range= 0-18] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9547	94.6%
1		423	4.2%
2		84	0.8%
3		21	0.2%
4		7	0.1%
5		7	0.1%
8		2	0.0%
9		1	0.0%
10		1	0.0%
11		1	0.0%
12		1	0.0%
18		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#77 V350: Y5_R3C4

Information	[Type= discrete] [Format=numeric] [Range= 0-12] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9479	93.9%
1		421	4.2%
2		125	1.2%
3		31	0.3%
4		18	0.2%

File Part 3 (cont.)

#77 V350: Y5_R3C4 (cont.)

Value (cont.)	Label	Cases	Percentage
5		7	0.1%
6		6	0.1%
7		2	0.0%
8		4	0.0%
9		2	0.0%
12		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#78 V351: Y5_R4C1

Information [Type= discrete] [Format=numeric] [Range= 0-43] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9967	98.7%
1		84	0.8%
2		16	0.2%
3		8	0.1%
4		5	0.0%
5		2	0.0%
6		3	0.0%
7		3	0.0%
9		2	0.0%
10		1	0.0%
14		1	0.0%
18		1	0.0%
21		1	0.0%
24		1	0.0%
43		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#79 V352: Y5_R4C2

Information [Type= discrete] [Format=numeric] [Range= 0-300] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Frequency table not shown (186 Modalities)

#80 V353: Y5_R4C3

Information [Type= discrete] [Format=numeric] [Range= 0-49] [Missing=*]

File Part 3 (cont.)

#80 V353: Y5_R4C3 (cont.)

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		6621	65.6%
1		1684	16.7%
2		761	7.5%
3		425	4.2%
4		218	2.2%
5		120	1.2%
6		77	0.8%
7		57	0.6%
8		33	0.3%
9		21	0.2%
10		16	0.2%
11		10	0.1%
12		8	0.1%
13		6	0.1%
14		6	0.1%
15		6	0.1%
16		7	0.1%
17		1	0.0%
18		4	0.0%
19		1	0.0%
20		5	0.0%
21		2	0.0%
22		1	0.0%
23		1	0.0%
24		1	0.0%
28		1	0.0%
30		1	0.0%
32		1	0.0%
49		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#81 V354: Y5_R4C4

Information [Type= discrete] [Format=numeric] [Range= 0-20] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		8356	82.8%
1		992	9.8%

File Part 3 (cont.)

#81 V354: Y5_R4C4 (cont.)

Value (cont.)	Label	Cases	Percentage
2		401	4.0%
3		151	1.5%
4		71	0.7%
5		43	0.4%
6		36	0.4%
7		13	0.1%
8		13	0.1%
9		9	0.1%
10		2	0.0%
11		3	0.0%
12		3	0.0%
13		1	0.0%
16		1	0.0%
20		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#82 V355: Y6_R1C1

Information	[Type= discrete] [Format=numeric] [Range= 0-81] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Frequency table not shown (34 Modalities)

#83 V356: Y6_R1C2

Information	[Type= discrete] [Format=numeric] [Range= 0-156] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Value	Label	Cases	Percentage
0		8031	79.5%
1		1203	11.9%
2		446	4.4%
3		169	1.7%
4		95	0.9%
5		47	0.5%
6		28	0.3%
7		23	0.2%
8		7	0.1%
9		6	0.1%
10		6	0.1%
11		6	0.1%

File Part 3 (cont.)

#83 V356: Y6_R1C2 (cont.)

Value (cont.)	Label	Cases	Percentage
12		3	0.0%
13		2	0.0%
14		1	0.0%
15		4	0.0%
16		1	0.0%
17		1	0.0%
18		4	0.0%
21		1	0.0%
22		2	0.0%
24		1	0.0%
25		2	0.0%
26		1	0.0%
28		1	0.0%
32		1	0.0%
37		1	0.0%
42		1	0.0%
80		1	0.0%
156		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#84 V357: Y6_R1C3

Information [Type= discrete] [Format=numeric] [Range= 0-14] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9010	89.2%
1		748	7.4%
2		196	1.9%
3		70	0.7%
4		30	0.3%
5		16	0.2%
6		10	0.1%
7		2	0.0%
8		5	0.0%
9		1	0.0%
10		4	0.0%
11		1	0.0%
12		1	0.0%
13		1	0.0%

File Part 3 (cont.)

#84 V357: Y6_R1C3 (cont.)

Value (cont.)	Label	Cases	Percentage
14		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#85 V358: Y6_R1C4

Information		[Type= discrete] [Format=numeric] [Range= 0-17] [Missing=*]	
Statistics [NW/ W]		[Valid=10096 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0		8920	88.4%
1		667	6.6%
2		231	2.3%
3		108	1.1%
4		58	0.6%
5		41	0.4%
6		23	0.2%
7		19	0.2%
8		12	0.1%
9		4	0.0%
10		2	0.0%
11		2	0.0%
12		1	0.0%
13		1	0.0%
14		3	0.0%
15		2	0.0%
16		1	0.0%
17		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#86 V359: Y6_R2C1

Information		[Type= discrete] [Format=numeric] [Range= 0-71] [Missing=*]	
Statistics [NW/ W]		[Valid=10096 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0		9940	98.5%
1		99	1.0%
2		29	0.3%
3		9	0.1%
4		5	0.0%
5		3	0.0%

File Part 3 (cont.)

#86 V359: Y6_R2C1 (cont.)

Value (cont.)	Label	Cases	Percentage
6		3	0.0%
7		1	0.0%
8		1	0.0%
11		1	0.0%
14		1	0.0%
17		1	0.0%
20		1	0.0%
52		1	0.0%
71		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#87 V360: Y6_R2C2

Information	[Type= discrete] [Format=numeric] [Range= 0-573] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
Frequency table not shown (203 Modalities)	

#88 V361: Y6_R2C3

Information	[Type= discrete] [Format=numeric] [Range= 0-203] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
Frequency table not shown (44 Modalities)	

#89 V362: Y6_R2C4

Value	Label	Cases	Percentage
0		7253	71.8%
1		1149	11.4%
2		606	6.0%
3		346	3.4%
4		214	2.1%
5		152	1.5%
6		88	0.9%
7		69	0.7%
8		51	0.5%
9		43	0.4%

File Part 3 (cont.)

#89 V362: Y6_R2C4 (cont.)

Value (cont.)	Label	Cases	Percentage
10		31	0.3%
11		21	0.2%
12		18	0.2%
13		18	0.2%
14		8	0.1%
15		5	0.0%
16		7	0.1%
17		2	0.0%
18		8	0.1%
19		2	0.0%
20		1	0.0%
21		1	0.0%
22		1	0.0%
23		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#90 V363: Y6_R3C1

Information		[Type= discrete] [Format=numeric] [Range= 0-37] [Missing=*]	
Statistics [NW/ W]		[Valid=10096 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0		6308	62.5%
1		1681	16.7%
2		909	9.0%
3		441	4.4%
4		236	2.3%
5		156	1.5%
6		92	0.9%
7		60	0.6%
8		38	0.4%
9		40	0.4%
10		27	0.3%
11		19	0.2%
12		13	0.1%
13		13	0.1%
14		14	0.1%
15		9	0.1%
16		5	0.0%
17		6	0.1%

File Part 3 (cont.)

#90 V363: Y6_R3C1 (cont.)

Value (cont.)	Label	Cases	Percentage
18		2	0.0%
19		5	0.0%
20		5	0.0%
21		6	0.1%
22		3	0.0%
23		1	0.0%
24		2	0.0%
25		1	0.0%
26		1	0.0%
31		1	0.0%
32		1	0.0%
37		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#91 V364: Y6_R3C2

Information	[Type= discrete] [Format=numeric] [Range= 0-60] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		8276	82.0%
1		1067	10.6%
2		411	4.1%
3		126	1.2%
4		78	0.8%
5		35	0.3%
6		31	0.3%
7		19	0.2%
8		19	0.2%
9		6	0.1%
10		4	0.0%
11		4	0.0%
12		3	0.0%
13		2	0.0%
14		2	0.0%
16		4	0.0%
18		1	0.0%
22		1	0.0%
23		3	0.0%
26		1	0.0%

File Part 3 (cont.)

#91 V364: Y6_R3C2 (cont.)

Value (cont.)	Label	Cases	Percentage
40		1	0.0%
43		1	0.0%
60		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#92 V365: Y6_R3C3

Information	[Type= discrete] [Format=numeric] [Range= 0-15] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9284	92.0%
1		579	5.7%
2		133	1.3%
3		50	0.5%
4		21	0.2%
5		12	0.1%
6		6	0.1%
7		6	0.1%
8		1	0.0%
10		1	0.0%
13		1	0.0%
14		1	0.0%
15		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#93 V366: Y6_R3C4

Information	[Type= discrete] [Format=numeric] [Range= 0-13] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9308	92.2%
1		495	4.9%
2		156	1.5%
3		62	0.6%
4		33	0.3%
5		13	0.1%
6		13	0.1%
7		10	0.1%
8		2	0.0%

File Part 3 (cont.)

#93 V366: Y6_R3C4 (cont.)

Value (cont.)	Label	Cases	Percentage
10		2	0.0%
13		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#94 V367: Y6_R4C1

Information	[Type= discrete] [Format=numeric] [Range= 0-84] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9923	98.3%
1		109	1.1%
2		32	0.3%
3		11	0.1%
4		5	0.0%
5		2	0.0%
6		5	0.0%
7		1	0.0%
10		2	0.0%
11		1	0.0%
12		1	0.0%
17		1	0.0%
19		2	0.0%
84		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#95 V368: Y6_R4C2

Information	[Type= discrete] [Format=numeric] [Range= 0-372] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
Frequency table not shown (200 Modalities)	

#96 V369: Y6_R4C3

Information	[Type= discrete] [Format=numeric] [Range= 0-80] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
Frequency table not shown (37 Modalities)	

File Part 3 (cont.)

#97 V370: Y6_R4C4

Information [Type= discrete] [Format=numeric] [Range= 0-26] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		7902	78.3%
1		1046	10.4%
2		491	4.9%
3		234	2.3%
4		132	1.3%
5		82	0.8%
6		65	0.6%
7		44	0.4%
8		24	0.2%
9		18	0.2%
10		20	0.2%
11		13	0.1%
12		8	0.1%
13		4	0.0%
14		5	0.0%
15		3	0.0%
17		1	0.0%
18		1	0.0%
20		1	0.0%
22		1	0.0%
26		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#98 V371: Y7_R1C1

Information [Type= discrete] [Format=numeric] [Range= 0-62] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		6697	66.3%
1		1653	16.4%
2		772	7.6%
3		347	3.4%
4		186	1.8%
5		122	1.2%
6		77	0.8%
7		59	0.6%
8		33	0.3%

File Part 3 (cont.)

#98 V371: Y7_R1C1 (cont.)

Value (cont.)	Label	Cases	Percentage
9		23	0.2%
10		30	0.3%
11		19	0.2%
12		18	0.2%
13		10	0.1%
14		7	0.1%
15		5	0.0%
16		4	0.0%
17		6	0.1%
18		4	0.0%
19		2	0.0%
20		3	0.0%
22		2	0.0%
23		3	0.0%
24		3	0.0%
25		4	0.0%
26		2	0.0%
27		1	0.0%
30		2	0.0%
41		1	0.0%
62		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#99 V372: Y7_R1C2

Information	[Type= discrete] [Format=numeric] [Range= 0-55] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		7979	79.0%
1		1239	12.3%
2		460	4.6%
3		181	1.8%
4		85	0.8%
5		46	0.5%
6		31	0.3%
7		13	0.1%
8		16	0.2%
9		3	0.0%
10		8	0.1%

File Part 3 (cont.)

#99 V372: Y7_R1C2 (cont.)

Value (cont.)	Label	Cases	Percentage
11		5	0.0%
12		3	0.0%
13		5	0.0%
14		3	0.0%
15		4	0.0%
16		4	0.0%
17		2	0.0%
18		1	0.0%
19		1	0.0%
21		1	0.0%
25		1	0.0%
29		1	0.0%
30		1	0.0%
35		1	0.0%
38		1	0.0%
55		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#100 V373: Y7_R1C3

Information	[Type= discrete] [Format=numeric] [Range= 0-38] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		8974	88.9%
1		784	7.8%
2		194	1.9%
3		57	0.6%
4		37	0.4%
5		14	0.1%
6		12	0.1%
7		4	0.0%
8		8	0.1%
9		3	0.0%
10		1	0.0%
11		2	0.0%
12		2	0.0%
13		1	0.0%
15		1	0.0%
35		1	0.0%

File Part 3 (cont.)

#100 V373: Y7_R1C3 (cont.)

Value (cont.)	Label	Cases	Percentage
38		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#101 V374: Y7_R1C4

Information		[Type= discrete] [Format=numeric] [Range= 0-15] [Missing=*]	
Statistics [NW/ W]		[Valid=10096 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0		8961	88.8%
1		654	6.5%
2		230	2.3%
3		97	1.0%
4		64	0.6%
5		31	0.3%
6		17	0.2%
7		8	0.1%
8		15	0.1%
9		7	0.1%
10		6	0.1%
11		1	0.0%
12		2	0.0%
13		1	0.0%
14		1	0.0%
15		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#102 V375: Y7_R2C1

Information		[Type= discrete] [Format=numeric] [Range= 0-38] [Missing=*]	
Statistics [NW/ W]		[Valid=10096 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0		9934	98.4%
1		97	1.0%
2		26	0.3%
3		9	0.1%
4		3	0.0%
5		5	0.0%
6		3	0.0%
7		3	0.0%

File Part 3 (cont.)

#102 V375: Y7_R2C1 (cont.)

Value (cont.)	Label	Cases	Percentage
8		1	0.0%
9		1	0.0%
10		4	0.0%
11		1	0.0%
12		1	0.0%
15		1	0.0%
16		1	0.0%
21		1	0.0%
23		2	0.0%
30		1	0.0%
37		1	0.0%
38		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#103 V376: Y7_R2C2

Information	[Type= discrete] [Format=numeric] [Range= 0-617] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
Frequency table not shown (197 Modalities)	

#104 V377: Y7_R2C3

Information	[Type= discrete] [Format=numeric] [Range= 0-200] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
Frequency table not shown (40 Modalities)	

#105 V378: Y7_R2C4

Value	Label	Cases	Percentage
0		7007	69.4%
1		1231	12.2%
2		716	7.1%
3		386	3.8%
4		241	2.4%
5		164	1.6%
6		117	1.2%

File Part 3 (cont.)

#105 V378: Y7_R2C4 (cont.)

Value (cont.)	Label	Cases	Percentage
7		79	0.8%
8		40	0.4%
9		33	0.3%
10		17	0.2%
11		10	0.1%
12		8	0.1%
13		8	0.1%
14		4	0.0%
15		8	0.1%
16		9	0.1%
17		3	0.0%
18		3	0.0%
19		5	0.0%
20		3	0.0%
21		3	0.0%
24		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#106 V379: Y7_R3C1

Information		[Type= discrete] [Format=numeric] [Range= 0-35] [Missing=*]	
Statistics [NW/ W]		[Valid=10096 /] [Invalid=0 /]	
Value	Label	Cases	Percentage
0		6642	65.8%
1		1638	16.2%
2		783	7.8%
3		367	3.6%
4		205	2.0%
5		126	1.2%
6		82	0.8%
7		59	0.6%
8		40	0.4%
9		27	0.3%
10		21	0.2%
11		20	0.2%
12		22	0.2%
13		14	0.1%
14		11	0.1%
15		1	0.0%

File Part 3 (cont.)

#106 V379: Y7_R3C1 (cont.)

Value (cont.)	Label	Cases	Percentage
16		3	0.0%
17		4	0.0%
18		4	0.0%
19		8	0.1%
20		3	0.0%
21		2	0.0%
22		3	0.0%
23		2	0.0%
24		1	0.0%
25		1	0.0%
27		2	0.0%
28		3	0.0%
30		1	0.0%
35		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#107 V380: Y7_R3C2

Information [Type= discrete] [Format=numeric] [Range= 0-50] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		8261	81.8%
1		1127	11.2%
2		390	3.9%
3		137	1.4%
4		69	0.7%
5		26	0.3%
6		17	0.2%
7		7	0.1%
8		14	0.1%
9		8	0.1%
10		6	0.1%
11		3	0.0%
12		5	0.0%
13		3	0.0%
14		1	0.0%
15		1	0.0%
16		3	0.0%
17		3	0.0%

File Part 3 (cont.)

#107 V380: Y7_R3C2 (cont.)

Value (cont.)	Label	Cases	Percentage
18		2	0.0%
19		1	0.0%
20		2	0.0%
22		1	0.0%
24		1	0.0%
25		1	0.0%
27		1	0.0%
28		1	0.0%
30		2	0.0%
32		1	0.0%
46		1	0.0%
50		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#108 V381: Y7_R3C3

Information	[Type= discrete] [Format=numeric] [Range= 0-35] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9247	91.6%
1		615	6.1%
2		139	1.4%
3		50	0.5%
4		14	0.1%
5		7	0.1%
6		9	0.1%
7		3	0.0%
8		3	0.0%
9		2	0.0%
10		3	0.0%
11		1	0.0%
12		1	0.0%
21		1	0.0%
35		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#109 V382: Y7_R3C4

Information	[Type= discrete] [Format=numeric] [Range= 0-12] [Missing=*]
-------------	---

File Part 3 (cont.)

#109 V382: Y7_R3C4 (cont.)

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9318	92.3%
1		498	4.9%
2		155	1.5%
3		48	0.5%
4		39	0.4%
5		17	0.2%
6		10	0.1%
7		1	0.0%
8		2	0.0%
9		3	0.0%
10		2	0.0%
11		2	0.0%
12		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#110 V383: Y7_R4C1

Information [Type= discrete] [Format=numeric] [Range= 0-38] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9946	98.5%
1		105	1.0%
2		17	0.2%
3		6	0.1%
4		2	0.0%
5		2	0.0%
6		3	0.0%
7		1	0.0%
8		2	0.0%
10		1	0.0%
11		2	0.0%
12		1	0.0%
14		1	0.0%
15		1	0.0%
17		2	0.0%
19		1	0.0%
21		1	0.0%
29		1	0.0%

File Part 3 (cont.)

#110 V383: Y7_R4C1 (cont.)

Value (cont.)	Label	Cases	Percentage
38		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#111 V384: Y7_R4C2

Information	[Type= discrete] [Format=numeric] [Range= 0-363] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
Frequency table not shown (203 Modalities)	

#112 V385: Y7_R4C3

Information	[Type= discrete] [Format=numeric] [Range= 0-144] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
Frequency table not shown (36 Modalities)	

#113 V386: Y7_R4C4

Value	Label	Cases	Percentage
0		7758	76.8%
1		1129	11.2%
2		518	5.1%
3		272	2.7%
4		131	1.3%
5		100	1.0%
6		47	0.5%
7		48	0.5%
8		30	0.3%
9		9	0.1%
10		15	0.1%
11		9	0.1%
12		9	0.1%
13		4	0.0%
14		6	0.1%
15		3	0.0%
17		1	0.0%
18		1	0.0%

File Part 3 (cont.)

#113 V386: Y7_R4C4 (cont.)

Value (cont.)	Label	Cases	Percentage
19		1	0.0%
20		1	0.0%
24		1	0.0%
25		1	0.0%
28		1	0.0%
34		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#114 V387: Y8_R1C1

Information	[Type= discrete] [Format=numeric] [Range= 0-140] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
Frequency table not shown (34 Modalities)	

#115 V388: Y8_R1C2

Value	Label	Cases	Percentage
0		7880	78.1%
1		1304	12.9%
2		500	5.0%
3		198	2.0%
4		74	0.7%
5		46	0.5%
6		23	0.2%
7		11	0.1%
8		13	0.1%
9		12	0.1%
10		6	0.1%
11		3	0.0%
12		4	0.0%
13		2	0.0%
14		1	0.0%
15		4	0.0%
16		1	0.0%
17		1	0.0%
18		2	0.0%
20		3	0.0%

File Part 3 (cont.)

#115 V388: Y8_R1C2 (cont.)

Value (cont.)	Label	Cases	Percentage
21		1	0.0%
22		2	0.0%
34		1	0.0%
35		1	0.0%
37		1	0.0%
40		1	0.0%
53		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#116 V389: Y8_R1C3

Information	[Type= discrete] [Format=numeric] [Range= 0-18] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9041	89.6%
1		777	7.7%
2		161	1.6%
3		57	0.6%
4		24	0.2%
5		13	0.1%
6		11	0.1%
7		1	0.0%
8		3	0.0%
9		1	0.0%
10		2	0.0%
14		3	0.0%
18		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#117 V390: Y8_R1C4

Information	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9623	95.3%
1		376	3.7%
2		68	0.7%
3		14	0.1%
4		10	0.1%

File Part 3 (cont.)

#117 V390: Y8_R1C4 (cont.)

Value (cont.)	Label	Cases	Percentage
5		2	0.0%
6		1	0.0%
7		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#118 V391: Y8_R1C5

Information	[Type= discrete] [Format=numeric] [Range= 0-16] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9730	96.4%
1		282	2.8%
2		51	0.5%
3		20	0.2%
4		5	0.0%
5		1	0.0%
6		3	0.0%
12		1	0.0%
15		2	0.0%
16		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#119 V392: Y8_R2C1

Information	[Type= discrete] [Format=numeric] [Range= 0-26] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9974	98.8%
1		82	0.8%
2		16	0.2%
3		4	0.0%
4		3	0.0%
5		2	0.0%
6		2	0.0%
7		1	0.0%
8		1	0.0%
9		1	0.0%
10		2	0.0%
14		1	0.0%

File Part 3 (cont.)

#119 V392: Y8_R2C1 (cont.)

Value (cont.)	Label	Cases	Percentage
15		1	0.0%
16		1	0.0%
17		1	0.0%
22		1	0.0%
24		1	0.0%
25		1	0.0%
26		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#120 V393: Y8_R2C2

Information	[Type= discrete] [Format=numeric] [Range= 0-568] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
Frequency table not shown (198 Modalities)	

#121 V394: Y8_R2C3

Information	[Type= discrete] [Format=numeric] [Range= 0-215] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
Frequency table not shown (37 Modalities)	

#122 V395: Y8_R2C4

Value	Label	Cases	Percentage
0		7067	70.0%
1		1354	13.4%
2		737	7.3%
3		351	3.5%
4		214	2.1%
5		127	1.3%
6		83	0.8%
7		39	0.4%
8		38	0.4%
9		29	0.3%
10		13	0.1%
11		13	0.1%

File Part 3 (cont.)

#122 V395: Y8_R2C4 (cont.)

Value (cont.)	Label	Cases	Percentage
12		8	0.1%
13		7	0.1%
14		3	0.0%
15		5	0.0%
16		2	0.0%
17		2	0.0%
18		1	0.0%
22		1	0.0%
24		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#123 V396: Y8_R2C5

Information	[Type= discrete] [Format=numeric] [Range= 0-15] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		8742	86.6%
1		849	8.4%
2		263	2.6%
3		120	1.2%
4		62	0.6%
5		28	0.3%
6		17	0.2%
7		4	0.0%
8		2	0.0%
9		2	0.0%
10		4	0.0%
12		1	0.0%
13		1	0.0%
15		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#124 V397: Y8_R3C1

Information	[Type= discrete] [Format=numeric] [Range= 0-44] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
Frequency table not shown (31 Modalities)	

File Part 3 (cont.)

#125 V398: Y8_R3C2

Information		[Type= discrete] [Format=numeric] [Range= 0-46] [Missing=*]	
Statistics [NW/ W]		[Valid=10096 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0		8098	80.2%
1		1172	11.6%
2		455	4.5%
3		158	1.6%
4		71	0.7%
5		51	0.5%
6		22	0.2%
7		13	0.1%
8		10	0.1%
9		5	0.0%
10		8	0.1%
11		4	0.0%
12		5	0.0%
13		4	0.0%
14		2	0.0%
15		2	0.0%
16		1	0.0%
17		2	0.0%
19		3	0.0%
20		4	0.0%
21		1	0.0%
23		2	0.0%
25		1	0.0%
28		1	0.0%
46		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#126 V399: Y8_R3C3

Information		[Type= discrete] [Format=numeric] [Range= 0-44] [Missing=*]	
Statistics [NW/ W]		[Valid=10096 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0		9284	92.0%
1		620	6.1%
2		124	1.2%
3		28	0.3%
4		18	0.2%

File Part 3 (cont.)

#126 V399: Y8_R3C3 (cont.)

Value (cont.)	Label	Cases	Percentage
5		9	0.1%
7		5	0.0%
8		1	0.0%
11		3	0.0%
12		1	0.0%
21		1	0.0%
30		1	0.0%
44		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#127 V400: Y8_R3C4

Information	[Type= discrete] [Format=numeric] [Range= 0-22] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9796	97.0%
1		241	2.4%
2		37	0.4%
3		11	0.1%
4		6	0.1%
5		1	0.0%
7		1	0.0%
10		1	0.0%
12		1	0.0%
22		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#128 V401: Y8_R3C5

Information	[Type= discrete] [Format=numeric] [Range= 0-39] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9838	97.4%
1		209	2.1%
2		30	0.3%
3		6	0.1%
4		6	0.1%
5		2	0.0%
6		3	0.0%

File Part 3 (cont.)

#128 V401: Y8_R3C5 (cont.)

Value (cont.)	Label	Cases	Percentage
9		1	0.0%
39		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#129 V402: Y8_R4C1

Information	[Type= discrete] [Format=numeric] [Range= 0-23] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9960	98.7%
1		96	1.0%
2		17	0.2%
3		6	0.1%
4		2	0.0%
5		2	0.0%
6		1	0.0%
7		1	0.0%
8		2	0.0%
9		1	0.0%
10		2	0.0%
11		2	0.0%
14		1	0.0%
17		1	0.0%
18		1	0.0%
23		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#130 V403: Y8_R4C2

Information	[Type= discrete] [Format=numeric] [Range= 0-363] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
Frequency table not shown (194 Modalities)	

#131 V404: Y8_R4C3

Information	[Type= discrete] [Format=numeric] [Range= 0-78] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
Frequency table not shown (37 Modalities)	

File Part 3 (cont.)

#132 V405: Y8_R4C4

Information [Type= discrete] [Format=numeric] [Range= 0-24] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		7841	77.7%
1		1200	11.9%
2		525	5.2%
3		236	2.3%
4		103	1.0%
5		75	0.7%
6		33	0.3%
7		21	0.2%
8		24	0.2%
9		5	0.0%
10		14	0.1%
11		2	0.0%
12		5	0.0%
13		4	0.0%
14		3	0.0%
16		1	0.0%
18		1	0.0%
19		1	0.0%
22		1	0.0%
24		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#133 V406: Y8_R4C5

Information [Type= discrete] [Format=numeric] [Range= 0-18] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9214	91.3%
1		592	5.9%
2		169	1.7%
3		64	0.6%
4		22	0.2%
5		21	0.2%
6		6	0.1%
7		3	0.0%
8		1	0.0%
9		2	0.0%

File Part 3 (cont.)

#133 V406: Y8_R4C5 (cont.)

Value (cont.)	Label	Cases	Percentage
12		1	0.0%
18		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#134 V407: Y9_R1C1

Information	[Type= discrete] [Format=numeric] [Range= 0-43] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
Frequency table not shown (32 Modalities)	

#135 V408: Y9_R1C2

Information	[Type= discrete] [Format=numeric] [Range= 0-45] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		8213	81.3%
1		1181	11.7%
2		397	3.9%
3		139	1.4%
4		59	0.6%
5		25	0.2%
6		16	0.2%
7		14	0.1%
8		9	0.1%
9		5	0.0%
10		6	0.1%
11		5	0.0%
12		1	0.0%
13		2	0.0%
14		3	0.0%
16		4	0.0%
18		2	0.0%
20		5	0.0%
21		1	0.0%
22		3	0.0%
24		1	0.0%
29		1	0.0%
30		1	0.0%
35		1	0.0%

File Part 3 (cont.)

#135 V408: Y9_R1C2 (cont.)

Value (cont.)	Label	Cases	Percentage
39		1	0.0%
45		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#136 V409: Y9_R1C3

Information		[Type= discrete] [Format=numeric] [Range= 0-35] [Missing=*]	
Statistics [NW/ W]		[Valid=10096 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0		9108	90.2%
1		711	7.0%
2		170	1.7%
3		48	0.5%
4		14	0.1%
5		21	0.2%
6		6	0.1%
7		5	0.0%
8		2	0.0%
10		2	0.0%
11		2	0.0%
12		1	0.0%
15		2	0.0%
16		1	0.0%
18		1	0.0%
31		1	0.0%
35		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#137 V410: Y9_R1C4

Information		[Type= discrete] [Format=numeric] [Range= 0-10] [Missing=*]	
Statistics [NW/ W]		[Valid=10096 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0		9661	95.7%
1		345	3.4%
2		63	0.6%
3		11	0.1%
4		7	0.1%
5		2	0.0%

File Part 3 (cont.)

#137 V410: Y9_R1C4 (cont.)

Value (cont.)	Label	Cases	Percentage
6		4	0.0%
7		1	0.0%
8		1	0.0%
10		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#138 V411: Y9_R1C5

Information	[Type= discrete] [Format=numeric] [Range= 0-17] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9808	97.1%
1		221	2.2%
2		43	0.4%
3		13	0.1%
4		5	0.0%
5		1	0.0%
6		2	0.0%
12		2	0.0%
17		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#139 V412: Y9_R2C1

Information	[Type= discrete] [Format=numeric] [Range= 0-40] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9980	98.9%
1		75	0.7%
2		23	0.2%
3		3	0.0%
4		1	0.0%
5		1	0.0%
6		3	0.0%
7		1	0.0%
8		1	0.0%
9		2	0.0%
10		2	0.0%
11		1	0.0%

File Part 3 (cont.)

#139 V412: Y9_R2C1 (cont.)

Value (cont.)	Label	Cases	Percentage
14		1	0.0%
15		1	0.0%
40		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#140 V413: Y9_R2C2

Information	[Type= discrete] [Format=numeric] [Range= 0-628] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
Frequency table not shown (193 Modalities)	

#141 V414: Y9_R2C3

Information	[Type= discrete] [Format=numeric] [Range= 0-208] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
Frequency table not shown (35 Modalities)	

#142 V415: Y9_R2C4

Information	[Type= discrete] [Format=numeric] [Range= 0-23] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		7239	71.7%
1		1303	12.9%
2		749	7.4%
3		355	3.5%
4		194	1.9%
5		92	0.9%
6		50	0.5%
7		43	0.4%
8		24	0.2%
9		18	0.2%
10		9	0.1%
11		7	0.1%
12		6	0.1%
14		3	0.0%
18		2	0.0%
23		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 3 (cont.)**#143 V416: Y9_R2C5**

Information [Type= discrete] [Format=numeric] [Range= 0-15] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		8963	88.8%
1		727	7.2%
2		218	2.2%
3		97	1.0%
4		35	0.3%
5		31	0.3%
6		14	0.1%
7		5	0.0%
8		1	0.0%
10		2	0.0%
12		1	0.0%
13		1	0.0%
15		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#144 V417: Y9_R3C1

Information [Type= discrete] [Format=numeric] [Range= 0-44] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Frequency table not shown (32 Modalities)

#145 V418: Y9_R3C2

Information [Type= discrete] [Format=numeric] [Range= 0-41] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		8440	83.6%
1		1040	10.3%
2		349	3.5%
3		120	1.2%
4		46	0.5%
5		24	0.2%
6		13	0.1%
7		15	0.1%
8		9	0.1%
9		8	0.1%

File Part 3 (cont.)

#145 V418: Y9_R3C2 (cont.)

Value (cont.)	Label	Cases	Percentage
10		5	0.0%
11		1	0.0%
12		4	0.0%
13		2	0.0%
14		3	0.0%
15		4	0.0%
16		1	0.0%
17		2	0.0%
18		1	0.0%
20		2	0.0%
21		1	0.0%
25		1	0.0%
28		1	0.0%
29		1	0.0%
31		1	0.0%
36		1	0.0%
41		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#146 V419: Y9_R3C3

Information	[Type= discrete] [Format=numeric] [Range= 0-27] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9379	92.9%
1		531	5.3%
2		114	1.1%
3		34	0.3%
4		19	0.2%
5		7	0.1%
6		3	0.0%
7		3	0.0%
8		1	0.0%
9		1	0.0%
10		2	0.0%
12		1	0.0%
27		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 3 (cont.)**#147 V420: Y9_R3C4**

Information [Type= discrete] [Format=numeric] [Range= 0-30] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9809	97.2%
1		216	2.1%
2		47	0.5%
3		15	0.1%
4		5	0.0%
5		1	0.0%
6		1	0.0%
8		1	0.0%
30		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#148 V421: Y9_R3C5

Information [Type= discrete] [Format=numeric] [Range= 0-13] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9889	97.9%
1		162	1.6%
2		28	0.3%
3		8	0.1%
4		4	0.0%
5		3	0.0%
10		1	0.0%
13		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#149 V422: Y9_R4C1

Information [Type= discrete] [Format=numeric] [Range= 0-47] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9969	98.7%
1		89	0.9%
2		12	0.1%
3		8	0.1%
4		6	0.1%

File Part 3 (cont.)

#149 V422: Y9_R4C1 (cont.)

Value (cont.)	Label	Cases	Percentage
5		1	0.0%
6		1	0.0%
7		1	0.0%
12		2	0.0%
14		2	0.0%
15		1	0.0%
16		1	0.0%
22		1	0.0%
25		1	0.0%
47		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#150 V423: Y9_R4C2

Information	[Type= discrete] [Format=numeric] [Range= 0-360] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
Frequency table not shown (199 Modalities)	

#151 V424: Y9_R4C3

Information	[Type= discrete] [Format=numeric] [Range= 0-128] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
Frequency table not shown (41 Modalities)	

#152 V425: Y9_R4C4

Value	Label	Cases	Percentage
0		7939	78.6%
1		1190	11.8%
2		483	4.8%
3		217	2.1%
4		118	1.2%
5		49	0.5%
6		35	0.3%
7		23	0.2%
8		15	0.1%

File Part 3 (cont.)

#152 V425: Y9_R4C4 (cont.)

Value (cont.)	Label	Cases	Percentage
9		13	0.1%
10		4	0.0%
11		2	0.0%
12		5	0.0%
13		1	0.0%
14		1	0.0%
15		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#153 V426: Y9_R4C5

Information	[Type= discrete] [Format=numeric] [Range= 0-19] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9336	92.5%
1		519	5.1%
2		150	1.5%
3		43	0.4%
4		22	0.2%
5		13	0.1%
6		7	0.1%
7		2	0.0%
8		2	0.0%
10		1	0.0%
19		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#154 V427: Y10_R1C1

Information	[Type= discrete] [Format=numeric] [Range= 0-39] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
Frequency table not shown (33 Modalities)	

#155 V428: Y10_R1C2

Information	[Type= discrete] [Format=numeric] [Range= 0-58] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		8383	83.0%

File Part 3 (cont.)

#155 V428: Y10_R1C2 (cont.)

Value (cont.)	Label	Cases	Percentage
1		1024	10.1%
2		369	3.7%
3		128	1.3%
4		70	0.7%
5		38	0.4%
6		17	0.2%
7		15	0.1%
8		11	0.1%
9		9	0.1%
10		2	0.0%
11		3	0.0%
12		8	0.1%
13		3	0.0%
14		3	0.0%
15		1	0.0%
16		2	0.0%
18		1	0.0%
19		1	0.0%
20		1	0.0%
21		1	0.0%
23		2	0.0%
26		1	0.0%
30		1	0.0%
31		1	0.0%
58		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#156 V429: Y10_R1C3

Information	[Type= discrete] [Format=numeric] [Range= 0-17] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9232	91.4%
1		617	6.1%
2		145	1.4%
3		50	0.5%
4		24	0.2%
5		9	0.1%
6		6	0.1%

File Part 3 (cont.)

#156 V429: Y10_R1C3 (cont.)

Value (cont.)	Label	Cases	Percentage
7		2	0.0%
8		2	0.0%
9		1	0.0%
10		2	0.0%
11		1	0.0%
12		1	0.0%
14		3	0.0%
17		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#157 V430: Y10_R1C4

Information	[Type= discrete] [Format=numeric] [Range= 0-20] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9746	96.5%
1		286	2.8%
2		40	0.4%
3		12	0.1%
4		4	0.0%
5		4	0.0%
8		1	0.0%
9		1	0.0%
14		1	0.0%
20		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#158 V431: Y10_R1C5

Information	[Type= discrete] [Format=numeric] [Range= 0-12] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9855	97.6%
1		187	1.9%
2		36	0.4%
3		7	0.1%
4		6	0.1%
5		2	0.0%
8		1	0.0%

File Part 3 (cont.)

#158 V431: Y10_R1C5 (cont.)

Value (cont.)	Label	Cases	Percentage
10		1	0.0%
12		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#159 V432: Y10_R2C1

Information	[Type= discrete] [Format=numeric] [Range= 0-31] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9966	98.7%
1		98	1.0%
2		16	0.2%
3		5	0.0%
4		2	0.0%
5		2	0.0%
6		1	0.0%
7		1	0.0%
11		1	0.0%
14		1	0.0%
18		1	0.0%
29		1	0.0%
31		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#160 V433: Y10_R2C2

Information	[Type= discrete] [Format=numeric] [Range= 0-653] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
Frequency table not shown (203 Modalities)	

#161 V434: Y10_R2C3

Information	[Type= discrete] [Format=numeric] [Range= 0-199] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
Frequency table not shown (36 Modalities)	

#162 V435: Y10_R2C4

Information	[Type= discrete] [Format=numeric] [Range= 0-35] [Missing=*]
-------------	---

File Part 3 (cont.)

#162 V435: Y10_R2C4 (cont.)

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		7661	75.9%
1		1156	11.5%
2		595	5.9%
3		282	2.8%
4		164	1.6%
5		83	0.8%
6		47	0.5%
7		36	0.4%
8		23	0.2%
9		13	0.1%
10		14	0.1%
11		5	0.0%
12		3	0.0%
13		1	0.0%
14		3	0.0%
15		2	0.0%
16		2	0.0%
18		1	0.0%
19		1	0.0%
20		1	0.0%
25		1	0.0%
30		1	0.0%
35		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#163 V436: Y10_R2C5

Information [Type= discrete] [Format=numeric] [Range= 0-20] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9136	90.5%
1		606	6.0%
2		198	2.0%
3		75	0.7%
4		34	0.3%
5		18	0.2%
6		8	0.1%
7		6	0.1%

File Part 3 (cont.)

#163 V436: Y10_R2C5 (cont.)

Value (cont.)	Label	Cases	Percentage
8		2	0.0%
9		3	0.0%
10		5	0.0%
11		2	0.0%
14		1	0.0%
16		1	0.0%
20		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#164 V437: Y10_R3C1

Information [Type= discrete] [Format=numeric] [Range= 0-49] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Frequency table not shown (32 Modalities)

#165 V438: Y10_R3C2

Information [Type= discrete] [Format=numeric] [Range= 0-42] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		8519	84.4%
1		926	9.2%
2		358	3.5%
3		117	1.2%
4		59	0.6%
5		25	0.2%
6		24	0.2%
7		16	0.2%
8		6	0.1%
9		7	0.1%
10		8	0.1%
11		7	0.1%
12		4	0.0%
13		2	0.0%
14		2	0.0%
15		3	0.0%
16		2	0.0%
18		2	0.0%
19		2	0.0%

File Part 3 (cont.)

#165 V438: Y10_R3C2 (cont.)

Value (cont.)	Label	Cases	Percentage
20		3	0.0%
24		1	0.0%
26		1	0.0%
34		1	0.0%
42		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#166 V439: Y10_R3C3

Information	[Type= discrete] [Format=numeric] [Range= 0-21] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9386	93.0%
1		534	5.3%
2		100	1.0%
3		43	0.4%
4		14	0.1%
5		9	0.1%
6		4	0.0%
8		1	0.0%
9		1	0.0%
10		2	0.0%
11		1	0.0%
21		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#167 V440: Y10_R3C4

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9831	97.4%
1		208	2.1%
2		37	0.4%
3		14	0.1%
4		5	0.0%
5		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 3 (cont.)

#168 V441: Y10_R3C5

Information [Type= discrete] [Format=numeric] [Range= 0-13] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9917	98.2%
1		136	1.3%
2		25	0.2%
3		10	0.1%
4		1	0.0%
5		4	0.0%
7		1	0.0%
9		1	0.0%
13		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#169 V442: Y10_R4C1

Information [Type= discrete] [Format=numeric] [Range= 0-28] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9943	98.5%
1		103	1.0%
2		22	0.2%
3		10	0.1%
4		5	0.0%
5		1	0.0%
6		1	0.0%
9		4	0.0%
10		1	0.0%
11		1	0.0%
12		1	0.0%
19		1	0.0%
20		1	0.0%
27		1	0.0%
28		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#170 V443: Y10_R4C2

Information [Type= discrete] [Format=numeric] [Range= 0-383] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

File Part 3 (cont.)

#170 V443: Y10_R4C2 (cont.)

Frequency table not shown (199 Modalities)

#171 V444: Y10_R4C3

Information [Type= discrete] [Format=numeric] [Range= 0-196] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Frequency table not shown (39 Modalities)

#172 V445: Y10_R4C4

Information [Type= discrete] [Format=numeric] [Range= 0-54] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		8373	82.9%
1		910	9.0%
2		391	3.9%
3		175	1.7%
4		101	1.0%
5		47	0.5%
6		34	0.3%
7		17	0.2%
8		13	0.1%
9		8	0.1%
10		4	0.0%
11		7	0.1%
12		4	0.0%
13		1	0.0%
14		2	0.0%
15		2	0.0%
17		3	0.0%
18		2	0.0%
19		1	0.0%
54		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#173 V446: Y10_R4C5

Information [Type= discrete] [Format=numeric] [Range= 0-21] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

File Part 3 (cont.)

#173 V446: Y10_R4C5 (cont.)

Value	Label	Cases	Percentage
0		9417	93.3%
1		476	4.7%
2		119	1.2%
3		37	0.4%
4		12	0.1%
5		11	0.1%
6		8	0.1%
7		7	0.1%
8		3	0.0%
11		1	0.0%
12		1	0.0%
16		2	0.0%
17		1	0.0%
21		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#174 V447: Y11_R1C1

Information [Type= discrete] [Format=numeric] [Range= 0-57] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Frequency table not shown (32 Modalities)

#175 V448: Y11_R1C2

Information [Type= discrete] [Format=numeric] [Range= 0-288] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		8437	83.6%
1		1015	10.1%
2		347	3.4%
3		137	1.4%
4		44	0.4%
5		39	0.4%
6		23	0.2%
7		8	0.1%
8		8	0.1%
9		8	0.1%
10		4	0.0%
11		6	0.1%

File Part 3 (cont.)

#175 V448: Y11_R1C2 (cont.)

Value (cont.)	Label	Cases	Percentage
12		2	0.0%
13		1	0.0%
14		1	0.0%
15		4	0.0%
16		2	0.0%
17		1	0.0%
18		2	0.0%
19		2	0.0%
23		1	0.0%
24		2	0.0%
42		1	0.0%
288		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#176 V449: Y11_R1C3

Information	[Type= discrete] [Format=numeric] [Range= 0-19] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9301	92.1%
1		596	5.9%
2		117	1.2%
3		44	0.4%
4		11	0.1%
5		6	0.1%
6		9	0.1%
7		4	0.0%
8		2	0.0%
9		2	0.0%
10		1	0.0%
11		1	0.0%
13		1	0.0%
19		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#177 V450: Y11_R1C4

Information	[Type= discrete] [Format=numeric] [Range= 0-10] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]

File Part 3 (cont.)

#177 V450: Y11_R1C4 (cont.)

Value	Label	Cases	Percentage
0		9748	96.6%
1		271	2.7%
2		50	0.5%
3		17	0.2%
4		2	0.0%
5		1	0.0%
6		4	0.0%
7		1	0.0%
10		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#178 V451: Y11_R1C5

Information	[Type= discrete] [Format=numeric] [Range= 0-24] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9906	98.1%
1		150	1.5%
2		24	0.2%
3		10	0.1%
4		2	0.0%
5		1	0.0%
6		1	0.0%
10		1	0.0%
24		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#179 V452: Y11_R2C1

Information	[Type= discrete] [Format=numeric] [Range= 0-36] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9962	98.7%
1		77	0.8%
2		25	0.2%
3		8	0.1%
4		6	0.1%
5		1	0.0%
6		2	0.0%

File Part 3 (cont.)

#179 V452: Y11_R2C1 (cont.)

Value (cont.)	Label	Cases	Percentage
7		2	0.0%
8		2	0.0%
9		1	0.0%
10		1	0.0%
11		1	0.0%
13		1	0.0%
15		1	0.0%
16		1	0.0%
19		1	0.0%
20		1	0.0%
24		1	0.0%
27		1	0.0%
36		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#180 V453: Y11_R2C2

Information	[Type= discrete] [Format=numeric] [Range= 0-548] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
Frequency table not shown (184 Modalities)	

#181 V454: Y11_R2C3

Information	[Type= discrete] [Format=numeric] [Range= 0-192] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
Frequency table not shown (39 Modalities)	

#182 V455: Y11_R2C4

Information	[Type= discrete] [Format=numeric] [Range= 0-80] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		7638	75.7%
1		1135	11.2%
2		600	5.9%
3		314	3.1%
4		143	1.4%
5		104	1.0%

File Part 3 (cont.)

#182 V455: Y11_R2C4 (cont.)

Value (cont.)	Label	Cases	Percentage
6		62	0.6%
7		32	0.3%
8		14	0.1%
9		13	0.1%
10		11	0.1%
11		6	0.1%
12		5	0.0%
13		5	0.0%
15		4	0.0%
16		2	0.0%
17		1	0.0%
18		1	0.0%
19		1	0.0%
20		1	0.0%
21		1	0.0%
23		1	0.0%
25		1	0.0%
80		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#183 V456: Y11_R2C5

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9204	91.2%
1		621	6.2%
2		175	1.7%
3		53	0.5%
4		21	0.2%
5		11	0.1%
6		4	0.0%
7		5	0.0%
8		1	0.0%
9		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 3 (cont.)

#184 V457: Y11_R3C1

Information [Type= discrete] [Format=numeric] [Range= 0-56] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Frequency table not shown (33 Modalities)

#185 V458: Y11_R3C2

Information [Type= discrete] [Format=numeric] [Range= 0-31] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		8597	85.2%
1		950	9.4%
2		285	2.8%
3		117	1.2%
4		46	0.5%
5		27	0.3%
6		19	0.2%
7		9	0.1%
8		5	0.0%
9		9	0.1%
10		5	0.0%
11		4	0.0%
12		5	0.0%
13		3	0.0%
14		1	0.0%
15		2	0.0%
17		2	0.0%
19		1	0.0%
20		3	0.0%
21		3	0.0%
23		1	0.0%
24		1	0.0%
31		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#186 V459: Y11_R3C3

Information [Type= discrete] [Format=numeric] [Range= 0-52] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

File Part 3 (cont.)

#186 V459: Y11_R3C3 (cont.)

Value	Label	Cases	Percentage
0		9435	93.5%
1		472	4.7%
2		111	1.1%
3		32	0.3%
4		13	0.1%
5		12	0.1%
6		4	0.0%
7		4	0.0%
8		2	0.0%
9		2	0.0%
10		5	0.0%
12		1	0.0%
15		1	0.0%
26		1	0.0%
52		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#187 V460: Y11_R3C4

Information	[Type= discrete] [Format=numeric] [Range= 0-10] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9857	97.6%
1		191	1.9%
2		33	0.3%
3		7	0.1%
4		2	0.0%
5		1	0.0%
6		2	0.0%
7		1	0.0%
10		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#188 V461: Y11_R3C5

Information	[Type= discrete] [Format=numeric] [Range= 0-17] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9958	98.6%

File Part 3 (cont.)

#188 V461: Y11_R3C5 (cont.)

Value (cont.)	Label	Cases	Percentage
1		118	1.2%
2		12	0.1%
3		4	0.0%
4		1	0.0%
5		1	0.0%
7		1	0.0%
17		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#189 V462: Y11_R4C1

Information	[Type= discrete] [Format=numeric] [Range= 0-39] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9942	98.5%
1		92	0.9%
2		24	0.2%
3		11	0.1%
4		4	0.0%
5		3	0.0%
7		1	0.0%
8		3	0.0%
9		3	0.0%
10		2	0.0%
11		1	0.0%
16		2	0.0%
17		2	0.0%
21		1	0.0%
22		2	0.0%
23		1	0.0%
33		1	0.0%
39		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#190 V463: Y11_R4C2

Information	[Type= discrete] [Format=numeric] [Range= 0-342] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
Frequency table not shown (198 Modalities)	

File Part 3 (cont.)

#191 V464: Y11_R4C3

Information [Type= discrete] [Format=numeric] [Range= 0-86] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Frequency table not shown (39 Modalities)

#192 V465: Y11_R4C4

Information [Type= discrete] [Format=numeric] [Range= 0-20] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		8251	81.7%
1		960	9.5%
2		432	4.3%
3		178	1.8%
4		104	1.0%
5		51	0.5%
6		43	0.4%
7		20	0.2%
8		14	0.1%
9		6	0.1%
10		11	0.1%
11		5	0.0%
12		4	0.0%
13		6	0.1%
14		5	0.0%
15		1	0.0%
16		1	0.0%
18		3	0.0%
20		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#193 V466: Y11_R4C5

Information [Type= discrete] [Format=numeric] [Range= 0-15] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9538	94.5%
1		374	3.7%
2		116	1.1%
3		28	0.3%

File Part 3 (cont.)

#193 V466: Y11_R4C5 (cont.)

Value (cont.)	Label	Cases	Percentage
4		22	0.2%
5		11	0.1%
6		3	0.0%
7		1	0.0%
8		1	0.0%
9		1	0.0%
15		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#194 V467: Y11R_R1C1

Information	[Type= discrete] [Format=numeric] [Range= 0-21] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9023	89.4%
1		658	6.5%
2		225	2.2%
3		94	0.9%
4		41	0.4%
5		15	0.1%
6		7	0.1%
7		7	0.1%
8		12	0.1%
9		3	0.0%
10		3	0.0%
11		2	0.0%
12		1	0.0%
13		1	0.0%
15		1	0.0%
18		1	0.0%
20		1	0.0%
21		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#195 V468: Y11R_R1C2

Information	[Type= discrete] [Format=numeric] [Range= 0-46] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]

File Part 3 (cont.)

#195 V468: Y11R_R1C2 (cont.)

Value	Label	Cases	Percentage
0		9409	93.2%
1		424	4.2%
2		153	1.5%
3		46	0.5%
4		23	0.2%
5		15	0.1%
6		7	0.1%
7		4	0.0%
8		3	0.0%
9		1	0.0%
10		2	0.0%
11		3	0.0%
12		2	0.0%
14		1	0.0%
17		1	0.0%
25		1	0.0%
46		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#196 V469: Y11R_R1C3

Information [Type= discrete] [Format=numeric] [Range= 0-15] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9703	96.1%
1		279	2.8%
2		58	0.6%
3		23	0.2%
4		13	0.1%
5		10	0.1%
6		2	0.0%
7		2	0.0%
8		2	0.0%
10		2	0.0%
11		1	0.0%
15		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 3 (cont.)**#197 V470: Y11R_R1C4**

Information [Type= discrete] [Format=numeric] [Range= 0-13] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9971	98.8%
1		94	0.9%
2		19	0.2%
3		9	0.1%
5		2	0.0%
13		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#198 V471: Y11R_R1C5

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10011	99.2%
1		72	0.7%
2		5	0.0%
3		1	0.0%
4		3	0.0%
5		3	0.0%
8		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#199 V472: Y11R_R2C1

Information [Type= discrete] [Format=numeric] [Range= 0-34] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10016	99.2%
1		42	0.4%
2		15	0.1%
3		5	0.0%
4		5	0.0%
5		3	0.0%
7		2	0.0%
8		3	0.0%
9		2	0.0%

File Part 3 (cont.)

#199 V472: Y11R_R2C1 (cont.)

Value (cont.)	Label	Cases	Percentage
10		1	0.0%
12		1	0.0%
34		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#200 V473: Y11R_R2C2

Information	[Type= discrete] [Format=numeric] [Range= 0-250] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
Frequency table not shown (77 Modalities)	

#201 V474: Y11R_R2C3

Information	[Type= discrete] [Format=numeric] [Range= 0-149] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
Frequency table not shown (35 Modalities)	

#202 V475: Y11R_R2C4

Information	[Type= discrete] [Format=numeric] [Range= 0-29] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9139	90.5%
1		501	5.0%
2		233	2.3%
3		106	1.0%
4		52	0.5%
5		26	0.3%
6		11	0.1%
7		7	0.1%
8		4	0.0%
9		7	0.1%
10		2	0.0%
11		1	0.0%
12		2	0.0%
15		2	0.0%
18		1	0.0%
22		1	0.0%

File Part 3 (cont.)

#202 V475: Y11R_R2C4 (cont.)

Value (cont.)	Label	Cases	Percentage
29		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#203 V476: Y11R_R2C5

Information		[Type= discrete] [Format=numeric] [Range= 0-18] [Missing=*]	
Statistics [NW/ W]		[Valid=10096 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0		9783	96.9%
1		212	2.1%
2		61	0.6%
3		25	0.2%
4		10	0.1%
5		2	0.0%
6		1	0.0%
7		1	0.0%
18		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#204 V477: Y11R_R3C1

Information		[Type= discrete] [Format=numeric] [Range= 0-20] [Missing=*]	
Statistics [NW/ W]		[Valid=10096 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0		9013	89.3%
1		633	6.3%
2		249	2.5%
3		106	1.0%
4		46	0.5%
5		22	0.2%
6		9	0.1%
7		5	0.0%
8		5	0.0%
10		2	0.0%
12		1	0.0%
13		1	0.0%
16		1	0.0%
19		2	0.0%
20		1	0.0%

File Part 3 (cont.)

#204 V477: Y11R_R3C1 (cont.)

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#205 V478: Y11R_R3C2

Information	[Type= discrete] [Format=numeric] [Range= 0-67] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9444	93.5%
1		413	4.1%
2		131	1.3%
3		43	0.4%
4		20	0.2%
5		11	0.1%
6		10	0.1%
7		4	0.0%
8		4	0.0%
10		1	0.0%
11		3	0.0%
12		1	0.0%
13		1	0.0%
14		1	0.0%
16		2	0.0%
17		2	0.0%
20		2	0.0%
21		1	0.0%
42		1	0.0%
67		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#206 V479: Y11R_R3C3

Information	[Type= discrete] [Format=numeric] [Range= 0-13] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9753	96.6%
1		223	2.2%
2		69	0.7%
3		17	0.2%
4		12	0.1%
5		12	0.1%

File Part 3 (cont.)

#206 V479: Y11R_R3C3 (cont.)

Value (cont.)	Label	Cases	Percentage
6		3	0.0%
8		2	0.0%
9		1	0.0%
10		1	0.0%
12		2	0.0%
13		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#207 V480: Y11R_R3C4

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9994	99.0%
1		83	0.8%
2		12	0.1%
3		5	0.0%
4		1	0.0%
5		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#208 V481: Y11R_R3C5

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10046	99.5%
1		38	0.4%
2		7	0.1%
3		2	0.0%
4		1	0.0%
5		1	0.0%
9		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#209 V482: Y11R_R4C1

Information	[Type= discrete] [Format=numeric] [Range= 0-24] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]

File Part 3 (cont.)

#209 V482: Y11R_R4C1 (cont.)

Value	Label	Cases	Percentage
0		10018	99.2%
1		50	0.5%
2		6	0.1%
3		4	0.0%
4		3	0.0%
5		3	0.0%
6		1	0.0%
7		1	0.0%
8		2	0.0%
9		1	0.0%
10		4	0.0%
15		1	0.0%
21		1	0.0%
24		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#210 V483: Y11R_R4C2

Information	[Type= discrete] [Format=numeric] [Range= 0-146] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
Frequency table not shown (75 Modalities)	

#211 V484: Y11R_R4C3

Value	Label	Cases	Percentage
0		8212	81.3%
1		627	6.2%
2		464	4.6%
3		260	2.6%
4		179	1.8%
5		107	1.1%
6		60	0.6%
7		38	0.4%
8		33	0.3%
9		24	0.2%
10		20	0.2%
11		12	0.1%

File Part 3 (cont.)

#211 V484: Y11R_R4C3 (cont.)

Value (cont.)	Label	Cases	Percentage
12		13	0.1%
13		5	0.0%
14		6	0.1%
15		7	0.1%
16		8	0.1%
17		2	0.0%
18		1	0.0%
20		5	0.0%
21		2	0.0%
22		1	0.0%
23		2	0.0%
25		2	0.0%
30		2	0.0%
36		1	0.0%
45		1	0.0%
66		1	0.0%
82		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#212 V485: Y11R_R4C4

Information [Type= discrete] [Format=numeric] [Range= 0-30] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9332	92.4%
1		445	4.4%
2		169	1.7%
3		57	0.6%
4		42	0.4%
5		25	0.2%
6		5	0.0%
7		6	0.1%
8		4	0.0%
9		4	0.0%
10		2	0.0%
11		1	0.0%
12		1	0.0%
15		2	0.0%
30		1	0.0%

File Part 3 (cont.)

#212 V485: Y11R_R4C4 (cont.)

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#213 V486: Y11R_R4C5

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9886	97.9%
1		150	1.5%
2		34	0.3%
3		14	0.1%
4		4	0.0%
5		1	0.0%
6		2	0.0%
7		3	0.0%
8		1	0.0%
9		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#214 V487: Y12_R1C1

Information	[Type= discrete] [Format=numeric] [Range= 0-102] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Frequency table not shown (35 Modalities)			

#215 V488: Y12_R1C2

Information	[Type= discrete] [Format=numeric] [Range= 0-39] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9556	94.7%
1		283	2.8%
2		107	1.1%
3		45	0.4%
4		22	0.2%
5		24	0.2%
6		7	0.1%
7		7	0.1%
8		6	0.1%
9		3	0.0%

File Part 3 (cont.)

#215 V488: Y12_R1C2 (cont.)

Value (cont.)	Label	Cases	Percentage
10		9	0.1%
11		3	0.0%
12		3	0.0%
13		1	0.0%
14		1	0.0%
15		3	0.0%
16		2	0.0%
17		1	0.0%
18		2	0.0%
19		2	0.0%
23		3	0.0%
25		3	0.0%
31		1	0.0%
35		1	0.0%
39		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#216 V489: Y12_R1C3

Information	[Type= discrete] [Format=numeric] [Range= 0-22] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9823	97.3%
1		149	1.5%
2		63	0.6%
3		17	0.2%
4		14	0.1%
5		9	0.1%
6		5	0.0%
7		1	0.0%
8		7	0.1%
10		5	0.0%
14		1	0.0%
15		1	0.0%
22		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 3 (cont.)**#217 V490: Y12_R1C4**

Information	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10001	99.1%
1		76	0.8%
2		11	0.1%
3		5	0.0%
4		1	0.0%
5		1	0.0%
7		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#218 V491: Y12_R1C5

Information	[Type= discrete] [Format=numeric] [Range= 0-20] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10057	99.6%
1		29	0.3%
2		5	0.0%
3		1	0.0%
5		1	0.0%
7		1	0.0%
11		1	0.0%
20		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#219 V492: Y12_R2C1

Information	[Type= discrete] [Format=numeric] [Range= 0-47] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10045	99.5%
1		27	0.3%
2		7	0.1%
3		4	0.0%
4		4	0.0%
6		3	0.0%
7		1	0.0%

File Part 3 (cont.)

#219 V492: Y12_R2C1 (cont.)

Value (cont.)	Label	Cases	Percentage
10		1	0.0%
22		1	0.0%
25		1	0.0%
28		1	0.0%
47		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#220 V493: Y12_R2C2

Information	[Type= discrete] [Format=numeric] [Range= 0-582] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
Frequency table not shown (160 Modalities)	

#221 V494: Y12_R2C3

Information	[Type= discrete] [Format=numeric] [Range= 0-205] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
Frequency table not shown (41 Modalities)	

#222 V495: Y12_R2C4

Information	[Type= discrete] [Format=numeric] [Range= 0-35] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9486	94.0%
1		324	3.2%
2		131	1.3%
3		73	0.7%
4		40	0.4%
5		7	0.1%
6		9	0.1%
7		3	0.0%
8		6	0.1%
9		2	0.0%
10		4	0.0%
11		2	0.0%
12		1	0.0%
14		1	0.0%

File Part 3 (cont.)

#222 V495: Y12_R2C4 (cont.)

Value (cont.)	Label	Cases	Percentage
15		2	0.0%
16		1	0.0%
21		1	0.0%
23		1	0.0%
28		1	0.0%
35		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#223 V496: Y12_R2C5

Information	[Type= discrete] [Format=numeric] [Range= 0-10] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9923	98.3%
1		106	1.0%
2		44	0.4%
3		12	0.1%
4		1	0.0%
5		2	0.0%
6		4	0.0%
7		1	0.0%
10		3	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#224 V497: Y12_R3C1

Information	[Type= discrete] [Format=numeric] [Range= 0-46] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
Frequency table not shown (33 Modalities)	

#225 V498: Y12_R3C2

Information	[Type= discrete] [Format=numeric] [Range= 0-45] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9477	93.9%
1		333	3.3%
2		129	1.3%
3		44	0.4%

File Part 3 (cont.)

#225 V498: Y12_R3C2 (cont.)

Value (cont.)	Label	Cases	Percentage
4		32	0.3%
5		20	0.2%
6		11	0.1%
7		6	0.1%
8		3	0.0%
9		6	0.1%
10		8	0.1%
11		4	0.0%
12		1	0.0%
13		2	0.0%
14		1	0.0%
15		1	0.0%
18		2	0.0%
19		1	0.0%
20		1	0.0%
21		2	0.0%
23		1	0.0%
24		2	0.0%
25		1	0.0%
26		1	0.0%
28		1	0.0%
30		2	0.0%
34		1	0.0%
35		1	0.0%
43		1	0.0%
45		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#226 V499: Y12_R3C3

Information	[Type= discrete] [Format= numeric] [Range= 0-100] [Missing= *]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9785	96.9%
1		175	1.7%
2		55	0.5%
3		35	0.3%
4		15	0.1%
5		11	0.1%

File Part 3 (cont.)

#226 V499: Y12_R3C3 (cont.)

Value (cont.)	Label	Cases	Percentage
6		3	0.0%
7		1	0.0%
8		4	0.0%
9		1	0.0%
10		3	0.0%
11		1	0.0%
12		2	0.0%
14		1	0.0%
26		1	0.0%
40		1	0.0%
75		1	0.0%
100		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#227 V500: Y12_R3C4

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10012	99.2%
1		58	0.6%
2		12	0.1%
3		4	0.0%
4		4	0.0%
5		1	0.0%
6		2	0.0%
7		1	0.0%
8		1	0.0%
9		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#228 V501: Y12_R3C5

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10059	99.6%
1		28	0.3%
2		3	0.0%

File Part 3 (cont.)

#228 V501: Y12_R3C5 (cont.)

Value (cont.)	Label	Cases	Percentage
3		3	0.0%
6		1	0.0%
9		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#229 V502: Y12_R4C1

Information	[Type= discrete] [Format=numeric] [Range= 0-54] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10029	99.3%
1		36	0.4%
2		10	0.1%
3		7	0.1%
4		5	0.0%
5		1	0.0%
7		1	0.0%
8		1	0.0%
9		1	0.0%
10		1	0.0%
22		1	0.0%
25		1	0.0%
31		1	0.0%
54		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#230 V503: Y12_R4C2

Information	[Type= discrete] [Format=numeric] [Range= 0-452] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Frequency table not shown (184 Modalities)			

#231 V504: Y12_R4C3

Information	[Type= discrete] [Format=numeric] [Range= 0-180] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Frequency table not shown (40 Modalities)			

File Part 3 (cont.)

#232 V505: Y12_R4C4

Information [Type= discrete] [Format=numeric] [Range= 0-21] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9496	94.1%
1		338	3.3%
2		111	1.1%
3		63	0.6%
4		38	0.4%
5		13	0.1%
6		7	0.1%
7		4	0.0%
8		9	0.1%
9		3	0.0%
11		2	0.0%
12		2	0.0%
14		1	0.0%
15		3	0.0%
16		1	0.0%
17		2	0.0%
18		1	0.0%
20		1	0.0%
21		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#233 V506: Y12_R4C5

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9960	98.7%
1		88	0.9%
2		26	0.3%
3		12	0.1%
4		1	0.0%
5		5	0.0%
6		1	0.0%
7		1	0.0%
8		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 3 (cont.)

#234 V507: Y13_R1C1

Information [Type= discrete] [Format=numeric] [Range= 0-107] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9337	92.5%
1		347	3.4%
2		142	1.4%
3		73	0.7%
4		44	0.4%
5		33	0.3%
6		17	0.2%
7		11	0.1%
8		14	0.1%
9		20	0.2%
10		11	0.1%
11		3	0.0%
12		10	0.1%
13		6	0.1%
14		1	0.0%
15		5	0.0%
16		4	0.0%
17		2	0.0%
18		1	0.0%
23		3	0.0%
24		1	0.0%
25		2	0.0%
28		1	0.0%
35		2	0.0%
37		1	0.0%
38		1	0.0%
39		1	0.0%
44		1	0.0%
45		1	0.0%
107		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#235 V508: Y13_R1C2

Information [Type= discrete] [Format=numeric] [Range= 0-52] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

File Part 3 (cont.)

#235 V508: Y13_R1C2 (cont.)

Value	Label	Cases	Percentage
0		9605	95.1%
1		275	2.7%
2		94	0.9%
3		37	0.4%
4		32	0.3%
5		14	0.1%
6		7	0.1%
7		3	0.0%
8		8	0.1%
9		2	0.0%
10		4	0.0%
12		4	0.0%
14		3	0.0%
15		3	0.0%
17		1	0.0%
20		2	0.0%
21		1	0.0%
52		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#236 V509: Y13_R1C3

Information [Type= discrete] [Format=numeric] [Range= 0-27] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9823	97.3%
1		173	1.7%
2		57	0.6%
3		9	0.1%
4		14	0.1%
5		6	0.1%
6		3	0.0%
7		3	0.0%
8		6	0.1%
9		1	0.0%
27		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 3 (cont.)**#237 V510: Y13_R1C4**

Information [Type= discrete] [Format=numeric] [Range= 0-10] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10018	99.2%
1		57	0.6%
2		10	0.1%
3		5	0.0%
4		2	0.0%
6		1	0.0%
8		1	0.0%
9		1	0.0%
10		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#238 V511: Y13_R1C5

Information [Type= discrete] [Format=numeric] [Range= 0-21] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10052	99.6%
1		30	0.3%
2		8	0.1%
3		3	0.0%
4		1	0.0%
5		1	0.0%
21		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#239 V512: Y13_R2C1

Information [Type= discrete] [Format=numeric] [Range= 0-55] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10035	99.4%
1		26	0.3%
2		11	0.1%
3		8	0.1%
4		4	0.0%
5		4	0.0%

File Part 3 (cont.)

#239 V512: Y13_R2C1 (cont.)

Value (cont.)	Label	Cases	Percentage
6		2	0.0%
7		1	0.0%
8		1	0.0%
10		1	0.0%
16		1	0.0%
19		1	0.0%
55		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#240 V513: Y13_R2C2

Information	[Type= discrete] [Format=numeric] [Range= 0-592] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Frequency table not shown (162 Modalities)
--

#241 V514: Y13_R2C3

Information	[Type= discrete] [Format=numeric] [Range= 0-236] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Frequency table not shown (38 Modalities)

#242 V515: Y13_R2C4

Information	[Type= discrete] [Format=numeric] [Range= 0-184] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Value	Label	Cases	Percentage
0		9548	94.6%
1		269	2.7%
2		125	1.2%
3		70	0.7%
4		39	0.4%
5		13	0.1%
6		5	0.0%
7		4	0.0%
8		3	0.0%
9		5	0.0%
10		3	0.0%
11		1	0.0%

File Part 3 (cont.)

#242 V515: Y13_R2C4 (cont.)

Value (cont.)	Label	Cases	Percentage
12		3	0.0%
14		1	0.0%
16		1	0.0%
17		1	0.0%
19		1	0.0%
21		1	0.0%
22		1	0.0%
28		1	0.0%
184		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#243 V516: Y13_R2C5

Information	[Type= discrete] [Format=numeric] [Range= 0-12] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9920	98.3%
1		128	1.3%
2		27	0.3%
3		12	0.1%
4		4	0.0%
5		2	0.0%
6		2	0.0%
12		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#244 V517: Y13_R3C1

Information	[Type= discrete] [Format=numeric] [Range= 0-128] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
Frequency table not shown (34 Modalities)	

#245 V518: Y13_R3C2

Information	[Type= discrete] [Format=numeric] [Range= 0-59] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9514	94.2%
1		321	3.2%

File Part 3 (cont.)

#245 V518: Y13_R3C2 (cont.)

Value (cont.)	Label	Cases	Percentage
2		125	1.2%
3		47	0.5%
4		20	0.2%
5		18	0.2%
6		11	0.1%
7		6	0.1%
8		4	0.0%
9		5	0.0%
10		7	0.1%
11		1	0.0%
12		2	0.0%
13		1	0.0%
14		3	0.0%
15		2	0.0%
16		1	0.0%
17		1	0.0%
21		2	0.0%
24		2	0.0%
25		2	0.0%
59		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#246 V519: Y13_R3C3

Information	[Type= discrete] [Format=numeric] [Range= 0-18] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9834	97.4%
1		162	1.6%
2		44	0.4%
3		22	0.2%
4		13	0.1%
5		6	0.1%
6		5	0.0%
8		3	0.0%
9		1	0.0%
10		2	0.0%
11		1	0.0%
14		1	0.0%

File Part 3 (cont.)**#246 V519: Y13_R3C3 (cont.)**

Value (cont.)	Label	Cases	Percentage
15		1	0.0%
18		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#247 V520: Y13_R3C4

Information	[Type= discrete] [Format=numeric] [Range= 0-13] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10011	99.2%
1		59	0.6%
2		12	0.1%
3		7	0.1%
4		2	0.0%
5		1	0.0%
6		1	0.0%
8		1	0.0%
12		1	0.0%
13		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#248 V521: Y13_R3C5

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10056	99.6%
1		29	0.3%
2		5	0.0%
3		2	0.0%
6		1	0.0%
7		1	0.0%
8		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#249 V522: Y13_R4C1

Information	[Type= discrete] [Format=numeric] [Range= 0-179] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]

File Part 3 (cont.)

#249 V522: Y13_R4C1 (cont.)

Value	Label	Cases	Percentage
0		10016	99.2%
1		34	0.3%
2		14	0.1%
3		14	0.1%
4		4	0.0%
6		3	0.0%
7		2	0.0%
9		2	0.0%
10		1	0.0%
11		1	0.0%
19		1	0.0%
21		1	0.0%
26		1	0.0%
29		1	0.0%
179		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#250 V523: Y13_R4C2

Information	[Type= discrete] [Format=numeric] [Range= 0-556] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]

Frequency table not shown (188 Modalities)

#251 V524: Y13_R4C3

Information	[Type= discrete] [Format=numeric] [Range= 0-174] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]

Frequency table not shown (40 Modalities)

#252 V525: Y13_R4C4

Information	[Type= discrete] [Format=numeric] [Range= 0-60] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9534	94.4%
1		290	2.9%
2		123	1.2%
3		64	0.6%

File Part 3 (cont.)

#252 V525: Y13_R4C4 (cont.)

Value (cont.)	Label	Cases	Percentage
4		34	0.3%
5		12	0.1%
6		7	0.1%
7		8	0.1%
8		8	0.1%
9		4	0.0%
10		3	0.0%
11		3	0.0%
12		2	0.0%
13		1	0.0%
14		1	0.0%
15		1	0.0%
60		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#253 V526: Y13_R4C5

Information	[Type= discrete] [Format=numeric] [Range= 0-11] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9942	98.5%
1		88	0.9%
2		40	0.4%
3		18	0.2%
4		3	0.0%
5		2	0.0%
7		1	0.0%
8		1	0.0%
11		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#254 V527: Y13R_R1C1

Information	[Type= discrete] [Format=numeric] [Range= 0-24] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9715	96.2%
1		186	1.8%
2		82	0.8%

File Part 3 (cont.)

#254 V527: Y13R_R1C1 (cont.)

Value (cont.)	Label	Cases	Percentage
3		34	0.3%
4		20	0.2%
5		18	0.2%
6		7	0.1%
7		11	0.1%
8		5	0.0%
9		4	0.0%
10		3	0.0%
11		3	0.0%
12		2	0.0%
13		1	0.0%
15		1	0.0%
20		1	0.0%
21		1	0.0%
22		1	0.0%
24		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#255 V528: Y13R_R1C2

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /] [Invalid=0 /]		
Value	Label	Cases	Percentage
0		9835	97.4%
1		138	1.4%
2		52	0.5%
3		25	0.2%
4		9	0.1%
5		12	0.1%
6		5	0.0%
7		1	0.0%
8		2	0.0%
9		2	0.0%
10		3	0.0%
11		1	0.0%
12		3	0.0%
13		1	0.0%
17		1	0.0%
20		1	0.0%

File Part 3 (cont.)

#255 V528: Y13R_R1C2 (cont.)

Value (cont.)	Label	Cases	Percentage
39		1	0.0%
43		1	0.0%
65		1	0.0%
86		1	0.0%
98		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#256 V529: Y13R_R1C3

Information	[Type= discrete] [Format=numeric] [Range= 0-12] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9947	98.5%
1		88	0.9%
2		29	0.3%
3		16	0.2%
4		3	0.0%
5		5	0.0%
6		2	0.0%
7		2	0.0%
8		2	0.0%
10		1	0.0%
12		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#257 V530: Y13R_R1C4

Information	[Type= discrete] [Format=numeric] [Range= 0-18] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10041	99.5%
1		36	0.4%
2		9	0.1%
3		4	0.0%
4		2	0.0%
5		1	0.0%
6		1	0.0%
18		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 3 (cont.)**#258 V531: Y13R_R1C5**

Information [Type= discrete] [Format=numeric] [Range= 0-12] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10061	99.7%
1		24	0.2%
2		5	0.0%
3		3	0.0%
7		1	0.0%
10		1	0.0%
12		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#259 V532: Y13R_R2C1

Information [Type= discrete] [Format=numeric] [Range= 0-25] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10054	99.6%
1		17	0.2%
2		9	0.1%
3		6	0.1%
4		3	0.0%
5		3	0.0%
6		1	0.0%
8		1	0.0%
10		1	0.0%
25		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#260 V533: Y13R_R2C2

Information [Type= discrete] [Format=numeric] [Range= 0-303] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Frequency table not shown (90 Modalities)

#261 V534: Y13R_R2C3

Information [Type= discrete] [Format=numeric] [Range= 0-103] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

File Part 3 (cont.)

#261 V534: Y13R_R2C3 (cont.)

Frequency table not shown (35 Modalities)

#262 V535: Y13R_R2C4

Information [Type= discrete] [Format=numeric] [Range= 0-38] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9774	96.8%
1		158	1.6%
2		72	0.7%
3		32	0.3%
4		17	0.2%
5		8	0.1%
6		8	0.1%
7		6	0.1%
8		5	0.0%
9		1	0.0%
10		3	0.0%
11		2	0.0%
12		4	0.0%
15		1	0.0%
16		1	0.0%
29		2	0.0%
31		1	0.0%
38		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#263 V536: Y13R_R2C5

Information [Type= discrete] [Format=numeric] [Range= 0-27] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9978	98.8%
1		77	0.8%
2		18	0.2%
3		11	0.1%
4		4	0.0%
5		2	0.0%
7		1	0.0%
8		1	0.0%

File Part 3 (cont.)

#263 V536: Y13R_R2C5 (cont.)

Value (cont.)	Label	Cases	Percentage
9		1	0.0%
15		1	0.0%
21		1	0.0%
27		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#264 V537: Y13R_R3C1

Information [Type= discrete] [Format=numeric] [Range= 0-54] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9591	95.0%
1		237	2.3%
2		126	1.2%
3		51	0.5%
4		25	0.2%
5		20	0.2%
6		5	0.0%
7		6	0.1%
8		5	0.0%
9		4	0.0%
10		4	0.0%
11		5	0.0%
12		3	0.0%
15		3	0.0%
16		1	0.0%
17		3	0.0%
20		1	0.0%
21		1	0.0%
30		1	0.0%
35		1	0.0%
36		1	0.0%
42		1	0.0%
54		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#265 V538: Y13R_R3C2

Information [Type= discrete] [Format=numeric] [Range= 0-69] [Missing=*]

File Part 3 (cont.)

#265 V538: Y13R_R3C2 (cont.)

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9780	96.9%
1		162	1.6%
2		75	0.7%
3		21	0.2%
4		16	0.2%
5		12	0.1%
6		5	0.0%
7		2	0.0%
8		5	0.0%
9		4	0.0%
12		1	0.0%
15		1	0.0%
18		2	0.0%
20		1	0.0%
21		1	0.0%
24		2	0.0%
30		1	0.0%
38		1	0.0%
50		1	0.0%
60		1	0.0%
67		1	0.0%
69		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#266 V539: Y13R_R3C3

Information [Type= discrete] [Format=numeric] [Range= 0-52] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9925	98.3%
1		103	1.0%
2		32	0.3%
3		11	0.1%
4		10	0.1%
5		3	0.0%
6		2	0.0%
7		1	0.0%
8		3	0.0%

File Part 3 (cont.)

#266 V539: Y13R_R3C3 (cont.)

Value (cont.)	Label	Cases	Percentage
10		1	0.0%
12		2	0.0%
20		1	0.0%
21		1	0.0%
52		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#267 V540: Y13R_R3C4

Information	[Type= discrete] [Format=numeric] [Range= 0-13] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10027	99.3%
1		49	0.5%
2		7	0.1%
3		5	0.0%
4		4	0.0%
5		1	0.0%
8		1	0.0%
11		1	0.0%
13		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#268 V541: Y13R_R3C5

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10075	99.8%
1		16	0.2%
2		5	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#269 V542: Y13R_R4C1

Information	[Type= discrete] [Format=numeric] [Range= 0-32] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10040	99.4%

File Part 3 (cont.)

#269 V542: Y13R_R4C1 (cont.)

Value (cont.)	Label	Cases	Percentage
1		22	0.2%
2		7	0.1%
3		5	0.0%
4		7	0.1%
5		1	0.0%
6		4	0.0%
7		1	0.0%
8		3	0.0%
9		2	0.0%
10		1	0.0%
13		1	0.0%
15		1	0.0%
32		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#270 V543: Y13R_R4C2

Information	[Type= discrete] [Format=numeric] [Range= 0-515] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
Frequency table not shown (108 Modalities)	

#271 V544: Y13R_R4C3

Information	[Type= discrete] [Format=numeric] [Range= 0-68] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
Frequency table not shown (35 Modalities)	

#272 V545: Y13R_R4C4

Value	Label	Cases	Percentage
0		9741	96.5%
1		192	1.9%
2		67	0.7%
3		35	0.3%
4		20	0.2%
5		9	0.1%

File Part 3 (cont.)

#272 V545: Y13R_R4C4 (cont.)

Value (cont.)	Label	Cases	Percentage
6		14	0.1%
7		3	0.0%
8		3	0.0%
9		4	0.0%
10		2	0.0%
11		2	0.0%
12		1	0.0%
15		1	0.0%
18		1	0.0%
25		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#273 V546: Y13R_R4C5

Information	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9996	99.0%
1		68	0.7%
2		17	0.2%
3		6	0.1%
4		3	0.0%
5		2	0.0%
6		2	0.0%
7		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 4

#1 V80: SCID_03

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]

#2 V81: P4_R1C1

Information	[Type= discrete] [Format=numeric] [Range= 0-17] [Missing=*]
-------------	---

File Part 4 (cont.)

#2 V81: P4_R1C1 (cont.)

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9905	98.1%
1		139	1.4%
2		28	0.3%
3		13	0.1%
4		5	0.0%
5		1	0.0%
6		2	0.0%
9		1	0.0%
13		1	0.0%
17		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#3 V82: P4_R1C2

Information [Type= discrete] [Format=numeric] [Range= 0-18] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9954	98.6%
1		107	1.1%
2		16	0.2%
3		10	0.1%
4		5	0.0%
5		1	0.0%
6		1	0.0%
11		1	0.0%
18		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#4 V83: P4_R1C3

Information [Type= discrete] [Format=numeric] [Range= 0-35] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9834	97.4%
1		156	1.5%
2		58	0.6%
3		18	0.2%
4		13	0.1%

File Part 4 (cont.)

#4 V83: P4_R1C3 (cont.)

Value (cont.)	Label	Cases	Percentage
5		6	0.1%
6		3	0.0%
8		2	0.0%
9		3	0.0%
11		1	0.0%
24		1	0.0%
35		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#5 V84: P4_R1C4

Information	[Type= discrete] [Format=numeric] [Range= 0-17] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9852	97.6%
1		122	1.2%
2		66	0.7%
3		20	0.2%
4		14	0.1%
5		10	0.1%
6		3	0.0%
7		3	0.0%
8		2	0.0%
11		1	0.0%
13		2	0.0%
17		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#6 V85: P4_R1C5

Information	[Type= discrete] [Format=numeric] [Range= 0-14] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9904	98.1%
1		106	1.0%
2		43	0.4%
3		16	0.2%
4		12	0.1%
5		7	0.1%

File Part 4 (cont.)

#6 V85: P4_R1C5 (cont.)

Value (cont.)	Label	Cases	Percentage
6		2	0.0%
7		2	0.0%
8		1	0.0%
11		1	0.0%
12		1	0.0%
14		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#7 V86: P4_R1C6

Information	[Type= discrete] [Format=numeric] [Range= 0-28] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Value	Label	Cases	Percentage
0		9795	97.0%
1		125	1.2%
2		60	0.6%
3		31	0.3%
4		26	0.3%
5		18	0.2%
6		9	0.1%
7		11	0.1%
8		7	0.1%
9		4	0.0%
10		2	0.0%
12		1	0.0%
13		3	0.0%
17		1	0.0%
25		1	0.0%
27		1	0.0%
28		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#8 V87: P4_R1C7

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 4 (cont.)

#9 V88: P4_R1C8

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#10 V89: P4_R1C9

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#11 V90: P4_R2C1

Information	[Type= discrete] [Format=numeric] [Range= 0-17] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9779	96.9%
1		178	1.8%
2		79	0.8%
3		31	0.3%
4		8	0.1%
5		15	0.1%
6		2	0.0%
7		1	0.0%
10		1	0.0%
12		1	0.0%
17		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#12 V91: P4_R2C2

Information	[Type= discrete] [Format=numeric] [Range= 0-13] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9895	98.0%
1		138	1.4%

File Part 4 (cont.)

#12 V91: P4_R2C2 (cont.)

Value (cont.)	Label	Cases	Percentage
2		41	0.4%
3		12	0.1%
4		6	0.1%
5		2	0.0%
9		1	0.0%
13		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#13 V92: P4_R2C3

Information	[Type= discrete] [Format=numeric] [Range= 0-30] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9705	96.1%
1		191	1.9%
2		86	0.9%
3		42	0.4%
4		31	0.3%
5		17	0.2%
6		12	0.1%
7		4	0.0%
8		2	0.0%
9		1	0.0%
10		1	0.0%
11		2	0.0%
21		1	0.0%
30		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#14 V93: P4_R2C4

Information	[Type= discrete] [Format=numeric] [Range= 0-19] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9759	96.7%
1		134	1.3%
2		86	0.9%
3		47	0.5%
4		27	0.3%

File Part 4 (cont.)

#14 V93: P4_R2C4 (cont.)

Value (cont.)	Label	Cases	Percentage
5		19	0.2%
6		4	0.0%
7		5	0.0%
8		4	0.0%
9		3	0.0%
10		4	0.0%
12		2	0.0%
13		1	0.0%
19		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#15 V94: P4_R2C5

Information		[Type= discrete] [Format=numeric] [Range= 0-12] [Missing=*]	
Statistics [NW/ W]		[Valid=10096 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0		9792	97.0%
1		139	1.4%
2		73	0.7%
3		40	0.4%
4		18	0.2%
5		13	0.1%
6		6	0.1%
7		5	0.0%
8		3	0.0%
9		1	0.0%
10		1	0.0%
11		3	0.0%
12		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#16 V95: P4_R2C6

Information		[Type= discrete] [Format=numeric] [Range= 0-30] [Missing=*]	
Statistics [NW/ W]		[Valid=10096 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0		9678	95.9%
1		111	1.1%
2		100	1.0%

File Part 4 (cont.)

#16 V95: P4_R2C6 (cont.)

Value (cont.)	Label	Cases	Percentage
3		52	0.5%
4		42	0.4%
5		33	0.3%
6		22	0.2%
7		11	0.1%
8		12	0.1%
9		6	0.1%
10		8	0.1%
11		4	0.0%
12		1	0.0%
13		2	0.0%
15		5	0.0%
16		2	0.0%
18		3	0.0%
19		1	0.0%
21		1	0.0%
25		1	0.0%
30		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#17 V96: P4_R2C7

Information [Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#18 V97: P4_R2C8

Information [Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#19 V98: P4_R2C9

Information [Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]

File Part 4 (cont.)

#19 V98: P4_R2C9 (cont.)

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#20 V99: P4_R3C1

Information [Type= discrete] [Format=numeric] [Range= 0-21] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9814	97.2%
1		165	1.6%
2		58	0.6%
3		40	0.4%
4		5	0.0%
5		7	0.1%
6		1	0.0%
7		3	0.0%
9		1	0.0%
11		1	0.0%
21		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#21 V100: P4_R3C2

Information [Type= discrete] [Format=numeric] [Range= 0-12] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9895	98.0%
1		140	1.4%
2		32	0.3%
3		14	0.1%
4		7	0.1%
5		4	0.0%
6		2	0.0%
7		1	0.0%
12		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 4 (cont.)

#22 V101: P4_R3C3

Information [Type= discrete] [Format=numeric] [Range= 0-33] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9734	96.4%
1		191	1.9%
2		64	0.6%
3		42	0.4%
4		25	0.2%
5		17	0.2%
6		5	0.0%
7		2	0.0%
8		5	0.0%
9		4	0.0%
10		4	0.0%
11		1	0.0%
15		1	0.0%
33		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#23 V102: P4_R3C4

Information [Type= discrete] [Format=numeric] [Range= 0-14] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9708	96.2%
1		141	1.4%
2		108	1.1%
3		52	0.5%
4		34	0.3%
5		20	0.2%
6		13	0.1%
7		6	0.1%
8		5	0.0%
9		2	0.0%
10		3	0.0%
11		1	0.0%
13		2	0.0%
14		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 4 (cont.)

#24 V103: P4_R3C5

Information [Type= discrete] [Format=numeric] [Range= 0-14] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9745	96.5%
1		145	1.4%
2		99	1.0%
3		55	0.5%
4		20	0.2%
5		11	0.1%
6		9	0.1%
7		5	0.0%
8		2	0.0%
9		2	0.0%
11		2	0.0%
14		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#25 V104: P4_R3C6

Information [Type= discrete] [Format=numeric] [Range= 0-28] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9625	95.3%
1		129	1.3%
2		79	0.8%
3		69	0.7%
4		52	0.5%
5		36	0.4%
6		33	0.3%
7		24	0.2%
8		14	0.1%
9		7	0.1%
10		3	0.0%
11		10	0.1%
12		1	0.0%
13		2	0.0%
14		2	0.0%
15		3	0.0%
17		4	0.0%
20		2	0.0%

File Part 4 (cont.)

#25 V104: P4_R3C6 (cont.)

Value (cont.)	Label	Cases	Percentage
28		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#26 V105: P4_R4C1

Information	[Type= discrete] [Format=numeric] [Range= 0-14] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9759	96.7%
1		180	1.8%
2		79	0.8%
3		31	0.3%
4		21	0.2%
5		8	0.1%
6		10	0.1%
7		4	0.0%
8		3	0.0%
14		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#27 V106: P4_R4C2

Information	[Type= discrete] [Format=numeric] [Range= 0-19] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9883	97.9%
1		136	1.3%
2		44	0.4%
3		19	0.2%
4		8	0.1%
5		1	0.0%
6		4	0.0%
19		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#28 V107: P4_R4C3

Information	[Type= discrete] [Format=numeric] [Range= 0-33] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		

File Part 4 (cont.)

#28 V107: P4_R4C3 (cont.)

Value	Label	Cases	Percentage
0		9689	96.0%
1		179	1.8%
2		99	1.0%
3		42	0.4%
4		32	0.3%
5		15	0.1%
6		13	0.1%
7		8	0.1%
8		6	0.1%
9		5	0.0%
10		4	0.0%
11		1	0.0%
12		1	0.0%
13		1	0.0%
33		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#29 V108: P4_R4C4

Information	[Type= discrete] [Format=numeric] [Range= 0-18] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9663	95.7%
1		147	1.5%
2		101	1.0%
3		62	0.6%
4		56	0.6%
5		25	0.2%
6		20	0.2%
7		8	0.1%
8		5	0.0%
9		3	0.0%
10		1	0.0%
12		1	0.0%
14		1	0.0%
15		1	0.0%
18		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 4 (cont.)

#30 V109: P4_R4C5

Information [Type= discrete] [Format=numeric] [Range= 0-16] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9708	96.2%
1		166	1.6%
2		97	1.0%
3		48	0.5%
4		35	0.3%
5		9	0.1%
6		12	0.1%
7		4	0.0%
8		3	0.0%
9		2	0.0%
10		5	0.0%
11		4	0.0%
14		1	0.0%
15		1	0.0%
16		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#31 V110: P4_R4C6

Information [Type= discrete] [Format=numeric] [Range= 0-34] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9576	94.8%
1		134	1.3%
2		87	0.9%
3		70	0.7%
4		56	0.6%
5		43	0.4%
6		38	0.4%
7		23	0.2%
8		13	0.1%
9		13	0.1%
10		9	0.1%
11		5	0.0%
12		6	0.1%
13		11	0.1%
14		1	0.0%

File Part 4 (cont.)

#31 V110: P4_R4C6 (cont.)

Value (cont.)	Label	Cases	Percentage
15		1	0.0%
16		1	0.0%
18		1	0.0%
19		1	0.0%
20		2	0.0%
21		1	0.0%
23		1	0.0%
24		1	0.0%
33		1	0.0%
34		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#32 V111: P4_R5C1

Information	[Type= discrete] [Format=numeric] [Range= 0-17] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9647	95.6%
1		234	2.3%
2		96	1.0%
3		45	0.4%
4		28	0.3%
5		17	0.2%
6		7	0.1%
7		3	0.0%
8		4	0.0%
9		7	0.1%
10		2	0.0%
13		1	0.0%
15		1	0.0%
16		2	0.0%
17		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#33 V112: P4_R5C2

Information	[Type= discrete] [Format=numeric] [Range= 0-20] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]

File Part 4 (cont.)

#33 V112: P4_R5C2 (cont.)

Value	Label	Cases	Percentage
0		9800	97.1%
1		184	1.8%
2		66	0.7%
3		19	0.2%
4		11	0.1%
5		5	0.0%
6		3	0.0%
7		3	0.0%
8		1	0.0%
9		1	0.0%
10		1	0.0%
11		1	0.0%
20		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#34 V113: P4_R5C3

Information	[Type= discrete] [Format=numeric] [Range= 0-36] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9535	94.4%
1		262	2.6%
2		111	1.1%
3		58	0.6%
4		40	0.4%
5		32	0.3%
6		14	0.1%
7		12	0.1%
8		5	0.0%
9		4	0.0%
10		5	0.0%
11		4	0.0%
12		3	0.0%
13		1	0.0%
14		2	0.0%
15		2	0.0%
16		1	0.0%
19		1	0.0%
20		1	0.0%

File Part 4 (cont.)

#34 V113: P4_R5C3 (cont.)

Value (cont.)	Label	Cases	Percentage
27		1	0.0%
28		1	0.0%
36		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#35 V114: P4_R5C4

Information	[Type= discrete] [Format=numeric] [Range= 0-19] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9604	95.1%
1		171	1.7%
2		104	1.0%
3		74	0.7%
4		59	0.6%
5		32	0.3%
6		20	0.2%
7		13	0.1%
8		7	0.1%
9		6	0.1%
10		1	0.0%
11		1	0.0%
12		1	0.0%
13		1	0.0%
19		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#36 V115: P4_R5C5

Information	[Type= discrete] [Format=numeric] [Range= 0-10] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9675	95.8%
1		187	1.9%
2		111	1.1%
3		55	0.5%
4		28	0.3%
5		17	0.2%
6		11	0.1%

File Part 4 (cont.)

#36 V115: P4_R5C5 (cont.)

Value (cont.)	Label	Cases	Percentage
7		5	0.0%
8		2	0.0%
9		3	0.0%
10		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#37 V116: P4_R5C6

Information	[Type= discrete] [Format=numeric] [Range= 0-28] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9514	94.2%
1		147	1.5%
2		111	1.1%
3		75	0.7%
4		58	0.6%
5		57	0.6%
6		27	0.3%
7		30	0.3%
8		16	0.2%
9		16	0.2%
10		9	0.1%
11		10	0.1%
12		9	0.1%
13		8	0.1%
14		1	0.0%
15		2	0.0%
16		1	0.0%
18		2	0.0%
19		1	0.0%
27		1	0.0%
28		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#38 V117: P4_R6C1

Information	[Type= discrete] [Format=numeric] [Range= 0-21] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]

File Part 4 (cont.)

#38 V117: P4_R6C1 (cont.)

Value	Label	Cases	Percentage
0		9634	95.4%
1		166	1.6%
2		87	0.9%
3		69	0.7%
4		46	0.5%
5		32	0.3%
6		22	0.2%
7		11	0.1%
8		8	0.1%
9		3	0.0%
10		3	0.0%
11		3	0.0%
12		2	0.0%
13		3	0.0%
14		1	0.0%
15		2	0.0%
16		1	0.0%
18		1	0.0%
20		1	0.0%
21		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#39 V118: P4_R6C2

Information	[Type= discrete] [Format=numeric] [Range= 0-19] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9837	97.4%
1		137	1.4%
2		65	0.6%
3		21	0.2%
4		17	0.2%
5		4	0.0%
6		9	0.1%
7		1	0.0%
9		1	0.0%
10		1	0.0%
15		1	0.0%
16		1	0.0%

File Part 4 (cont.)

#39 V118: P4_R6C2 (cont.)

Value (cont.)	Label	Cases	Percentage
19		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#40 V119: P4_R6C3

Information	[Type= discrete] [Format=numeric] [Range= 0-40] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9595	95.0%
1		148	1.5%
2		74	0.7%
3		78	0.8%
4		60	0.6%
5		38	0.4%
6		26	0.3%
7		19	0.2%
8		18	0.2%
9		6	0.1%
10		8	0.1%
11		5	0.0%
12		2	0.0%
14		5	0.0%
15		1	0.0%
16		1	0.0%
17		3	0.0%
18		1	0.0%
19		1	0.0%
20		2	0.0%
23		1	0.0%
27		1	0.0%
28		1	0.0%
31		1	0.0%
40		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#41 V120: P4_R6C4

Information	[Type= discrete] [Format=numeric] [Range= 0-20] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]

File Part 4 (cont.)

#41 V120: P4_R6C4 (cont.)

Value	Label	Cases	Percentage
0		9733	96.4%
1		110	1.1%
2		84	0.8%
3		44	0.4%
4		25	0.2%
5		31	0.3%
6		19	0.2%
7		12	0.1%
8		9	0.1%
9		4	0.0%
10		8	0.1%
11		4	0.0%
12		3	0.0%
13		3	0.0%
14		2	0.0%
15		1	0.0%
17		2	0.0%
20		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#42 V121: P4_R6C5

Information [Type= discrete] [Format=numeric] [Range= 0-18] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9796	97.0%
1		110	1.1%
2		75	0.7%
3		38	0.4%
4		16	0.2%
5		23	0.2%
6		13	0.1%
7		7	0.1%
8		7	0.1%
9		3	0.0%
10		2	0.0%
11		1	0.0%
12		3	0.0%
17		1	0.0%

File Part 4 (cont.)

#42 V121: P4_R6C5 (cont.)

Value (cont.)	Label	Cases	Percentage
18		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#43 V122: P4_R6C6

Information	[Type= discrete] [Format=numeric] [Range= 0-38] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9675	95.8%
1		90	0.9%
2		65	0.6%
3		56	0.6%
4		36	0.4%
5		40	0.4%
6		21	0.2%
7		22	0.2%
8		20	0.2%
9		13	0.1%
10		10	0.1%
11		9	0.1%
12		4	0.0%
13		3	0.0%
14		8	0.1%
15		7	0.1%
16		2	0.0%
17		3	0.0%
18		2	0.0%
20		3	0.0%
22		3	0.0%
23		1	0.0%
24		1	0.0%
30		1	0.0%
38		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#44 V123: P4_R6C7

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]

File Part 4 (cont.)

#44 V123: P4_R6C7 (cont.)

Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#45 V124: P4_R6C8

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#46 V125: P4_R6C9

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#47 V126: P4_R7C1

Information	[Type= discrete] [Format=numeric] [Range= 0-19] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9707	96.1%
1		142	1.4%
2		87	0.9%
3		51	0.5%
4		43	0.4%
5		28	0.3%
6		10	0.1%
7		8	0.1%
8		6	0.1%
9		5	0.0%
11		1	0.0%
12		3	0.0%
13		2	0.0%
14		2	0.0%
19		1	0.0%

File Part 4 (cont.)

#47 V126: P4_R7C1 (cont.)

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#48 V127: P4_R7C2

Information	[Type= discrete] [Format=numeric] [Range= 0-11] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9849	97.6%
1		125	1.2%
2		71	0.7%
3		21	0.2%
4		9	0.1%
5		7	0.1%
6		5	0.0%
7		5	0.0%
9		1	0.0%
10		1	0.0%
11		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#49 V128: P4_R7C3

Information	[Type= discrete] [Format=numeric] [Range= 0-26] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9643	95.5%
1		140	1.4%
2		101	1.0%
3		57	0.6%
4		40	0.4%
5		32	0.3%
6		22	0.2%
7		17	0.2%
8		7	0.1%
9		9	0.1%
10		5	0.0%
11		4	0.0%
12		7	0.1%
13		1	0.0%
14		2	0.0%

File Part 4 (cont.)

#49 V128: P4_R7C3 (cont.)

Value (cont.)	Label	Cases	Percentage
15		2	0.0%
16		1	0.0%
19		1	0.0%
20		1	0.0%
21		2	0.0%
24		1	0.0%
26		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#50 V129: P4_R7C4

Information	[Type= discrete] [Format=numeric] [Range= 0-22] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9779	96.9%
1		95	0.9%
2		70	0.7%
3		43	0.4%
4		37	0.4%
5		18	0.2%
6		14	0.1%
7		6	0.1%
8		7	0.1%
9		5	0.0%
10		8	0.1%
11		4	0.0%
12		2	0.0%
13		1	0.0%
14		4	0.0%
16		1	0.0%
20		1	0.0%
22		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#51 V130: P4_R7C5

Information	[Type= discrete] [Format=numeric] [Range= 0-17] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]

File Part 4 (cont.)

#51 V130: P4_R7C5 (cont.)

Value	Label	Cases	Percentage
0		9825	97.3%
1		87	0.9%
2		72	0.7%
3		42	0.4%
4		30	0.3%
5		18	0.2%
6		5	0.0%
7		3	0.0%
8		7	0.1%
9		3	0.0%
10		1	0.0%
11		1	0.0%
15		1	0.0%
17		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#52 V131: P4_R7C6

Information	[Type= discrete] [Format=numeric] [Range= 0-35] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9717	96.2%
1		89	0.9%
2		52	0.5%
3		50	0.5%
4		38	0.4%
5		29	0.3%
6		22	0.2%
7		25	0.2%
8		19	0.2%
9		14	0.1%
10		6	0.1%
11		2	0.0%
12		4	0.0%
13		4	0.0%
14		7	0.1%
15		3	0.0%
16		2	0.0%
17		2	0.0%

File Part 4 (cont.)

#52 V131: P4_R7C6 (cont.)

Value (cont.)	Label	Cases	Percentage
18		2	0.0%
19		1	0.0%
20		2	0.0%
22		3	0.0%
23		2	0.0%
35		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#53 V132: P4_R8C1

Information [Type= discrete] [Format=numeric] [Range= 0-24] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9797	97.0%
1		127	1.3%
2		63	0.6%
3		46	0.5%
4		28	0.3%
5		10	0.1%
6		6	0.1%
7		4	0.0%
8		5	0.0%
9		2	0.0%
10		2	0.0%
11		1	0.0%
12		3	0.0%
13		1	0.0%
24		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#54 V133: P4_R8C2

Information [Type= discrete] [Format=numeric] [Range= 0-12] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9884	97.9%
1		127	1.3%
2		40	0.4%
3		19	0.2%

File Part 4 (cont.)

#54 V133: P4_R8C2 (cont.)

Value (cont.)	Label	Cases	Percentage
4		14	0.1%
5		4	0.0%
6		4	0.0%
8		1	0.0%
9		2	0.0%
12		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#55 V134: P4_R8C3

Information [Type= discrete] [Format=numeric] [Range= 0-30] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9731	96.4%
1		136	1.3%
2		73	0.7%
3		42	0.4%
4		37	0.4%
5		24	0.2%
6		17	0.2%
7		8	0.1%
8		4	0.0%
9		5	0.0%
10		2	0.0%
11		5	0.0%
12		3	0.0%
13		2	0.0%
14		1	0.0%
16		2	0.0%
18		1	0.0%
19		1	0.0%
20		1	0.0%
30		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#56 V135: P4_R8C4

Information [Type= discrete] [Format=numeric] [Range= 0-33] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

File Part 4 (cont.)

#56 V135: P4_R8C4 (cont.)

Value	Label	Cases	Percentage
0		9825	97.3%
1		90	0.9%
2		64	0.6%
3		42	0.4%
4		23	0.2%
5		16	0.2%
6		9	0.1%
7		9	0.1%
8		3	0.0%
9		2	0.0%
10		5	0.0%
11		1	0.0%
12		1	0.0%
13		1	0.0%
14		1	0.0%
15		1	0.0%
18		1	0.0%
19		1	0.0%
33		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#57 V136: P4_R8C5

Information	[Type= discrete] [Format=numeric] [Range= 0-20] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9856	97.6%
1		116	1.1%
2		43	0.4%
3		33	0.3%
4		19	0.2%
5		8	0.1%
6		8	0.1%
7		2	0.0%
8		3	0.0%
9		3	0.0%
10		1	0.0%
11		1	0.0%
16		1	0.0%

File Part 4 (cont.)

#57 V136: P4_R8C5 (cont.)

Value (cont.)	Label	Cases	Percentage
19		1	0.0%
20		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#58 V137: P4_R8C6

Information	[Type= discrete] [Format=numeric] [Range= 0-42] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9762	96.7%
1		86	0.9%
2		57	0.6%
3		52	0.5%
4		37	0.4%
5		19	0.2%
6		18	0.2%
7		17	0.2%
8		7	0.1%
9		8	0.1%
10		8	0.1%
11		4	0.0%
12		2	0.0%
13		5	0.0%
14		1	0.0%
15		3	0.0%
17		1	0.0%
18		1	0.0%
19		3	0.0%
21		1	0.0%
23		1	0.0%
24		1	0.0%
38		1	0.0%
42		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#59 V138: P4_R9C1

Information	[Type= discrete] [Format=numeric] [Range= 0-17] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]

File Part 4 (cont.)

#59 V138: P4_R9C1 (cont.)

Value	Label	Cases	Percentage
0		9883	97.9%
1		92	0.9%
2		43	0.4%
3		26	0.3%
4		23	0.2%
5		13	0.1%
6		4	0.0%
7		3	0.0%
8		1	0.0%
9		1	0.0%
10		1	0.0%
11		2	0.0%
12		1	0.0%
13		1	0.0%
14		1	0.0%
17		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#60 V139: P4_R9C2

Information [Type= discrete] [Format=numeric] [Range= 0-15] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9950	98.6%
1		75	0.7%
2		36	0.4%
3		13	0.1%
4		9	0.1%
5		5	0.0%
8		3	0.0%
9		2	0.0%
10		1	0.0%
12		1	0.0%
15		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#61 V140: P4_R9C3

Information [Type= discrete] [Format=numeric] [Range= 0-27] [Missing=*]

File Part 4 (cont.)

#61 V140: P4_R9C3 (cont.)

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9841	97.5%
1		89	0.9%
2		59	0.6%
3		20	0.2%
4		24	0.2%
5		28	0.3%
6		6	0.1%
7		10	0.1%
8		3	0.0%
9		2	0.0%
10		3	0.0%
12		1	0.0%
13		1	0.0%
15		1	0.0%
16		1	0.0%
18		3	0.0%
19		1	0.0%
25		1	0.0%
27		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#62 V141: P4_R9C4

Information [Type= discrete] [Format=numeric] [Range= 0-21] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9909	98.1%
1		58	0.6%
2		47	0.5%
3		29	0.3%
4		18	0.2%
5		13	0.1%
6		6	0.1%
7		4	0.0%
8		4	0.0%
9		2	0.0%
10		2	0.0%
12		1	0.0%

File Part 4 (cont.)

#62 V141: P4_R9C4 (cont.)

Value (cont.)	Label	Cases	Percentage
15		1	0.0%
17		1	0.0%
21		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#63 V142: P4_R9C5

Information	[Type= discrete] [Format=numeric] [Range= 0-16] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9935	98.4%
1		64	0.6%
2		42	0.4%
3		17	0.2%
4		14	0.1%
5		6	0.1%
6		5	0.0%
7		2	0.0%
8		4	0.0%
9		2	0.0%
10		4	0.0%
16		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#64 V143: P4_R9C6

Information	[Type= discrete] [Format=numeric] [Range= 0-26] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9867	97.7%
1		52	0.5%
2		40	0.4%
3		33	0.3%
4		23	0.2%
5		16	0.2%
6		18	0.2%
7		12	0.1%
8		9	0.1%
9		6	0.1%

File Part 4 (cont.)

#64 V143: P4_R9C6 (cont.)

Value (cont.)	Label	Cases	Percentage
10		5	0.0%
11		1	0.0%
12		4	0.0%
13		2	0.0%
14		1	0.0%
15		1	0.0%
17		1	0.0%
18		1	0.0%
21		2	0.0%
22		1	0.0%
26		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#65 V144: P4_R10C1

Information	[Type= discrete] [Format=numeric] [Range= 0-15] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9977	98.8%
1		55	0.5%
2		23	0.2%
3		16	0.2%
4		7	0.1%
5		3	0.0%
6		2	0.0%
7		5	0.0%
8		3	0.0%
9		1	0.0%
11		2	0.0%
14		1	0.0%
15		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#66 V145: P4_R10C2

Information	[Type= discrete] [Format=numeric] [Range= 0-11] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10023	99.3%

File Part 4 (cont.)

#66 V145: P4_R10C2 (cont.)

Value (cont.)	Label	Cases	Percentage
1		36	0.4%
2		18	0.2%
3		9	0.1%
4		4	0.0%
5		2	0.0%
6		1	0.0%
7		1	0.0%
8		1	0.0%
11		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#67 V146: P4_R10C3

Information	[Type= discrete] [Format=numeric] [Range= 0-22] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9953	98.6%
1		54	0.5%
2		32	0.3%
3		19	0.2%
4		9	0.1%
5		7	0.1%
6		3	0.0%
7		6	0.1%
8		2	0.0%
9		1	0.0%
10		2	0.0%
11		1	0.0%
12		1	0.0%
15		3	0.0%
17		1	0.0%
22		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#68 V147: P4_R10C4

Information	[Type= discrete] [Format=numeric] [Range= 0-21] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]

File Part 4 (cont.)

#68 V147: P4_R10C4 (cont.)

Value	Label	Cases	Percentage
0		9952	98.6%
1		51	0.5%
2		35	0.3%
3		20	0.2%
4		12	0.1%
5		1	0.0%
6		7	0.1%
7		4	0.0%
8		3	0.0%
9		2	0.0%
10		2	0.0%
11		2	0.0%
12		1	0.0%
15		2	0.0%
17		1	0.0%
21		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#69 V148: P4_R10C5

Information	[Type= discrete] [Format=numeric] [Range= 0-16] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9978	98.8%
1		40	0.4%
2		29	0.3%
3		15	0.1%
4		12	0.1%
5		5	0.0%
6		4	0.0%
8		1	0.0%
9		3	0.0%
10		2	0.0%
11		2	0.0%
12		2	0.0%
13		1	0.0%
15		1	0.0%
16		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 4 (cont.)

#70 V149: P4_R10C6

Information [Type= discrete] [Format=numeric] [Range= 0-28] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9920	98.3%
1		48	0.5%
2		26	0.3%
3		29	0.3%
4		15	0.1%
5		9	0.1%
6		11	0.1%
7		9	0.1%
8		2	0.0%
9		2	0.0%
10		2	0.0%
11		3	0.0%
12		3	0.0%
13		3	0.0%
14		1	0.0%
15		3	0.0%
16		1	0.0%
18		1	0.0%
19		2	0.0%
21		3	0.0%
23		1	0.0%
25		1	0.0%
28		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#71 V150: P4_R11C1

Information [Type= discrete] [Format=numeric] [Range= 0-128] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Frequency table not shown (45 Modalities)

#72 V151: P4_R11C2

Information [Type= discrete] [Format=numeric] [Range= 0-122] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Frequency table not shown (32 Modalities)

File Part 4 (cont.)

#73 V152: P4_R11C3

Information	[Type= discrete] [Format=numeric] [Range= 0-250] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Frequency table not shown (59 Modalities)

#74 V153: P4_R11C4

Information	[Type= discrete] [Format=numeric] [Range= 0-114] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Frequency table not shown (56 Modalities)

#75 V154: P4_R11C5

Information	[Type= discrete] [Format=numeric] [Range= 0-91] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Frequency table not shown (46 Modalities)

#76 V155: P4_R11C6

Information	[Type= discrete] [Format=numeric] [Range= 0-205] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Frequency table not shown (82 Modalities)

#77 V156: P4_R11C7

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#78 V157: P4_R11C8

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 4 (cont.)

#79 V158: P4_R11C9

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 5

#1 V38: SCID_03

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		

#2 V39: P5_R1C1

Information	[Type= discrete] [Format=numeric] [Range= 0-2385] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Frequency table not shown (318 Modalities)			

#3 V40: P5_R1C2

Information	[Type= discrete] [Format=numeric] [Range= 0-1920] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Frequency table not shown (327 Modalities)			

#4 V41: P5_R1C3

Information	[Type= discrete] [Format=numeric] [Range= 0-2385] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Frequency table not shown (489 Modalities)			

#5 V42: P5_R1C4

Information	[Type= discrete] [Format=numeric] [Range= 0-525] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Frequency table not shown (124 Modalities)			

File Part 5 (cont.)**#6 V43: P5_R1C5**

Information	[Type= discrete] [Format=numeric] [Range= 0-412] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Frequency table not shown (118 Modalities)
--

#7 V44: P5_R1C6

Information	[Type= discrete] [Format=numeric] [Range= 0-714] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Frequency table not shown (188 Modalities)
--

#8 V45: P5_R1C7

Information	[Type= discrete] [Format=numeric] [Range= 0-100] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Value	Label	Cases	Percentage
0		10091	100.0%
25		1	0.0%
26		1	0.0%
65		1	0.0%
80		1	0.0%
100		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#9 V46: P5_R1C8

Information	[Type= discrete] [Format=numeric] [Range= 0-47] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Value	Label	Cases	Percentage
0		10091	100.0%
19		2	0.0%
20		1	0.0%
32		1	0.0%
47		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#10 V47: P5_R1C9

Information	[Type= discrete] [Format=numeric] [Range= 0-100] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

File Part 5 (cont.)

#10 V47: P5_R1C9 (cont.)

Value	Label	Cases	Percentage
0		10089	99.9%
32		1	0.0%
44		1	0.0%
45		1	0.0%
47		1	0.0%
80		1	0.0%
85		1	0.0%
100		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#11 V48: P5_R1C10

Information	[Type= discrete] [Format=numeric] [Range= 0-2495] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
Frequency table not shown (327 Modalities)	

#12 V49: P5_R1C11

Information	[Type= discrete] [Format=numeric] [Range= 0-1920] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
Frequency table not shown (336 Modalities)	

#13 V50: P5_R1C12

Information	[Type= discrete] [Format=numeric] [Range= 0-2495] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
Frequency table not shown (508 Modalities)	

#14 V51: P5_R2C1

Information	[Type= discrete] [Format=numeric] [Range= 0-336] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
Frequency table not shown (188 Modalities)	

#15 V52: P5_R2C2

Information	[Type= discrete] [Format=numeric] [Range= 0-336] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]

File Part 5 (cont.)

#15 V52: P5_R2C2 (cont.)

Frequency table not shown (178 Modalities)

#16 V53: P5_R2C3

Information [Type= discrete] [Format=numeric] [Range= 0-431] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Frequency table not shown (267 Modalities)

#17 V54: P5_R2C4

Information [Type= discrete] [Format=numeric] [Range= 0-240] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Frequency table not shown (111 Modalities)

#18 V55: P5_R2C5

Information [Type= discrete] [Format=numeric] [Range= 0-177] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Frequency table not shown (104 Modalities)

#19 V56: P5_R2C6

Information [Type= discrete] [Format=numeric] [Range= 0-268] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Frequency table not shown (165 Modalities)

#20 V57: P5_R2C7

Information [Type= discrete] [Format=numeric] [Range= 0-80] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10091	100.0%
24		1	0.0%
25		1	0.0%
40		1	0.0%
60		1	0.0%
80		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 5 (cont.)**#21 V58: P5_R2C8**

Information	[Type= discrete] [Format=numeric] [Range= 0-47] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10090	99.9%
14		1	0.0%
19		2	0.0%
32		1	0.0%
39		1	0.0%
47		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#22 V59: P5_R2C9

Information	[Type= discrete] [Format=numeric] [Range= 0-80] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10088	99.9%
32		1	0.0%
38		1	0.0%
39		1	0.0%
40		1	0.0%
44		1	0.0%
47		1	0.0%
79		1	0.0%
80		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#23 V60: P5_R2C10

Information	[Type= discrete] [Format=numeric] [Range= 0-414] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
Frequency table not shown (196 Modalities)	

#24 V61: P5_R2C11

Information	[Type= discrete] [Format=numeric] [Range= 0-336] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
Frequency table not shown (186 Modalities)	

File Part 5 (cont.)**#25 V62: P5_R2C12**

Information	[Type= discrete] [Format=numeric] [Range= 0-431] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Frequency table not shown (274 Modalities)
--

#26 V63: P5_R3C1

Information	[Type= discrete] [Format=numeric] [Range= 0-336] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Frequency table not shown (182 Modalities)
--

#27 V64: P5_R3C2

Information	[Type= discrete] [Format=numeric] [Range= 0-300] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Frequency table not shown (176 Modalities)
--

#28 V65: P5_R3C3

Information	[Type= discrete] [Format=numeric] [Range= 0-426] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Frequency table not shown (260 Modalities)
--

#29 V66: P5_R3C4

Information	[Type= discrete] [Format=numeric] [Range= 0-232] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Frequency table not shown (98 Modalities)

#30 V67: P5_R3C5

Information	[Type= discrete] [Format=numeric] [Range= 0-177] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Frequency table not shown (98 Modalities)

#31 V68: P5_R3C6

Information	[Type= discrete] [Format=numeric] [Range= 0-258] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Frequency table not shown (155 Modalities)
--

File Part 5 (cont.)

#32 V69: P5_R3C7

Information [Type= discrete] [Format=numeric] [Range= 0-80] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10091	100.0%
24		1	0.0%
25		1	0.0%
40		1	0.0%
57		1	0.0%
80		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#33 V70: P5_R3C8

Information [Type= discrete] [Format=numeric] [Range= 0-47] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10090	99.9%
14		1	0.0%
18		1	0.0%
19		1	0.0%
32		1	0.0%
39		1	0.0%
47		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#34 V71: P5_R3C9

Information [Type= discrete] [Format=numeric] [Range= 0-80] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10088	99.9%
32		1	0.0%
38		1	0.0%
39		1	0.0%
40		1	0.0%
44		1	0.0%
47		1	0.0%
75		1	0.0%
80		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 5 (cont.)

#35 V72: P5_R3C10

Information	[Type= discrete] [Format=numeric] [Range= 0-414] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Frequency table not shown (191 Modalities)
--

#36 V73: P5_R3C11

Information	[Type= discrete] [Format=numeric] [Range= 0-300] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Frequency table not shown (182 Modalities)
--

#37 V74: P5_R3C12

Information	[Type= discrete] [Format=numeric] [Range= 0-426] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Frequency table not shown (266 Modalities)
--

File Part 6

#1 V17: SCID_03

Information	[Type= discrete] [Format=character] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

#2 V18: P6_R1C1

Information	[Type= discrete] [Format=numeric] [Range= 0-28] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Value	Label	Cases	Percentage
0		8846	87.6%
1		395	3.9%
2		253	2.5%
3		122	1.2%
4		119	1.2%
5		60	0.6%
6		13	0.1%
7		11	0.1%
8		6	0.1%

File Part 6 (cont.)

#2 V18: P6_R1C1 (cont.)

Value (cont.)	Label	Cases	Percentage
9		9	0.1%
10		57	0.6%
11		14	0.1%
12		14	0.1%
13		12	0.1%
14		17	0.2%
15		15	0.1%
16		5	0.0%
17		5	0.0%
18		3	0.0%
19		8	0.1%
20		41	0.4%
21		15	0.1%
22		9	0.1%
23		8	0.1%
24		28	0.3%
25		7	0.1%
26		2	0.0%
28		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#3 V19: P6_R1C2

Information	[Type= discrete] [Format=numeric] [Range= 0-63] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9568	94.8%
1		284	2.8%
2		98	1.0%
3		50	0.5%
4		22	0.2%
5		27	0.3%
6		15	0.1%
7		4	0.0%
8		5	0.0%
9		4	0.0%
10		5	0.0%
11		2	0.0%
14		1	0.0%

File Part 6 (cont.)

#3 V19: P6_R1C2 (cont.)

Value (cont.)	Label	Cases	Percentage
15		2	0.0%
16		2	0.0%
17		1	0.0%
20		2	0.0%
22		1	0.0%
26		1	0.0%
33		1	0.0%
63		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#4 V20: P6_R1C3

Information	[Type= discrete] [Format=numeric] [Range= 0-16] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9689	96.0%
1		198	2.0%
2		93	0.9%
3		54	0.5%
4		24	0.2%
5		15	0.1%
6		6	0.1%
7		5	0.0%
8		3	0.0%
9		1	0.0%
10		1	0.0%
11		1	0.0%
12		2	0.0%
13		2	0.0%
15		1	0.0%
16		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#5 V21: P6_R1C4

Information	[Type= discrete] [Format=numeric] [Range= 0-46] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9860	97.7%

File Part 6 (cont.)

#5 V21: P6_R1C4 (cont.)

Value (cont.)	Label	Cases	Percentage
1		106	1.0%
2		53	0.5%
3		29	0.3%
4		18	0.2%
5		10	0.1%
6		5	0.0%
7		2	0.0%
8		2	0.0%
9		1	0.0%
10		2	0.0%
13		1	0.0%
15		2	0.0%
17		1	0.0%
21		2	0.0%
25		1	0.0%
46		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#6 V22: P6_R1C5

Information	[Type= discrete] [Format=numeric] [Range= 0-115] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Frequency table not shown (44 Modalities)

#7 V23: P6_R2C1

Information	[Type= discrete] [Format=numeric] [Range= 0-10] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Value	Label	Cases	Percentage
0		9020	89.3%
1		695	6.9%
2		153	1.5%
3		121	1.2%
4		72	0.7%
5		23	0.2%
6		9	0.1%
9		1	0.0%
10		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 6 (cont.)

#8 V24: P6_R2C2

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9797	97.0%
1		226	2.2%
2		53	0.5%
3		14	0.1%
4		4	0.0%
5		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#9 V25: P6_R2C3

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9926	98.3%
1		136	1.3%
2		24	0.2%
3		7	0.1%
4		2	0.0%
9		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#10 V26: P6_R2C4

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10026	99.3%
1		55	0.5%
2		11	0.1%
3		3	0.0%
5		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#11 V27: P6_R2C5

Information	[Type= discrete] [Format=numeric] [Range= 0-15] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]

File Part 6 (cont.)

#11 V27: P6_R2C5 (cont.)

Value	Label	Cases	Percentage
0		8775	86.9%
1		780	7.7%
2		215	2.1%
3		136	1.3%
4		100	1.0%
5		50	0.5%
6		17	0.2%
7		9	0.1%
8		8	0.1%
9		1	0.0%
10		2	0.0%
11		2	0.0%
15		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#12 V28: P6_R3C1

Information	[Type= discrete] [Format=numeric] [Range= 0-32] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
Frequency table not shown (33 Modalities)	

#13 V29: P6_R3C2

Value	Label	Cases	Percentage
0		9517	94.3%
1		225	2.2%
2		159	1.6%
3		58	0.6%
4		36	0.4%
5		24	0.2%
6		22	0.2%
7		14	0.1%
8		8	0.1%
9		5	0.0%
10		8	0.1%
11		4	0.0%
12		3	0.0%

File Part 6 (cont.)

#13 V29: P6_R3C2 (cont.)

Value (cont.)	Label	Cases	Percentage
13		1	0.0%
15		2	0.0%
17		1	0.0%
18		2	0.0%
21		2	0.0%
23		1	0.0%
24		1	0.0%
29		1	0.0%
38		1	0.0%
64		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#14 V30: P6_R3C3

Information	[Type= discrete] [Format=numeric] [Range= 0-24] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /] [Invalid=0 /]		
Value	Label	Cases	Percentage
0		9628	95.4%
1		212	2.1%
2		113	1.1%
3		53	0.5%
4		35	0.3%
5		25	0.2%
6		10	0.1%
7		6	0.1%
8		1	0.0%
9		1	0.0%
10		3	0.0%
11		2	0.0%
12		2	0.0%
13		1	0.0%
16		2	0.0%
19		1	0.0%
24		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#15 V31: P6_R3C4

Information	[Type= discrete] [Format=numeric] [Range= 0-47] [Missing=*]
-------------	---

File Part 6 (cont.)

#15 V31: P6_R3C4 (cont.)

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9843	97.5%
1		107	1.1%
2		56	0.6%
3		30	0.3%
4		25	0.2%
5		12	0.1%
6		6	0.1%
7		3	0.0%
8		1	0.0%
9		1	0.0%
10		1	0.0%
11		2	0.0%
13		1	0.0%
16		1	0.0%
17		1	0.0%
18		1	0.0%
19		1	0.0%
22		2	0.0%
25		1	0.0%
47		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#16 V32: P6_R3C5

Information [Type= discrete] [Format= numeric] [Range= 0-117] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Frequency table not shown (49 Modalities)

File Part 7

#1 V67: SCID_03

Information [Type= discrete] [Format= character] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

File Part 7 (cont.)**#2 V68: P7_R1**

Information [Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		301	3.0%
1	Yes	5800	57.4%
2	No	3995	39.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#3 V69: P7_R2

Information [Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		301	3.0%
1	Yes	1432	14.2%
2	No	8363	82.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#4 V70: P7_R3

Information [Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		301	3.0%
1	Yes	2749	27.2%
2	No	7046	69.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#5 V71: P7_R4

Information [Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		301	3.0%
1	Yes	2490	24.7%
2	No	7305	72.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 7 (cont.)**#6 V72: P7_R5**

Information		[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]	
Statistics [NW/ W]		[Valid=10096 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0		301	3.0%
1	Yes	6085	60.3%
2	No	3710	36.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#7 V73: P7_R6

Information		[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]	
Statistics [NW/ W]		[Valid=10096 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0		301	3.0%
1	Yes	2493	24.7%
2	No	7302	72.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#8 V74: P7_R7

Information		[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]	
Statistics [NW/ W]		[Valid=10096 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0		301	3.0%
1	Yes	2848	28.2%
2	No	6947	68.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#9 V75: P7_R8

Information		[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]	
Statistics [NW/ W]		[Valid=10096 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0		301	3.0%
1	Yes	126	1.2%
2	No	9669	95.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 7 (cont.)**#10 V76: P7_R9**

Information [Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		301	3.0%
1	Yes	113	1.1%
2	No	9682	95.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#11 V77: P7_R10

Information [Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		301	3.0%
1	Yes	437	4.3%
2	No	9358	92.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#12 V78: P7_R11

Information [Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		301	3.0%
1	Yes	559	5.5%
2	No	9236	91.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#13 V79: P7_R12

Information [Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		301	3.0%
1	School well/tube well	4231	41.9%
2	Water taps form Water Board/UC/Pradeseeya Saba	2098	20.8%
3	Water from Spring	988	9.8%
4	Bowser	22	0.2%
5	Drinking water not available in the school	2456	24.3%

File Part 7 (cont.)

#13 V79: P7_R12 (cont.)

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#14 V80: P7_R13C1

Information	[Type= discrete] [Format=numeric] [Range= 0-800] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		2946	29.2%
1		5318	52.7%
2		1417	14.0%
3		231	2.3%
4		94	0.9%
5		28	0.3%
6		29	0.3%
7		11	0.1%
8		8	0.1%
9		2	0.0%
10		2	0.0%
12		5	0.0%
14		1	0.0%
16		1	0.0%
21		1	0.0%
100		1	0.0%
800		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#15 V81: P7_R13C2

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		7580	75.1%
1		2071	20.5%
2		371	3.7%
3		51	0.5%
4		19	0.2%
5		3	0.0%
6		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 7 (cont.)**#16 V82: P7_R14C1**

Information [Type= discrete] [Format=numeric] [Range= 0-60] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		6281	62.2%
1		2606	25.8%
2		722	7.2%
3		182	1.8%
4		124	1.2%
5		44	0.4%
6		44	0.4%
7		20	0.2%
8		24	0.2%
9		7	0.1%
10		15	0.1%
11		1	0.0%
12		9	0.1%
13		2	0.0%
14		4	0.0%
15		3	0.0%
17		1	0.0%
18		1	0.0%
24		1	0.0%
26		2	0.0%
27		1	0.0%
40		1	0.0%
60		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#17 V83: P7_R14C2

Information [Type= discrete] [Format=numeric] [Range= 0-15] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		7675	76.0%
1		1815	18.0%
2		428	4.2%
3		94	0.9%
4		43	0.4%
5		16	0.2%
6		8	0.1%

File Part 7 (cont.)

#17 V83: P7_R14C2 (cont.)

Value (cont.)	Label	Cases	Percentage
7		8	0.1%
8		3	0.0%
9		3	0.0%
10		1	0.0%
12		1	0.0%
15		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#18 V84: P7_R15C1

Information	[Type= discrete] [Format=numeric] [Range= 0-75] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
Frequency table not shown (32 Modalities)	

#19 V85: P7_R15C2

Information	[Type= discrete] [Format=numeric] [Range= 0-16] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		7761	76.9%
1		1719	17.0%
2		439	4.3%
3		90	0.9%
4		42	0.4%
5		16	0.2%
6		13	0.1%
7		5	0.0%
8		4	0.0%
9		2	0.0%
10		1	0.0%
12		1	0.0%
14		2	0.0%
16		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#20 V86: P7_R16C1

Information	[Type= discrete] [Format=numeric] [Range= 0-24] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]

File Part 7 (cont.)

#20 V86: P7_R16C1 (cont.)

Value	Label	Cases	Percentage
0		8813	87.3%
1		1087	10.8%
2		113	1.1%
3		43	0.4%
4		19	0.2%
5		8	0.1%
6		3	0.0%
7		2	0.0%
8		5	0.0%
9		1	0.0%
15		1	0.0%
24		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#21 V87: P7_R16C2

Information	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9365	92.8%
1		569	5.6%
2		117	1.2%
3		24	0.2%
4		14	0.1%
5		3	0.0%
6		3	0.0%
7		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#22 V88: P7_R17C1

Information	[Type= discrete] [Format=numeric] [Range= 0-58] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		5103	50.5%
1		3965	39.3%
2		652	6.5%
3		156	1.5%
4		115	1.1%

File Part 7 (cont.)

#22 V88: P7_R17C1 (cont.)

Value (cont.)	Label	Cases	Percentage
5		22	0.2%
6		23	0.2%
7		6	0.1%
8		16	0.2%
9		5	0.0%
10		12	0.1%
12		6	0.1%
14		2	0.0%
15		3	0.0%
16		5	0.0%
22		1	0.0%
25		1	0.0%
36		1	0.0%
40		1	0.0%
58		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#23 V89: P7_R17C2

Information	[Type= discrete] [Format=numeric] [Range= 0-40] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		8090	80.1%
1		1733	17.2%
2		213	2.1%
3		30	0.3%
4		20	0.2%
5		1	0.0%
6		4	0.0%
7		1	0.0%
10		1	0.0%
12		1	0.0%
15		1	0.0%
40		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#24 V90: P7_R18C1

Information	[Type= discrete] [Format=numeric] [Range= 0-22] [Missing=*]
-------------	---

File Part 7 (cont.)

#24 V90: P7_R18C1 (cont.)

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		6331	62.7%
1		3086	30.6%
2		429	4.2%
3		89	0.9%
4		96	1.0%
5		21	0.2%
6		21	0.2%
7		2	0.0%
8		7	0.1%
9		3	0.0%
10		4	0.0%
12		4	0.0%
13		1	0.0%
16		1	0.0%
22		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#25 V91: P7_R18C2

Information [Type= discrete] [Format=numeric] [Range= 0-12] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		8537	84.6%
1		1354	13.4%
2		159	1.6%
3		25	0.2%
4		14	0.1%
5		2	0.0%
6		2	0.0%
7		1	0.0%
10		1	0.0%
12		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#26 V92: P7_R19C1

Information [Type= discrete] [Format=numeric] [Range= 0-17] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

File Part 7 (cont.)

#26 V92: P7_R19C1 (cont.)

Value	Label	Cases	Percentage
0		9245	91.6%
1		771	7.6%
2		52	0.5%
3		13	0.1%
4		5	0.0%
5		3	0.0%
6		2	0.0%
7		2	0.0%
10		1	0.0%
12		1	0.0%
17		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#27 V93: P7_R19C2

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9696	96.0%
1		348	3.4%
2		41	0.4%
3		7	0.1%
4		1	0.0%
5		1	0.0%
6		1	0.0%
8		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#28 V94: P7_R20C1

Information	[Type= discrete] [Format=numeric] [Range= 0-20000] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
Frequency table not shown (210 Modalities)	

#29 V95: P7_R20C2

Information	[Type= discrete] [Format=numeric] [Range= 0-12] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]

File Part 7 (cont.)

#29 V95: P7_R20C2 (cont.)

Value	Label	Cases	Percentage
0		7969	78.9%
1		2037	20.2%
2		74	0.7%
3		10	0.1%
4		4	0.0%
11		1	0.0%
12		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#30 V96: P7_R21C1

Information	[Type= discrete] [Format=numeric] [Range= 0-80057] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Frequency table not shown (135 Modalities)
--

#31 V97: P7_R21C2

Information	[Type= discrete] [Format=numeric] [Range= 0-40] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Value	Label	Cases	Percentage
0		8418	83.4%
1		1625	16.1%
2		45	0.4%
3		2	0.0%
4		1	0.0%
6		2	0.0%
20		2	0.0%
40		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#32 V98: P7_R22C2

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Value	Label	Cases	Percentage
0		8966	88.8%
1		1125	11.1%
2		4	0.0%
3		1	0.0%

File Part 7 (cont.)

#32 V98: P7_R22C2 (cont.)

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#33 V99: P7_R23C1

Information [Type= discrete] [Format=numeric] [Range= 0-15000] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Frequency table not shown (75 Modalities)

#34 V100: P7_R23C2

Information [Type= discrete] [Format=numeric] [Range= 0-24] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9821	97.3%
1		258	2.6%
2		16	0.2%
24		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#35 V101: P7_R24C1

Information [Type= discrete] [Format=numeric] [Range= 0-15000] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Frequency table not shown (92 Modalities)

#36 V102: P7_R24C2

Information [Type= discrete] [Format=numeric] [Range= 0-84] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9755	96.6%
1		324	3.2%
2		13	0.1%
3		1	0.0%
30		1	0.0%
40		1	0.0%
84		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 7 (cont.)**#37 V103: P7_R25C1**

Information	[Type= discrete] [Format=numeric] [Range= 0-15000] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Frequency table not shown (93 Modalities)

#38 V104: P7_R25C2

Information	[Type= discrete] [Format=numeric] [Range= 0-84] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Value	Label	Cases	Percentage
0		9774	96.8%
1		305	3.0%
2		13	0.1%
3		1	0.0%
30		1	0.0%
40		1	0.0%
84		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#39 V105: P7_R26C1

Information	[Type= discrete] [Format=numeric] [Range= 0-8772] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Frequency table not shown (35 Modalities)

#40 V106: P7_R26C2

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Value	Label	Cases	Percentage
0		9976	98.8%
1		115	1.1%
2		5	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#41 V107: P7_R27C1

Information	[Type= discrete] [Format=numeric] [Range= 0-15000] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Frequency table not shown (94 Modalities)

File Part 7 (cont.)**#42 V108: P7_R27C2**

Information [Type= discrete] [Format=numeric] [Range= 0-84] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9798	97.0%
1		246	2.4%
2		47	0.5%
4		2	0.0%
20		1	0.0%
48		1	0.0%
84		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#43 V109: P7_R28C1

Information [Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9645	95.5%
1		446	4.4%
2		4	0.0%
3		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#44 V110: P7_R28C2

Information [Type= discrete] [Format=numeric] [Range= 0-4800] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Frequency table not shown (76 Modalities)

#45 V111: P7_R29C1

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10009	99.1%
1		87	0.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 7 (cont.)

#46 V112: P7_R29C2

Information		[Type= discrete] [Format=numeric] [Range= 0-1600] [Missing=*]	
Statistics [NW/ W]		[Valid=10096 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0		10009	99.1%
120		2	0.0%
200		8	0.1%
240		1	0.0%
300		1	0.0%
400		27	0.3%
600		24	0.2%
620		1	0.0%
800		17	0.2%
1000		3	0.0%
1100		1	0.0%
1540		1	0.0%
1600		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#47 V113: P7_R30C1

Information		[Type= discrete] [Format=numeric] [Range= 0-60] [Missing=*]	
Statistics [NW/ W]		[Valid=10096 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0		8406	83.3%
1		1664	16.5%
2		21	0.2%
3		1	0.0%
11		1	0.0%
12		1	0.0%
15		1	0.0%
60		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#48 V114: P7_R30C2

Information		[Type= discrete] [Format=numeric] [Range= 0-10000] [Missing=*]
Statistics [NW/ W]		[Valid=10096 /-] [Invalid=0 /-]
Frequency table not shown (176 Modalities)		

File Part 7 (cont.)**#49 V115: P7_R31C1**

Information [Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9186	91.0%
1		902	8.9%
2		6	0.1%
3		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#50 V116: P7_R31C2

Information [Type= discrete] [Format=numeric] [Range= 0-3600] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Frequency table not shown (106 Modalities)

#51 V117: P7_R32C1

Information [Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9671	95.8%
1		379	3.8%
2		35	0.3%
3		9	0.1%
4		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#52 V118: P7_R32C2

Information [Type= discrete] [Format=numeric] [Range= 0-14328] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Frequency table not shown (78 Modalities)

#53 V119: P7_R33C1

Information [Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9731	96.4%

File Part 7 (cont.)

#53 V119: P7_R33C1 (cont.)

Value (cont.)	Label	Cases	Percentage
1		350	3.5%
2		15	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#54 V120: P7_R33C2

Information	[Type= discrete] [Format=numeric] [Range= 0-4000] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
Frequency table not shown (48 Modalities)	

#55 V121: P7_R34C1

Value	Label	Cases	Percentage
0		9272	91.8%
1		772	7.6%
2		45	0.4%
3		3	0.0%
4		1	0.0%
6		1	0.0%
10		1	0.0%
30		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#56 V122: P7_R34C2

Information	[Type= discrete] [Format=numeric] [Range= 0-9600] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
Frequency table not shown (93 Modalities)	

#57 V123: P7_R35C1

Value	Label	Cases	Percentage
0		9249	91.6%
1		833	8.3%

File Part 7 (cont.)

#57 V123: P7_R35C1 (cont.)

Value (cont.)	Label	Cases	Percentage
2		12	0.1%
3		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#58 V124: P7_R35C2

Information	[Type= discrete] [Format=numeric] [Range= 0-11375] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
Frequency table not shown (91 Modalities)	

#59 V125: P7_R36C1

Value	Label	Cases	Percentage
0		9508	94.2%
1		570	5.6%
2		17	0.2%
3		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#60 V126: P7_R36C2

Information	[Type= discrete] [Format=numeric] [Range= 0-3600] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
Frequency table not shown (78 Modalities)	

#61 V127: P7_R37C1

Value	Label	Cases	Percentage
0		8840	87.6%
1		1173	11.6%
2		66	0.7%
3		12	0.1%
4		3	0.0%
40		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 7 (cont.)

#62 V128: P7_R37C2

Information	[Type= discrete] [Format=numeric] [Range= 0-7200] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Frequency table not shown (119 Modalities)
--

#63 V129: P7_R38C1

Information	[Type= discrete] [Format=numeric] [Range= 0-10] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Value	Label	Cases	Percentage
0		8862	87.8%
1		1195	11.8%
2		34	0.3%
3		2	0.0%
4		1	0.0%
10		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#64 V130: P7_R38C2

Information	[Type= discrete] [Format=numeric] [Range= 0-6400] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Frequency table not shown (126 Modalities)
--

#65 V131: P7_R39C1

Information	[Type= discrete] [Format=numeric] [Range= 0-15] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Value	Label	Cases	Percentage
0		9609	95.2%
1		399	4.0%
2		53	0.5%
3		16	0.2%
4		11	0.1%
5		1	0.0%
6		3	0.0%
7		2	0.0%
12		1	0.0%
15		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 7 (cont.)

#66 V132: P7_R39C2

Information [Type= discrete] [Format=numeric] [Range= 0-8800] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Frequency table not shown (76 Modalities)

File Part 8A1

#1 V262: SCID_03

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

#2 V263: P8A_R1C1

Information [Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10064	99.7%
1		28	0.3%
2		2	0.0%
3		1	0.0%
4		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#3 V264: P8A_R1C2

Information [Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10079	99.8%
1		14	0.1%
2		1	0.0%
4		1	0.0%
6		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 8A1 (cont.)**#4 V265: P8A_R1C3**

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10007	99.1%
1		79	0.8%
2		7	0.1%
3		1	0.0%
7		1	0.0%
8		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#5 V266: P8A_R1C4

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10040	99.4%
1		48	0.5%
2		5	0.0%
3		2	0.0%
4		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#6 V267: P8A_R1C5

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10089	99.9%
1		7	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#7 V268: P8A_R1C6

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10092	100.0%
1		4	0.0%

File Part 8A1 (cont.)**#7 V268: P8A_R1C6 (cont.)**

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#8 V269: P8A_R1C7

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9979	98.8%
1		96	1.0%
2		17	0.2%
3		3	0.0%
4		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#9 V270: P8A_R1C8

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10015	99.2%
1		71	0.7%
2		6	0.1%
3		3	0.0%
4		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#10 V271: P8A_R1C9

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9548	94.6%
1		432	4.3%
2		86	0.9%
3		18	0.2%
4		5	0.0%
5		4	0.0%
6		3	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 8A1 (cont.)**#11 V272: P8A_R1C10**

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9749	96.6%
1		302	3.0%
2		34	0.3%
3		8	0.1%
4		1	0.0%
5		1	0.0%
8		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#12 V273: P8A_R1C11

Information	[Type= discrete] [Format=numeric] [Range= 0-12] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9919	98.2%
1		87	0.9%
2		41	0.4%
3		21	0.2%
4		10	0.1%
5		9	0.1%
6		3	0.0%
7		3	0.0%
10		1	0.0%
12		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#13 V274: P8A_R1C12

Information	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9947	98.5%
1		83	0.8%
2		40	0.4%
3		12	0.1%
4		4	0.0%

File Part 8A1 (cont.)

#13 V274: P8A_R1C12 (cont.)

Value (cont.)	Label	Cases	Percentage
5		7	0.1%
6		2	0.0%
7		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#14 V275: P8A_R1C13

Information	[Type= discrete] [Format=numeric] [Range= 0-11] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9793	97.0%
1		234	2.3%
2		42	0.4%
3		15	0.1%
4		4	0.0%
5		3	0.0%
7		2	0.0%
8		1	0.0%
9		1	0.0%
11		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#15 V276: P8A_R1C14

Information	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9874	97.8%
1		181	1.8%
2		28	0.3%
3		9	0.1%
4		1	0.0%
5		2	0.0%
7		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#16 V277: P8A_R1C15

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]
-------------	--

File Part 8A1 (cont.)**#16 V277: P8A_R1C15 (cont.)**

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9948	98.5%
1		134	1.3%
2		11	0.1%
3		2	0.0%
5		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#17 V278: P8A_R1C16

Information [Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9989	98.9%
1		101	1.0%
2		6	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#18 V279: P8A_R1C17

Information [Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10040	99.4%
1		53	0.5%
2		3	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#19 V280: P8A_R1C18

Information [Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10067	99.7%
1		27	0.3%
2		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 8A1 (cont.)**#20 V281: P8A_R1C19**

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9931	98.4%
1		123	1.2%
2		27	0.3%
3		6	0.1%
4		5	0.0%
5		2	0.0%
6		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#21 V282: P8A_R1C20

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10012	99.2%
1		69	0.7%
2		12	0.1%
3		3	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#22 V283: P8A_R1C21

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9869	97.8%
1		202	2.0%
2		19	0.2%
3		4	0.0%
4		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#23 V284: P8A_R1C22

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]

File Part 8A1 (cont.)**#23 V284: P8A_R1C22 (cont.)**

Value	Label	Cases	Percentage
0		9947	98.5%
1		130	1.3%
2		15	0.1%
4		3	0.0%
5		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#24 V285: P8A_R1C23

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10034	99.4%
1		44	0.4%
2		13	0.1%
3		2	0.0%
4		1	0.0%
5		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#25 V286: P8A_R1C24

Information	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10039	99.4%
1		42	0.4%
2		9	0.1%
3		3	0.0%
4		1	0.0%
5		1	0.0%
7		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#26 V287: P8A_R1C25

Information	[Type= continuous] [Format=numeric] [Range= 0-28] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.263 /-] [StdDev=0.952 /-]

File Part 8A1 (cont.)**#27 V288: P8A_R1C26**

Information	[Type= continuous] [Format=numeric] [Range= 0-22] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.165 /-] [StdDev=0.671 /-]

#28 V289: P8A_R2C1

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10067	99.7%
1		25	0.2%
2		2	0.0%
3		1	0.0%
4		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#29 V290: P8A_R2C2

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10072	99.8%
1		22	0.2%
2		1	0.0%
6		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#30 V291: P8A_R2C3

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10006	99.1%
1		74	0.7%
2		13	0.1%
3		2	0.0%
4		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 8A1 (cont.)**#31 V292: P8A_R2C4**

Information	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10014	99.2%
1		72	0.7%
2		6	0.1%
3		3	0.0%
7		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#32 V293: P8A_R2C5

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10083	99.9%
1		12	0.1%
2		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#33 V294: P8A_R2C6

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10088	99.9%
1		8	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#34 V295: P8A_R2C7

Information	[Type= discrete] [Format=numeric] [Range= 0-10] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9906	98.1%
1		158	1.6%
2		25	0.2%
3		2	0.0%
4		1	0.0%

File Part 8A1 (cont.)**#34 V295: P8A_R2C7 (cont.)**

Value (cont.)	Label	Cases	Percentage
5		2	0.0%
8		1	0.0%
10		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#35 V296: P8A_R2C8

Information	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9956	98.6%
1		116	1.1%
2		18	0.2%
3		5	0.0%
7		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#36 V297: P8A_R2C9

Information	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9588	95.0%
1		426	4.2%
2		62	0.6%
3		13	0.1%
4		4	0.0%
5		2	0.0%
7		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#37 V298: P8A_R2C10

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9826	97.3%
1		234	2.3%
2		29	0.3%

File Part 8A1 (cont.)

#37 V298: P8A_R2C10 (cont.)

Value (cont.)	Label	Cases	Percentage
3		6	0.1%
4		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#38 V299: P8A_R2C11

Information	[Type= discrete] [Format=numeric] [Range= 0-18] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9782	96.9%
1		150	1.5%
2		79	0.8%
3		27	0.3%
4		22	0.2%
5		16	0.2%
6		5	0.0%
7		4	0.0%
8		4	0.0%
9		1	0.0%
10		1	0.0%
11		1	0.0%
14		1	0.0%
15		1	0.0%
16		1	0.0%
18		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#39 V300: P8A_R2C12

Information	[Type= continuous] [Format=numeric] [Range= 0-23] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.0514 /-] [StdDev=0.454 /-]

#40 V301: P8A_R2C13

Information	[Type= discrete] [Format=numeric] [Range= 0-12] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9722	96.3%
1		268	2.7%

File Part 8A1 (cont.)**#40 V301: P8A_R2C13 (cont.)**

Value (cont.)	Label	Cases	Percentage
2		58	0.6%
3		26	0.3%
4		15	0.1%
5		4	0.0%
7		1	0.0%
9		1	0.0%
12		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#41 V302: P8A_R2C14

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9803	97.1%
1		224	2.2%
2		53	0.5%
3		9	0.1%
4		3	0.0%
5		1	0.0%
6		2	0.0%
9		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#42 V303: P8A_R2C15

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9945	98.5%
1		145	1.4%
2		6	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#43 V304: P8A_R2C16

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]

File Part 8A1 (cont.)

#43 V304: P8A_R2C16 (cont.)

Value	Label	Cases	Percentage
0		9976	98.8%
1		114	1.1%
2		5	0.0%
5		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#44 V305: P8A_R2C17

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10061	99.7%
1		34	0.3%
2		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#45 V306: P8A_R2C18

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10069	99.7%
1		25	0.2%
2		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#46 V307: P8A_R2C19

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9949	98.5%
1		103	1.0%
2		28	0.3%
3		10	0.1%
4		3	0.0%
5		1	0.0%
8		1	0.0%
9		1	0.0%

File Part 8A1 (cont.)

#46 V307: P8A_R2C19 (cont.)

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#47 V308: P8A_R2C20

Information	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10019	99.2%
1		66	0.7%
2		10	0.1%
7		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#48 V309: P8A_R2C21

Information	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9873	97.8%
1		190	1.9%
2		24	0.2%
3		4	0.0%
5		2	0.0%
6		2	0.0%
7		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#49 V310: P8A_R2C22

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9949	98.5%
1		124	1.2%
2		15	0.1%
3		5	0.0%
4		2	0.0%
6		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 8A1 (cont.)**#50 V311: P8A_R2C23**

Information	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10019	99.2%
1		63	0.6%
2		7	0.1%
3		2	0.0%
4		1	0.0%
6		2	0.0%
7		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#51 V312: P8A_R2C24

Information	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10044	99.5%
1		41	0.4%
2		5	0.0%
3		3	0.0%
4		1	0.0%
6		1	0.0%
7		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#52 V313: P8A_R2C25

Information	[Type= continuous] [Format=numeric] [Range= 0-31] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.312 /-] [StdDev=1.121 /-]

#53 V314: P8A_R2C26

Information	[Type= continuous] [Format=numeric] [Range= 0-33] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.203 /-] [StdDev=0.845 /-]

#54 V315: P8A_R3C1

Information	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]

File Part 8A1 (cont.)**#54 V315: P8A_R3C1 (cont.)**

Value	Label	Cases	Percentage
0		10070	99.7%
1		23	0.2%
2		1	0.0%
3		1	0.0%
7		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#55 V316: P8A_R3C2

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10058	99.6%
1		35	0.3%
2		2	0.0%
8		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#56 V317: P8A_R3C3

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9971	98.8%
1		111	1.1%
2		12	0.1%
3		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#57 V318: P8A_R3C4

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10000	99.0%
1		85	0.8%
2		8	0.1%
3		2	0.0%
4		1	0.0%

File Part 8A1 (cont.)**#57 V318: P8A_R3C4 (cont.)**

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#58 V319: P8A_R3C5

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10083	99.9%
1		12	0.1%
2		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#59 V320: P8A_R3C6

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10083	99.9%
1		12	0.1%
3		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#60 V321: P8A_R3C7

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9904	98.1%
1		152	1.5%
2		25	0.2%
3		9	0.1%
4		4	0.0%
5		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#61 V322: P8A_R3C8

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		

File Part 8A1 (cont.)

#61 V322: P8A_R3C8 (cont.)

Value	Label	Cases	Percentage
0		9909	98.1%
1		146	1.4%
2		28	0.3%
3		8	0.1%
4		4	0.0%
5		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#62 V323: P8A_R3C9

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9625	95.3%
1		400	4.0%
2		53	0.5%
3		15	0.1%
4		1	0.0%
5		1	0.0%
6		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#63 V324: P8A_R3C10

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9835	97.4%
1		229	2.3%
2		25	0.2%
3		6	0.1%
4		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#64 V325: P8A_R3C11

Information	[Type= continuous] [Format=numeric] [Range= 0-26] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.106 /-] [StdDev=0.696 /-]

File Part 8A1 (cont.)

#65 V326: P8A_R3C12

Information [Type= discrete] [Format=numeric] [Range= 0-19] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9775	96.8%
1		181	1.8%
2		77	0.8%
3		26	0.3%
4		17	0.2%
5		9	0.1%
6		3	0.0%
7		2	0.0%
8		1	0.0%
9		2	0.0%
13		1	0.0%
16		1	0.0%
19		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#66 V327: P8A_R3C13

Information [Type= discrete] [Format=numeric] [Range= 0-14] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9674	95.8%
1		286	2.8%
2		79	0.8%
3		25	0.2%
4		11	0.1%
5		9	0.1%
6		4	0.0%
7		2	0.0%
8		2	0.0%
10		1	0.0%
11		1	0.0%
13		1	0.0%
14		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 8A1 (cont.)**#67 V328: P8A_R3C14**

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9800	97.1%
1		222	2.2%
2		51	0.5%
3		11	0.1%
4		5	0.0%
5		2	0.0%
6		3	0.0%
8		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#68 V329: P8A_R3C15

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9950	98.6%
1		132	1.3%
2		10	0.1%
3		4	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#69 V330: P8A_R3C16

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9995	99.0%
1		96	1.0%
2		5	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#70 V331: P8A_R3C17

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]

File Part 8A1 (cont.)**#70 V331: P8A_R3C17 (cont.)**

Value	Label	Cases	Percentage
0		10053	99.6%
1		39	0.4%
2		4	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#71 V332: P8A_R3C18

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10067	99.7%
1		24	0.2%
2		4	0.0%
3		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#72 V333: P8A_R3C19

Information	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9913	98.2%
1		133	1.3%
2		31	0.3%
3		12	0.1%
4		2	0.0%
5		2	0.0%
6		2	0.0%
7		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#73 V334: P8A_R3C20

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10010	99.1%
1		67	0.7%
2		13	0.1%

File Part 8A1 (cont.)**#73 V334: P8A_R3C20 (cont.)**

Value (cont.)	Label	Cases	Percentage
3		2	0.0%
4		3	0.0%
6		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#74 V335: P8A_R3C21

Information	[Type= discrete] [Format=numeric] [Range= 0-10] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9875	97.8%
1		179	1.8%
2		29	0.3%
3		4	0.0%
4		5	0.0%
5		1	0.0%
6		2	0.0%
10		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#75 V336: P8A_R3C22

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9936	98.4%
1		132	1.3%
2		20	0.2%
3		6	0.1%
4		1	0.0%
6		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#76 V337: P8A_R3C23

Information	[Type= discrete] [Format=numeric] [Range= 0-10] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9998	99.0%

File Part 8A1 (cont.)

#76 V337: P8A_R3C23 (cont.)

Value (cont.)	Label	Cases	Percentage
1		70	0.7%
2		19	0.2%
3		3	0.0%
5		4	0.0%
6		1	0.0%
10		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#77 V338: P8A_R3C24

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10032	99.4%
1		51	0.5%
2		7	0.1%
3		3	0.0%
4		2	0.0%
5		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#78 V339: P8A_R3C25

Information	[Type= continuous] [Format=numeric] [Range= 0-36] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.368 /-] [StdDev=1.272 /-]

#79 V340: P8A_R3C26

Information	[Type= continuous] [Format=numeric] [Range= 0-21] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.23 /-] [StdDev=0.86 /-]

#80 V341: P8A_R4C1

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10069	99.7%
1		25	0.2%
2		1	0.0%

File Part 8A1 (cont.)**#80 V341: P8A_R4C1 (cont.)**

Value (cont.)	Label	Cases	Percentage
4		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#81 V342: P8A_R4C2

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10073	99.8%
1		21	0.2%
2		1	0.0%
5		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#82 V343: P8A_R4C3

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9975	98.8%
1		108	1.1%
2		9	0.1%
3		4	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#83 V344: P8A_R4C4

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9989	98.9%
1		97	1.0%
2		6	0.1%
3		2	0.0%
4		1	0.0%
5		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 8A1 (cont.)**#84 V345: P8A_R4C5**

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10082	99.9%
1		8	0.1%
2		3	0.0%
3		2	0.0%
4		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#85 V346: P8A_R4C6

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10088	99.9%
1		7	0.1%
2		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#86 V347: P8A_R4C7

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9817	97.2%
1		210	2.1%
2		49	0.5%
3		8	0.1%
4		6	0.1%
5		4	0.0%
6		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#87 V348: P8A_R4C8

Information	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]

File Part 8A1 (cont.)

#87 V348: P8A_R4C8 (cont.)

Value	Label	Cases	Percentage
0		9876	97.8%
1		168	1.7%
2		32	0.3%
3		9	0.1%
4		7	0.1%
5		2	0.0%
6		1	0.0%
7		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#88 V349: P8A_R4C9

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9653	95.6%
1		365	3.6%
2		62	0.6%
3		13	0.1%
4		2	0.0%
5		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#89 V350: P8A_R4C10

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9870	97.8%
1		199	2.0%
2		23	0.2%
3		1	0.0%
4		3	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#90 V351: P8A_R4C11

Information	[Type= continuous] [Format=numeric] [Range= 0-32] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.114 /-] [StdDev=0.74 /-]

File Part 8A1 (cont.)**#91 V352: P8A_R4C12**

Information [Type= discrete] [Format=numeric] [Range= 0-14] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9723	96.3%
1		202	2.0%
2		79	0.8%
3		36	0.4%
4		17	0.2%
5		14	0.1%
6		9	0.1%
7		4	0.0%
8		4	0.0%
9		2	0.0%
10		4	0.0%
12		1	0.0%
14		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#92 V353: P8A_R4C13

Information [Type= discrete] [Format=numeric] [Range= 0-11] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9655	95.6%
1		291	2.9%
2		85	0.8%
3		37	0.4%
4		11	0.1%
5		7	0.1%
6		4	0.0%
7		3	0.0%
8		1	0.0%
9		1	0.0%
11		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#93 V354: P8A_R4C14

Information [Type= discrete] [Format=numeric] [Range= 0-10] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

File Part 8A1 (cont.)

#93 V354: P8A_R4C14 (cont.)

Value	Label	Cases	Percentage
0		9759	96.7%
1		244	2.4%
2		69	0.7%
3		11	0.1%
4		6	0.1%
5		3	0.0%
6		1	0.0%
7		1	0.0%
9		1	0.0%
10		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#94 V355: P8A_R4C15

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9928	98.3%
1		156	1.5%
2		10	0.1%
3		1	0.0%
4		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#95 V356: P8A_R4C16

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9979	98.8%
1		111	1.1%
2		4	0.0%
4		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#96 V357: P8A_R4C17

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]

File Part 8A1 (cont.)

#96 V357: P8A_R4C17 (cont.)

Value	Label	Cases	Percentage
0		10039	99.4%
1		54	0.5%
2		3	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#97 V358: P8A_R4C18

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10053	99.6%
1		41	0.4%
2		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#98 V359: P8A_R4C19

Information	[Type= discrete] [Format=numeric] [Range= 0-10] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9904	98.1%
1		146	1.4%
2		25	0.2%
3		10	0.1%
4		9	0.1%
5		1	0.0%
10		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#99 V360: P8A_R4C20

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10000	99.0%
1		76	0.8%
2		16	0.2%
3		2	0.0%
4		2	0.0%

File Part 8A1 (cont.)

#99 V360: P8A_R4C20 (cont.)

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#100 V361: P8A_R4C21

Information	[Type= discrete] [Format=numeric] [Range= 0-10] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9875	97.8%
1		178	1.8%
2		29	0.3%
3		9	0.1%
4		2	0.0%
5		1	0.0%
8		1	0.0%
10		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#101 V362: P8A_R4C22

Information	[Type= discrete] [Format=numeric] [Range= 0-11] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9942	98.5%
1		126	1.2%
2		16	0.2%
3		5	0.0%
4		5	0.0%
5		1	0.0%
11		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#102 V363: P8A_R4C23

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10008	99.1%
1		65	0.6%
2		14	0.1%
3		3	0.0%

File Part 8A1 (cont.)

#102 V363: P8A_R4C23 (cont.)

Value (cont.)	Label	Cases	Percentage
4		2	0.0%
5		2	0.0%
8		1	0.0%
9		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#103 V364: P8A_R4C24

Information	[Type= discrete] [Format=numeric] [Range= 0-10] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10033	99.4%
1		45	0.4%
2		12	0.1%
3		3	0.0%
4		2	0.0%
10		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#104 V365: P8A_R4C25

Information	[Type= continuous] [Format=numeric] [Range= 0-36] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.391 /-] [StdDev=1.29 /-]

#105 V366: P8A_R4C26

Information	[Type= continuous] [Format=numeric] [Range= 0-21] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.26 /-] [StdDev=0.961 /-]

#106 V367: P8A_R5C1

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10067	99.7%
1		24	0.2%
2		3	0.0%
4		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 8A1 (cont.)**#107 V368: P8A_R5C2**

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10063	99.7%
1		32	0.3%
2		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#108 V369: P8A_R5C3

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9955	98.6%
1		123	1.2%
2		16	0.2%
3		1	0.0%
4		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#109 V370: P8A_R5C4

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9993	99.0%
1		85	0.8%
2		14	0.1%
3		1	0.0%
4		3	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#110 V371: P8A_R5C5

Information	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10077	99.8%
1		13	0.1%

File Part 8A1 (cont.)**#110 V371: P8A_R5C5 (cont.)**

Value (cont.)	Label	Cases	Percentage
2		2	0.0%
3		1	0.0%
4		1	0.0%
5		1	0.0%
7		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#111 V372: P8A_R5C6

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10089	99.9%
1		5	0.0%
2		1	0.0%
6		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#112 V373: P8A_R5C7

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9776	96.8%
1		233	2.3%
2		53	0.5%
3		19	0.2%
4		3	0.0%
5		6	0.1%
6		4	0.0%
7		1	0.0%
8		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#113 V374: P8A_R5C8

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]

File Part 8A1 (cont.)

#113 V374: P8A_R5C8 (cont.)

Value	Label	Cases	Percentage
0		9822	97.3%
1		207	2.1%
2		40	0.4%
3		13	0.1%
4		8	0.1%
5		3	0.0%
6		3	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#114 V375: P8A_R5C9

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Value	Label	Cases	Percentage
0		9675	95.8%
1		341	3.4%
2		61	0.6%
3		12	0.1%
4		4	0.0%
5		1	0.0%
6		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#115 V376: P8A_R5C10

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Value	Label	Cases	Percentage
0		9902	98.1%
1		172	1.7%
2		16	0.2%
3		4	0.0%
4		1	0.0%
5		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#116 V377: P8A_R5C11

Information	[Type= discrete] [Format=numeric] [Range= 0-20] [Missing=*]
-------------	---

File Part 8A1 (cont.)

#116 V377: P8A_R5C11 (cont.)

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9571	94.8%
1		248	2.5%
2		99	1.0%
3		65	0.6%
4		38	0.4%
5		30	0.3%
6		15	0.1%
7		8	0.1%
8		5	0.0%
9		7	0.1%
10		5	0.0%
11		1	0.0%
13		1	0.0%
15		1	0.0%
16		1	0.0%
20		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#117 V378: P8A_R5C12

Information [Type= discrete] [Format=numeric] [Range= 0-15] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9714	96.2%
1		211	2.1%
2		86	0.9%
3		39	0.4%
4		22	0.2%
5		6	0.1%
6		8	0.1%
8		2	0.0%
9		1	0.0%
10		3	0.0%
11		1	0.0%
12		1	0.0%
13		1	0.0%
15		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 8A1 (cont.)**#118 V379: P8A_R5C13**

Information [Type= discrete] [Format=numeric] [Range= 0-12] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9654	95.6%
1		314	3.1%
2		80	0.8%
3		22	0.2%
4		14	0.1%
5		6	0.1%
6		1	0.0%
8		2	0.0%
9		1	0.0%
10		1	0.0%
12		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#119 V380: P8A_R5C14

Information [Type= discrete] [Format=numeric] [Range= 0-11] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9788	96.9%
1		228	2.3%
2		54	0.5%
3		14	0.1%
4		4	0.0%
5		2	0.0%
6		2	0.0%
7		1	0.0%
8		1	0.0%
9		1	0.0%
11		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#120 V381: P8A_R5C15

Information [Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

File Part 8A1 (cont.)

#120 V381: P8A_R5C15 (cont.)

Value	Label	Cases	Percentage
0		9913	98.2%
1		172	1.7%
2		11	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#121 V382: P8A_R5C16

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9976	98.8%
1		113	1.1%
2		6	0.1%
3		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#122 V383: P8A_R5C17

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10041	99.5%
1		54	0.5%
2		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#123 V384: P8A_R5C18

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10049	99.5%
1		45	0.4%
2		1	0.0%
3		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 8A1 (cont.)**#124 V385: P8A_R5C19**

Information [Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9914	98.2%
1		114	1.1%
2		35	0.3%
3		18	0.2%
4		7	0.1%
5		6	0.1%
6		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#125 V386: P8A_R5C20

Information [Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10011	99.2%
1		66	0.7%
2		10	0.1%
3		6	0.1%
4		1	0.0%
5		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#126 V387: P8A_R5C21

Information [Type= discrete] [Format=numeric] [Range= 0-10] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9894	98.0%
1		166	1.6%
2		25	0.2%
3		8	0.1%
4		1	0.0%
8		1	0.0%
10		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 8A1 (cont.)

#127 V388: P8A_R5C22

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9951	98.6%
1		125	1.2%
2		18	0.2%
3		1	0.0%
5		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#128 V389: P8A_R5C23

Information	[Type= discrete] [Format=numeric] [Range= 0-10] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10011	99.2%
1		56	0.6%
2		13	0.1%
3		7	0.1%
4		4	0.0%
5		2	0.0%
8		1	0.0%
10		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#129 V390: P8A_R5C24

Information	[Type= discrete] [Format=numeric] [Range= 0-15] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10037	99.4%
1		46	0.5%
2		9	0.1%
4		2	0.0%
5		1	0.0%
15		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 8A1 (cont.)**#130 V391: P8A_R5C25**

Information	[Type= continuous] [Format=numeric] [Range= 0-31] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.418 /-] [StdDev=1.336 /-]

#131 V392: P8A_R5C26

Information	[Type= continuous] [Format=numeric] [Range= 0-21] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.255 /-] [StdDev=0.911 /-]

#132 V393: P8A_R6C1

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10068	99.7%
1		25	0.2%
2		2	0.0%
4		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#133 V394: P8A_R6C2

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10072	99.8%
1		22	0.2%
2		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#134 V395: P8A_R6C3

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9965	98.7%
1		108	1.1%
2		14	0.1%
3		6	0.1%
4		2	0.0%

File Part 8A1 (cont.)

#134 V395: P8A_R6C3 (cont.)

Value (cont.)	Label	Cases	Percentage
5		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#135 V396: P8A_R6C4

Information		[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]	
Statistics [NW/ W]		[Valid=10096 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0		9985	98.9%
1		92	0.9%
2		17	0.2%
3		1	0.0%
4		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#136 V397: P8A_R6C5

Information		[Type= discrete] [Format=numeric] [Range= 0-12] [Missing=*]	
Statistics [NW/ W]		[Valid=10096 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0		10076	99.8%
1		14	0.1%
2		4	0.0%
4		1	0.0%
12		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#137 V398: P8A_R6C6

Information		[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]	
Statistics [NW/ W]		[Valid=10096 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0		10082	99.9%
1		10	0.1%
2		2	0.0%
4		1	0.0%
6		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 8A1 (cont.)

#138 V399: P8A_R6C7

Information		[Type= discrete] [Format=numeric] [Range= 0-16] [Missing=*]	
Statistics [NW/ W]		[Valid=10096 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0		9761	96.7%
1		231	2.3%
2		50	0.5%
3		20	0.2%
4		14	0.1%
5		8	0.1%
6		4	0.0%
7		3	0.0%
8		1	0.0%
9		2	0.0%
12		1	0.0%
16		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#139 V400: P8A_R6C8

Information		[Type= discrete] [Format=numeric] [Range= 0-17] [Missing=*]	
Statistics [NW/ W]		[Valid=10096 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0		9831	97.4%
1		169	1.7%
2		46	0.5%
3		19	0.2%
4		11	0.1%
5		11	0.1%
6		3	0.0%
7		2	0.0%
9		2	0.0%
10		1	0.0%
17		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#140 V401: P8A_R6C9

Information		[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]
Statistics [NW/ W]		[Valid=10096 /-] [Invalid=0 /-]

File Part 8A1 (cont.)

#140 V401: P8A_R6C9 (cont.)

Value	Label	Cases	Percentage
0		9758	96.7%
1		260	2.6%
2		56	0.6%
3		13	0.1%
4		6	0.1%
6		2	0.0%
7		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#141 V402: P8A_R6C10

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9949	98.5%
1		132	1.3%
2		13	0.1%
3		1	0.0%
4		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#142 V403: P8A_R6C11

Information	[Type= continuous] [Format=numeric] [Range= 0-31] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.136 /-] [StdDev=0.933 /-]

#143 V404: P8A_R6C12

Information	[Type= discrete] [Format=numeric] [Range= 0-13] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9795	97.0%
1		148	1.5%
2		60	0.6%
3		38	0.4%
4		14	0.1%
5		13	0.1%
6		15	0.1%
7		4	0.0%

File Part 8A1 (cont.)

#143 V404: P8A_R6C12 (cont.)

Value (cont.)	Label	Cases	Percentage
8		3	0.0%
9		2	0.0%
10		1	0.0%
12		2	0.0%
13		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#144 V405: P8A_R6C13

Information	[Type= discrete] [Format=numeric] [Range= 0-10] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9750	96.6%
1		230	2.3%
2		73	0.7%
3		21	0.2%
4		8	0.1%
5		7	0.1%
6		3	0.0%
7		1	0.0%
8		1	0.0%
9		1	0.0%
10		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#145 V406: P8A_R6C14

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9881	97.9%
1		154	1.5%
2		41	0.4%
3		9	0.1%
4		6	0.1%
5		1	0.0%
6		4	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 8A1 (cont.)**#146 V407: P8A_R6C15**

Information [Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9939	98.4%
1		149	1.5%
2		7	0.1%
3		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#147 V408: P8A_R6C16

Information [Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10015	99.2%
1		75	0.7%
2		4	0.0%
3		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#148 V409: P8A_R6C17

Information [Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10036	99.4%
1		53	0.5%
2		7	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#149 V410: P8A_R6C18

Information [Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10048	99.5%
1		39	0.4%
2		9	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 8A1 (cont.)**#150 V411: P8A_R6C19**

Information	[Type= continuous] [Format=numeric] [Range= 0-21] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.0305 /-] [StdDev=0.388 /-]

#151 V412: P8A_R6C20

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10025	99.3%
1		55	0.5%
2		10	0.1%
3		3	0.0%
4		2	0.0%
6		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#152 V413: P8A_R6C21

Information	[Type= discrete] [Format=numeric] [Range= 0-10] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9929	98.3%
1		129	1.3%
2		18	0.2%
3		9	0.1%
4		5	0.0%
5		1	0.0%
6		3	0.0%
7		1	0.0%
10		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#153 V414: P8A_R6C22

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9997	99.0%
1		79	0.8%

File Part 8A1 (cont.)

#153 V414: P8A_R6C22 (cont.)

Value (cont.)	Label	Cases	Percentage
2		12	0.1%
3		6	0.1%
4		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#154 V415: P8A_R6C23

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10026	99.3%
1		50	0.5%
2		13	0.1%
3		3	0.0%
4		1	0.0%
6		2	0.0%
8		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#155 V416: P8A_R6C24

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10042	99.5%
1		37	0.4%
2		12	0.1%
3		4	0.0%
4		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#156 V417: P8A_R6C25

Information	[Type= continuous] [Format=numeric] [Range= 0-39] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.407 /-] [StdDev=1.589 /-]		

#157 V418: P8A_R6C26

Information	[Type= discrete] [Format=numeric] [Range= 0-20] [Missing=*]		
-------------	---	--	--

File Part 8A1 (cont.)

#157 V418: P8A_R6C26 (cont.)

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		8989	89.0%
1		654	6.5%
2		207	2.1%
3		97	1.0%
4		52	0.5%
5		26	0.3%
6		25	0.2%
7		12	0.1%
8		12	0.1%
9		1	0.0%
10		4	0.0%
11		4	0.0%
12		3	0.0%
13		3	0.0%
15		2	0.0%
16		1	0.0%
19		3	0.0%
20		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#158 V419: P8A_R7C1

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10076	99.8%
1		20	0.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#159 V420: P8A_R7C2

Information [Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10083	99.9%
1		9	0.1%
2		3	0.0%
3		1	0.0%

File Part 8A1 (cont.)**#159 V420: P8A_R7C2 (cont.)**

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#160 V421: P8A_R7C3

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9966	98.7%
1		98	1.0%
2		23	0.2%
3		6	0.1%
4		1	0.0%
5		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#161 V422: P8A_R7C4

Information	[Type= discrete] [Format=numeric] [Range= 0-10] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9971	98.8%
1		107	1.1%
2		16	0.2%
3		1	0.0%
10		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#162 V423: P8A_R7C5

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10074	99.8%
1		16	0.2%
2		1	0.0%
3		4	0.0%
4		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 8A1 (cont.)**#163 V424: P8A_R7C6**

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10082	99.9%
1		12	0.1%
4		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#164 V425: P8A_R7C7

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9780	96.9%
1		203	2.0%
2		60	0.6%
3		22	0.2%
4		9	0.1%
5		9	0.1%
6		7	0.1%
7		3	0.0%
8		2	0.0%
9		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#165 V426: P8A_R7C8

Information	[Type= discrete] [Format=numeric] [Range= 0-14] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9792	97.0%
1		191	1.9%
2		54	0.5%
3		21	0.2%
4		19	0.2%
5		6	0.1%
6		2	0.0%
7		8	0.1%
8		2	0.0%

File Part 8A1 (cont.)

#165 V426: P8A_R7C8 (cont.)

Value (cont.)	Label	Cases	Percentage
14		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#166 V427: P8A_R7C9

Information		[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]	
Statistics [NW/ W]		[Valid=10096 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0		9834	97.4%
1		217	2.1%
2		29	0.3%
3		13	0.1%
4		2	0.0%
6		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#167 V428: P8A_R7C10

Information		[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]	
Statistics [NW/ W]		[Valid=10096 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0		9971	98.8%
1		111	1.1%
2		13	0.1%
4		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#168 V429: P8A_R7C11

Information		[Type= discrete] [Format=numeric] [Range= 0-15] [Missing=*]	
Statistics [NW/ W]		[Valid=10096 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0		9756	96.6%
1		137	1.4%
2		76	0.8%
3		49	0.5%
4		24	0.2%
5		16	0.2%
6		14	0.1%

File Part 8A1 (cont.)

#168 V429: P8A_R7C11 (cont.)

Value (cont.)	Label	Cases	Percentage
7		6	0.1%
8		4	0.0%
9		5	0.0%
10		2	0.0%
11		2	0.0%
12		3	0.0%
13		1	0.0%
15		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#169 V430: P8A_R7C12

Information	[Type= discrete] [Format=numeric] [Range= 0-15] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9865	97.7%
1		121	1.2%
2		42	0.4%
3		31	0.3%
4		14	0.1%
5		7	0.1%
6		6	0.1%
7		3	0.0%
8		1	0.0%
9		1	0.0%
10		2	0.0%
12		1	0.0%
14		1	0.0%
15		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#170 V431: P8A_R7C13

Information	[Type= discrete] [Format=numeric] [Range= 0-10] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9866	97.7%
1		154	1.5%
2		39	0.4%

File Part 8A1 (cont.)

#170 V431: P8A_R7C13 (cont.)

Value (cont.)	Label	Cases	Percentage
3		23	0.2%
4		9	0.1%
6		1	0.0%
8		2	0.0%
9		1	0.0%
10		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#171 V432: P8A_R7C14

Information	[Type= discrete] [Format=numeric] [Range= 0-10] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9941	98.5%
1		117	1.2%
2		20	0.2%
3		9	0.1%
4		3	0.0%
5		3	0.0%
6		1	0.0%
9		1	0.0%
10		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#172 V433: P8A_R7C15

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9982	98.9%
1		106	1.0%
2		8	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#173 V434: P8A_R7C16

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]

File Part 8A1 (cont.)

#173 V434: P8A_R7C16 (cont.)

Value	Label	Cases	Percentage
0		9998	99.0%
1		93	0.9%
2		5	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#174 V435: P8A_R7C17

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10044	99.5%
1		51	0.5%
2		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#175 V436: P8A_R7C18

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10059	99.6%
1		34	0.3%
2		3	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#176 V437: P8A_R7C19

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9971	98.8%
1		83	0.8%
2		20	0.2%
3		8	0.1%
4		8	0.1%
5		2	0.0%
6		2	0.0%
8		1	0.0%
9		1	0.0%

File Part 8A1 (cont.)**#176 V437: P8A_R7C19 (cont.)**

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#177 V438: P8A_R7C20

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10031	99.4%
1		50	0.5%
2		13	0.1%
3		1	0.0%
5		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#178 V439: P8A_R7C21

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9976	98.8%
1		94	0.9%
2		12	0.1%
3		6	0.1%
4		4	0.0%
5		1	0.0%
6		2	0.0%
9		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#179 V440: P8A_R7C22

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10033	99.4%
1		51	0.5%
2		9	0.1%
3		2	0.0%
6		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 8A1 (cont.)

#180 V441: P8A_R7C23

Information	[Type= discrete] [Format=numeric] [Range= 0-12] [Missing=*]	
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]	
Value		Cases
0		10041
1		37
2		5
3		6
4		4
5		1
7		1
12		1
Percentage		
		99.5%
0.4%		
0.0%		
0.1%		
0.0%		
0.0%		
0.0%		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#181 V442: P8A_R7C24

Information	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]	
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]	
Value		Cases
0		10045
1		35
2		8
3		4
4		1
5		1
6		1
7		1
Percentage		
		99.5%
0.3%		
0.1%		
0.0%		
0.0%		
0.0%		
0.0%		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#182 V443: P8A_R7C25

Information	[Type= continuous] [Format=numeric] [Range= 0-24] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.306 /-] [StdDev=1.218 /-]

#183 V444: P8A_R7C26

Information	[Type= continuous] [Format=numeric] [Range= 0-32] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.203 /-] [StdDev=0.958 /-]

File Part 8A1 (cont.)**#184 V445: P8A_R8C1**

Information [Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10083	99.9%
1		11	0.1%
2		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#185 V446: P8A_R8C2

Information [Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10086	99.9%
1		7	0.1%
2		1	0.0%
3		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#186 V447: P8A_R8C3

Information [Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9991	99.0%
1		93	0.9%
2		7	0.1%
3		4	0.0%
4		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#187 V448: P8A_R8C4

Information [Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10028	99.3%
1		52	0.5%
2		13	0.1%

File Part 8A1 (cont.)**#187 V448: P8A_R8C4 (cont.)**

Value (cont.)	Label	Cases	Percentage
3		1	0.0%
4		1	0.0%
6		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#188 V449: P8A_R8C5

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10079	99.8%
1		13	0.1%
3		1	0.0%
4		1	0.0%
5		1	0.0%
8		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#189 V450: P8A_R8C6

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10081	99.9%
1		10	0.1%
2		3	0.0%
3		1	0.0%
9		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#190 V451: P8A_R8C7

Information	[Type= discrete] [Format=numeric] [Range= 0-13] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9783	96.9%
1		200	2.0%
2		53	0.5%
3		21	0.2%

File Part 8A1 (cont.)

#190 V451: P8A_R8C7 (cont.)

Value (cont.)	Label	Cases	Percentage
4		22	0.2%
5		10	0.1%
6		2	0.0%
7		1	0.0%
8		1	0.0%
9		1	0.0%
10		1	0.0%
13		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#191 V452: P8A_R8C8

Information	[Type= continuous] [Format=numeric] [Range= 0-21] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.0506 /-] [StdDev=0.448 /-]

#192 V453: P8A_R8C9

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9863	97.7%
1		192	1.9%
2		32	0.3%
3		5	0.0%
4		3	0.0%
5		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#193 V454: P8A_R8C10

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9991	99.0%
1		95	0.9%
2		9	0.1%
4		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 8A1 (cont.)

#194 V455: P8A_R8C11

Information [Type= discrete] [Format=numeric] [Range= 0-12] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9809	97.2%
1		139	1.4%
2		67	0.7%
3		31	0.3%
4		22	0.2%
5		4	0.0%
6		10	0.1%
7		4	0.0%
8		4	0.0%
9		2	0.0%
10		3	0.0%
12		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#195 V456: P8A_R8C12

Information [Type= discrete] [Format=numeric] [Range= 0-10] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9892	98.0%
1		125	1.2%
2		36	0.4%
3		24	0.2%
4		8	0.1%
5		6	0.1%
6		2	0.0%
7		1	0.0%
8		1	0.0%
10		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#196 V457: P8A_R8C13

Information [Type= discrete] [Format=numeric] [Range= 0-11] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

File Part 8A1 (cont.)

#196 V457: P8A_R8C13 (cont.)

Value	Label	Cases	Percentage
0		9896	98.0%
1		151	1.5%
2		32	0.3%
3		3	0.0%
4		6	0.1%
6		3	0.0%
7		3	0.0%
8		1	0.0%
11		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#197 V458: P8A_R8C14

Information	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9971	98.8%
1		98	1.0%
2		11	0.1%
3		6	0.1%
4		6	0.1%
5		3	0.0%
7		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#198 V459: P8A_R8C15

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9983	98.9%
1		104	1.0%
2		8	0.1%
3		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#199 V460: P8A_R8C16

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
-------------	--

File Part 8A1 (cont.)

#199 V460: P8A_R8C16 (cont.)

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10007	99.1%
1		85	0.8%
2		4	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#200 V461: P8A_R8C17

Information [Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10050	99.5%
1		41	0.4%
2		4	0.0%
3		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#201 V462: P8A_R8C18

Information [Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10061	99.7%
1		33	0.3%
2		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#202 V463: P8A_R8C19

Information [Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9999	99.0%
1		65	0.6%
2		19	0.2%
3		4	0.0%
4		4	0.0%
5		4	0.0%

File Part 8A1 (cont.)

#202 V463: P8A_R8C19 (cont.)

Value (cont.)	Label	Cases	Percentage
6		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#203 V464: P8A_R8C20

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10058	99.6%
1		29	0.3%
2		5	0.0%
3		4	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#204 V465: P8A_R8C21

Information	[Type= discrete] [Format=numeric] [Range= 0-13] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10012	99.2%
1		68	0.7%
2		7	0.1%
3		3	0.0%
4		1	0.0%
5		2	0.0%
6		2	0.0%
13		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#205 V466: P8A_R8C22

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10038	99.4%
1		52	0.5%
2		2	0.0%
3		1	0.0%
4		2	0.0%

File Part 8A1 (cont.)

#205 V466: P8A_R8C22 (cont.)

Value (cont.)	Label	Cases	Percentage
6		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#206 V467: P8A_R8C23

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10049	99.5%
1		35	0.3%
2		4	0.0%
3		3	0.0%
4		5	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#207 V468: P8A_R8C24

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10050	99.5%
1		33	0.3%
2		11	0.1%
4		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#208 V469: P8A_R8C25

Information	[Type= continuous] [Format=numeric] [Range= 0-22] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.25 /-] [StdDev=1.064 /-]		

#209 V470: P8A_R8C26

Information	[Type= continuous] [Format=numeric] [Range= 0-24] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.162 /-] [StdDev=0.778 /-]		

#210 V471: P8A_R9C1

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]		
-------------	--	--	--

File Part 8A1 (cont.)

#210 V471: P8A_R9C1 (cont.)

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10080	99.8%
1		14	0.1%
3		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#211 V472: P8A_R9C2

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10086	99.9%
1		10	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#212 V473: P8A_R9C3

Information [Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10012	99.2%
1		75	0.7%
2		5	0.0%
3		3	0.0%
5		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#213 V474: P8A_R9C4

Information [Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10025	99.3%
1		56	0.6%
2		8	0.1%
3		5	0.0%
4		1	0.0%
5		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 8A1 (cont.)**#214 V475: P8A_R9C5**

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10076	99.8%
1		16	0.2%
2		2	0.0%
5		1	0.0%
8		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#215 V476: P8A_R9C6

Information [Type= discrete] [Format=numeric] [Range= 0-10] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10081	99.9%
1		12	0.1%
2		2	0.0%
10		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#216 V477: P8A_R9C7

Information [Type= discrete] [Format=numeric] [Range= 0-16] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9814	97.2%
1		187	1.9%
2		42	0.4%
3		28	0.3%
4		13	0.1%
5		4	0.0%
6		2	0.0%
7		2	0.0%
8		2	0.0%
13		1	0.0%
16		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 8A1 (cont.)**#217 V478: P8A_R9C8**

Information [Type= discrete] [Format=numeric] [Range= 0-19] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9828	97.3%
1		182	1.8%
2		41	0.4%
3		13	0.1%
4		10	0.1%
5		5	0.0%
6		3	0.0%
7		4	0.0%
8		1	0.0%
9		4	0.0%
10		2	0.0%
14		1	0.0%
16		1	0.0%
19		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#218 V479: P8A_R9C9

Information [Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9924	98.3%
1		140	1.4%
2		24	0.2%
3		6	0.1%
4		1	0.0%
5		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#219 V480: P8A_R9C10

Information [Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10026	99.3%
1		64	0.6%

File Part 8A1 (cont.)

#219 V480: P8A_R9C10 (cont.)

Value (cont.)	Label	Cases	Percentage
2		4	0.0%
3		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#220 V481: P8A_R9C11

Information	[Type= discrete] [Format=numeric] [Range= 0-10] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9885	97.9%
1		102	1.0%
2		52	0.5%
3		30	0.3%
4		10	0.1%
5		9	0.1%
6		3	0.0%
7		2	0.0%
8		1	0.0%
9		1	0.0%
10		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#221 V482: P8A_R9C12

Information	[Type= discrete] [Format=numeric] [Range= 0-13] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9970	98.8%
1		77	0.8%
2		28	0.3%
3		5	0.0%
4		12	0.1%
5		2	0.0%
6		1	0.0%
13		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 8A1 (cont.)

#222 V483: P8A_R9C13

Information	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9958	98.6%
1		107	1.1%
2		18	0.2%
3		4	0.0%
4		5	0.0%
6		2	0.0%
7		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#223 V484: P8A_R9C14

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10007	99.1%
1		74	0.7%
2		10	0.1%
3		4	0.0%
5		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#224 V485: P8A_R9C15

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9998	99.0%
1		90	0.9%
2		8	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#225 V486: P8A_R9C16

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]

File Part 8A1 (cont.)

#225 V486: P8A_R9C16 (cont.)

Value	Label	Cases	Percentage
0		10015	99.2%
1		75	0.7%
2		5	0.0%
3		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#226 V487: P8A_R9C17

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10054	99.6%
1		39	0.4%
2		3	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#227 V488: P8A_R9C18

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10064	99.7%
1		29	0.3%
2		3	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#228 V489: P8A_R9C19

Information	[Type= discrete] [Format=numeric] [Range= 0-12] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10007	99.1%
1		51	0.5%
2		21	0.2%
3		6	0.1%
4		5	0.0%
5		1	0.0%
6		1	0.0%
7		2	0.0%

File Part 8A1 (cont.)

#228 V489: P8A_R9C19 (cont.)

Value (cont.)	Label	Cases	Percentage
8		1	0.0%
12		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#229 V490: P8A_R9C20

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10064	99.7%
1		25	0.2%
2		5	0.0%
3		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#230 V491: P8A_R9C21

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10009	99.1%
1		74	0.7%
2		9	0.1%
3		2	0.0%
4		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#231 V492: P8A_R9C22

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10052	99.6%
1		35	0.3%
2		6	0.1%
3		2	0.0%
4		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 8A1 (cont.)**#232 V493: P8A_R9C23**

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10043	99.5%
1		36	0.4%
2		9	0.1%
3		3	0.0%
5		4	0.0%
6		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#233 V494: P8A_R9C24

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10065	99.7%
1		21	0.2%
2		6	0.1%
3		3	0.0%
6		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#234 V495: P8A_R9C25

Information	[Type= continuous] [Format=numeric] [Range= 0-21] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.201 /-] [StdDev=0.902 /-]

#235 V496: P8A_R9C26

Information	[Type= continuous] [Format=numeric] [Range= 0-23] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.133 /-] [StdDev=0.743 /-]

#236 V497: P8A_R10C1

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10080	99.8%

File Part 8A1 (cont.)

#236 V497: P8A_R10C1 (cont.)

Value (cont.)	Label	Cases	Percentage
1		13	0.1%
3		3	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#237 V498: P8A_R10C2

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10087	99.9%
1		7	0.1%
2		1	0.0%
3		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#238 V499: P8A_R10C3

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10031	99.4%
1		56	0.6%
2		7	0.1%
3		1	0.0%
4		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#239 V500: P8A_R10C4

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10045	99.5%
1		45	0.4%
2		4	0.0%
3		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 8A1 (cont.)**#240 V501: P8A_R10C5**

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10074	99.8%
1		17	0.2%
2		1	0.0%
3		2	0.0%
5		1	0.0%
8		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#241 V502: P8A_R10C6

Information [Type= discrete] [Format=numeric] [Range= 0-16] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10083	99.9%
1		9	0.1%
2		3	0.0%
16		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#242 V503: P8A_R10C7

Information [Type= discrete] [Format=numeric] [Range= 0-12] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9875	97.8%
1		136	1.3%
2		44	0.4%
3		22	0.2%
4		4	0.0%
5		6	0.1%
6		3	0.0%
7		3	0.0%
9		2	0.0%
12		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 8A1 (cont.)**#243 V504: P8A_R10C8**

Information	[Type= continuous] [Format=numeric] [Range= 0-23] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.0441 /-] [StdDev=0.447 /-]

#244 V505: P8A_R10C9

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9951	98.6%
1		122	1.2%
2		17	0.2%
3		4	0.0%
4		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#245 V506: P8A_R10C10

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10043	99.5%
1		47	0.5%
2		5	0.0%
3		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#246 V507: P8A_R10C11

Information	[Type= discrete] [Format=numeric] [Range= 0-19] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9958	98.6%
1		76	0.8%
2		25	0.2%
3		19	0.2%
4		6	0.1%
5		4	0.0%
6		1	0.0%
8		2	0.0%

File Part 8A1 (cont.)

#246 V507: P8A_R10C11 (cont.)

Value (cont.)	Label	Cases	Percentage
9		1	0.0%
10		1	0.0%
12		1	0.0%
19		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#247 V508: P8A_R10C12

Information	[Type= discrete] [Format=numeric] [Range= 0-12] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10005	99.1%
1		52	0.5%
2		16	0.2%
3		10	0.1%
4		3	0.0%
5		4	0.0%
6		2	0.0%
8		2	0.0%
10		1	0.0%
12		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#248 V509: P8A_R10C13

Information	[Type= discrete] [Format=numeric] [Range= 0-10] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9992	99.0%
1		77	0.8%
2		15	0.1%
3		7	0.1%
4		3	0.0%
5		1	0.0%
10		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 8A1 (cont.)**#249 V510: P8A_R10C14**

Information [Type= discrete] [Format=numeric] [Range= 0-12] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10022	99.3%
1		59	0.6%
2		8	0.1%
3		4	0.0%
4		1	0.0%
5		1	0.0%
12		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#250 V511: P8A_R10C15

Information [Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9987	98.9%
1		100	1.0%
2		7	0.1%
3		1	0.0%
5		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#251 V512: P8A_R10C16

Information [Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10037	99.4%
1		54	0.5%
2		4	0.0%
7		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#252 V513: P8A_R10C17

Information [Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

File Part 8A1 (cont.)

#252 V513: P8A_R10C17 (cont.)

Value	Label	Cases	Percentage
0		10063	99.7%
1		31	0.3%
2		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#253 V514: P8A_R10C18

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10068	99.7%
1		27	0.3%
2		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#254 V515: P8A_R10C19

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10030	99.3%
1		46	0.5%
2		9	0.1%
3		5	0.0%
4		4	0.0%
6		1	0.0%
8		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#255 V516: P8A_R10C20

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10063	99.7%
1		29	0.3%
2		2	0.0%
3		1	0.0%
4		1	0.0%

File Part 8A1 (cont.)**#255 V516: P8A_R10C20 (cont.)**

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#256 V517: P8A_R10C21

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10044	99.5%
1		42	0.4%
2		5	0.0%
3		3	0.0%
5		1	0.0%
9		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#257 V518: P8A_R10C22

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10071	99.8%
1		21	0.2%
2		2	0.0%
3		1	0.0%
8		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#258 V519: P8A_R10C23

Information	[Type= discrete] [Format=numeric] [Range= 0-11] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10060	99.6%
1		23	0.2%
2		9	0.1%
3		2	0.0%
9		1	0.0%
11		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 8A1 (cont.)**#259 V520: P8A_R10C24**

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10074	99.8%
1		16	0.2%
2		3	0.0%
3		1	0.0%
4		1	0.0%
6		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#260 V521: P8A_R10C25

Information	[Type= continuous] [Format=numeric] [Range= 0-41] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.158 /-] [StdDev=0.911 /-]

#261 V522: P8A_R10C26

Information	[Type= continuous] [Format=numeric] [Range= 0-39] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.111 /-] [StdDev=0.793 /-]

File Part 8A2**#1 V236: SCID_03**

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]

#2 V237: P8A_R11C1

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10087	99.9%
1		7	0.1%
2		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 8A2 (cont.)**#3 V238: P8A_R11C2**

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10086	99.9%
1		9	0.1%
3		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#4 V239: P8A_R11C3

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10036	99.4%
1		53	0.5%
2		4	0.0%
3		2	0.0%
4		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#5 V240: P8A_R11C4

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10044	99.5%
1		43	0.4%
2		7	0.1%
3		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#6 V241: P8A_R11C5

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10086	99.9%
1		5	0.0%
2		3	0.0%

File Part 8A2 (cont.)**#6 V241: P8A_R11C5 (cont.)**

Value (cont.)	Label	Cases	Percentage
4		1	0.0%
6		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#7 V242: P8A_R11C6

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10082	99.9%
1		8	0.1%
2		1	0.0%
3		2	0.0%
4		2	0.0%
5		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#8 V243: P8A_R11C7

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9896	98.0%
1		124	1.2%
2		44	0.4%
3		9	0.1%
4		12	0.1%
5		3	0.0%
6		4	0.0%
7		2	0.0%
8		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#9 V244: P8A_R11C8

Information	[Type= discrete] [Format=numeric] [Range= 0-18] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9853	97.6%

File Part 8A2 (cont.)

#9 V244: P8A_R11C8 (cont.)

Value (cont.)	Label	Cases	Percentage
1		150	1.5%
2		48	0.5%
3		17	0.2%
4		7	0.1%
5		6	0.1%
6		3	0.0%
7		3	0.0%
8		1	0.0%
9		2	0.0%
10		1	0.0%
12		2	0.0%
14		1	0.0%
17		1	0.0%
18		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#10 V245: P8A_R11C9

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9978	98.8%
1		108	1.1%
2		7	0.1%
3		1	0.0%
4		1	0.0%
5		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#11 V246: P8A_R11C10

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10055	99.6%
1		38	0.4%
2		3	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 8A2 (cont.)**#12 V247: P8A_R11C11**

Information [Type= discrete] [Format=numeric] [Range= 0-10] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9991	99.0%
1		64	0.6%
2		14	0.1%
3		12	0.1%
4		2	0.0%
5		6	0.1%
6		2	0.0%
7		1	0.0%
8		1	0.0%
9		2	0.0%
10		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#13 V248: P8A_R11C12

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10029	99.3%
1		41	0.4%
2		13	0.1%
3		5	0.0%
4		2	0.0%
5		2	0.0%
6		2	0.0%
7		1	0.0%
8		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#14 V249: P8A_R11C13

Information [Type= discrete] [Format=numeric] [Range= 0-10] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10018	99.2%
1		58	0.6%

File Part 8A2 (cont.)**#14 V249: P8A_R11C13 (cont.)**

Value (cont.)	Label	Cases	Percentage
2		12	0.1%
3		4	0.0%
4		2	0.0%
5		1	0.0%
10		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#15 V250: P8A_R11C14

Information	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10043	99.5%
1		40	0.4%
2		8	0.1%
3		2	0.0%
4		2	0.0%
7		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#16 V251: P8A_R11C15

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9986	98.9%
1		106	1.0%
2		3	0.0%
4		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#17 V252: P8A_R11C16

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10038	99.4%
1		52	0.5%
2		4	0.0%

File Part 8A2 (cont.)**#17 V252: P8A_R11C16 (cont.)**

Value (cont.)	Label	Cases	Percentage
3		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#18 V253: P8A_R11C17

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10073	99.8%
1		23	0.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#19 V254: P8A_R11C18

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10063	99.7%
1		32	0.3%
2		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#20 V255: P8A_R11C19

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10042	99.5%
1		34	0.3%
2		6	0.1%
3		7	0.1%
4		4	0.0%
5		2	0.0%
6		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#21 V256: P8A_R11C20

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]		
-------------	--	--	--

File Part 8A2 (cont.)

#21 V256: P8A_R11C20 (cont.)

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10074	99.8%
1		17	0.2%
2		3	0.0%
4		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#22 V257: P8A_R11C21

Information [Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10055	99.6%
1		31	0.3%
2		6	0.1%
3		2	0.0%
4		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#23 V258: P8A_R11C22

Information [Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10073	99.8%
1		16	0.2%
2		5	0.0%
3		1	0.0%
6		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#24 V259: P8A_R11C23

Information [Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10062	99.7%
1		22	0.2%

File Part 8A2 (cont.)

#24 V259: P8A_R11C23 (cont.)

Value (cont.)	Label	Cases	Percentage
2		7	0.1%
3		3	0.0%
4		1	0.0%
7		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#25 V260: P8A_R11C24

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10073	99.8%
1		18	0.2%
2		3	0.0%
3		1	0.0%
5		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#26 V261: P8A_R11C25

Information	[Type= discrete] [Format=numeric] [Range= 0-17] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9429	93.4%
1		443	4.4%
2		102	1.0%
3		39	0.4%
4		29	0.3%
5		12	0.1%
6		14	0.1%
7		11	0.1%
8		6	0.1%
9		2	0.0%
10		2	0.0%
11		2	0.0%
13		1	0.0%
14		2	0.0%
15		1	0.0%
17		1	0.0%

File Part 8A2 (cont.)**#26 V261: P8A_R11C25 (cont.)**

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#27 V262: P8A_R11C26

Information	[Type= discrete] [Format=numeric] [Range= 0-20] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9548	94.6%
1		362	3.6%
2		89	0.9%
3		39	0.4%
4		21	0.2%
5		7	0.1%
6		11	0.1%
7		2	0.0%
8		5	0.0%
9		2	0.0%
10		2	0.0%
11		1	0.0%
12		1	0.0%
13		2	0.0%
15		1	0.0%
17		1	0.0%
18		1	0.0%
20		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#28 V263: P8A_R12C1

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#29 V264: P8A_R12C2

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		

File Part 8A2 (cont.)

#29 V264: P8A_R12C2 (cont.)

Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#30 V265: P8A_R12C3

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10095	100.0%
1		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#31 V266: P8A_R12C4

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10094	100.0%
1		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#32 V267: P8A_R12C5

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10093	100.0%
1		1	0.0%
2		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#33 V268: P8A_R12C6

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 8A2 (cont.)**#34 V269: P8A_R12C7**

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10083	99.9%
1		8	0.1%
2		3	0.0%
4		1	0.0%
5		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#35 V270: P8A_R12C8

Information	[Type= discrete] [Format=numeric] [Range= 0-19] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10082	99.9%
1		8	0.1%
2		1	0.0%
3		2	0.0%
8		1	0.0%
13		1	0.0%
19		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#36 V271: P8A_R12C9

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10093	100.0%
1		3	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#37 V272: P8A_R12C10

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10096	100.0%

File Part 8A2 (cont.)**#37 V272: P8A_R12C10 (cont.)**

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#38 V273: P8A_R12C11

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#39 V274: P8A_R12C12

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#40 V275: P8A_R12C13

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#41 V276: P8A_R12C14

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#42 V277: P8A_R12C15

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10095	100.0%

File Part 8A2 (cont.)**#42 V277: P8A_R12C15 (cont.)**

Value (cont.)	Label	Cases	Percentage
1		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#43 V278: P8A_R12C16

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10095	100.0%
1		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#44 V279: P8A_R12C17

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#45 V280: P8A_R12C18

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#46 V281: P8A_R12C19

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10094	100.0%
2		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 8A2 (cont.)**#47 V282: P8A_R12C20**

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10094	100.0%
1		1	0.0%
2		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#48 V283: P8A_R12C21

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#49 V284: P8A_R12C22

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#50 V285: P8A_R12C23

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10095	100.0%
1		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#51 V286: P8A_R12C24

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10096	100.0%

File Part 8A2 (cont.)**#51 V286: P8A_R12C24 (cont.)**

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#52 V287: P8A_R12C25

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10073	99.8%
1		14	0.1%
2		7	0.1%
5		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#53 V288: P8A_R12C26

Information	[Type= discrete] [Format=numeric] [Range= 0-20] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10078	99.8%
1		11	0.1%
2		2	0.0%
3		2	0.0%
8		1	0.0%
13		1	0.0%
20		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#54 V289: P8A_R13C1

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#55 V290: P8A_R13C2

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		

File Part 8A2 (cont.)

#55 V290: P8A_R13C2 (cont.)

Value	Label	Cases	Percentage
0		10093	100.0%
1		3	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#56 V291: P8A_R13C3

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10091	100.0%
1		5	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#57 V292: P8A_R13C4

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10086	99.9%
1		9	0.1%
4		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#58 V293: P8A_R13C5

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10091	100.0%
1		1	0.0%
2		3	0.0%
5		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#59 V294: P8A_R13C6

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]

File Part 8A2 (cont.)**#59 V294: P8A_R13C6 (cont.)**

Value	Label	Cases	Percentage
0		10091	100.0%
1		3	0.0%
2		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#60 V295: P8A_R13C7

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10067	99.7%
1		22	0.2%
2		4	0.0%
3		2	0.0%
4		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#61 V296: P8A_R13C8

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10048	99.5%
1		31	0.3%
2		9	0.1%
3		2	0.0%
4		2	0.0%
5		3	0.0%
8		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#62 V297: P8A_R13C9

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10090	99.9%
1		5	0.0%
2		1	0.0%

File Part 8A2 (cont.)**#62 V297: P8A_R13C9 (cont.)**

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#63 V298: P8A_R13C10

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10093	100.0%
1		3	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#64 V299: P8A_R13C11

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10093	100.0%
1		2	0.0%
9		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#65 V300: P8A_R13C12

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10095	100.0%
4		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#66 V301: P8A_R13C13

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10095	100.0%
1		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 8A2 (cont.)**#67 V302: P8A_R13C14**

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#68 V303: P8A_R13C15

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10090	99.9%
1		6	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#69 V304: P8A_R13C16

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10078	99.8%
1		17	0.2%
2		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#70 V305: P8A_R13C17

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10095	100.0%
1		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#71 V306: P8A_R13C18

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]

File Part 8A2 (cont.)**#71 V306: P8A_R13C18 (cont.)**

Value	Label	Cases	Percentage
0		10094	100.0%
1		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#72 V307: P8A_R13C19

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10091	100.0%
1		4	0.0%
3		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#73 V308: P8A_R13C20

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10094	100.0%
1		1	0.0%
2		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#74 V309: P8A_R13C21

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10094	100.0%
2		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#75 V310: P8A_R13C22

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]

File Part 8A2 (cont.)

#75 V310: P8A_R13C22 (cont.)

Value	Label	Cases	Percentage
0		10092	100.0%
1		3	0.0%
2		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#76 V311: P8A_R13C23

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10095	100.0%
1		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#77 V312: P8A_R13C24

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10094	100.0%
1		1	0.0%
2		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#78 V313: P8A_R13C25

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10040	99.4%
1		36	0.4%
2		11	0.1%
3		5	0.0%
4		2	0.0%
5		1	0.0%
9		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 8A2 (cont.)**#79 V314: P8A_R13C26**

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10004	99.1%
1		63	0.6%
2		17	0.2%
3		4	0.0%
4		4	0.0%
5		3	0.0%
8		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#80 V315: P8A_R14C1

Information [Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#81 V316: P8A_R14C2

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10095	100.0%
1		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#82 V317: P8A_R14C3

Information [Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#83 V318: P8A_R14C4

Information [Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]

File Part 8A2 (cont.)**#83 V318: P8A_R14C4 (cont.)**

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#84 V319: P8A_R14C5

Information [Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10094	100.0%
1		1	0.0%
2		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#85 V320: P8A_R14C6

Information [Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#86 V321: P8A_R14C7

Information [Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10070	99.7%
1		10	0.1%
2		11	0.1%
3		3	0.0%
6		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#87 V322: P8A_R14C8

Information [Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

File Part 8A2 (cont.)**#87 V322: P8A_R14C8 (cont.)**

Value	Label	Cases	Percentage
0		10073	99.8%
1		17	0.2%
2		2	0.0%
4		1	0.0%
6		2	0.0%
7		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#88 V323: P8A_R14C9

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10093	100.0%
1		3	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#89 V324: P8A_R14C10

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#90 V325: P8A_R14C11

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#91 V326: P8A_R14C12

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]

File Part 8A2 (cont.)**#91 V326: P8A_R14C12 (cont.)**

Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#92 V327: P8A_R14C13

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10095	100.0%
1		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#93 V328: P8A_R14C14

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#94 V329: P8A_R14C15

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10090	99.9%
1		6	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#95 V330: P8A_R14C16

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 8A2 (cont.)**#96 V331: P8A_R14C17**

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#97 V332: P8A_R14C18

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#98 V333: P8A_R14C19

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10094	100.0%
2		1	0.0%
3		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#99 V334: P8A_R14C20

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10094	100.0%
1		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#100 V335: P8A_R14C21

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10095	100.0%

File Part 8A2 (cont.)

#100 V335: P8A_R14C21 (cont.)

Value (cont.)	Label	Cases	Percentage
1		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#101 V336: P8A_R14C22

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10095	100.0%
1		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#102 V337: P8A_R14C23

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#103 V338: P8A_R14C24

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#104 V339: P8A_R14C25

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10062	99.7%
1		14	0.1%
2		11	0.1%
3		4	0.0%
4		3	0.0%

File Part 8A2 (cont.)

#104 V339: P8A_R14C25 (cont.)

Value (cont.)	Label	Cases	Percentage
6		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#105 V340: P8A_R14C26

Information	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10070	99.7%
1		19	0.2%
2		3	0.0%
4		1	0.0%
6		2	0.0%
7		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#106 V341: P8A_R15C1

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#107 V342: P8A_R15C2

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#108 V343: P8A_R15C3

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10095	100.0%

File Part 8A2 (cont.)

#108 V343: P8A_R15C3 (cont.)

Value (cont.)	Label	Cases	Percentage
1		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#109 V344: P8A_R15C4

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#110 V345: P8A_R15C5

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10095	100.0%
2		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#111 V346: P8A_R15C6

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#112 V347: P8A_R15C7

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10080	99.8%
1		6	0.1%
2		6	0.1%
3		3	0.0%
4		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 8A2 (cont.)**#113 V348: P8A_R15C8**

Information	[Type= continuous] [Format=numeric] [Range= 0-27] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.00555 /-] [StdDev=0.291 /-]

#114 V349: P8A_R15C9

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10094	100.0%
1		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#115 V350: P8A_R15C10

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#116 V351: P8A_R15C11

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#117 V352: P8A_R15C12

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#118 V353: P8A_R15C13

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]		
-------------	--	--	--

File Part 8A2 (cont.)**#118 V353: P8A_R15C13 (cont.)**

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#119 V354: P8A_R15C14

Information [Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#120 V355: P8A_R15C15

Information [Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#121 V356: P8A_R15C16

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10095	100.0%
1		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#122 V357: P8A_R15C17

Information [Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 8A2 (cont.)**#123 V358: P8A_R15C18**

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10094	100.0%
1		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#124 V359: P8A_R15C19

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10094	100.0%
1		1	0.0%
2		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#125 V360: P8A_R15C20

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#126 V361: P8A_R15C21

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#127 V362: P8A_R15C22

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10096	100.0%

File Part 8A2 (cont.)**#127 V362: P8A_R15C22 (cont.)**

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#128 V363: P8A_R15C23

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#129 V364: P8A_R15C24

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#130 V365: P8A_R15C25

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10075	99.8%
1		9	0.1%
2		8	0.1%
3		2	0.0%
4		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#131 V366: P8A_R15C26

Information	[Type= continuous] [Format=numeric] [Range= 0-27] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.00584 /-] [StdDev=0.292 /-]		

#132 V367: P8A_R16C1

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		

File Part 8A2 (cont.)

#132 V367: P8A_R16C1 (cont.)

Value	Label	Cases	Percentage
0		10095	100.0%
1		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#133 V368: P8A_R16C2

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10095	100.0%
1		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#134 V369: P8A_R16C3

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10091	100.0%
1		4	0.0%
2		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#135 V370: P8A_R16C4

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10092	100.0%
1		3	0.0%
2		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#136 V371: P8A_R16C5

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]

File Part 8A2 (cont.)

#136 V371: P8A_R16C5 (cont.)

Value	Label	Cases	Percentage
0		10091	100.0%
1		2	0.0%
2		2	0.0%
3		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#137 V372: P8A_R16C6

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10091	100.0%
1		3	0.0%
3		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#138 V373: P8A_R16C7

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10058	99.6%
1		30	0.3%
2		3	0.0%
3		3	0.0%
4		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#139 V374: P8A_R16C8

Information	[Type= discrete] [Format=numeric] [Range= 0-10] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10049	99.5%
1		21	0.2%
2		10	0.1%
3		6	0.1%
4		3	0.0%
5		4	0.0%

File Part 8A2 (cont.)

#139 V374: P8A_R16C8 (cont.)

Value (cont.)	Label	Cases	Percentage
6		1	0.0%
7		1	0.0%
10		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#140 V375: P8A_R16C9

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10090	99.9%
1		6	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#141 V376: P8A_R16C10

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10094	100.0%
1		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#142 V377: P8A_R16C11

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#143 V378: P8A_R16C12

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 8A2 (cont.)**#144 V379: P8A_R16C13**

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10095	100.0%
1		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#145 V380: P8A_R16C14

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10095	100.0%
1		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#146 V381: P8A_R16C15

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10085	99.9%
1		10	0.1%
2		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#147 V382: P8A_R16C16

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10087	99.9%
1		9	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#148 V383: P8A_R16C17

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]

File Part 8A2 (cont.)

#148 V383: P8A_R16C17 (cont.)

Value	Label	Cases	Percentage
0		10093	100.0%
1		3	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#149 V384: P8A_R16C18

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#150 V385: P8A_R16C19

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10086	99.9%
1		5	0.0%
2		3	0.0%
3		1	0.0%
5		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#151 V386: P8A_R16C20

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10093	100.0%
1		3	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#152 V387: P8A_R16C21

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]

File Part 8A2 (cont.)

#152 V387: P8A_R16C21 (cont.)

Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#153 V388: P8A_R16C22

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#154 V389: P8A_R16C23

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10093	100.0%
1		2	0.0%
3		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#155 V390: P8A_R16C24

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10094	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#156 V391: P8A_R16C25

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10026	99.3%
1		49	0.5%
2		8	0.1%

File Part 8A2 (cont.)

#156 V391: P8A_R16C25 (cont.)

Value (cont.)	Label	Cases	Percentage
3		6	0.1%
4		5	0.0%
6		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#157 V392: P8A_R16C26

Information	[Type= discrete] [Format=numeric] [Range= 0-10] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10030	99.3%
1		35	0.3%
2		12	0.1%
3		6	0.1%
4		5	0.0%
5		4	0.0%
6		2	0.0%
7		1	0.0%
10		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#158 V393: P8A_R17C1

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10095	100.0%
1		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#159 V394: P8A_R17C2

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 8A2 (cont.)**#160 V395: P8A_R17C3**

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10093	100.0%
1		3	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#161 V396: P8A_R17C4

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10091	100.0%
1		5	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#162 V397: P8A_R17C5

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10093	100.0%
1		2	0.0%
2		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#163 V398: P8A_R17C6

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10096	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#164 V399: P8A_R17C7

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]

File Part 8A2 (cont.)

#164 V399: P8A_R17C7 (cont.)

Value	Label	Cases	Percentage
0		10074	99.8%
1		12	0.1%
2		6	0.1%
3		2	0.0%
4		1	0.0%
8		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#165 V400: P8A_R17C8

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10067	99.7%
1		19	0.2%
2		5	0.0%
3		2	0.0%
5		2	0.0%
8		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#166 V401: P8A_R17C9

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10089	99.9%
1		6	0.1%
2		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#167 V402: P8A_R17C10

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10094	100.0%
1		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 8A2 (cont.)**#168 V403: P8A_R17C11**

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#169 V404: P8A_R17C12

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#170 V405: P8A_R17C13

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#171 V406: P8A_R17C14

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#172 V407: P8A_R17C15

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10093	100.0%
1		3	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 8A2 (cont.)**#173 V408: P8A_R17C16**

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10093	100.0%
1		3	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#174 V409: P8A_R17C17

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10095	100.0%
1		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#175 V410: P8A_R17C18

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#176 V411: P8A_R17C19

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10094	100.0%
1		1	0.0%
2		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#177 V412: P8A_R17C20

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]

File Part 8A2 (cont.)

#177 V412: P8A_R17C20 (cont.)

Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#178 V413: P8A_R17C21

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10095	100.0%
1		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#179 V414: P8A_R17C22

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10095	100.0%
1		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#180 V415: P8A_R17C23

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#181 V416: P8A_R17C24

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10095	100.0%
1		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 8A2 (cont.)**#182 V417: P8A_R17C25**

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10059	99.6%
1		23	0.2%
2		9	0.1%
3		1	0.0%
4		1	0.0%
5		2	0.0%
8		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#183 V418: P8A_R17C26

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10057	99.6%
1		27	0.3%
2		7	0.1%
3		2	0.0%
5		2	0.0%
8		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#184 V419: P8A_R18C1

Information [Type= discrete] [Format=numeric] [Range= 0-12] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9999	99.0%
1		44	0.4%
2		16	0.2%
3		6	0.1%
4		11	0.1%
5		6	0.1%
6		2	0.0%
7		3	0.0%
8		4	0.0%

File Part 8A2 (cont.)

#184 V419: P8A_R18C1 (cont.)

Value (cont.)	Label	Cases	Percentage
10		2	0.0%
11		2	0.0%
12		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#185 V420: P8A_R18C2

Information	[Type= discrete] [Format=numeric] [Range= 0-19] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10012	99.2%
1		32	0.3%
2		18	0.2%
3		13	0.1%
4		5	0.0%
5		4	0.0%
6		5	0.0%
7		1	0.0%
8		1	0.0%
9		1	0.0%
11		1	0.0%
12		1	0.0%
13		1	0.0%
19		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#186 V421: P8A_R18C3

Information	[Type= discrete] [Format=numeric] [Range= 0-11] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10012	99.2%
1		44	0.4%
2		18	0.2%
3		6	0.1%
4		5	0.0%
5		3	0.0%
6		3	0.0%
7		1	0.0%

File Part 8A2 (cont.)

#186 V421: P8A_R18C3 (cont.)

Value (cont.)	Label	Cases	Percentage
8		2	0.0%
11		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#187 V422: P8A_R18C4

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10021	99.3%
1		38	0.4%
2		14	0.1%
3		9	0.1%
4		5	0.0%
5		2	0.0%
6		4	0.0%
7		1	0.0%
9		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#188 V423: P8A_R18C5

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10087	99.9%
1		8	0.1%
2		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#189 V424: P8A_R18C6

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10091	100.0%
1		3	0.0%
2		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 8A2 (cont.)**#190 V425: P8A_R18C7**

Information [Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10053	99.6%
1		29	0.3%
2		11	0.1%
3		2	0.0%
4		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#191 V426: P8A_R18C8

Information [Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10062	99.7%
1		25	0.2%
2		6	0.1%
3		3	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#192 V427: P8A_R18C9

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9975	98.8%
1		67	0.7%
2		32	0.3%
3		9	0.1%
4		6	0.1%
5		3	0.0%
6		1	0.0%
7		1	0.0%
8		1	0.0%
9		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 8A2 (cont.)**#193 V428: P8A_R18C10**

Information [Type= discrete] [Format=numeric] [Range= 0-10] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10028	99.3%
1		41	0.4%
2		17	0.2%
3		6	0.1%
5		1	0.0%
7		1	0.0%
8		1	0.0%
10		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#194 V429: P8A_R18C11

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10057	99.6%
1		15	0.1%
2		9	0.1%
3		5	0.0%
4		4	0.0%
5		2	0.0%
6		3	0.0%
8		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#195 V430: P8A_R18C12

Information [Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10061	99.7%
1		22	0.2%
2		9	0.1%
3		1	0.0%
4		3	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 8A2 (cont.)**#196 V431: P8A_R18C13**

Information	[Type= continuous] [Format=numeric] [Range= 0-30] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.111 /-] [StdDev=0.896 /-]

#197 V432: P8A_R18C14

Information	[Type= discrete] [Format=numeric] [Range= 0-20] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9857	97.6%
1		70	0.7%
2		61	0.6%
3		36	0.4%
4		24	0.2%
5		16	0.2%
6		10	0.1%
7		8	0.1%
8		5	0.0%
9		3	0.0%
10		4	0.0%
15		1	0.0%
20		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#198 V433: P8A_R18C15

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10047	99.5%
1		36	0.4%
2		12	0.1%
3		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#199 V434: P8A_R18C16

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]

File Part 8A2 (cont.)

#199 V434: P8A_R18C16 (cont.)

Value	Label	Cases	Percentage
0		10073	99.8%
1		18	0.2%
2		4	0.0%
3		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#200 V435: P8A_R18C17

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10070	99.7%
1		20	0.2%
2		6	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#201 V436: P8A_R18C18

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10082	99.9%
1		11	0.1%
2		3	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#202 V437: P8A_R18C19

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10038	99.4%
1		37	0.4%
2		15	0.1%
3		4	0.0%
4		1	0.0%
5		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 8A2 (cont.)**#203 V438: P8A_R18C20**

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10055	99.6%
1		30	0.3%
2		8	0.1%
3		2	0.0%
5		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#204 V439: P8A_R18C21

Information	[Type= continuous] [Format=numeric] [Range= 0-28] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.0699 /-] [StdDev=0.671 /-]

#205 V440: P8A_R18C22

Information	[Type= discrete] [Format=numeric] [Range= 0-16] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9915	98.2%
1		78	0.8%
2		35	0.3%
3		26	0.3%
4		14	0.1%
5		11	0.1%
6		8	0.1%
7		3	0.0%
8		2	0.0%
12		2	0.0%
14		1	0.0%
16		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#206 V441: P8A_R18C23

Information	[Type= discrete] [Format=numeric] [Range= 0-11] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]

File Part 8A2 (cont.)

#206 V441: P8A_R18C23 (cont.)

Value	Label	Cases	Percentage
0		10067	99.7%
1		9	0.1%
2		2	0.0%
3		2	0.0%
4		10	0.1%
5		2	0.0%
7		1	0.0%
8		1	0.0%
9		1	0.0%
11		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#207 V442: P8A_R18C24

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10069	99.7%
1		12	0.1%
2		2	0.0%
3		6	0.1%
4		3	0.0%
5		1	0.0%
6		1	0.0%
7		1	0.0%
8		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#208 V443: P8A_R18C25

Information	[Type= continuous] [Format=numeric] [Range= 0-33] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.296 /-] [StdDev=1.66 /-]

#209 V444: P8A_R18C26

Information	[Type= continuous] [Format=numeric] [Range= 0-41] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.202 /-] [StdDev=1.24 /-]

File Part 8A2 (cont.)

#210 V445: P8A_R19C1

Information	[Type= continuous] [Format=numeric] [Range= 0-24] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.0583 /-] [StdDev=0.566 /-]

#211 V446: P8A_R19C2

Information	[Type= continuous] [Format=numeric] [Range= 0-33] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.0514 /-] [StdDev=0.562 /-]

#212 V447: P8A_R19C3

Information	[Type= continuous] [Format=numeric] [Range= 0-35] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.157 /-] [StdDev=0.745 /-]

#213 V448: P8A_R19C4

Information	[Type= continuous] [Format=numeric] [Range= 0-34] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.131 /-] [StdDev=0.714 /-]

#214 V449: P8A_R19C5

Information	[Type= continuous] [Format=numeric] [Range= 0-43] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.0334 /-] [StdDev=0.665 /-]

#215 V450: P8A_R19C6

Information	[Type= continuous] [Format=numeric] [Range= 0-39] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.0228 /-] [StdDev=0.52 /-]

#216 V451: P8A_R19C7

Information	[Type= continuous] [Format=numeric] [Range= 0-113] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.474 /-] [StdDev=2.383 /-]

#217 V452: P8A_R19C8

Information	[Type= continuous] [Format=numeric] [Range= 0-134] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.467 /-] [StdDev=2.863 /-]

File Part 8A2 (cont.)

#218 V453: P8A_R19C9

Information	[Type= continuous] [Format=numeric] [Range= 0-24] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.478 /-] [StdDev=1.296 /-]

#219 V454: P8A_R19C10

Information	[Type= discrete] [Format=numeric] [Range= 0-16] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		8657	85.7%
1		1004	9.9%
2		267	2.6%
3		94	0.9%
4		33	0.3%
5		15	0.1%
6		7	0.1%
7		6	0.1%
8		4	0.0%
9		3	0.0%
10		2	0.0%
12		1	0.0%
13		1	0.0%
15		1	0.0%
16		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#220 V455: P8A_R19C11

Information	[Type= continuous] [Format=numeric] [Range= 0-94] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.862 /-] [StdDev=4.088 /-]

#221 V456: P8A_R19C12

Information	[Type= continuous] [Format=numeric] [Range= 0-87] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.516 /-] [StdDev=2.844 /-]

#222 V457: P8A_R19C13

Information	[Type= continuous] [Format=numeric] [Range= 0-86] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.59 /-] [StdDev=2.236 /-]

File Part 8A2 (cont.)**#223 V458: P8A_R19C14**

Information	[Type= continuous] [Format=numeric] [Range= 0-48] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.377 /-] [StdDev=1.474 /-]

#224 V459: P8A_R19C15

Information	[Type= discrete] [Format=numeric] [Range= 0-15] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		8851	87.7%
1		939	9.3%
2		211	2.1%
3		63	0.6%
4		22	0.2%
5		3	0.0%
6		3	0.0%
7		2	0.0%
11		1	0.0%
15		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#225 V460: P8A_R19C16

Information	[Type= discrete] [Format=numeric] [Range= 0-11] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9193	91.1%
1		731	7.2%
2		113	1.1%
3		38	0.4%
4		14	0.1%
5		3	0.0%
6		1	0.0%
7		2	0.0%
11		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#226 V461: P8A_R19C17

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]

File Part 8A2 (cont.)

#226 V461: P8A_R19C17 (cont.)

Value	Label	Cases	Percentage
0		9645	95.5%
1		366	3.6%
2		64	0.6%
3		14	0.1%
4		5	0.0%
5		1	0.0%
9		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#227 V462: P8A_R19C18

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Value	Label	Cases	Percentage
0		9744	96.5%
1		283	2.8%
2		52	0.5%
3		14	0.1%
4		2	0.0%
6		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#228 V463: P8A_R19C19

Information	[Type= continuous] [Format=numeric] [Range= 0-71] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.249 /-] [StdDev=1.544 /-]
--------------------	---

#229 V464: P8A_R19C20

Information	[Type= discrete] [Format=numeric] [Range= 0-17] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]
--------------------	---------------------------------

Value	Label	Cases	Percentage
0		9586	94.9%
1		330	3.3%
2		83	0.8%
3		48	0.5%
4		17	0.2%
5		6	0.1%
6		9	0.1%

File Part 8A2 (cont.)

#229 V464: P8A_R19C20 (cont.)

Value (cont.)	Label	Cases	Percentage
7		5	0.0%
9		2	0.0%
10		2	0.0%
11		2	0.0%
12		4	0.0%
13		1	0.0%
17		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#230 V465: P8A_R19C21

Information	[Type= continuous] [Format=numeric] [Range= 0-45] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.287 /-] [StdDev=1.287 /-]

#231 V466: P8A_R19C22

Information	[Type= continuous] [Format=numeric] [Range= 0-21] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.181 /-] [StdDev=0.845 /-]

#232 V467: P8A_R19C23

Information	[Type= continuous] [Format=numeric] [Range= 0-39] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.125 /-] [StdDev=1.065 /-]

#233 V468: P8A_R19C24

Information	[Type= continuous] [Format=numeric] [Range= 0-41] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.0847 /-] [StdDev=0.818 /-]

#234 V469: P8A_R19C25

Information	[Type= continuous] [Format=numeric] [Range= 0-220] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=3.539 /-] [StdDev=8.905 /-]

#235 V470: P8A_R19C26

Information	[Type= continuous] [Format=numeric] [Range= 0-213] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=2.309 /-] [StdDev=6.588 /-]

File Part 8B

#1 V86: SCID_03

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

#2 V87: P8B_R1C1

Information [Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10070	99.7%
1		19	0.2%
2		4	0.0%
3		2	0.0%
5		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#3 V88: P8B_R1C2

Information [Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10004	99.1%
1		69	0.7%
2		20	0.2%
3		3	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#4 V89: P8B_R1C3

Information [Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9956	98.6%
1		96	1.0%
2		32	0.3%
3		9	0.1%
4		2	0.0%
7		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 8B (cont.)**#5 V90: P8B_R1C4**

Information		[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]	
Statistics [NW/ W]		[Valid=10096 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0		9910	98.2%
1		113	1.1%
2		48	0.5%
3		17	0.2%
4		5	0.0%
5		2	0.0%
6		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#6 V91: P8B_R1C5

Information		[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]	
Statistics [NW/ W]		[Valid=10096 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0		9858	97.6%
1		134	1.3%
2		67	0.7%
3		22	0.2%
4		10	0.1%
5		4	0.0%
6		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#7 V92: P8B_R1C6

Information		[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]	
Statistics [NW/ W]		[Valid=10096 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0		9885	97.9%
1		136	1.3%
2		40	0.4%
3		24	0.2%
4		6	0.1%
5		4	0.0%
6		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 8B (cont.)**#8 V93: P8B_R1C7**

Information [Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9892	98.0%
1		123	1.2%
2		52	0.5%
3		19	0.2%
4		7	0.1%
5		1	0.0%
6		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#9 V94: P8B_R1C8

Information [Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9908	98.1%
1		113	1.1%
2		53	0.5%
3		17	0.2%
4		5	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#10 V95: P8B_R1C9

Information [Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9935	98.4%
1		114	1.1%
2		29	0.3%
3		12	0.1%
4		4	0.0%
6		1	0.0%
7		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 8B (cont.)**#11 V96: P8B_R1C10**

Information [Type= discrete] [Format=numeric] [Range= 0-10] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9937	98.4%
1		113	1.1%
2		31	0.3%
3		11	0.1%
4		2	0.0%
5		1	0.0%
10		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#12 V97: P8B_R1C11

Information [Type= discrete] [Format=numeric] [Range= 0-10] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9977	98.8%
1		80	0.8%
2		26	0.3%
3		9	0.1%
4		2	0.0%
8		1	0.0%
10		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#13 V98: P8B_R1C12

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9995	99.0%
1		73	0.7%
2		23	0.2%
3		1	0.0%
4		2	0.0%
6		1	0.0%
8		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 8B (cont.)**#14 V99: P8B_R1C13**

Information [Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10039	99.4%
1		41	0.4%
2		12	0.1%
3		3	0.0%
4		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#15 V100: P8B_R1C14

Information [Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10056	99.6%
1		36	0.4%
2		4	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#16 V101: P8B_R1C15

Information [Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10080	99.8%
1		10	0.1%
2		5	0.0%
3		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#17 V102: P8B_R1C16

Information [Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10086	99.9%
1		7	0.1%
2		3	0.0%

File Part 8B (cont.)**#17 V102: P8B_R1C16 (cont.)**

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#18 V103: P8B_R1C17

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10083	99.9%
1		12	0.1%
2		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#19 V104: P8B_R1C18

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10095	100.0%
2		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#20 V105: P8B_R1C19

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10091	100.0%
1		5	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#21 V106: P8B_R1C20

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10093	100.0%
1		3	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 8B (cont.)**#22 V107: P8B_R1C21**

Information	[Type= continuous] [Format=numeric] [Range= 0-33] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.296 /-] [StdDev=1.66 /-]

#23 V108: P8B_R2C1

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10074	99.8%
1		14	0.1%
2		6	0.1%
4		1	0.0%
6		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#24 V109: P8B_R2C2

Information	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10018	99.2%
1		63	0.6%
2		11	0.1%
3		2	0.0%
4		1	0.0%
7		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#25 V110: P8B_R2C3

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9973	98.8%
1		82	0.8%
2		30	0.3%
3		10	0.1%
4		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 8B (cont.)**#26 V111: P8B_R2C4**

Information	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9945	98.5%
1		109	1.1%
2		34	0.3%
3		4	0.0%
5		3	0.0%
7		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#27 V112: P8B_R2C5

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9911	98.2%
1		128	1.3%
2		33	0.3%
3		19	0.2%
4		3	0.0%
5		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#28 V113: P8B_R2C6

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9928	98.3%
1		118	1.2%
2		38	0.4%
3		9	0.1%
4		3	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#29 V114: P8B_R2C7

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]

File Part 8B (cont.)**#29 V114: P8B_R2C7 (cont.)**

Value	Label	Cases	Percentage
0		9932	98.4%
1		124	1.2%
2		29	0.3%
3		9	0.1%
5		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#30 V115: P8B_R2C8

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9948	98.5%
1		103	1.0%
2		38	0.4%
3		5	0.0%
4		1	0.0%
5		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#31 V116: P8B_R2C9

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9998	99.0%
1		78	0.8%
2		15	0.1%
3		2	0.0%
4		2	0.0%
5		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#32 V117: P8B_R2C10

Information	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9986	98.9%

File Part 8B (cont.)**#32 V117: P8B_R2C10 (cont.)**

Value (cont.)	Label	Cases	Percentage
1		80	0.8%
2		26	0.3%
3		2	0.0%
6		1	0.0%
7		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#33 V118: P8B_R2C11

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10005	99.1%
1		68	0.7%
2		20	0.2%
3		1	0.0%
5		1	0.0%
6		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#34 V119: P8B_R2C12

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10038	99.4%
1		42	0.4%
2		10	0.1%
3		3	0.0%
4		1	0.0%
5		1	0.0%
6		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#35 V120: P8B_R2C13

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]

File Part 8B (cont.)

#35 V120: P8B_R2C13 (cont.)

Value	Label	Cases	Percentage
0		10060	99.6%
1		32	0.3%
2		2	0.0%
3		1	0.0%
4		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#36 V121: P8B_R2C14

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10080	99.8%
1		13	0.1%
2		1	0.0%
3		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#37 V122: P8B_R2C15

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10081	99.9%
1		13	0.1%
2		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#38 V123: P8B_R2C16

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10085	99.9%
1		10	0.1%
2		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 8B (cont.)**#39 V124: P8B_R2C17**

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10090	99.9%
1		6	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#40 V125: P8B_R2C18

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10092	100.0%
1		4	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#41 V126: P8B_R2C19

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10095	100.0%
1		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#42 V127: P8B_R2C20

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10095	100.0%
1		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#43 V128: P8B_R2C21

Information	[Type= continuous] [Format=numeric] [Range= 0-41] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.202 /-] [StdDev=1.24 /-]

File Part 8B (cont.)**#44 V129: P8B_R3C1**

Information		[Type= discrete] [Format=numeric] [Range= 0-18] [Missing=*]	
Statistics [NW/ W]		[Valid=10096 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0		9881	97.9%
1		149	1.5%
2		37	0.4%
3		15	0.1%
4		6	0.1%
5		2	0.0%
6		3	0.0%
8		1	0.0%
14		1	0.0%
18		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#45 V130: P8B_R3C2

Information		[Type= continuous] [Format=numeric] [Range= 0-23] [Missing=*]
Statistics [NW/ W]		[Valid=10096 /-] [Invalid=0 /-] [Mean=0.219 /-] [StdDev=0.828 /-]

#46 V131: P8B_R3C3

Information		[Type= continuous] [Format=numeric] [Range= 0-25] [Missing=*]
Statistics [NW/ W]		[Valid=10096 /-] [Invalid=0 /-] [Mean=0.287 /-] [StdDev=1.034 /-]

#47 V132: P8B_R3C4

Information		[Type= continuous] [Format=numeric] [Range= 0-67] [Missing=*]
Statistics [NW/ W]		[Valid=10096 /-] [Invalid=0 /-] [Mean=0.347 /-] [StdDev=1.314 /-]

#48 V133: P8B_R3C5

Information		[Type= continuous] [Format=numeric] [Range= 0-36] [Missing=*]
Statistics [NW/ W]		[Valid=10096 /-] [Invalid=0 /-] [Mean=0.361 /-] [StdDev=1.219 /-]

#49 V134: P8B_R3C6

Information		[Type= continuous] [Format=numeric] [Range= 0-31] [Missing=*]
Statistics [NW/ W]		[Valid=10096 /-] [Invalid=0 /-] [Mean=0.372 /-] [StdDev=1.264 /-]

File Part 8B (cont.)**#50 V135: P8B_R3C7**

Information	[Type= continuous] [Format=numeric] [Range= 0-32] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.354 /-] [StdDev=1.293 /-]

#51 V136: P8B_R3C8

Information	[Type= continuous] [Format=numeric] [Range= 0-31] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.317 /-] [StdDev=1.267 /-]

#52 V137: P8B_R3C9

Value	Label	Cases	Percentage
0		8827	87.4%
1		780	7.7%
2		234	2.3%
3		92	0.9%
4		54	0.5%
5		39	0.4%
6		16	0.2%
7		19	0.2%
8		9	0.1%
9		3	0.0%
10		7	0.1%
11		4	0.0%
12		3	0.0%
13		3	0.0%
14		2	0.0%
15		1	0.0%
16		3	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#53 V138: P8B_R3C10

Information	[Type= discrete] [Format=numeric] [Range= 0-20] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		8940	88.5%
1		722	7.2%

File Part 8B (cont.)

#53 V138: P8B_R3C10 (cont.)

Value (cont.)	Label	Cases	Percentage
2		226	2.2%
3		85	0.8%
4		37	0.4%
5		29	0.3%
6		17	0.2%
7		12	0.1%
8		6	0.1%
9		4	0.0%
10		6	0.1%
12		2	0.0%
13		3	0.0%
14		2	0.0%
15		2	0.0%
16		1	0.0%
20		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#54 V139: P8B_R3C11

Information	[Type= continuous] [Format=numeric] [Range= 0-41] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.192 /-] [StdDev=0.952 /-]

#55 V140: P8B_R3C12

Value	Label	Cases	Percentage
0		9319	92.3%
1		533	5.3%
2		124	1.2%
3		45	0.4%
4		25	0.2%
5		15	0.1%
6		16	0.2%
7		8	0.1%
8		3	0.0%
9		3	0.0%
10		1	0.0%
12		1	0.0%

File Part 8B (cont.)

#55 V140: P8B_R3C12 (cont.)

Value (cont.)	Label	Cases	Percentage
16		2	0.0%
17		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#56 V141: P8B_R3C13

Information	[Type= discrete] [Format=numeric] [Range= 0-15] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9662	95.7%
1		309	3.1%
2		78	0.8%
3		23	0.2%
4		7	0.1%
5		9	0.1%
6		1	0.0%
7		2	0.0%
9		1	0.0%
10		1	0.0%
13		1	0.0%
14		1	0.0%
15		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#57 V142: P8B_R3C14

Information	[Type= discrete] [Format=numeric] [Range= 0-15] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9820	97.3%
1		192	1.9%
2		51	0.5%
3		8	0.1%
4		11	0.1%
5		4	0.0%
6		5	0.0%
7		2	0.0%
8		1	0.0%
9		1	0.0%

File Part 8B (cont.)

#57 V142: P8B_R3C14 (cont.)

Value (cont.)	Label	Cases	Percentage
15		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#58 V143: P8B_R3C15

Information	[Type= discrete] [Format=numeric] [Range= 0-16] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9973	98.8%
1		94	0.9%
2		15	0.1%
3		5	0.0%
4		4	0.0%
5		1	0.0%
6		2	0.0%
7		1	0.0%
16		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#59 V144: P8B_R3C16

Information	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10052	99.6%
1		30	0.3%
2		10	0.1%
3		2	0.0%
5		1	0.0%
7		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#60 V145: P8B_R3C17

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10073	99.8%
1		16	0.2%

File Part 8B (cont.)

#60 V145: P8B_R3C17 (cont.)

Value (cont.)	Label	Cases	Percentage
2		4	0.0%
3		1	0.0%
4		1	0.0%
5		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#61 V146: P8B_R3C18

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10086	99.9%
1		5	0.0%
2		3	0.0%
4		1	0.0%
9		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#62 V147: P8B_R3C19

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10091	100.0%
1		3	0.0%
2		1	0.0%
3		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#63 V148: P8B_R3C20

Information	[Type= continuous] [Format=numeric] [Range= 0-47] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.00545 /-] [StdDev=0.469 /-]

#64 V149: P8B_R3C21

Information	[Type= continuous] [Format=numeric] [Range= 0-212] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=3.242 /-] [StdDev=8.611 /-]

File Part 8B (cont.)**#65 V150: P8B_R4C1**

Information [Type= discrete] [Format=numeric] [Range= 0-10] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9945	98.5%
1		121	1.2%
2		21	0.2%
3		4	0.0%
4		1	0.0%
5		1	0.0%
6		2	0.0%
10		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#66 V151: P8B_R4C2

Information [Type= continuous] [Format=numeric] [Range= 0-21] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-] [Mean=0.138 /-] [StdDev=0.61 /-]

#67 V152: P8B_R4C3

Information [Type= discrete] [Format=numeric] [Range= 0-18] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		8964	88.8%
1		772	7.6%
2		200	2.0%
3		70	0.7%
4		31	0.3%
5		25	0.2%
6		11	0.1%
7		10	0.1%
8		3	0.0%
9		3	0.0%
10		3	0.0%
11		1	0.0%
12		1	0.0%
13		1	0.0%
18		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 8B (cont.)**#68 V153: P8B_R4C4**

Information [Type= discrete] [Format=numeric] [Range= 0-16] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		8850	87.7%
1		822	8.1%
2		229	2.3%
3		91	0.9%
4		35	0.3%
5		30	0.3%
6		11	0.1%
7		10	0.1%
8		3	0.0%
9		6	0.1%
10		2	0.0%
11		1	0.0%
12		2	0.0%
13		1	0.0%
14		1	0.0%
15		1	0.0%
16		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#69 V154: P8B_R4C5

Information [Type= discrete] [Format=numeric] [Range= 0-18] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		8752	86.7%
1		879	8.7%
2		254	2.5%
3		96	1.0%
4		39	0.4%
5		25	0.2%
6		18	0.2%
7		7	0.1%
8		6	0.1%
9		4	0.0%
10		5	0.0%
11		3	0.0%
12		2	0.0%

File Part 8B (cont.)

#69 V154: P8B_R4C5 (cont.)

Value (cont.)	Label	Cases	Percentage
13		1	0.0%
16		3	0.0%
17		1	0.0%
18		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#70 V155: P8B_R4C6

Information	[Type= continuous] [Format=numeric] [Range= 0-21] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.227 /-] [StdDev=0.862 /-]

#71 V156: P8B_R4C7

Information	[Type= continuous] [Format=numeric] [Range= 0-22] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.221 /-] [StdDev=0.93 /-]

#72 V157: P8B_R4C8

Information	[Type= discrete] [Format=numeric] [Range= 0-19] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9086	90.0%
1		634	6.3%
2		188	1.9%
3		80	0.8%
4		43	0.4%
5		17	0.2%
6		14	0.1%
7		13	0.1%
8		4	0.0%
9		5	0.0%
10		2	0.0%
12		1	0.0%
13		4	0.0%
14		1	0.0%
16		1	0.0%
17		1	0.0%
18		1	0.0%
19		1	0.0%

File Part 8B (cont.)**#72 V157: P8B_R4C8 (cont.)**

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#73 V158: P8B_R4C9

Information	[Type= discrete] [Format=numeric] [Range= 0-15] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9149	90.6%
1		633	6.3%
2		166	1.6%
3		67	0.7%
4		39	0.4%
5		17	0.2%
6		7	0.1%
7		2	0.0%
8		4	0.0%
9		5	0.0%
10		2	0.0%
11		1	0.0%
13		2	0.0%
14		1	0.0%
15		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#74 V159: P8B_R4C10

Information	[Type= continuous] [Format=numeric] [Range= 0-21] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.15 /-] [StdDev=0.757 /-]		

#75 V160: P8B_R4C11

Information	[Type= continuous] [Format=numeric] [Range= 0-39] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.124 /-] [StdDev=0.811 /-]		

#76 V161: P8B_R4C12

Information	[Type= discrete] [Format=numeric] [Range= 0-20] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9474	93.8%

File Part 8B (cont.)

#76 V161: P8B_R4C12 (cont.)

Value (cont.)	Label	Cases	Percentage
1		427	4.2%
2		111	1.1%
3		41	0.4%
4		14	0.1%
5		6	0.1%
6		7	0.1%
7		3	0.0%
8		2	0.0%
9		2	0.0%
10		1	0.0%
11		2	0.0%
13		2	0.0%
15		2	0.0%
17		1	0.0%
20		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#77 V162: P8B_R4C13

Information	[Type= continuous] [Format=numeric] [Range= 0-25] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.0546 /-] [StdDev=0.511 /-]

#78 V163: P8B_R4C14

Value	Label	Cases	Percentage
0		9888	97.9%
1		150	1.5%
2		35	0.3%
3		9	0.1%
4		4	0.0%
5		3	0.0%
8		1	0.0%
10		2	0.0%
11		1	0.0%
13		1	0.0%
15		1	0.0%
16		1	0.0%

File Part 8B (cont.)**#78 V163: P8B_R4C14 (cont.)**

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#79 V164: P8B_R4C15

Information	[Type= continuous] [Format=numeric] [Range= 0-25] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.0152 /-] [StdDev=0.355 /-]

#80 V165: P8B_R4C16

Information	[Type= discrete] [Format=numeric] [Range= 0-10] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10046	99.5%
1		38	0.4%
2		9	0.1%
3		2	0.0%
10		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#81 V166: P8B_R4C17

Information	[Type= continuous] [Format=numeric] [Range= 0-30] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.00545 /-] [StdDev=0.305 /-]

#82 V167: P8B_R4C18

Information	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10086	99.9%
1		7	0.1%
2		1	0.0%
4		1	0.0%
7		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#83 V168: P8B_R4C19

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]

File Part 8B (cont.)

#83 V168: P8B_R4C19 (cont.)

Value	Label	Cases	Percentage
0		10091	100.0%
1		4	0.0%
3		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#84 V169: P8B_R4C20

Information	[Type= continuous] [Format=numeric] [Range= 0-36] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.00416 /-] [StdDev=0.36 /-]

#85 V170: P8B_R4C21

Information	[Type= continuous] [Format=numeric] [Range= 0-209] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=2.107 /-] [StdDev=6.374 /-]

File Part 9

#1 V182: SCID_03

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]

#2 V183: P9_R1C1

Information	[Type= continuous] [Format=numeric] [Range= 0-94] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=19.662 /-] [StdDev=20.387 /-]

#3 V184: P9_R1C2

Information	[Type= discrete] [Format=numeric] [Range= 0-16] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		3353	33.2%
1		2336	23.1%
2		268	2.7%
3		843	8.3%

File Part 9 (cont.)

#3 V184: P9_R1C2 (cont.)

Value (cont.)	Label	Cases	Percentage
4		486	4.8%
5		1527	15.1%
6		52	0.5%
7		309	3.1%
8		33	0.3%
9		16	0.2%
10		34	0.3%
11		795	7.9%
12		9	0.1%
13		23	0.2%
14		5	0.0%
15		4	0.0%
16		3	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#4 V185: P9_R1C3

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		8240	81.6%
1		1777	17.6%
2		70	0.7%
3		7	0.1%
4		1	0.0%
5		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#5 V186: P9_R1C4

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		7618	75.5%
1		2210	21.9%
2		193	1.9%
3		48	0.5%
4		19	0.2%
5		7	0.1%

File Part 9 (cont.)**#5 V186: P9_R1C4 (cont.)**

Value (cont.)	Label	Cases	Percentage
6		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#6 V187: P9_R1C5

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9358	92.7%
1		698	6.9%
2		32	0.3%
3		6	0.1%
4		1	0.0%
5		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#7 V188: P9_R1C6

Information	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9345	92.6%
1		673	6.7%
2		55	0.5%
3		14	0.1%
4		4	0.0%
5		2	0.0%
6		2	0.0%
7		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#8 V189: P9_R1C7

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10088	99.9%
1		8	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 9 (cont.)**#9 V190: P9_R1C8**

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10060	99.6%
1		35	0.3%
2		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#10 V191: P9_R1C9

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9597	95.1%
1		494	4.9%
2		3	0.0%
4		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#11 V192: P9_R1C10

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9539	94.5%
1		518	5.1%
2		33	0.3%
3		4	0.0%
4		1	0.0%
5		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#12 V193: P9_R1C11

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9983	98.9%
1		112	1.1%

File Part 9 (cont.)**#12 V193: P9_R1C11 (cont.)**

Value (cont.)	Label	Cases	Percentage
2		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#13 V194: P9_R1C12

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9999	99.0%
1		93	0.9%
2		4	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#14 V195: P9_R1C13

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10093	100.0%
1		3	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#15 V196: P9_R1C14

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10094	100.0%
1		1	0.0%
2		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#16 V197: P9_R2C1

Information	[Type= continuous] [Format=numeric] [Range= 0-94] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=12.101 /-] [StdDev=18.491 /-]		

File Part 9 (cont.)**#17 V198: P9_R2C2**

Information [Type= discrete] [Format=numeric] [Range= 0-16] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		5922	58.7%
1		1238	12.3%
2		169	1.7%
3		653	6.5%
4		389	3.9%
5		1172	11.6%
6		46	0.5%
7		237	2.3%
8		21	0.2%
9		7	0.1%
10		30	0.3%
11		183	1.8%
12		4	0.0%
13		15	0.1%
14		2	0.0%
15		5	0.0%
16		3	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#18 V199: P9_R2C3

Information [Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9079	89.9%
1		974	9.6%
2		40	0.4%
3		2	0.0%
4		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#19 V200: P9_R2C4

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

File Part 9 (cont.)

#19 V200: P9_R2C4 (cont.)

Value	Label	Cases	Percentage
0		8160	80.8%
1		1781	17.6%
2		110	1.1%
3		27	0.3%
4		10	0.1%
5		5	0.0%
6		1	0.0%
7		1	0.0%
8		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#20 V201: P9_R2C5

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9743	96.5%
1		334	3.3%
2		16	0.2%
3		2	0.0%
5		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#21 V202: P9_R2C6

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9677	95.8%
1		381	3.8%
2		29	0.3%
3		7	0.1%
5		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#22 V203: P9_R2C7

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]

File Part 9 (cont.)**#22 V203: P9_R2C7 (cont.)**

Value	Label	Cases	Percentage
0		10089	99.9%
1		7	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#23 V204: P9_R2C8

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10083	99.9%
1		13	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#24 V205: P9_R2C9

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9929	98.3%
1		166	1.6%
2		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#25 V206: P9_R2C10

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9753	96.6%
1		330	3.3%
2		12	0.1%
3		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#26 V207: P9_R2C11

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]

File Part 9 (cont.)**#26 V207: P9_R2C11 (cont.)**

Value	Label	Cases	Percentage
0		10053	99.6%
1		41	0.4%
2		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#27 V208: P9_R2C12

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10040	99.4%
1		55	0.5%
2		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#28 V209: P9_R2C13

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10094	100.0%
1		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#29 V210: P9_R2C14

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10095	100.0%
1		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#30 V211: P9_R3C1

Information	[Type= continuous] [Format=numeric] [Range= 0-94] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=7.412 /-] [StdDev=15.602 /-]

File Part 9 (cont.)**#31 V212: P9_R3C2**

Information [Type= discrete] [Format=numeric] [Range= 0-15] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		7526	74.5%
1		641	6.3%
2		78	0.8%
3		410	4.1%
4		265	2.6%
5		841	8.3%
6		33	0.3%
7		153	1.5%
8		7	0.1%
9		3	0.0%
10		20	0.2%
11		98	1.0%
12		6	0.1%
13		10	0.1%
14		3	0.0%
15		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#32 V213: P9_R3C3

Information [Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9550	94.6%
1		525	5.2%
2		17	0.2%
3		4	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#33 V214: P9_R3C4

Information [Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		8752	86.7%
1		1242	12.3%

File Part 9 (cont.)**#33 V214: P9_R3C4 (cont.)**

Value (cont.)	Label	Cases	Percentage
2		79	0.8%
3		16	0.2%
4		3	0.0%
5		3	0.0%
6		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#34 V215: P9_R3C5

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9922	98.3%
1		165	1.6%
2		8	0.1%
5		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#35 V216: P9_R3C6

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9837	97.4%
1		246	2.4%
2		7	0.1%
3		5	0.0%
4		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#36 V217: P9_R3C7

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10095	100.0%
1		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 9 (cont.)**#37 V218: P9_R3C8**

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10093	100.0%
1		3	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#38 V219: P9_R3C9

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10010	99.1%
1		85	0.8%
2		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#39 V220: P9_R3C10

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9902	98.1%
1		186	1.8%
2		5	0.0%
3		3	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#40 V221: P9_R3C11

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10086	99.9%
1		10	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#41 V222: P9_R3C12

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
-------------	--

File Part 9 (cont.)

#41 V222: P9_R3C12 (cont.)

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10066	99.7%
1		29	0.3%
2		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#42 V223: P9_R3C13

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10095	100.0%
1		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#43 V224: P9_R3C14

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10095	100.0%
1		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#44 V225: P9_R4C1

Information [Type= continuous] [Format=numeric] [Range= 0-94] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-] [Mean=4.679 /-] [StdDev=12.678 /-]

#45 V226: P9_R4C2

Information [Type= discrete] [Format=numeric] [Range= 0-15] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		8457	83.8%
1		394	3.9%
2		44	0.4%
3		258	2.6%

File Part 9 (cont.)

#45 V226: P9_R4C2 (cont.)

Value (cont.)	Label	Cases	Percentage
4		173	1.7%
5		520	5.2%
6		26	0.3%
7		126	1.2%
8		7	0.1%
9		6	0.1%
10		18	0.2%
11		55	0.5%
12		2	0.0%
13		9	0.1%
15		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#46 V227: P9_R4C3

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9753	96.6%
1		325	3.2%
2		15	0.1%
3		2	0.0%
4		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#47 V228: P9_R4C4

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9247	91.6%
1		792	7.8%
2		43	0.4%
3		10	0.1%
4		3	0.0%
8		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 9 (cont.)**#48 V229: P9_R4C5**

Information [Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10001	99.1%
1		91	0.9%
2		3	0.0%
4		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#49 V230: P9_R4C6

Information [Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9926	98.3%
1		156	1.5%
2		11	0.1%
3		1	0.0%
4		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#50 V231: P9_R4C7

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10095	100.0%
1		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#51 V232: P9_R4C8

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10091	100.0%
1		5	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 9 (cont.)**#52 V233: P9_R4C9**

Information [Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10031	99.4%
1		63	0.6%
2		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#53 V234: P9_R4C10

Information [Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9962	98.7%
1		132	1.3%
2		1	0.0%
3		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#54 V235: P9_R4C11

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10084	99.9%
1		12	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#55 V236: P9_R4C12

Information [Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10076	99.8%
1		17	0.2%
2		3	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 9 (cont.)**#56 V237: P9_R4C13**

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#57 V238: P9_R4C14

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#58 V239: P9_R5C1

Information	[Type= continuous] [Format=numeric] [Range= 0-94] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=2.87 /-] [StdDev=10.229 /-]

#59 V240: P9_R5C2

Information	[Type= discrete] [Format=numeric] [Range= 0-16] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9089	90.0%
1		226	2.2%
2		23	0.2%
3		169	1.7%
4		94	0.9%
5		334	3.3%
6		17	0.2%
7		72	0.7%
8		5	0.0%
9		3	0.0%
10		12	0.1%
11		40	0.4%
12		1	0.0%
13		6	0.1%
15		2	0.0%

File Part 9 (cont.)

#59 V240: P9_R5C2 (cont.)

Value (cont.)	Label	Cases	Percentage
16		3	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#60 V241: P9_R5C3

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9920	98.3%
1		173	1.7%
2		2	0.0%
3		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#61 V242: P9_R5C4

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9519	94.3%
1		532	5.3%
2		30	0.3%
3		10	0.1%
4		3	0.0%
5		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#62 V243: P9_R5C5

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10048	99.5%
1		46	0.5%
2		1	0.0%
3		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 9 (cont.)**#63 V244: P9_R5C6**

Information [Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9994	99.0%
1		95	0.9%
2		3	0.0%
3		2	0.0%
5		1	0.0%
7		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#64 V245: P9_R5C7

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10095	100.0%
1		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#65 V246: P9_R5C8

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10094	100.0%
1		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#66 V247: P9_R5C9

Information [Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10067	99.7%
1		28	0.3%
2		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 9 (cont.)**#67 V248: P9_R5C10**

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10013	99.2%
1		77	0.8%
2		6	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#68 V249: P9_R5C11

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10088	99.9%
1		7	0.1%
2		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#69 V250: P9_R5C12

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10079	99.8%
1		17	0.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#70 V251: P9_R5C13

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#71 V252: P9_R5C14

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]

File Part 9 (cont.)**#71 V252: P9_R5C14 (cont.)**

Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#72 V253: P9_R6C1

Information	[Type= continuous] [Format=numeric] [Range= 0-94] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=1.752 /-] [StdDev=8.153 /-]

#73 V254: P9_R6C2

Value	Label	Cases	Percentage
0		9492	94.0%
1		120	1.2%
2		19	0.2%
3		87	0.9%
4		52	0.5%
5		214	2.1%
6		24	0.2%
7		41	0.4%
8		4	0.0%
9		4	0.0%
10		7	0.1%
11		26	0.3%
12		1	0.0%
13		4	0.0%
16		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#74 V255: P9_R6C3

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9987	98.9%
1		104	1.0%
2		5	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 9 (cont.)**#75 V256: P9_R6C4**

Information [Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9764	96.7%
1		312	3.1%
2		17	0.2%
3		2	0.0%
6		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#76 V257: P9_R6C5

Information [Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10061	99.7%
1		33	0.3%
2		1	0.0%
4		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#77 V258: P9_R6C6

Information [Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10040	99.4%
1		55	0.5%
4		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#78 V259: P9_R6C7

Information [Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 9 (cont.)**#79 V260: P9_R6C8**

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#80 V261: P9_R6C9

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10072	99.8%
1		24	0.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#81 V262: P9_R6C10

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10044	99.5%
1		52	0.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#82 V263: P9_R6C11

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10093	100.0%
1		3	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#83 V264: P9_R6C12

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10087	99.9%

File Part 9 (cont.)

#83 V264: P9_R6C12 (cont.)

Value (cont.)	Label	Cases	Percentage
1		8	0.1%
2		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#84 V265: P9_R6C13

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#85 V266: P9_R6C14

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#86 V267: P9_R7C1

Information	[Type= continuous] [Format=numeric] [Range= 0-90] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=1.108 /-] [StdDev=6.538 /-]

#87 V268: P9_R7C2

Information	[Type= discrete] [Format=numeric] [Range= 0-13] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9713	96.2%
1		81	0.8%
2		5	0.0%
3		65	0.6%
4		29	0.3%
5		131	1.3%
6		10	0.1%
7		41	0.4%
8		1	0.0%

File Part 9 (cont.)**#87 V268: P9_R7C2 (cont.)**

Value (cont.)	Label	Cases	Percentage
9		1	0.0%
10		3	0.0%
11		13	0.1%
13		3	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#88 V269: P9_R7C3

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10022	99.3%
1		71	0.7%
2		2	0.0%
3		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#89 V270: P9_R7C4

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9876	97.8%
1		201	2.0%
2		14	0.1%
3		3	0.0%
4		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#90 V271: P9_R7C5

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10071	99.8%
1		24	0.2%
2		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 9 (cont.)**#91 V272: P9_R7C6**

Information [Type= discrete] [Format=numeric] [Range= 0-10] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10065	99.7%
1		24	0.2%
2		4	0.0%
3		1	0.0%
4		1	0.0%
10		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#92 V273: P9_R7C7

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10095	100.0%
1		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#93 V274: P9_R7C8

Information [Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#94 V275: P9_R7C9

Information [Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10084	99.9%
1		11	0.1%
5		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 9 (cont.)**#95 V276: P9_R7C10**

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10065	99.7%
1		30	0.3%
3		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#96 V277: P9_R7C11

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10095	100.0%
1		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#97 V278: P9_R7C12

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10094	100.0%
1		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#98 V279: P9_R7C13

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10096	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#99 V280: P9_R7C14

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]

File Part 9 (cont.)**#99 V280: P9_R7C14 (cont.)**

Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#100 V281: P9_R8C1

Information	[Type= continuous] [Format=numeric] [Range= 0-94] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.722 /-] [StdDev=5.322 /-]

#101 V282: P9_R8C2

Value	Label	Cases	Percentage
0		9846	97.5%
1		56	0.6%
2		6	0.1%
3		38	0.4%
4		16	0.2%
5		84	0.8%
6		4	0.0%
7		25	0.2%
8		2	0.0%
9		1	0.0%
10		2	0.0%
11		12	0.1%
12		2	0.0%
13		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#102 V283: P9_R8C3

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10052	99.6%
1		42	0.4%
2		1	0.0%
3		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 9 (cont.)**#103 V284: P9_R8C4**

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9955	98.6%
1		132	1.3%
2		6	0.1%
3		2	0.0%
4		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#104 V285: P9_R8C5

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10083	99.9%
1		13	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#105 V286: P9_R8C6

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10079	99.8%
1		13	0.1%
2		3	0.0%
4		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#106 V287: P9_R8C7

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 9 (cont.)**#107 V288: P9_R8C8**

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#108 V289: P9_R8C9

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10081	99.9%
1		15	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#109 V290: P9_R8C10

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10072	99.8%
1		23	0.2%
2		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#110 V291: P9_R8C11

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10095	100.0%
1		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#111 V292: P9_R8C12

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]

File Part 9 (cont.)

#111 V292: P9_R8C12 (cont.)

Value	Label	Cases	Percentage
0		10093	100.0%
1		3	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#112 V293: P9_R8C13

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#113 V294: P9_R8C14

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#114 V295: P9_R9C1

Information	[Type= continuous] [Format=numeric] [Range= 0-90] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.453 /-] [StdDev=4.204 /-]

#115 V296: P9_R9C2

Information	[Type= discrete] [Format=numeric] [Range= 0-13] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9943	98.5%
1		32	0.3%
2		2	0.0%
3		26	0.3%
4		14	0.1%
5		53	0.5%
6		3	0.0%
7		14	0.1%
9		2	0.0%

File Part 9 (cont.)**#115 V296: P9_R9C2 (cont.)**

Value (cont.)	Label	Cases	Percentage
10		1	0.0%
11		4	0.0%
13		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#116 V297: P9_R9C3

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10070	99.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#117 V298: P9_R9C4

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10014	99.2%
1		76	0.8%
2		4	0.0%
3		1	0.0%
4		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#118 V299: P9_R9C5

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10089	99.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#119 V300: P9_R9C6

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		

File Part 9 (cont.)**#119 V300: P9_R9C6 (cont.)**

Value	Label	Cases	Percentage
0		10082	99.9%
1		11	0.1%
2		3	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#120 V301: P9_R9C7

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#121 V302: P9_R9C8

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#122 V303: P9_R9C9

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10089	99.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#123 V304: P9_R9C10

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10080	99.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 9 (cont.)**#124 V305: P9_R9C11**

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#125 V306: P9_R9C12

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10092	100.0%
1		4	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#126 V307: P9_R9C13

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#127 V308: P9_R9C14

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#128 V309: P9_R10C1

Information	[Type= continuous] [Format=numeric] [Range= 0-91] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.266 /-] [StdDev=3.271 /-]

#129 V310: P9_R10C2

Information	[Type= discrete] [Format=numeric] [Range= 0-13] [Missing=*]
-------------	---

File Part 9 (cont.)

#129 V310: P9_R10C2 (cont.)

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10009	99.1%
1		19	0.2%
2		2	0.0%
3		7	0.1%
4		6	0.1%
5		26	0.3%
6		3	0.0%
7		10	0.1%
8		1	0.0%
9		1	0.0%
10		2	0.0%
11		8	0.1%
13		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#130 V311: P9_R10C3

Information [Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10078	99.8%
1		17	0.2%
2		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#131 V312: P9_R10C4

Information [Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10054	99.6%
1		39	0.4%
2		1	0.0%
3		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 9 (cont.)**#132 V313: P9_R10C5**

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10091	100.0%
1		5	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#133 V314: P9_R10C6

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10086	99.9%
1		9	0.1%
2		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#134 V315: P9_R10C7

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#135 V316: P9_R10C8

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#136 V317: P9_R10C9

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10090	99.9%

File Part 9 (cont.)

#136 V317: P9_R10C9 (cont.)

Value (cont.)	Label	Cases	Percentage
1		6	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#137 V318: P9_R10C10

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10090	99.9%
1		6	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#138 V319: P9_R10C11

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#139 V320: P9_R10C12

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10095	100.0%
1		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#140 V321: P9_R10C13

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 9 (cont.)**#141 V322: P9_R10C14**

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#142 V323: P9_R11C1

Information	[Type= continuous] [Format=numeric] [Range= 0-54] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.103 /-] [StdDev=1.897 /-]

#143 V324: P9_R11C2

Information	[Type= discrete] [Format=numeric] [Range= 0-13] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10059	99.6%
1		7	0.1%
2		2	0.0%
3		6	0.1%
4		2	0.0%
5		11	0.1%
7		6	0.1%
8		1	0.0%
10		1	0.0%
13		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#144 V325: P9_R11C3

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10092	100.0%
1		4	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#145 V326: P9_R11C4

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
-------------	--

File Part 9 (cont.)

#145 V326: P9_R11C4 (cont.)

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10077	99.8%
1		15	0.1%
2		4	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#146 V327: P9_R11C5

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10094	100.0%
1		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#147 V328: P9_R11C6

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10092	100.0%
1		4	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#148 V329: P9_R11C7

Information [Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#149 V330: P9_R11C8

Information [Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10096	100.0%

File Part 9 (cont.)**#149 V330: P9_R11C8 (cont.)**

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#150 V331: P9_R11C9

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10092	100.0%
1		4	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#151 V332: P9_R11C10

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10093	100.0%
1		3	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#152 V333: P9_R11C11

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#153 V334: P9_R11C12

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10094	100.0%
1		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#154 V335: P9_R11C13

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]		
-------------	--	--	--

File Part 9 (cont.)

#154 V335: P9_R11C13 (cont.)

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#155 V336: P9_R11C14

Information [Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#156 V337: P9_R12C1

Information [Type= continuous] [Format=numeric] [Range= 0-44] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-] [Mean=0.0455 /-] [StdDev=1.263 /-]

#157 V338: P9_R12C2

Information [Type= discrete] [Format=numeric] [Range= 0-16] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10081	99.9%
1		5	0.0%
3		3	0.0%
5		4	0.0%
7		1	0.0%
11		1	0.0%
16		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#158 V339: P9_R12C3

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10094	100.0%
1		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 9 (cont.)**#159 V340: P9_R12C4**

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10089	99.9%
1		4	0.0%
2		1	0.0%
4		1	0.0%
5		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#160 V341: P9_R12C5

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10095	100.0%
1		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#161 V342: P9_R12C6

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10095	100.0%
1		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#162 V343: P9_R12C7

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#163 V344: P9_R12C8

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
-------------	--

File Part 9 (cont.)

#163 V344: P9_R12C8 (cont.)

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#164 V345: P9_R12C9

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10093	100.0%
1		3	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#165 V346: P9_R12C10

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10095	100.0%
1		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#166 V347: P9_R12C11

Information [Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#167 V348: P9_R12C12

Information [Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 9 (cont.)**#168 V349: P9_R12C13**

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#169 V350: P9_R12C14

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#170 V351: P9_R13C3

Information	[Type= discrete] [Format=numeric] [Range= 0-12] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		7442	73.7%
1		1622	16.1%
2		624	6.2%
3		250	2.5%
4		83	0.8%
5		37	0.4%
6		18	0.2%
7		6	0.1%
8		4	0.0%
9		5	0.0%
10		3	0.0%
11		1	0.0%
12		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#171 V352: P9_R13C4

Information	[Type= discrete] [Format=numeric] [Range= 0-20] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]

File Part 9 (cont.)

#171 V352: P9_R13C4 (cont.)

Value	Label	Cases	Percentage
0		6199	61.4%
1		1734	17.2%
2		951	9.4%
3		496	4.9%
4		306	3.0%
5		177	1.8%
6		99	1.0%
7		51	0.5%
8		36	0.4%
9		15	0.1%
10		8	0.1%
11		6	0.1%
12		5	0.0%
13		3	0.0%
14		2	0.0%
15		3	0.0%
16		2	0.0%
17		1	0.0%
18		1	0.0%
20		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#172 V353: P9_R13C5

Information	[Type= discrete] [Format=numeric] [Range= 0-15] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9148	90.6%
1		600	5.9%
2		206	2.0%
3		71	0.7%
4		34	0.3%
5		19	0.2%
6		6	0.1%
7		5	0.0%
8		4	0.0%
9		1	0.0%
12		1	0.0%
15		1	0.0%

File Part 9 (cont.)**#172 V353: P9_R13C5 (cont.)**

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#173 V354: P9_R13C6

Information	[Type= continuous] [Format=numeric] [Range= 0-21] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.207 /-] [StdDev=0.826 /-]

#174 V355: P9_R13C7

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10077	99.8%
1		19	0.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#175 V356: P9_R13C8

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10043	99.5%
1		48	0.5%
2		3	0.0%
3		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#176 V357: P9_R13C9

Information	[Type= discrete] [Format=numeric] [Range= 0-11] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9294	92.1%
1		717	7.1%
2		63	0.6%
3		14	0.1%
4		2	0.0%
5		2	0.0%
6		1	0.0%
7		1	0.0%

File Part 9 (cont.)

#176 V357: P9_R13C9 (cont.)

Value (cont.)	Label	Cases	Percentage
8		1	0.0%
11		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#177 V358: P9_R13C10

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		8996	89.1%
1		820	8.1%
2		201	2.0%
3		42	0.4%
4		16	0.2%
5		14	0.1%
6		3	0.0%
7		3	0.0%
8		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#178 V359: P9_R13C11

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9925	98.3%
1		149	1.5%
2		20	0.2%
3		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#179 V360: P9_R13C12

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9901	98.1%
1		157	1.6%
2		27	0.3%

File Part 9 (cont.)

#179 V360: P9_R13C12 (cont.)

Value (cont.)	Label	Cases	Percentage
3		7	0.1%
4		2	0.0%
5		1	0.0%
6		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#180 V361: P9_R13C13

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10091	100.0%
1		4	0.0%
2		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#181 V362: P9_R13C14

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10093	100.0%
1		1	0.0%
2		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 10

#1 V116: SCID_03

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]

#2 V117: P10_R1C1

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
-------------	--

File Part 10 (cont.)**#2 V117: P10_R1C1 (cont.)**

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10008	99.1%
1		84	0.8%
2		2	0.0%
3		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#3 V118: P10_R1C2

Information [Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9846	97.5%
1		203	2.0%
2		38	0.4%
3		5	0.0%
4		1	0.0%
5		3	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#4 V119: P10_R1C3

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10083	99.9%
1		13	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#5 V120: P10_R1C4

Information [Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10034	99.4%
1		54	0.5%
2		7	0.1%
3		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 10 (cont.)

#6 V121: P10_R1C5

Information [Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9995	99.0%
1		97	1.0%
2		2	0.0%
3		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#7 V122: P10_R1C6

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9790	97.0%
1		250	2.5%
2		44	0.4%
3		8	0.1%
4		1	0.0%
5		2	0.0%
8		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#8 V123: P10_R2C1

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10094	100.0%
1		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#9 V124: P10_R2C2

Information [Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10004	99.1%
1		76	0.8%

File Part 10 (cont.)**#9 V124: P10_R2C2 (cont.)**

Value (cont.)	Label	Cases	Percentage
2		13	0.1%
3		2	0.0%
4		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#10 V125: P10_R2C3

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10092	100.0%
1		4	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#11 V126: P10_R2C4

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10006	99.1%
1		84	0.8%
2		6	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#12 V127: P10_R2C5

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10090	99.9%
1		6	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#13 V128: P10_R2C6

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		

File Part 10 (cont.)

#13 V128: P10_R2C6 (cont.)

Value	Label	Cases	Percentage
0		9925	98.3%
1		144	1.4%
2		22	0.2%
3		2	0.0%
4		2	0.0%
6		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#14 V129: P10_R3C1

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10082	99.9%
1		14	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#15 V130: P10_R3C2

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10050	99.5%
1		33	0.3%
2		13	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#16 V131: P10_R3C3

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10087	99.9%
1		8	0.1%
2		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 10 (cont.)**#17 V132: P10_R3C4**

Information [Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10070	99.7%
1		15	0.1%
2		10	0.1%
4		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#18 V133: P10_R3C5

Information [Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10074	99.8%
1		20	0.2%
2		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#19 V134: P10_R3C6

Information [Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10030	99.3%
1		38	0.4%
2		26	0.3%
4		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#20 V135: P10_R4C1

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10070	99.7%
1		26	0.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 10 (cont.)**#21 V136: P10_R4C2**

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9965	98.7%
1		122	1.2%
2		9	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#22 V137: P10_R4C3

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10094	100.0%
1		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#23 V138: P10_R4C4

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10083	99.9%
1		12	0.1%
2		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#24 V139: P10_R4C5

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10068	99.7%
1		28	0.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#25 V140: P10_R4C6

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
-------------	--

File Part 10 (cont.)

#25 V140: P10_R4C6 (cont.)

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9952	98.6%
1		134	1.3%
2		10	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#26 V141: P10_R5C1

Information [Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9399	93.1%
1		680	6.7%
2		17	0.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#27 V142: P10_R5C2

Information [Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		7908	78.3%
1		1880	18.6%
2		293	2.9%
3		13	0.1%
4		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#28 V143: P10_R5C3

Information [Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#29 V144: P10_R5C4

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

File Part 10 (cont.)**#29 V144: P10_R5C4 (cont.)**

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10091	100.0%
1		5	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#30 V145: P10_R5C5

Information [Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9399	93.1%
1		680	6.7%
2		17	0.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#31 V146: P10_R5C6

Information [Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		7903	78.3%
1		1885	18.7%
2		293	2.9%
3		13	0.1%
4		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#32 V147: P10_R6C1

Information [Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10042	99.5%
1		47	0.5%
2		7	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 10 (cont.)**#33 V148: P10_R6C2**

Information [Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9894	98.0%
1		99	1.0%
2		74	0.7%
3		22	0.2%
4		6	0.1%
5		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#34 V149: P10_R6C3

Information [Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#35 V150: P10_R6C4

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10091	100.0%
1		5	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#36 V151: P10_R6C5

Information [Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10042	99.5%
1		47	0.5%
2		7	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 10 (cont.)

#37 V152: P10_R6C6

Information		[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]	
Statistics [NW/ W]		[Valid=10096 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0		9891	98.0%
1		102	1.0%
2		73	0.7%
3		22	0.2%
4		7	0.1%
5		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#38 V153: P10_R7C1

Information		[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]	
Statistics [NW/ W]		[Valid=10096 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0		9926	98.3%
1		166	1.6%
2		3	0.0%
3		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#39 V154: P10_R7C2

Information		[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]	
Statistics [NW/ W]		[Valid=10096 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0		9660	95.7%
1		405	4.0%
2		29	0.3%
3		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#40 V155: P10_R7C3

Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=10096 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0		10092	100.0%

File Part 10 (cont.)**#40 V155: P10_R7C3 (cont.)**

Value (cont.)	Label	Cases	Percentage
1		4	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#41 V156: P10_R7C4

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10048	99.5%
1		47	0.5%
2		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#42 V157: P10_R7C5

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9922	98.3%
1		170	1.7%
2		3	0.0%
3		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#43 V158: P10_R7C6

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9614	95.2%
1		448	4.4%
2		32	0.3%
3		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#44 V159: P10_R8C1

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		

File Part 10 (cont.)**#44 V159: P10_R8C1 (cont.)**

Value	Label	Cases	Percentage
0		10088	99.9%
1		8	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#45 V160: P10_R8C2

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10050	99.5%
1		43	0.4%
2		3	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#46 V161: P10_R8C3

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10095	100.0%
1		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#47 V162: P10_R8C4

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10090	99.9%
1		5	0.0%
2		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#48 V163: P10_R8C5

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]

File Part 10 (cont.)

#48 V163: P10_R8C5 (cont.)

Value	Label	Cases	Percentage
0		10087	99.9%
1		9	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#49 V164: P10_R8C6

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10044	99.5%
1		48	0.5%
2		4	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#50 V165: P10_R9C1

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9711	96.2%
1		343	3.4%
2		37	0.4%
3		4	0.0%
5		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#51 V166: P10_R9C2

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9473	93.8%
1		535	5.3%
2		57	0.6%
3		19	0.2%
4		6	0.1%
5		4	0.0%
6		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 10 (cont.)**#52 V167: P10_R9C3**

Information [Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10085	99.9%
1		9	0.1%
2		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#53 V168: P10_R9C4

Information [Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10076	99.8%
1		18	0.2%
2		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#54 V169: P10_R9C5

Information [Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9707	96.1%
1		341	3.4%
2		41	0.4%
3		5	0.0%
4		1	0.0%
5		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#55 V170: P10_R9C6

Information [Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9457	93.7%
1		546	5.4%
2		61	0.6%

File Part 10 (cont.)**#55 V170: P10_R9C6 (cont.)**

Value (cont.)	Label	Cases	Percentage
3		20	0.2%
4		6	0.1%
5		4	0.0%
6		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#56 V171: P10_R10C1

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9913	98.2%
1		160	1.6%
2		16	0.2%
3		5	0.0%
6		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#57 V172: P10_R10C2

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9842	97.5%
1		202	2.0%
2		30	0.3%
3		12	0.1%
4		4	0.0%
5		2	0.0%
6		2	0.0%
7		1	0.0%
9		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#58 V173: P10_R10C3

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]

File Part 10 (cont.)

#58 V173: P10_R10C3 (cont.)

Value	Label	Cases	Percentage
0		10084	99.9%
1		11	0.1%
2		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#59 V174: P10_R10C4

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10093	100.0%
1		3	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#60 V175: P10_R10C5

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9907	98.1%
1		160	1.6%
2		21	0.2%
3		6	0.1%
6		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#61 V176: P10_R10C6

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9841	97.5%
1		201	2.0%
2		32	0.3%
3		12	0.1%
4		4	0.0%
5		2	0.0%
6		2	0.0%
7		1	0.0%

File Part 10 (cont.)**#61 V176: P10_R10C6 (cont.)**

Value (cont.)	Label	Cases	Percentage
9		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#62 V177: P10_R11C1

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		8486	84.1%
1		1292	12.8%
2		264	2.6%
3		46	0.5%
4		6	0.1%
5		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#63 V178: P10_R11C2

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10086	99.9%
1		5	0.0%
2		5	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#64 V179: P10_R11C3

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9588	95.0%
1		390	3.9%
2		92	0.9%
3		19	0.2%
4		6	0.1%
5		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 10 (cont.)**#65 V180: P10_R11C4**

Information [Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10063	99.7%
1		31	0.3%
2		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#66 V181: P10_R11C5

Information [Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		8210	81.3%
1		1332	13.2%
2		412	4.1%
3		94	0.9%
4		31	0.3%
5		12	0.1%
6		5	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#67 V182: P10_R11C6

Information [Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10053	99.6%
1		36	0.4%
2		7	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#68 V183: P10_R12C1

Information [Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9680	95.9%
1		366	3.6%

File Part 10 (cont.)**#68 V183: P10_R12C1 (cont.)**

Value (cont.)	Label	Cases	Percentage
2		41	0.4%
3		7	0.1%
4		1	0.0%
6		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#69 V184: P10_R12C2

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9939	98.4%
1		146	1.4%
2		9	0.1%
3		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#70 V185: P10_R12C3

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10063	99.7%
1		32	0.3%
2		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#71 V186: P10_R12C4

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10078	99.8%
1		18	0.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#72 V187: P10_R12C5

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
-------------	--

File Part 10 (cont.)

#72 V187: P10_R12C5 (cont.)

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9651	95.6%
1		390	3.9%
2		46	0.5%
3		7	0.1%
4		1	0.0%
6		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#73 V188: P10_R12C6

Information [Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9922	98.3%
1		162	1.6%
2		10	0.1%
3		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#74 V189: P10_R13C1

Information [Type= discrete] [Format=numeric] [Range= 0-14] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		8924	88.4%
1		904	9.0%
2		170	1.7%
3		52	0.5%
4		23	0.2%
5		8	0.1%
6		6	0.1%
7		6	0.1%
9		1	0.0%
11		1	0.0%
14		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 10 (cont.)

#75 V190: P10_R13C2

Information [Type= discrete] [Format=numeric] [Range= 0-18] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		9322	92.3%
1		636	6.3%
2		85	0.8%
3		27	0.3%
4		17	0.2%
5		6	0.1%
6		1	0.0%
7		1	0.0%
18		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#76 V191: P10_R13C3

Information [Type= discrete] [Format=numeric] [Range= 0-17] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10063	99.7%
1		27	0.3%
2		1	0.0%
4		2	0.0%
9		1	0.0%
14		1	0.0%
17		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#77 V192: P10_R13C4

Information [Type= discrete] [Format=numeric] [Range= 0-14] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10059	99.6%
1		24	0.2%
2		8	0.1%
3		3	0.0%
4		1	0.0%
14		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 10 (cont.)**#78 V193: P10_R13C5**

Information	[Type= continuous] [Format=numeric] [Range= 0-28] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.17 /-] [StdDev=0.679 /-]

#79 V194: P10_R13C6

Information	[Type= continuous] [Format=numeric] [Range= 0-32] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.107 /-] [StdDev=0.535 /-]

#80 V195: P10_R14C1

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9893	98.0%
1		187	1.9%
2		13	0.1%
3		3	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#81 V196: P10_R14C2

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10059	99.6%
1		34	0.3%
2		3	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#82 V197: P10_R14C3

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10068	99.7%
1		26	0.3%
2		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 10 (cont.)**#83 V198: P10_R14C4**

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10089	99.9%
1		6	0.1%
4		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#84 V199: P10_R14C5

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9867	97.7%
1		209	2.1%
2		17	0.2%
3		3	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#85 V200: P10_R14C6

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10053	99.6%
1		40	0.4%
2		2	0.0%
6		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#86 V201: P10_R15C1

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9520	94.3%
1		532	5.3%
2		34	0.3%
3		6	0.1%

File Part 10 (cont.)**#86 V201: P10_R15C1 (cont.)**

Value (cont.)	Label	Cases	Percentage
4		4	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#87 V202: P10_R15C2

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9719	96.3%
1		345	3.4%
2		20	0.2%
3		5	0.0%
4		4	0.0%
5		1	0.0%
6		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#88 V203: P10_R15C3

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10017	99.2%
1		71	0.7%
2		7	0.1%
3		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#89 V204: P10_R15C4

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10002	99.1%
1		81	0.8%
2		7	0.1%
3		2	0.0%
4		4	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 10 (cont.)

#90 V205: P10_R15C5

Information	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9452	93.6%
1		587	5.8%
2		43	0.4%
3		10	0.1%
4		3	0.0%
7		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#91 V206: P10_R15C6

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9641	95.5%
1		406	4.0%
2		30	0.3%
3		6	0.1%
4		7	0.1%
5		2	0.0%
6		2	0.0%
7		1	0.0%
9		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#92 V207: P10_R16C1

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10052	99.6%
1		25	0.2%
2		13	0.1%
3		4	0.0%
4		1	0.0%
5		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 10 (cont.)

#93 V208: P10_R16C2

Information		[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]	
Statistics [NW/ W]		[Valid=10096 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0		10045	99.5%
1		18	0.2%
2		15	0.1%
3		12	0.1%
4		4	0.0%
5		1	0.0%
7		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#94 V209: P10_R16C3

Information		[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]	
Statistics [NW/ W]		[Valid=10096 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0		10084	99.9%
1		5	0.0%
2		3	0.0%
3		3	0.0%
6		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#95 V210: P10_R16C4

Information		[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]	
Statistics [NW/ W]		[Valid=10096 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0		10075	99.8%
1		7	0.1%
2		5	0.0%
3		6	0.1%
4		1	0.0%
5		1	0.0%
7		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 10 (cont.)**#96 V211: P10_R16C5**

Information [Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10044	99.5%
1		24	0.2%
2		16	0.2%
3		9	0.1%
4		1	0.0%
5		1	0.0%
6		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#97 V212: P10_R16C6

Information [Type= discrete] [Format=numeric] [Range= 0-14] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10029	99.3%
1		20	0.2%
2		21	0.2%
3		17	0.2%
4		4	0.0%
5		4	0.0%
14		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#98 V213: P10_R17C1

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10092	100.0%
1		4	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#99 V214: P10_R17C2

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=10096 /-] [Invalid=0 /-]

File Part 10 (cont.)

#99 V214: P10_R17C2 (cont.)

Value	Label	Cases	Percentage
0		10095	100.0%
1		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#100 V215: P10_R17C3

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10056	99.6%
1		36	0.4%
2		3	0.0%
3		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#101 V216: P10_R17C4

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10096	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#102 V217: P10_R17C5

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10052	99.6%
1		40	0.4%
2		3	0.0%
3		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#103 V218: P10_R17C6

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]

File Part 10 (cont.)

#103 V218: P10_R17C6 (cont.)

Value	Label	Cases	Percentage
0		10095	100.0%
1		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#104 V219: P10_R18C1

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10008	99.1%
1		84	0.8%
2		4	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#105 V220: P10_R18C2

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9984	98.9%
1		98	1.0%
2		12	0.1%
4		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#106 V221: P10_R18C3

Information	[Type= discrete] [Format=numeric] [Range= 0-12] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10052	99.6%
1		32	0.3%
2		7	0.1%
3		2	0.0%
4		2	0.0%
12		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 10 (cont.)

#107 V222: P10_R18C4

Information	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10059	99.6%
1		26	0.3%
2		8	0.1%
3		2	0.0%
7		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#108 V223: P10_R18C5

Information	[Type= discrete] [Format=numeric] [Range= 0-12] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9966	98.7%
1		114	1.1%
2		10	0.1%
3		2	0.0%
4		3	0.0%
12		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#109 V224: P10_R18C6

Information	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		9950	98.6%
1		119	1.2%
2		21	0.2%
3		3	0.0%
4		2	0.0%
7		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#110 V225: P10_R19C1

Information	[Type= continuous] [Format=numeric] [Range= 0-32] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.682 /-] [StdDev=1.625 /-]

File Part 10 (cont.)**#111 V226: P10_R19C2**

Information	[Type= continuous] [Format=numeric] [Range= 0-39] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.696 /-] [StdDev=1.857 /-]

#112 V227: P10_R19C3

Information	[Type= continuous] [Format=numeric] [Range= 0-25] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.108 /-] [StdDev=0.65 /-]

#113 V228: P10_R19C4

Value	Label	Cases	Percentage
0		9768	96.8%
1		186	1.8%
2		78	0.8%
3		27	0.3%
4		14	0.1%
5		8	0.1%
6		3	0.0%
7		2	0.0%
8		3	0.0%
9		2	0.0%
10		2	0.0%
15		1	0.0%
16		1	0.0%
20		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#114 V229: P10_R19C5

Information	[Type= continuous] [Format=numeric] [Range= 0-57] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.79 /-] [StdDev=1.987 /-]

#115 V230: P10_R19C6

Information	[Type= continuous] [Format=numeric] [Range= 0-59] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.762 /-] [StdDev=2.142 /-]

File Part 11**#1 V210: SCID_03**

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]

#2 V211: P11_R1C1

Information	[Type= continuous] [Format=numeric] [Range= 0-431] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=20.937 /-] [StdDev=39.041 /-]

#3 V212: P11_R1C2

Information	[Type= continuous] [Format=numeric] [Range= 0-207] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.125 /-] [StdDev=3.147 /-]

#4 V213: P11_R1C3

Information	[Type= continuous] [Format=numeric] [Range= 0-475] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=21.841 /-] [StdDev=39.938 /-]

#5 V214: P11_R1C4

Information	[Type= continuous] [Format=numeric] [Range= 0-222] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.125 /-] [StdDev=3.324 /-]

#6 V215: P11_R1C5

Information	[Type= continuous] [Format=numeric] [Range= 0-436] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=21.844 /-] [StdDev=39.904 /-]

#7 V216: P11_R1C6

Information	[Type= continuous] [Format=numeric] [Range= 0-211] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.129 /-] [StdDev=3.193 /-]

#8 V217: P11_R1C7

Information	[Type= continuous] [Format=numeric] [Range= 0-523] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=22.528 /-] [StdDev=40.349 /-]

File Part 11 (cont.)

#9 V218: P11_R1C8

Information	[Type= continuous] [Format=numeric] [Range= 0-209] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.125 /-] [StdDev=3.164 /-]

#10 V219: P11_R1C9

Information	[Type= continuous] [Format=numeric] [Range= 0-447] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=23.198 /-] [StdDev=40.811 /-]

#11 V220: P11_R1C10

Information	[Type= continuous] [Format=numeric] [Range= 0-213] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.13 /-] [StdDev=3.256 /-]

#12 V221: P11_R1C11

Information	[Type= continuous] [Format=numeric] [Range= 0-432] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=24.323 /-] [StdDev=44.608 /-]

#13 V222: P11_R1C12

Information	[Type= continuous] [Format=numeric] [Range= 0-204] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.118 /-] [StdDev=3.501 /-]

#14 V223: P11_R1C13

Information	[Type= continuous] [Format=numeric] [Range= 0-472] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=23.453 /-] [StdDev=44.721 /-]

#15 V224: P11_R1C14

Information	[Type= continuous] [Format=numeric] [Range= 0-209] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.315 /-] [StdDev=4.772 /-]

#16 V225: P11_R1C15

Information	[Type= continuous] [Format=numeric] [Range= 0-540] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=22.315 /-] [StdDev=44.192 /-]

File Part 11 (cont.)**#17 V226: P11_R1C16**

Information	[Type= continuous] [Format=numeric] [Range= 0-199] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.248 /-] [StdDev=3.917 /-]

#18 V227: P11_R1C17

Information	[Type= continuous] [Format=numeric] [Range= 0-526] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=22.586 /-] [StdDev=45.44 /-]

#19 V228: P11_R1C18

Information	[Type= continuous] [Format=numeric] [Range= 0-200] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.215 /-] [StdDev=3.826 /-]

#20 V229: P11_R1C19

Information	[Type= continuous] [Format=numeric] [Range= 0-541] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=21.25 /-] [StdDev=45.056 /-]

#21 V230: P11_R1C20

Information	[Type= continuous] [Format=numeric] [Range= 0-156] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.174 /-] [StdDev=3.453 /-]

#22 V231: P11_R1C21

Information	[Type= continuous] [Format=numeric] [Range= 0-529] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=26.017 /-] [StdDev=52.38 /-]

#23 V232: P11_R1C22

Information	[Type= continuous] [Format=numeric] [Range= 0-180] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.211 /-] [StdDev=4.138 /-]

#24 V233: P11_R2C1

Information	[Type= continuous] [Format=numeric] [Range= 0-178] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.0417 /-] [StdDev=1.815 /-]

File Part 11 (cont.)

#25 V234: P11_R2C2

Information	[Type= continuous] [Format=numeric] [Range= 0-231] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=4.684 /-] [StdDev=13.445 /-]

#26 V235: P11_R2C3

Information	[Type= discrete] [Format=numeric] [Range= 0-12] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10010	99.1%
1		35	0.3%
2		23	0.2%
3		13	0.1%
4		2	0.0%
5		2	0.0%
6		4	0.0%
7		2	0.0%
8		1	0.0%
9		2	0.0%
10		1	0.0%
12		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#27 V236: P11_R2C4

Information	[Type= continuous] [Format=numeric] [Range= 0-991] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=4.895 /-] [StdDev=16.862 /-]		

#28 V237: P11_R2C5

Information	[Type= discrete] [Format=numeric] [Range= 0-15] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10022	99.3%
1		32	0.3%
2		19	0.2%
3		7	0.1%
4		3	0.0%
5		2	0.0%
6		3	0.0%

File Part 11 (cont.)

#28 V237: P11_R2C5 (cont.)

Value (cont.)	Label	Cases	Percentage
7		1	0.0%
8		2	0.0%
9		2	0.0%
11		1	0.0%
12		1	0.0%
15		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#29 V238: P11_R2C6

Information	[Type= continuous] [Format=numeric] [Range= 0-235] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=5.152 /-] [StdDev=14.53 /-]

#30 V239: P11_R2C7

Information	[Type= continuous] [Format=numeric] [Range= 0-88] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.029 /-] [StdDev=0.935 /-]

#31 V240: P11_R2C8

Information	[Type= continuous] [Format=numeric] [Range= 0-220] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=4.978 /-] [StdDev=14.083 /-]

#32 V241: P11_R2C9

Value	Label	Cases	Percentage
0		10016	99.2%
1		46	0.5%
2		13	0.1%
3		9	0.1%
4		3	0.0%
5		2	0.0%
7		3	0.0%
9		2	0.0%
10		1	0.0%
12		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Part 11 (cont.)

#33 V242: P11_R2C10

Information	[Type= continuous] [Format=numeric] [Range= 0-235] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=5.186 /-] [StdDev=14.555 /-]

#34 V243: P11_R2C11

Information	[Type= continuous] [Format=numeric] [Range= 0-75] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.0284 /-] [StdDev=0.821 /-]

#35 V244: P11_R2C12

Information	[Type= continuous] [Format=numeric] [Range= 0-253] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=5.352 /-] [StdDev=19.176 /-]

#36 V245: P11_R2C13

Information	[Type= continuous] [Format=numeric] [Range= 0-122] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.03 /-] [StdDev=1.244 /-]

#37 V246: P11_R2C14

Information	[Type= continuous] [Format=numeric] [Range= 0-266] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=4.633 /-] [StdDev=17.61 /-]

#38 V247: P11_R2C15

Information	[Type= continuous] [Format=numeric] [Range= 0-119] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.026 /-] [StdDev=1.212 /-]

#39 V248: P11_R2C16

Information	[Type= continuous] [Format=numeric] [Range= 0-272] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=4.078 /-] [StdDev=16.173 /-]

#40 V249: P11_R2C17

Information	[Type= continuous] [Format=numeric] [Range= 0-142] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.0238 /-] [StdDev=1.422 /-]

File Part 11 (cont.)**#41 V250: P11_R2C18**

Information	[Type= continuous] [Format=numeric] [Range= 0-276] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=3.746 /-] [StdDev=15.876 /-]

#42 V251: P11_R2C19

Information	[Type= continuous] [Format=numeric] [Range= 0-138] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.0236 /-] [StdDev=1.386 /-]

#43 V252: P11_R2C20

Information	[Type= continuous] [Format=numeric] [Range= 0-275] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=3.256 /-] [StdDev=15.303 /-]

#44 V253: P11_R2C21

Information	[Type= continuous] [Format=numeric] [Range= 0-229] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.0558 /-] [StdDev=3.134 /-]

#45 V254: P11_R2C22

Information	[Type= continuous] [Format=numeric] [Range= 0-361] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=4.02 /-] [StdDev=19.364 /-]

#46 V255: P11_R3C1

Information	[Type= continuous] [Format=numeric] [Range= 0-146] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.397 /-] [StdDev=3.994 /-]

#47 V256: P11_R3C2

Information	[Type= continuous] [Format=numeric] [Range= 0-268] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=3.277 /-] [StdDev=15.412 /-]

#48 V257: P11_R3C3

Information	[Type= continuous] [Format=numeric] [Range= 0-167] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.394 /-] [StdDev=4.005 /-]

File Part 11 (cont.)

#49 V258: P11_R3C4

Information	[Type= continuous] [Format=numeric] [Range= 0-313] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=3.251 /-] [StdDev=15.388 /-]

#50 V259: P11_R3C5

Information	[Type= continuous] [Format=numeric] [Range= 0-249] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.384 /-] [StdDev=4.211 /-]

#51 V260: P11_R3C6

Information	[Type= continuous] [Format=numeric] [Range= 0-286] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=3.226 /-] [StdDev=15.144 /-]

#52 V261: P11_R3C7

Information	[Type= continuous] [Format=numeric] [Range= 0-152] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.356 /-] [StdDev=3.609 /-]

#53 V262: P11_R3C8

Information	[Type= continuous] [Format=numeric] [Range= 0-268] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=3.194 /-] [StdDev=15.201 /-]

#54 V263: P11_R3C9

Information	[Type= continuous] [Format=numeric] [Range= 0-169] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.383 /-] [StdDev=4.041 /-]

#55 V264: P11_R3C10

Information	[Type= continuous] [Format=numeric] [Range= 0-248] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=3.236 /-] [StdDev=15.2 /-]

#56 V265: P11_R3C11

Information	[Type= continuous] [Format=numeric] [Range= 0-167] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.405 /-] [StdDev=4.194 /-]

File Part 11 (cont.)

#57 V266: P11_R3C12

Information	[Type= continuous] [Format=numeric] [Range= 0-303] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=3.472 /-] [StdDev=17.996 /-]

#58 V267: P11_R3C13

Information	[Type= continuous] [Format=numeric] [Range= 0-152] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.39 /-] [StdDev=4.096 /-]

#59 V268: P11_R3C14

Information	[Type= continuous] [Format=numeric] [Range= 0-261] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=2.939 /-] [StdDev=16.064 /-]

#60 V269: P11_R3C15

Information	[Type= continuous] [Format=numeric] [Range= 0-191] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.33 /-] [StdDev=3.629 /-]

#61 V270: P11_R3C16

Information	[Type= continuous] [Format=numeric] [Range= 0-238] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=2.465 /-] [StdDev=13.86 /-]

#62 V271: P11_R3C17

Information	[Type= continuous] [Format=numeric] [Range= 0-175] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.312 /-] [StdDev=3.458 /-]

#63 V272: P11_R3C18

Information	[Type= continuous] [Format=numeric] [Range= 0-285] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=2.18 /-] [StdDev=12.905 /-]

#64 V273: P11_R3C19

Information	[Type= continuous] [Format=numeric] [Range= 0-142] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.254 /-] [StdDev=2.84 /-]

File Part 11 (cont.)

#65 V274: P11_R3C20

Information	[Type= continuous] [Format=numeric] [Range= 0-333] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=1.866 /-] [StdDev=12.943 /-]

#66 V275: P11_R3C21

Information	[Type= continuous] [Format=numeric] [Range= 0-152] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.283 /-] [StdDev=2.997 /-]

#67 V276: P11_R3C22

Information	[Type= continuous] [Format=numeric] [Range= 0-528] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=2.393 /-] [StdDev=17.611 /-]

#68 V277: P11_R4C1

Information	[Type= continuous] [Format=numeric] [Range= 0-202] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=1.199 /-] [StdDev=9.06 /-]

#69 V278: P11_R4C2

Information	[Type= continuous] [Format=numeric] [Range= 0-95] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.582 /-] [StdDev=3.573 /-]

#70 V279: P11_R4C3

Information	[Type= continuous] [Format=numeric] [Range= 0-203] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=1.242 /-] [StdDev=9.21 /-]

#71 V280: P11_R4C4

Information	[Type= continuous] [Format=numeric] [Range= 0-93] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.641 /-] [StdDev=3.833 /-]

#72 V281: P11_R4C5

Information	[Type= continuous] [Format=numeric] [Range= 0-208] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=1.231 /-] [StdDev=9.161 /-]

File Part 11 (cont.)

#73 V282: P11_R4C6

Information	[Type= continuous] [Format=numeric] [Range= 0-106] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.68 /-] [StdDev=4.167 /-]

#74 V283: P11_R4C7

Information	[Type= continuous] [Format=numeric] [Range= 0-210] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=1.247 /-] [StdDev=9.198 /-]

#75 V284: P11_R4C8

Information	[Type= continuous] [Format=numeric] [Range= 0-100] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.641 /-] [StdDev=3.908 /-]

#76 V285: P11_R4C9

Information	[Type= continuous] [Format=numeric] [Range= 0-223] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=1.288 /-] [StdDev=9.427 /-]

#77 V286: P11_R4C10

Information	[Type= continuous] [Format=numeric] [Range= 0-101] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.682 /-] [StdDev=4.034 /-]

#78 V287: P11_R4C11

Information	[Type= continuous] [Format=numeric] [Range= 0-230] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=1.319 /-] [StdDev=9.604 /-]

#79 V288: P11_R4C12

Information	[Type= continuous] [Format=numeric] [Range= 0-142] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.708 /-] [StdDev=4.615 /-]

#80 V289: P11_R4C13

Information	[Type= continuous] [Format=numeric] [Range= 0-253] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=1.278 /-] [StdDev=9.733 /-]

File Part 11 (cont.)

#81 V290: P11_R4C14

Information	[Type= continuous] [Format=numeric] [Range= 0-110] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.631 /-] [StdDev=4.205 /-]

#82 V291: P11_R4C15

Information	[Type= continuous] [Format=numeric] [Range= 0-228] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=1.137 /-] [StdDev=8.787 /-]

#83 V292: P11_R4C16

Information	[Type= continuous] [Format=numeric] [Range= 0-128] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.588 /-] [StdDev=4.278 /-]

#84 V293: P11_R4C17

Information	[Type= continuous] [Format=numeric] [Range= 0-236] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=1.096 /-] [StdDev=8.669 /-]

#85 V294: P11_R4C18

Information	[Type= continuous] [Format=numeric] [Range= 0-148] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.551 /-] [StdDev=4.2 /-]

#86 V295: P11_R4C19

Information	[Type= continuous] [Format=numeric] [Range= 0-237] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=1.037 /-] [StdDev=8.555 /-]

#87 V296: P11_R4C20

Information	[Type= continuous] [Format=numeric] [Range= 0-144] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.496 /-] [StdDev=4.12 /-]

#88 V297: P11_R4C21

Information	[Type= continuous] [Format=numeric] [Range= 0-254] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=1.114 /-] [StdDev=9.103 /-]

File Part 11 (cont.)

#89 V298: P11_R4C22

Information	[Type= continuous] [Format=numeric] [Range= 0-180] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.618 /-] [StdDev=5.156 /-]

#90 V299: P11_R5C1

Information	[Type= continuous] [Format=numeric] [Range= 0-44] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.0717 /-] [StdDev=0.855 /-]

#91 V300: P11_R5C2

Information	[Type= continuous] [Format=numeric] [Range= 0-21] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.145 /-] [StdDev=0.882 /-]

#92 V301: P11_R5C3

Information	[Type= continuous] [Format=numeric] [Range= 0-43] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.0746 /-] [StdDev=0.931 /-]

#93 V302: P11_R5C4

Information	[Type= continuous] [Format=numeric] [Range= 0-25] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.156 /-] [StdDev=0.961 /-]

#94 V303: P11_R5C5

Information	[Type= continuous] [Format=numeric] [Range= 0-37] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.0795 /-] [StdDev=0.918 /-]

#95 V304: P11_R5C6

Information	[Type= continuous] [Format=numeric] [Range= 0-24] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.175 /-] [StdDev=1.041 /-]

#96 V305: P11_R5C7

Information	[Type= continuous] [Format=numeric] [Range= 0-36] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.0828 /-] [StdDev=0.908 /-]

File Part 11 (cont.)

#97 V306: P11_R5C8

Information	[Type= continuous] [Format=numeric] [Range= 0-40] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.18 /-] [StdDev=1.094 /-]

#98 V307: P11_R5C9

Information	[Type= continuous] [Format=numeric] [Range= 0-40] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.0911 /-] [StdDev=0.993 /-]

#99 V308: P11_R5C10

Information	[Type= continuous] [Format=numeric] [Range= 0-24] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.191 /-] [StdDev=1.122 /-]

#100 V309: P11_R5C11

Information	[Type= continuous] [Format=numeric] [Range= 0-28] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.0979 /-] [StdDev=0.951 /-]

#101 V310: P11_R5C12

Information	[Type= continuous] [Format=numeric] [Range= 0-37] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.225 /-] [StdDev=1.453 /-]

#102 V311: P11_R5C13

Information	[Type= continuous] [Format=numeric] [Range= 0-36] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.0941 /-] [StdDev=0.962 /-]

#103 V312: P11_R5C14

Information	[Type= continuous] [Format=numeric] [Range= 0-37] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.208 /-] [StdDev=1.389 /-]

#104 V313: P11_R5C15

Information	[Type= continuous] [Format=numeric] [Range= 0-39] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.0926 /-] [StdDev=0.989 /-]

File Part 11 (cont.)

#105 V314: P11_R5C16

Information	[Type= continuous] [Format=numeric] [Range= 0-37] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.178 /-] [StdDev=1.273 /-]

#106 V315: P11_R5C17

Information	[Type= continuous] [Format=numeric] [Range= 0-34] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.0925 /-] [StdDev=0.975 /-]

#107 V316: P11_R5C18

Information	[Type= continuous] [Format=numeric] [Range= 0-30] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.165 /-] [StdDev=1.199 /-]

#108 V317: P11_R5C19

Information	[Type= continuous] [Format=numeric] [Range= 0-39] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.0807 /-] [StdDev=0.922 /-]

#109 V318: P11_R5C20

Information	[Type= continuous] [Format=numeric] [Range= 0-32] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.142 /-] [StdDev=1.099 /-]

#110 V319: P11_R5C21

Information	[Type= continuous] [Format=numeric] [Range= 0-55] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.0958 /-] [StdDev=1.095 /-]

#111 V320: P11_R5C22

Information	[Type= continuous] [Format=numeric] [Range= 0-47] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.165 /-] [StdDev=1.379 /-]

#112 V321: P11_R6C19

Information	[Type= continuous] [Format=numeric] [Range= 0-229] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=8.495 /-] [StdDev=16.773 /-]

File Part 11 (cont.)

#113 V322: P11_R6C20

Information	[Type= continuous] [Format=numeric] [Range= 0-303] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=2.052 /-] [StdDev=9.95 /-]

#114 V323: P11_R6C21

Information	[Type= continuous] [Format=numeric] [Range= 0-492] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=10.653 /-] [StdDev=21.282 /-]

#115 V324: P11_R6C22

Information	[Type= continuous] [Format=numeric] [Range= 0-317] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=2.535 /-] [StdDev=12.792 /-]

#116 V325: P11_R7C19

Information	[Type= continuous] [Format=numeric] [Range= 0-141] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.587 /-] [StdDev=5.329 /-]

#117 V326: P11_R7C20

Information	[Type= continuous] [Format=numeric] [Range= 0-49] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.0124 /-] [StdDev=0.556 /-]

#118 V327: P11_R7C21

Information	[Type= continuous] [Format=numeric] [Range= 0-176] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.756 /-] [StdDev=6.748 /-]

#119 V328: P11_R7C22

Information	[Type= continuous] [Format=numeric] [Range= 0-38] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.0186 /-] [StdDev=0.715 /-]

#120 V329: P11_R8C19

Information	[Type= continuous] [Format=numeric] [Range= 0-24] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.00347 /-] [StdDev=0.263 /-]

File Part 11 (cont.)

#121 V330: P11_R8C20

Information	[Type= continuous] [Format=numeric] [Range= 0-29] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.00287 /-] [StdDev=0.289 /-]

#122 V331: P11_R8C21

Information	[Type= continuous] [Format=numeric] [Range= 0-107] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.0167 /-] [StdDev=1.147 /-]

#123 V332: P11_R8C22

Information	[Type= continuous] [Format=numeric] [Range= 0-21] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.00248 /-] [StdDev=0.213 /-]

#124 V333: P11_R9C19

Information	[Type= continuous] [Format=numeric] [Range= 0-35] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.0205 /-] [StdDev=0.661 /-]

#125 V334: P11_R9C20

Information	[Type= continuous] [Format=numeric] [Range= 0-36] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.0734 /-] [StdDev=1.13 /-]

#126 V335: P11_R9C21

Information	[Type= continuous] [Format=numeric] [Range= 0-80] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.0352 /-] [StdDev=1.205 /-]

#127 V336: P11_R9C22

Information	[Type= continuous] [Format=numeric] [Range= 0-59] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.0764 /-] [StdDev=1.321 /-]

#128 V337: P11_R10C19

Information	[Type= discrete] [Format=numeric] [Range= 0-14] [Missing=*]		
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		10095	100.0%
14		1	0.0%

File Part 11 (cont.)**#128 V337: P11_R10C19** (cont.)

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#129 V338: P11_R10C20

Information	[Type= continuous] [Format=numeric] [Range= 0-25] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.00248 /-] [StdDev=0.249 /-]

#130 V339: P11_R10C21

Information	[Type= discrete] [Format=numeric] [Range= 0-18] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10095	100.0%
18		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#131 V340: P11_R10C22

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10095	100.0%
8		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#132 V341: P11_R11C19

Information	[Type= continuous] [Format=numeric] [Range= 0-113] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.0774 /-] [StdDev=1.992 /-]

#133 V342: P11_R11C20

Information	[Type= continuous] [Format=numeric] [Range= 0-57] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.00891 /-] [StdDev=0.655 /-]

#134 V343: P11_R11C21

Information	[Type= continuous] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.0763 /-] [StdDev=1.753 /-]

File Part 11 (cont.)

#135 V344: P11_R11C22

Information	[Type= continuous] [Format=numeric] [Range= 0-41] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.00763 /-] [StdDev=0.519 /-]

#136 V345: P11_R12C19

Information	[Type= continuous] [Format=numeric] [Range= 0-200] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.269 /-] [StdDev=3.953 /-]

#137 V346: P11_R12C20

Information	[Type= continuous] [Format=numeric] [Range= 0-73] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.062 /-] [StdDev=1.557 /-]

#138 V347: P11_R12C21

Information	[Type= continuous] [Format=numeric] [Range= 0-196] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.296 /-] [StdDev=4.209 /-]

#139 V348: P11_R12C22

Information	[Type= continuous] [Format=numeric] [Range= 0-71] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.0695 /-] [StdDev=1.659 /-]

#140 V349: P11_R13C19

Information	[Type= continuous] [Format=numeric] [Range= 0-412] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=5.229 /-] [StdDev=19.748 /-]

#141 V350: P11_R13C20

Information	[Type= continuous] [Format=numeric] [Range= 0-181] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=2.033 /-] [StdDev=10.415 /-]

#142 V351: P11_R13C21

Information	[Type= continuous] [Format=numeric] [Range= 0-373] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=5.644 /-] [StdDev=20.197 /-]

File Part 11 (cont.)

#143 V352: P11_R13C22

Information	[Type= continuous] [Format=numeric] [Range= 0-280] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=2.316 /-] [StdDev=11.954 /-]

#144 V353: P11_R14C19

Information	[Type= continuous] [Format=numeric] [Range= 0-606] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=5.145 /-] [StdDev=12.797 /-]

#145 V354: P11_R14C20

Information	[Type= continuous] [Format=numeric] [Range= 0-292] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=1.305 /-] [StdDev=6.96 /-]

#146 V355: P11_R14C21

Information	[Type= continuous] [Format=numeric] [Range= 0-168] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=6.126 /-] [StdDev=12.813 /-]

#147 V356: P11_R14C22

Information	[Type= continuous] [Format=numeric] [Range= 0-432] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=1.67 /-] [StdDev=9.49 /-]

#148 V357: P11_R15C19

Information	[Type= continuous] [Format=numeric] [Range= 0-73] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.798 /-] [StdDev=4.475 /-]

#149 V358: P11_R15C20

Information	[Type= continuous] [Format=numeric] [Range= 0-48] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.126 /-] [StdDev=1.691 /-]

#150 V359: P11_R15C21

Information	[Type= continuous] [Format=numeric] [Range= 0-102] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.943 /-] [StdDev=5.426 /-]

File Part 11 (cont.)

#151 V360: P11_R15C22

Information	[Type= continuous] [Format=numeric] [Range= 0-64] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.141 /-] [StdDev=1.951 /-]

#152 V361: P11_R16C19

Information	[Type= continuous] [Format=numeric] [Range= 0-105] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.526 /-] [StdDev=4.268 /-]

#153 V362: P11_R16C20

Information	[Type= continuous] [Format=numeric] [Range= 0-39] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.0153 /-] [StdDev=0.621 /-]

#154 V363: P11_R16C21

Information	[Type= continuous] [Format=numeric] [Range= 0-80] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.544 /-] [StdDev=4.254 /-]

#155 V364: P11_R16C22

Information	[Type= continuous] [Format=numeric] [Range= 0-83] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.03 /-] [StdDev=1.218 /-]

#156 V365: P11_R17C19

Information	[Type= continuous] [Format=numeric] [Range= 0-49] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.454 /-] [StdDev=2.95 /-]

#157 V366: P11_R17C20

Information	[Type= continuous] [Format=numeric] [Range= 0-53] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.0137 /-] [StdDev=0.688 /-]

#158 V367: P11_R17C21

Information	[Type= continuous] [Format=numeric] [Range= 0-75] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.553 /-] [StdDev=3.528 /-]

File Part 11 (cont.)

#159 V368: P11_R17C22

Information	[Type= continuous] [Format=numeric] [Range= 0-22] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.00475 /-] [StdDev=0.286 /-]

#160 V369: P11_R18C13

Information	[Type= continuous] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=10096 /-]

#161 V370: P11_R18C14

Information	[Type= continuous] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=10096 /-]

#162 V371: P11_R18C15

Information	[Type= continuous] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=10096 /-]

#163 V372: P11_R18C16

Information	[Type= continuous] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=10096 /-]

#164 V373: P11_R18C17

Information	[Type= continuous] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=10096 /-]

#165 V374: P11_R18C18

Information	[Type= continuous] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=10096 /-]

#166 V375: P11_R18C19

Information	[Type= continuous] [Format=numeric] [Range= 0-123] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.531 /-] [StdDev=4.546 /-]

File Part 11 (cont.)

#167 V376: P11_R18C20

Information	[Type= continuous] [Format=numeric] [Range= 0-63] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.0476 /-] [StdDev=1.24 /-]

#168 V377: P11_R18C21

Information	[Type= continuous] [Format=numeric] [Range= 0-140] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.555 /-] [StdDev=5.032 /-]

#169 V378: P11_R18C22

Information	[Type= continuous] [Format=numeric] [Range= 0-102] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.0504 /-] [StdDev=1.564 /-]

#170 V379: P11_R19C13

Information	[Type= continuous] [Format=numeric] [Range= 0-311] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=10.642 /-] [StdDev=18.566 /-]

#171 V380: P11_R19C14

Information	[Type= continuous] [Format=numeric] [Range= 0-262] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=5.231 /-] [StdDev=19.339 /-]

#172 V381: P11_R19C15

Information	[Type= continuous] [Format=numeric] [Range= 0-231] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=10.301 /-] [StdDev=18.064 /-]

#173 V382: P11_R19C16

Information	[Type= continuous] [Format=numeric] [Range= 0-235] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=4.468 /-] [StdDev=16.672 /-]

#174 V383: P11_R19C17

Information	[Type= continuous] [Format=numeric] [Range= 0-236] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=10.54 /-] [StdDev=18.898 /-]

File Part 11 (cont.)

#175 V384: P11_R19C18

Information	[Type= continuous] [Format=numeric] [Range= 0-286] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=4.058 /-] [StdDev=15.998 /-]

#176 V385: P11_R19C19

Information	[Type= continuous] [Format=numeric] [Range= 0-405] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=10.389 /-] [StdDev=19.549 /-]

#177 V386: P11_R19C20

Information	[Type= continuous] [Format=numeric] [Range= 0-263] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=3.529 /-] [StdDev=15.319 /-]

#178 V387: P11_R19C21

Information	[Type= continuous] [Format=numeric] [Range= 0-344] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=13.269 /-] [StdDev=23.966 /-]

#179 V388: P11_R19C22

Information	[Type= continuous] [Format=numeric] [Range= 0-523] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=4.26 /-] [StdDev=19.557 /-]

#180 V389: P11_R20C13

Information	[Type= continuous] [Format=numeric] [Range= 0-302] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=6.321 /-] [StdDev=16.876 /-]

#181 V390: P11_R20C14

Information	[Type= continuous] [Format=numeric] [Range= 0-435] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=1.844 /-] [StdDev=10.15 /-]

#182 V391: P11_R20C15

Information	[Type= continuous] [Format=numeric] [Range= 0-208] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=5.844 /-] [StdDev=15.56 /-]

File Part 11 (cont.)

#183 V392: P11_R20C16

Information	[Type= continuous] [Format=numeric] [Range= 0-163] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=1.589 /-] [StdDev=8.286 /-]

#184 V393: P11_R20C17

Information	[Type= continuous] [Format=numeric] [Range= 0-243] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=5.853 /-] [StdDev=15.753 /-]

#185 V394: P11_R20C18

Information	[Type= continuous] [Format=numeric] [Range= 0-172] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=1.523 /-] [StdDev=8.213 /-]

#186 V395: P11_R20C19

Information	[Type= continuous] [Format=numeric] [Range= 0-982] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=5.616 /-] [StdDev=17.492 /-]

#187 V396: P11_R20C20

Information	[Type= continuous] [Format=numeric] [Range= 0-163] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=1.363 /-] [StdDev=7.74 /-]

#188 V397: P11_R20C21

Information	[Type= continuous] [Format=numeric] [Range= 0-325] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=6.18 /-] [StdDev=16.346 /-]

#189 V398: P11_R20C22

Information	[Type= continuous] [Format=numeric] [Range= 0-188] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=1.704 /-] [StdDev=9.66 /-]

#190 V399: P11_R21C13

Information	[Type= continuous] [Format=numeric] [Range= 0-245] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.442 /-] [StdDev=5.385 /-]

File Part 11 (cont.)

#191 V400: P11_R21C14

Information	[Type= continuous] [Format=numeric] [Range= 0-47] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.0391 /-] [StdDev=1.052 /-]

#192 V401: P11_R21C15

Information	[Type= continuous] [Format=numeric] [Range= 0-200] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.357 /-] [StdDev=4.571 /-]

#193 V402: P11_R21C16

Information	[Type= continuous] [Format=numeric] [Range= 0-33] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.0318 /-] [StdDev=0.857 /-]

#194 V403: P11_R21C17

Information	[Type= continuous] [Format=numeric] [Range= 0-134] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.349 /-] [StdDev=4.141 /-]

#195 V404: P11_R21C18

Information	[Type= continuous] [Format=numeric] [Range= 0-42] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.0273 /-] [StdDev=0.844 /-]

#196 V405: P11_R21C19

Information	[Type= continuous] [Format=numeric] [Range= 0-124] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.377 /-] [StdDev=4.023 /-]

#197 V406: P11_R21C20

Information	[Type= continuous] [Format=numeric] [Range= 0-55] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.0319 /-] [StdDev=0.964 /-]

#198 V407: P11_R21C21

Information	[Type= continuous] [Format=numeric] [Range= 0-128] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.378 /-] [StdDev=4.105 /-]

File Part 11 (cont.)

#199 V408: P11_R21C22

Information	[Type= continuous] [Format=numeric] [Range= 0-71] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.0454 /-] [StdDev=1.344 /-]

#200 V409: P11_R22C13

Information	[Type= continuous] [Format=numeric] [Range= 0-210] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=5.644 /-] [StdDev=15.57 /-]

#201 V410: P11_R22C14

Information	[Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.351 /-] [StdDev=3.268 /-]

#202 V411: P11_R22C15

Information	[Type= continuous] [Format=numeric] [Range= 0-490] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=5.138 /-] [StdDev=15.266 /-]

#203 V412: P11_R22C16

Information	[Type= continuous] [Format=numeric] [Range= 0-104] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.306 /-] [StdDev=2.861 /-]

#204 V413: P11_R22C17

Information	[Type= continuous] [Format=numeric] [Range= 0-192] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=4.958 /-] [StdDev=13.999 /-]

#205 V414: P11_R22C18

Information	[Type= continuous] [Format=numeric] [Range= 0-90] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.296 /-] [StdDev=2.921 /-]

#206 V415: P11_R22C19

Information	[Type= continuous] [Format=numeric] [Range= 0-340] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=4.809 /-] [StdDev=14.07 /-]

File Part 11 (cont.)

#207 V416: P11_R22C20

Information	[Type= continuous] [Format=numeric] [Range= 0-90] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.286 /-] [StdDev=2.894 /-]

#208 V417: P11_R22C21

Information	[Type= continuous] [Format=numeric] [Range= 0-203] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=5.31 /-] [StdDev=14.585 /-]

#209 V418: P11_R22C22

Information	[Type= continuous] [Format=numeric] [Range= 0-85] [Missing=*]
Statistics [NW/ W]	[Valid=10096 /-] [Invalid=0 /-] [Mean=0.311 /-] [StdDev=3.028 /-]

File Teachers Details

#1 V24: SCID_98

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=189800 /-] [Invalid=0 /-]

#2 V25: SEQ_TEA

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=189800 /-] [Invalid=0 /-]
Frequency table not shown (272 Modalities)	

#3 V26: 1. Name of the Teacher

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=189800 /-]

#4 V27: 2. Birth - Year

Information	[Type= discrete] [Format=numeric] [Range= 0-1985] [Missing=*]
Statistics [NW/ W]	[Valid=189800 /-] [Invalid=0 /-]
Frequency table not shown (57 Modalities)	

File Teachers Details (cont.)

#5 V28: 3. Birth - Month

Information	[Type= discrete] [Format=numeric] [Range= 0-12] [Missing=*]		
Statistics [NW/ W]	[Valid=189800 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1		18222	9.6%
2		15507	8.2%
3		16792	8.8%
4		15428	8.1%
5		15578	8.2%
6		14173	7.5%
7		14341	7.6%
8		14462	7.6%
9		14937	7.9%
10		16530	8.7%
11		16443	8.7%
12		17387	9.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#6 V29: 4. Birth - Date

Information	[Type= discrete] [Format=numeric] [Range= 1-31] [Missing=*]
Statistics [NW/ W]	[Valid=189800 /-] [Invalid=0 /-]
Frequency table not shown (31 Modalities)	

#7 V30: 5. Sex

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=189800 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Male	58533	30.8%
2	Female	131267	69.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#8 V31: 5. Ethnicity

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=189800 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Sinhales	149949	79.0%
2	Sri Lanka Tamil	19779	10.4%

File Teachers Details (cont.)

#8 V31: 5. Ethnicity (cont.)

Value (cont.)	Label	Cases	Percentage
3	Indian Tamil	4837	2.5%
4	Sri Lanka Muslim	15106	8.0%
5	Other	129	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#9 V32: 7. Religion

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=189800 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Buddish	144638	76.2%
2	Hindu	20473	10.8%
3	Islam	15144	8.0%
4	Catholic	8132	4.3%
5	Chritian	1404	0.7%
6	Other	9	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#10 V48: 8. Marital Status

Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=189800 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Married	163637	86.2%
2	Unmarried	22074	11.6%
3	Widow	3065	1.6%
4	Other	1024	0.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#11 V33: 9. Appointment - Year

Information	[Type= discrete] [Format=numeric] [Range= 1947-2003] [Missing=*]
Statistics [NW/ W]	[Valid=189800 /-] [Invalid=0 /-]
Frequency table not shown (45 Modalities)	

#12 V34: 10. Appointment - Month

Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]
Statistics [NW/ W]	[Valid=189800 /-] [Invalid=0 /-]

File Teachers Details (cont.)

#12 V34: 10. Appointment - Month (cont.)

Value	Label	Cases	Percentage
1	January	31239	16.5%
2	February	21489	11.3%
3	March	16048	8.5%
4	April	10837	5.7%
5	May	21363	11.3%
6	June	11552	6.1%
7	July	13694	7.2%
8	August	12787	6.7%
9	September	15789	8.3%
10	October	13004	6.9%
11	November	12582	6.6%
12	December	9416	5.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#13 V35: 11. Appointment Nature

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=189800 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Fulltime Teacher with pay	180265	95.0%
2	Teacher with pay - Part-time released to another institution	1760	0.9%
3	Teacher with pay - Full-time released to another institution	4721	2.5%
4	Fulltime Teacher Salary from another School	723	0.4%
5	Fulltime Teacher with pay from another office	823	0.4%
6	Attached to this School due to disturbances	797	0.4%
7	Pay from Non-government and Other Sources	711	0.4%
8	Appointed from other State Institutions	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#14 V36: 12. Medium of Teaching Appointment

Information	[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]		
Statistics [NW/ W]	[Valid=189800 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Sinhala	150741	79.4%
2	Tamil	38880	20.5%
3	English	179	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Teachers Details (cont.)

#15 V37: 13. Your Position in this School

Information [Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]

Statistics [NW/ W] [Valid=189800 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Principal	8456	4.5%
2	Acting Principal	1353	0.7%
3	Deputy Principal	5335	2.8%
4	Assistant Principal	1759	0.9%
5	Section Head - Primary/Secondary	4542	2.4%
6	A/L Section Head	1171	0.6%
7	Teacher	162463	85.6%
8	Fulltime Released	4721	2.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#16 V38: 14. Highest Educational Qualification

Information [Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]

Statistics [NW/ W] [Valid=189800 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Below G.C.E.(O/L)	35	0.0%
2	G.C.E.(O/L) or Equivalent	31562	16.6%
3	G.C.E.(A/L) or Equivalentma	99648	52.5%
4	BA/B.Sc./BEd	56081	29.5%
5	M.A./M.Sc./MEd	2222	1.2%
6	M Phil or Parallel	239	0.1%
7	Ph. D. or Parallel	13	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#17 V39: 15. Highest Professional Qualification

Information [Type= discrete] [Format=numeric] [Range= 1-14] [Missing=*]

Statistics [NW/ W] [Valid=189800 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Ph.D.Ed.	5	0.0%
2	MPhil. Ed.	64	0.0%
3	M.Ed.	637	0.3%
4	MA in Ed.	613	0.3%
5	Dip in Ed.	37770	19.9%
6	MSc. in Educational Management	55	0.0%
7	Post Graduate Diploma in Educational Management	1087	0.6%

File Teachers Details (cont.)

#17 V39: 15. Highest Professional Qualification (cont.)

Value (cont.)	Label	Cases	Percentage
8	Post Graduate Diploma in English as a Secondary Language	191	0.1%
9	B.Ed.	2647	1.4%
10	Diploma in English Teaching as Secondary Language	569	0.3%
11	Diploma in Agricultural Education	618	0.3%
12	Certificate in Teacher Training	112821	59.4%
13	National Teaching Science Diploma	13541	7.1%
14	No Professional Qualifications	19182	10.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#18 V40: 16. Classification of current appointment

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=189800 /-] [Invalid=0 /-]
Frequency table not shown (93 Modalities)	

#19 V41: 17. Teaching Section

Value	Label	Cases	Percentage
1	Grade 1-5 (Primary Only)	58575	30.9%
2	Grade 3-5 (English)	5768	3.0%
3	Grade 6-11 (Science & Maths)	23940	12.6%
4	Grade 6-11 (English)	12451	6.6%
5	Grade 6-11 (Other Subjects)	52119	27.5%
6	Grade 12-13 (Science Subjects)	3782	2.0%
7	Grade 12-13 (Arts/Commerce/English & Other Subjects)	14640	7.7%
8	Special Educational Unit	858	0.5%
9	Student Counselling/Information Technology/Library	1517	0.8%
10	Over Staff	978	0.5%
11	Supervision & Administration	9987	5.3%
12	Teaching Instructor (Part-time)	464	0.2%
13	Teaching Instructor (Full-time)	2232	1.2%
14	Released to other School	666	0.4%
15	Released to another Institute/Office/Service	1603	0.8%
16	Study Leave	220	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Teachers Details (cont.)

#20 V42: 18. The subject teaches mostly

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=189800 /-] [Invalid=0 /-]
--------------------	----------------------------------

Frequency table not shown (49 Modalities)

#21 V43: 19. Service/Grade

Information	[Type= discrete] [Format=numeric] [Range= 0-13] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=189800 /-] [Invalid=0 /-]
--------------------	----------------------------------

Value	Label	Cases	Percentage
1	SLEAS 1	4	0.0%
2	SLEAS 2	111	0.1%
3	SLEAS 3	104	0.1%
4	SLPS 1	3024	1.6%
5	SLPS 2-I	3805	2.0%
6	SLPS 2-II	2303	1.2%
7	SLPS 3	1437	0.8%
8	Sri Lanka Teaching Service 1	13941	7.3%
9	Sri Lanka Teaching Service 2-I	37265	19.6%
10	Sri Lanka Teaching Service 2-II	70206	37.0%
11	Sri Lanka Teaching Service 3-I	37705	19.9%
12	Sri Lanka Teaching Service 3-II	10967	5.8%
13	Not Absorbed to the Teaching Service	8928	4.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#22 V44: 20. Leave obtained in 2002 - Casual/Vacation Leave

Information	[Type= discrete] [Format=numeric] [Range= 0-999] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=189800 /-] [Invalid=0 /-]
--------------------	----------------------------------

Frequency table not shown (170 Modalities)
--

#23 V47: 21. Leave obtained in 2002 - Duty/Study Leave

Information	[Type= discrete] [Format=numeric] [Range= 0-365] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=189799 /-] [Invalid=1 /-]
--------------------	----------------------------------

Frequency table not shown (196 Modalities)
--

#24 V45: 22. Leave obtained in 2002 - Maternity Leave

Information	[Type= discrete] [Format=numeric] [Range= 0-112] [Missing=*]
-------------	--

File Teachers Details (cont.)

#24 V45: 22. Leave obtained in 2002 - Maternity Leave (cont.)

Statistics [NW/ W]	[Valid=189800 /-] [Invalid=0 /-]
--------------------	----------------------------------

Frequency table not shown (90 Modalities)

#25 V46: 23. Gross Salary - 2003 May

Information	[Type= discrete] [Format=numeric] [Range= 0-97853] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=189800 /-] [Invalid=0 /-]
--------------------	----------------------------------

Documentation

<u>Reports and analytical documents</u>	612
<u>Study Documentation CGS 2003 Project</u>	612
<u>Questionnaires</u>	612
<u>Government School Census 2003</u>	612
<u>Teachers Schedule 2003</u>	612

Reports and analytical documents

Study Documentation CGS 2003 Project, Sri Lanka [lka], English [eng], "Documents\Reports\Study Documentation CGS 2003 Project.pdf"

Questionnaires

Government School Census 2003, Sri Lanka [lka], English [eng], "Documents\Questionnaires\Gov_she2003.pdf"

Teachers Schedule 2003, Sri Lanka [lka], English [eng], "Documents\Questionnaires\Tea_she2003.pdf"