

Sri Lanka

Department of Census and Statistics, Ministry of Finance and Planning

Child Surveillance & Development Survey - 1985

Study Documentation

September 12, 2013

Metadata Production

Metadata Producer(s)	Dept. of Census and Statistics , Ministry of Finance and Planning , Data Processing
Production Date	September 7, 2009
Version	Version 1.0 (October 2009)
Identification	DDI-LKA-DCS-CSD-1985-v1.0

This document was generated using the [IHSN Microdata Management Toolkit](#)

Table of Contents

Overview	1
Scope & Coverage	1
Producers & Sponsors	2
Data Collection	2
Accessibility	2
Rights & Disclaimer	4
Files Description	5
Rec20	5
Rec30	5
Rec31	5
Rec40	5
Rec41	5
Rec42	5
Record50_ChildAlive	6
Record50_ChildDead	6
Record60_ChildAlive	6
Record60_ChildDead	6
Record70_ChildAlive	6
Record70_ChildDead	7
Record80_ChildAlive	7
Record80_ChildDead	7
Variables List	8
Rec20	8
Rec30	9
Rec31	13
Rec40	16
Rec41	17
Rec42	19
Record50_ChildAlive	20
Record50_ChildDead	22
Record60_ChildAlive	24
Record60_ChildDead	27
Record70_ChildAlive	29
Record70_ChildDead	31
Record80_ChildAlive	34
Record80_ChildDead	36
Variables Description	39
Rec20	39
Rec30	46
Rec31	63
Rec40	76
Rec41	85
Rec42	92
Record50_ChildAlive	98
Record50_ChildDead	108
Record60_ChildAlive	118

Record60_ChildDead	129
Record70_ChildAlive	141
Record70_ChildDead	152
Record80_ChildAlive	164
Record80_ChildDead	175
Documentation	187

Sri Lanka ()
 Child Surveillance & Development Survey - 1985 (CSD 1985)

Overview

Type	Demographic and Health Survey, Special [hh/dhs-sp]
Identification	LKA-DCS-CSD-1985-v1.0
Version	Production Date: 2009-10-07 v1.0 : Full edited dataset, for internal DPD use.
<u>Abstract</u> This survey collected information on Pregnancy, Mother and Child Health from a sample of population in three selected Districts, namely Puttalam, Kegalle and Anuradhapura. Every pregnant woman in the sample was interviewed in relation to the questionnaire. Then they were again interviewed after 8 days, 29 days, 3 months, 6 months and 12 months respectively from the date of delivery.	
Kind of Data	Sample survey data [ssd]
Unit of Analysis	All pregnant women who are in the selected sample and their households.

Scope & Coverage

Scope

The scope of this survey includes:

Identification information of the household and the occupants
 Resident pregnant women and their biological details
 Details about current pregnancy and existing children
 Clinical follow up of pregnancy
 Health condition of the pregnant women
 Economic condition and common amenities available to pregnant women.
 Living conditions given to the pregnant women
 State of the delivery
 Personal attention paid while the delivery was in process
 Information about still births and normal live births.

Topics	childbearing, family planning and abortion [8.2]
--------	--

Geographic Coverage

The survey was confined to three Districts in Sri Lanka - Puttalam, Kegalle and Anuradhapura.

Universe

This survey covered all household members who are pregnant and resident in the household at the time of the first interview. A second interview has been conducted when they have passed the 28th week of pregnancy. Thereafter the delivery has been followed up with five more successive interviews as follows :-

Third Interview - When the child is 8 days old
 Fourth Interview- When the child is 29 days old
 Fifth Interview- When the child is 3 months old
 Sixth Interview - When the child is 6 months old
 Seventh Interview - When the child is 12 months old

Producers & Sponsors	
Primary Investigator(s)	Department of Census and Statistics, Ministry of Finance and Planning
Funding Agency/ies	United Nations Children's Fund (UNICEF) , Provided Funding

Data Collection	
Data Collection Dates	single 1985-01-01
Data Collection Mode	Face-to-face [f2f]
<p><u>Questionnaires</u> The questionnaire collected information on the following themes</p> <p>Part1 - Information about the Household and the members living in the household Part 2 - Biological details of the pregnant women Part3 - Employment details of self and husband, Health condition and the clinical follow ups of the pregnant women and her living conditions. Part4 - Details about the delivery and the newborn child as well as details about Still births and live births (Same particulars are repeated in Part 5, 6, 7 and 8 in different stages of child development).</p>	

Accessibility	
Access Authority	Director General (Department of Census and Statistics) , http://www.statistics.gov.lk , dgcensus@statistics.gov.lk
Contact(s)	Information Unit (Department of Census and Statistics) , http://www.statistics.gov.lk , information@statistics.gov.lk
<p><u>Confidentiality</u> Under the Statistical Ordinance, micro data cannot be released with identifications for public use. Procedures are in place to ensure that information relating to any particular individual person, household or undertaking will be kept strictly confidential and will not be divulged to external parties. Information on individual or individual Household/establishment will not be divulged or published in such a form that will facilitate the identification of any particular person or establishment as the data have been collected under the Statistical Ordinance, according to which the information at individual level cannot be divulged and such information is strictly confidential.</p>	
<p><u>Access Conditions</u> The dataset has been anonymized and is available as a Public Use Dataset. It is accessible to all for statistical and research purposes only, under the following terms and conditions:</p> <ol style="list-style-type: none"> 1. The data and other materials will not be redistributed or sold to other individuals, institutions, or organizations without the written agreement. 2. The data will be used for statistical and scientific research purposes only. They will be used solely for reporting of aggregated information, and not for investigation of specific individuals or organizations. 	

3. No attempt will be made to re-identify respondents, and no use will be made of the identity of any person or establishment discovered inadvertently.
4. No attempt will be made to produce links among datasets provided by the Department or among data from the Department and other datasets that could identify individuals or organizations.
5. Any books, articles, conference papers, theses, dissertations, reports, or other publications that employ data obtained from the Department will cite the source of data in accordance with the Citation Requirement provided with each dataset.
6. An electronic copy of all reports and publications based on the requested data will be sent to the Department

The following rules apply to micro data released by the Department of Census and Statistics.

- Only the requests of Government Institutions, Recognized Universities, Students, and selected international agencies are entertained. However, the Data users are required to strictly adhere to the terms stipulated in the agreement form.
- All the data requests should be made to Director General (DG) of the DCS as the sole authority of releasing data is vested with the DG of the DCS. The DCS of Sri Lanka reserves sole right to approve or reject any data request made depending on the confidential nature of the data set and intended purpose of the study or analysis.
- Requests for micro data should be made through the agreement form designed by DCS for this purpose (Form D.R.1). The agreement form should be filled in triplicate and the Study/project proposal should accompany the filled agreement form. If requests are made for the micro data of more than one survey, a separate agreement should be signed.
- If the data request is from a student a letter from the respective Dept. Head/Dean/Supervisor, recommending the issue of data, should also be accompanied.
- If the request is approved only 25% of the data file is released at the first stage. The release of the total data file is considered only after reviewing the draft report prepared on the basis of the 25% sample data file.
- The released Data file should be used only for the specific study/Analysis mentioned in the agreement form and shall not be used for any other purpose without the prior approval of the Director General of the DCS. Moreover, Copies of the micro-data file, obtained from the DCS, shall not be given to anyone else without the prior written approval of the Director General of the DCS.
- The draft report of the Study/Analysis should be submitted to the DCS and the concurrence of the DG of the DCS, should be obtained before publishing it. Once published, a copy of the final report should be submitted to the DCS.

[Department : The Department of Census and Statistics (DCS)]

Source : http://www.statistics.gov.lk/databases/data%20dissemination/DataDissaPolicy_

Citation Requirements

Department of Census and Statistics, Child Surveillance & Development Survey - 1985 [CSD 1985], Version 1.0 of the public use dataset October, 2009, provided by the National Data Archive, Data Processing Division, www.statistics.gov.lk"

Rights & Disclaimer

Disclaimer

The Department of Census and Statistics bears no responsibility for any results or interpretations arising from the secondary use of the data.

Copyright

[c] 2009, Department of Census and Statistics

Files Description

Dataset contains 14 file(s)

Rec20	
# Cases	3375
# Variable(s)	51
<u>File Content</u> This file contains answers for questions 201 to 226 in the questionnaire	

Rec30	
# Cases	3374
# Variable(s)	87
<u>File Content</u> This file contains answers for questions 301 to 337 in the questionnaire	

Rec31	
# Cases	3374
# Variable(s)	63
<u>File Content</u> This file contains answers for questions 338 to 363 in the questionnaire	

Rec40	
# Cases	3304
# Variable(s)	41
<u>File Content</u> This file contains answers for questions 401 to 418 in the questionnaire	

Rec41	
# Cases	3259
# Variable(s)	42
<u>File Content</u> This file contains answers for questions L419 to L431 in the questionnaire	

Rec42	
# Cases	7
# Variable(s)	38
<u>File Content</u> This file contains answers for questions D419 to D434 in the questionnaire	

Record50_ChildAlive	
# Cases	3147
# Variable(s)	51
<u>File Content</u> This file contains answers for questions 501 to 553 in the questionnaire	

Record50_ChildDead	
# Cases	23
# Variable(s)	49
<u>File Content</u> This file contains answers for questions D503 to D519 in the questionnaire	

Record60_ChildAlive	
# Cases	3110
# Variable(s)	56
<u>File Content</u> This file contains answers for questions 601 to 639 in the questionnaire	

Record60_ChildDead	
# Cases	10
# Variable(s)	57
<u>File Content</u> This file contains answers for questions D603 to 639 in the questionnaire	

Record70_ChildAlive	
# Cases	3067

Child Surveillance & Development Survey - 1985 - Files Description

# Variable(s)	59
<u>File Content</u> This file contains answers for questions 701 to 742 in the questionnaire	

Record70_ChildDead	
# Cases	11
# Variable(s)	64
<u>File Content</u> This file contains answers for questions 701 to 742 in the questionnaire	

Record80_ChildAlive	
# Cases	3015
# Variable(s)	55
<u>File Content</u> This file contains answers for questions 801 to 840 in the questionnaire	

Record80_ChildDead	
# Cases	2
# Variable(s)	54
<u>File Content</u> This file contains answers for questions 801 to 840 in the questionnaire	

Variables List

Dataset contains 767 variable(s)

File Rec20							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	REC\$TYPE	-	discrete	character-2	3375	0	-
2	SAM_UNIT	Sample Unit Number	continuous	numeric-3.0	3375	0	-
3	HH_NO	Household Number	continuous	numeric-3.0	3375	0	-
4	SUB_NO	Subsidiary Number	continuous	numeric-1.0	3375	0	-
5	X1	X1	continuous	numeric-1.0	3375	0	-
6	Q201	201. Total Number of Persons _Part1	continuous	numeric-2.0	3375	0	-
7	Q202	202. Total number of family members _Part1	continuous	numeric-2.0	3375	0	-
8	Q203	203. Last menstrual Date	continuous	numeric-6.0	3375	0	-
9	Q203_YEAR	203. Last menstrual year	continuous	numeric-2.0	3375	0	-
10	Q203_MONTH	203. Last menstrual month	continuous	numeric-2.0	3375	0	-
11	Q203_DAY	203. Last menstrual day	continuous	numeric-2.0	3375	0	-
12	Q204	204. Interview Date	continuous	numeric-6.0	3375	0	-
13	Q204_YEAR	204. Interview year	continuous	numeric-2.0	3375	0	-
14	Q204_MONTH	204. Interview month	continuous	numeric-2.0	3375	0	-
15	Q204_DAY	204. Interview day	continuous	numeric-2.0	3375	0	-
16	Q205	205. Weeks of Pregnancy	continuous	numeric-2.0	3375	0	-
17	Q206	206. Date when 28 th week of pregnancy	continuous	numeric-6.0	3375	0	-
18	Q206_YEAR	206. Year when 28 th week of pregnancy	continuous	numeric-2.0	3375	0	-
19	Q206_MONTH	206. Month when 28 th week of pregnancy	continuous	numeric-2.0	3375	0	-
20	Q206_DAY	206. Day when 28 th week of pregnancy	continuous	numeric-2.0	3375	0	-
21	Q207	207. Date expecting the Delivery	continuous	numeric-6.0	3375	0	-
22	Q207_YEAR	207. Date expecting the Delivery (Year)	continuous	numeric-2.0	3375	0	-
23	Q207_MONTH	207. Date expecting the Delivery (Month)	continuous	numeric-2.0	3375	0	-
24	Q207_DAY	207. Date expecting the Delivery (Day)	continuous	numeric-2.0	3375	0	-
25	Q208	208. Is this your usual residence	continuous	numeric-1.0	3375	0	-
26	Q209	209. Having any idea of changing the residence	continuous	numeric-1.0	3330	45	-
27	Q211_C	211.C. Age	continuous	numeric-2.0	3366	9	-

Child Surveillance & Development Survey - 1985 - Variables List

File Rec20 (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
28	Q212	212. Ethnic Group	continuous	numeric-1.0	3375	0	-
29	Q213	213. Religion	continuous	numeric-1.0	3375	0	-
30	Q214	214. Highest level of Education	continuous	numeric-1.0	3375	0	-
31	Q215	215. Mother's height(cm)	continuous	numeric-3.0	3356	19	-
32	Q216	216. Ever given birth to a child	continuous	numeric-1.0	3375	0	-
33	Q217_A_BOYS	217.A. Number of sons alive	continuous	numeric-2.0	2358	1017	-
34	Q217_A_GIRLS	217.A. Number of daughters alive	continuous	numeric-2.0	2357	1018	-
35	Q217_B	217.B Had a live birth	continuous	numeric-1.0	3375	0	-
36	Q217_C_BOYS	217.C. Boys who died	continuous	numeric-2.0	2469	906	-
37	Q217_C_GIRLS	217.C. Girls who died	continuous	numeric-2.0	2469	906	-
38	Q217_D	217.D. Total number of living children	continuous	numeric-2.0	3147	228	-
39	Q217_E	217.E. Total number of children who died	continuous	numeric-2.0	3145	230	-
40	Q217_F	217.F. Total number of live births	continuous	numeric-2.0	3359	16	-
41	Q218	218. Ever had an abortion or deadbirth	continuous	numeric-1.0	3375	0	-
42	Q219	219. Number of abortions or deadBirths	continuous	numeric-2.0	399	2976	-
43	Q220	220. Last child birth	continuous	numeric-4.0	2321	1054	-
44	Q220_YEAR	220. Year of Last child birth	continuous	numeric-2.0	2323	1052	-
45	Q220_MONTH	220. Month of Last child birth	continuous	numeric-2.0	2321	1054	-
46	Q221	221. Last child still alive	continuous	numeric-1.0	2410	965	-
47	Q222	222. If dead, Age at which child was died	continuous	numeric-4.0	131	3244	-
48	Q222_YEAR	222. Age at which child was died (Years)	continuous	numeric-2.0	131	3244	-
49	Q222_MONTH	222. Age at which child was died (Months)	continuous	numeric-2.0	131	3244	-
50	Q223	223. Expecting a child before becoming pregnant last time	continuous	numeric-1.0	3375	0	-
51	Q224	224. Did not expect a child at all or wanted to delay	continuous	numeric-1.0	916	2459	-

Child Surveillance & Development Survey - 1985 - Variables List

File Rec30							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	REC\$TYPE	-	discrete	character-2	3374	0	-
2	SAM_UNIT	Sample Unit	continuous	numeric-3.0	3374	0	-
3	HH_NO	Household Number	continuous	numeric-3.0	3374	0	-
4	SUB_NO	Subsidiary Number	continuous	numeric-1.0	3374	0	-
5	XB	X1	continuous	numeric-1.0	3374	0	-
6	DATE_OF_INTERVIEW	Date of Interview	continuous	numeric-6.0	3373	1	-
7	YEAR_OF_INTERVIEW	Year of Interview	continuous	numeric-2.0	3373	1	-
8	MONTH_OF_INTERVIEW	Month of Interview	continuous	numeric-2.0	3373	1	-
9	DAY_OF_INTERVIEW	Day of Interview	continuous	numeric-2.0	3373	1	-
10	Q301	301. How is your baby?	continuous	numeric-1.0	3374	0	-
11	Q302	302. Midwife visited at least once, during pregnancy	continuous	numeric-1.0	3374	0	-
12	Q303	303 No. of visits	continuous	numeric-1.0	1695	1679	-
13	Q304	304. No. of pregnancy months at the first visit	continuous	numeric-1.0	1668	1706	-
14	Q305	305. Underwent any medical checkup during pregnancy	continuous	numeric-1.0	3374	0	-
15	Q306	306. Number of Checkups	continuous	numeric-1.0	2946	428	-
16	Q307	307. No. of pregnancy months at your last clinical visit	continuous	numeric-1.0	2940	434	-
17	Q308_A_1	308.A.1 Mother's weight	continuous	numeric-1.0	2952	422	-
18	Q308_A_2	308.A.2. Mother's height	continuous	numeric-1.0	2954	420	-
19	Q308_A_3	308.A.3. Blood pressure	continuous	numeric-1.0	2954	420	-
20	Q308_A_4	308.A.4. Blood from finger	continuous	numeric-1.0	2955	419	-
21	Q308_A_5	308.A.5. Blood from hand	continuous	numeric-1.0	2952	422	-
22	Q308_A_6	308.A.6. Urine test	continuous	numeric-1.0	2954	420	-
23	Q308_A_7	308.A.7. Checked the Stomach	continuous	numeric-1.0	2955	419	-
24	Q308_B_1	308.B.1. Given medicine or vitamine	continuous	numeric-1.0	2954	420	-
25	Q308_B_2	308.B.2. Given extra food	continuous	numeric-1.0	2953	421	-
26	Q308_B_3	308.B.3. Given advice for safety	continuous	numeric-1.0	2951	423	-
27	Q309	309. Place of last test	continuous	numeric-1.0	2933	441	-
28	Q310	310. If it was not a government clinic, went any other place	continuous	numeric-1.0	114	3260	-
29	Q311	311. Checked on the same	continuous	numeric-1.0	2890	484	-

Child Surveillance & Development Survey - 1985 - Variables List

File Rec30 (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
		day, or asked to come another day					
30	Q312	312. Had to wait for a long	continuous	numeric-1.0	2899	475	-
31	Q313	313. Got a seat at your last clinic	continuous	numeric-1.0	2900	474	-
32	Q314	314. Treated well at your last clinic	continuous	numeric-1.0	2902	472	-
33	Q315	315. Satisfied about the service provided	continuous	numeric-1.0	2886	488	-
34	Q316_1	316.1. Thought that it was not necessary	continuous	numeric-1.0	469	2905	-
35	Q316_2	316.2. Preferred another place	continuous	numeric-1.0	435	2939	-
36	Q316_3	316.3. Did not know the clinical place	continuous	numeric-1.0	432	2942	-
37	Q316_4	316.4. No vehicles for travelling/ higher cost	continuous	numeric-1.0	432	2942	-
38	Q316_5	316.5. Had to spend more time	continuous	numeric-1.0	436	2938	-
39	Q316_6	316.6. Could not leave children at home	continuous	numeric-1.0	434	2940	-
40	Q316_7	316.7. Clinical workers do not treat mothers well	continuous	numeric-1.0	430	2944	-
41	Q316_8	316.8. Clinical workers blame us	continuous	numeric-1.0	425	2949	-
42	Q316_9	316.9. Others	continuous	numeric-1.0	96	3278	-
43	Q317	317. Changed the diet after the pregnancy	continuous	numeric-1.0	3374	0	-
44	Q318_A_FOOD1	318. A.1. Which foods were reduced or stopped because of pregnancy	continuous	numeric-1.0	912	2462	-
45	Q318_A_FOOD2	318. A.2. Which foods were reduced or stopped because of pregnancy	continuous	numeric-1.0	562	2812	-
46	Q318_A_FOOD3	318.A.3. Which foods were reduced or stopped because of pregnancy	continuous	numeric-1.0	220	3154	-
47	Q318_A_FOOD4	318.A.4. Which foods were reduced or stopped because of pregnancy	continuous	numeric-1.0	59	3315	-
48	Q318_B_FOOD1	318.B.1. Which foods were increased or started because of pregnancy	continuous	numeric-1.0	943	2431	-
49	Q318_B_FOOD2	318.B.2. Which foods were increased or started because of pregnancy	continuous	numeric-1.0	674	2700	-
50	Q318_B_FOOD3	318.B.3. Which foods were	continuous	numeric-1.0	300	3074	-

Child Surveillance & Development Survey - 1985 - Variables List

File Rec30 (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
		increased or started because of pregnancy					
51	Q318_B_FOOD4	318.B.4. Which foods were increased or started because of pregnancy	continuous	numeric-1.0	107	3267	-
52	Q319	319. Taking any Tablets or Vitamins daily	continuous	numeric-1.0	3372	2	-
53	Q320	320. Who gave the advice	continuous	numeric-1.0	1245	2129	-
54	Q321	321. Place you have chosen for your delivery	continuous	numeric-1.0	3374	0	-
55	Q322	322. Name & Address of the hospital/Nursing Home	continuous	numeric-1.0	3035	339	-
56	Q323_1	323.1. Not necessary to go to a hospital	continuous	numeric-1.0	133	3241	-
57	Q323_2	323.2. Don't know the place	continuous	numeric-1.0	1	3373	-
58	Q323_3	323.3. No vehicles, Cost is high	continuous	numeric-1.0	59	3315	-
59	Q323_4	323.4. Can't leave children alone at home	continuous	numeric-1.0	67	3307	-
60	Q323_5	323.5. Mothers are not treated well at the clinic	continuous	numeric-1.0	27	3347	-
61	Q323_6	323.6. Service is not good, Bad experience last time	continuous	numeric-1.0	12	3362	-
62	Q323_7	323.7. Afraid of staying at hospital alone	continuous	numeric-1.0	20	3354	-
63	Q323_8	323.1. Other	continuous	numeric-1.0	30	3344	-
64	Q324	324. Who will help you	continuous	numeric-1.0	500	2874	-
65	Q325	325. Is there a midwife in your region	continuous	numeric-1.0	272	3102	-
66	Q326	326. If yes, why don't you expect help from her	continuous	numeric-1.0	133	3241	-
67	Q327	327. Are you a member of any voluntary organization	continuous	numeric-1.0	3350	24	-
68	Q328_1	328.1. Member of "Lanka mahila Samithi"	continuous	numeric-2.0	22	3352	-
69	Q328_2	328.2. Member of Village Women's Society	continuous	numeric-2.0	145	3229	-
70	Q328_3	328.3. Member of Health committee	continuous	numeric-2.0	21	3353	-
71	Q328_4	328.4. Member of Death Grant Society	continuous	numeric-2.0	56	3318	-
72	Q328_5	328.5. Member of Sarvodaya	continuous	numeric-2.0	54	3320	-
73	Q328_6	328.6. Member of Village	continuous	numeric-2.0	7	3367	-

Child Surveillance & Development Survey - 1985 - Variables List

File Rec30 (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
		Loan Society					
74	Q328_7	328.7. Member of_ any other Society	continuous	numeric-2.0	61	3313	-
75	Q329	329. After getting pregnant, Did you do any work	continuous	numeric-1.0	3328	46	-
76	Q330	330. Are you still working?	continuous	numeric-1.0	589	2785	-
77	Q331	331. Months of pregnancy,when stop working	continuous	numeric-1.0	126	3248	-
78	Q332	332. Why did you stop working?	continuous	numeric-1.0	127	3247	-
79	Q333	333. Type of work	continuous	numeric-1.0	533	2841	-
80	Q334	334. No. of days you work per week	continuous	numeric-1.0	541	2833	-
81	Q335	335. No. of hours you work per day	continuous	numeric-2.0	543	2831	-
82	Q336	336. Get 2hrs or more to relax,if working more than 7hrs.	continuous	numeric-1.0	351	3023	-
83	Q337_1	337.1. Suffering from Asthma?	continuous	numeric-2.0	3374	0	-
84	Q337_2	337.2. Suffering from Diabetics?	continuous	numeric-2.0	3374	0	-
85	Q337_3	337.3. Suffering from Catalepsy?	continuous	numeric-2.0	3374	0	-
86	Q337_4	337.4. Suffering from Tuberculosis?	continuous	numeric-2.0	3374	0	-
87	Q337_5	337.5. Suffering from Heart Problems?	continuous	numeric-2.0	3374	0	-

File Rec31							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	REC\$TYPE	-	discrete	character-2	3374	0	-
2	SAM_UNIT	Sample Unit	continuous	numeric-3.0	3374	0	-
3	HH_NO	Household Number	continuous	numeric-3.0	3374	0	-
4	SUB_NO	Subsidiary Number	continuous	numeric-1.0	3374	0	-
5	XC	X1	continuous	numeric-1.0	3374	0	-
6	MAR_STA_Q338	338. Marital Status	continuous	numeric-1.0	3374	0	-
7	Q339	339. Husband is working	continuous	numeric-1.0	3313	61	-
8	HUS_OCCU_Q340	340. Husband's occupation	continuous	numeric-2.0	2968	406	-

Child Surveillance & Development Survey - 1985 - Variables List

File Rec31 (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
9	Q341	341. Where does he stay during working days?	continuous	numeric-1.0	2977	397	-
10	Q342	342. If staying out, How often he comes home?	continuous	numeric-1.0	178	3196	-
11	Q343A	343A. Any relation lives with you?	continuous	numeric-1.0	3373	1	-
12	Q343B	343B. If yes, relationship	continuous	numeric-3.0	143	3231	-
13	Q344	344. Short commons during last month	continuous	numeric-1.0	3374	0	-
14	Q345	345. If yes, (how often)	continuous	numeric-1.0	571	2803	-
15	Q346	346. Place of Drinking Water	continuous	numeric-1.0	3374	0	-
16	Q347	347. Water, Owned usage or Common usage	continuous	numeric-1.0	3258	116	-
17	Q348	348. Quality of water	continuous	numeric-1.0	3374	0	-
18	Q349	349. Good for drinking	continuous	numeric-1.0	3374	0	-
19	Q350	350. Get enough water	continuous	numeric-1.0	3374	0	-
20	Q351	351. During a drought,from where you fetch water	continuous	numeric-1.0	3374	0	-
21	Q352	352. Type of toilet	continuous	numeric-1.0	3374	0	-
22	Q353	353. Family or Common usage	continuous	numeric-1.0	1454	1920	-
23	Q354	354. Water for the Toilets	continuous	numeric-1.0	1453	1921	-
24	Q355	355. Are children using this toilet	continuous	numeric-1.0	1436	1938	-
25	Q356	356. Condition of toilet	continuous	numeric-1.0	1431	1943	-
26	Q357_1	357. Reason for not having a toile,Thinks not necessary	continuous	numeric-1.0	518	2856	-
27	Q357_2	357. Reason for not having a toilet ,Living in other's land	continuous	numeric-1.0	168	3206	-
28	Q357_3	357. Reason for not having a toile,Not enough space	continuous	numeric-1.0	56	3318	-
29	Q357_4	357. Reason for not having a toile,Soil is not suitable	continuous	numeric-1.0	95	3279	-
30	Q357_5	357. Reason for not having a toile,No water	continuous	numeric-1.0	212	3162	-
31	Q357_6	357. Reason for not having a toile,Cost is high	continuous	numeric-1.0	924	2450	-
32	Q357_7	357. Reason for not having a toile,No time	continuous	numeric-1.0	392	2982	-
33	Q357_8	357. Reason for not	continuous	numeric-1.0	31	3343	-

Child Surveillance & Development Survey - 1985 - Variables List

File Rec31 (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
		having a toile,Difficult to find a Mason					
34	Q357_9	357. Reason for not having a toile,Other	continuous	numeric-1.0	345	3029	-
35	Q358A	358A. Number of bed rooms	continuous	numeric-1.0	3374	0	-
36	Q358B	358B. Main source of Lighting	continuous	numeric-1.0	3374	0	-
37	Q358C	358C. Main Roof material	continuous	numeric-1.0	3374	0	-
38	Q358D	358D. Main Wall material	continuous	numeric-1.0	3374	0	-
39	Q358E	358E. Main matirial of floor	continuous	numeric-1.0	3374	0	-
40	Q359_1	359.1. Car/motorcycle	continuous	numeric-1.0	3374	0	-
41	Q359_2	359.1. Tractor/bus	continuous	numeric-1.0	3374	0	-
42	Q359_3	359.1. Boat	continuous	numeric-1.0	3374	0	-
43	Q359_4	359.1. Cart	continuous	numeric-1.0	3374	0	-
44	Q359_5	359.1. Bicycles	continuous	numeric-1.0	3374	0	-
45	Q359_6	359.1. Television	continuous	numeric-1.0	3374	0	-
46	Q359_7	359.1. Radio	continuous	numeric-1.0	3374	0	-
47	Q359_8	359.1. Casset	continuous	numeric-1.0	3374	0	-
48	Q359_9	359.1. Sewing machine	continuous	numeric-1.0	3374	0	-
49	Q359_10	359.1. Refrigerator	continuous	numeric-1.0	3374	0	-
50	Q359_11	359.1. Beds	continuous	numeric-1.0	3374	0	-
51	Q359_12	359.1. Chairs	continuous	numeric-1.0	3374	0	-
52	Q359_13	359.1. Clocks	continuous	numeric-1.0	3374	0	-
53	Q359_14	359.1. Petromax	continuous	numeric-1.0	3374	0	-
54	Q360A	360A. Growing places for flies	continuous	numeric-1.0	3374	0	-
55	Q360B	360B. Growing places for mosquitoes	continuous	numeric-1.0	3374	0	-
56	Q360C	360C. Neatness of home	continuous	numeric-1.0	3374	0	-
57	Q360D	360D. Poverty	continuous	numeric-1.0	3374	0	-
58	Q361	361. Reading ability of mother	continuous	numeric-1.0	3374	0	-
59	Q362A	362A. Question 1 from mother_Use of teeth	continuous	numeric-1.0	2761	613	-
60	Q362B	362B. Question 2 from mother_How to train a child to clear teeth	continuous	numeric-1.0	2761	613	-
61	SP_362A_MAT	SP_362A. Mother's height (cm)	continuous	numeric-3.0	3292	82	-
62	SP_362B_MAT	SP_362B. Mother's weight (kg)	continuous	numeric-4.0	74	3300	-

Child Surveillance & Development Survey - 1985 - Variables List

File Rec31 (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
63	SP_362C	SP.362C. Circumference of Left arm	continuous	numeric-2.0	3264	110	-

File Rec40							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	REC\$TYPE	-	discrete	character-2	3304	0	-
2	SAM_UNIT	Sample Unit	continuous	numeric-3.0	3304	0	-
3	HH_NO	Household Number	continuous	numeric-3.0	3304	0	-
4	SUB_NO	Subsidiary Number	continuous	numeric-1.0	3304	0	-
5	XA	X1	continuous	numeric-1.0	3304	0	-
6	DATE_OF_INTERVIEW	Date of Interview	continuous	numeric-6.0	3302	2	-
7	YEAR_OF_INTERVIEW	Year of Interview	continuous	numeric-2.0	3302	2	-
8	MONTH_OF_INTERVIEW	Month of Interview	continuous	numeric-2.0	3302	2	-
9	DAY_OF_INTERVIEW	Day of Interview	continuous	numeric-2.0	3302	2	-
10	Q401	401. Number of babies delivered	continuous	numeric-1.0	3304	0	-
11	Q402_1	402.1.(Livebirth, LiveBirth but child died, DeadBirth) 1	continuous	numeric-1.0	3298	6	-
12	Q402_2	402.2.(Livebirth, LiveBirth but child died, DeadBirth) 2	continuous	numeric-1.0	29	3275	-
13	Q402_3	402.3.(Livebirth, LiveBirth but child died, DeadBirth) 3	continuous	numeric-1.0	0	3304	-
14	Q402_4	402.4.(Livebirth, LiveBirth but child died, DeadBirth) 4	continuous	numeric-1.0	0	3304	-
15	Q402_5	402.5.(Livebirth, LiveBirth but child died, DeadBirth) 5	continuous	numeric-1.0	0	3304	-
16	DOB_Q403	403. Child(Children) Date of Birth	continuous	numeric-6.0	3303	1	-
17	DOB_Q403_YEAR	403. Child(Children) Year of Birth	continuous	numeric-2.0	3303	1	-
18	DOB_Q403_MONTH	403. Child(Children) Month of Birth	continuous	numeric-2.0	3303	1	-
19	DOB_Q403_DAY	403. Child(Children) Day of Birth	continuous	numeric-2.0	3303	1	-
20	Q404	404. Place of Birth	continuous	numeric-1.0	3304	0	-
21	Q405	405. Who helped for the Delivery?	continuous	numeric-1.0	3304	0	-
22	Q406	406. Tetanus injection,	continuous	numeric-1.0	3304	0	-

Child Surveillance & Development Survey - 1985 - Variables List

File Rec40 (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
		during pregnancy					
23	Q407A	407A. Side effects, before delivery	continuous	numeric-1.0	3304	0	-
24	Q407B	407B. If yes, relevent side effects	continuous	numeric-1.0	340	2964	-
25	Q408	408. Type of ChildBirth	continuous	numeric-1.0	3304	0	-
26	Q409A	409A. Side effects, after delivery	continuous	numeric-1.0	3303	1	-
27	Q409B_1	409B.1. If yes, relevant side effects	continuous	numeric-1.0	121	3183	-
28	Q409B_2	409B.2. If yes, relevant side effects	continuous	numeric-1.0	18	3286	-
29	Q409B_3	409B.3. If yes, relevant side effects	continuous	numeric-1.0	38	3266	-
30	Q409B_4	409B.4. If yes, relevant side effects	continuous	numeric-1.0	32	3272	-
31	Q410	410. Sterilization after ChildBirth	continuous	numeric-1.0	3303	1	-
32	Q411	411. Midwife visited your place after ChildBirth	continuous	numeric-1.0	3303	1	-
33	Q412	412. Reason for the Dead birth	continuous	numeric-2.0	60	3244	-
34	Q413	413. Who dressed the navel	continuous	numeric-1.0	3272	32	-
35	Q414	414.What was used for dressing navel	continuous	numeric-1.0	344	2960	-
36	Q415A	415A. Dressed navel for the second time	continuous	numeric-1.0	3272	32	-
37	Q415B	415B. If yes, Who dressed	continuous	numeric-1.0	1029	2275	-
38	Q416A	416A. Washed hands before dressing navel	continuous	numeric-1.0	355	2949	-
39	Q416B	416B. What was used for dressing the navel	continuous	numeric-1.0	350	2954	-
40	Q417	417. Things used for dressing navel for the second time	continuous	numeric-1.0	277	3027	-
41	Q418	418. Abscess of Navel	continuous	numeric-1.0	3273	31	-

File Rec41							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	REC\$TYPE	-	discrete	character-2	3259	0	-
2	SAM_UNIT	Sample Unit	continuous	numeric-3.0	3259	0	-
3	HH_NO	Household Number	continuous	numeric-3.0	3259	0	-

Child Surveillance & Development Survey - 1985 - Variables List

File Rec41 (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
4	SUB_NO	Subsidiary Number	continuous	numeric-1.0	3259	0	-
5	Q_L419	L419. Number of the child	continuous	numeric-1.0	3259	0	-
6	Q_L420	L420. Sex	continuous	numeric-1.0	3259	0	-
7	Q_L421	L421. Child live with you	continuous	numeric-1.0	3259	0	-
8	Q_L422	L422. Birth weight of the child (g)	continuous	numeric-4.0	3231	28	-
9	Q_L423_A	L423_A. Injury at birth	continuous	numeric-1.0	3259	0	-
10	Q_L423_B	L423_B. If yes, name it	continuous	numeric-1.0	23	3236	-
11	Q_L424_A	L424.A Congenital malformation	continuous	numeric-1.0	3259	0	-
12	Q_L424_B_1	L424.B1. If yes,1	continuous	numeric-1.0	0	3259	-
13	Q_L424_B_2	L424.B2. If yes,2	continuous	numeric-1.0	0	3259	-
14	Q_L424_B_3	L424.B3. If yes,3	continuous	numeric-1.0	1	3258	-
15	Q_L424_B_4	L424.B4. If yes,4	continuous	numeric-1.0	3	3256	-
16	Q_L424_B_5	L424.B5. If yes,5	continuous	numeric-1.0	0	3259	-
17	Q_L424_B_6	L424.B6. If yes,6	continuous	numeric-1.0	3	3256	-
18	Q_L424_B_7	L424.B7. If yes,7	continuous	numeric-1.0	3	3256	-
19	Q_L424_B_8	L424.B8. If yes,8	continuous	numeric-1.0	21	3238	-
20	Q_L425_A	L425.A. Got Sick after birth	continuous	numeric-1.0	3259	0	-
21	Q_L425_B_1	L425.B. If yes,1	continuous	numeric-1.0	10	3249	-
22	Q_L425_B_2	L425.B. If yes,2	continuous	numeric-1.0	7	3252	-
23	Q_L425_B_3	L425.B. If yes,3	continuous	numeric-1.0	53	3206	-
24	Q_L425_B_4	L425.B. If yes,4	continuous	numeric-1.0	82	3177	-
25	Q_L425_B_5	L425.B. If yes,5	continuous	numeric-1.0	26	3233	-
26	Q_L425_B_6	L425.B. If yes,6	continuous	numeric-1.0	95	3164	-
27	Q_L426_A	L426.A. Child injured by an accident	continuous	numeric-1.0	3259	0	-
28	Q_L426_B	L426.B. Type of Injury	continuous	numeric-1.0	4	3255	-
29	Q_L427	L427. After birth when started Breast Feeding	continuous	numeric-1.0	3259	0	-
30	Q_L428_A	L428A. Threw away the "Cholestrum"	continuous	numeric-1.0	3251	8	-
31	Q_L428_B	L428B. If yes, give reason	continuous	numeric-1.0	925	2334	-
32	Q_L429_A	L429A. Currently Breast feeding	continuous	numeric-1.0	3259	0	-
33	Q_L429_B	L429B. If not, Reason	continuous	numeric-1.0	24	3235	-
34	Q_L430_A	L430A. Giving other kind of milk	continuous	numeric-1.0	3258	1	-
35	Q_L430_B	L430B. If yes, Kind of milk	continuous	numeric-1.0	143	3116	-

Child Surveillance & Development Survey - 1985 - Variables List

File Rec41 (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
36	Q_L431_A	L431A. Giving other kind of food	continuous	numeric-1.0	3258	1	-
37	Q_L431B_1	L431B.1. Starch	continuous	numeric-1.0	46	3213	-
38	Q_L431B_2	L431B.2. Suger water	continuous	numeric-1.0	433	2826	-
39	Q_L431B_3	L431B.3. Coriander	continuous	numeric-1.0	264	2995	-
40	Q_L431B_4	L431B.4. Tea/Coffee	continuous	numeric-1.0	31	3228	-
41	Q_L431B_5	L431B.5. Kingcoconut	continuous	numeric-1.0	61	3198	-
42	Q_L431B_6	L431B.6. Other	continuous	numeric-1.0	62	3197	-

File Rec42							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	REC\$TYPE	-	discrete	character-2	7	0	-
2	SAM_UNIT	Sample Unit	continuous	numeric-3.0	7	0	-
3	HH_NO	Household Number	continuous	numeric-3.0	7	0	-
4	SUB_NO	Subsidiary Number	continuous	numeric-1.0	7	0	-
5	Q_D419	D419. Number of the child	continuous	numeric-1.0	7	0	-
6	Q_D420	D420. Sex	continuous	numeric-1.0	7	0	-
7	Q_D421	D421. Child lived with you till death	continuous	numeric-1.0	7	0	-
8	Q_D422	D422. Birth weight of child (g)	continuous	numeric-4.0	7	0	-
9	Q_D423_A	D423_A. Injury at birth	continuous	numeric-1.0	7	0	-
10	Q_D423_B	D423_B. If yes, name it	continuous	numeric-1.0	0	7	-
11	Q_D424_A	D424.A. Congenital malformation	continuous	numeric-1.0	7	0	-
12	Q_D424_B_1	D424.B1. If yes,1	continuous	numeric-1.0	0	7	-
13	Q_D424_B_2	D424.B2. If yes,2	continuous	numeric-1.0	0	7	-
14	Q_D424_B_3	D424.B3. If yes,3	continuous	numeric-1.0	0	7	-
15	Q_D424_B_4	D424.B4. If yes,4	continuous	numeric-1.0	0	7	-
16	Q_D424_B_5	D424.B5. If yes,5	continuous	numeric-1.0	0	7	-
17	Q_D424_B_6	D424.B6. If yes,6	continuous	numeric-1.0	0	7	-
18	Q_D424_B_7	D424.B7. If yes,7	continuous	numeric-1.0	0	7	-
19	Q_D424_B_8	D424.B8. If yes,8	continuous	numeric-1.0	4	3	-
20	Q_D425_A	D425.A. Got sick before died	continuous	numeric-1.0	7	0	-
21	Q_D425_B_1	D425.B. If yes,1	continuous	numeric-1.0	0	7	-
22	Q_D425_B_2	D425.B. If yes,2	continuous	numeric-1.0	0	7	-
23	Q_D425_B_3	D425.B. If yes,3	continuous	numeric-1.0	0	7	-

Child Surveillance & Development Survey - 1985 - Variables List

File Rec42 (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
24	Q_D425_B_4	D425.B. If yes,4	continuous	numeric-1.0	0	7	-
25	Q_D425_B_5	D425.B. If yes,5	continuous	numeric-1.0	0	7	-
26	Q_D425_B_6	D425.B. If yes,6	continuous	numeric-1.0	3	4	-
27	Q_D426_A	D426.A. Child got injured by an accident	continuous	numeric-1.0	7	0	-
28	Q_D426_B	D426.B. Type of Injury	continuous	numeric-1.0	0	7	-
29	Q_D427_1	D427.1. Stopped drinking breast milk,during last 3 days	continuous	numeric-1.0	6	1	-
30	Q_D427_2	D427.2. Stopped opening mouth & crying, during last 3 days	continuous	numeric-1.0	7	0	-
31	Q_D427_3	D427.3. Contortion ,during last 3 days	continuous	numeric-1.0	7	0	-
32	Q_D428_A	D428A. When started breast feeding after birth	continuous	numeric-1.0	7	0	-
33	Q_D428_C	D428C. Threw away the "Colestrum"	continuous	numeric-1.0	3	4	-
34	Q_D428_D	D428D. If yes, give reason	continuous	numeric-1.0	0	7	-
35	Q_D429	D429. Reason for not giving breast milk	continuous	numeric-1.0	0	7	-
36	Q_D432	D432. Age when died	continuous	numeric-1.0	7	0	-
37	Q_D433	D433. Place of Death	continuous	numeric-1.0	7	0	-
38	Q_D434	D434. Reason for death	continuous	numeric-2.0	7	0	-

File Record50_ChildAlive							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	SAM_UNIT	Sample Unit	continuous	numeric-3.0	3147	0	-
2	HH_NO	Household Number	continuous	numeric-3.0	3147	0	-
3	SUB_NO	Subsidiary Number	continuous	numeric-1.0	3147	0	-
4	REC\$TYPE	-	discrete	character-2	3147	0	-
5	Q_L501_A	L501.A. Identification Number of child	continuous	numeric-1.0	3147	0	-
6	Q_L501_B	L501.B. Sex	continuous	numeric-1.0	0	3147	-
7	Q_L502	L502. Is child alive?	continuous	numeric-1.0	3146	1	-
8	Q_L520	L520. Is child living with you	continuous	numeric-1.0	3147	0	-
9	Q_L521	L521. Ever Breastfed	continuous	numeric-1.0	3147	0	-
10	Q_L522	L522. Still breastfeeding	continuous	numeric-1.0	3138	9	-
11	Q_L523	L523. Days child was breastfed	continuous	numeric-2.0	47	3100	-

Child Surveillance & Development Survey - 1985 - Variables List

File Record50_ChildAlive (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
12	Q_L524	L524.If not, give reason	continuous	numeric-1.0	57	3090	-
13	Q_L525	L525. Giving any other milk (than Breastmilk)	continuous	numeric-1.0	3147	0	-
14	Q_L526	L526. Main type of milk	continuous	numeric-1.0	222	2925	-
15	Q_L527	L527. Age when started giving other milk	continuous	numeric-2.0	222	2925	-
16	Q_L528	L528. Giving other type of food	continuous	numeric-1.0	3147	0	-
17	Q_L529_1	L529.1. Starch	continuous	numeric-1.0	1349	1798	-
18	Q_L529_2	L529.2. Suger water	continuous	numeric-1.0	1347	1800	-
19	Q_L529_3	L529.3. Coriander	continuous	numeric-1.0	1350	1797	-
20	Q_L529_4	L529.4. Tea/Coffee	continuous	numeric-1.0	1349	1798	-
21	Q_L529_5	L529.5. Others	continuous	numeric-1.0	1347	1800	-
22	Q_L530	L530. Age when giving other type of food (days)	continuous	numeric-2.0	1352	1795	-
23	Q_L531	L531. Giving any fluid using a bottle	continuous	numeric-1.0	3146	1	-
24	Q_L532	L532. Age when starting other fluid using a bottle(days)	continuous	numeric-2.0	398	2749	-
25	Q_L533	L533. Any changes in your meal after starting breastfeeding	continuous	numeric-1.0	3147	0	-
26	Q_L534_A_1	L534.A.1. Kind of reduced food 1	continuous	numeric-1.0	581	2566	-
27	Q_L534_A_2	L534.A.2. Kind of reduced food 2	continuous	numeric-1.0	335	2812	-
28	Q_L534_A_3	L534.A.3. Kind of reduced food 3	continuous	numeric-1.0	121	3026	-
29	Q_L534_B_1	L534.B.1. Kind of increased food 1	continuous	numeric-1.0	537	2610	-
30	Q_L534_B_2	L534.B.2. Kind of increased food 2	continuous	numeric-1.0	371	2776	-
31	Q_L534_B_3	L534.B.3. Kind of increased food 3	continuous	numeric-1.0	190	2957	-
32	Q_L535	L535. Who take care of the child more often	continuous	numeric-1.0	3146	1	-
33	Q_544	544. Do any other work except homework	continuous	numeric-1.0	3147	0	-
34	Q_545	545. If yes, in your house or any other place	continuous	numeric-1.0	323	2824	-
35	Q_546	546. Number of working hours per day	continuous	numeric-2.0	323	2824	-
36	Q_547	547. When did you start working after the Child	continuous	numeric-2.0	323	2824	-

Child Surveillance & Development Survey - 1985 - Variables List

File Record50_ChildAlive (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
		Birth					
37	Q_548	548. Did midwife come to meet you after the ChildBirth	continuous	numeric-1.0	3147	0	-
38	Q_549_A	549.A. If yes,When did she come at last	continuous	numeric-1.0	1354	1793	-
39	Q_549_B	549.B.Went to the clinic after ChildBirth	continuous	numeric-1.0	3146	1	-
40	Q_549_C	549.C. If yes, When did you go at last	continuous	numeric-1.0	1687	1460	-
41	Q_549_D_1	549.D.1. Advised_Family planning	continuous	numeric-1.0	3145	2	-
42	Q_549_D_2	549.D.2.Advised_Breastfeeding	continuous	numeric-1.0	3145	2	-
43	Q_549_D_3	549.D.3. Advised_Starting solid food	continuous	numeric-1.0	3145	2	-
44	Q_549_D_4	549.D.4. Advised_Treatments for diarrhea	continuous	numeric-1.0	3145	2	-
45	Q_549_D_5	549.D.5. Advised_Nutrition of the mother	continuous	numeric-1.0	3145	2	-
46	Q_549_D_6	549.D.6. Advised_Going to clinic	continuous	numeric-1.0	3145	2	-
47	Q_549_D_7	549.D.7. Advised_Checking health of child	continuous	numeric-1.0	3145	2	-
48	Q_550	550. Question 1	continuous	numeric-1.0	3146	1	-
49	Q_551	551. Question 2	continuous	numeric-1.0	3146	1	-
50	Q_552	552. Question 3	continuous	numeric-1.0	3146	1	-
51	Q_553	553. Question 4	continuous	numeric-1.0	3146	1	-

File Record50_ChildDead							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	SAM_UNIT	Sample Unit	continuous	numeric-3.0	23	0	-
2	HH_NO	Household Number	continuous	numeric-3.0	23	0	-
3	SUB_NO	Subsidiary Number	continuous	numeric-1.0	23	0	-
4	REC\$TYPE	-	discrete	character-2	23	0	-
5	Q_D501_A	D501.A. Identification Number of child	continuous	numeric-1.0	23	0	-
6	Q_D501_B	D501.B. Sex	continuous	numeric-1.0	0	23	-
7	Q_D502	D502.Is child alive?	continuous	numeric-1.0	23	0	-
8	Q_D503	D503. Age when died	continuous	numeric-2.0	23	0	-
9	Q_D504	D504. Place of death	continuous	numeric-1.0	23	0	-

Child Surveillance & Development Survey - 1985 - Variables List

File Record50_ChildDead (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
10	Q_D505	D505. Reason for death	continuous	numeric-2.0	22	1	-
11	Q_D506	D506. Was the child given breast milk	continuous	numeric-1.0	23	0	-
12	Q_D507	D507. Breastfed during last few days	continuous	numeric-1.0	19	4	-
13	Q_D508	D508. How long the child was breastfed?	continuous	numeric-2.0	19	4	-
14	Q_D509	D509. Reason for not giving breastmilk	continuous	numeric-1.0	22	1	-
15	Q_D510_1	D510.1. Last 3 days_ Didn't drink milk	continuous	numeric-1.0	22	1	-
16	Q_D510_2	D510.2. Last 3 days_ Stopped crying	continuous	numeric-1.0	22	1	-
17	Q_D510_3	D510.3. Last 3 days_ Contortion/Fit	continuous	numeric-1.0	22	1	-
18	Q_D511	D511. Given other kind of milk	continuous	numeric-1.0	22	1	-
19	Q_D512	D512. Main type of milk	continuous	numeric-1.0	1	22	-
20	Q_D513	D513. Age when starting other kind of milk	continuous	numeric-2.0	1	22	-
21	Q_D514	D514. Giving food/foods other than milk	continuous	numeric-1.0	22	1	-
22	Q_D515_1	D515.1. Starch	continuous	numeric-1.0	2	21	-
23	Q_D515_2	D515.2. Suger water	continuous	numeric-1.0	2	21	-
24	Q_D515_3	D515.3. Coriander	continuous	numeric-1.0	2	21	-
25	Q_D515_4	D515.4. Tea/Coffee	continuous	numeric-1.0	2	21	-
26	Q_D515_5	D515.5. Others	continuous	numeric-1.0	2	21	-
27	Q_D516	D516. Age when starting otherfood	continuous	numeric-2.0	3	20	-
28	Q_D517	D517. Givinen any liquid using bottle	continuous	numeric-1.0	21	2	-
29	Q_D518	D518. Age when giving foods using a bottle(days)	continuous	numeric-2.0	1	22	-
30	Q_D519	D519. Who took care during the day time	continuous	numeric-1.0	22	1	-
31	Q_54A	544. Do any other work except homework	continuous	numeric-1.0	23	0	-
32	Q_54B	545. If yes, in your house or any other place	continuous	numeric-1.0	3	20	-
33	Q_54C	546. Number of working hours per day	continuous	numeric-2.0	3	20	-
34	Q_54D	547. When did you start working after the Child Birth	continuous	numeric-2.0	3	20	-
35	Q_54E	548. Did midwife come to	continuous	numeric-1.0	23	0	-

Child Surveillance & Development Survey - 1985 - Variables List

File Record50_ChildDead (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
		meet you after the ChildBirth					
36	Q_549_D	549.A. If yes,When did she come at last	continuous	numeric-1.0	8	15	-
37	Q_549_E	549.B.Went to the clinic after ChildBirth	continuous	numeric-1.0	23	0	-
38	Q_549_F	549.C. If yes, When did you go at last	continuous	numeric-1.0	4	19	-
39	Q_549_D_A	549.D.1. Adviced_Family planning	continuous	numeric-1.0	22	1	-
40	Q_549_D_B	549.D.2.Adviced_Breastfeeding	continuous	numeric-1.0	22	1	-
41	Q_549_D_C	549.D.3. Adviced_Starting solid food	continuous	numeric-1.0	22	1	-
42	Q_549_D_D	549.D.4. Adviced_Treatments for diarrhea	continuous	numeric-1.0	22	1	-
43	Q_549_D_E	549.D.5. Adviced_Nutrition of the mother	continuous	numeric-1.0	22	1	-
44	Q_549_D_F	549.D.6. Adviced_Going to clinic	continuous	numeric-1.0	22	1	-
45	Q_549_D_G	549.D.7. Adviced_Checking health of child	continuous	numeric-1.0	22	1	-
46	Q_55A	550. Question 1	continuous	numeric-1.0	23	0	-
47	Q_55B	551. Question 2	continuous	numeric-1.0	23	0	-
48	Q_55C	552. Question 3	continuous	numeric-1.0	23	0	-
49	Q_55D	553. Question 4	continuous	numeric-1.0	23	0	-

File Record60_ChildAlive							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	SAM_UNIT	Sample Unit	continuous	numeric-3.0	3110	0	-
2	HH_NO	Household Number	continuous	numeric-3.0	3110	0	-
3	SUB_NO	Subsidiary Number	continuous	numeric-1.0	3110	0	-
4	REC\$TYPE	-	discrete	character-2	3110	0	-
5	Q_L601_A	L601.A. Identification Number of child	continuous	numeric-1.0	3110	0	-
6	Q_L601_B	L601.B. Sex	continuous	numeric-1.0	0	3110	-
7	Q_L602	L602. Is child alive?	continuous	numeric-1.0	3110	0	-
8	Q_L614	L614. Is child living with you?	continuous	numeric-1.0	3110	0	-
9	Q_L615	L615. Who take care of the child during the day	continuous	numeric-1.0	3110	0	-

Child Surveillance & Development Survey - 1985 - Variables List

File Record60_ChildAlive (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
		time?					
10	Q_L616	L616. Ever breastfed the child?	continuous	numeric-1.0	3110	0	-
11	Q_L617	L617. Still breastfeeding	continuous	numeric-1.0	3096	14	-
12	Q_L618	L618. How long breastfed (weeks)	continuous	numeric-1.0	41	3069	-
13	Q_L619	L619. Reason for stopping breastfeeding	continuous	numeric-1.0	58	3052	-
14	Q_L620_1	L620.1 Age 4-12 weeks, gave Milk	continuous	numeric-1.0	3109	1	-
15	Q_L620_2	L620.2 Age 4-12 weeks, gave Starch	continuous	numeric-1.0	3110	0	-
16	Q_L620_3	L620.3 Age 4-12 weeks, gave Sugar water	continuous	numeric-1.0	3110	0	-
17	Q_L620_4	L620.4 Age 4-12 weeks, gave Coriander water	continuous	numeric-1.0	3110	0	-
18	Q_L620_5	L620.5 Age 4-12 weeks, gave Tea/Coffee	continuous	numeric-1.0	3110	0	-
19	Q_L620_6	L620.6 Age 4-12 weeks, gave Fruit	continuous	numeric-1.0	3110	0	-
20	Q_L620_7	L620.7 Age 4-12 weeks, gave Soup	continuous	numeric-1.0	3110	0	-
21	Q_L620_8	L620.8 Age 4-12 weeks, gave Other	continuous	numeric-1.0	3110	0	-
22	Q_L621	L621. Giving anything using a bottle	continuous	numeric-1.0	3110	0	-
23	Q_L622	L622. Gave anything using a bottle_last two days	continuous	numeric-1.0	3110	0	-
24	Q_L623_A	L623.A. Weight of the child(g)	continuous	numeric-4.0	0	3110	-
25	Q_L623_B	L623.B. Height of the child(cm)	continuous	numeric-2.0	0	3110	-
26	Q_L624_A	L624.A. Do child smile	continuous	numeric-1.0	3110	0	-
27	Q_L624_B	L624.B. Can child keep head straight	continuous	numeric-1.0	3110	0	-
28	Q_625	625. Changed the normal diet after childbirth	continuous	numeric-1.0	3110	0	-
29	Q_L626_A_1	626.A.1. Kind of reduced food 1	continuous	numeric-1.0	424	2686	-
30	Q_L626_A_2	626.A.2. Kind of reduced food 2	continuous	numeric-1.0	220	2890	-
31	Q_L626_A_3	626.A.3. Kind of reduced food 3	continuous	numeric-1.0	75	3035	-
32	Q_L626_B_1	626.B.1. Kind of increased food 1	continuous	numeric-1.0	424	2686	-

Child Surveillance & Development Survey - 1985 - Variables List

File Record60_ChildAlive (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
33	Q_L626_B_2	626.B.2. Kind of increased food 2	continuous	numeric-1.0	301	2809	-
34	Q_L626_B_3	626.B.3. Kind of increased food 3	continuous	numeric-1.0	167	2943	-
35	Q_627	627. Do any other work except homework	continuous	numeric-1.0	3110	0	-
36	Q_628	628. Work at home or outside	continuous	numeric-1.0	384	2726	-
37	Q_629_A	629.A.. Number of working hours per day	continuous	numeric-2.0	384	2726	-
38	Q_629_B	629.B.When did you start working after the childBirth ?	continuous	numeric-2.0	384	2726	-
39	Q_630	630. Any illness one month after the childbirth?	continuous	numeric-1.0	3110	0	-
40	Q_631	631. If yes, Disease	continuous	numeric-1.0	449	2661	-
41	Q_632_A	632.A. Midwife came during last 2 months	continuous	numeric-1.0	3110	0	-
42	Q_632_B_1	632.B.1. Advised about family	continuous	numeric-1.0	1357	1753	-
43	Q_632_B_2	632.B.2. Advised_ Breastfeeding	continuous	numeric-1.0	1357	1753	-
44	Q_632_B_3	632.B.3.Advised_ Giving food	continuous	numeric-1.0	1357	1753	-
45	Q_632_B_4	632.B.4. Advised_ Mother's nutrition	continuous	numeric-1.0	1357	1753	-
46	Q_632_B_5	632.B.5. Advised_ Treatments for diarrhea	continuous	numeric-1.0	1357	1753	-
47	Q_632_B_6	632.B.6. Advised_ Going toClinic	continuous	numeric-1.0	1357	1753	-
48	Q_632_B_7	632.B.7. Advised_ Checking health of child	continuous	numeric-1.0	1357	1753	-
49	Q_633	633.Expect another child in future.	continuous	numeric-1.0	3110	0	-
50	Q_634	634. No.of years,you wish to delay pregnancy	continuous	numeric-1.0	1157	1953	-
51	Q_635_A	635.A.Had menses, after the child birth?	continuous	numeric-1.0	3110	0	-
52	Q_635_B	635.B. If yes, how many weeks after the childbirth?	continuous	numeric-2.0	637	2473	-
53	Q_636	636. Begin to have sexual intercourse?	continuous	numeric-1.0	3110	0	-
54	Q_637	637. If yes,how many weeks after the childbirth?	continuous	numeric-2.0	1021	2089	-
55	Q_638	638. Using Contraceptive methods	continuous	numeric-1.0	1023	2087	-

Child Surveillance & Development Survey - 1985 - Variables List

File Record60_ChildAlive (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
56	Q_639	639. Using traditional contraceptive methods	continuous	numeric-1.0	1024	2086	-

File Record60_ChildDead							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	SAM_UNIT	Sample Unit	continuous	numeric-3.0	10	0	-
2	HH_NO	Household Number	continuous	numeric-3.0	10	0	-
3	SUB_NO	Subsidiary Number	continuous	numeric-1.0	10	0	-
4	REC\$TYPE	-	discrete	character-2	10	0	-
5	Q_601_A	601.A. Identification Number of child	continuous	numeric-1.0	10	0	-
6	Q_601_B	601.B. Sex	continuous	numeric-1.0	0	10	-
7	Q_602	602. Is child still alive?	continuous	numeric-1.0	10	0	-
8	Q_D603	D603. Age when child died	continuous	numeric-2.0	9	1	-
9	Q_D604	D604. Place of death	continuous	numeric-1.0	9	1	-
10	Q_D605	D605. Reason for death	continuous	numeric-2.0	9	1	-
11	Q_D606	D606. Ever breastfed	continuous	numeric-1.0	9	1	-
12	Q_D607	D607. Breastfed till child died	continuous	numeric-1.0	9	1	-
13	Q_D608	D608. How long did you give breast milk(day)	continuous	numeric-2.0	4	6	-
14	Q_D609	D609. Reason of not giving breastmilk	continuous	numeric-1.0	4	6	-
15	Q_D610_1	D610.1. Before child died, gave milk	continuous	numeric-1.0	9	1	-
16	Q_D610_2	D610.2. Before child died, gave Starch	continuous	numeric-1.0	9	1	-
17	Q_D610_3	D610.3. Before child died, gave suger water	continuous	numeric-1.0	9	1	-
18	Q_D610_4	D610.4. Before child died, gave coriander	continuous	numeric-1.0	9	1	-
19	Q_D610_5	D610.5. Before child died, gave Tea/coffee	continuous	numeric-1.0	9	1	-
20	Q_D610_6	D610.6. Before child died, gave Fruits	continuous	numeric-1.0	9	1	-
21	Q_D610_7	D610.7. Before child died, gave Soup	continuous	numeric-1.0	9	1	-
22	Q_D610_8	D610.8. Before child died, gave Others	continuous	numeric-1.0	9	1	-
23	Q_D611	D611. Other types of milk	continuous	numeric-1.0	9	1	-
24	Q_D612	D612. Did you give anything using a bottle	continuous	numeric-1.0	9	1	-

Child Surveillance & Development Survey - 1985 - Variables List

File Record60_ChildDead (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
25	Q_D613_A	D613.A. Did child smile before died	continuous	numeric-1.0	9	1	-
26	Q_D613_B	D613.B. Child kept head straightly	continuous	numeric-1.0	9	1	-
27	Q_D613_C	D613.C. Before the death, did child live with you?	continuous	numeric-1.0	9	1	-
28	XD	X1	continuous	numeric-1.0	0	10	-
29	Q_62A	625. Change the normal diet after childbirth	continuous	numeric-1.0	9	1	-
30	Q_L626_A_A	626.A.1. Kind of reduced food 1	continuous	numeric-1.0	2	8	-
31	Q_L626_A_B	626.A.2. Kind of reduced food 2	continuous	numeric-1.0	0	10	-
32	Q_L626_A_C	626.A.3. Kind of reduced food 3	continuous	numeric-1.0	0	10	-
33	Q_L626_B_A	626.B.1. Kind of increased food 1	continuous	numeric-1.0	2	8	-
34	Q_L626_B_B	626.B.2. Kind of increased food 2	continuous	numeric-1.0	2	8	-
35	Q_L626_B_C	626.B.3. Kind of increased food 3	continuous	numeric-1.0	2	8	-
36	Q_62B	627. Do any other work except homework	continuous	numeric-1.0	9	1	-
37	Q_62C	628. Work at home or outside	continuous	numeric-1.0	1	9	-
38	Q_629_C	629.A.. Number of working hours per day	continuous	numeric-2.0	1	9	-
39	Q_629_D	629.B. When did you start working, after the childBirth	continuous	numeric-2.0	1	9	-
40	Q_63A	630. Any illness,one month after the child birth	continuous	numeric-1.0	9	1	-
41	Q_63B	631. If yes, Disease	continuous	numeric-1.0	1	9	-
42	Q_632_B	632.A. Midwife came,during last 2 months	continuous	numeric-1.0	9	1	-
43	Q_632_B_A	632.B.1. Advised_ family planning	continuous	numeric-1.0	4	6	-
44	Q_632_B_B	632.B.2. Advised_ Breast feeding	continuous	numeric-1.0	4	6	-
45	Q_632_B_C	632.B.3. Advised_ Giving food	continuous	numeric-1.0	4	6	-
46	Q_632_B_D	632.B.4. Advised_ Mother's nutrition	continuous	numeric-1.0	4	6	-
47	Q_632_B_E	632.B.5. Advised_ Treatments for diarrhea	continuous	numeric-1.0	4	6	-

Child Surveillance & Development Survey - 1985 - Variables List

File Record60_ChildDead (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
48	Q_632_B_F	632.B.6. Adviced_Going to Clinic	continuous	numeric-1.0	4	6	-
49	Q_632_B_G	632.B.7.Adviced_Checking the health of child	continuous	numeric-1.0	4	6	-
50	Q_63C	633. Expect another child in future.	continuous	numeric-1.0	9	1	-
51	Q_63D	634. How long do you want to delay pregnancy?	continuous	numeric-1.0	1	9	-
52	Q_635_C	635.A. Had Menses, after child birth?	continuous	numeric-1.0	9	1	-
53	Q_635_D	635.B. If yes, how many weeks after the childbirth?	continuous	numeric-2.0	1	9	-
54	Q_63E	636. Started sexual intercourse,after the child birth?	continuous	numeric-1.0	9	1	-
55	Q_63F	637. If yes,After how many weeks	continuous	numeric-2.0	2	8	-
56	Q_63G	638. Use cotraceptive methods	continuous	numeric-1.0	2	8	-
57	Q_63H	639. Use traditional contraceptive methods	continuous	numeric-1.0	2	8	-

File Record70_ChildAlive							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	SAM_UNIT	Sample Unit	continuous	numeric-3.0	3067	0	-
2	HH_NO	Household Number	continuous	numeric-3.0	3067	0	-
3	SUB_NO	Subsidiary Number	continuous	numeric-1.0	3067	0	-
4	REC\$TYPE	-	discrete	character-2	3067	0	-
5	Q_7601_A	L701.A. Identification Number of child	continuous	numeric-1.0	3067	0	-
6	Q_L701_B	L701.B. Sex	continuous	numeric-1.0	0	3067	-
7	Q_L702	L702. Is child alive?	continuous	numeric-1.0	3067	0	-
8	Q_L715	L715. Is child living with you there	continuous	numeric-1.0	3067	0	-
9	Q_L716	L716. Who take care of the child during day time?	continuous	numeric-1.0	3067	0	-
10	Q_L717	L717. Ever Breastfed	continuous	numeric-1.0	3067	0	-
11	Q_L718	L718. Silll Breastfeeding	continuous	numeric-1.0	3054	13	-
12	Q_L719	L719. No. of weeks Breastfed	continuous	numeric-2.0	100	2967	-
13	Q_L720	L720. Reason for stopping Breastfeeding	continuous	numeric-1.0	115	2952	-

Child Surveillance & Development Survey - 1985 - Variables List

File Record70_ChildAlive (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
14	Q_L721_1	L721.1 Age 3-6 months, gave cow's milk	continuous	numeric-1.0	3067	0	-
15	Q_L721_2	L721.2 Age 3-6 months, gave goat's milk	continuous	numeric-1.0	3067	0	-
16	Q_L721_3	L721.3 Age 3-6 months, gave full cream milk powder	continuous	numeric-1.0	3067	0	-
17	Q_L721_4	L721.4 Age 3-6 months, gave half cream milk powder	continuous	numeric-1.0	3067	0	-
18	Q_L721_5	L721.5 Age 3-6 months, gave condensed milk	continuous	numeric-1.0	3067	0	-
19	Q_L721_6	L721.6 Age 3-6 months, gave non-fat milk powder	continuous	numeric-1.0	3067	0	-
20	Q_L721_7	L721.7 Age 3-6 months, gave Other	continuous	numeric-1.0	3067	0	-
21	Q_L722	L722. Gave something using a bottle	continuous	numeric-1.0	3067	0	-
22	Q_L723	L723. Gave any fluid using a bottle	continuous	numeric-1.0	3066	1	-
23	Q_L724	L724. Weight of the child(g)	continuous	numeric-4.0	0	3067	-
24	Q_L725	L725. Height of the child(cm)	continuous	numeric-2.0	0	3067	-
25	Q_L726_A	L726.A. Does child smile	continuous	numeric-1.0	3066	1	-
26	Q_L726_B	L726.B.Can keep the head straight	continuous	numeric-1.0	3067	0	-
27	A	A	continuous	numeric-6.0	0	3067	-
28	Q_727	727. Do any other work other than homework	continuous	numeric-1.0	3067	0	-
29	Q_728	728. Work at home or outside	continuous	numeric-1.0	545	2522	-
30	Q_729_A	729.A.. Number of working hours per day	continuous	numeric-2.0	545	2522	-
31	Q_729_B	729.B. After the childBirth,when did you start working	continuous	numeric-2.0	545	2522	-
32	Q_730	730. Marital status	continuous	numeric-1.0	3067	0	-
33	Q_731_A	731.A. Does Husband work anywhere	continuous	numeric-1.0	2991	76	-
34	Q_731_B	731.B. Nature of the job	continuous	numeric-2.0	2714	353	-
35	Q_732	732. Where does he stay during working days	continuous	numeric-1.0	2714	353	-
36	Q_733	733. If outside, how often he come home	continuous	numeric-1.0	139	2928	-
37	Q_734	734. Wish another child in	continuous	numeric-1.0	2991	76	-

Child Surveillance & Development Survey - 1985 - Variables List

File Record70_ChildAlive (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
		future.					
38	Q_736	735. After how many years	continuous	numeric-1.0	1139	1928	-
39	Q_736_A	736.A. After the child birth, started menses?	continuous	numeric-1.0	3067	0	-
40	Q_736_B	736.B. If yes, when	continuous	numeric-1.0	1404	1663	-
41	Q_736_C	736.C. If after 3 months, No. of weeks after childbirth	continuous	numeric-2.0	929	2138	-
42	Q_737_A	737.A. After the Childbirth, started sexual intercourse?	continuous	numeric-1.0	3067	0	-
43	Q_737_B	737.B. If yes,After how many months	continuous	numeric-1.0	2064	1003	-
44	Q_737_C	737.C. If after 3 months, No. of weeks	continuous	numeric-2.0	1467	1600	-
45	Q_738	738. Use contraceptive methods	continuous	numeric-1.0	3067	0	-
46	Q_739	739. Use traditional contraceptive methods	continuous	numeric-1.0	3067	0	-
47	Q_740	740. Problems to satisfy baby's needs	continuous	numeric-1.0	3067	0	-
48	Q_741_1	741.1. Mother does not hav a job	continuous	numeric-1.0	844	2223	-
49	Q_741_2	741.2. Husband does not have a job	continuous	numeric-1.0	844	2223	-
50	Q_741_3	741.3. Cost of living is high	continuous	numeric-1.0	844	2223	-
51	Q_741_4	741.4. Low income	continuous	numeric-1.0	844	2223	-
52	Q_741_5	741.5. Loans	continuous	numeric-1.0	844	2223	-
53	Q_741_6	741.6. Sickness	continuous	numeric-1.0	844	2223	-
54	Q_741_7	741.7. Litigate	continuous	numeric-1.0	844	2223	-
55	Q_741_8	741.8. Dependents	continuous	numeric-1.0	844	2223	-
56	Q_741_9	741.9.Others	continuous	numeric-1.0	844	2223	-
57	Q_742_A	742.A. Are there any family member who is addicted to liquor	continuous	numeric-1.0	3067	0	-
58	Q_742_B	742.B. If yes, Who are they?	continuous	numeric-1.0	383	2684	-
59	Q_742_C	742.C. Level of adiction	continuous	numeric-1.0	383	2684	-

File Record70_ChildDead							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	SAM_UNIT	Sample Unit	continuous	numeric-3.0	11	0	-

Child Surveillance & Development Survey - 1985 - Variables List

File Record70_ChildDead (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
2	HH_NO	Household Number	continuous	numeric-3.0	11	0	-
3	SUB_NO	Subsidiary Number	continuous	numeric-1.0	11	0	-
4	REC\$TYPE	-	discrete	character-2	11	0	-
5	Q_701_A	701.A. Identification Number of child	continuous	numeric-1.0	11	0	-
6	Q_701_B	701.B. Sex	continuous	numeric-1.0	0	11	-
7	Q_702	702. Is child still alive?	continuous	numeric-1.0	11	0	-
8	Q_703	703.A. Date of Death	continuous	numeric-6.0	11	0	-
9	Q_703_YEAR	703.A. Date of Death (Year)	continuous	numeric-2.0	11	0	-
10	Q_703_MONTH	703.A. Date of Death (Month)	continuous	numeric-2.0	11	0	-
11	Q_703_DAY	703.A. Date of Death (Day)	continuous	numeric-2.0	11	0	-
12	Q_703_B	703.B. Age when died (weeks)	continuous	numeric-2.0	11	0	-
13	Q_D704	D704. Place of death	continuous	numeric-1.0	11	0	-
14	Q_D705	D705. Reason for death	continuous	numeric-2.0	11	0	-
15	Q_D706	D706. Ever Breastfed	continuous	numeric-1.0	11	0	-
16	Q_D707	D707. Did you give breast milk till child's death	continuous	numeric-1.0	9	2	-
17	Q_D708	D708. How long did you give breast milk (weeks)	continuous	numeric-2.0	2	9	-
18	Q_D709	D709. Reason for not giving breastmilk	continuous	numeric-1.0	4	7	-
19	Q_D710_1	D710.1. Before child died, gave milk	continuous	numeric-1.0	11	0	-
20	Q_D710_2	D710.2. Before child died, gave Starch	continuous	numeric-1.0	11	0	-
21	Q_D710_3	D710.3. Before child died, gave suger water	continuous	numeric-1.0	11	0	-
22	Q_D710_4	D710.4. Before child died, gave coriander	continuous	numeric-1.0	11	0	-
23	Q_D710_5	D710.5. Before child died, gave Tea/coffee	continuous	numeric-1.0	11	0	-
24	Q_D710_6	D710.6. Before child died, gave Fruits	continuous	numeric-1.0	11	0	-
25	Q_D710_7	D710.7. Before child died, gave Soup	continuous	numeric-1.0	11	0	-
26	Q_D710_8	D710.8. Before child died, gave Others	continuous	numeric-1.0	11	0	-
27	Q_D711	D711. Type of milk	continuous	numeric-1.0	10	1	-
28	Q_D712	D712. Before died, Did you give something to the	continuous	numeric-1.0	11	0	-

Child Surveillance & Development Survey - 1985 - Variables List

File Record70_ChildDead (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
		child using a bottle					
29	Q_D713_A	D713.A. Did child smile before died	continuous	numeric-1.0	11	0	-
30	Q_D713_B	D713.B. Did child keep head straight	continuous	numeric-1.0	11	0	-
31	Q_D714_A	D714.A. Before died, did child live with you	continuous	numeric-1.0	11	0	-
32	Q_D714_B	D714.B. If not,with whom ?	continuous	numeric-1.0	3	8	-
33	Q_72A	727. Do any other workother than homework	continuous	numeric-1.0	11	0	-
34	Q_72B	728. Work at home or outside	continuous	numeric-1.0	2	9	-
35	Q_729_C	729.A.. Number of working hours per day	continuous	numeric-2.0	2	9	-
36	Q_729_D	729.B. When did you start working after the child birth?	continuous	numeric-2.0	2	9	-
37	Q_73A	730. Marital status	continuous	numeric-1.0	11	0	-
38	Q_731_C	731.A. IsHusband working somewhere?	continuous	numeric-1.0	9	2	-
39	Q_731_D	731.B. Husband's occupation	continuous	numeric-2.0	6	5	-
40	Q_73B	732. Where do he stay during working days?	continuous	numeric-1.0	6	5	-
41	Q_73C	733. If outside, how often does he come home?	continuous	numeric-1.0	0	11	-
42	Q_73D	734. Wish another child in future.	continuous	numeric-1.0	9	2	-
43	Q_73E	735.When do you wish to have another child.(years)	continuous	numeric-1.0	3	8	-
44	Q_736_D	736.A. After the child birth, started mensus?	continuous	numeric-1.0	11	0	-
45	Q_736_E	736.B. If yes, when did start menses	continuous	numeric-1.0	7	4	-
46	Q_736_F	736.C. If after 3 months, No. of weeks after childbirth	continuous	numeric-2.0	2	9	-
47	Q_737_D	737.A. After Childbirth, started sexual intercourse?	continuous	numeric-1.0	11	0	-
48	Q_737_E	737.B. If yes,After how many months	continuous	numeric-1.0	5	6	-
49	Q_737_F	737.C. If after 3 months, No. of weeks	continuous	numeric-2.0	3	8	-
50	Q_73F	738. Use any contraceptive method	continuous	numeric-1.0	11	0	-

Child Surveillance & Development Survey - 1985 - Variables List

File Record70_ChildDead (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
51	Q_73G	739. Use traditional contraceptive methods	continuous	numeric-1.0	11	0	-
52	Q_74A	740. Able to satisfy baby's needs	continuous	numeric-1.0	11	0	-
53	Q_741_A	741.1. Mother does not have a job	continuous	numeric-1.0	2	9	-
54	Q_741_B	741.2. Husband does not have a job	continuous	numeric-1.0	2	9	-
55	Q_741_C	741.3. Cost of living is high	continuous	numeric-1.0	2	9	-
56	Q_741_D	741.4. Low income	continuous	numeric-1.0	2	9	-
57	Q_741_E	741.5. Loans	continuous	numeric-1.0	2	9	-
58	Q_741_F	741.6. Sickness	continuous	numeric-1.0	2	9	-
59	Q_741_G	741.7. Litigate	continuous	numeric-1.0	2	9	-
60	Q_741_H	741.8. Dependents	continuous	numeric-1.0	2	9	-
61	Q_741_I	741.9. Others	continuous	numeric-1.0	2	9	-
62	Q_742_D	742.A. Any family member who is addicted to liquor	continuous	numeric-1.0	11	0	-
63	Q_742_E	742.B. If yes, Who are they?	continuous	numeric-1.0	1	10	-
64	Q_742_F	742.C. level of addiction	continuous	numeric-1.0	1	10	-

File Record80_ChildAlive							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	SAM_UNIT	Sample Unit	continuous	numeric-3.0	3015	0	-
2	HH_NO	Household Number	continuous	numeric-3.0	3015	0	-
3	SUB_NO	Subsidiary Number	continuous	numeric-1.0	3015	0	-
4	REC\$TYPE	-	discrete	character-2	3015	0	-
5	Q_L801_A	L801.A. Identity Number of child	continuous	numeric-1.0	3015	0	-
6	Q_L801_B	L801.B. Sex	continuous	numeric-1.0	0	3015	-
7	Q_L802	L802. Is child living?	continuous	numeric-1.0	3015	0	-
8	Q_L815	L815. Is child living with you	continuous	numeric-1.0	3015	0	-
9	Q_L816	L816. Who take care of the child during the day time	continuous	numeric-1.0	3015	0	-
10	Q_L817	L817. Ever Breastfed	continuous	numeric-1.0	3015	0	-
11	Q_L818	L818. Still Breastfeeding	continuous	numeric-1.0	2998	17	-
12	Q_L819	L819. No. of weeks breastfed	continuous	numeric-2.0	194	2821	-
13	Q_L820	L820. Reason for not	continuous	numeric-1.0	210	2805	-

Child Surveillance & Development Survey - 1985 - Variables List

File Record80_ChildAlive (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
		giving breastmilk					
14	Q_L821_1	L821.1 Age 6-12 months, gave Milk	continuous	numeric-1.0	3015	0	-
15	Q_L821_2	L821.2 Age 6-12 months, gave Starch	continuous	numeric-1.0	3015	0	-
16	Q_L821_3	L821.3 Age 6-12 months, gave Soup	continuous	numeric-1.0	3015	0	-
17	Q_L821_4	L821.4 Age 6-12 months, gave Rice	continuous	numeric-1.0	3015	0	-
18	Q_L821_5	L821.5 Age 6-12 months, gave Bread/Biscuits	continuous	numeric-1.0	3015	0	-
19	Q_L821_6	L821.6 Age 6-12 months, gave Potatos	continuous	numeric-1.0	3015	0	-
20	Q_L821_7	L821.7 Age 6-12 months, gave Egg/Fish/Meat	continuous	numeric-1.0	3015	0	-
21	Q_L821_8	L821.8 Age 6-12 months, gave Fruits	continuous	numeric-1.0	3015	0	-
22	Q_L821_9	L821.9 Age 6-12 months, gave Other	continuous	numeric-1.0	3015	0	-
23	Q_L822	L822. Other types of Milk	continuous	numeric-1.0	1142	1873	-
24	Q_L823	L823. Immunized your child	continuous	numeric-1.0	3015	0	-
25	Q_L824_A_1_BCG	L824.A.1.BCG	continuous	numeric-1.0	2946	69	-
26	Q_L824_A_2_Trip	L824.A.2.Trip	continuous	numeric-4.0	209	2806	-
27	Q_L824_A_3_Pol	L824.A.3.Polio	continuous	numeric-4.0	188	2827	-
28	Q_L824_A_4_Meas	L824.A.4.Measles	continuous	numeric-1.0	2069	946	-
29	Q_824_B	L824.B. Do you have your immunization card	continuous	numeric-1.0	2965	50	-
30	Q_L825	L825. Weight of child(g)	continuous	numeric-4.0	0	3015	-
31	Q_L826	L826. Height of child(cm)	continuous	numeric-2.0	0	3015	-
32	Q_L827	L827. Circumference of left arm (cm)	continuous	numeric-2.0	3011	4	-
33	Q_L828_1	L828.1. Can sit without any help	continuous	numeric-1.0	3015	0	-
34	Q_L828_2	L828.2. Can stand with help	continuous	numeric-1.0	3015	0	-
35	Q_L828_3	L828 3 Can walk without help	continuous	numeric-1.0	3015	0	-
36	Q_L828_4	L828.4. Can pronounce Mother/Father	continuous	numeric-1.0	3015	0	-
37	Q_829	829. Marital status	continuous	numeric-1.0	3015	0	-
38	Q_830_A	830.A. Is Husband working	continuous	numeric-1.0	2929	86	-
39	Q_830_B	830.B. Nature of occupation	continuous	numeric-2.0	2688	327	-

Child Surveillance & Development Survey - 1985 - Variables List

File Record80_ChildAlive (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
40	Q_831	831. Were does he stay during working days	continuous	numeric-1.0	2688	327	-
41	Q_832	832. If outside, how often he comes home	continuous	numeric-1.0	393	2622	-
42	Q_833	833.Last menstrual date	continuous	numeric-6.0	3015	0	-
43	Q_833_A_YEAR	833.A. Last menstrual Year	continuous	numeric-2.0	3015	0	-
44	Q_833_A_MONTH	833.A. Last menstrual Month	continuous	numeric-2.0	3015	0	-
45	Q_833_A_DAY	833.A. Last menstrual day	continuous	numeric-2.0	3015	0	-
46	Q_833_B	833.B. No.of weeks after the last menstrual day	continuous	numeric-1.0	3015	0	-
47	Q_834_A	834.A. Are you pregnant now	continuous	numeric-1.0	899	2116	-
48	Q_834_B	834.B. If not, Reason for late menses	continuous	numeric-1.0	790	2225	-
49	Q_835	835. If yes, did you expect a child	continuous	numeric-1.0	135	2880	-
50	Q_836	836. If not, did you fish to have another baby	continuous	numeric-1.0	89	2926	-
51	Q_837	837. Wish another child in future.	continuous	numeric-1.0	2926	89	-
52	Q_838	838. How long do you wish to delay the pregnancy	continuous	numeric-1.0	1373	1642	-
53	Q_839	839. Use any contraceptivel method	continuous	numeric-1.0	2925	90	-
54	Q_840	840. Use traditional contraceptive methods	continuous	numeric-1.0	2036	979	-
55	V55	-	discrete	numeric-1.0	0	3015	-

File Record80_ChildDead							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	SAM_UNIT	Sample Unit	continuous	numeric-3.0	2	0	-
2	HH_NO	Household Number	continuous	numeric-3.0	2	0	-
3	SUB_NO	Subsidiary Number	continuous	numeric-1.0	2	0	-
4	REC\$TYPE	-	discrete	character-2	2	0	-
5	Q_801_A	801.A. Identification Number of child	continuous	numeric-1.0	2	0	-
6	Q_801_B	801.B. Sex	continuous	numeric-1.0	0	2	-
7	Q_802	802. Is child still alive?	continuous	numeric-1.0	2	0	-
8	Q_803	803.A. Date of Death	continuous	numeric-6.0	2	0	-
9	Q_803_YEAR	803.A. Date of	continuous	numeric-2.0	2	0	-

Child Surveillance & Development Survey - 1985 - Variables List

File Record80_ChildDead (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
		Death(Year)					
10	Q_803_MONTH	803.A. Date of Death(Month)	continuous	numeric-2.0	2	0	-
11	Q_803_DAY	803.A. Date of Death(Day)	continuous	numeric-2.0	2	0	-
12	Q_803_B	803.B. Age when died	continuous	numeric-2.0	2	0	-
13	Q_D804	D804. Place of death	continuous	numeric-1.0	2	0	-
14	Q_D805	D805. Reason for death	continuous	numeric-2.0	2	0	-
15	Q_D806	D806. Ever Breastfed	continuous	numeric-1.0	2	0	-
16	Q_D807	D807. Did you give breast milk till child died	continuous	numeric-1.0	2	0	-
17	Q_D808	D808. How long did you give breast milk(weeks)	continuous	numeric-2.0	2	0	-
18	Q_D809	D809. Reason for stop giving breastmilk	continuous	numeric-1.0	2	0	-
19	Q_D810_1	D810.1. Before child died, gave Milk	continuous	numeric-1.0	2	0	-
20	Q_D810_2	D810.2. Before child died, gave Starch	continuous	numeric-1.0	2	0	-
21	Q_D810_3	D810.3. Before child died, gave Soup	continuous	numeric-1.0	2	0	-
22	Q_D810_4	D810.4. Before child died, gave Rice	continuous	numeric-1.0	2	0	-
23	Q_D810_5	D810.5. Before child died, gave Bread/Biscuit	continuous	numeric-1.0	2	0	-
24	Q_D810_6	D810.6. Before child died, gave Potatoes	continuous	numeric-1.0	2	0	-
25	Q_D810_7	D810.7. Before child died, gave Egg/Fish/Meat	continuous	numeric-1.0	2	0	-
26	Q_D810_8	D810.8. Before child died, gave Fruits	continuous	numeric-1.0	2	0	-
27	Q_D810_9	D810.9. Before child died, gave Others	continuous	numeric-1.0	2	0	-
28	Q_D811	D811. Type of milk	continuous	numeric-1.0	2	0	-
29	Q_D812	D812. Before child died, Did you give anything using a bottle	continuous	numeric-1.0	2	0	-
30	Q_D813_1	D813.1. Sat without any help	continuous	numeric-1.0	2	0	-
31	Q_D813_2	D813.2. Stand with others' help	continuous	numeric-1.0	2	0	-
32	Q_D813_3	D813.3. Walked without help	continuous	numeric-1.0	2	0	-
33	Q_D813_4	D813.4. Pronounced "mother"/"father"	continuous	numeric-1.0	2	0	-
34	Q_D814_A	D814.A.Before died, child	continuous	numeric-1.0	2	0	-

Child Surveillance & Development Survey - 1985 - Variables List

File Record80_ChildDead (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
		lived with you					
35	Q_D814_B	D814.B. If not,with whom?	continuous	numeric-1.0	0	2	-
36	XE	X1	continuous	numeric-8.0	0	2	-
37	Q_82A	829. Marital status	continuous	numeric-1.0	2	0	-
38	Q_830_C	830.A. Is Husband working?	continuous	numeric-1.0	2	0	-
39	Q_830_D	830.B. Nature of occupation	continuous	numeric-2.0	2	0	-
40	Q_83A	831. Where does he stay during working days	continuous	numeric-1.0	2	0	-
41	Q_83B	832. If outside, how often he comes home	continuous	numeric-1.0	0	2	-
42	Q_83C	833.Last menstrual date	continuous	numeric-6.0	2	0	-
43	Q_833_A_YEAR	833.A. Last menstrual Year	continuous	numeric-2.0	2	0	-
44	Q_833_A_MON	833.A. Last menstrual Month	continuous	numeric-2.0	2	0	-
45	Q_833_A_DAZ	833.A. Last menstrual Day	continuous	numeric-2.0	2	0	-
46	Q_833_C	833.B. No.of weeks from last menstrual date	continuous	numeric-1.0	2	0	-
47	Q_834_C	834.A. Are you pregnant now	continuous	numeric-1.0	0	2	-
48	Q_834_D	834.B. If not, Reason to late menses	continuous	numeric-1.0	0	2	-
49	Q_83D	835. If yes, did you expect a child	continuous	numeric-1.0	0	2	-
50	Q_83E	836. If not, How long did you wish to delay	continuous	numeric-1.0	0	2	-
51	Q_83F	837. Wish another child in future.	continuous	numeric-1.0	2	0	-
52	Q_83G	838. How long do you wish to delay	continuous	numeric-1.0	2	0	-
53	Q_83H	839. Use any contraceptive methods	continuous	numeric-1.0	2	0	-
54	Q_84A	840. Use any traditional contraceptive methods	continuous	numeric-1.0	2	0	-

Variables Description

Dataset contains 767 variable(s)

File Rec20

#1 REC\$TYPE

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=3375 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
20		3375	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#2 SAM_UNIT: Sample Unit Number

Information [Type= continuous] [Format=numeric] [Range= 1-97] [Missing=*]

Statistics [NW/ W] [Valid=3375 /-] [Invalid=0 /-] [Mean=48.411 /-] [StdDev=28.439 /-]

#3 HH_NO: Household Number

Information [Type= continuous] [Format=numeric] [Range= 1-999] [Missing=*]

Statistics [NW/ W] [Valid=3375 /-] [Invalid=0 /-] [Mean=126.827 /-] [StdDev=168.008 /-]

#4 SUB_NO: Subsidiary Number

Information [Type= continuous] [Format=numeric] [Range= 0-9] [Missing=*]

Statistics [NW/ W] [Valid=3375 /-] [Invalid=0 /-] [Mean=1.116 /-] [StdDev=0.632 /-]

#5 X1: X1

Information [Type= continuous] [Format=numeric] [Range= 0-0] [Missing=*]

Statistics [NW/ W] [Valid=3375 /-] [Invalid=0 /-] [Mean=0 /-] [StdDev=0 /-]

#6 Q201: 201. Total Number of Persons _Part1

Information [Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*]

Statistics [NW/ W] [Valid=3375 /-] [Invalid=0 /-] [Mean=4.388 /-] [StdDev=3.675 /-]

#7 Q202: 202. Total number of family members _Part1

Information [Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*]

Statistics [NW/ W] [Valid=3375 /-] [Invalid=0 /-] [Mean=4.316 /-] [StdDev=3.983 /-]

File Rec20 (cont.)

#8 Q203: 203. Last menstrual Date

Information	[Type= continuous] [Format=numeric] [Range= 28504-999999] [Missing=*]
Statistics [NW/ W]	[Valid=3375 /-] [Invalid=0 /-] [Mean=847939.279 /-] [StdDev=27279.197 /-]

#9 Q203_YEAR: 203. Last menstrual year

Information	[Type= continuous] [Format=numeric] [Range= 2-99] [Missing=*]
Statistics [NW/ W]	[Valid=3375 /-] [Invalid=0 /-] [Mean=84.741 /-] [StdDev=2.737 /-]

#10 Q203_MONTH: 203. Last menstrual month

Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]
Statistics [NW/ W]	[Valid=3375 /-] [Invalid=0 /-] [Mean=5.135 /-] [StdDev=5.739 /-]

#11 Q203_DAY: 203. Last menstrual day

Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]
Statistics [NW/ W]	[Valid=3375 /-] [Invalid=0 /-] [Mean=15.397 /-] [StdDev=9.844 /-]

#12 Q204: 204. Interview Date

Information	[Type= continuous] [Format=numeric] [Range= 258508-890901] [Missing=*]
Statistics [NW/ W]	[Valid=3375 /-] [Invalid=0 /-] [Mean=850404.343 /-] [StdDev=14914.878 /-]

#13 Q204_YEAR: 204. Interview year

Information	[Type= continuous] [Format=numeric] [Range= 25-89] [Missing=*]
Statistics [NW/ W]	[Valid=3375 /-] [Invalid=0 /-] [Mean=84.953 /-] [StdDev=1.504 /-]

#14 Q204_MONTH: 204. Interview month

Information	[Type= continuous] [Format=numeric] [Range= 1-85] [Missing=*]
Statistics [NW/ W]	[Valid=3375 /-] [Invalid=0 /-] [Mean=8.538 /-] [StdDev=1.843 /-]

#15 Q204_DAY: 204. Interview day

Information	[Type= continuous] [Format=numeric] [Range= 1-90] [Missing=*]
Statistics [NW/ W]	[Valid=3375 /-] [Invalid=0 /-] [Mean=15.721 /-] [StdDev=9.568 /-]

File Rec20 (cont.)

#16 Q205: 205. Weeks of Pregnancy

Information	[Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*]
Statistics [NW/ W]	[Valid=3375 /-] [Invalid=0 /-] [Mean=25.315 /-] [StdDev=9.001 /-]

#17 Q206: 206. Date when 28 th week of pregnancy

Information	[Type= continuous] [Format=numeric] [Range= 148511-999999] [Missing=*]
Statistics [NW/ W]	[Valid=3375 /-] [Invalid=0 /-] [Mean=851238.707 /-] [StdDev=21944.634 /-]

#18 Q206_YEAR: 206. Year when 28 th week of pregnancy

Information	[Type= continuous] [Format=numeric] [Range= 14-99] [Missing=*]
Statistics [NW/ W]	[Valid=3375 /-] [Invalid=0 /-] [Mean=85.037 /-] [StdDev=2.185 /-]

#19 Q206_MONTH: 206. Month when 28 th week of pregnancy

Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]
Statistics [NW/ W]	[Valid=3375 /-] [Invalid=0 /-] [Mean=8.495 /-] [StdDev=5.75 /-]

#20 Q206_DAY: 206. Day when 28 th week of pregnancy

Information	[Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*]
Statistics [NW/ W]	[Valid=3375 /-] [Invalid=0 /-] [Mean=15.922 /-] [StdDev=9.957 /-]

#21 Q207: 207. Date expecting the Delivery

Information	[Type= continuous] [Format=numeric] [Range= 251024-999999] [Missing=*]
Statistics [NW/ W]	[Valid=3375 /-] [Invalid=0 /-] [Mean=853558.388 /-] [StdDev=12611.853 /-]

#22 Q207_YEAR: 207. Date expecting the Delivery (Year)

Information	[Type= continuous] [Format=numeric] [Range= 25-99] [Missing=*]
Statistics [NW/ W]	[Valid=3375 /-] [Invalid=0 /-] [Mean=85.275 /-] [StdDev=1.258 /-]

#23 Q207_MONTH: 207. Date expecting the Delivery (Month)

Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]
Statistics [NW/ W]	[Valid=3375 /-] [Invalid=0 /-] [Mean=7.93 /-] [StdDev=5.193 /-]

File Rec20 (cont.)

#24 Q207_DAY: 207. Date expecting the Delivery (Day)

Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]
Statistics [NW/ W]	[Valid=3375 /-] [Invalid=0 /-] [Mean=15.751 /-] [StdDev=9.706 /-]

#25 Q208: 208. Is this your usual residence

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]
Statistics [NW/ W]	[Valid=3375 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes	3330	98.7%
2	No	45	1.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#26 Q209: 209. Having any idea of changing the residence

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]
Statistics [NW/ W]	[Valid=3330 /-] [Invalid=45 /-]

Value	Label	Cases	Percentage
1	Yes	542	16.3%
2	No	2788	83.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#27 Q211_C: 211.C. Age

Information	[Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*]
Statistics [NW/ W]	[Valid=3366 /-] [Invalid=9 /-] [Mean=25.611 /-] [StdDev=8.614 /-]

#28 Q212: 212. Ethnic Group

Information	[Type= continuous] [Format=numeric] [Range= 1-5] [Missing=*9]
Statistics [NW/ W]	[Valid=3375 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Sinhala	3168	93.9%
2	Srilankan tamil	34	1.0%
3	Indian tamil	1	0.0%
4	Muslim	161	4.8%
5	Other	11	0.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Rec20 (cont.)

#29 Q213: 213. Religion

Information [Type= continuous] [Format=numeric] [Range= 1-5] [Missing=*/9]

Statistics [NW/ W] [Valid=3375 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Buddhism	3106	92.0%
2	Hindu	19	0.6%
3	Islam	191	5.7%
4	Kristiyan	59	1.7%
5	Other	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#30 Q214: 214. Highest level of Education

Information [Type= continuous] [Format=numeric] [Range= 1-8] [Missing=*/9]

Statistics [NW/ W] [Valid=3375 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Never attended school	381	11.3%
2	Grade1 to 5	1294	38.3%
3	Grade6 to 9	1093	32.4%
4	O Level	494	14.6%
5	A Level	96	2.8%
6	Diploma	0	0.0%
7	Degree	13	0.4%
8	Others	4	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#31 Q215: 215. Mother's height(cm)

Information [Type= continuous] [Format=numeric] [Range= 0-999] [Missing=*]

Statistics [NW/ W] [Valid=3356 /-] [Invalid=19 /-] [Mean=153.545 /-] [StdDev=49.767 /-]

#32 Q216: 216. Ever given birth to a child

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*/9]

Statistics [NW/ W] [Valid=3375 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes	2412	71.5%
2	No	963	28.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Rec20 (cont.)

#33 Q217_A_BOYS: 217.A. Number of sons alive

Information	[Type= continuous] [Format=numeric] [Range= 0-7] [Missing=*]
Statistics [NW/ W]	[Valid=2358 /-] [Invalid=1017 /-] [Mean=1.064 /-] [StdDev=1.049 /-]

#34 Q217_A_GIRLS: 217.A. Number of daughters alive

Information	[Type= continuous] [Format=numeric] [Range= 0-10] [Missing=*]
Statistics [NW/ W]	[Valid=2357 /-] [Invalid=1018 /-] [Mean=1.024 /-] [StdDev=1.03 /-]

#35 Q217_B: 217.B Had a live birth

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]
Statistics [NW/ W]	[Valid=3375 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes	975	28.9%
2	No	2400	71.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#36 Q217_C_BOYS: 217.C. Boys who died

Information	[Type= continuous] [Format=numeric] [Range= 0-20] [Missing=*]
Statistics [NW/ W]	[Valid=2469 /-] [Invalid=906 /-] [Mean=0.119 /-] [StdDev=0.54 /-]

#37 Q217_C_GIRLS: 217.C. Girls who died

Information	[Type= continuous] [Format=numeric] [Range= 0-3] [Missing=*]
Statistics [NW/ W]	[Valid=2469 /-] [Invalid=906 /-] [Mean=0.0668 /-] [StdDev=0.269 /-]

#38 Q217_D: 217.D. Total number of living children

Information	[Type= continuous] [Format=numeric] [Range= 0-13] [Missing=*]
Statistics [NW/ W]	[Valid=3147 /-] [Invalid=228 /-] [Mean=1.544 /-] [StdDev=1.529 /-]

#39 Q217_E: 217.E. Total number of children who died

Information	[Type= continuous] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=3145 /-] [Invalid=230 /-] [Mean=0.146 /-] [StdDev=0.456 /-]

#40 Q217_F: 217.F. Total number of live births

Information	[Type= continuous] [Format=numeric] [Range= 0-13] [Missing=*]
-------------	---

File Rec20 (cont.)

#40 Q217_F: 217.F. Total number of live births (cont.)

Statistics [NW/ W] [Valid=3359 /-] [Invalid=16 /-] [Mean=1.59 /-] [StdDev=1.625 /-]

#41 Q218: 218. Ever had an abortion or deadbirth

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]

Statistics [NW/ W] [Valid=3375 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes	398	11.8%
2	No	2977	88.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#42 Q219: 219. Number of abortions or deadBirths

Information [Type= continuous] [Format=numeric] [Range= 0-5] [Missing=*]

Statistics [NW/ W] [Valid=399 /-] [Invalid=2976 /-] [Mean=1.193 /-] [StdDev=0.626 /-]

#43 Q220: 220. Last child birth

Information [Type= continuous] [Format=numeric] [Range= 0-9999] [Missing=*]

Statistics [NW/ W] [Valid=2321 /-] [Invalid=1054 /-] [Mean=8242.565 /-] [StdDev=500.328 /-]

#44 Q220_YEAR: 220. Year of Last child birth

Information [Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*]

Statistics [NW/ W] [Valid=2323 /-] [Invalid=1052 /-] [Mean=82.337 /-] [StdDev=4.96 /-]

#45 Q220_MONTH: 220. Month of Last child birth

Information [Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*]

Statistics [NW/ W] [Valid=2321 /-] [Invalid=1054 /-] [Mean=8.916 /-] [StdDev=15.006 /-]

#46 Q221: 221. Last child still alive

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]

Statistics [NW/ W] [Valid=2410 /-] [Invalid=965 /-]

Value	Label	Cases	Percentage
1	Yes	2279	94.6%
2	No	131	5.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Rec20 (cont.)

#47 Q222: 222. If dead, Age at which child was died

Information	[Type= continuous] [Format=numeric] [Range= 0-9999] [Missing=*]
Statistics [NW/ W]	[Valid=131 /-] [Invalid=3244 /-] [Mean=1551.466 /-] [StdDev=3588.666 /-]

#48 Q222_YEAR: 222. Age at which child was died (Years)

Information	[Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*]
Statistics [NW/ W]	[Valid=131 /-] [Invalid=3244 /-] [Mean=15.382 /-] [StdDev=35.64 /-]

#49 Q222_MONTH: 222. Age at which child was died (Months)

Information	[Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*]
Statistics [NW/ W]	[Valid=131 /-] [Invalid=3244 /-] [Mean=13.298 /-] [StdDev=31.075 /-]

#50 Q223: 223. Expecting a child before becoming pregnant last time

Information	[Type= continuous] [Format=numeric] [Range= 1-3] [Missing=*9]
Statistics [NW/ W]	[Valid=3375 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes	2460	72.9%
2	No	644	19.1%
3	No Decision	271	8.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#51 Q224: 224. Did not expect a child at all or wanted to delay

Information	[Type= continuous] [Format=numeric] [Range= 1-3] [Missing=*9]
Statistics [NW/ W]	[Valid=916 /-] [Invalid=2459 /-]

Value	Label	Cases	Percentage
1	Hope Later	506	55.2%
2	Never hope	231	25.2%
3	No Decision	179	19.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Rec30

#1 REC\$TYPE

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=3374 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
30		3374	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#2 SAM_UNIT: Sample Unit

Information	[Type= continuous] [Format=numeric] [Range= 1-97] [Missing=*]
Statistics [NW/ W]	[Valid=3374 /-] [Invalid=0 /-] [Mean=48.42 /-] [StdDev=28.438 /-]

#3 HH_NO: Household Number

Information	[Type= continuous] [Format=numeric] [Range= 1-999] [Missing=*]
Statistics [NW/ W]	[Valid=3374 /-] [Invalid=0 /-] [Mean=126.587 /-] [StdDev=167.454 /-]

#4 SUB_NO: Subsidiary Number

Information	[Type= continuous] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=3374 /-] [Invalid=0 /-] [Mean=1.116 /-] [StdDev=0.632 /-]

#5 XB: X1

Information	[Type= continuous] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=3374 /-] [Invalid=0 /-] [Mean=0 /-] [StdDev=0 /-]

#6 DATE_OF_INTERVIEX: Date of Interview

Information	[Type= continuous] [Format=numeric] [Range= 120136-999999] [Missing=*]
Statistics [NW/ W]	[Valid=3373 /-] [Invalid=1 /-] [Mean=853813.548 /-] [StdDev=27442.467 /-]

#7 YEAR_OF_INTERVIEX: Year of Interview

Information	[Type= continuous] [Format=numeric] [Range= 12-99] [Missing=*]
Statistics [NW/ W]	[Valid=3373 /-] [Invalid=1 /-] [Mean=85.276 /-] [StdDev=2.666 /-]

#8 MONTH_OF_INTERVIEX: Month of Interview

Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]
Statistics [NW/ W]	[Valid=3373 /-] [Invalid=1 /-] [Mean=10.391 /-] [StdDev=12.449 /-]

File Rec30 (cont.)

#9 DAY_OF_INTERVIEW: Day of Interview

Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]
Statistics [NW/ W]	[Valid=3373 /-] [Invalid=1 /-] [Mean=17.254 /-] [StdDev=14.443 /-]

#10 Q301: 301. How is your baby?

Information	[Type= continuous] [Format=numeric] [Range= 1-4] [Missing=*9]
Statistics [NW/ W]	[Valid=3374 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Still Pregnancy	3361	99.6%
2	ChildBirth	13	0.4%
3	Child died	0	0.0%
4	No pregnancy	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#11 Q302: 302. Midwife visited at least once, during pregnancy

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]
Statistics [NW/ W]	[Valid=3374 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes	1708	50.6%
2	No	1666	49.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#12 Q303: 303 No. of visits

Information	[Type= continuous] [Format=numeric] [Range= 1-3] [Missing=*9]
Statistics [NW/ W]	[Valid=1695 /-] [Invalid=1679 /-]

Value	Label	Cases	Percentage
1	One time	686	40.5%
2	Two times	529	31.2%
3	Three or more	480	28.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#13 Q304: 304. No. of pregnancy months at the first visit

Information	[Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=1668 /-] [Invalid=1706 /-] [Mean=5.057 /-] [StdDev=1.539 /-]

File Rec30 (cont.)

#14 Q305: 305. Underwent any medical checkup during pregnancy

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]

Statistics [NW/ W] [Valid=3374 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes	2968	88.0%
2	No	406	12.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#15 Q306: 306. Number of Checkups

Information [Type= continuous] [Format=numeric] [Range= 1-3] [Missing=*9]

Statistics [NW/ W] [Valid=2946 /-] [Invalid=428 /-]

Value	Label	Cases	Percentage
1	One time	795	27.0%
2	Two times	1040	35.3%
3	Three or more	1111	37.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#16 Q307: 307. No. of pregnancy months at your last clinical visit

Information [Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*]

Statistics [NW/ W] [Valid=2940 /-] [Invalid=434 /-] [Mean=6.731 /-] [StdDev=1.186 /-]

#17 Q308_A_1: 308.A.1 Mother's weight

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]

Statistics [NW/ W] [Valid=2952 /-] [Invalid=422 /-]

Value	Label	Cases	Percentage
1	Yes	1768	59.9%
2	No	1184	40.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#18 Q308_A_2: 308.A.2. Mother's height

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]

Statistics [NW/ W] [Valid=2954 /-] [Invalid=420 /-]

Value	Label	Cases	Percentage
1	Yes	550	18.6%
2	No	2404	81.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Rec30 (cont.)

#19 Q308_A_3: 308.A.3. Blood pressure

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]

Statistics [NW/ W] [Valid=2954 /-] [Invalid=420 /-]

Value	Label	Cases	Percentage
1	Yes	1671	56.6%
2	No	1283	43.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#20 Q308_A_4: 308.A.4. Blood from finger

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]

Statistics [NW/ W] [Valid=2955 /-] [Invalid=419 /-]

Value	Label	Cases	Percentage
1	Yes	2030	68.7%
2	No	925	31.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#21 Q308_A_5: 308.A.5. Blood from hand

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]

Statistics [NW/ W] [Valid=2952 /-] [Invalid=422 /-]

Value	Label	Cases	Percentage
1	Yes	156	5.3%
2	No	2796	94.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#22 Q308_A_6: 308.A.6. Urine test

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]

Statistics [NW/ W] [Valid=2954 /-] [Invalid=420 /-]

Value	Label	Cases	Percentage
1	Yes	620	21.0%
2	No	2334	79.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#23 Q308_A_7: 308.A.7. Checked the Stomach

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]

Statistics [NW/ W] [Valid=2955 /-] [Invalid=419 /-]

File Rec30 (cont.)

#23 Q308_A_7: 308.A.7. Checked the Stomach (cont.)

Value	Label	Cases	Percentage
1	Yes	2634	89.1%
2	No	321	10.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#24 Q308_B_1: 308.B.1. Given medicine or vitamine

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]		
Statistics [NW/ W]	[Valid=2954 /-] [Invalid=420 /-]		
Value	Label	Cases	Percentage
1	Yes	2454	83.1%
2	No	500	16.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#25 Q308_B_2: 308.B.2. Given extra food

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]		
Statistics [NW/ W]	[Valid=2953 /-] [Invalid=421 /-]		
Value	Label	Cases	Percentage
1	Yes	1832	62.0%
2	No	1121	38.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#26 Q308_B_3: 308.B.3. Given advice for safety

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]		
Statistics [NW/ W]	[Valid=2951 /-] [Invalid=423 /-]		
Value	Label	Cases	Percentage
1	Yes	1234	41.8%
2	No	1717	58.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#27 Q309: 309. Place of last test

Information	[Type= continuous] [Format=numeric] [Range= 1-4] [Missing=*9]		
Statistics [NW/ W]	[Valid=2933 /-] [Invalid=441 /-]		
Value	Label	Cases	Percentage
1	Government Clinic	2826	96.4%
2	Private Doctor	86	2.9%

File Rec30 (cont.)

#27 Q309: 309. Place of last test (cont.)

Value (cont.)	Label	Cases	Percentage
3	Nursing Home	21	0.7%
4	Others	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#28 Q310: 310. If it was not a government clinic, went any other place

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]		
Statistics [NW/ W]	[Valid=114 /-] [Invalid=3260 /-]		
Value	Label	Cases	Percentage
1	Yes	78	68.4%
2	No	36	31.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#29 Q311: 311. Checked on the same day, or asked to come another day

Information	[Type= continuous] [Format=numeric] [Range= 1-3] [Missing=*9]		
Statistics [NW/ W]	[Valid=2890 /-] [Invalid=484 /-]		
Value	Label	Cases	Percentage
1	Test on that day	2762	95.6%
2	Come to other day	121	4.2%
3	After one or two months later	7	0.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#30 Q312: 312. Had to wait for a long

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]		
Statistics [NW/ W]	[Valid=2899 /-] [Invalid=475 /-]		
Value	Label	Cases	Percentage
1	Checked quickly	1537	53.0%
2	Wait more time	1362	47.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#31 Q313: 313. Got a seat at your last clinic

Information	[Type= continuous] [Format=numeric] [Range= 1-3] [Missing=*9]		
Statistics [NW/ W]	[Valid=2900 /-] [Invalid=474 /-]		
Value	Label	Cases	Percentage
1	Got a seat	1457	50.2%

File Rec30 (cont.)

#31 Q313: 313. Got a seat at your last clinic (cont.)

Value (cont.)	Label	Cases	Percentage
2	Had to stand	638	22.0%
3	After long time got a seat	805	27.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#32 Q314: 314. Treated well at your last clinic

Information	[Type= continuous] [Format=numeric] [Range= 1-3] [Missing=*9]		
Statistics [NW/ W]	[Valid=2902 /-] [Invalid=472 /-]		
Value	Label	Cases	Percentage
1	Treated well	1437	49.5%
2	Normally treated	1369	47.2%
3	Never treated	96	3.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#33 Q315: 315. Satisfied about the service provided

Information	[Type= continuous] [Format=numeric] [Range= 1-3] [Missing=*9]		
Statistics [NW/ W]	[Valid=2886 /-] [Invalid=488 /-]		
Value	Label	Cases	Percentage
1	Yes	2285	79.2%
2	No	193	6.7%
3	Difficult to tell	408	14.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#34 Q316_1: 316.1. Thought that it was not necessary

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]		
Statistics [NW/ W]	[Valid=469 /-] [Invalid=2905 /-]		
Value	Label	Cases	Percentage
1	Yes	149	31.8%
2	No	320	68.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#35 Q316_2: 316.2. Preferred another place

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]		
Statistics [NW/ W]	[Valid=435 /-] [Invalid=2939 /-]		

File Rec30 (cont.)

#35 Q316_2: 316.2. Preferred another place (cont.)

Value	Label	Cases	Percentage
1	Yes	48	11.0%
2	No	387	89.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#36 Q316_3: 316.3. Did not know the clinical place

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]		
Statistics [NW/ W]	[Valid=432 /-] [Invalid=2942 /-]		
Value	Label	Cases	Percentage
1	Yes	48	11.1%
2	No	384	88.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#37 Q316_4: 316.4. No vehicles for travelling/ higher cost

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]		
Statistics [NW/ W]	[Valid=432 /-] [Invalid=2942 /-]		
Value	Label	Cases	Percentage
1	Yes	109	25.2%
2	No	323	74.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#38 Q316_5: 316.5. Had to spend more time

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]		
Statistics [NW/ W]	[Valid=436 /-] [Invalid=2938 /-]		
Value	Label	Cases	Percentage
1	Yes	168	38.5%
2	No	268	61.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#39 Q316_6: 316.6. Could not leave children at home

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]		
Statistics [NW/ W]	[Valid=434 /-] [Invalid=2940 /-]		
Value	Label	Cases	Percentage
1	Yes	100	23.0%
2	No	334	77.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Rec30 (cont.)

#40 Q316_7: 316.7. Clinical workers do not treat mothers well

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]

Statistics [NW/ W] [Valid=430 /-] [Invalid=2944 /-]

Value	Label	Cases	Percentage
1	Yes	36	8.4%
2	No	394	91.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#41 Q316_8: 316.8. Clinical workers blame us

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]

Statistics [NW/ W] [Valid=425 /-] [Invalid=2949 /-]

Value	Label	Cases	Percentage
1	Yes	22	5.2%
2	No	403	94.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#42 Q316_9: 316.9. Others

Information [Type= continuous] [Format=numeric] [Range= 1-4] [Missing=*9]

Statistics [NW/ W] [Valid=96 /-] [Invalid=3278 /-]

Value	Label	Cases	Percentage
1	Yes	7	29.2%
2	No	17	70.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#43 Q317: 317. Changed the diet after the pregnancy

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]

Statistics [NW/ W] [Valid=3374 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes	1139	33.8%
2	No	2235	66.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#44 Q318_A_FOOD1: 318. A.1. Which foods were reduced or stopped because of pregnancy

Information [Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*]

Statistics [NW/ W] [Valid=912 /-] [Invalid=2462 /-] [Mean=2.414 /-] [StdDev=1.878 /-]

File Rec30 (cont.)

#45 Q318_A_FOOD2: 318. A.2. Which foods were reduced or stopped because of pregnancy

Information	[Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=562 /-] [Invalid=2812 /-] [Mean=2.744 /-] [StdDev=2.201 /-]

#46 Q318_A_FOOD3: 318.A.3. Which foods were reduced or stopped because of pregnancy

Information	[Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=220 /-] [Invalid=3154 /-] [Mean=3.423 /-] [StdDev=2.672 /-]

#47 Q318_A_FOOD4: 318.A.4. Which foods were reduced or stopped because of pregnancy

Information	[Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=59 /-] [Invalid=3315 /-] [Mean=3.356 /-] [StdDev=2.689 /-]

#48 Q318_B_FOOD1: 318.B.1. Which foods were increased or started because of pregnancy

Information	[Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=943 /-] [Invalid=2431 /-] [Mean=5.123 /-] [StdDev=1.908 /-]

#49 Q318_B_FOOD2: 318.B.2. Which foods were increased or started because of pregnancy

Information	[Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=674 /-] [Invalid=2700 /-] [Mean=5.088 /-] [StdDev=2.171 /-]

#50 Q318_B_FOOD3: 318.B.3. Which foods were increased or started because of pregnancy

Information	[Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=300 /-] [Invalid=3074 /-] [Mean=5.17 /-] [StdDev=2.413 /-]

#51 Q318_B_FOOD4: 318.B.4. Which foods were increased or started because of pregnancy

Information	[Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=107 /-] [Invalid=3267 /-] [Mean=4.794 /-] [StdDev=2.587 /-]

#52 Q319: 319. Taking any Tablets or Vitamins daily

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]
Statistics [NW/ W]	[Valid=3372 /-] [Invalid=2 /-]

Value	Label	Cases	Percentage
1	Yes	1265	37.5%
2	No	2107	62.5%

File Rec30 (cont.)

#52 Q319: 319. Taking any Tablets or Vitamins daily (cont.)

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#53 Q320: 320. Who gave the advice

Information [Type= continuous] [Format=numeric] [Range= 1-5] [Missing=*9]

Statistics [NW/ W] [Valid=1245 /-] [Invalid=2129 /-]

Value	Label	Cases	Percentage
1	Doctor	741	59.5%
2	Nurse	467	37.5%
3	Other health servent	19	1.5%
4	Somebody	12	1.0%
5	Nobody	6	0.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#54 Q321: 321. Place you have chosen for your delivery

Information [Type= continuous] [Format=numeric] [Range= 1-6] [Missing=*9]

Statistics [NW/ W] [Valid=3374 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Government hospital	3087	91.5%
2	Private hospital	33	1.0%
3	Own house	164	4.9%
4	Mother's house	36	1.1%
5	Other place	1	0.0%
6	No decision	53	1.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#55 Q322: 322. Name & Address of the hospital/Nursing Home

Information [Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*]

Statistics [NW/ W] [Valid=3035 /-] [Invalid=339 /-] [Mean=2.409 /-] [StdDev=1.103 /-]

#56 Q323_1: 323.1. Not necessary to go to a hospital

Information [Type= continuous] [Format=numeric] [Range= 1-1] [Missing=*]

Statistics [NW/ W] [Valid=133 /-] [Invalid=3241 /-] [Mean=1 /-] [StdDev=0 /-]

#57 Q323_2: 323.2. Don't know the place

Information [Type= continuous] [Format=numeric] [Range= 2-2] [Missing=*]

File Rec30 (cont.)

#57 Q323_2: 323.2. Don't know the place (cont.)

Statistics [NW/ W]	[Valid=1 /-] [Invalid=3373 /-] [Mean=2 /-]
--------------------	--

#58 Q323_3: 323.3. No vehicles, Cost is high

Information	[Type= continuous] [Format=numeric] [Range= 3-3] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=59 /-] [Invalid=3315 /-] [Mean=3 /-] [StdDev=0 /-]
--------------------	---

#59 Q323_4: 323.4. Can't leave children alone at home

Information	[Type= continuous] [Format=numeric] [Range= 4-4] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=67 /-] [Invalid=3307 /-] [Mean=4 /-] [StdDev=0 /-]
--------------------	---

#60 Q323_5: 323.5. Mothers are not treated well at the clinic

Information	[Type= continuous] [Format=numeric] [Range= 5-5] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=27 /-] [Invalid=3347 /-] [Mean=5 /-] [StdDev=0 /-]
--------------------	---

#61 Q323_6: 323.6. Service is not good, Bad experience last time

Information	[Type= continuous] [Format=numeric] [Range= 6-6] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=12 /-] [Invalid=3362 /-] [Mean=6 /-] [StdDev=0 /-]
--------------------	---

#62 Q323_7: 323.7. Afraid of staying at hospital alone

Information	[Type= continuous] [Format=numeric] [Range= 7-7] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=20 /-] [Invalid=3354 /-] [Mean=7 /-] [StdDev=0 /-]
--------------------	---

#63 Q323_8: 323.1. Other

Information	[Type= continuous] [Format=numeric] [Range= 8-8] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=30 /-] [Invalid=3344 /-] [Mean=8 /-] [StdDev=0 /-]
--------------------	---

#64 Q324: 324. Who will help you

Information	[Type= continuous] [Format=numeric] [Range= 1-5] [Missing=*9]
-------------	---

Statistics [NW/ W]	[Valid=500 /-] [Invalid=2874 /-]
--------------------	----------------------------------

Value	Label	Cases	Percentage
1	Midwife	242	48.4%
2	Retired Midwife	18	3.6%
3	Mother	137	27.4%

File Rec30 (cont.)

#64 Q324: 324. Who will help you (cont.)

Value (cont.)	Label	Cases	Percentage
4	Private Doctor	83	16.6%
5	Other	20	4.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#65 Q325: 325. Is there a midwife in your region

Information	[Type= continuous] [Format=numeric] [Range= 1-3] [Missing=*9]		
Statistics [NW/ W]	[Valid=272 /-] [Invalid=3102 /-]		
Value	Label	Cases	Percentage
1	Yes	136	50.0%
2	No	97	35.7%
3	Dont know	39	14.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#66 Q326: 326. If yes,why don't you expect help from her

Information	[Type= continuous] [Format=numeric] [Range= 1-4] [Missing=*9]		
Statistics [NW/ W]	[Valid=133 /-] [Invalid=3241 /-]		
Value	Label	Cases	Percentage
1	Dont want because satisfy by other services	65	48.9%
2	Midwife is in too far away	55	41.4%
3	Dissatisfaction of services	5	3.8%
4	Others	8	6.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#67 Q327: 327. Are you a member of any voluntary organization

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]		
Statistics [NW/ W]	[Valid=3350 /-] [Invalid=24 /-]		
Value	Label	Cases	Percentage
1	Yes	295	8.8%
2	No	3055	91.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#68 Q328_1: 328.1. Member of_"Lanka mahila Samithi"

Information	[Type= continuous] [Format=numeric] [Range= 2-2] [Missing=*]		
Statistics [NW/ W]	[Valid=22 /-] [Invalid=3352 /-] [Mean=2 /-] [StdDev=0 /-]		

File Rec30 (cont.)

#69 Q328_2: 328.2. Member of_Village Women's Society

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=145 /-] [Invalid=3229 /-] [Mean=1.993 /-] [StdDev=0.083 /-]

#70 Q328_3: 328.3. Member of_Health committee

Information	[Type= continuous] [Format=numeric] [Range= 2-2] [Missing=*]
Statistics [NW/ W]	[Valid=21 /-] [Invalid=3353 /-] [Mean=2 /-] [StdDev=0 /-]

#71 Q328_4: 328.4. Member of_Death Grant Society

Information	[Type= continuous] [Format=numeric] [Range= 2-2] [Missing=*]
Statistics [NW/ W]	[Valid=56 /-] [Invalid=3318 /-] [Mean=2 /-] [StdDev=0 /-]

#72 Q328_5: 328.5. Member of_Sarvodaya

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=54 /-] [Invalid=3320 /-] [Mean=1.981 /-] [StdDev=0.136 /-]

#73 Q328_6: 328.6. Member of_Village Loan Society

Information	[Type= continuous] [Format=numeric] [Range= 2-2] [Missing=*]
Statistics [NW/ W]	[Valid=7 /-] [Invalid=3367 /-] [Mean=2 /-] [StdDev=0 /-]

#74 Q328_7: 328.7. Member of_ any other Society

Information	[Type= continuous] [Format=numeric] [Range= 2-2] [Missing=*]
Statistics [NW/ W]	[Valid=61 /-] [Invalid=3313 /-] [Mean=2 /-] [StdDev=0 /-]

#75 Q329: 329. After getting pregnant, Did you do any work

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]
Statistics [NW/ W]	[Valid=3328 /-] [Invalid=46 /-]

Value	Label	Cases	Percentage
1	Yes	625	18.8%
2	No	2703	81.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#76 Q330: 330. Are you still working?

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]
-------------	---

File Rec30 (cont.)

#76 Q330: 330. Are you still working? (cont.)

Statistics [NW/ W]	[Valid=589 /-] [Invalid=2785 /-]		
Value	Label	Cases	Percentage
1	Still working	455	77.2%
2	Stoped working	134	22.8%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#77 Q331: 331. Months of pregnancy,when stop working

Information	[Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=126 /-] [Invalid=3248 /-] [Mean=6.151 /-] [StdDev=1.789 /-]

#78 Q332: 332. Why did you stop working?

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*/9]		
Statistics [NW/ W]	[Valid=127 /-] [Invalid=3247 /-]		
Value	Label	Cases	Percentage
1	Because of pregnancy	116	91.3%
2	Because of other think	11	8.7%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#79 Q333: 333. Type of work

Information	[Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=533 /-] [Invalid=2841 /-] [Mean=6.225 /-] [StdDev=1.875 /-]

#80 Q334: 334. No. of days you work per week

Information	[Type= continuous] [Format=numeric] [Range= 1-7] [Missing=*]
Statistics [NW/ W]	[Valid=541 /-] [Invalid=2833 /-] [Mean=5.026 /-] [StdDev=1.535 /-]

#81 Q335: 335. No. of hours you work per day

Information	[Type= continuous] [Format=numeric] [Range= 1-12] [Missing=*]
Statistics [NW/ W]	[Valid=543 /-] [Invalid=2831 /-] [Mean=5.532 /-] [StdDev=2.184 /-]

#82 Q336: 336. Get 2hrs or more to relax,if working more than 7hrs.

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*/9]
Statistics [NW/ W]	[Valid=351 /-] [Invalid=3023 /-]

File Rec30 (cont.)

#82 Q336: 336. Get 2hrs or more to relax,if working more than 7hrs. (cont.)

Value	Label	Cases	Percentage
1	Yes	237	67.5%
2	No	114	32.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#83 Q337_1: 337.1. Suffering from Asthma?

Information [Type= continuous] [Format=numeric] [Range= 1-22] [Missing=*]

Statistics [NW/ W] [Valid=3374 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes		
2	No		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#84 Q337_2: 337.2. Suffering from Diabetics?

Information [Type= continuous] [Format=numeric] [Range= 1-22] [Missing=*]

Statistics [NW/ W] [Valid=3374 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes		
2	No		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#85 Q337_3: 337.3. Suffering from Catalepsy?

Information [Type= continuous] [Format=numeric] [Range= 1-22] [Missing=*]

Statistics [NW/ W] [Valid=3374 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes		
2	No		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#86 Q337_4: 337.4. Suffering from Tuberculosis?

Information [Type= continuous] [Format=numeric] [Range= 1-22] [Missing=*]

Statistics [NW/ W] [Valid=3374 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes		
2	No		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Rec30 (cont.)

#87 Q337_5: 337.5. Suffering from Heart Problems?

Information	[Type= continuous] [Format=numeric] [Range= 1-22] [Missing=*]		
Statistics [NW/ W]	[Valid=3374 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes		
2	No		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

File Rec31

#1 REC\$TYPE

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=3374 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
31		3374	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#2 SAM_UNIT: Sample Unit

Information	[Type= continuous] [Format=numeric] [Range= 1-97] [Missing=*]		
Statistics [NW/ W]	[Valid=3374 /-] [Invalid=0 /-] [Mean=48.42 /-] [StdDev=28.438 /-]		

#3 HH_NO: Household Number

Information	[Type= continuous] [Format=numeric] [Range= 1-999] [Missing=*]		
Statistics [NW/ W]	[Valid=3374 /-] [Invalid=0 /-] [Mean=126.587 /-] [StdDev=167.454 /-]		

#4 SUB_NO: Subsidiary Number

Information	[Type= continuous] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=3374 /-] [Invalid=0 /-] [Mean=1.116 /-] [StdDev=0.632 /-]		

#5 XC: X1

Information	[Type= continuous] [Format=numeric] [Range= 0-0] [Missing=*]		
Statistics [NW/ W]	[Valid=3374 /-] [Invalid=0 /-] [Mean=0 /-] [StdDev=0 /-]		

File Rec31 (cont.)

#6 MAR_STA_Q338: 338. Marital Status

Information	[Type= continuous] [Format=numeric] [Range= 1-5] [Missing=*/9]		
Statistics [NW/ W]	[Valid=3374 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Living as married couple	3317	98.3%
2	Leaved	34	1.0%
3	Divorced	4	0.1%
4	Relict	10	0.3%
5	Single	9	0.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#7 Q339: 339. Husband is working

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*/9]		
Statistics [NW/ W]	[Valid=3313 /-] [Invalid=61 /-]		
Value	Label	Cases	Percentage
1	Yes	3004	90.7%
2	No	309	9.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#8 HUS_OCCU_Q340: 340. Husband's occupation

Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]		
Statistics [NW/ W]	[Valid=2968 /-] [Invalid=406 /-] [Mean=64.094 /-] [StdDev=18.317 /-]		

#9 Q341: 341. Where does he stay during working days?

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*/9]		
Statistics [NW/ W]	[Valid=2977 /-] [Invalid=397 /-]		
Value	Label	Cases	Percentage
1	stay in home	2797	94.0%
2	stay in outside	180	6.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#10 Q342: 342. If staying out, How often he comes home?

Information	[Type= continuous] [Format=numeric] [Range= 1-5] [Missing=*/9]		
Statistics [NW/ W]	[Valid=178 /-] [Invalid=3196 /-]		
Value	Label	Cases	Percentage
1	every week end or morethan	81	45.5%

File Rec31 (cont.)

#10 Q342: 342. If staying out, How often he comes home? (cont.)

Value (cont.)	Label	Cases	Percentage
2	At least every month,but not every week	71	39.9%
3	One time per several month	15	8.4%
4	occasionally	5	2.8%
5	Abroad	6	3.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#11 Q343A: 343A. Any relation lives with you?

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]		
Statistics [NW/ W]	[Valid=3373 /-] [Invalid=1 /-]		
Value	Label	Cases	Percentage
1	Yes	1149	34.1%
2	No	2224	65.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#12 Q343B: 343B. If yes, relationship

Information	[Type= continuous] [Format=numeric] [Range= 1-123] [Missing=*]		
Statistics [NW/ W]	[Valid=143 /-] [Invalid=3231 /-]		
Value	Label	Cases	Percentage
1	Mother/Father	0	0.0%
2	Grandmother/Grandfather	0	0.0%
3	Other parents	134	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#13 Q344: 344. Short commons during last month

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]		
Statistics [NW/ W]	[Valid=3374 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	580	17.2%
2	No	2794	82.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#14 Q345: 345. If yes, (how often)

Information	[Type= continuous] [Format=numeric] [Range= 1-3] [Missing=*9]
Statistics [NW/ W]	[Valid=571 /-] [Invalid=2803 /-]

File Rec31 (cont.)

#14 Q345: 345. If yes, (how often) (cont.)

Value	Label	Cases	Percentage
1	Always	70	12.3%
2	sometimes	500	87.6%
3	Others	1	0.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#15 Q346: 346. Place of Drinking Water

Information	[Type= continuous] [Format=numeric] [Range= 1-5] [Missing=*9]		
Statistics [NW/ W]	[Valid=3374 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Tap	82	2.4%
2	Tube well	211	6.3%
3	Bound well	1743	51.7%
4	Unbound well	1230	36.5%
5	River/lake/Pipe	108	3.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#16 Q347: 347. Water, Owned usage or Common usage

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]		
Statistics [NW/ W]	[Valid=3258 /-] [Invalid=116 /-]		
Value	Label	Cases	Percentage
1	Own use	459	14.1%
2	Common use	2799	85.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#17 Q348: 348. Quality of water

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]		
Statistics [NW/ W]	[Valid=3374 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Satisfy	3078	91.2%
2	Dissatisfy	296	8.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#18 Q349: 349. Good for drinking

Information	[Type= continuous] [Format=numeric] [Range= 1-3] [Missing=*9]		
Statistics [NW/ W]	[Valid=3374 /-] [Invalid=0 /-]		

File Rec31 (cont.)

#18 Q349: 349. Good for drinking (cont.)

Value	Label	Cases	Percentage
1	Yes	3043	90.2%
2	No	239	7.1%
3	Dont know	92	2.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#19 Q350: 350. Get enough water

Information	[Type= continuous] [Format=numeric] [Range= 1-3] [Missing=*9]
Statistics [NW/ W]	[Valid=3374 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	No lack	2457	72.8%
2	Lack of water at drought	867	25.7%
3	Dailly supply/occasionally	50	1.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#20 Q351: 351. During a drought,from where you fetch water

Information	[Type= continuous] [Format=numeric] [Range= 1-5] [Missing=*9]
Statistics [NW/ W]	[Valid=3374 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Usual place	2939	87.1%
2	Digged well	120	3.6%
3	Bouser	12	0.4%
4	Lake/River	111	3.3%
5	Other way	192	5.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#21 Q352: 352. Type of toilet

Information	[Type= continuous] [Format=numeric] [Range= 1-6] [Missing=*9]
Statistics [NW/ W]	[Valid=3374 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	water tranportation toilet	31	0.9%
2	watersealed toilet	330	9.8%
3	bucket toilet	25	0.7%
4	pit toilet	748	22.2%
5	Temporary toilet	437	13.0%
6	No toilet	1803	53.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Rec31 (cont.)

#22 Q353: 353. Family or Common usage

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]		
Statistics [NW/ W]	[Valid=1454 /-] [Invalid=1920 /-]		
Value	Label	Cases	Percentage
1	only family members	1373	94.4%
2	Others	81	5.6%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#23 Q354: 354. Water for the Toilets

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]		
Statistics [NW/ W]	[Valid=1453 /-] [Invalid=1921 /-]		
Value	Label	Cases	Percentage
1	Yes	1242	85.5%
2	No	211	14.5%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#24 Q355: 355. Are children using this toilet

Information	[Type= continuous] [Format=numeric] [Range= 1-3] [Missing=*9]		
Statistics [NW/ W]	[Valid=1436 /-] [Invalid=1938 /-]		
Value	Label	Cases	Percentage
1	Yes	867	60.4%
2	No	368	25.6%
3	No children	201	14.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#25 Q356: 356. Condition of toilet

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]		
Statistics [NW/ W]	[Valid=1431 /-] [Invalid=1943 /-]		
Value	Label	Cases	Percentage
1	Satisfy	1088	76.0%
2	Dissatisfy	343	24.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#26 Q357_1: 357. Reason for not having a toile, Thinks not necessary

Information	[Type= continuous] [Format=numeric] [Range= 1-1] [Missing=*]		
Statistics [NW/ W]	[Valid=518 /-] [Invalid=2856 /-] [Mean=1 /-] [StdDev=0 /-]		

File Rec31 (cont.)

#27 Q357_2: 357. Reason for not having a toilet ,Living in other's land

Information	[Type= continuous] [Format=numeric] [Range= 2-2] [Missing=*]
Statistics [NW/ W]	[Valid=168 /-] [Invalid=3206 /-] [Mean=2 /-] [StdDev=0 /-]

#28 Q357_3: 357. Reason for not having a toile,Not enough space

Information	[Type= continuous] [Format=numeric] [Range= 3-3] [Missing=*]
Statistics [NW/ W]	[Valid=56 /-] [Invalid=3318 /-] [Mean=3 /-] [StdDev=0 /-]

#29 Q357_4: 357. Reason for not having a toile,Soil is not suitable

Information	[Type= continuous] [Format=numeric] [Range= 4-4] [Missing=*]
Statistics [NW/ W]	[Valid=95 /-] [Invalid=3279 /-] [Mean=4 /-] [StdDev=0 /-]

#30 Q357_5: 357. Reason for not having a toile,No water

Information	[Type= continuous] [Format=numeric] [Range= 5-5] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=3162 /-] [Mean=5 /-] [StdDev=0 /-]

#31 Q357_6: 357. Reason for not having a toile,Cost is high

Information	[Type= continuous] [Format=numeric] [Range= 6-6] [Missing=*]
Statistics [NW/ W]	[Valid=924 /-] [Invalid=2450 /-] [Mean=6 /-] [StdDev=0 /-]

#32 Q357_7: 357. Reason for not having a toile,No time

Information	[Type= continuous] [Format=numeric] [Range= 7-7] [Missing=*]
Statistics [NW/ W]	[Valid=392 /-] [Invalid=2982 /-] [Mean=7 /-] [StdDev=0 /-]

#33 Q357_8: 357. Reason for not having a toile,Difficult to find a Mason

Information	[Type= continuous] [Format=numeric] [Range= 8-8] [Missing=*]
Statistics [NW/ W]	[Valid=31 /-] [Invalid=3343 /-] [Mean=8 /-] [StdDev=0 /-]

#34 Q357_9: 357. Reason for not having a toile,Other

Information	[Type= continuous] [Format=numeric] [Range= 9-9] [Missing=*]
Statistics [NW/ W]	[Valid=345 /-] [Invalid=3029 /-] [Mean=9 /-] [StdDev=0 /-]

File Rec31 (cont.)

#35 Q358A: 358A. Number of bed rooms

Information	[Type= continuous] [Format=numeric] [Range= 1-5] [Missing=*9]		
Statistics [NW/ W]	[Valid=3374 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	No rooms	151	4.5%
2	one room for sleeping & cooking	640	19.0%
3	One bed room	1334	39.5%
4	Two bed rooms	930	27.6%
5	Three or more bed rooms	319	9.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#36 Q358B: 358B. Main source of Lighting

Information	[Type= continuous] [Format=numeric] [Range= 1-7] [Missing=*9]		
Statistics [NW/ W]	[Valid=3374 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Electricity	70	2.1%
2	Battery	30	0.9%
3	Patromax	66	2.0%
4	chimney lamp	511	15.1%
5	lamp	2687	79.6%
6	hurricane-lamp	10	0.3%
7	No item	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#37 Q358C: 358C. Main Roof material

Information	[Type= continuous] [Format=numeric] [Range= 1-5] [Missing=*9]		
Statistics [NW/ W]	[Valid=3374 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Tiles	527	15.6%
2	Asbestos	114	3.4%
3	Sheet	257	7.6%
4	Coconut leaves	2163	64.1%
5	Others	313	9.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#38 Q358D: 358D. Main Wall material

Information	[Type= continuous] [Format=numeric] [Range= 1-5] [Missing=*9]		
Statistics [NW/ W]	[Valid=3374 /-] [Invalid=0 /-]		

File Rec31 (cont.)

#38 Q358D: 358D. Main Wall material (cont.)

Value	Label	Cases	Percentage
1	Brick & Cement	716	21.2%
2	Wood	72	2.1%
3	Clay	2489	73.8%
4	Coconut leaves	84	2.5%
5	Others	13	0.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#39 Q358E: 358E. Main material of floor

Information	[Type= continuous] [Format=numeric] [Range= 1-5] [Missing=*9]
Statistics [NW/ W]	[Valid=3374 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Cement	789	23.4%
2	Wood	12	0.4%
3	Clay	2509	74.4%
4	Sand/Soil	62	1.8%
5	Others	2	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#40 Q359_1: 359.1. Car/motorcycle

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]
Statistics [NW/ W]	[Valid=3374 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes	127	3.8%
2	No	3247	96.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#41 Q359_2: 359.1. Tractor/bus

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]
Statistics [NW/ W]	[Valid=3374 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes	88	2.6%
2	No	3286	97.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Rec31 (cont.)

#42 Q359_3: 359.1. Boat

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]		
Statistics [NW/ W]	[Valid=3374 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	10	0.3%
2	No	3364	99.7%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#43 Q359_4: 359.1. Cart

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]		
Statistics [NW/ W]	[Valid=3374 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	190	5.6%
2	No	3184	94.4%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#44 Q359_5: 359.1. Bicycles

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]		
Statistics [NW/ W]	[Valid=3374 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	1949	57.8%
2	No	1425	42.2%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#45 Q359_6: 359.1. Television

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]		
Statistics [NW/ W]	[Valid=3374 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	137	4.1%
2	No	3237	95.9%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#46 Q359_7: 359.1. Radio

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]		
Statistics [NW/ W]	[Valid=3374 /-] [Invalid=0 /-]		

File Rec31 (cont.)

#46 Q359_7: 359.1. Radio (cont.)

Value	Label	Cases	Percentage
1	Yes	1863	55.2%
2	No	1511	44.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#47 Q359_8: 359.1. Casset

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]		
Statistics [NW/ W]	[Valid=3374 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	319	9.5%
2	No	3055	90.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#48 Q359_9: 359.1. Sewing machine

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]		
Statistics [NW/ W]	[Valid=3374 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	561	16.6%
2	No	2813	83.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#49 Q359_10: 359.1. Refrigerator

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]		
Statistics [NW/ W]	[Valid=3374 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	41	1.2%
2	No	3333	98.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#50 Q359_11: 359.1. Beds

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]		
Statistics [NW/ W]	[Valid=3374 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	2404	71.3%
2	No	970	28.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Rec31 (cont.)

#51 Q359_12: 359.1. Chairs

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]		
Statistics [NW/ W]	[Valid=3374 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	2120	62.8%
2	No	1254	37.2%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#52 Q359_13: 359.1. Clocks

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]		
Statistics [NW/ W]	[Valid=3374 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	559	16.6%
2	No	2815	83.4%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#53 Q359_14: 359.1. Petromax

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]		
Statistics [NW/ W]	[Valid=3374 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	731	21.7%
2	No	2643	78.3%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#54 Q360A: 360A. Growing places for flies

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]		
Statistics [NW/ W]	[Valid=3374 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	697	20.7%
2	No	2677	79.3%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#55 Q360B: 360B. Growing places for mosquitoes

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]		
Statistics [NW/ W]	[Valid=3374 /-] [Invalid=0 /-]		

File Rec31 (cont.)

#55 Q360B: 360B. Growing places for mosquitoes (cont.)

Value	Label	Cases	Percentage
1	Yes	915	27.1%
2	No	2459	72.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#56 Q360C: 360C. Neatness of home

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]		
Statistics [NW/ W]	[Valid=3374 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Dissatisfy	906	26.9%
2	Satisfy	2468	73.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#57 Q360D: 360D. Poverty

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]		
Statistics [NW/ W]	[Valid=3374 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Very poorly	874	25.9%
2	No poorly	2500	74.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#58 Q361: 361. Reading ability of mother

Information	[Type= continuous] [Format=numeric] [Range= 1-3] [Missing=*9]		
Statistics [NW/ W]	[Valid=3374 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Read well	2228	66.0%
2	Weakly reading	533	15.8%
3	Can't Reading	613	18.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#59 Q362A: 362A. Question 1 from mother_Use of teeth

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]		
Statistics [NW/ W]	[Valid=2761 /-] [Invalid=613 /-]		
Value	Label	Cases	Percentage
1	Beating to small pieces	2372	85.9%

File Rec31 (cont.)

#59 Q362A: 362A. Question 1 from mother_Use of teeth (cont.)

Value (cont.)	Label	Cases	Percentage
2	Other answer	389	14.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#60 Q362B: 362B. Question 2 from mother_How to train a child to clear teeth

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]		
Statistics [NW/ W]	[Valid=2761 /-] [Invalid=613 /-]		
Value	Label	Cases	Percentage
1	Giving a small tooth brush	2433	88.1%
2	Other answer	328	11.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#61 SP_362A_MAT_HEI: SP.362A. Mother's height (cm)

Information	[Type= continuous] [Format=numeric] [Range= 0-999] [Missing=*]
Statistics [NW/ W]	[Valid=3292 /-] [Invalid=82 /-] [Mean=153.284 /-] [StdDev=50.54 /-]

#62 SP_362B_MAT_WET: SP.362B. Mother's weight (kg)

Information	[Type= continuous] [Format=numeric] [Range= 0-9999] [Missing=*]
Statistics [NW/ W]	[Valid=74 /-] [Invalid=3300 /-] [Mean=3944.527 /-] [StdDev=2244.255 /-]

#63 SP_362C: SP.362C. Circumference of Left arm

Information	[Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*]
Statistics [NW/ W]	[Valid=3264 /-] [Invalid=110 /-] [Mean=2.171 /-] [StdDev=3.016 /-]

File Rec40

#1 REC\$TYPE

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=3304 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
40		3304	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Rec40 (cont.)

#2 SAM_UNIT: Sample Unit

Information	[Type= continuous] [Format=numeric] [Range= 1-97] [Missing=*]
Statistics [NW/ W]	[Valid=3304 /-] [Invalid=0 /-] [Mean=48.376 /-] [StdDev=28.416 /-]

#3 HH_NO: Household Number

Information	[Type= continuous] [Format=numeric] [Range= 1-999] [Missing=*]
Statistics [NW/ W]	[Valid=3304 /-] [Invalid=0 /-] [Mean=111.345 /-] [StdDev=131.946 /-]

#4 SUB_NO: Subsidiary Number

Information	[Type= continuous] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=3304 /-] [Invalid=0 /-] [Mean=1.117 /-] [StdDev=0.638 /-]

#5 XA: X1

Information	[Type= continuous] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=3304 /-] [Invalid=0 /-] [Mean=0 /-] [StdDev=0 /-]

#6 DATE_OF_INTERVIEW: Date of Interview

Information	[Type= continuous] [Format=numeric] [Range= 0-999999] [Missing=*]
Statistics [NW/ W]	[Valid=3302 /-] [Invalid=2 /-] [Mean=854600.554 /-] [StdDev=23912.225 /-]

#7 YEAR_OF_INTERVIEW: Year of Interview

Information	[Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*]
Statistics [NW/ W]	[Valid=3302 /-] [Invalid=2 /-] [Mean=85.379 /-] [StdDev=2.368 /-]

#8 MONTH_OF_INTERVIEW: Month of Interview

Information	[Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*]
Statistics [NW/ W]	[Valid=3302 /-] [Invalid=2 /-] [Mean=7.894 /-] [StdDev=7.795 /-]

#9 DAY_OF_INTERVIEW: Day of Interview

Information	[Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*]
Statistics [NW/ W]	[Valid=3302 /-] [Invalid=2 /-] [Mean=16.514 /-] [StdDev=10.747 /-]

File Rec40 (cont.)

#10 Q401: 401.Number of babies delivered

Information [Type= continuous] [Format=numeric] [Range= 1-3] [Missing=*9]

Statistics [NW/ W] [Valid=3304 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Single	3280	99.3%
2	Twins	24	0.7%
3	Three	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#11 Q402_1: 402.1.(Livebirth, LiveBirth but child died, DeadBirth) 1

Information [Type= continuous] [Format=numeric] [Range= 1-3] [Missing=*9]

Statistics [NW/ W] [Valid=3298 /-] [Invalid=6 /-]

Value	Label	Cases	Percentage
1	Live child	3202	97.1%
2	Live birth but child died	37	1.1%
3	Dead birth	59	1.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#12 Q402_2: 402.2.(Livebirth, LiveBirth but child died, DeadBirth) 2

Information [Type= continuous] [Format=numeric] [Range= 1-3] [Missing=*9]

Statistics [NW/ W] [Valid=29 /-] [Invalid=3275 /-]

Value	Label	Cases	Percentage
1	Live child	23	79.3%
2	Live birth but child died	5	17.2%
3	Dead birth	1	3.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#13 Q402_3: 402.3.(Livebirth, LiveBirth but child died, DeadBirth) 3

Information [Type= continuous] [Format=numeric] [Range= 1-3] [Missing=*9]

Statistics [NW/ W] [Valid=0 /-] [Invalid=3304 /-]

Value	Label	Cases	Percentage
1	Live child		
2	Live birth but child died		
3	Dead birth		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Rec40 (cont.)

#14 Q402_4: 402.4.(Livebirth, LiveBirth but child died, DeadBirth) 4

Information [Type= continuous] [Format=numeric] [Range= 1-3] [Missing=*9]

Statistics [NW/ W] [Valid=0 /-] [Invalid=3304 /-]

Value	Label	Cases	Percentage
1	Live child		
2	Live birth but child died		
3	Dead birth		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#15 Q402_5: 402.5.(Livebirth, LiveBirth but child died, DeadBirth) 5

Information [Type= continuous] [Format=numeric] [Range= 1-3] [Missing=*9]

Statistics [NW/ W] [Valid=0 /-] [Invalid=3304 /-]

Value	Label	Cases	Percentage
1	Live child		
2	Live birth but child died		
3	Dead birth		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#16 DOB_Q403: 403. Child(Children) Date of Birth

Information [Type= continuous] [Format=numeric] [Range= 0-999999] [Missing=*]

Statistics [NW/ W] [Valid=3303 /-] [Invalid=1 /-] [Mean=853188.426 /-] [StdDev=24893.248 /-]

#17 DOB_Q403_YEAR: 403. Child(Children) Year of Birth

Information [Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*]

Statistics [NW/ W] [Valid=3303 /-] [Invalid=1 /-] [Mean=85.24 /-] [StdDev=2.491 /-]

#18 DOB_Q403_MONTH: 403. Child(Children) Month of Birth

Information [Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*]

Statistics [NW/ W] [Valid=3303 /-] [Invalid=1 /-] [Mean=7.72 /-] [StdDev=4.538 /-]

#19 DOB_Q403_DAY: 403. Child(Children) Day of Birth

Information [Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*]

Statistics [NW/ W] [Valid=3303 /-] [Invalid=1 /-] [Mean=15.583 /-] [StdDev=9.06 /-]

File Rec40 (cont.)

#20 Q404: 404. Place of Birth

Information [Type= continuous] [Format=numeric] [Range= 1-6] [Missing=*/9]

Statistics [NW/ W] [Valid=3304 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Government hospital	2667	80.7%
2	Private hospthal	17	0.5%
3	your home	521	15.8%
4	your parents home	94	2.8%
5	Other relation's Home	5	0.2%
6	Other place	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#21 Q405: 405. Who helped for the Delivery?

Information [Type= continuous] [Format=numeric] [Range= 1-8] [Missing=*/9]

Statistics [NW/ W] [Valid=3304 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Doctor	660	20.0%
2	Government midwife	2082	63.0%
3	Retired midwife	8	0.2%
4	midwife	442	13.4%
5	Mother	38	1.2%
6	Relation	47	1.4%
7	Neighbour/Friend	18	0.5%
8	No helpers	9	0.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#22 Q406: 406. Tetanus injection, during pregnancy

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*/9]

Statistics [NW/ W] [Valid=3304 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes	2699	81.7%
2	No	605	18.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#23 Q407A: 407A. Side effects, before delivery

Information [Type= continuous] [Format=numeric] [Range= 1-3] [Missing=*/9]

Statistics [NW/ W] [Valid=3304 /-] [Invalid=0 /-]

File Rec40 (cont.)

#23 Q407A: 407A. Side effects, before delivery (cont.)

Value	Label	Cases	Percentage
1	Yes	380	11.5%
2	No	2859	86.5%
3	Dont know	65	2.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#24 Q407B: 407B. If yes, relevent side effects

Information	[Type= continuous] [Format=numeric] [Range= 1-4] [Missing=*9]		
Statistics [NW/ W]	[Valid=340 /-] [Invalid=2964 /-]		
Value	Label	Cases	Percentage
1	Long period of child-Birth	201	59.1%
2	haemorrhage	58	17.1%
3	fetus block	40	11.8%
4	Other ailment	41	12.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#25 Q408: 408. Type of ChildBirth

Information	[Type= continuous] [Format=numeric] [Range= 1-7] [Missing=*9]		
Statistics [NW/ W]	[Valid=3304 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Natural/Unforced	2884	87.3%
2	Natural/Forced	308	9.3%
3	pincers	66	2.0%
4	buttock	8	0.2%
5	Scissarion Operation	34	1.0%
6	Using air-less	4	0.1%
7	Others	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#26 Q409A: 409A. Side effects, after delivery

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]		
Statistics [NW/ W]	[Valid=3303 /-] [Invalid=1 /-]		
Value	Label	Cases	Percentage
1	Yes	234	7.1%
2	No	3069	92.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Rec40 (cont.)

#27 Q409B_1: 409B.1. If yes, relevant side effects

Information	[Type= continuous] [Format=numeric] [Range= 1-4] [Missing=*9]		
Statistics [NW/ W]	[Valid=121 /-] [Invalid=3183 /-]		
Value	Label	Cases	Percentage
1	haemorrhage	121	100.0%
2	womb poisoned	0	0.0%
3	Fit	0	0.0%
4	Others	0	0.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#28 Q409B_2: 409B.2. If yes, relevant side effects

Information	[Type= continuous] [Format=numeric] [Range= 2-2] [Missing=*]		
Statistics [NW/ W]	[Valid=18 /-] [Invalid=3286 /-] [Mean=2 /-] [StdDev=0 /-]		

#29 Q409B_3: 409B.3. If yes, relevant side effects

Information	[Type= continuous] [Format=numeric] [Range= 3-3] [Missing=*]		
Statistics [NW/ W]	[Valid=38 /-] [Invalid=3266 /-] [Mean=3 /-] [StdDev=0 /-]		

#30 Q409B_4: 409B.4. If yes, relevant side effects

Information	[Type= continuous] [Format=numeric] [Range= 4-9] [Missing=*]		
Statistics [NW/ W]	[Valid=32 /-] [Invalid=3272 /-] [Mean=4.188 /-] [StdDev=0.896 /-]		

#31 Q410: 410. Sterilization after ChildBirth

Information	[Type= continuous] [Format=numeric] [Range= 1-3] [Missing=*9]		
Statistics [NW/ W]	[Valid=3303 /-] [Invalid=1 /-]		
Value	Label	Cases	Percentage
1	Yes	269	8.1%
2	No	2984	90.3%
3	Dont know	50	1.5%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#32 Q411: 411. Midwife visited your place after ChildBirth

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]		
Statistics [NW/ W]	[Valid=3303 /-] [Invalid=1 /-]		

File Rec40 (cont.)

#32 Q411: 411. Midwife visited your place after ChildBirth (cont.)

Value	Label	Cases	Percentage
1	Yes	1089	33.0%
2	No	2214	67.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#33 Q412: 412. Reason for the Dead birth

Information [Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]

Statistics [NW/ W] [Valid=60 /-] [Invalid=3244 /-] [Mean=13.85 /-] [StdDev=20.769 /-]

#34 Q413: 413. Who dressed the navel

Information [Type= continuous] [Format=numeric] [Range= 1-7] [Missing=*9]

Statistics [NW/ W] [Valid=3272 /-] [Invalid=32 /-]

Value	Label	Cases	Percentage
1	Doctor	385	11.8%
2	Govenment midwife	2346	71.7%
3	Retired midwife	22	0.7%
4	Mother	136	4.2%
5	Other relations	178	5.4%
6	Neighbours/Friends	154	4.7%
7	My self	51	1.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#35 Q414: 414. What was used for dressing navel

Information [Type= continuous] [Format=numeric] [Range= 1-5] [Missing=*9]

Statistics [NW/ W] [Valid=344 /-] [Invalid=2960 /-]

Value	Label	Cases	Percentage
1	Sprit	42	12.2%
2	Wormwood oil	120	34.9%
3	Gingelly Oil	26	7.6%
4	Burnt cow-dung	5	1.5%
5	Others	151	43.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#36 Q415A: 415A. Dressed navel for the second time

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]

Statistics [NW/ W] [Valid=3272 /-] [Invalid=32 /-]

File Rec40 (cont.)

#36 Q415A: 415A. Dressed navel for the second time (cont.)

Value	Label	Cases	Percentage
1	Yes	1029	31.4%
2	No	2243	68.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#37 Q415B: 415B. If yes, Who dressed

Information	[Type= continuous] [Format=numeric] [Range= 1-7] [Missing=*9]		
Statistics [NW/ W]	[Valid=1029 /-] [Invalid=2275 /-]		
Value	Label	Cases	Percentage
1	Doctor	87	8.5%
2	Govenment midwife	575	55.9%
3	Retired midwife	7	0.7%
4	Mother	119	11.6%
5	Other relations	38	3.7%
6	Neighbours/Friends	29	2.8%
7	My self	174	16.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#38 Q416A: 416A. Washed hands before dressing navel

Information	[Type= continuous] [Format=numeric] [Range= 1-3] [Missing=*9]		
Statistics [NW/ W]	[Valid=355 /-] [Invalid=2949 /-]		
Value	Label	Cases	Percentage
1	Yes	235	66.2%
2	No	52	14.6%
3	Dont know	68	19.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#39 Q416B: 416B. What was used for dressing the navel

Information	[Type= continuous] [Format=numeric] [Range= 1-6] [Missing=*9]		
Statistics [NW/ W]	[Valid=350 /-] [Invalid=2954 /-]		
Value	Label	Cases	Percentage
1	Gose	48	13.7%
2	Cotton wool	63	18.0%
3	Plaster	3	0.9%
4	Bandage	50	14.3%
5	Cloths	166	47.4%
6	Others	20	5.7%

File Rec40 (cont.)

#39 Q416B: 416B. What was used for dressing the navel (cont.)

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#40 Q417: 417. Things used for dressing navel for the second time

Information [Type= continuous] [Format=numeric] [Range= 1-5] [Missing=*9]

Statistics [NW/ W] [Valid=277 /-] [Invalid=3027 /-]

Value	Label	Cases	Percentage
1	Sprit	112	40.4%
2	Wormwood oil	51	18.4%
3	Gingelly Oil	9	3.2%
4	Burnt cow-dung	5	1.8%
5	Others	100	36.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#41 Q418: 418. Abscess of Navel

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]

Statistics [NW/ W] [Valid=3273 /-] [Invalid=31 /-]

Value	Label	Cases	Percentage
1	Yes	499	15.2%
2	No	2774	84.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Rec41

#1 REC\$TYPE

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=3259 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
41		3259	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#2 SAM_UNIT: Sample Unit

Information [Type= continuous] [Format=numeric] [Range= 1-97] [Missing=*]

Statistics [NW/ W] [Valid=3259 /-] [Invalid=0 /-] [Mean=48.352 /-] [StdDev=28.503 /-]

File Rec41 (cont.)

#3 HH_NO: Household Number

Information	[Type= continuous] [Format=numeric] [Range= 1-999] [Missing=*]
Statistics [NW/ W]	[Valid=3259 /-] [Invalid=0 /-] [Mean=111.237 /-] [StdDev=131.389 /-]

#4 SUB_NO: Subsidiary Number

Information	[Type= continuous] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=3259 /-] [Invalid=0 /-] [Mean=1.117 /-] [StdDev=0.631 /-]

#5 Q_L419: L419. Number of the child

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=3259 /-] [Invalid=0 /-] [Mean=1.005 /-] [StdDev=0.072 /-]

#6 Q_L420: L420. Sex

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]		
Statistics [NW/ W]	[Valid=3259 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Male	1667	51.2%
2	Female	1592	48.8%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#7 Q_L421: L421. Child live with you

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]		
Statistics [NW/ W]	[Valid=3259 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	3237	99.3%
2	No	22	0.7%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#8 Q_L422: L422. Birth weight of the child (g)

Information	[Type= continuous] [Format=numeric] [Range= 0-9999] [Missing=*]
Statistics [NW/ W]	[Valid=3231 /-] [Invalid=28 /-] [Mean=1811.839 /-] [StdDev=1452.938 /-]

#9 Q_L423_A: L423_A. Injury at birth

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]
Statistics [NW/ W]	[Valid=3259 /-] [Invalid=0 /-]

File Rec41 (cont.)

#9 Q_L423_A: L423_A. Injury at birth (cont.)

Value	Label	Cases	Percentage
1	Yes	23	0.7%
2	No	3236	99.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#10 Q_L423_B: L423_B. If yes, name it

Information	[Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=23 /-] [Invalid=3236 /-] [Mean=3.478 /-] [StdDev=3.74 /-]

#11 Q_L424_A: L424.A Congenital malformation

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]
Statistics [NW/ W]	[Valid=3259 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes	52	1.6%
2	No	3207	98.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#12 Q_L424_B_1: L424.B1. If yes,1

Information	[Type= continuous] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=3259 /-]

#13 Q_L424_B_2: L424.B2. If yes,2

Information	[Type= continuous] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=3259 /-]

#14 Q_L424_B_3: L424.B3. If yes,3

Information	[Type= continuous] [Format=numeric] [Range= 3-3] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=3258 /-] [Mean=3 /-]

#15 Q_L424_B_4: L424.B4. If yes,4

Information	[Type= continuous] [Format=numeric] [Range= 4-4] [Missing=*]
Statistics [NW/ W]	[Valid=3 /-] [Invalid=3256 /-] [Mean=4 /-] [StdDev=0 /-]

File Rec41 (cont.)

#16 Q_L424_B_5: L424.B5. If yes,5

Information	[Type= continuous] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=3259 /-]

#17 Q_L424_B_6: L424.B6. If yes,6

Information	[Type= continuous] [Format=numeric] [Range= 6-6] [Missing=*]
Statistics [NW/ W]	[Valid=3 /-] [Invalid=3256 /-] [Mean=6 /-] [StdDev=0 /-]

#18 Q_L424_B_7: L424.B7. If yes,7

Information	[Type= continuous] [Format=numeric] [Range= 7-7] [Missing=*]
Statistics [NW/ W]	[Valid=3 /-] [Invalid=3256 /-] [Mean=7 /-] [StdDev=0 /-]

#19 Q_L424_B_8: L424.B8. If yes,8

Information	[Type= continuous] [Format=numeric] [Range= 8-9] [Missing=*]
Statistics [NW/ W]	[Valid=21 /-] [Invalid=3238 /-] [Mean=8.19 /-] [StdDev=0.402 /-]

#20 Q_L425_A: L425.A. Got Sick after birth

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*/9]		
Statistics [NW/ W]	[Valid=3259 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	291	8.9%
2	No	2968	91.1%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#21 Q_L425_B_1: L425.B. If yes,1

Information	[Type= continuous] [Format=numeric] [Range= 1-1] [Missing=*]
Statistics [NW/ W]	[Valid=10 /-] [Invalid=3249 /-] [Mean=1 /-] [StdDev=0 /-]

#22 Q_L425_B_2: L425.B. If yes,2

Information	[Type= continuous] [Format=numeric] [Range= 2-2] [Missing=*]
Statistics [NW/ W]	[Valid=7 /-] [Invalid=3252 /-] [Mean=2 /-] [StdDev=0 /-]

#23 Q_L425_B_3: L425.B. If yes,3

Information	[Type= continuous] [Format=numeric] [Range= 3-3] [Missing=*]
-------------	--

File Rec41 (cont.)

#23 Q_L425_B_3: L425.B. If yes,3 (cont.)

Statistics [NW/ W] [Valid=53 /-] [Invalid=3206 /-] [Mean=3 /-] [StdDev=0 /-]

#24 Q_L425_B_4: L425.B. If yes,4

Information [Type= continuous] [Format=numeric] [Range= 4-4] [Missing=*]

Statistics [NW/ W] [Valid=82 /-] [Invalid=3177 /-] [Mean=4 /-] [StdDev=0 /-]

#25 Q_L425_B_5: L425.B. If yes,5

Information [Type= continuous] [Format=numeric] [Range= 5-5] [Missing=*]

Statistics [NW/ W] [Valid=26 /-] [Invalid=3233 /-] [Mean=5 /-] [StdDev=0 /-]

#26 Q_L425_B_6: L425.B. If yes,6

Information [Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*]

Statistics [NW/ W] [Valid=95 /-] [Invalid=3164 /-] [Mean=6.095 /-] [StdDev=0.826 /-]

#27 Q_L426_A: L426.A. Child injured by an accident

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]

Statistics [NW/ W] [Valid=3259 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes	10	0.3%
2	No	3249	99.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#28 Q_L426_B: L426.B. Type of Injury

Information [Type= continuous] [Format=numeric] [Range= 1-4] [Missing=*9]

Statistics [NW/ W] [Valid=4 /-] [Invalid=3255 /-]

Value	Label	Cases	Percentage
1	Fall Down	0	0.0%
2	Burning	1	25.0%
3	Bite an animal or insect	1	25.0%
4	Others	2	50.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#29 Q_L427: L427. After birth when started Breast Feeding

Information [Type= continuous] [Format=numeric] [Range= 1-5] [Missing=*9]

File Rec41 (cont.)

#29 Q_L427: L427. After birth when started Breast Feeding (cont.)

Statistics [NW/ W]		[Valid=3259 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Same day	1777	54.5%
2	Day after day	1149	35.3%
3	Third Day	287	8.8%
4	Forth day or after	38	1.2%
5	Not given	8	0.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#30 Q_L428_A: L428A. Threw away the "Cholestrum"

Information		[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]	
Statistics [NW/ W]		[Valid=3251 /-] [Invalid=8 /-]	
Value	Label	Cases	Percentage
1	Through-away	1094	33.7%
2	Did not through away	2157	66.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#31 Q_L428_B: L428B. If yes, give reason

Information		[Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=925 /-] [Invalid=2334 /-] [Mean=4.494 /-] [StdDev=2.207 /-]	

#32 Q_L429_A: L429A. Currently Breast feeding

Information		[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]	
Statistics [NW/ W]		[Valid=3259 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Yes	3223	98.9%
2	No	36	1.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#33 Q_L429_B: L429B. If not, Reason

Information		[Type= continuous] [Format=numeric] [Range= 1-7] [Missing=*9]	
Statistics [NW/ W]		[Valid=24 /-] [Invalid=3235 /-]	
Value	Label	Cases	Percentage
1	No breast milk	8	33.3%
2	Injured Nipple	2	8.3%

File Rec41 (cont.)

#33 Q_L429_B: L429B. If not, Reason (cont.)

Value (cont.)	Label	Cases	Percentage
3	Sickness of mother	1	4.2%
4	No Time to mother	0	0.0%
5	Other foods are good	1	4.2%
6	Severe sickness of baby	8	33.3%
7	Other	4	16.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#34 Q_L430_A: L430A. Giving other kind of milk

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]
Statistics [NW/ W]	[Valid=3258 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
1	Yes	175	5.4%
2	No	3083	94.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#35 Q_L430_B: L430B. If yes, Kind of milk

Information	[Type= continuous] [Format=numeric] [Range= 1-7] [Missing=*9]
Statistics [NW/ W]	[Valid=143 /-] [Invalid=3116 /-]

Value	Label	Cases	Percentage
1	Cows-milk	4	2.8%
2	Goats Milk	4	2.8%
3	Full cream milk powder	61	42.7%
4	High cream milk powder	46	32.2%
5	Tined milk	9	6.3%
6	Not cream milk powder	9	6.3%
7	others	10	7.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#36 Q_L431_A: L431A. Giving other kind of food

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]
Statistics [NW/ W]	[Valid=3258 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
1	Yes	703	21.6%
2	No	2555	78.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Rec41 (cont.)

#37 Q_L431B_1: L431B.1. Starch

Information	[Type= continuous] [Format=numeric] [Range= 1-1] [Missing=*]
Statistics [NW/ W]	[Valid=46 /-] [Invalid=3213 /-] [Mean=1 /-] [StdDev=0 /-]

#38 Q_L431B_2: L431B.2. Suger water

Information	[Type= continuous] [Format=numeric] [Range= 2-2] [Missing=*]
Statistics [NW/ W]	[Valid=433 /-] [Invalid=2826 /-] [Mean=2 /-] [StdDev=0 /-]

#39 Q_L431B_3: L431B.3. Coriander

Information	[Type= continuous] [Format=numeric] [Range= 3-3] [Missing=*]
Statistics [NW/ W]	[Valid=264 /-] [Invalid=2995 /-] [Mean=3 /-] [StdDev=0 /-]

#40 Q_L431B_4: L431B.4. Tea/Coffee

Information	[Type= continuous] [Format=numeric] [Range= 4-4] [Missing=*]
Statistics [NW/ W]	[Valid=31 /-] [Invalid=3228 /-] [Mean=4 /-] [StdDev=0 /-]

#41 Q_L431B_5: L431B.5. Kingcoconut

Information	[Type= continuous] [Format=numeric] [Range= 5-5] [Missing=*]
Statistics [NW/ W]	[Valid=61 /-] [Invalid=3198 /-] [Mean=5 /-] [StdDev=0 /-]

#42 Q_L431B_6: L431B.6. Other

Information	[Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=62 /-] [Invalid=3197 /-] [Mean=6.694 /-] [StdDev=1.51 /-]

File Rec42

#1 REC\$TYPE

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=7 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
42		7	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Rec42 (cont.)

#2 SAM_UNIT: Sample Unit

Information	[Type= continuous] [Format=numeric] [Range= 35-96] [Missing=*]
Statistics [NW/ W]	[Valid=7 /-] [Invalid=0 /-] [Mean=51.714 /-] [StdDev=20.774 /-]

#3 HH_NO: Household Number

Information	[Type= continuous] [Format=numeric] [Range= 20-348] [Missing=*]
Statistics [NW/ W]	[Valid=7 /-] [Invalid=0 /-] [Mean=108.143 /-] [StdDev=113.211 /-]

#4 SUB_NO: Subsidiary Number

Information	[Type= continuous] [Format=numeric] [Range= 1-1] [Missing=*]
Statistics [NW/ W]	[Valid=7 /-] [Invalid=0 /-] [Mean=1 /-] [StdDev=0 /-]

#5 Q_D419: D419. Number of the child

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=7 /-] [Invalid=0 /-] [Mean=1.143 /-] [StdDev=0.378 /-]

#6 Q_D420: D420. Sex

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]		
Statistics [NW/ W]	[Valid=7 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Male	3	42.9%
2	Female	4	57.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#7 Q_D421: D421. Child lived with you till death

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]		
Statistics [NW/ W]	[Valid=7 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	5	71.4%
2	No	2	28.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#8 Q_D422: D422. Birth weight of child (g)

Information	[Type= continuous] [Format=numeric] [Range= 0-9999] [Missing=*]
Statistics [NW/ W]	[Valid=7 /-] [Invalid=0 /-] [Mean=3266.286 /-] [StdDev=4643.933 /-]

File Rec42 (cont.)

#9 Q_D423_A: D423_A. Injury at birth

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]		
Statistics [NW/ W]	[Valid=7 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	0	0.0%
2	No	7	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#10 Q_D423_B: D423_B. If yes, name it

Information	[Type= continuous] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=7 /-]

#11 Q_D424_A: D424.A. Congenital malformation

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]		
Statistics [NW/ W]	[Valid=7 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	4	57.1%
2	No	3	42.9%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#12 Q_D424_B_1: D424.B1. If yes,1

Information	[Type= continuous] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=7 /-]

#13 Q_D424_B_2: D424.B2. If yes,2

Information	[Type= continuous] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=7 /-]

#14 Q_D424_B_3: D424.B3. If yes,3

Information	[Type= continuous] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=7 /-]

#15 Q_D424_B_4: D424.B4. If yes,4

Information	[Type= continuous] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=7 /-]

File Rec42 (cont.)

#16 Q_D424_B_5: D424.B5. If yes,5

Information	[Type= continuous] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=7 /-]

#17 Q_D424_B_6: D424.B6. If yes,6

Information	[Type= continuous] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=7 /-]

#18 Q_D424_B_7: D424.B7. If yes,7

Information	[Type= continuous] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=7 /-]

#19 Q_D424_B_8: D424.B8. If yes,8

Information	[Type= continuous] [Format=numeric] [Range= 8-8] [Missing=*]
Statistics [NW/ W]	[Valid=4 /-] [Invalid=3 /-] [Mean=8 /-] [StdDev=0 /-]

#20 Q_D425_A: D425.A. Got sick before died

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*/9]		
Statistics [NW/ W]	[Valid=7 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	2	28.6%
2	No	5	71.4%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#21 Q_D425_B_1: D425.B. If yes,1

Information	[Type= continuous] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=7 /-]

#22 Q_D425_B_2: D425.B. If yes,2

Information	[Type= continuous] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=7 /-]

#23 Q_D425_B_3: D425.B. If yes,3

Information	[Type= continuous] [Format=numeric] [Missing=*]
-------------	---

File Rec42 (cont.)

#23 Q_D425_B_3: D425.B. If yes,3 (cont.)

Statistics [NW/ W]	[Valid=0 /-] [Invalid=7 /-]
--------------------	-----------------------------

#24 Q_D425_B_4: D425.B. If yes,4

Information	[Type= continuous] [Format=numeric] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=0 /-] [Invalid=7 /-]
--------------------	-----------------------------

#25 Q_D425_B_5: D425.B. If yes,5

Information	[Type= continuous] [Format=numeric] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=0 /-] [Invalid=7 /-]
--------------------	-----------------------------

#26 Q_D425_B_6: D425.B. If yes,6

Information	[Type= continuous] [Format=numeric] [Range= 6-6] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=3 /-] [Invalid=4 /-] [Mean=6 /-] [StdDev=0 /-]
--------------------	---

#27 Q_D426_A: D426.A. Child got injured by an accident

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]
-------------	---

Statistics [NW/ W]	[Valid=7 /-] [Invalid=0 /-]
--------------------	-----------------------------

Value	Label	Cases	Percentage
1	Yes	0	0.0%
2	No	7	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#28 Q_D426_B: D426.B. Type of Injury

Information	[Type= continuous] [Format=numeric] [Range= 1-4] [Missing=*9]
-------------	---

Statistics [NW/ W]	[Valid=0 /-] [Invalid=7 /-]
--------------------	-----------------------------

Value	Label	Cases	Percentage
1	Fall Down		
2	Burning		
3	Bite an animal or insect		
4	Others		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#29 Q_D427_1: D427.1. Stopped drinking breast milk,during last 3 days

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]
-------------	---

File Rec42 (cont.)

#29 Q_D427_1: D427.1. Stopped drinking breast milk,during last 3 days (cont.)

Statistics [NW/ W] [Valid=6 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
1	Yes	1	16.7%
2	No	5	83.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#30 Q_D427_2: D427.2. Stopped opening mouth & crying, during last 3 days

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]

Statistics [NW/ W] [Valid=7 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes	2	28.6%
2	No	5	71.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#31 Q_D427_3: D427.3. Contortion ,during last 3 days

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]

Statistics [NW/ W] [Valid=7 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes	3	42.9%
2	No	4	57.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#32 Q_D428_A: D428A. When started breast feeding after birth

Information [Type= continuous] [Format=numeric] [Range= 1-5] [Missing=*9]

Statistics [NW/ W] [Valid=7 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Same day	2	28.6%
2	Day after day	1	14.3%
3	Third Day	0	0.0%
4	Forth day or after	0	0.0%
5	Not given	4	57.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#33 Q_D428_C: D428C. Threw away the "Colestrum"

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]

Statistics [NW/ W] [Valid=3 /-] [Invalid=4 /-]

File Rec42 (cont.)

#33 Q_D428_C: D428C. Threw away the "Colostrum" (cont.)

Value	Label	Cases	Percentage
1	Through-away	0	0.0%
2	Did not through away	3	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#34 Q_D428_D: D428D. If yes, give reason

Information	[Type= continuous] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=7 /-]

#35 Q_D429: D429. Reason for not giving breast milk

Information	[Type= continuous] [Format=numeric] [Range= 1-4] [Missing=*9]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=7 /-]

Value	Label	Cases	Percentage
1	Other milk foods are good		
2	severe sickness of baby		
3	Did not suck		
4	Died before give		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#36 Q_D432: D432. Age when died

Information	[Type= continuous] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=7 /-] [Invalid=0 /-] [Mean=0 /-] [StdDev=0 /-]

#37 Q_D433: D433. Place of Death

Information	[Type= continuous] [Format=numeric] [Range= 0-7] [Missing=*9]
Statistics [NW/ W]	[Valid=7 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	At the hospital		
2	At home		
3	At an another place		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#38 Q_D434: D434. Reason for death

Information	[Type= continuous] [Format=numeric] [Range= 10-20] [Missing=*]
Statistics [NW/ W]	[Valid=7 /-] [Invalid=0 /-] [Mean=13 /-] [StdDev=4.796 /-]

File Record50_ChildAlive

#1 SAM_UNIT: Sample Unit

Information	[Type= continuous] [Format=numeric] [Range= 1-97] [Missing=*]
Statistics [NW/ W]	[Valid=3147 /-] [Invalid=0 /-] [Mean=48.483 /-] [StdDev=28.493 /-]

#2 HH_NO: Household Number

Information	[Type= continuous] [Format=numeric] [Range= 1-999] [Missing=*]
Statistics [NW/ W]	[Valid=3147 /-] [Invalid=0 /-] [Mean=111.079 /-] [StdDev=131.347 /-]

#3 SUB_NO: Subsidiary Number

Information	[Type= continuous] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=3147 /-] [Invalid=0 /-] [Mean=1.115 /-] [StdDev=0.623 /-]

#4 REC\$TYPE

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=3147 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
50		3147	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#5 Q_L501_A: L501.A. Identification Number of child

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=3147 /-] [Invalid=0 /-] [Mean=1.005 /-] [StdDev=0.0689 /-]

#6 Q_L501_B: L501.B. Sex

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=3147 /-]

Value	Label	Cases	Percentage
1	Male		
2	Female		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#7 Q_L502: L502. Is child alive?

Information	[Type= continuous] [Format=numeric] [Range= 1-4] [Missing=*9]
Statistics [NW/ W]	[Valid=3146 /-] [Invalid=1 /-]

File Record50_ChildAlive (cont.)

#7 Q_L502: L502. Is child alive? (cont.)

Value	Label	Cases	Percentage
1	Child live	3119	100.0%
2	Child died	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#8 Q_L520: L520. Is child living with you

Information [Type= continuous] [Format=numeric] [Range= 1-3] [Missing=*9]

Statistics [NW/ W] [Valid=3147 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Live child, can see	3136	99.7%
2	Live child, can not see	6	0.2%
3	Child died	5	0.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#9 Q_L521: L521. Ever Breastfed

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]

Statistics [NW/ W] [Valid=3147 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes	3138	99.7%
2	No	9	0.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#10 Q_L522: L522. Still breastfeeding

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]

Statistics [NW/ W] [Valid=3138 /-] [Invalid=9 /-]

Value	Label	Cases	Percentage
1	Yes	3090	98.5%
2	No	48	1.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#11 Q_L523: L523. Days child was breastfed

Information [Type= continuous] [Format=numeric] [Range= 0-30] [Missing=*]

Statistics [NW/ W] [Valid=47 /-] [Invalid=3100 /-] [Mean=20.979 /-] [StdDev=9.868 /-]

File Record50_ChildAlive (cont.)

#12 Q_L524: L524.If not, give reason

Information [Type= continuous] [Format=numeric] [Range= 1-7] [Missing=*/9]

Statistics [NW/ W] [Valid=57 /-] [Invalid=3090 /-]

Value	Label	Cases	Percentage
1	No breast milk	29	50.9%
2	Injured Nipple	9	15.8%
3	Sickness of mother	4	7.0%
4	No Time to mother	0	0.0%
5	Other foods are good	1	1.8%
6	Severe sickness of baby	3	5.3%
7	Other	11	19.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#13 Q_L525: L525. Giving any other milk (than Breastmilk)

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*/9]

Statistics [NW/ W] [Valid=3147 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes	222	7.1%
2	No	2925	92.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#14 Q_L526: L526. Main type of milk

Information [Type= continuous] [Format=numeric] [Range= 1-7] [Missing=*/9]

Statistics [NW/ W] [Valid=222 /-] [Invalid=2925 /-]

Value	Label	Cases	Percentage
1	Cows-milk	6	2.7%
2	Goats Milk	3	1.4%
3	Full cream milk powder	96	43.2%
4	High cream milk powder	79	35.6%
5	condensed milk	1	0.5%
6	Not cream milk powder	30	13.5%
7	others	7	3.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#15 Q_L527: L527. Age when started giving other milk

Information [Type= continuous] [Format=numeric] [Range= 0-30] [Missing=*]

Statistics [NW/ W] [Valid=222 /-] [Invalid=2925 /-] [Mean=17.423 /-] [StdDev=9.608 /-]

File Record50_ChildAlive (cont.)

#16 Q_L528: L528. Giving other type of food

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]		
Statistics [NW/ W]	[Valid=3147 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	1348	42.8%
2	No	1799	57.2%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#17 Q_L529_1: L529.1. Starch

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1349 /-] [Invalid=1798 /-] [Mean=1.835 /-] [StdDev=0.372 /-]

#18 Q_L529_2: L529.2. Suger water

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1347 /-] [Invalid=1800 /-] [Mean=1.371 /-] [StdDev=0.483 /-]

#19 Q_L529_3: L529.3. Coriander

Information	[Type= continuous] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=1350 /-] [Invalid=1797 /-] [Mean=1.399 /-] [StdDev=0.494 /-]

#20 Q_L529_4: L529.4. Tea/Coffee

Information	[Type= continuous] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=1349 /-] [Invalid=1798 /-] [Mean=1.855 /-] [StdDev=0.364 /-]

#21 Q_L529_5: L529.5. Others

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1347 /-] [Invalid=1800 /-] [Mean=1.895 /-] [StdDev=0.307 /-]

#22 Q_L530: L530. Age when giving other type of food (days)

Information	[Type= continuous] [Format=numeric] [Range= 0-45] [Missing=*]
Statistics [NW/ W]	[Valid=1352 /-] [Invalid=1795 /-] [Mean=14.99 /-] [StdDev=9.939 /-]

#23 Q_L531: L531. Giving any fluid using a bottle

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]
-------------	---

File Record50_ChildAlive (cont.)

#23 Q_L531: L531. Giving any fluid using a bottle (cont.)

Statistics [NW/ W]	[Valid=3146 /-] [Invalid=1 /-]		
Value	Label	Cases	Percentage
1	Yes	399	12.7%
2	No	2747	87.3%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#24 Q_L532: L532. Age when starting other fluid using a bottle(days)

Information	[Type= continuous] [Format=numeric] [Range= 0-30] [Missing=*]
Statistics [NW/ W]	[Valid=398 /-] [Invalid=2749 /-] [Mean=17.206 /-] [StdDev=9.537 /-]

#25 Q_L533: L533. Any changes in your meal after starting breastfeeding

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*/9]		
Statistics [NW/ W]	[Valid=3147 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	641	20.4%
2	No	2506	79.6%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#26 Q_L534_A_1: L534.A.1. Kind of reduced food 1

Information	[Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=581 /-] [Invalid=2566 /-] [Mean=5.842 /-] [StdDev=2.551 /-]

#27 Q_L534_A_2: L534.A.2. Kind of reduced food 2

Information	[Type= continuous] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=335 /-] [Invalid=2812 /-] [Mean=5.164 /-] [StdDev=2.877 /-]

#28 Q_L534_A_3: L534.A.3. Kind of reduced food 3

Information	[Type= continuous] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=121 /-] [Invalid=3026 /-] [Mean=5.041 /-] [StdDev=2.718 /-]

#29 Q_L534_B_1: L534.B.1. Kind of increased food 1

Information	[Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=537 /-] [Invalid=2610 /-] [Mean=4.497 /-] [StdDev=2.147 /-]

File Record50_ChildAlive (cont.)

#30 Q_L534_B_2: L534.B.2. Kind of increased food 2

Information	[Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=371 /-] [Invalid=2776 /-] [Mean=4.143 /-] [StdDev=2.503 /-]

#31 Q_L534_B_3: L534.B.3. Kind of increased food 3

Information	[Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=190 /-] [Invalid=2957 /-] [Mean=4.289 /-] [StdDev=2.438 /-]

#32 Q_L535: L535. Who take care of the child more often

Information	[Type= continuous] [Format=numeric] [Range= 1-6] [Missing=*9]
Statistics [NW/ W]	[Valid=3146 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
1	Mother	2999	95.3%
2	Mother of mother/Mother-in-low	69	2.2%
3	Elder children	41	1.3%
4	Other relations	15	0.5%
5	Friends/Neighbours	8	0.3%
6	Others	14	0.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#33 Q_544: 544. Do any other work except homework

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]
Statistics [NW/ W]	[Valid=3147 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes	322	10.2%
2	No	2825	89.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#34 Q_545: 545. If yes, in your house or any other place

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]
Statistics [NW/ W]	[Valid=323 /-] [Invalid=2824 /-]

Value	Label	Cases	Percentage
1	At home	228	70.6%
2	out side of the home	95	29.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Record50_ChildAlive (cont.)

#35 Q_546: 546. Number of working hours per day

Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]
Statistics [NW/ W]	[Valid=323 /-] [Invalid=2824 /-] [Mean=5.65 /-] [StdDev=5.799 /-]

#36 Q_547: 547. When did you start working after the Child Birth

Information	[Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*]
Statistics [NW/ W]	[Valid=323 /-] [Invalid=2824 /-] [Mean=28.393 /-] [StdDev=18.876 /-]

#37 Q_548: 548. Did midwife come to meet you after the ChildBirth

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]
Statistics [NW/ W]	[Valid=3147 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes	1354	43.0%
2	No	1793	57.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#38 Q_549_A: 549.A. If yes,When did she come at last

Information	[Type= continuous] [Format=numeric] [Range= 1-4] [Missing=*9]
Statistics [NW/ W]	[Valid=1354 /-] [Invalid=1793 /-]

Value	Label	Cases	Percentage
1	Before one week	547	40.4%
2	Before two weeks	504	37.2%
3	Before three weeks	217	16.0%
4	Before four weeks	86	6.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#39 Q_549_B: 549.B.Went to the clinic after ChildBirth

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]
Statistics [NW/ W]	[Valid=3146 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
1	Yes	1686	53.6%
2	No	1460	46.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#40 Q_549_C: 549.C. If yes, When did you go at last

Information	[Type= continuous] [Format=numeric] [Range= 1-4] [Missing=*9]
-------------	---

File Record50_ChildAlive (cont.)

#40 Q_549_C: 549.C. If yes, When did you go at last (cont.)

Statistics [NW/ W] [Valid=1687 /-] [Invalid=1460 /-]

Value	Label	Cases	Percentage
1	Before one week	690	40.9%
2	Before two weeks	555	32.9%
3	Before three weeks	274	16.2%
4	Before four weeks	168	10.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#41 Q_549_D_1: 549.D.1. Adviced_Family planning

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]

Statistics [NW/ W] [Valid=3145 /-] [Invalid=2 /-]

Value	Label	Cases	Percentage
1	Yes	543	17.3%
2	No	2602	82.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#42 Q_549_D_2: 549.D.2. Adviced_Breastfeeding

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]

Statistics [NW/ W] [Valid=3145 /-] [Invalid=2 /-]

Value	Label	Cases	Percentage
1	Yes	654	20.8%
2	No	2491	79.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#43 Q_549_D_3: 549.D.3. Adviced_Starting solid food

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]

Statistics [NW/ W] [Valid=3145 /-] [Invalid=2 /-]

Value	Label	Cases	Percentage
1	Yes	432	13.7%
2	No	2713	86.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#44 Q_549_D_4: 549.D.4. Adviced_Treatments for diarrhea

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]

Statistics [NW/ W] [Valid=3145 /-] [Invalid=2 /-]

File Record50_ChildAlive (cont.)

#44 Q_549_D_4: 549.D.4. Adviced_Treatments for diarrhea (cont.)

Value	Label	Cases	Percentage
1	Yes	436	13.9%
2	No	2709	86.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#45 Q_549_D_5: 549.D.5. Adviced_Nutrition of the mother

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]
Statistics [NW/ W]	[Valid=3145 /-] [Invalid=2 /-]

Value	Label	Cases	Percentage
1	Yes	546	17.4%
2	No	2599	82.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#46 Q_549_D_6: 549.D.6. Adviced_Going to clinic

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]
Statistics [NW/ W]	[Valid=3145 /-] [Invalid=2 /-]

Value	Label	Cases	Percentage
1	Yes	1041	33.1%
2	No	2104	66.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#47 Q_549_D_7: 549.D.7. Adviced_Checking health of child

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]
Statistics [NW/ W]	[Valid=3145 /-] [Invalid=2 /-]

Value	Label	Cases	Percentage
1	Yes	570	18.1%
2	No	2575	81.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#48 Q_550: 550. Question 1

Information	[Type= continuous] [Format=numeric] [Range= 1-6] [Missing=*9]
Statistics [NW/ W]	[Valid=3146 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
1	No anything	93	3.0%
2	Do popular medicines	1271	40.4%

File Record50_ChildAlive (cont.)

#48 Q_550: 550. Question 1 (cont.)

Value (cont.)	Label	Cases	Percentage
3	Go hospital/dispensary	1726	54.9%
4	Western medicines	32	1.0%
5	Ayurvedic treatments	19	0.6%
6	Doing magic	5	0.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#49 Q_551: 551. Question 2

Information [Type= continuous] [Format=numeric] [Range= 1-3] [Missing=*9]

Statistics [NW/ W] [Valid=3146 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
1	convenient to take	2257	71.7%
2	Must be avoid	419	13.3%
3	Dont know	470	14.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#50 Q_552: 552. Question 3

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*3]

Statistics [NW/ W] [Valid=3146 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
1	Giving immunizations	2822	89.7%
2	Others	324	10.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#51 Q_553: 553. Question 4

Information [Type= continuous] [Format=numeric] [Range= 1-3] [Missing=*9]

Statistics [NW/ W] [Valid=3146 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
1	Good	1958	62.2%
2	Bad	495	15.7%
3	Dont know	693	22.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Record50_ChildDead

#1 SAM_UNIT: Sample Unit

Information	[Type= continuous] [Format=numeric] [Range= 7-97] [Missing=*]
Statistics [NW/ W]	[Valid=23 /-] [Invalid=0 /-] [Mean=51.826 /-] [StdDev=26.338 /-]

#2 HH_NO: Household Number

Information	[Type= continuous] [Format=numeric] [Range= 5-400] [Missing=*]
Statistics [NW/ W]	[Valid=23 /-] [Invalid=0 /-] [Mean=107.913 /-] [StdDev=120.877 /-]

#3 SUB_NO: Subsidiary Number

Information	[Type= continuous] [Format=numeric] [Range= 1-1] [Missing=*]
Statistics [NW/ W]	[Valid=23 /-] [Invalid=0 /-] [Mean=1 /-] [StdDev=0 /-]

#4 REC\$TYPE

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=23 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
50		23	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#5 Q_D501_A: D501.A. Identification Number of child

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=23 /-] [Invalid=0 /-] [Mean=1.13 /-] [StdDev=0.344 /-]

#6 Q_D501_B: D501.B. Sex

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=23 /-]

Value	Label	Cases	Percentage
1	Male		
2	Female		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#7 Q_D502: D502.Is child alive?

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]
Statistics [NW/ W]	[Valid=23 /-] [Invalid=0 /-]

File Record50_ChildDead (cont.)

#7 Q_D502: D502. Is child alive? (cont.)

Value	Label	Cases	Percentage
1	Child live	0	0.0%
2	Child died	23	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#8 Q_D503: D503. Age when died

Information	[Type= continuous] [Format=numeric] [Range= 8-30] [Missing=*]
Statistics [NW/ W]	[Valid=23 /-] [Invalid=0 /-] [Mean=17.174 /-] [StdDev=6.499 /-]

#9 Q_D504: D504. Place of death

Information	[Type= continuous] [Format=numeric] [Range= 1-3] [Missing=*9]
Statistics [NW/ W]	[Valid=23 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	At Hospital	15	65.2%
2	At home	8	34.8%
3	Other place	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#10 Q_D505: D505. Reason for death

Information	[Type= continuous] [Format=numeric] [Range= 0-14] [Missing=*]
Statistics [NW/ W]	[Valid=22 /-] [Invalid=1 /-] [Mean=8.5 /-] [StdDev=3.726 /-]

#11 Q_D506: D506. Was the child given breast milk

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]
Statistics [NW/ W]	[Valid=23 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes	18	78.3%
2	No	5	21.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#12 Q_D507: D507. Breastfed during last few days

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]
Statistics [NW/ W]	[Valid=19 /-] [Invalid=4 /-]

Value	Label	Cases	Percentage
1	Yes	13	68.4%

File Record50_ChildDead (cont.)

#12 Q_D507: D507. Breastfed during last few days (cont.)

Value (cont.)	Label	Cases	Percentage
2	No	6	31.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#13 Q_D508: D508. How long the child was breastfed?

Information	[Type= continuous] [Format=numeric] [Range= 0-30] [Missing=*]
Statistics [NW/ W]	[Valid=19 /-] [Invalid=4 /-] [Mean=13.947 /-] [StdDev=8.27 /-]

#14 Q_D509: D509. Reason for not giving breastmilk

Information	[Type= continuous] [Format=numeric] [Range= 1-7] [Missing=*9]
Statistics [NW/ W]	[Valid=22 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
1	No breast milk	8	36.4%
2	Injured Nipple	4	18.2%
3	Sickness of mother	0	0.0%
4	No Time to mother	0	0.0%
5	Other foods are good	0	0.0%
6	Severe sickness of baby	7	31.8%
7	Other	3	13.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#15 Q_D510_1: D510.1. Last 3 days_ Didn't drink milk

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]
Statistics [NW/ W]	[Valid=22 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
1	Yes	7	31.8%
2	No	15	68.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#16 Q_D510_2: D510.2. Last 3 days_ Stopped crying

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]
Statistics [NW/ W]	[Valid=22 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
1	Yes	6	27.3%
2	No	16	72.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Record50_ChildDead (cont.)

#17 Q_D510_3: D510.3. Last 3 days_Contortion/Fit

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]		
Statistics [NW/ W]	[Valid=22 /-] [Invalid=1 /-]		
Value	Label	Cases	Percentage
1	Yes	9	40.9%
2	No	13	59.1%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#18 Q_D511: D511. Given other kind of milk

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]		
Statistics [NW/ W]	[Valid=22 /-] [Invalid=1 /-]		
Value	Label	Cases	Percentage
1	Yes	2	9.1%
2	No	20	90.9%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#19 Q_D512: D512. Main type of milk

Information	[Type= continuous] [Format=numeric] [Range= 1-7] [Missing=*9]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=22 /-]		
Value	Label	Cases	Percentage
1	Cows-milk	0	0.0%
2	Goats Milk	0	0.0%
3	Full cream milk powder	1	100.0%
4	High cream milk powder	0	0.0%
5	Tined milk	0	0.0%
6	Not cream milk powder	0	0.0%
7	others	0	0.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#20 Q_D513: D513. Age when starting other kind of milk

Information	[Type= continuous] [Format=numeric] [Range= 22-22] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=22 /-] [Mean=22 /-]		

#21 Q_D514: D514. Giving food/foods other than milk

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]		
Statistics [NW/ W]	[Valid=22 /-] [Invalid=1 /-]		

File Record50_ChildDead (cont.)

#21 Q_D514: D514. Giving food/foods other than milk (cont.)

Value	Label	Cases	Percentage
1	Yes	3	13.6%
2	No	19	86.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#22 Q_D515_1: D515.1. Starch

Information	[Type= continuous] [Format=numeric] [Range= 2-2] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=21 /-] [Mean=2 /-] [StdDev=0 /-]

#23 Q_D515_2: D515.2. Suger water

Information	[Type= continuous] [Format=numeric] [Range= 1-1] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=21 /-] [Mean=1 /-] [StdDev=0 /-]

#24 Q_D515_3: D515.3. Coriander

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=21 /-] [Mean=1.5 /-] [StdDev=0.707 /-]

#25 Q_D515_4: D515.4. Tea/Coffee

Information	[Type= continuous] [Format=numeric] [Range= 2-2] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=21 /-] [Mean=2 /-] [StdDev=0 /-]

#26 Q_D515_5: D515.5. Others

Information	[Type= continuous] [Format=numeric] [Range= 2-2] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=21 /-] [Mean=2 /-] [StdDev=0 /-]

#27 Q_D516: D516. Age when starting otherfood

Information	[Type= continuous] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=3 /-] [Invalid=20 /-] [Mean=2.667 /-] [StdDev=2.082 /-]

#28 Q_D517: D517. Givinen any liquid using bottle

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]
Statistics [NW/ W]	[Valid=21 /-] [Invalid=2 /-]

File Record50_ChildDead (cont.)

#28 Q_D517: D517. Givinen any liquid using bottle (cont.)

Value	Label	Cases	Percentage
1	Yes	1	4.8%
2	No	20	95.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#29 Q_D518: D518. Age when giving foods using a bottle(days)

Information	[Type= continuous] [Format=numeric] [Range= 22-22] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=22 /-] [Mean=22 /-]

#30 Q_D519: D519. Who took care during the day time

Information	[Type= continuous] [Format=numeric] [Range= 1-6] [Missing=*9]
Statistics [NW/ W]	[Valid=22 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
1	Mother	18	81.8%
2	Mother of mother/Mother-in-law	0	0.0%
3	Elder children	0	0.0%
4	Other relations	0	0.0%
5	Friends/Neighbours	0	0.0%
6	Others	4	18.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#31 Q_54A: 544. Do any other work except homework

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]
Statistics [NW/ W]	[Valid=23 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes	3	13.0%
2	No	20	87.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#32 Q_54B: 545. If yes, in your house or any other place

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]
Statistics [NW/ W]	[Valid=3 /-] [Invalid=20 /-]

Value	Label	Cases	Percentage
1	At home	2	66.7%
2	out side of the home	1	33.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Record50_ChildDead (cont.)

#33 Q_54C: 546. Number of working hours per day

Information	[Type= continuous] [Format=numeric] [Range= 2-8] [Missing=*]
Statistics [NW/ W]	[Valid=3 /-] [Invalid=20 /-] [Mean=4.667 /-] [StdDev=3.055 /-]

#34 Q_54D: 547. When did you start working after the Child Birth

Information	[Type= continuous] [Format=numeric] [Range= 14-28] [Missing=*]
Statistics [NW/ W]	[Valid=3 /-] [Invalid=20 /-] [Mean=19 /-] [StdDev=7.81 /-]

#35 Q_54E: 548. Did midwife come to meet you after the ChildBirth

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]
Statistics [NW/ W]	[Valid=23 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes	8	34.8%
2	No	15	65.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#36 Q_549_D: 549.A. If yes,When did she come at last

Information	[Type= continuous] [Format=numeric] [Range= 1-4] [Missing=*9]
Statistics [NW/ W]	[Valid=8 /-] [Invalid=15 /-]

Value	Label	Cases	Percentage
1	Before one week	6	75.0%
2	Before two weeks	2	25.0%
3	Before three weeks	0	0.0%
4	Before four weeks	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#37 Q_549_E: 549.B.Went to the clinic after ChildBirth

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]
Statistics [NW/ W]	[Valid=23 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes	4	17.4%
2	No	19	82.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#38 Q_549_F: 549.C. If yes, When did you go at last

Information	[Type= continuous] [Format=numeric] [Range= 1-4] [Missing=*9]
-------------	---

File Record50_ChildDead (cont.)

#38 Q_549_F: 549.C. If yes, When did you go at last (cont.)

Statistics [NW/ W]	[Valid=4 /-] [Invalid=19 /-]		
Value	Label	Cases	Percentage
1	Before one week	0	0.0%
2	Before two weeks	4	100.0%
3	Before three weeks	0	0.0%
4	Before four weeks	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#39 Q_549_D_A: 549.D.1. Advised_Family planning

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]		
Statistics [NW/ W]	[Valid=22 /-] [Invalid=1 /-]		
Value	Label	Cases	Percentage
1	Yes	3	13.6%
2	No	19	86.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#40 Q_549_D_B: 549.D.2.Advised_Breastfeeding

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]		
Statistics [NW/ W]	[Valid=22 /-] [Invalid=1 /-]		
Value	Label	Cases	Percentage
1	Yes	3	13.6%
2	No	19	86.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#41 Q_549_D_C: 549.D.3. Advised_Starting solid food

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]		
Statistics [NW/ W]	[Valid=22 /-] [Invalid=1 /-]		
Value	Label	Cases	Percentage
1	Yes	3	13.6%
2	No	19	86.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#42 Q_549_D_D: 549.D.4. Advised_Treatments for diarrhea

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]		
Statistics [NW/ W]	[Valid=22 /-] [Invalid=1 /-]		

File Record50_ChildDead (cont.)

#42 Q_549_D_D: 549.D.4. Advised_Treatments for diarrhea (cont.)

Value	Label	Cases	Percentage
1	Yes	3	13.6%
2	No	19	86.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#43 Q_549_D_E: 549.D.5. Advised_Nutrition of the mother

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]		
Statistics [NW/ W]	[Valid=22 /-] [Invalid=1 /-]		
Value	Label	Cases	Percentage
1	Yes	1	4.5%
2	No	21	95.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#44 Q_549_D_F: 549.D.6. Advised_Going to clinic

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]		
Statistics [NW/ W]	[Valid=22 /-] [Invalid=1 /-]		
Value	Label	Cases	Percentage
1	Yes	4	18.2%
2	No	18	81.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#45 Q_549_D_G: 549.D.7. Advised_Checking health of child

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]		
Statistics [NW/ W]	[Valid=22 /-] [Invalid=1 /-]		
Value	Label	Cases	Percentage
1	Yes	3	13.6%
2	No	19	86.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#46 Q_55A: 550. Question 1

Information	[Type= continuous] [Format=numeric] [Range= 1-6] [Missing=*9]		
Statistics [NW/ W]	[Valid=23 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	No anything	1	4.3%
2	Do popular medicines	12	52.2%

File Record50_ChildDead (cont.)

#46 Q_55A: 550. Question 1 (cont.)

Value (cont.)	Label	Cases	Percentage
3	Go hospital/dispensary	10	43.5%
4	Western medicines	0	0.0%
5	Ayurvedic treatments	0	0.0%
6	Doing magic	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#47 Q_55B: 551. Question 2

Information	[Type= continuous] [Format=numeric] [Range= 1-3] [Missing=*9]		
Statistics [NW/ W]	[Valid=23 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	convenient to take	13	56.5%
2	Must be avoid	2	8.7%
3	Dont know	8	34.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#48 Q_55C: 552. Question 3

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*3]		
Statistics [NW/ W]	[Valid=23 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Giving immunizations	20	87.0%
2	Others	3	13.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#49 Q_55D: 553. Question 4

Information	[Type= continuous] [Format=numeric] [Range= 1-3] [Missing=*9]		
Statistics [NW/ W]	[Valid=23 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Good	10	43.5%
2	Bad	4	17.4%
3	Dont know	9	39.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Record60_ChildAlive

#1 SAM_UNIT: Sample Unit

Information	[Type= continuous] [Format=numeric] [Range= 1-97] [Missing=*]
Statistics [NW/ W]	[Valid=3110 /-] [Invalid=0 /-] [Mean=48.459 /-] [StdDev=28.457 /-]

#2 HH_NO: Household Number

Information	[Type= continuous] [Format=numeric] [Range= 1-999] [Missing=*]
Statistics [NW/ W]	[Valid=3110 /-] [Invalid=0 /-] [Mean=110.554 /-] [StdDev=130.848 /-]

#3 SUB_NO: Subsidiary Number

Information	[Type= continuous] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=3110 /-] [Invalid=0 /-] [Mean=1.116 /-] [StdDev=0.626 /-]

#4 REC\$TYPE

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=3110 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
60		3110	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#5 Q_L601_A: L601.A. Identification Number of child

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=3110 /-] [Invalid=0 /-] [Mean=1.005 /-] [StdDev=0.067 /-]

#6 Q_L601_B: L601.B. Sex

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=3110 /-]

Value	Label	Cases	Percentage
1	Male		
2	Female		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#7 Q_L602: L602. Is child alive?

Information	[Type= continuous] [Format=numeric] [Range= 1-4] [Missing=*9]
Statistics [NW/ W]	[Valid=3110 /-] [Invalid=0 /-]

File Record60_ChildAlive (cont.)

#7 Q_L602: L602. Is child alive? (cont.)

Value	Label	Cases	Percentage
1	Child live	3078	100.0%
2	Child died	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#8 Q_L614: L614. Is child living with you?

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]		
Statistics [NW/ W]	[Valid=3110 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	3104	99.8%
2	No	6	0.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#9 Q_L615: L615. Who take care of the child during the day time?

Information	[Type= continuous] [Format=numeric] [Range= 1-6] [Missing=*9]		
Statistics [NW/ W]	[Valid=3110 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Mother	2935	94.4%
2	Mother of mother/Mother-in-low	76	2.4%
3	Elder children	58	1.9%
4	Other relations	25	0.8%
5	Friends/Neighbours	4	0.1%
6	Others	12	0.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#10 Q_L616: L616. Ever breastfed the child?

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]		
Statistics [NW/ W]	[Valid=3110 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	3096	99.5%
2	No	14	0.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#11 Q_L617: L617. Still breastfeeding

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]		
Statistics [NW/ W]	[Valid=3096 /-] [Invalid=14 /-]		

File Record60_ChildAlive (cont.)

#11 Q_L617: L617. Still breastfeeding (cont.)

Value	Label	Cases	Percentage
1	Yes	3052	98.6%
2	No	44	1.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#12 Q_L618: L618. How long breastfed (weeks)

Information	[Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=41 /-] [Invalid=3069 /-] [Mean=4.317 /-] [StdDev=2.612 /-]

#13 Q_L619: L619. Reason for stopping breastfeeding

Information	[Type= continuous] [Format=numeric] [Range= 0-8] [Missing=*9]
Statistics [NW/ W]	[Valid=58 /-] [Invalid=3052 /-]

Value	Label	Cases	Percentage
1	No breast milk	32	57.1%
2	Injured Nipple	3	5.4%
3	Sickness of mother	8	14.3%
4	No Time to mother	3	5.4%
5	Other foods are good	1	1.8%
6	Fear about beauty of body	0	0.0%
7	Severe sickness of baby	1	1.8%
8	Other	8	14.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#14 Q_L620_1: L620.1 Age 4-12 weeks, gave Milk

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]
Statistics [NW/ W]	[Valid=3109 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
1	Yes	558	17.9%
2	No	2551	82.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#15 Q_L620_2: L620.2 Age 4-12 weeks, gave Starch

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]
Statistics [NW/ W]	[Valid=3110 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes	816	26.2%

File Record60_ChildAlive (cont.)

#15 Q_L620_2: L620.2 Age 4-12 weeks, gave Starch (cont.)

Value (cont.)	Label	Cases	Percentage
2	No	2294	73.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#16 Q_L620_3: L620.3 Age 4-12 weeks, gave Sugar water

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]		
Statistics [NW/ W]	[Valid=3110 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	1236	39.7%
2	No	1874	60.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#17 Q_L620_4: L620.4 Age 4-12 weeks, gave Coriander water

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]		
Statistics [NW/ W]	[Valid=3110 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	1741	56.0%
2	No	1369	44.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#18 Q_L620_5: L620.5 Age 4-12 weeks, gave Tea/Coffee

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]		
Statistics [NW/ W]	[Valid=3110 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	807	25.9%
2	No	2303	74.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#19 Q_L620_6: L620.6 Age 4-12 weeks, gave Fruit

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]		
Statistics [NW/ W]	[Valid=3110 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	833	26.8%
2	No	2277	73.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Record60_ChildAlive (cont.)

#20 Q_L620_7: L620.7 Age 4-12 weeks, gave Soup

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]		
Statistics [NW/ W]	[Valid=3110 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	104	3.3%
2	No	3006	96.7%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#21 Q_L620_8: L620.8 Age 4-12 weeks, gave Other

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]		
Statistics [NW/ W]	[Valid=3110 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	112	3.6%
2	No	2998	96.4%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#22 Q_L621: L621. Giving anything using a bottle

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]		
Statistics [NW/ W]	[Valid=3110 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	873	28.1%
2	No	2237	71.9%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#23 Q_L622: L622. Gave anything using a bottle_last two days

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]		
Statistics [NW/ W]	[Valid=3110 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	814	26.2%
2	No	2296	73.8%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#24 Q_L623_A: L623.A. Weight of the child(g)

Information	[Type= continuous] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=3110 /-]		

File Record60_ChildAlive (cont.)

#25 Q_L623_B: L623.B. Height of the child(cm)

Information	[Type= continuous] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=3110 /-]

#26 Q_L624_A: L624.A. Do child smile

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]
Statistics [NW/ W]	[Valid=3110 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes	2998	96.4%
2	No	112	3.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#27 Q_L624_B: L624.B. Can child keep head straight

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]
Statistics [NW/ W]	[Valid=3110 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes	2028	65.2%
2	No	1082	34.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#28 Q_625: 625. Changed the normal diet after childbirth

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]
Statistics [NW/ W]	[Valid=3110 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes	501	16.1%
2	No	2609	83.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#29 Q_L626_A_1: 626.A.1. Kind of reduced food 1

Information	[Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=424 /-] [Invalid=2686 /-] [Mean=6.137 /-] [StdDev=2.526 /-]

#30 Q_L626_A_2: 626.A.2. Kind of reduced food 2

Information	[Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=220 /-] [Invalid=2890 /-] [Mean=5.518 /-] [StdDev=2.845 /-]

File Record60_ChildAlive (cont.)

#31 Q_L626_A_3: 626.A.3. Kind of reduced food 3

Information	[Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=75 /-] [Invalid=3035 /-] [Mean=5.147 /-] [StdDev=2.916 /-]

#32 Q_L626_B_1: 626.B.1. Kind of increased food 1

Information	[Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=424 /-] [Invalid=2686 /-] [Mean=4.394 /-] [StdDev=1.99 /-]

#33 Q_L626_B_2: 626.B.2. Kind of increased food 2

Information	[Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=301 /-] [Invalid=2809 /-] [Mean=4.189 /-] [StdDev=2.506 /-]

#34 Q_L626_B_3: 626.B.3. Kind of increased food 3

Information	[Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=167 /-] [Invalid=2943 /-] [Mean=3.802 /-] [StdDev=2.295 /-]

#35 Q_627: 627. Do any other work except homework

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*/9]		
Statistics [NW/ W]	[Valid=3110 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	384	12.3%
2	No	2726	87.7%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#36 Q_628: 628. Work at home or outside

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*/9]		
Statistics [NW/ W]	[Valid=384 /-] [Invalid=2726 /-]		
Value	Label	Cases	Percentage
1	at home	242	63.0%
2	out side home	142	37.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#37 Q_629_A: 629.A.. Number of working hours per day

Information	[Type= continuous] [Format=numeric] [Range= 1-20] [Missing=*]
Statistics [NW/ W]	[Valid=384 /-] [Invalid=2726 /-] [Mean=5.669 /-] [StdDev=2.513 /-]

File Record60_ChildAlive (cont.)

#38 Q_629_B: 629.B. When did you start working after the childBirth ?

Information	[Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*]
Statistics [NW/ W]	[Valid=384 /-] [Invalid=2726 /-] [Mean=38.409 /-] [StdDev=21.849 /-]

#39 Q_630: 630. Any illness one month after the childbirth?

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*/9]
Statistics [NW/ W]	[Valid=3110 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes	450	14.5%
2	No	2660	85.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#40 Q_631: 631. If yes, Disease

Information	[Type= continuous] [Format=numeric] [Range= 1-8] [Missing=*/9]
Statistics [NW/ W]	[Valid=449 /-] [Invalid=2661 /-]

Value	Label	Cases	Percentage
1	Diarrhea	67	14.9%
2	Dysentery	8	1.8%
3	Inflammation	2	0.4%
4	Fever	181	40.3%
5	Cholera	1	0.2%
6	Embic diarrhea	0	0.0%
7	Scabies	6	1.3%
8	Others	184	41.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#41 Q_632_A: 632.A. Midwife came during last 2 months

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*/9]
Statistics [NW/ W]	[Valid=3110 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes	1357	43.6%
2	No	1753	56.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#42 Q_632_B_1: 632.B.1. Advised about family

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*/9]
Statistics [NW/ W]	[Valid=1357 /-] [Invalid=1753 /-]

File Record60_ChildAlive (cont.)

#42 Q_632_B_1: 632.B.1. Advised about family (cont.)

Value	Label	Cases	Percentage
1	Yes	673	49.6%
2	No	684	50.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#43 Q_632_B_2: 632.B.2. Advised_Breastfeeding

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]		
Statistics [NW/ W]	[Valid=1357 /-] [Invalid=1753 /-]		
Value	Label	Cases	Percentage
1	Yes	726	53.5%
2	No	631	46.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#44 Q_632_B_3: 632.B.3.Advised_Giving food

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]		
Statistics [NW/ W]	[Valid=1357 /-] [Invalid=1753 /-]		
Value	Label	Cases	Percentage
1	Yes	597	44.0%
2	No	760	56.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#45 Q_632_B_4: 632.B.4. Advised_Mother's nutrition

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]		
Statistics [NW/ W]	[Valid=1357 /-] [Invalid=1753 /-]		
Value	Label	Cases	Percentage
1	Yes	585	43.1%
2	No	772	56.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#46 Q_632_B_5: 632.B.5. Advised_Treatments for diarrhea

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]		
Statistics [NW/ W]	[Valid=1357 /-] [Invalid=1753 /-]		
Value	Label	Cases	Percentage
1	Yes	529	39.0%
2	No	828	61.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Record60_ChildAlive (cont.)

#47 Q_632_B_6: 632.B.6. Adviced_Going toClinic

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]		
Statistics [NW/ W]	[Valid=1357 /-] [Invalid=1753 /-]		
Value	Label	Cases	Percentage
1	Yes	942	69.4%
2	No	415	30.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#48 Q_632_B_7: 632.B.7. Adviced_ Checking health of child

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]		
Statistics [NW/ W]	[Valid=1357 /-] [Invalid=1753 /-]		
Value	Label	Cases	Percentage
1	Yes	439	32.4%
2	No	918	67.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#49 Q_633: 633.Expect another child in future.

Information	[Type= continuous] [Format=numeric] [Range= 1-4] [Missing=*9]		
Statistics [NW/ W]	[Valid=3110 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	1154	37.1%
2	No	793	25.5%
3	No decision	986	31.7%
4	sterilization after last child	177	5.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#50 Q_634: 634. No.of years,you wish to delay pregnancy

Information	[Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=1157 /-] [Invalid=1953 /-] [Mean=6.358 /-] [StdDev=2.749 /-]		

#51 Q_635_A: 635.A.Had menses, after the child birth?

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]		
Statistics [NW/ W]	[Valid=3110 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	637	20.5%
2	No	2473	79.5%

File Record60_ChildAlive (cont.)

#51 Q_635_A: 635.A.Had menses, after the child birth? (cont.)

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#52 Q_635_B: 635.B. If yes, how many weeks after the childbirth?

Information [Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*]

Statistics [NW/ W] [Valid=637 /-] [Invalid=2473 /-] [Mean=9.882 /-] [StdDev=9.45 /-]

#53 Q_636: 636. Begin to have sexual intercourse?

Information [Type= continuous] [Format=numeric] [Range= 1-3] [Missing=*9]

Statistics [NW/ W] [Valid=3110 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes	1021	32.8%
2	No	2059	66.2%
3	Not living with husband	30	1.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#54 Q_637: 637. If yes,how many weeks after the childbirth?

Information [Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*]

Statistics [NW/ W] [Valid=1021 /-] [Invalid=2089 /-] [Mean=10.057 /-] [StdDev=7.124 /-]

#55 Q_638: 638. Using Contraceptive methods

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]

Statistics [NW/ W] [Valid=1023 /-] [Invalid=2087 /-]

Value	Label	Cases	Percentage
1	Yes	168	16.4%
2	No	855	83.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#56 Q_639: 639. Using traditional contraceptive methods

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]

Statistics [NW/ W] [Valid=1024 /-] [Invalid=2086 /-]

Value	Label	Cases	Percentage
1	Yes	171	16.7%
2	No	853	83.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Record60_ChildDead

#1 SAM_UNIT: Sample Unit

Information	[Type= continuous] [Format=numeric] [Range= 4-91] [Missing=*]
Statistics [NW/ W]	[Valid=10 /-] [Invalid=0 /-] [Mean=52.2 /-] [StdDev=29.966 /-]

#2 HH_NO: Household Number

Information	[Type= continuous] [Format=numeric] [Range= 46-562] [Missing=*]
Statistics [NW/ W]	[Valid=10 /-] [Invalid=0 /-] [Mean=234.5 /-] [StdDev=171.412 /-]

#3 SUB_NO: Subsidiary Number

Information	[Type= continuous] [Format=numeric] [Range= 1-1] [Missing=*]
Statistics [NW/ W]	[Valid=10 /-] [Invalid=0 /-] [Mean=1 /-] [StdDev=0 /-]

#4 REC\$TYPE

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=10 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
60		10	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#5 Q_601_A: 601.A. Identification Number of child

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=10 /-] [Invalid=0 /-] [Mean=1.1 /-] [StdDev=0.316 /-]

#6 Q_601_B: 601.B. Sex

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=10 /-]		
Value	Label	Cases	Percentage
1	Male		
2	Female		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#7 Q_602: 602. Is child still alive?

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]
Statistics [NW/ W]	[Valid=10 /-] [Invalid=0 /-]

File Record60_ChildDead (cont.)

#7 Q_602: 602. Is child still alive? (cont.)

Value	Label	Cases	Percentage
1	Child live	0	0.0%
2	Child died	10	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#8 Q_D603: D603. Age when child died

Information	[Type= continuous] [Format=numeric] [Range= 36-90] [Missing=*]
Statistics [NW/ W]	[Valid=9 /-] [Invalid=1 /-] [Mean=56.556 /-] [StdDev=17.735 /-]

#9 Q_D604: D604. Place of death

Information	[Type= continuous] [Format=numeric] [Range= 1-3] [Missing=*9]
Statistics [NW/ W]	[Valid=9 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
1	At Hospital	5	55.6%
2	At home	4	44.4%
3	Other place	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#10 Q_D605: D605. Reason for death

Information	[Type= continuous] [Format=numeric] [Range= 3-11] [Missing=*]
Statistics [NW/ W]	[Valid=9 /-] [Invalid=1 /-] [Mean=9.333 /-] [StdDev=2.872 /-]

#11 Q_D606: D606. Ever breastfed

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]
Statistics [NW/ W]	[Valid=9 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
1	Yes	9	100.0%
2	No	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#12 Q_D607: D607. Breastfed till child died

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]
Statistics [NW/ W]	[Valid=9 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
1	Yes	5	55.6%

File Record60_ChildDead (cont.)

#12 Q_D607: D607. Breastfed till child died (cont.)

Value (cont.)	Label	Cases	Percentage
2	No	4	44.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#13 Q_D608: D608. How long did you give breast milk(day)

Information	[Type= continuous] [Format=numeric] [Range= 38-85] [Missing=*]
Statistics [NW/ W]	[Valid=4 /-] [Invalid=6 /-] [Mean=60.25 /-] [StdDev=19.856 /-]

#14 Q_D609: D609. Reason of not giving breastmilk

Information	[Type= continuous] [Format=numeric] [Range= 1-8] [Missing=*9]
Statistics [NW/ W]	[Valid=4 /-] [Invalid=6 /-]

Value	Label	Cases	Percentage
1	No breast milk	0	0.0%
2	Injured Nipple	0	0.0%
3	Sickness of mother	0	0.0%
4	No Time to mother	0	0.0%
5	Other foods are good	0	0.0%
6	Fear about beauty of body	0	0.0%
7	Severe sickness of baby	3	75.0%
8	Other	1	25.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#15 Q_D610_1: D610.1. Before child died, gave milk

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]
Statistics [NW/ W]	[Valid=9 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
1	Yes	2	22.2%
2	No	7	77.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#16 Q_D610_2: D610.2. Before child died, gave Starch

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]
Statistics [NW/ W]	[Valid=9 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
1	Yes	1	11.1%
2	No	8	88.9%

File Record60_ChildDead (cont.)

#16 Q_D610_2: D610.2. Before child died, gave Starch (cont.)

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#17 Q_D610_3: D610.3. Before child died, gave suger water

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]

Statistics [NW/ W] [Valid=9 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
1	Yes	3	33.3%
2	No	6	66.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#18 Q_D610_4: D610.4. Before child died, gave coriander

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]

Statistics [NW/ W] [Valid=9 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
1	Yes	3	33.3%
2	No	6	66.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#19 Q_D610_5: D610.5. Before child died, gave Tea/coffee

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]

Statistics [NW/ W] [Valid=9 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
1	Yes	0	0.0%
2	No	9	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#20 Q_D610_6: D610.6. Before child died, gave Fruits

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]

Statistics [NW/ W] [Valid=9 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
1	Yes	0	0.0%
2	No	9	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Record60_ChildDead (cont.)

#21 Q_D610_7: D610.7. Before child died, gave Soup

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]		
Statistics [NW/ W]	[Valid=9 /-] [Invalid=1 /-]		
Value	Label	Cases	Percentage
1	Yes	0	0.0%
2	No	9	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#22 Q_D610_8: D610.8. Before child died, gave Others

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]		
Statistics [NW/ W]	[Valid=9 /-] [Invalid=1 /-]		
Value	Label	Cases	Percentage
1	Yes	1	11.1%
2	No	8	88.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#23 Q_D611: D611. Other types of milk

Information	[Type= continuous] [Format=numeric] [Range= 1-7] [Missing=*9]		
Statistics [NW/ W]	[Valid=9 /-] [Invalid=1 /-]		
Value	Label	Cases	Percentage
1	Cows-milk	2	22.2%
2	Goats Milk	5	55.6%
3	Full cream milk powder	0	0.0%
4	High cream milk powder	2	22.2%
5	condensed milk	0	0.0%
6	Not cream milk powder	0	0.0%
7	others	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#24 Q_D612: D612. Did you give anything using a bottle

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]		
Statistics [NW/ W]	[Valid=9 /-] [Invalid=1 /-]		
Value	Label	Cases	Percentage
1	Yes	1	11.1%
2	No	8	88.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Record60_ChildDead (cont.)

#25 Q_D613_A: D613.A. Did child smile before died

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]		
Statistics [NW/ W]	[Valid=9 /-] [Invalid=1 /-]		
Value	Label	Cases	Percentage
1	Yes	3	33.3%
2	No	6	66.7%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#26 Q_D613_B: D613.B. Child kept head straightly

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]		
Statistics [NW/ W]	[Valid=9 /-] [Invalid=1 /-]		
Value	Label	Cases	Percentage
1	Yes	1	11.1%
2	No	8	88.9%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#27 Q_D613_C: D613.C. Before the death, did child live with you?

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]		
Statistics [NW/ W]	[Valid=9 /-] [Invalid=1 /-]		
Value	Label	Cases	Percentage
1	Yes	9	100.0%
2	No	0	0.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#28 XD: X1

Information	[Type= continuous] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=10 /-]		

#29 Q_62A: 625. Change the normal diet after childbirth

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]		
Statistics [NW/ W]	[Valid=9 /-] [Invalid=1 /-]		
Value	Label	Cases	Percentage
1	Yes	2	22.2%
2	No	7	77.8%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

File Record60_ChildDead (cont.)

#30 Q_L626_A_A: 626.A.1. Kind of reduced food 1

Information	[Type= continuous] [Format=numeric] [Range= 8-8] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=8 /-] [Mean=8 /-] [StdDev=0 /-]

#31 Q_L626_A_B: 626.A.2. Kind of reduced food 2

Information	[Type= continuous] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=10 /-]

#32 Q_L626_A_C: 626.A.3. Kind of reduced food 3

Information	[Type= continuous] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=10 /-]

#33 Q_L626_B_A: 626.B.1. Kind of increased food 1

Information	[Type= continuous] [Format=numeric] [Range= 5-9] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=8 /-] [Mean=7 /-] [StdDev=2.828 /-]

#34 Q_L626_B_B: 626.B.2. Kind of increased food 2

Information	[Type= continuous] [Format=numeric] [Range= 1-7] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=8 /-] [Mean=4 /-] [StdDev=4.243 /-]

#35 Q_L626_B_C: 626.B.3. Kind of increased food 3

Information	[Type= continuous] [Format=numeric] [Range= 3-5] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=8 /-] [Mean=4 /-] [StdDev=1.414 /-]

#36 Q_62B: 627. Do any other work except homework

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]
Statistics [NW/ W]	[Valid=9 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
1	Yes	1	11.1%
2	No	8	88.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#37 Q_62C: 628. Work at home or outside

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]
-------------	---

File Record60_ChildDead (cont.)

#37 Q_62C: 628. Work at home or outside (cont.)

Statistics [NW/ W]	[Valid=1 /-] [Invalid=9 /-]		
Value	Label	Cases	Percentage
1	at home	1	100.0%
2	out side home	0	0.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#38 Q_629_C: 629.A.. Number of working hours per day

Information	[Type= continuous] [Format=numeric] [Range= 6-6] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=9 /-] [Mean=6 /-]

#39 Q_629_D: 629.B. When did you start working, after the childBirth

Information	[Type= continuous] [Format=numeric] [Range= 30-30] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=9 /-] [Mean=30 /-]

#40 Q_63A: 630. Any illness,one month after the child birth

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*/9]		
Statistics [NW/ W]	[Valid=9 /-] [Invalid=1 /-]		
Value	Label	Cases	Percentage
1	Yes	1	11.1%
2	No	8	88.9%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#41 Q_63B: 631. If yes, Disease

Information	[Type= continuous] [Format=numeric] [Range= 1-8] [Missing=*/9]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=9 /-]		
Value	Label	Cases	Percentage
1	Diarrhea	0	0.0%
2	Dysentery	0	0.0%
3	Inflammation	0	0.0%
4	Fever	0	0.0%
5	Cholera	0	0.0%
6	Embic diarrhea	0	0.0%
7	Scabies	0	0.0%
8	Others	1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

File Record60_ChildDead (cont.)

#42 Q_632_B: 632.A. Midwife came,during last 2 months

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]

Statistics [NW/ W] [Valid=9 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
1	Yes	4	44.4%
2	No	5	55.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#43 Q_632_B_A: 632.B.1. Adviced_ family planning

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]

Statistics [NW/ W] [Valid=4 /-] [Invalid=6 /-]

Value	Label	Cases	Percentage
1	Yes	3	75.0%
2	No	1	25.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#44 Q_632_B_B: 632.B.2. Adviced_ Breast feeding

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]

Statistics [NW/ W] [Valid=4 /-] [Invalid=6 /-]

Value	Label	Cases	Percentage
1	Yes	3	75.0%
2	No	1	25.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#45 Q_632_B_C: 632.B.3. Adviced_ Giving food

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]

Statistics [NW/ W] [Valid=4 /-] [Invalid=6 /-]

Value	Label	Cases	Percentage
1	Yes	2	50.0%
2	No	2	50.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#46 Q_632_B_D: 632.B.4. Adviced_ Mother's nutrition

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]

Statistics [NW/ W] [Valid=4 /-] [Invalid=6 /-]

File Record60_ChildDead (cont.)

#46 Q_632_B_D: 632.B.4. Advised_Mother's nutrition (cont.)

Value	Label	Cases	Percentage
1	Yes	3	75.0%
2	No	1	25.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#47 Q_632_B_E: 632.B.5. Advised_Treatments for diarrhea

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]		
Statistics [NW/ W]	[Valid=4 /-] [Invalid=6 /-]		
Value	Label	Cases	Percentage
1	Yes	2	50.0%
2	No	2	50.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#48 Q_632_B_F: 632.B.6. Advised_Going to Clinic

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]		
Statistics [NW/ W]	[Valid=4 /-] [Invalid=6 /-]		
Value	Label	Cases	Percentage
1	Yes	3	75.0%
2	No	1	25.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#49 Q_632_B_G: 632.B.7. Advised_Checking the health of child

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]		
Statistics [NW/ W]	[Valid=4 /-] [Invalid=6 /-]		
Value	Label	Cases	Percentage
1	Yes	1	25.0%
2	No	3	75.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#50 Q_63C: 633. Expect another child in future.

Information	[Type= continuous] [Format=numeric] [Range= 1-4] [Missing=*9]		
Statistics [NW/ W]	[Valid=9 /-] [Invalid=1 /-]		
Value	Label	Cases	Percentage
1	Yes	1	11.1%
2	No	3	33.3%

File Record60_ChildDead (cont.)

#50 Q_63C: 633. Expect another child in future. (cont.)

Value (cont.)	Label	Cases	Percentage
3	No decision	5	55.6%
4	sterilization after last child	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#51 Q_63D: 634. How long do you want to delay pregnancy?

Information	[Type= continuous] [Format=numeric] [Range= 5-5] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=9 /-] [Mean=5 /-]

#52 Q_635_C: 635.A. Had Menses, after child birth?

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]
Statistics [NW/ W]	[Valid=9 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
1	Yes	1	11.1%
2	No	8	88.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#53 Q_635_D: 635.B. If yes, how many weeks after the childbirth?

Information	[Type= continuous] [Format=numeric] [Range= 12-12] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=9 /-] [Mean=12 /-]

#54 Q_63E: 636. Started sexual intercourse,after the child birth?

Information	[Type= continuous] [Format=numeric] [Range= 1-3] [Missing=*9]
Statistics [NW/ W]	[Valid=9 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
1	Yes	2	22.2%
2	No	7	77.8%
3	Not living with husband	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#55 Q_63F: 637. If yes,After how many weeks

Information	[Type= continuous] [Format=numeric] [Range= 12-12] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=8 /-] [Mean=12 /-] [StdDev=0 /-]

File Record60_ChildDead (cont.)

#56 Q_63G: 638. Use cotraceptive methods

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]

Statistics [NW/ W] [Valid=2 /-] [Invalid=8 /-]

Value	Label	Cases	Percentage
1	Yes	0	0.0%
2	No	2	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#57 Q_63H: 639. Use traditional contraceptive methods

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]

Statistics [NW/ W] [Valid=2 /-] [Invalid=8 /-]

Value	Label	Cases	Percentage
1	Yes	0	0.0%
2	No	2	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Record70_ChildAlive

#1 SAM_UNIT: Sample Unit

Information [Type= continuous] [Format=numeric] [Range= 1-97] [Missing=*]

Statistics [NW/ W] [Valid=3067 /-] [Invalid=0 /-] [Mean=48.406 /-] [StdDev=28.424 /-]

#2 HH_NO: Household Number

Information [Type= continuous] [Format=numeric] [Range= 1-999] [Missing=*]

Statistics [NW/ W] [Valid=3067 /-] [Invalid=0 /-] [Mean=110.505 /-] [StdDev=130.694 /-]

#3 SUB_NO: Subsidiary Number

Information [Type= continuous] [Format=numeric] [Range= 0-9] [Missing=*]

Statistics [NW/ W] [Valid=3067 /-] [Invalid=0 /-] [Mean=1.117 /-] [StdDev=0.63 /-]

#4 REC\$TYPE

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=3067 /-] [Invalid=0 /-]

File Record70_ChildAlive (cont.)

#4 REC\$TYPE

Value	Label	Cases	Percentage
70		3067	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#5 Q_7601_A: L701.A. Identification Number of child

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=3067 /-] [Invalid=0 /-] [Mean=1.004 /-] [StdDev=0.065 /-]

#6 Q_L701_B: L701.B. Sex

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=3067 /-]

Value	Label	Cases	Percentage
1	Male		
2	Female		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#7 Q_L702: L702. Is child alive?

Information	[Type= continuous] [Format=numeric] [Range= 1-5] [Missing=*9]
Statistics [NW/ W]	[Valid=3067 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Child live	3019	100.0%
2	Child died	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#8 Q_L715: L715. Is child living with you there

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]
Statistics [NW/ W]	[Valid=3067 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes	3059	99.7%
2	No	8	0.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#9 Q_L716: L716. Who take care of the child during day time?

Information	[Type= continuous] [Format=numeric] [Range= 1-6] [Missing=*9]
Statistics [NW/ W]	[Valid=3067 /-] [Invalid=0 /-]

File Record70_ChildAlive (cont.)

#9 Q_L716: L716. Who take care of the child during day time? (cont.)

Value	Label	Cases	Percentage
1	Mother	2892	94.3%
2	Mother of mother/Mother-in-law	74	2.4%
3	Elder children	65	2.1%
4	Other relations	25	0.8%
5	Friends/Neighbours	4	0.1%
6	Others	7	0.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#10 Q_L717: L717. Ever Breastfed

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]

Statistics [NW/ W] [Valid=3067 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes	3054	99.6%
2	No	13	0.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#11 Q_L718: L718. Still Breastfeeding

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]

Statistics [NW/ W] [Valid=3054 /-] [Invalid=13 /-]

Value	Label	Cases	Percentage
1	Yes	2955	96.8%
2	No	99	3.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#12 Q_L719: L719. No. of weeks Breastfed

Information [Type= continuous] [Format=numeric] [Range= 0-24] [Missing=*]

Statistics [NW/ W] [Valid=100 /-] [Invalid=2967 /-] [Mean=13.45 /-] [StdDev=7.618 /-]

#13 Q_L720: L720. Reason for stopping Breastfeeding

Information [Type= continuous] [Format=numeric] [Range= 1-8] [Missing=*9]

Statistics [NW/ W] [Valid=115 /-] [Invalid=2952 /-]

Value	Label	Cases	Percentage
1	No breast milk	66	57.4%
2	Injured Nipple	9	7.8%
3	Sickness of mother	15	13.0%

File Record70_ChildAlive (cont.)

#13 Q_L720: L720. Reason for stopping Breastfeeding (cont.)

Value (cont.)	Label	Cases	Percentage
4	No Time to mother	6	5.2%
5	Other foods are good	0	0.0%
6	Fear about beauty of body	0	0.0%
7	Severe sickness of baby	1	0.9%
8	Other	18	15.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#14 Q_L721_1: L721.1 Age 3-6 months, gave cow's milk

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=3067 /-] [Invalid=0 /-] [Mean=1.921 /-] [StdDev=0.27 /-]

#15 Q_L721_2: L721.2 Age 3-6 months, gave goat's milk

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=3067 /-] [Invalid=0 /-] [Mean=1.994 /-] [StdDev=0.0764 /-]

#16 Q_L721_3: L721.3 Age 3-6 months, gave full cream milk powder

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=3067 /-] [Invalid=0 /-] [Mean=1.851 /-] [StdDev=0.356 /-]

#17 Q_L721_4: L721.4 Age 3-6 months, gave half cream milk powder

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=3067 /-] [Invalid=0 /-] [Mean=1.924 /-] [StdDev=0.264 /-]

#18 Q_L721_5: L721.5 Age 3-6 months, gave condensed milk

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=3067 /-] [Invalid=0 /-] [Mean=1.991 /-] [StdDev=0.0968 /-]

#19 Q_L721_6: L721.6 Age 3-6 months, gave non-fat milk powder

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=3067 /-] [Invalid=0 /-] [Mean=1.984 /-] [StdDev=0.125 /-]

File Record70_ChildAlive (cont.)

#20 Q_L721_7: L721.7 Age 3-6 months, gave Other

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=3067 /-] [Invalid=0 /-] [Mean=1.873 /-] [StdDev=0.332 /-]

#21 Q_L722: L722. Gave something using a bottle

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*/9]
Statistics [NW/ W]	[Valid=3067 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes	1127	36.7%
2	No	1940	63.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#22 Q_L723: L723. Gave any fluid using a bottle

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*/9]
Statistics [NW/ W]	[Valid=3066 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
1	Yes	1042	34.0%
2	No	2024	66.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#23 Q_L724: L724. Weight of the child(g)

Information	[Type= continuous] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=3067 /-]

#24 Q_L725: L725. Height of the child(cm)

Information	[Type= continuous] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=3067 /-]

#25 Q_L726_A: L726.A. Does child smile

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*/9]
Statistics [NW/ W]	[Valid=3066 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
1	Yes	3045	99.3%
2	No	21	0.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Record70_ChildAlive (cont.)

#26 Q_L726_B: L726.B.Can keep the head straight

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]

Statistics [NW/ W] [Valid=3067 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes	2943	96.0%
2	No	124	4.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#27 A: A

Information [Type= continuous] [Format=numeric] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=3067 /-]

#28 Q_727: 727. Do any other work other than homework

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]

Statistics [NW/ W] [Valid=3067 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes	545	17.8%
2	No	2522	82.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#29 Q_728: 728. Work at home or outside

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]

Statistics [NW/ W] [Valid=545 /-] [Invalid=2522 /-]

Value	Label	Cases	Percentage
1	at home	384	70.5%
2	out side home	161	29.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#30 Q_729_A: 729.A.. Number of working hours per day

Information [Type= continuous] [Format=numeric] [Range= 0-20] [Missing=*]

Statistics [NW/ W] [Valid=545 /-] [Invalid=2522 /-] [Mean=5.62 /-] [StdDev=2.57 /-]

#31 Q_729_B: 729.B. After the childBirth,when did you start working

Information [Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]

Statistics [NW/ W] [Valid=545 /-] [Invalid=2522 /-] [Mean=13.182 /-] [StdDev=11.759 /-]

File Record70_ChildAlive (cont.)

#32 Q_730: 730. Marital status

Information [Type= continuous] [Format=numeric] [Range= 1-5] [Missing=*/9]

Statistics [NW/ W] [Valid=3067 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Living as married couple	2991	97.5%
2	Leaved	53	1.7%
3	Divorced	0	0.0%
4	Relict	12	0.4%
5	Single	11	0.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#33 Q_731_A: 731.A. Does Husband work anywhere

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*/9]

Statistics [NW/ W] [Valid=2991 /-] [Invalid=76 /-]

Value	Label	Cases	Percentage
1	Yes	2714	90.7%
2	No	277	9.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#34 Q_731_B: 731.B. Nature of the job

Information [Type= continuous] [Format=numeric] [Range= 11-99] [Missing=*]

Statistics [NW/ W] [Valid=2714 /-] [Invalid=353 /-] [Mean=64.823 /-] [StdDev=18.783 /-]

#35 Q_732: 732. Where does he stay during working days

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*/9]

Statistics [NW/ W] [Valid=2714 /-] [Invalid=353 /-]

Value	Label	Cases	Percentage
1	at home	2575	94.9%
2	out side home	139	5.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#36 Q_733: 733. If outside, how often he come home

Information [Type= continuous] [Format=numeric] [Range= 1-5] [Missing=*/9]

Statistics [NW/ W] [Valid=139 /-] [Invalid=2928 /-]

Value	Label	Cases	Percentage
1	every week end or morethan	40	28.8%

File Record70_ChildAlive (cont.)

#36 Q_733: 733. If outside, how often he come home (cont.)

Value (cont.)	Label	Cases	Percentage
2	At least every month,but not every week	56	40.3%
3	One time per several month	37	26.6%
4	occasionally	3	2.2%
5	Abroad	3	2.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#37 Q_734: 734. Wish another child in future.

Information	[Type= continuous] [Format=numeric] [Range= 1-4] [Missing=*9]		
Statistics [NW/ W]	[Valid=2991 /-] [Invalid=76 /-]		
Value	Label	Cases	Percentage
1	Yes	1138	38.0%
2	No	715	23.9%
3	No decision	945	31.6%
4	sterilization after last child	193	6.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#38 Q_736: 735. After how many years

Information	[Type= continuous] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=1139 /-] [Invalid=1928 /-] [Mean=6.285 /-] [StdDev=2.736 /-]

#39 Q_736_A: 736.A. After the child birth, started menses?

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]		
Statistics [NW/ W]	[Valid=3067 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	1404	45.8%
2	No	1663	54.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#40 Q_736_B: 736.B. If yes, when

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1404 /-] [Invalid=1663 /-] [Mean=1.66 /-] [StdDev=0.474 /-]

#41 Q_736_C: 736.C. If after 3 months, No. of weeks after childbirth

Information	[Type= continuous] [Format=numeric] [Range= 1-24] [Missing=*]
-------------	---

File Record70_ChildAlive (cont.)

#41 Q_736_C: 736.C. If after 3 months, No. of weeks after childbirth (cont.)

Statistics [NW/ W] [Valid=929 /-] [Invalid=2138 /-]

Value	Label	Cases	Percentage
1	during 1-3 months		
2	after 3 months		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#42 Q_737_A: 737.A. After the Childbirth, started sexual intercourse?

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]

Statistics [NW/ W] [Valid=3067 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes	2064	67.3%
2	No	1003	32.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#43 Q_737_B: 737.B. If yes,After how many months

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]

Statistics [NW/ W] [Valid=2064 /-] [Invalid=1003 /-]

Value	Label	Cases	Percentage
1	during 1-3 months	597	28.9%
2	after 3 months	1467	71.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#44 Q_737_C: 737.C. If after 3 months, No. of weeks

Information [Type= continuous] [Format=numeric] [Range= 12-24] [Missing=*]

Statistics [NW/ W] [Valid=1467 /-] [Invalid=1600 /-] [Mean=14.637 /-] [StdDev=3.453 /-]

#45 Q_738: 738. Use contraceptive methods

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]

Statistics [NW/ W] [Valid=3067 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes	559	18.2%
2	No	2508	81.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Record70_ChildAlive (cont.)

#46 Q_739: 739. Use traditional contraceptive methods

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]		
Statistics [NW/ W]	[Valid=3067 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	335	10.9%
2	No	2732	89.1%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#47 Q_740: 740. Problems to satisfy baby's needs

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]		
Statistics [NW/ W]	[Valid=3067 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	846	27.6%
2	No	2221	72.4%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#48 Q_741_1: 741.1. Mother does not hav a job

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=844 /-] [Invalid=2223 /-] [Mean=1.577 /-] [StdDev=0.494 /-]		

#49 Q_741_2: 741.2. Husband does not have a job

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=844 /-] [Invalid=2223 /-] [Mean=1.655 /-] [StdDev=0.476 /-]		

#50 Q_741_3: 741.3. Cost of living is high

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=844 /-] [Invalid=2223 /-] [Mean=1.443 /-] [StdDev=0.497 /-]		

#51 Q_741_4: 741.4. Low income

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=844 /-] [Invalid=2223 /-] [Mean=1.296 /-] [StdDev=0.457 /-]		

#52 Q_741_5: 741.5. Loans

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=844 /-] [Invalid=2223 /-] [Mean=1.909 /-] [StdDev=0.288 /-]		

File Record70_ChildAlive (cont.)

#53 Q_741_6: 741.6. Sickness

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=844 /-] [Invalid=2223 /-] [Mean=1.82 /-] [StdDev=0.384 /-]

#54 Q_741_7: 741.7. Litigate

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=844 /-] [Invalid=2223 /-] [Mean=1.989 /-] [StdDev=0.103 /-]

#55 Q_741_8: 741.8. Dependents

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=844 /-] [Invalid=2223 /-] [Mean=1.95 /-] [StdDev=0.218 /-]

#56 Q_741_9: 741.9. Others

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=844 /-] [Invalid=2223 /-] [Mean=1.955 /-] [StdDev=0.207 /-]

#57 Q_742_A: 742.A. Are there any family member who is addicted to liquor

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]
Statistics [NW/ W]	[Valid=3067 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes	383	12.5%
2	No	2684	87.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#58 Q_742_B: 742.B. If yes, Who are they?

Information	[Type= continuous] [Format=numeric] [Range= 1-4] [Missing=*9]
Statistics [NW/ W]	[Valid=383 /-] [Invalid=2684 /-]

Value	Label	Cases	Percentage
1	mother	1	0.3%
2	husband	372	97.1%
3	children	0	0.0%
4	others	10	2.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Record70_ChildAlive (cont.)

#59 Q_742_C: 742.C. Level of adiction

Information	[Type= continuous] [Format=numeric] [Range= 1-3] [Missing=*9]		
Statistics [NW/ W]	[Valid=383 /-] [Invalid=2684 /-]		
Value	Label	Cases	Percentage
1	very little	152	39.7%
2	little	175	45.7%
3	terribly	56	14.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Record70_ChildDead

#1 SAM_UNIT: Sample Unit

Information	[Type= continuous] [Format=numeric] [Range= 9-97] [Missing=*]
Statistics [NW/ W]	[Valid=11 /-] [Invalid=0 /-] [Mean=66.727 /-] [StdDev=29.722 /-]

#2 HH_NO: Household Number

Information	[Type= continuous] [Format=numeric] [Range= 20-278] [Missing=*]
Statistics [NW/ W]	[Valid=11 /-] [Invalid=0 /-] [Mean=115.455 /-] [StdDev=105.552 /-]

#3 SUB_NO: Subsidiary Number

Information	[Type= continuous] [Format=numeric] [Range= 1-1] [Missing=*]
Statistics [NW/ W]	[Valid=11 /-] [Invalid=0 /-] [Mean=1 /-] [StdDev=0 /-]

#4 REC\$TYPE

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=11 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
70		11	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#5 Q_701_A: 701.A. Identification Number of child

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=11 /-] [Invalid=0 /-] [Mean=1.091 /-] [StdDev=0.302 /-]

File Record70_ChildDead (cont.)

#6 Q_701_B: 701.B. Sex

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=11 /-]		
Value	Label	Cases	Percentage
1	Male		
2	Female		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#7 Q_702: 702. Is child still alive?

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]		
Statistics [NW/ W]	[Valid=11 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Child live	0	0.0%
2	Child died	11	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#8 Q_703: 703.A. Date of Death

Information	[Type= continuous] [Format=numeric] [Range= 162151-860710] [Missing=*]		
Statistics [NW/ W]	[Valid=11 /-] [Invalid=0 /-] [Mean=737115.909 /-] [StdDev=272400.873 /-]		

#9 Q_703_YEAR: 703.A. Date of Death (Year)

Information	[Type= continuous] [Format=numeric] [Range= 16-86] [Missing=*]		
Statistics [NW/ W]	[Valid=11 /-] [Invalid=0 /-] [Mean=73.636 /-] [StdDev=27.285 /-]		

#10 Q_703_MONTH: 703.A. Date of Death (Month)

Information	[Type= continuous] [Format=numeric] [Range= 2-21] [Missing=*]		
Statistics [NW/ W]	[Valid=11 /-] [Invalid=0 /-] [Mean=7.364 /-] [StdDev=5.519 /-]		

#11 Q_703_DAY: 703.A. Date of Death (Day)

Information	[Type= continuous] [Format=numeric] [Range= 1-51] [Missing=*]		
Statistics [NW/ W]	[Valid=11 /-] [Invalid=0 /-] [Mean=15.909 /-] [StdDev=14.405 /-]		

#12 Q_703_B: 703.B. Age when died (weeks)

Information	[Type= continuous] [Format=numeric] [Range= 2-28] [Missing=*]		
Statistics [NW/ W]	[Valid=11 /-] [Invalid=0 /-] [Mean=17.909 /-] [StdDev=6.441 /-]		

File Record70_ChildDead (cont.)

#13 Q_D704: D704. Place of death

Information [Type= continuous] [Format=numeric] [Range= 1-3] [Missing=*/9]

Statistics [NW/ W] [Valid=11 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	At Hospital	4	36.4%
2	At home	7	63.6%
3	Other place	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#14 Q_D705: D705. Reason for death

Information [Type= continuous] [Format=numeric] [Range= 3-11] [Missing=*]

Statistics [NW/ W] [Valid=11 /-] [Invalid=0 /-] [Mean=9.273 /-] [StdDev=2.867 /-]

#15 Q_D706: D706. Ever Breastfed

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*/9]

Statistics [NW/ W] [Valid=11 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes	9	81.8%
2	No	2	18.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#16 Q_D707: D707. Did you give breast milk till child's death

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*/9]

Statistics [NW/ W] [Valid=9 /-] [Invalid=2 /-]

Value	Label	Cases	Percentage
1	Yes	7	77.8%
2	No	2	22.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#17 Q_D708: D708. How long did you give breast milk (weeks)

Information [Type= continuous] [Format=numeric] [Range= 4-22] [Missing=*]

Statistics [NW/ W] [Valid=2 /-] [Invalid=9 /-] [Mean=13 /-] [StdDev=12.728 /-]

#18 Q_D709: D709. Reason for not giving breastmilk

Information [Type= continuous] [Format=numeric] [Range= 1-8] [Missing=*/9]

Statistics [NW/ W] [Valid=4 /-] [Invalid=7 /-]

File Record70_ChildDead (cont.)

#18 Q_D709: D709. Reason for not giving breastmilk (cont.)

Value	Label	Cases	Percentage
1	No breast milk	1	25.0%
2	Injured Nipple	1	25.0%
3	Sickness of mother	0	0.0%
4	No Time to mother	0	0.0%
5	Other foods are good	0	0.0%
6	Fear about beauty of body	0	0.0%
7	Severe sickness of baby	1	25.0%
8	Other	1	25.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#19 Q_D710_1: D710.1. Before child died, gave milk

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]		
Statistics [NW/ W]	[Valid=11 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	4	36.4%
2	No	7	63.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#20 Q_D710_2: D710.2. Before child died, gave Starch

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]		
Statistics [NW/ W]	[Valid=11 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	4	36.4%
2	No	7	63.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#21 Q_D710_3: D710.3. Before child died, gave suger water

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]		
Statistics [NW/ W]	[Valid=11 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	4	36.4%
2	No	7	63.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Record70_ChildDead (cont.)

#22 Q_D710_4: D710.4. Before child died, gave coriander

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]

Statistics [NW/ W] [Valid=11 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes	5	45.5%
2	No	6	54.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#23 Q_D710_5: D710.5. Before child died, gave Tea/coffee

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]

Statistics [NW/ W] [Valid=11 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes	3	27.3%
2	No	8	72.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#24 Q_D710_6: D710.6. Before child died, gave Fruits

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]

Statistics [NW/ W] [Valid=11 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes	4	36.4%
2	No	7	63.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#25 Q_D710_7: D710.7. Before child died, gave Soup

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]

Statistics [NW/ W] [Valid=11 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes	1	9.1%
2	No	10	90.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#26 Q_D710_8: D710.8. Before child died, gave Others

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]

Statistics [NW/ W] [Valid=11 /-] [Invalid=0 /-]

File Record70_ChildDead (cont.)

#26 Q_D710_8: D710.8. Before child died, gave Others (cont.)

Value	Label	Cases	Percentage
1	Yes	2	18.2%
2	No	9	81.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#27 Q_D711: D711. Type of milk

Information	[Type= continuous] [Format=numeric] [Range= 1-7] [Missing=*9]		
Statistics [NW/ W]	[Valid=10 /-] [Invalid=1 /-]		
Value	Label	Cases	Percentage
1	Cows-milk	1	10.0%
2	Goats Milk	4	40.0%
3	Full cream milk powder	4	40.0%
4	High cream milk powder	1	10.0%
5	condensed milk	0	0.0%
6	Not cream milk powder	0	0.0%
7	others	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#28 Q_D712: D712. Before died, Did you give something to the child using a bottle

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]		
Statistics [NW/ W]	[Valid=11 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	7	63.6%
2	No	4	36.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#29 Q_D713_A: D713.A. Did child smile before died

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]		
Statistics [NW/ W]	[Valid=11 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	8	72.7%
2	No	3	27.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#30 Q_D713_B: D713.B. Did child keep head straight

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]		
-------------	---	--	--

File Record70_ChildDead (cont.)

#30 Q_D713_B: D713.B. Did child keep head straight (cont.)

Statistics [NW/ W]	[Valid=11 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	4	36.4%
2	No	7	63.6%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#31 Q_D714_A: D714.A. Before died, did child live with you

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]		
Statistics [NW/ W]	[Valid=11 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	8	72.7%
2	No	3	27.3%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#32 Q_D714_B: D714.B. If not,with whom ?

Information	[Type= continuous] [Format=numeric] [Range= 1-6] [Missing=*9]		
Statistics [NW/ W]	[Valid=3 /-] [Invalid=8 /-]		
Value	Label	Cases	Percentage
1	With father	1	33.3%
2	with husband's parents	1	33.3%
3	with mother's parents	1	33.3%
4	with husband's relations	0	0.0%
5	with my brother/sister	0	0.0%
6	Others	0	0.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#33 Q_72A: 727. Do any other workother thant homework

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]		
Statistics [NW/ W]	[Valid=11 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	2	18.2%
2	No	9	81.8%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#34 Q_72B: 728. Work at home or outside

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]
-------------	---

File Record70_ChildDead (cont.)

#34 Q_72B: 728. Work at home or outside (cont.)

Statistics [NW/ W]	[Valid=2 /-] [Invalid=9 /-]		
Value	Label	Cases	Percentage
1	at home	2	100.0%
2	out side home	0	0.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#35 Q_729_C: 729.A.. Number of working hours per day

Information	[Type= continuous] [Format=numeric] [Range= 5-6] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=9 /-] [Mean=5.5 /-] [StdDev=0.707 /-]

#36 Q_729_D: 729.B. When did you start working after the child birth?

Information	[Type= continuous] [Format=numeric] [Range= 4-4] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=9 /-] [Mean=4 /-] [StdDev=0 /-]

#37 Q_73A: 730. Marital status

Information	[Type= continuous] [Format=numeric] [Range= 1-5] [Missing=*/9]		
Statistics [NW/ W]	[Valid=11 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Living as married couple	9	81.8%
2	Leaved	1	9.1%
3	Divorced	0	0.0%
4	Relict	0	0.0%
5	Single	1	9.1%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#38 Q_731_C: 731.A. IsHusband working somewhere?

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*/9]		
Statistics [NW/ W]	[Valid=9 /-] [Invalid=2 /-]		
Value	Label	Cases	Percentage
1	Yes	6	66.7%
2	No	3	33.3%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#39 Q_731_D: 731.B. Husband's occupation

Information	[Type= continuous] [Format=numeric] [Range= 61-62] [Missing=*]
-------------	--

File Record70_ChildDead (cont.)

#39 Q_731_D: 731.B. Husband's occupation (cont.)

Statistics [NW/ W] [Valid=6 /-] [Invalid=5 /-] [Mean=61.5 /-] [StdDev=0.548 /-]

#40 Q_73B: 732. Where do he stay during working days?

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]

Statistics [NW/ W] [Valid=6 /-] [Invalid=5 /-]

Value	Label	Cases	Percentage
1	at home	6	100.0%
2	out side home	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#41 Q_73C: 733. If outside, how often does he come home?

Information [Type= continuous] [Format=numeric] [Range= 1-5] [Missing=*9]

Statistics [NW/ W] [Valid=0 /-] [Invalid=11 /-]

Value	Label	Cases	Percentage
1	every week end or morethan		
2	At least every month,but not every week		
3	One time per several month		
4	occasionally		
5	Abroad		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#42 Q_73D: 734. Wish another child in future.

Information [Type= continuous] [Format=numeric] [Range= 1-4] [Missing=*9]

Statistics [NW/ W] [Valid=9 /-] [Invalid=2 /-]

Value	Label	Cases	Percentage
1	Yes	3	33.3%
2	No	1	11.1%
3	No decision	5	55.6%
4	sterilization after last child	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#43 Q_73E: 735.When do you wish to have another child.(years)

Information [Type= continuous] [Format=numeric] [Range= 5-9] [Missing=*]

Statistics [NW/ W] [Valid=3 /-] [Invalid=8 /-] [Mean=7.667 /-] [StdDev=2.309 /-]

File Record70_ChildDead (cont.)

#44 Q_736_D: 736.A. After the child birth, started mensus?

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]		
Statistics [NW/ W]	[Valid=11 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	7	63.6%
2	No	4	36.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#45 Q_736_E: 736.B. If yes, when did start menses

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=7 /-] [Invalid=4 /-] [Mean=1.286 /-] [StdDev=0.488 /-]

#46 Q_736_F: 736.C. If after 3 months, No. of weeks after childbirth

Information	[Type= continuous] [Format=numeric] [Range= 1-13] [Missing=*]		
Statistics [NW/ W]	[Valid=2 /-] [Invalid=9 /-]		
Value	Label	Cases	Percentage
1	during 1-3 months		
2	after 3 months		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#47 Q_737_D: 737.A. After Childbirth, started sexual intercourse?

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]		
Statistics [NW/ W]	[Valid=11 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	5	45.5%
2	No	6	54.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#48 Q_737_E: 737.B. If yes,After how many months

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]		
Statistics [NW/ W]	[Valid=5 /-] [Invalid=6 /-]		
Value	Label	Cases	Percentage
1	during 1-3 months	2	40.0%
2	after 3 months	3	60.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Record70_ChildDead (cont.)

#49 Q_737_F: 737.C. If after 3 months, No. of weeks

Information	[Type= continuous] [Format=numeric] [Range= 12-13] [Missing=*]
Statistics [NW/ W]	[Valid=3 /-] [Invalid=8 /-] [Mean=12.333 /-] [StdDev=0.577 /-]

#50 Q_73F: 738. Use any contraceptive method

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]
Statistics [NW/ W]	[Valid=11 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes	0	0.0%
2	No	11	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#51 Q_73G: 739. Use traditional contraceptive methods

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]
Statistics [NW/ W]	[Valid=11 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes	1	9.1%
2	No	10	90.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#52 Q_74A: 740. Able to satisfy baby's needs

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]
Statistics [NW/ W]	[Valid=11 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes	2	18.2%
2	No	9	81.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#53 Q_741_A: 741.1.Mother does not have a job

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=9 /-] [Mean=1.5 /-] [StdDev=0.707 /-]

#54 Q_741_B: 741.2. Husband does not have a job

Information	[Type= continuous] [Format=numeric] [Range= 1-1] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=9 /-] [Mean=1 /-] [StdDev=0 /-]

File Record70_ChildDead (cont.)

#55 Q_741_C: 741.3. Cost of living is high

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=9 /-] [Mean=1.5 /-] [StdDev=0.707 /-]

#56 Q_741_D: 741.4. Low income

Information	[Type= continuous] [Format=numeric] [Range= 2-2] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=9 /-] [Mean=2 /-] [StdDev=0 /-]

#57 Q_741_E: 741.5. Loans

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=9 /-] [Mean=1.5 /-] [StdDev=0.707 /-]

#58 Q_741_F: 741.6. Sickness

Information	[Type= continuous] [Format=numeric] [Range= 2-2] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=9 /-] [Mean=2 /-] [StdDev=0 /-]

#59 Q_741_G: 741.7. Litigate

Information	[Type= continuous] [Format=numeric] [Range= 2-2] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=9 /-] [Mean=2 /-] [StdDev=0 /-]

#60 Q_741_H: 741.8. Dependents

Information	[Type= continuous] [Format=numeric] [Range= 2-2] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=9 /-] [Mean=2 /-] [StdDev=0 /-]

#61 Q_741_I: 741.9. Others

Information	[Type= continuous] [Format=numeric] [Range= 2-2] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=9 /-] [Mean=2 /-] [StdDev=0 /-]

#62 Q_742_D: 742.A. Any famili member who is addicted to liquor

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]
Statistics [NW/ W]	[Valid=11 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes	1	9.1%
2	No	10	90.9%

File Record70_ChildDead (cont.)

#62 Q_742_D: 742.A. Any famili member who is addicted to liquor (cont.)

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#63 Q_742_E: 742.B. If yes, Who are they?

Information [Type= continuous] [Format=numeric] [Range= 1-4] [Missing=*9]

Statistics [NW/ W] [Valid=1 /-] [Invalid=10 /-]

Value	Label	Cases	Percentage
1	mother	0	0.0%
2	husband	1	100.0%
3	children	0	0.0%
4	others	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#64 Q_742_F: 742.C. level of addiction

Information [Type= continuous] [Format=numeric] [Range= 1-3] [Missing=*9]

Statistics [NW/ W] [Valid=1 /-] [Invalid=10 /-]

Value	Label	Cases	Percentage
1	very little	1	100.0%
2	little	0	0.0%
3	terribly	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Record80_ChildAlive

#1 SAM_UNIT: Sample Unit

Information [Type= continuous] [Format=numeric] [Range= 1-97] [Missing=*]

Statistics [NW/ W] [Valid=3015 /-] [Invalid=0 /-] [Mean=48.48 /-] [StdDev=28.325 /-]

#2 HH_NO: Household Number

Information [Type= continuous] [Format=numeric] [Range= 1-999] [Missing=*]

Statistics [NW/ W] [Valid=3015 /-] [Invalid=0 /-] [Mean=110.652 /-] [StdDev=130.976 /-]

#3 SUB_NO: Subsidiary Number

Information [Type= continuous] [Format=numeric] [Range= 0-9] [Missing=*]

File Record80_ChildAlive (cont.)

#3 SUB_NO: Subsidiary Number (cont.)

Statistics [NW/ W] [Valid=3015 /-] [Invalid=0 /-] [Mean=1.115 /-] [StdDev=0.625 /-]

#4 REC\$TYPE

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=3015 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
80		3015	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#5 Q_L801_A: L801.A. Identity Number of child

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W] [Valid=3015 /-] [Invalid=0 /-] [Mean=1.004 /-] [StdDev=0.0655 /-]

#6 Q_L801_B: L801.B. Sex

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]

Statistics [NW/ W] [Valid=0 /-] [Invalid=3015 /-]

Value	Label	Cases	Percentage
1	Male		
2	Female		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#7 Q_L802: L802. Is child living?

Information [Type= continuous] [Format=numeric] [Range= 1-4] [Missing=*9]

Statistics [NW/ W] [Valid=3015 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Child live	3014	100.0%
2	Child died	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#8 Q_L815: L815. Is child living with you

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]

Statistics [NW/ W] [Valid=3015 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes	3011	99.9%

File Record80_ChildAlive (cont.)

#8 Q_L815: L815. Is child living with you (cont.)

Value (cont.)	Label	Cases	Percentage
2	No	4	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#9 Q_L816: L816. Who take care of the child during the day time

Information	[Type= continuous] [Format=numeric] [Range= 1-6] [Missing=*9]		
Statistics [NW/ W]	[Valid=3015 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Mother	2816	93.4%
2	Mother of mother/Mother-in-law	69	2.3%
3	Elder children	83	2.8%
4	Other relations	31	1.0%
5	Friends/Neighbours	5	0.2%
6	Others	11	0.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#10 Q_L817: L817. Ever Breastfed

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]		
Statistics [NW/ W]	[Valid=3015 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	2998	99.4%
2	No	17	0.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#11 Q_L818: L818. Still Breastfeeding

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]		
Statistics [NW/ W]	[Valid=2998 /-] [Invalid=17 /-]		
Value	Label	Cases	Percentage
1	Yes	2805	93.6%
2	No	193	6.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#12 Q_L819: L819. No. of weeks breastfed

Information	[Type= continuous] [Format=numeric] [Range= 0-52] [Missing=*]		
Statistics [NW/ W]	[Valid=194 /-] [Invalid=2821 /-] [Mean=22.263 /-] [StdDev=12.927 /-]		

File Record80_ChildAlive (cont.)

#13 Q_L820: L820. Reason for not giving breastmilk

Information [Type= continuous] [Format=numeric] [Range= 1-8] [Missing=*9]

Statistics [NW/ W] [Valid=210 /-] [Invalid=2805 /-]

Value	Label	Cases	Percentage
1	No breast milk	106	50.5%
2	Injured Nipple	10	4.8%
3	Sickness of mother	21	10.0%
4	No Time to mother	12	5.7%
5	Other foods are good	5	2.4%
6	Fear about beauty of body	0	0.0%
7	Severe sickness of baby	3	1.4%
8	Other	53	25.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#14 Q_L821_1: L821.1 Age 6-12 months, gave Milk

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]

Statistics [NW/ W] [Valid=3015 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes	1142	37.9%
2	No	1873	62.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#15 Q_L821_2: L821.2 Age 6-12 months, gave Starch

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]

Statistics [NW/ W] [Valid=3015 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes	2133	70.7%
2	No	882	29.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#16 Q_L821_3: L821.3 Age 6-12 months, gave Soup

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]

Statistics [NW/ W] [Valid=3015 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes	703	23.3%
2	No	2312	76.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Record80_ChildAlive (cont.)

#17 Q_L821_4: L821.4 Age 6-12 months, gave Rice

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]

Statistics [NW/ W] [Valid=3015 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes	2654	88.0%
2	No	361	12.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#18 Q_L821_5: L821.5 Age 6-12 months, gave Bread/Biscuits

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]

Statistics [NW/ W] [Valid=3015 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes	2868	95.1%
2	No	147	4.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#19 Q_L821_6: L821.6 Age 6-12 months, gave Potatos

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]

Statistics [NW/ W] [Valid=3015 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes	2294	76.1%
2	No	721	23.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#20 Q_L821_7: L821.7 Age 6-12 months, gave Egg/Fish/Meat

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]

Statistics [NW/ W] [Valid=3015 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes	1732	57.4%
2	No	1283	42.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#21 Q_L821_8: L821.8 Age 6-12 months, gave Fruits

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]

Statistics [NW/ W] [Valid=3015 /-] [Invalid=0 /-]

File Record80_ChildAlive (cont.)

#21 Q_L821_8: L821.8 Age 6-12 months, gave Fruits (cont.)

Value	Label	Cases	Percentage
1	Yes	2102	69.7%
2	No	913	30.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#22 Q_L821_9: L821.9 Age 6-12 months, gave Other

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]

Statistics [NW/ W] [Valid=3015 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes	318	10.5%
2	No	2697	89.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#23 Q_L822: L822. Other types of Milk

Information [Type= continuous] [Format=numeric] [Range= 1-7] [Missing=*9]

Statistics [NW/ W] [Valid=1142 /-] [Invalid=1873 /-]

Value	Label	Cases	Percentage
1	Cows-milk	282	24.7%
2	Goats Milk	13	1.1%
3	Full cream milk powder	615	53.9%
4	High cream milk powder	160	14.0%
5	condensed milk	32	2.8%
6	Not cream milk powder	20	1.8%
7	others	20	1.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#24 Q_L823: L823. Immunized your child

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]

Statistics [NW/ W] [Valid=3015 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes	2965	98.3%
2	No	50	1.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#25 Q_L824_A_1_BCG: L824.A.1.BCG

Information [Type= continuous] [Format=numeric] [Range= 1-1] [Missing=*]

File Record80_ChildAlive (cont.)

#25 Q_L824_A_1_BCG: L824.A.1.BCG (cont.)

Statistics [NW/ W]	[Valid=2946 /-] [Invalid=69 /-] [Mean=1 /-] [StdDev=0 /-]
--------------------	---

#26 Q_L824_A_2_TRIPLE: L824.A.2.Triple

Information	[Type= continuous] [Format=numeric] [Range= 4-1234] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=209 /-] [Invalid=2806 /-] [Mean=1187.636 /-] [StdDev=220.243 /-]
--------------------	---

#27 Q_L824_A_3_POLIO: L824.A.3. Polio

Information	[Type= continuous] [Format=numeric] [Range= 4-1234] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=188 /-] [Invalid=2827 /-] [Mean=1182.457 /-] [StdDev=231.702 /-]
--------------------	---

#28 Q_L824_A_4_MEASLES: L824.A.4. Measles

Information	[Type= continuous] [Format=numeric] [Range= 1-1] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=2069 /-] [Invalid=946 /-] [Mean=1 /-] [StdDev=0 /-]
--------------------	--

#29 Q_824_B: L824.B. Do you have your immunization card

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]
-------------	---

Statistics [NW/ W]	[Valid=2965 /-] [Invalid=50 /-]
--------------------	---------------------------------

Value	Label	Cases	Percentage
1	Yes	2760	93.1%
2	No	205	6.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#30 Q_L825: L825. Weight of child(g)

Information	[Type= continuous] [Format=numeric] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=0 /-] [Invalid=3015 /-]
--------------------	--------------------------------

#31 Q_L826: L826. Height of child(cm)

Information	[Type= continuous] [Format=numeric] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=0 /-] [Invalid=3015 /-]
--------------------	--------------------------------

#32 Q_L827: L827. Circumference of left arm (cm)

Information	[Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=3011 /-] [Invalid=4 /-] [Mean=17.366 /-] [StdDev=8.701 /-]
--------------------	---

File Record80_ChildAlive (cont.)

#33 Q_L828_1: L828.1. Can sit without any help

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]

Statistics [NW/ W] [Valid=3015 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes	2877	95.4%
2	No	138	4.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#34 Q_L828_2: L828.2. Can stand with help

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]

Statistics [NW/ W] [Valid=3015 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes	2744	91.0%
2	No	271	9.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#35 Q_L828_3: L828 3 Can walk without help

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]

Statistics [NW/ W] [Valid=3015 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes	1560	51.7%
2	No	1455	48.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#36 Q_L828_4: L828.4. Can pronounce Mother/Father

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]

Statistics [NW/ W] [Valid=3015 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes	2559	84.9%
2	No	456	15.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#37 Q_829: 829. Marital status

Information [Type= continuous] [Format=numeric] [Range= 1-5] [Missing=*9]

Statistics [NW/ W] [Valid=3015 /-] [Invalid=0 /-]

File Record80_ChildAlive (cont.)

#37 Q_829: 829. Marital status (cont.)

Value	Label	Cases	Percentage
1	Living as married couple	2929	97.1%
2	Leaved	52	1.7%
3	Divorced	3	0.1%
4	Relict	19	0.6%
5	Single	12	0.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#38 Q_830_A: 830.A. Is Husband working

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]

Statistics [NW/ W] [Valid=2929 /-] [Invalid=86 /-]

Value	Label	Cases	Percentage
1	Yes	2688	91.8%
2	No	241	8.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#39 Q_830_B: 830.B. Nature of occupation

Information [Type= continuous] [Format=numeric] [Range= 11-99] [Missing=*]

Statistics [NW/ W] [Valid=2688 /-] [Invalid=327 /-] [Mean=64.639 /-] [StdDev=18.794 /-]

#40 Q_831: 831. Were does he stay during working days

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]

Statistics [NW/ W] [Valid=2688 /-] [Invalid=327 /-]

Value	Label	Cases	Percentage
1	at home	2536	94.3%
2	out side home	152	5.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#41 Q_832: 832. If outside, how often he comes home

Information [Type= continuous] [Format=numeric] [Range= 1-5] [Missing=*9]

Statistics [NW/ W] [Valid=393 /-] [Invalid=2622 /-]

Value	Label	Cases	Percentage
1	every week end or morethan	120	30.5%
2	At least every month,but not every week	208	52.9%
3	One time per several month	32	8.1%
4	occasionally	30	7.6%

File Record80_ChildAlive (cont.)

#41 Q_832: 832. If outside, how often he comes home (cont.)

Value (cont.)	Label	Cases	Percentage
5	Abroad	3	0.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#42 Q_833: 833.Last menstrual date

Information	[Type= continuous] [Format=numeric] [Range= 0-999999] [Missing=*]
Statistics [NW/ W]	[Valid=3015 /-] [Invalid=0 /-] [Mean=846217.714 /-] [StdDev=153742.613 /-]

#43 Q_833_A_YEARS: 833.A. Last menstrual Year

Information	[Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*]
Statistics [NW/ W]	[Valid=3015 /-] [Invalid=0 /-] [Mean=84.479 /-] [StdDev=15.296 /-]

#44 Q_833_A_MONTH: 833.A. Last menstrual Month

Information	[Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*]
Statistics [NW/ W]	[Valid=3015 /-] [Invalid=0 /-] [Mean=14.079 /-] [StdDev=24.374 /-]

#45 Q_833_A_DAY: 833.A. Last menstrual day

Information	[Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*]
Statistics [NW/ W]	[Valid=3015 /-] [Invalid=0 /-] [Mean=20.433 /-] [StdDev=23.997 /-]

#46 Q_833_B: 833.B. No.of weeks after the last menstrual day

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]
Statistics [NW/ W]	[Valid=3015 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	less than 8 weeks	2116	70.2%
2	more than 8 weeks	899	29.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#47 Q_834_A: 834.A. Are you pregnant now

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]
Statistics [NW/ W]	[Valid=899 /-] [Invalid=2116 /-]

Value	Label	Cases	Percentage
1	Yes	110	12.2%
2	No	789	87.8%

File Record80_ChildAlive (cont.)

#47 Q_834_A: 834.A. Are you pregnant now (cont.)

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#48 Q_834_B: 834.B. If not, Reason for late menses

Information [Type= continuous] [Format=numeric] [Range= 1-4] [Missing=*9]

Statistics [NW/ W] [Valid=790 /-] [Invalid=2225 /-]

Value	Label	Cases	Percentage
1	stopped mensus forever	26	3.3%
2	menstrual nowadays	143	18.1%
3	since using a family planning method, late mensus	90	11.4%
4	Others	531	67.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#49 Q_835: 835. If yes, did you expect a child

Information [Type= continuous] [Format=numeric] [Range= 1-3] [Missing=*9]

Statistics [NW/ W] [Valid=135 /-] [Invalid=2880 /-]

Value	Label	Cases	Percentage
1	Yes	26	19.3%
2	No	88	65.2%
3	No permanent decision	21	15.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#50 Q_836: 836. If not, did you fish to have another baby

Information [Type= continuous] [Format=numeric] [Range= 1-3] [Missing=*9]

Statistics [NW/ W] [Valid=89 /-] [Invalid=2926 /-]

Value	Label	Cases	Percentage
1	later expected	47	52.8%
2	never expected	24	27.0%
3	No permanent decision	18	20.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#51 Q_837: 837. Wish another child in future.

Information [Type= continuous] [Format=numeric] [Range= 1-5] [Missing=*9]

Statistics [NW/ W] [Valid=2926 /-] [Invalid=89 /-]

Value	Label	Cases	Percentage
1	Yes	1372	46.9%
2	No	1553	53.1%

File Record80_ChildAlive (cont.)

#51 Q_837: 837. Wish another child in future. (cont.)

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#52 Q_838: 838. How long do you wish to delay the pregnancy

Information [Type= continuous] [Format=numeric] [Range= 0-9] [Missing=*]

Statistics [NW/ W] [Valid=1373 /-] [Invalid=1642 /-] [Mean=4.184 /-] [StdDev=1.964 /-]

#53 Q_839: 839. Use any contraceptivel method

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]

Statistics [NW/ W] [Valid=2925 /-] [Invalid=90 /-]

Value	Label	Cases	Percentage
1	Yes	887	30.3%
2	No	2038	69.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#54 Q_840: 840. Use traditional contraceptive methods

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]

Statistics [NW/ W] [Valid=2036 /-] [Invalid=979 /-]

Value	Label	Cases	Percentage
1	Yes	218	10.7%
2	No	1818	89.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#55 V55

Information [Type= discrete] [Format=numeric] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=3015 /-]

Value	Label	Cases	Percentage
Sysmiss		3015	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Record80_ChildDead

#1 SAM_UNIT: Sample Unit

Information	[Type= continuous] [Format=numeric] [Range= 85-94] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=0 /-] [Mean=89.5 /-] [StdDev=6.364 /-]

#2 HH_NO: Household Number

Information	[Type= continuous] [Format=numeric] [Range= 209-221] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=0 /-] [Mean=215 /-] [StdDev=8.485 /-]

#3 SUB_NO: Subsidiary Number

Information	[Type= continuous] [Format=numeric] [Range= 1-1] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=0 /-] [Mean=1 /-] [StdDev=0 /-]

#4 REC\$TYPE

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=2 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
80		2	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#5 Q_801_A: 801.A. Identification Number of child

Information	[Type= continuous] [Format=numeric] [Range= 1-1] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=0 /-] [Mean=1 /-] [StdDev=0 /-]

#6 Q_801_B: 801.B. Sex

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=2 /-]		
Value	Label	Cases	Percentage
1	Male		
2	Female		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#7 Q_802: 802. Is child still alive?

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=0 /-]

File Record80_ChildDead (cont.)

#7 Q_802: 802. Is child still alive? (cont.)

Value	Label	Cases	Percentage
1	Child live	0	0.0%
2	Child died	2	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#8 Q_803: 803.A. Date of Death

Information	[Type= continuous] [Format=numeric] [Range= 860815-870213] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=0 /-] [Mean=865514 /-] [StdDev=6645.39 /-]

#9 Q_803_YEAR: 803.A. Date of Death(Year)

Information	[Type= continuous] [Format=numeric] [Range= 86-87] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=0 /-] [Mean=86.5 /-] [StdDev=0.707 /-]

#10 Q_803_MONTH: 803.A. Date of Death(Month)

Information	[Type= continuous] [Format=numeric] [Range= 2-8] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=0 /-] [Mean=5 /-] [StdDev=4.243 /-]

#11 Q_803_DAY: 803.A. Date of Death(Day)

Information	[Type= continuous] [Format=numeric] [Range= 13-15] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=0 /-] [Mean=14 /-] [StdDev=1.414 /-]

#12 Q_803_B: 803.B. Age when died

Information	[Type= continuous] [Format=numeric] [Range= 36-40] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=0 /-] [Mean=38 /-] [StdDev=2.828 /-]

#13 Q_D804: D804. Place of death

Information	[Type= continuous] [Format=numeric] [Range= 1-3] [Missing=*9]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	At Hospital	1	50.0%
2	At home	1	50.0%
3	Other place	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Record80_ChildDead (cont.)

#14 Q_D805: D805. Reason for death

Information	[Type= continuous] [Format=numeric] [Range= 6-11] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=0 /-] [Mean=8.5 /-] [StdDev=3.536 /-]

#15 Q_D806: D806. Ever Breastfed

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes	2	100.0%
2	No	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#16 Q_D807: D807. Did you give breast milk till child died

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes	0	0.0%
2	No	2	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#17 Q_D808: D808. How long did you give breast milk(weeks)

Information	[Type= continuous] [Format=numeric] [Range= 36-40] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=0 /-] [Mean=38 /-] [StdDev=2.828 /-]

#18 Q_D809: D809. Reason for stop giving breastmilk

Information	[Type= continuous] [Format=numeric] [Range= 1-8] [Missing=*9]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	No breast milk	2	100.0%
2	Injured Nipple	0	0.0%
3	Sickness of mother	0	0.0%
4	No Time to mother	0	0.0%
5	Other foods are good	0	0.0%
6	Fear about beauty of body	0	0.0%
7	Severe sickness of baby	0	0.0%
8	Other	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Record80_ChildDead (cont.)

#19 Q_D810_1: D810.1. Before child died, gave Milk

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]		
Statistics [NW/ W]	[Valid=2 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	1	50.0%
2	No	1	50.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#20 Q_D810_2: D810.2. Before child died, gave Starch

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]		
Statistics [NW/ W]	[Valid=2 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	2	100.0%
2	No	0	0.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#21 Q_D810_3: D810.3. Before child died, gave Soup

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]		
Statistics [NW/ W]	[Valid=2 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	0	0.0%
2	No	2	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#22 Q_D810_4: D810.4. Before child died, gave Rice

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]		
Statistics [NW/ W]	[Valid=2 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	1	50.0%
2	No	1	50.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#23 Q_D810_5: D810.5. Before child died, gave Bread/Biscuit

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]		
Statistics [NW/ W]	[Valid=2 /-] [Invalid=0 /-]		

File Record80_ChildDead (cont.)

#23 Q_D810_5: D810.5. Before child died, gave Bread/Biscuit (cont.)

Value	Label	Cases	Percentage
1	Yes	2	100.0%
2	No	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#24 Q_D810_6: D810.6. Before child died, gave Potatoes

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]

Statistics [NW/ W] [Valid=2 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes	1	50.0%
2	No	1	50.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#25 Q_D810_7: D810.7. Before child died, gave Egg/Fish/Meat

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]

Statistics [NW/ W] [Valid=2 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes	1	50.0%
2	No	1	50.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#26 Q_D810_8: D810.8. Before child died, gave Fruits

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]

Statistics [NW/ W] [Valid=2 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes	2	100.0%
2	No	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#27 Q_D810_9: D810.9. Before child died, gave Others

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W] [Valid=2 /-] [Invalid=0 /-] [Mean=1.5 /-] [StdDev=0.707 /-]

#28 Q_D811: D811. Type of milk

Information [Type= continuous] [Format=numeric] [Range= 1-7] [Missing=*9]

File Record80_ChildDead (cont.)

#28 Q_D811: D811. Type of milk (cont.)

Statistics [NW/ W]		[Valid=2 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Cows-milk	1	50.0%
2	Goats Milk	0	0.0%
3	Full cream milk powder	1	50.0%
4	High cream milk powder	0	0.0%
5	condensed milk	0	0.0%
6	Not cream milk powder	0	0.0%
7	others	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#29 Q_D812: D812. Before child died, Did you give anything using a bottle

Information		[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]	
Statistics [NW/ W]		[Valid=2 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Yes	1	50.0%
2	No	1	50.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#30 Q_D813_1: D813.1. Sat without any help

Information		[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]	
Statistics [NW/ W]		[Valid=2 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Yes	2	100.0%
2	No	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#31 Q_D813_2: D813.2. Stand with others' help

Information		[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]	
Statistics [NW/ W]		[Valid=2 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Yes	1	50.0%
2	No	1	50.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Record80_ChildDead (cont.)

#32 Q_D813_3: D813.3. Walked without help

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]

Statistics [NW/ W] [Valid=2 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes	0	0.0%
2	No	2	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#33 Q_D813_4: D813.4. Pronounced "mother"/"father"

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]

Statistics [NW/ W] [Valid=2 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes	1	50.0%
2	No	1	50.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#34 Q_D814_A: D814.A.Before died, child lived with you

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]

Statistics [NW/ W] [Valid=2 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes	2	100.0%
2	No	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#35 Q_D814_B: D814.B. If not,with whom?

Information [Type= continuous] [Format=numeric] [Range= 1-5] [Missing=*9]

Statistics [NW/ W] [Valid=0 /-] [Invalid=2 /-]

Value	Label	Cases	Percentage
1	With father		
2	with husband's parents		
3	with mother's parents		
4	with husband's relations		
5	Others		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#36 XE: X1

Information [Type= continuous] [Format=numeric] [Missing=*]

File Record80_ChildDead (cont.)

#36 XE: X1 (cont.)

Statistics [NW/ W] [Valid=0 /-] [Invalid=2 /-]

#37 Q_82A: 829. Marital status

Information [Type= continuous] [Format=numeric] [Range= 1-5] [Missing=*9]

Statistics [NW/ W] [Valid=2 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Living as married couple	2	100.0%
2	Leaved	0	0.0%
3	Divorced	0	0.0%
4	Relict	0	0.0%
5	Single	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#38 Q_830_C: 830.A. Is Husband working?

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]

Statistics [NW/ W] [Valid=2 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes	2	100.0%
2	No	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#39 Q_830_D: 830.B. Nature of occupation

Information [Type= continuous] [Format=numeric] [Range= 61-62] [Missing=*]

Statistics [NW/ W] [Valid=2 /-] [Invalid=0 /-] [Mean=61.5 /-] [StdDev=0.707 /-]

#40 Q_83A: 831. Where does he stay during working days

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]

Statistics [NW/ W] [Valid=2 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	at home	2	100.0%
2	out side home	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#41 Q_83B: 832. If outside, how often he comes home

Information [Type= continuous] [Format=numeric] [Range= 1-5] [Missing=*9]

File Record80_ChildDead (cont.)

#41 Q_83B: 832. If outside, how often he comes home (cont.)

Statistics [NW/ W]	[Valid=0 /-] [Invalid=2 /-]		
Value	Label	Cases	Percentage
1	every week end or morethan		
2	At least every month,but not every week		
3	One time per several month		
4	occasionally		
5	Abroad		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#42 Q_83C: 833.Last menstrual date

Information	[Type= continuous] [Format=numeric] [Range= 861015-870314] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=0 /-] [Mean=865664.5 /-] [StdDev=6575.386 /-]

#43 Q_833_A_YEART: 833.A. Last menstrual Year

Information	[Type= continuous] [Format=numeric] [Range= 86-87] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=0 /-] [Mean=86.5 /-] [StdDev=0.707 /-]

#44 Q_833_A_MONTI: 833.A. Last menstrual Month

Information	[Type= continuous] [Format=numeric] [Range= 3-10] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=0 /-] [Mean=6.5 /-] [StdDev=4.95 /-]

#45 Q_833_A_DAZ: 833.A. Last menstrual Day

Information	[Type= continuous] [Format=numeric] [Range= 14-15] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=0 /-] [Mean=14.5 /-] [StdDev=0.707 /-]

#46 Q_833_C: 833.B. No.of weeks from last menstrual date

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]		
Statistics [NW/ W]	[Valid=2 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	less than 8 weeks	2	100.0%
2	more than 8 weeks	0	0.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

File Record80_ChildDead (cont.)

#47 Q_834_C: 834.A. Are you pregnant now

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]

Statistics [NW/ W] [Valid=0 /-] [Invalid=2 /-]

Value	Label	Cases	Percentage
1	Yes		
2	No		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#48 Q_834_D: 834.B. If not, Reason to late menses

Information [Type= continuous] [Format=numeric] [Range= 1-4] [Missing=*9]

Statistics [NW/ W] [Valid=0 /-] [Invalid=2 /-]

Value	Label	Cases	Percentage
1	stopped mensus forever		
2	menstrual nowadays		
3	since using a family planning method, late mensus		
4	Others		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#49 Q_83D: 835. If yes, did you expect a child

Information [Type= continuous] [Format=numeric] [Range= 1-3] [Missing=*9]

Statistics [NW/ W] [Valid=0 /-] [Invalid=2 /-]

Value	Label	Cases	Percentage
1	Yes		
2	No		
3	No permanent decision		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#50 Q_83E: 836. If not, How long did you wish to delay

Information [Type= continuous] [Format=numeric] [Range= 1-3] [Missing=*9]

Statistics [NW/ W] [Valid=0 /-] [Invalid=2 /-]

Value	Label	Cases	Percentage
1	later expected		
2	never expected		
3	No permanent decision		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Record80_ChildDead (cont.)

#51 Q_83F: 837. Wish another child in future.

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]

Statistics [NW/ W] [Valid=2 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes	2	100.0%
2	No	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#52 Q_83G: 838. How long do you wish to delay

Information [Type= continuous] [Format=numeric] [Range= 1-1] [Missing=*]

Statistics [NW/ W] [Valid=2 /-] [Invalid=0 /-] [Mean=1 /-] [StdDev=0 /-]

#53 Q_83H: 839. Use any contraceptive methods

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]

Statistics [NW/ W] [Valid=2 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes	0	0.0%
2	No	2	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#54 Q_84A: 840. Use any traditional contraceptive methods

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*9]

Statistics [NW/ W] [Valid=2 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes	0	0.0%
2	No	2	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Documentation

Questionnaires.....	187
Child Surveillance & Development Survey 1985 - Questionnaire 1.....	187
Child Surveillance & Development Survey 1985 - Questionnaire 2.....	187
Other documents.....	187
Study Documentation of CSD85 Project.....	187

Questionnaires

Child Surveillance & Development Survey 1985 - Questionnaire 1, "Documentation\Schedule1.pdf"

Child Surveillance & Development Survey 1985 - Questionnaire 2, "Documentation\Schedule2.pdf"

Other documents

Study Documentation of CSD85 Project, "Documentation\Study Documentation of CSD85 Project.pdf"