

Sri Lanka

Department of Census and Statistics

Tsunami Sample Frame - 2005 (Tsunami Affected Housing
Units)

Study Documentation

November 9, 2009

Metadata Production

Metadata Producer(s)	Data Processing Division (DPD) , Department of Census and Statistics , Documentation of the study
Production Date	November 26, 2008
Version	Version 1.0 (June 2008)
Identification	DDI-LKA-DCS-TAH1-2005-v1.0

This document was generated using the [IHSN Microdata Management Toolkit](#)

Table of Contents

Overview	1
Scope & Coverage	1
Producers & Sponsors	2
Data Collection	2
Accessibility	4
Rights & Disclaimer	5
Files Description	6
Ampara English	6
Ampara Sinhala	6
Batticaloa English	6
Colombo Sinhala	6
Galle Sinhala	6
Gampaha Sinhala	7
Hambantota Sinhala	7
Jaffna English	7
Kalutara Sinhala	8
Kilinochchi English	8
Matara Sinhala	8
Mullaitivu English	8
Puttalam Sinhala	8
Trincomali English	9
Variables List	10
Ampara English	10
Ampara Sinhala	10
Batticaloa English	11
Colombo Sinhala	11
Galle Sinhala	12
Gampaha Sinhala	13
Hambantota Sinhala	14
Jaffna English	21
Kalutara Sinhala	22
Kilinochchi English	23
Matara Sinhala	24
Mullaitivu English	24
Puttalam Sinhala	25
Trincomali English	26
Variables Description	27
Ampara English	27
Ampara Sinhala	31
Batticaloa English	36
Colombo Sinhala	40
Galle Sinhala	49
Gampaha Sinhala	56
Hambantota Sinhala	64
Jaffna English	118
Kalutara Sinhala	122

Kilinochchi English	130
Matara Sinhala	135
Mullaitivu English	143
Puttalam Sinhala	149
Trincomali English	156
Documentation	161

Sri Lanka (2005)

Tsunami Sample Frame - 2005 (Tsunami Affected Housing Units) (TAH1-2005)

Overview

Type	Sample Frame, Households [sf/hh]
Identification	LKA-DCS-TAH1-2005-v1.0
Version	Production Date: 2005-07-11 v1.0 : Edited dataset, for internal DPD use.
Series	This is a special study to collect information on housing units in the Tsunami affected areas. In this data set the usual restrictions with regard to anonymization may have to be disregarded for planning and reconstruction purposes. (PI see Data Access section)
<u>Abstract</u> With the objective of providing Information on the impact of Tsunami on Sri Lanka for better planning rebuilding of systems and rehabilitation of those affected, DCS conducted a Census of Tsunami on Feb 2005 to provide unbiased and reliable information on this event. The complexity of the situation was very high and DCS realized this as a tough task. The Census was conducted in two stages. During the stage 1, all the building units in the affected Census Blocks were listed under three categories. In stage 2, detailed information was collected from both damaged housing and non housing units using a separate questionnaire. This dataset belongs to the stage 1 of the project whose purpose was to enumerate the housing units of the Tsunami affected areas and classify them by type of damage - ie totally damaged, partially damaged (restorable), partially damaged (un-restorable), undamaged. The type of damage was taken as the nature of damage caused to a housing unit when it was directly hit by the Tsunami wave. For completeness, the undamaged housing units also had been counted.	
Kind of Data	Census/enumeration data [cen]
Unit of Analysis	Housing Unit

Scope & Coverage

Scope

Household - Damaged house or Undamaged
 Head of Household - Name of the Head of Household
 Location - District, DS Division, GN Division

Topics	housing [10.1]
--------	----------------

Geographic Coverage

Tsunami Affected Areas in the following Districts :

Colombo
 Gampaha
 Kalutara
 Galle
 Matara
 Hambantota

Amparai Batticaloa Trincomalee Mulative Jaffna Kilinochchi Puttalam
<u>Universe</u> All housing units which were struck by the Tsunami wave in Sri Lanka in December 2004.

Producers & Sponsors	
Primary Investigator(s)	Department of Census and Statistics, Ministry of Finance and Planning
Funding Agency/ies	Department of Census and Statistics (DCS) , Source of funds

Data Collection	
Data Collection Dates	start 2005-03 end 2005-06
Data Collection Mode	Face-to-face [f2f]
<u>Data Collection Notes</u> Definition of the Buffer Zone: The definition for measuring Buffer Zone had been set to cover the area from the sea coast to the boarder up to which the Tsunami wave directly hit the land. The tidal wave hit by other means such as from the Harbor, the Bay, the river, the Lagoon etc had to be considered. Un-cleared area - Controlled by the LTTE Certain areas in the North and east have been identified as the areas controlled by the LTTE, when the peace accord was signed in the year 2002. Officers of DCS were allowed to enter those areas by the LTTE in the listing operation of collecting information by type of damage. DCS has identified all the Grama Niladhari Divisions in each District affected by Tsunami (Already all such Divisions have been marked on electronic maps) The lists (F1 Form) of housing units and other buildings (prepared for the census 2001) pertaining to the affected census blocks of the affected GN Divisions have been extracted and photocopied from the available records. A GN division is subdivided into several Census Blocks(CB). Each CB has about 80 housing units in the Urban areas and about 65 units in the Rural/Estate areas. Lists of H/units for each CB with sketch map were prepared and stored in the DCS for conducting surveys. This map includes building type (housing unit, other building etc), serial number of the unit. This unit is called F1 form. About 125 000 F1 forms are drawn for the entire Sri Lanka. Before any survey this list has to be updated.	

F1 form has the following Basic Info:

Census Unit No
 Postal Address
 Chief Occupant's name
 Whether Housing unit, Collective living quarters, institution/non housing unit)
 No of persons usually spending the night
 The economic activity of the members residing in the unit
 Whether they have land outside
 Whether they do fishing

Questionnaires

The form used to record housing unit information was a simple straightforward form by which the following details were collected:

Header Information

District
 DS Division
 GN Division
 GN Division Number

Detail Information

Totally Damaged Housing Unit
 Partially Damaged restorable
 Partially damaged un-restorable
 Undamaged
 Name and Address of the Head of household

Buffer zone had been fixed to :

Less than or equal to 100 m
 Greater than 100 m
 Greater than 100 m but damaged by stream
 Not identified (not clear)

Data Collector(s)	Department of Census and Statistics (DCS) , Ministry of Finance and Planning
-------------------	--

Supervision

DCS staff

Other Processing

The data collected in the forms were fed into Excel in a central location (DPU). Having completed the data entry a round of manual checking was conducted and errors were corrected.

Separate files were maintained for each DS Division in each District. The Division wise files had data entered either in Sinhala font or in English font. In the predominantly Sinhala speaking areas the forms were filled in Sinhala and the data was entered using Sinhala font. in Excel. For others the forms were filled in English and the data were fed in English.

The Divisional files were consolidated and a District file was prepared for all 13 Districts for archival purposes. Original Data (unconsolidated data) in the form of District-wise zip files are available in the external Resources Section.

Accessibility	
Access Authority	Director General (Department of Census and Statistics) , http://www.statistics.gov.lk , dgcensus@slt.net.lk
Contact(s)	Information Unit (Department of Census and Statistics) , http://www.statistics.gov.lk , information@statistics.gov.lk
<p><u>Confidentiality</u></p> <p>Note - The validity of below mentioned confidentiality clause will have to be discussed with the Access Authority as the data has been collected for state and public use.</p> <p>Under the Statistical ordinance, microdata cannot be released with identifications for public use. Procedures are in place to ensure that information relating to any particular individual person, household or undertaking will be kept strictly confidential and will not be divulged to external parties. Information on individual or individual Household/establishment will not be divulged or published in such a form that will facilitate the identification of any particular person or establishment as the data have been collected under the Census/Statistical ordinance, according to which the information at individual level cannot be divulged and such information is strictly confidential.</p>	
<p><u>Access Conditions</u></p> <p>Note - The validity of below mentioned access conditions will have to be discussed with the Access Authority as the data has been collected for state and public use.</p> <p>The dataset has been anonymized and is available as a Public Use Dataset. It is accessible to all for statistical and research purposes only, under the following terms and conditions:</p> <ol style="list-style-type: none"> 1. The data and other materials will not be redistributed or sold to other individuals, institutions, or organizations without the written agreement. 2. The data will be used for statistical and scientific research purposes only. They will be used solely for reporting of aggregated information, and not for investigation of specific individuals or organizations. 3. No attempt will be made to re-identify respondents, and no use will be made of the identity of any person or establishment discovered inadvertently. 4. No attempt will be made to produce links among datasets provided by the Department or among data from the Department and other datasets that could identify individuals or organizations. 5. Any books, articles, conference papers, theses, dissertations, reports, or other publications that Prices data obtained from the Department will cite the source of data in accordance with the Citation Requirement provided with each dataset. 6. An electronic copy of all reports and publications based on the requested data will be sent to the Department. <p>The following rules apply to micro data released by the Department of Census and Statistics.</p> <ul style="list-style-type: none"> • Only the requests of Government Institutions, Recognized Universities, Students, and selected international agencies are entertained. However, the Data users are required to strictly adhere to the terms stipulated in the agreement form. • All the data requests should be made to Director General (DG) of the DCS as the sole authority of releasing data is vested with the DG of the DCS. The DCS of Sri Lanka reserves sole right to approve or reject any data request 	

made depending on the confidential nature of the data set and intended purpose of the study or analysis.

- Requests for micro data should be made through the agreement form designed by DCS for this purpose (Form D.R.1). The agreement form should be filled in triplicate and the Study/project proposal should accompany the filled agreement form. If requests are made for the micro data of more than one survey, a separate agreement should be signed.
- If the data request is from a student a letter from the respective Dept. Head/Dean/Supervisor, recommending the issue of data, should also be accompanied.
- If the request is approved only 25% of the data file is released at the first stage. The release of the total data file is considered only after reviewing the draft report prepared on the basis of the 25% sample data file.
- The released Data file should be used only for the specific study/Analysis mentioned in the agreement form and shall not be used for any other purpose without the prior approval of the Director General of the DCS. Moreover, Copies of the micro-data file, obtained from the DCS, shall not be given to anyone else without the prior written approval of the Director General of the DCS.
- The draft report of the Study/Analysis should be submitted to the DCS and the concurrence of the DG of the DCS, should be obtained before publishing it. Once published, a copy of the final report should be submitted to the DCS.

Note - [Department = The Department of Census and Statistics (DCS)]

Source : http://www.statistics.gov.lk/databases/data%20dissemination/DataDissaPolicy_2007Oct26n.pdf

Citation Requirements

Department of Census and Statistics, Tsunami Affected Housing Units (Sample Frame) 2005 [TAH105], Version 1.0 of the public use dataset July, 2008, provided by the National Data Archive, Data Processing Division, www.statistics.gov.lk"

Rights & Disclaimer

Disclaimer

The Department of Census and Statistics bears no responsibility for any results or interpretations arising from the secondary use of the data.

Copyright

(C) 2008, Department of Census and Statistics

Files Description

Dataset contains 14 file(s)

Ampara English	
# Cases	29155
# Variable(s)	20

Ampara Sinhala	
# Cases	364
# Variable(s)	20
<p><u>Notes</u> The Information pertaining to this file should be viewed after installing DL Araliya2 because the enumeration has been conducted in Sinhala and the data had been fed into the computer from a Sinhala keyboard. Pl find the version of DL Araliya2 software in the external resources section. The data can not be viewed through the Nesstar Explorer. To view the data again, pl export this file and save it in tab delimited format. Open the saved file with excel. In the Excel spreadsheet, pl convert the fonts in variables GN3, INITIALS, SURNAME, ADDR1 - ADDR4 to Sinhala using the DL Araliya font.</p>	

Batticaloa English	
# Cases	27652
# Variable(s)	20
<p><u>Notes</u> The Information pertaining to this file contain english characters because the enumeration has been conducted in english.</p>	

Colombo Sinhala	
# Cases	15166
# Variable(s)	29
<p><u>Notes</u> The Information pertaining to this file should be viewed after installing DL Araliya2 because the enumeration has been conducted in Sinhala and the data had been fed into the computer from a Sinhala keyboard. Pl find the version of DL Araliya2 software in the external resources section. The data can not be viewed through the Nesstar Explorer. To view the data again, pl export this file and save it in tab delimited format. Open the saved file with excel. In the Excel spreadsheet, pl convert the fonts in variables GN3, INITIALS, SURNAME, ADDR1 - ADDR4 to Sinhala using the DL Araliya font.</p>	

Galle Sinhala	
# Cases	25868
# Variable(s)	30
<p><u>Notes</u> The Information pertaining to this file should be viewed after installing DL Araliya2 because the enumeration has been conducted in Sinhala and the data had been fed into the computer from a Sinhala keyboard. Pl find the version of DL Araliya2 software in the external resources section. The data can not be viewed through the Nesstar Explorer. To view the data again, pl export this file and save it in tab delimited format. Open the saved file with excel. In the Excel spreadsheet, pl convert the fonts in variables GN3, INITIALS, SURNAME, ADDR1 - ADDR4 to Sinhala using the DL Araliya font.</p>	

Gampaha Sinhala	
# Cases	3555
# Variable(s)	28
<p><u>Notes</u> The Information pertaining to this file should be viewed after installing DL Araliya2 because the enumeration has been conducted in Sinhala and the data had been fed into the computer from a Sinhala keyboard. Pl find the version of DL Araliya2 software in the external resources section. The data can not be viewed through the Nesstar Explorer. To view the data again, pl export this file and save it in tab delimited format. Open the saved file with excel. In the Excel spreadsheet, pl convert the fonts in variables GN3, INITIALS, SURNAME, ADDR1 - ADDR4 to Sinhala using the DL Araliya font.</p>	

Hambantota Sinhala	
# Cases	5701
# Variable(s)	266
<p><u>Notes</u> The Information pertaining to this file should be viewed after installing DL Araliya2 because the enumeration has been conducted in Sinhala and the data had been fed into the computer from a Sinhala keyboard. Pl find the version of DL Araliya2 software in the external resources section. The data can not be viewed through the Nesstar Explorer. To view the data again, pl export this file and save it in tab delimited format. Open the saved file with excel. In the Excel spreadsheet, pl convert the fonts in variables GN3, INITIALS, SURNAME, ADDR1 - ADDR4 to Sinhala using the DL Araliya font.</p>	

Jaffna English	
# Cases	7262
# Variable(s)	19
<p><u>Notes</u> The Information pertaining to this file contain english characters because the enumeration has been conducted in</p>	

english.

Kalutara Sinhala

# Cases	12957
---------	-------

# Variable(s)	31
---------------	----

Notes

The Information pertaining to this file should be viewed after installing DL Araliya2 because the enumeration has been conducted in Sinhala and the data had been fed into the computer from a Sinhala keyboard. Pl find the version of DL Araliya2 software in the external resources section. The data can not be viewed through the Nesstar Explorer. To view the data again, pl export this file and save it in tab delimited format. Open the saved file with excel. In the Excel spreadsheet, pl convert the fonts in variables GN3, INITIALS, SURNAME, ADDR1 - ADDR4 to Sinhala using the DL Araliya font.

Kilinochchi English

# Cases	773
---------	-----

# Variable(s)	18
---------------	----

Notes

The Information pertaining to this file contain english characters because the enumeration has been conducted in english.

Matara Sinhala

# Cases	16685
---------	-------

# Variable(s)	32
---------------	----

Notes

The Information pertaining to this file should be viewed after installing DL Araliya2 because the enumeration has been conducted in Sinhala and the data had been fed into the computer from a Sinhala keyboard. Pl find the version of DL Araliya2 software in the external resources section. The data can not be viewed through the Nesstar Explorer. To view the data again, pl export this file and save it in tab delimited format. Open the saved file with excel. In the Excel spreadsheet, pl convert the fonts in variables GN3, INITIALS, SURNAME, ADDR1 - ADDR4 to Sinhala using the DL Araliya font.

Mullaitivu English

# Cases	5937
---------	------

# Variable(s)	18
---------------	----

Notes

The Information pertaining to this file contain english characters because the enumeration has been conducted in english.

Puttalam Sinhala	
# Cases	320
# Variable(s)	26
<p><u>Notes</u> The Information pertaining to this file should be viewed after installing DL Araliya2 because the enumeration has been conducted in Sinhala and the data had been fed into the computer from a Sinhala keyboard. Pl find the version of DL Araliya2 software in the external resources section. The data can not be viewed through the Nesstar Explorer. To view the data again, pl export this file and save it in tab delimited format. Open the saved file with excel. In the Excel spreadsheet, pl convert the fonts in variables GN3, INITIALS, SURNAME, ADDR1 - ADDR4 to Sinhala using the DL Araliya font.</p>	

Trincomali English	
# Cases	14552
# Variable(s)	20
<p><u>Notes</u> The Information pertaining to this file contain english characters because the enumeration has been conducted in english.</p>	

Variables List

Dataset contains 577 variable(s)

File Ampara English							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	IDA	IDA	continuous	numeric.0	29155	0	-
2	IDB	IDB	discrete	numeric.0	29155	0	-
3	DISTRICT	DISTRICT	discrete	numeric.0	29155	0	-
4	DSC	DSC	continuous	numeric.0	29155	0	-
5	DSDIVISION	DSDIVISION	discrete	numeric.0	29155	0	-
6	GN1	GN1	continuous	numeric.0	29155	0	-
7	GN2	GN2	discrete	numeric.0	29155	0	-
8	GN3	GN3	discrete	numeric.0	29155	0	-
9	IDJ	IDJ	discrete	numeric.0	29155	0	-
10	IDK	IDK	continuous	numeric.0	29155	0	-
11	INITIALS	INITIALS	discrete	numeric.0	27774	1381	-
12	SURNAME	SURNAME	discrete	numeric.0	29155	0	-
13	ADDR1	ADDR1	discrete	numeric.0	26253	2902	-
14	ADDR2	ADDR2	discrete	numeric.0	23043	6112	-
15	ADDR3	ADDR3	discrete	numeric.0	8722	20433	-
16	ADDR4	ADDR4	discrete	numeric.0	1288	27867	-
17	BZONE	BZONE	discrete	numeric.0	27204	1951	-
18	DAMGTYP	DAMGTYP	discrete	numeric.0	29127	28	-
19	V19	-	continuous	numeric.0	2051	27104	-
20	V20	-	continuous	numeric.0	29	29126	-

File Ampara Sinhala							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	IDA	IDA	discrete	numeric.0	364	0	-
2	IDB	IDB	discrete	numeric.0	364	0	-
3	DISTRICT	DISTRICT	discrete	character	364	0	-
4	DSCODE	DSCODE	discrete	numeric.0	364	0	-
5	DSDIVISION	DSDIVISION	discrete	character	364	0	-
6	GN1	GN1	discrete	numeric.0	364	0	-
7	GN2	GN2	discrete	character	364	0	-
8	GN3	GN3	discrete	character	364	0	-
9	IDI	IDI	discrete	character	364	0	-
10	IDJ	IDJ	discrete	numeric.0	364	0	-

Tsunami Sample Frame - 2005 (Tsunami Affected Housing Units) - Variables List

File Ampara Sinhala (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
11	IDK	IDK	continuous	numeric.0	364	0	-
12	INITIALS	INITIALS	discrete	character	346	0	-
13	SURNAME	SURNAME	discrete	character	355	0	-
14	ADDR1	ADDR1	discrete	character	363	0	-
15	ADDR2	ADDR2	discrete	character	364	0	-
16	ADDR3	ADDR3	discrete	character	293	0	-
17	ADDR4	ADDR4	discrete	character	193	0	-
18	BZONE	BZONE	discrete	character	229	0	-
19	DAMGTYP	DAMGTYP	discrete	character	240	0	-
20	V20	-	discrete	character	198	0	-

File Batticoola English							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	IDA	IDA	discrete	character	27652	0	-
2	IDB	IDB	discrete	character	27652	0	-
3	DISTRICT	DISTRICT	discrete	character	27651	0	-
4	DSCODE	DSCODE	continuous	numeric.0	27651	1	-
5	DSDIVISION	DSDIVISION	discrete	character	27652	-	-
6	GN1	GN1	continuous	numeric.0	27652	0	-
7	GN2	GN2	discrete	character	27651	-	-
8	GN3	GN3	discrete	character	27651	0	-
9	IDJ	IDJ	discrete	numeric.0	27651	1	-
10	IDK	IDK	continuous	numeric.0	27651	1	-
11	INITIALS	INITIALS	discrete	character	26587	0	-
12	SURNAME	SURNAME	discrete	character	27651	-	-
13	ADDR1	ADDR1	discrete	character	27618	-	-
14	ADDR2	ADDR2	discrete	character	15961	-	-
15	ADDR3	ADDR3	discrete	character	1689	-	-
16	ADDR4	ADDR4	discrete	character	132	0	-
17	BZONE	BZONE	discrete	numeric.0	27346	306	-
18	DAMGTYP	DAMGTYP	discrete	numeric.0	27649	3	-
19	V19	-	continuous	numeric.0	304	27348	-
20	V20	-	continuous	numeric.0	1	27651	-

Tsunami Sample Frame - 2005 (Tsunami Affected Housing Units) - Variables List

File Colombo Sinhala							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	IDA	IDA	continuous	numeric.0	15166	0	-
2	IDB	IDB	discrete	numeric.0	15166	0	-
3	DISTRICT	DISTRICT	discrete	character	15166	0	-
4	DSCODE	DSCODE	continuous	numeric.0	15166	0	-
5	DSDIVISION	DSDIVISION	discrete	character	15166	0	-
6	GN1	GN1	continuous	numeric.0	15166	0	-
7	GN2	GN2	discrete	character	15166	0	-
8	GN3	GN3	discrete	character	15166	0	-
9	IDI	IDI	discrete	character	15166	0	-
10	IDJ	IDJ	discrete	character	15166	0	-
11	IDK	IDK	discrete	character	15166	0	-
12	INITIALS	INITIALS	discrete	character	12215	0	-
13	SURNAME	SURNAME	discrete	character	13241	-	-
14	ADDR1	ADDR1	discrete	character	14321	-	-
15	ADDR2	ADDR2	discrete	character	14867	-	-
16	ADDR3	ADDR3	discrete	character	14011	-	-
17	ADDR4	ADDR4	discrete	character	11978	-	-
18	BZONE	BZONE	discrete	character	12033	-	-
19	DAMGTYP	DAMGTYP	discrete	character	12033	-	-
20	V20	-	discrete	character	9685	-	-
21	V21	-	discrete	character	7555	0	-
22	V22	-	discrete	character	4599	0	-
23	V23	-	discrete	character	2333	0	-
24	V24	-	discrete	character	1344	0	-
25	V25	-	discrete	character	736	0	-
26	V26	-	discrete	character	309	0	-
27	V27	-	discrete	character	84	0	-
28	V28	-	continuous	numeric.0	14	15152	-
29	V29	-	continuous	numeric.0	1	15165	-

File Galle Sinhala							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	IDA	IDA	discrete	character	25868	0	-
2	IDB	IDB	discrete	character	25868	0	-
3	DISTRICT	DISTRICT	discrete	character	25868	0	-
4	DSCODE	DSCODE	discrete	character	25868	0	-

Tsunami Sample Frame - 2005 (Tsunami Affected Housing Units) - Variables List

File Galle Sinhala (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
5	DSDIVISION	DSDIVISION	discrete	character	25868	0	-
6	GN1	GN1	discrete	character	25868	0	-
7	GN2	GN2	discrete	character	25868	-	-
8	GN3	GN3	discrete	character	25867	-	-
9	IDI	IDI	discrete	character	25868	0	-
10	IDJ	IDJ	discrete	character	25868	0	-
11	IDK	IDK	discrete	character	25867	0	-
12	INITIALS	INITIALS	discrete	character	22868	0	-
13	SURNAME	SURNAME	discrete	character	24408	-	-
14	ADDR1	ADDR1	discrete	character	24877	-	-
15	ADDR2	ADDR2	discrete	character	25697	-	-
16	ADDR3	ADDR3	discrete	character	23952	-	-
17	ADDR4	ADDR4	discrete	character	20697	-	-
18	BZONE	BZONE	discrete	character	20021	-	-
19	DAMGTYP	DAMGTYP	discrete	character	20467	-	-
20	V20	-	discrete	character	18211	0	-
21	V21	-	discrete	character	15237	0	-
22	V22	-	discrete	character	11222	0	-
23	V23	-	discrete	character	7529	0	-
24	V24	-	discrete	character	4498	0	-
25	V25	-	discrete	character	2496	0	-
26	V26	-	discrete	character	996	0	-
27	V27	-	discrete	character	266	0	-
28	V28	-	continuous	numeric.0	53	25815	-
29	V29	-	continuous	numeric.0	10	25858	-
30	V30	-	continuous	numeric.0	2	25866	-

File Gampaha Sinhala							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	IDA	IDA	discrete	numeric.0	3555	0	-
2	IDB	IDB	discrete	numeric.0	3555	0	-
3	DISTRICT	DISTRICT	discrete	character	3555	0	-
4	DSCODE	DSCODE	discrete	numeric.0	3555	0	-
5	DSDIVISION	DSDIVISION	discrete	character	3555	0	-
6	GN1	GN1	continuous	numeric.0	3555	0	-
7	GN2	GN2	discrete	character	3555	0	-

Tsunami Sample Frame - 2005 (Tsunami Affected Housing Units) - Variables List

File Gampaha Sinhala (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
8	GN3	GN3	discrete	character	3555	0	-
9	IDI	IDI	discrete	character	3555	0	-
10	IDJ	IDJ	discrete	character	3555	0	-
11	IDK	IDK	discrete	character	3555	0	-
12	INITIALS	INITIALS	discrete	character	2790	0	-
13	SURNAME	SURNAME	discrete	character	3414	-	-
14	ADDR1	ADDR1	discrete	character	3284	-	-
15	ADDR2	ADDR2	discrete	character	3550	-	-
16	ADDR3	ADDR3	discrete	character	3529	-	-
17	ADDR4	ADDR4	discrete	character	3281	-	-
18	BZONE	BZONE	discrete	character	3074	0	-
19	DAMGTYP	DAMGTYP	discrete	character	3175	0	-
20	V20	-	discrete	character	2536	0	-
21	V21	-	discrete	character	1930	0	-
22	V22	-	discrete	character	1358	0	-
23	V23	-	discrete	character	688	0	-
24	V24	-	discrete	character	374	0	-
25	V25	-	discrete	character	218	0	-
26	V26	-	discrete	character	144	0	-
27	V27	-	continuous	numeric.0	53	3502	-
28	V28	-	continuous	numeric.0	7	3548	-

File Hambantota Sinhala							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	IDA	IDA	discrete	character	5701	0	-
2	IDB	IDB	discrete	character	5701	0	-
3	DISTRICT	DISTRICT	discrete	character	5701	0	-
4	DSCODE	DSCODE	discrete	character	5701	0	-
5	DSDIVISION	DSDIVISION	discrete	character	5701	0	-
6	GN1	GN1	continuous	numeric.0	5700	1	-
7	GN2	GN2	discrete	character	5701	0	-
8	GN3	GN3	discrete	character	5701	0	-
9	IDI	IDI	discrete	character	5700	0	-
10	IDJ	IDJ	discrete	character	5700	0	-
11	IDK	IDK	continuous	numeric.0	5700	1	-
12	INITIALS	INITIALS	discrete	character	4686	0	-

Tsunami Sample Frame - 2005 (Tsunami Affected Housing Units) - Variables List

File Hambantota Sinhala (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
13	SURNAME	SURNAME	discrete	character	5641	-	-
14	ADDR1	ADDR1	discrete	character	5201	-	-
15	ADDR2	ADDR2	discrete	character	5636	-	-
16	ADDR3	ADDR3	discrete	character	5383	-	-
17	ADDR4	ADDR4	discrete	character	4571	-	-
18	BZONE	BZONE	discrete	character	4525	0	-
19	DAMGTYP	DAMGTYP	discrete	character	4724	0	-
20	V20	-	discrete	character	3962	0	-
21	V21	-	discrete	character	2874	0	-
22	V22	-	discrete	character	1906	0	-
23	V23	-	discrete	character	1470	0	-
24	V24	-	discrete	character	887	0	-
25	V25	-	discrete	character	427	0	-
26	V26	-	discrete	character	169	0	-
27	V27	-	continuous	numeric.0	47	5654	-
28	V28	-	continuous	numeric.0	11	5690	-
29	V29	-	continuous	numeric.0	1	5700	-
30	V30	-	continuous	numeric.0	0	5701	-
31	V31	-	discrete	character	1	0	-
32	V32	-	discrete	character	1	0	-
33	V33	-	discrete	character	1	0	-
34	V34	-	discrete	character	1	0	-
35	V35	-	discrete	character	1	0	-
36	V36	-	discrete	character	1	0	-
37	V37	-	discrete	character	1	0	-
38	V38	-	discrete	character	1	0	-
39	V39	-	discrete	character	1	0	-
40	V40	-	discrete	character	1	0	-
41	V41	-	discrete	character	1	0	-
42	V42	-	discrete	character	1	0	-
43	V43	-	discrete	character	1	0	-
44	V44	-	discrete	character	1	0	-
45	V45	-	discrete	character	1	0	-
46	V46	-	discrete	character	1	0	-
47	V47	-	discrete	character	1	0	-
48	V48	-	discrete	character	1	0	-
49	V49	-	discrete	character	1	0	-

Tsunami Sample Frame - 2005 (Tsunami Affected Housing Units) - Variables List

File Hambantota Sinhala (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
50	V50	-	discrete	character	1	0	-
51	V51	-	discrete	character	1	0	-
52	V52	-	discrete	character	1	0	-
53	V53	-	discrete	character	1	0	-
54	V54	-	discrete	character	1	0	-
55	V55	-	discrete	character	1	0	-
56	V56	-	discrete	character	1	0	-
57	V57	-	discrete	character	1	0	-
58	V58	-	discrete	character	1	0	-
59	V59	-	discrete	character	1	0	-
60	V60	-	discrete	character	1	0	-
61	V61	-	discrete	character	1	0	-
62	V62	-	discrete	character	1	0	-
63	V63	-	discrete	character	1	0	-
64	V64	-	discrete	character	1	0	-
65	V65	-	discrete	character	1	0	-
66	V66	-	discrete	character	1	0	-
67	V67	-	discrete	character	1	0	-
68	V68	-	discrete	character	1	0	-
69	V69	-	discrete	character	1	0	-
70	V70	-	discrete	character	1	0	-
71	V71	-	discrete	character	1	0	-
72	V72	-	discrete	character	1	0	-
73	V73	-	discrete	character	1	0	-
74	V74	-	discrete	character	1	0	-
75	V75	-	discrete	character	1	0	-
76	V76	-	discrete	character	1	0	-
77	V77	-	discrete	character	1	0	-
78	V78	-	discrete	character	1	0	-
79	V79	-	discrete	character	1	0	-
80	V80	-	discrete	character	1	0	-
81	V81	-	discrete	character	1	0	-
82	V82	-	discrete	character	1	0	-
83	V83	-	discrete	character	1	0	-
84	V84	-	discrete	character	1	0	-
85	V85	-	discrete	character	1	0	-
86	V86	-	discrete	character	1	0	-

Tsunami Sample Frame - 2005 (Tsunami Affected Housing Units) - Variables List

File Hambantota Sinhala (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
87	V87	-	discrete	character	1	0	-
88	V88	-	discrete	character	1	0	-
89	V89	-	discrete	character	1	0	-
90	V90	-	discrete	character	1	0	-
91	V91	-	discrete	character	1	0	-
92	V92	-	discrete	character	1	0	-
93	V93	-	discrete	character	1	0	-
94	V94	-	discrete	character	1	0	-
95	V95	-	discrete	character	1	0	-
96	V96	-	discrete	character	1	0	-
97	V97	-	discrete	character	1	0	-
98	V98	-	discrete	character	1	0	-
99	V99	-	discrete	character	1	0	-
100	V100	-	discrete	character	1	0	-
101	V101	-	discrete	character	1	0	-
102	V102	-	discrete	character	1	0	-
103	V103	-	discrete	character	1	0	-
104	V104	-	discrete	character	1	0	-
105	V105	-	discrete	character	1	0	-
106	V106	-	discrete	character	1	0	-
107	V107	-	discrete	character	1	0	-
108	V108	-	discrete	character	1	0	-
109	V109	-	discrete	character	1	0	-
110	V110	-	discrete	character	1	0	-
111	V111	-	discrete	character	1	0	-
112	V112	-	discrete	character	1	0	-
113	V113	-	discrete	character	1	0	-
114	V114	-	discrete	character	1	0	-
115	V115	-	discrete	character	1	0	-
116	V116	-	discrete	character	1	0	-
117	V117	-	discrete	character	1	0	-
118	V118	-	discrete	character	1	0	-
119	V119	-	discrete	character	1	0	-
120	V120	-	discrete	character	1	0	-
121	V121	-	discrete	character	1	0	-
122	V122	-	discrete	character	1	0	-
123	V123	-	discrete	character	1	0	-

Tsunami Sample Frame - 2005 (Tsunami Affected Housing Units) - Variables List

File Hambantota Sinhala (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
124	V124	-	discrete	character	1	0	-
125	V125	-	discrete	character	1	0	-
126	V126	-	discrete	character	1	0	-
127	V127	-	discrete	character	1	0	-
128	V128	-	discrete	character	1	0	-
129	V129	-	discrete	character	1	0	-
130	V130	-	discrete	character	1	0	-
131	V131	-	discrete	character	1	0	-
132	V132	-	discrete	character	1	0	-
133	V133	-	discrete	character	1	0	-
134	V134	-	discrete	character	1	0	-
135	V135	-	discrete	character	1	0	-
136	V136	-	discrete	character	1	0	-
137	V137	-	discrete	character	1	0	-
138	V138	-	discrete	character	1	0	-
139	V139	-	discrete	character	1	0	-
140	V140	-	discrete	character	1	0	-
141	V141	-	discrete	character	1	0	-
142	V142	-	discrete	character	1	0	-
143	V143	-	discrete	character	1	0	-
144	V144	-	discrete	character	1	0	-
145	V145	-	discrete	character	1	0	-
146	V146	-	discrete	character	1	0	-
147	V147	-	discrete	character	1	0	-
148	V148	-	discrete	character	1	0	-
149	V149	-	discrete	character	1	0	-
150	V150	-	discrete	character	1	0	-
151	V151	-	discrete	character	1	0	-
152	V152	-	discrete	character	1	0	-
153	V153	-	discrete	character	1	0	-
154	V154	-	discrete	character	1	0	-
155	V155	-	discrete	character	1	0	-
156	V156	-	discrete	character	1	0	-
157	V157	-	discrete	character	1	0	-
158	V158	-	discrete	character	1	0	-
159	V159	-	discrete	character	1	0	-
160	V160	-	discrete	character	1	0	-

Tsunami Sample Frame - 2005 (Tsunami Affected Housing Units) - Variables List

File Hambantota Sinhala (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
161	V161	-	discrete	character	1	0	-
162	V162	-	discrete	character	1	0	-
163	V163	-	discrete	character	1	0	-
164	V164	-	discrete	character	1	0	-
165	V165	-	discrete	character	1	0	-
166	V166	-	discrete	character	1	0	-
167	V167	-	discrete	character	1	0	-
168	V168	-	discrete	character	1	0	-
169	V169	-	discrete	character	1	0	-
170	V170	-	discrete	character	1	0	-
171	V171	-	discrete	character	1	0	-
172	V172	-	discrete	character	1	0	-
173	V173	-	discrete	character	1	0	-
174	V174	-	discrete	character	1	0	-
175	V175	-	discrete	character	1	0	-
176	V176	-	discrete	character	1	0	-
177	V177	-	discrete	character	1	0	-
178	V178	-	discrete	character	1	0	-
179	V179	-	discrete	character	1	0	-
180	V180	-	discrete	character	1	0	-
181	V181	-	discrete	character	1	0	-
182	V182	-	discrete	character	1	0	-
183	V183	-	discrete	character	1	0	-
184	V184	-	discrete	character	1	0	-
185	V185	-	discrete	character	1	0	-
186	V186	-	discrete	character	1	0	-
187	V187	-	discrete	character	1	0	-
188	V188	-	discrete	character	1	0	-
189	V189	-	discrete	character	1	0	-
190	V190	-	discrete	character	1	0	-
191	V191	-	discrete	character	1	0	-
192	V192	-	discrete	character	1	0	-
193	V193	-	discrete	character	1	0	-
194	V194	-	discrete	character	1	0	-
195	V195	-	discrete	character	1	0	-
196	V196	-	discrete	character	1	0	-
197	V197	-	discrete	character	1	0	-

Tsunami Sample Frame - 2005 (Tsunami Affected Housing Units) - Variables List

File Hambantota Sinhala (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
198	V198	-	discrete	character	1	0	-
199	V199	-	discrete	character	1	0	-
200	V200	-	discrete	character	1	0	-
201	V201	-	discrete	character	1	0	-
202	V202	-	discrete	character	1	0	-
203	V203	-	discrete	character	1	0	-
204	V204	-	discrete	character	1	0	-
205	V205	-	discrete	character	1	0	-
206	V206	-	discrete	character	1	0	-
207	V207	-	discrete	character	1	0	-
208	V208	-	discrete	character	1	0	-
209	V209	-	discrete	character	1	0	-
210	V210	-	discrete	character	1	0	-
211	V211	-	discrete	character	1	0	-
212	V212	-	discrete	character	1	0	-
213	V213	-	discrete	character	1	0	-
214	V214	-	discrete	character	1	0	-
215	V215	-	discrete	character	1	0	-
216	V216	-	discrete	character	1	0	-
217	V217	-	discrete	character	1	0	-
218	V218	-	discrete	character	1	0	-
219	V219	-	discrete	character	1	0	-
220	V220	-	discrete	character	1	0	-
221	V221	-	discrete	character	1	0	-
222	V222	-	discrete	character	1	0	-
223	V223	-	discrete	character	1	0	-
224	V224	-	discrete	character	1	0	-
225	V225	-	discrete	character	1	0	-
226	V226	-	discrete	character	1	0	-
227	V227	-	discrete	character	1	0	-
228	V228	-	discrete	character	1	0	-
229	V229	-	discrete	character	1	0	-
230	V230	-	discrete	character	1	0	-
231	V231	-	discrete	character	1	0	-
232	V232	-	discrete	character	1	0	-
233	V233	-	discrete	character	1	0	-
234	V234	-	discrete	character	1	0	-

Tsunami Sample Frame - 2005 (Tsunami Affected Housing Units) - Variables List

File Hambantota Sinhala (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
235	V235	-	discrete	character	1	0	-
236	V236	-	discrete	character	1	0	-
237	V237	-	discrete	character	1	0	-
238	V238	-	discrete	character	1	0	-
239	V239	-	discrete	character	1	0	-
240	V240	-	discrete	character	1	0	-
241	V241	-	discrete	character	1	0	-
242	V242	-	discrete	character	1	0	-
243	V243	-	discrete	character	1	0	-
244	V244	-	discrete	character	1	0	-
245	V245	-	discrete	character	1	0	-
246	V246	-	discrete	character	1	0	-
247	V247	-	discrete	character	1	0	-
248	V248	-	discrete	character	1	0	-
249	V249	-	discrete	character	1	0	-
250	V250	-	discrete	character	1	0	-
251	V251	-	discrete	character	1	0	-
252	V252	-	discrete	character	1	0	-
253	V253	-	discrete	character	1	0	-
254	V254	-	discrete	character	1	0	-
255	V255	-	discrete	character	1	0	-
256	V256	-	discrete	character	1	0	-
257	V257	-	discrete	character	1	0	-
258	V258	-	continuous	numeric.0	0	5701	-
259	V259	-	continuous	numeric.0	0	5701	-
260	V260	-	continuous	numeric.0	0	5701	-
261	V261	-	continuous	numeric.0	0	5701	-
262	V262	-	continuous	numeric.0	0	5701	-
263	V263	-	continuous	numeric.0	0	5701	-
264	V264	-	continuous	numeric.0	0	5701	-
265	V265	-	continuous	numeric.0	0	5701	-
266	V266	-	continuous	numeric.0	0	5701	-

File Jaffna English							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	IDA	IDA	continuous	numeric.0	7262	0	-

Tsunami Sample Frame - 2005 (Tsunami Affected Housing Units) - Variables List

File Jaffna English (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
2	IDB	IDB	discrete	numeric.0	7262	0	-
3	DISTRICT	DISTRICT	discrete	character	7262	0	-
4	DSCODE	DSCODE	discrete	numeric.0	7262	0	-
5	DSDIVISION	DSDIVISION	discrete	character	7262	0	-
6	GN1	GN1	continuous	numeric.0	7262	0	-
7	GN2	GN2	discrete	character	7262	-	-
8	GN3	GN3	discrete	character	7262	0	-
9	IDJ	IDJ	discrete	numeric.0	7262	0	-
10	IDK	IDK	continuous	numeric.0	7262	0	-
11	INITIALS	INITIALS	discrete	character	7106	0	-
12	SURNAME	SURNAME	discrete	character	7262	-	-
13	ADDR1	ADDR1	discrete	character	7262	-	-
14	ADDR2	ADDR2	discrete	character	1617	0	-
15	ADDR3	ADDR3	discrete	character	111	0	-
16	ADDR4	ADDR4	continuous	numeric.0	0	7262	-
17	BZONE	BZONE	discrete	numeric.0	7261	1	-
18	DAMGTYP	DAMGTYP	discrete	numeric.0	7262	0	-
19	V19	-	continuous	numeric.0	1	7261	-

File Kalutara Sinhala							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	IDA	IDA	continuous	numeric.0	12957	0	-
2	IDB	IDB	continuous	numeric.0	12957	0	-
3	DISTRICT	DISTRICT	discrete	character	12957	0	-
4	DSCODE	DSCODE	continuous	numeric.0	12957	0	-
5	DSDIVISION	DSDIVISION	discrete	character	12957	0	-
6	GN1	GN1	continuous	numeric.0	12957	0	-
7	GN2	GN2	discrete	character	12957	0	-
8	GN3	GN3	discrete	character	12957	0	-
9	IDI	IDI	discrete	character	12957	0	-
10	IDJ	IDJ	discrete	character	12957	0	-
11	IDK	IDK	discrete	character	12957	0	-
12	INITIALS	INITIALS	discrete	character	11363	0	-
13	SURNAME	SURNAME	discrete	character	12111	-	-
14	ADDR1	ADDR1	discrete	character	12640	-	-
15	ADDR2	ADDR2	discrete	character	12811	-	-

Tsunami Sample Frame - 2005 (Tsunami Affected Housing Units) - Variables List

File Kalutara Sinhala (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
16	ADDR3	ADDR3	discrete	character	12541	-	-
17	ADDR4	ADDR4	discrete	character	10229	-	-
18	BZONE	BZONE	discrete	character	9895	-	-
19	DAMGTYP	DAMGTYP	discrete	character	10452	-	-
20	V20	-	discrete	character	9022	0	-
21	V21	-	discrete	character	7060	0	-
22	V22	-	discrete	character	4692	0	-
23	V23	-	discrete	character	2488	0	-
24	V24	-	discrete	character	1397	0	-
25	V25	-	discrete	character	1000	0	-
26	V26	-	discrete	character	617	0	-
27	V27	-	discrete	character	319	0	-
28	V28	-	discrete	character	135	0	-
29	V29	-	discrete	character	27	0	-
30	V30	-	continuous	numeric.0	5	12952	-
31	V31	-	continuous	numeric.0	4	12953	-

File Kilinochchi English							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	IDA	IDA	discrete	numeric.0	773	0	-
2	IDB	IDB	discrete	numeric.0	773	0	-
3	DISTRICT	DISTRICT	discrete	character	773	0	-
4	DSCODE	DSCODE	discrete	numeric.0	773	0	-
5	DSDIVISION	DSDIVISION	discrete	character	773	0	-
6	GN1	GN1	continuous	numeric.0	773	0	-
7	GN2	GN2	discrete	character	773	0	-
8	GN3	GN3	discrete	character	773	0	-
9	IDJ	IDJ	discrete	numeric.0	773	0	-
10	IDK	IDK	continuous	numeric.0	773	0	-
11	INITIALS	INITIALS	discrete	character	764	0	-
12	SURNAME	SURNAME	discrete	character	773	-	-
13	ADDR1	ADDR1	discrete	character	773	-	-
14	ADDR2	ADDR2	discrete	character	760	0	-
15	ADDR3	ADDR3	discrete	character	118	0	-
16	ADDR4	ADDR4	discrete	character	1	0	-
17	BZONE	BZONE	discrete	numeric.0	773	0	-

Tsunami Sample Frame - 2005 (Tsunami Affected Housing Units) - Variables List

File Kilinochchi English (cont.)

#	Name	Label	Type	Format	Valid	Invalid	Question
18	DAMGTYP	DAMGTYP	discrete	numeric.0	773	0	-

File Matara Sinhala

#	Name	Label	Type	Format	Valid	Invalid	Question
1	IDA	IDA	continuous	numeric.0	16685	0	-
2	IDB	IDB	discrete	numeric.0	16685	0	-
3	DISTRICT	DISTRICT	discrete	character	16685	0	-
4	DSCODE	DSCODE	discrete	numeric.0	16685	0	-
5	DSDIVISION	DSDIVISION	discrete	character	16685	0	-
6	GN1	GN1	continuous	numeric.0	16685	0	-
7	GN2	GN2	discrete	character	16685	-	-
8	GN3	GN3	discrete	character	16685	-	-
9	IDI	IDI	discrete	character	16282	0	-
10	IDJ	IDJ	discrete	character	16685	0	-
11	IDK	IDK	discrete	character	16685	0	-
12	INITIALS	INITIALS	discrete	character	14791	0	-
13	SURNAME	SURNAME	discrete	character	15871	-	-
14	ADDR1	ADDR1	discrete	character	16420	-	-
15	ADDR2	ADDR2	discrete	character	16448	-	-
16	ADDR3	ADDR3	discrete	character	15618	-	-
17	ADDR4	ADDR4	discrete	character	13620	-	-
18	BZONE	BZONE	discrete	character	13217	-	-
19	DAMGTYP	DAMGTYP	discrete	character	12585	-	-
20	V20	-	discrete	character	11149	0	-
21	V21	-	discrete	character	9034	0	-
22	V22	-	discrete	character	5698	0	-
23	V23	-	discrete	character	3154	0	-
24	V24	-	discrete	character	1618	0	-
25	V25	-	discrete	character	988	0	-
26	V26	-	discrete	character	473	0	-
27	V27	-	continuous	numeric.0	155	16530	-
28	V28	-	discrete	character	33	0	-
29	V29	-	discrete	character	4	0	-
30	V30	-	continuous	numeric.0	0	16685	-
31	V31	-	continuous	numeric.0	1	16684	-
32	V32	-	continuous	numeric.0	1	16684	-

Tsunami Sample Frame - 2005 (Tsunami Affected Housing Units) - Variables List

File Mullaitivu English							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	IDA	IDA	discrete	numeric.0	5937	0	-
2	IDB	IDB	discrete	numeric.0	5937	0	-
3	DISTRICT	DISTRICT	discrete	character	5937	0	-
4	DSCODE	DSCODE	discrete	numeric.0	5937	0	-
5	DSDIVISION	DSDIVISION	discrete	character	5937	0	-
6	GN1	GN1	continuous	numeric.0	5937	0	-
7	GN2	GN2	discrete	character	5937	0	-
8	GN3	GN3	discrete	character	5937	0	-
9	IDJ	IDJ	discrete	numeric.0	5937	0	-
10	IDK	IDK	continuous	numeric.0	5937	0	-
11	INITIALS	INITIALS	discrete	character	5673	0	-
12	SURNAME	SURNAME	discrete	character	5937	-	-
13	ADDR1	ADDR1	discrete	character	5937	-	-
14	ADDR2	ADDR2	discrete	character	2489	0	-
15	ADDR3	ADDR3	discrete	character	16	0	-
16	ADDR4	ADDR4	continuous	numeric.0	0	5937	-
17	BZONE	BZONE	discrete	numeric.0	5937	0	-
18	DAMGTYP	DAMGTYP	discrete	numeric.0	5937	0	-

File Puttalam Sinhala							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	IDA	IDA	discrete	numeric.0	320	0	-
2	IDB	IDB	discrete	numeric.0	320	0	-
3	DISTRICT	DISTRICT	discrete	character	320	0	-
4	DSCODE	DSCODE	discrete	numeric.0	320	0	-
5	DSDIVISION	DSDIVISION	discrete	character	320	0	-
6	GN1	GN1	continuous	numeric.0	320	0	-
7	GN2	GN2	discrete	character	320	0	-
8	GN3	GN3	discrete	character	320	0	-
9	IDI	IDI	discrete	character	320	0	-
10	IDJ	IDJ	discrete	character	320	0	-
11	IDK	IDK	discrete	character	320	0	-
12	INITIALS	INITIALS	discrete	character	248	0	-
13	SURNAME	SURNAME	discrete	character	266	-	-
14	ADDR1	ADDR1	discrete	character	309	0	-
15	ADDR2	ADDR2	discrete	character	319	-	-

Tsunami Sample Frame - 2005 (Tsunami Affected Housing Units) - Variables List

File Puttalam Sinhala (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
16	ADDR3	ADDR3	discrete	character	316	0	-
17	ADDR4	ADDR4	discrete	character	290	0	-
18	BZONE	BZONE	discrete	character	229	0	-
19	DAMGTYP	DAMGTYP	discrete	character	242	0	-
20	V20	-	discrete	character	265	0	-
21	V21	-	discrete	character	198	0	-
22	V22	-	discrete	character	100	0	-
23	V23	-	discrete	character	95	0	-
24	V24	-	continuous	numeric.0	95	225	-
25	V25	-	continuous	numeric.0	39	281	-
26	V26	-	continuous	numeric.0	5	315	-

File Trincomali English							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	IDA	IDA	continuous	numeric.0	14552	0	-
2	IDB	IDB	discrete	numeric.0	14552	0	-
3	DISTRICT	DISTRICT	discrete	character	14552	0	-
4	DSCODE	DSCODE	continuous	numeric.0	14552	0	-
5	DSDIVISION	DSDIVISION	discrete	character	14552	0	-
6	GN1	GN1	continuous	numeric.0	14552	0	-
7	GN2	GN2	discrete	character	14552	-	-
8	GN3	GN3	discrete	character	14552	0	-
9	IDJ	IDJ	discrete	numeric.0	14552	0	-
10	IDK	IDK	continuous	numeric.0	14552	0	-
11	INITIALS	INITIALS	discrete	character	13448	0	-
12	SURNAME	SURNAME	discrete	character	14552	-	-
13	ADDR1	ADDR1	discrete	character	14543	-	-
14	ADDR2	ADDR2	discrete	character	9619	-	-
15	ADDR3	ADDR3	discrete	character	953	-	-
16	ADDR4	ADDR4	discrete	character	176	0	-
17	BZONE	BZONE	continuous	numeric.0	14279	273	-
18	DAMGTYP	DAMGTYP	discrete	numeric.0	14551	1	-
19	V19	-	continuous	numeric.0	273	14279	-
20	V20	-	continuous	numeric.0	1	14551	-

Variables Description

Dataset contains 577 variable(s)

File Ampara English

#1 IDA: IDA

Information	[Type= continuous] [Format=numeric] [Range= 341-902] [Missing=*]
Statistics [NW/ W]	[Valid=29155 /-] [Invalid=0 /-] [Mean=403.004 /-] [StdDev=33.073 /-]

#2 IDB: IDB

Information	[Type= discrete] [Format=numeric] [Range= 52-53] [Missing=*]
Statistics [NW/ W]	[Valid=29155 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
52		29073	99.7%
53		82	0.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#3 DISTRICT: DISTRICT

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=29155 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Ampara	27335	93.8%
2	Ampara East	550	1.9%
3	Ampara	327	1.1%
4	Ampara	943	3.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#4 DSC: DSC

Information	[Type= continuous] [Format=numeric] [Range= 21-48] [Missing=*]
Statistics [NW/ W]	[Valid=29155 /-] [Invalid=0 /-] [Mean=31.676 /-] [StdDev=9.568 /-]

#5 DSDIVISION: DSDIVISION

Information	[Type= discrete] [Format=numeric] [Range= 1-15] [Missing=*]
Statistics [NW/ W]	[Valid=29155 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Addalachchenai	1776	6.1%
2	Akkaraipattu	1033	3.5%
3	Akkaraipattu-03	361	1.2%

File Ampara English (cont.)

#5 DSDIVISION: DSDIVISION (cont.)

Value (cont.)	Label	Cases	Percentage
4	Akkaraipattu-05	550	1.9%
5	Alayadiwembu	360	1.2%
6	Kalmunai	5686	19.5%
7	Kalmunaikudi	243	0.8%
8	Kalmunai Tamil Division	2906	10.0%
9	Kalmunai	201	0.7%
10	Karativu	2735	9.4%
11	Ninthavur	400	1.4%
12	Ninthavur	1991	6.8%
13	Pottuvil	3681	12.6%
14	Sainthamarathu	3419	11.7%
15	Thirukkovil	3813	13.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#6 GN1: GN1

Information	[Type= continuous] [Format=numeric] [Range= 1-230] [Missing=*]
Statistics [NW/ W]	[Valid=29155 /-] [Invalid=0 /-] [Mean=61.085 /-] [StdDev=41.112 /-]

#7 GN2: GN2

Information	[Type= discrete] [Format=numeric] [Range= 1-122] [Missing=*]
Statistics [NW/ W]	[Valid=29155 /-] [Invalid=0 /-]
Frequency table not shown (122 Modalities)	

#8 GN3: GN3

Information	[Type= discrete] [Format=numeric] [Range= 1-126] [Missing=*]
Statistics [NW/ W]	[Valid=29155 /-] [Invalid=0 /-]
Frequency table not shown (126 Modalities)	

#9 IDJ: IDJ

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=29155 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1		9612	33.0%
2		2814	9.7%

File Ampara English (cont.)

#9 IDJ: IDJ (cont.)

Value (cont.)	Label	Cases	Percentage
3		8721	29.9%
4		8008	27.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#10 IDK: IDK

Information	[Type= continuous] [Format=numeric] [Range= 1-419] [Missing=*]
Statistics [NW/ W]	[Valid=29155 /-] [Invalid=0 /-] [Mean=74.092 /-] [StdDev=67.711 /-]

#11 INITIALS: INITIALS

Information	[Type= discrete] [Format=numeric] [Range= 1-967] [Missing=*]
Statistics [NW/ W]	[Valid=27774 /-] [Invalid=1381 /-]
Frequency table not shown (968 Modalities)	

#12 SURNAME: SURNAME

Information	[Type= discrete] [Format=numeric] [Range= 1-13883] [Missing=*]
Statistics [NW/ W]	[Valid=29155 /-] [Invalid=0 /-]
Frequency table not shown (13883 Modalities)	

#13 ADDR1: ADDR1

Information	[Type= discrete] [Format=numeric] [Range= 1-8751] [Missing=*]
Statistics [NW/ W]	[Valid=26253 /-] [Invalid=2902 /-]
Frequency table not shown (8751 Modalities)	

#14 ADDR2: ADDR2

Information	[Type= discrete] [Format=numeric] [Range= 1-1539] [Missing=*]
Statistics [NW/ W]	[Valid=23043 /-] [Invalid=6112 /-]
Frequency table not shown (1539 Modalities)	

#15 ADDR3: ADDR3

Information	[Type= discrete] [Format=numeric] [Range= 1-470] [Missing=*]
Statistics [NW/ W]	[Valid=8722 /-] [Invalid=20433 /-]
Frequency table not shown (471 Modalities)	

Tsunami Sample Frame - 2005 (Tsunami Affected Housing Units) - Variables Description

File Ampara English (cont.)

#16 ADDR4: ADDR4

Information [Type= discrete] [Format=numeric] [Range= 1-55] [Missing=*]

Statistics [NW/ W] [Valid=1288 /-] [Invalid=27867 /-]

Frequency table not shown (56 Modalities)

#17 BZONE: BZONE

Information [Type= discrete] [Format=numeric] [Range= 1-13] [Missing=*]

Statistics [NW/ W] [Valid=27204 /-] [Invalid=1951 /-]

Value	Label	Cases	Percentage
1	Totally Damaged	7977	29.3%
2	Partially Damaged(unrestorable)	16369	60.2%
3	Partially Damaged (restorable)	2	0.0%
4	Undamaged	1580	5.8%
5	.	8	0.0%
6	Akber Village	11	0.0%
7	Muslim Division	50	0.2%
8	5	1176	4.3%
9	Periyaneelavanai-1B	3	0.0%
10	Maligaikadu East	1	0.0%
11	Sainthamarathu-06	8	0.0%
12	Sainthamaruthu-12	4	0.0%
13	Sainthamaruthu-13	15	0.1%
Sysmiss		1951	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#18 DAMGTYP: DAMGTYP

Information [Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]

Statistics [NW/ W] [Valid=29127 /-] [Invalid=28 /-]

Value	Label	Cases	Percentage
1	1	9772	33.5%
2	2	3584	12.3%
3	3	8291	28.5%
4	4	7474	25.7%
5	5	5	0.0%
6	.	1	0.0%
Sysmiss		28	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Ampara English (cont.)

#19 V19

Information	[Type= continuous] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=2051 /-] [Invalid=27104 /-] [Mean=2.442 /-] [StdDev=1.215 /-]

#20 V20

Information	[Type= continuous] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=29 /-] [Invalid=29126 /-] [Mean=1.862 /-] [StdDev=1.187 /-]

File Ampara Sinhala

#1 IDA: IDA

Information	[Type= discrete] [Format=numeric] [Range= 123-125] [Missing=*]
Statistics [NW/ W]	[Valid=364 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
123		113	31.0%
124		195	53.6%
125		56	15.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#2 IDB: IDB

Information	[Type= discrete] [Format=numeric] [Range= 52-52] [Missing=*]
Statistics [NW/ W]	[Valid=364 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
52		364	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#3 DISTRICT: DISTRICT

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=364 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
Ampara		364	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Ampara Sinhala (cont.)

#4 DSCODE: DSCODE

Information	[Type= discrete] [Format=numeric] [Range= 51-51] [Missing=*]		
Statistics [NW/ W]	[Valid=364 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
51		364	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#5 DSDIVISION: DSDIVISION

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=364 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
Lahugala		364	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#6 GN1: GN1

Information	[Type= discrete] [Format=numeric] [Range= 45-60] [Missing=*]		
Statistics [NW/ W]	[Valid=364 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
45		113	31.0%
55		195	53.6%
60		56	15.4%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#7 GN2: GN2

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=364 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
Panama North		195	53.6%
Panama South		56	15.4%
Sasthrawela		113	31.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#8 GN3: GN3

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=364 /-] [Invalid=0 /-]		

File Ampara Sinhala (cont.)

#8 GN3: GN3 (cont.)

Value	Label	Cases	Percentage
"Ydia;%fj		113	31.0%
mdku W;=r		195	53.6%
mdku ol=K		56	15.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#9 IDI: IDI

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=364 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
"		113	31.0%
PP04		195	53.6%
PP2		56	15.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#10 IDJ: IDJ

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=364 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1		4	1.1%
2		3	0.8%
3		20	5.5%
4		224	61.5%
6		113	31.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#11 IDK: IDK

Information	[Type= continuous] [Format=numeric] [Range= 1-199] [Missing=*]
Statistics [NW/ W]	[Valid=364 /-] [Invalid=0 /-] [Mean=55.06 /-] [StdDev=62.06 /-]

#12 INITIALS: INITIALS

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=346 /-] [Invalid=0 /-]
Frequency table not shown (150 Modalities)	

File Ampara Sinhala (cont.)

#13 SURNAME: SURNAME

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=355 /-] [Invalid=0 /-]
Frequency table not shown (237 Modalities)	

#14 ADDR1: ADDR1

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=363 /-] [Invalid=0 /-]
Frequency table not shown (147 Modalities)	

#15 ADDR2: ADDR2

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=364 /-] [Invalid=0 /-]
Frequency table not shown (42 Modalities)	

#16 ADDR3: ADDR3

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=293 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
"Ydia;%fj		83	28.3%
"fö		37	12.6%
af		1	0.3%
mdku		130	44.4%
mdku W;+r		1	0.3%
mdku W;====r		1	0.3%
mdku W;=r		14	4.8%
mdku ol=K		4	1.4%
oUf;dg		14	4.8%
wfiisxymqr		7	2.4%
wfiisxymqr		1	0.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#17 ADDR4: ADDR4

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=193 /-] [Invalid=0 /-]

File Ampara Sinhala (cont.)

#17 ADDR4: ADDR4 (cont.)

Value	Label	Cases	Percentage
"		83	43.0%
"Ydia;%fj		30	15.5%
"fö		14	7.3%
.u"		37	19.2%
ahs"		1	0.5%
mdku		16	8.3%
mdku W;===r		1	0.5%
mdku W;=r		7	3.6%
oUf;dg		4	2.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#18 BZONE: BZONE

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=229 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
"		30	13.1%
"fö		4	1.7%
.u"		14	6.1%
2		135	59.0%
mdku		45	19.7%
mdku W;=r		1	0.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#19 DAMGTYP: DAMGTYP

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=240 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
.u"		4	1.7%
1		7	2.9%
2		79	32.9%
3		4	1.7%
4		131	54.6%
mdku		15	6.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Ampara Sinhala (cont.)

#20 V20

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=198 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1		7	3.5%
2		102	51.5%
3		17	8.6%
4		68	34.3%
mdu		4	2.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Batticaloa English

#1 IDA: IDA

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=27652 /-] [Invalid=0 /-]		
Frequency table not shown (90 Modalities)			

#2 IDB: IDB

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=27652 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
51		27651	100.0%
Koddaikallar		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#3 DISTRICT: DISTRICT

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=27651 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
Batticaloa		285	1.0%
Batticaloa		27366	99.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Batticcola English (cont.)

#4 DSCODE: DSCODE

Information	[Type= continuous] [Format=numeric] [Range= 3-36] [Missing=*]
Statistics [NW/ W]	[Valid=27651 /-] [Invalid=1 /-] [Mean=21.732 /-] [StdDev=11.7 /-]

#5 DSDIVISION: DSDIVISION

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=27652 /-]

Value	Label	Cases	Percentage
Koralai Pattu		285	1.0%
5		1	0.0%
Eravur Pattu		742	2.7%
Kattankudy		2898	10.5%
Koralai Pattru North		548	2.0%
Koralai Pattu North		3719	13.4%
Koralaipattu		1348	4.9%
Korale Pattu South		69	0.2%
Koralei Pattru North		291	1.1%
Koralepattu		49	0.2%
Manmunai North		6382	23.1%
Manmunai Pattu		3272	11.8%
Manmunai South & Eruvil Pattu		7946	28.7%
Manmunei South & Eruvil Pattu		102	0.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#6 GN1: GN1

Information	[Type= continuous] [Format=numeric] [Range= 3-240] [Missing=*]
Statistics [NW/ W]	[Valid=27652 /-] [Invalid=0 /-] [Mean=79.348 /-] [StdDev=62.398 /-]

#7 GN2: GN2

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=27651 /-]

File Batticcola English (cont.)

#7 GN2: GN2 (cont.)

Frequency table not shown (90 Modalities)

#8 GN3: GN3

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=27651 /-] [Invalid=0 /-]

Frequency table not shown (89 Modalities)

#9 IDJ: IDJ

Information [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]

Statistics [NW/ W] [Valid=27651 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
1		8443	30.5%
2		2733	9.9%
3		9174	33.2%
4		7301	26.4%
Sysmiss		1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#10 IDK: IDK

Information [Type= continuous] [Format=numeric] [Range= 1-661] [Missing=*]

Statistics [NW/ W] [Valid=27651 /-] [Invalid=1 /-] [Mean=106.451 /-] [StdDev=109.995 /-]

#11 INITIALS: INITIALS

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=26587 /-] [Invalid=0 /-]

Frequency table not shown (633 Modalities)

#12 SURNAME: SURNAME

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=27651 /-]

#13 ADDR1: ADDR1

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=27618 /-]

File Batticoloa English (cont.)

#14 ADDR2: ADDR2

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=15961 /-]
Frequency table not shown (553 Modalities)	

#15 ADDR3: ADDR3

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=1689 /-]
Frequency table not shown (118 Modalities)	

#16 ADDR4: ADDR4

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=132 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
.		1	0.8%
Amirthakali		12	9.1%
Araipahudi		1	0.8%
Cemetery Lane		1	0.8%
Dutch Bar		106	80.3%
Nawalady		9	6.8%
New Kattankudy 3		2	1.5%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#17 BZONE: BZONE

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=27346 /-] [Invalid=306 /-]		
Value	Label	Cases	Percentage
1	Fully Damaged	1481	5.4%
2	Partially Damaged (Unrestorable)	16629	60.8%
3	Partially Damaged (restorable)	1018	3.7%
4	Undamaged	5	0.0%
5	5	8213	30.0%
Sysmiss		306	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

File Batticoloa English (cont.)

#18 DAMGTYP: DAMGTYP

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=27649 /-] [Invalid=3 /-]		
Value	Label	Cases	Percentage
1		8304	30.0%
2		2756	10.0%
3		9158	33.1%
4		7205	26.1%
5		226	0.8%
Systemmiss		3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#19 V19

Information	[Type= continuous] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=304 /-] [Invalid=27348 /-] [Mean=2.217 /-] [StdDev=1.31 /-]

#20 V20

Information	[Type= continuous] [Format=numeric] [Range= 4-4] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=27651 /-] [Mean=4 /-]

File Colombo Sinhala

#1 IDA: IDA

Information	[Type= continuous] [Format=numeric] [Range= 86-250] [Missing=*]
Statistics [NW/ W]	[Valid=15166 /-] [Invalid=0 /-] [Mean=125.795 /-] [StdDev=54.282 /-]

#2 IDB: IDB

Information	[Type= discrete] [Format=numeric] [Range= 11-11] [Missing=*]		
Statistics [NW/ W]	[Valid=15166 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
11		15166	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Colombo Sinhala (cont.)

#3 DISTRICT: DISTRICT

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=15166 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
Colombo		15166	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#4 DSCODE: DSCODE

Information	[Type= continuous] [Format=numeric] [Range= 3-33] [Missing=*]
Statistics [NW/ W]	[Valid=15166 /-] [Invalid=0 /-] [Mean=27.577 /-] [StdDev=10.588 /-]

#5 DSDIVISION: DSDIVISION

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=15166 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
Colombo		2127	14.0%
Colombo 03		210	1.4%
Dehiwala		1613	10.6%
Moratuwa		8720	57.5%
Rathmalana		943	6.2%
Ratmalana		977	6.4%
Thimbirigasyaya		109	0.7%
Thimbirigasyaya		467	3.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#6 GN1: GN1

Information	[Type= continuous] [Format=numeric] [Range= 5-210] [Missing=*]
Statistics [NW/ W]	[Valid=15166 /-] [Invalid=0 /-] [Mean=108.163 /-] [StdDev=80.791 /-]

#7 GN2: GN2

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=15166 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
Aluth Mawatha		443	2.9%
Angulana		520	3.4%
Angulana South		483	3.2%

File Colombo Sinhala (cont.)

#7 GN2: GN2 (cont.)

Value (cont.)	Label	Cases	Percentage
Bambalapitiya		109	0.7%
Dehiwala-West		929	6.1%
Egoda Uyana		1496	9.9%
Egoda Uyana-North		1211	8.0%
Egodauyana Central		803	5.3%
HavelockTown		58	0.4%
Jayathilaka		684	4.5%
Katukurunda		993	6.5%
Katukurunda North		621	4.1%
Koralawella North		454	3.0%
Koralawella S		143	0.9%
Koralawella-West		187	1.2%
Lunupokuna		210	1.4%
Mattakkuliya		623	4.1%
Modara		597	3.9%
Moraruwella South		157	1.0%
Moratuwella W		724	4.8%
Mt.Lavinia		943	6.2%
Ratmalana-West		167	1.1%
Sammantrapura		464	3.1%
Uswatta		542	3.6%
Uyana North		191	1.3%
Uyana South		195	1.3%
Vihara		360	2.4%
Webikanda		450	3.0%
Wellawatta-North		154	1.0%
Wellawatta-South		255	1.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#8 GN3: GN3

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=15166 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
"		210	1.4%

File Colombo Sinhala (cont.)

#8 GN3: GN3 (cont.)

Value (cont.)	Label	Cases	Percentage
" ch;s		684	4.5%
".		943	6.2%
"fldr		454	3.0%
"fldr<je		330	2.2%
"foysj		929	6.1%
"fudrgqje		881	5.8%
"je		409	2.7%
"n'in		109	0.7%
"r;au		167	1.1%
"uÜglal+		623	4.1%
"w		443	2.9%
"wÖ=		483	3.2%
"wÖ=+		520	3.4%
"yeöf		58	0.4%
Mf.dv Whk		1496	9.9%
Whk W;=r		191	1.3%
Whk ol+++++++K		195	1.3%
Wiaj;a;		542	3.6%
fjälkao		450	3.0%
fudaor		597	3.9%
iuSuka;%kmqr		464	3.1%
lgql=rekao W;=r		621	4.1%
lgqql=rekao		993	6.5%
tf.dv Whk-W;=r		1211	8.0%
tf.dvWhk uOHu		803	5.3%
úydr		360	2.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#9 IDI: IDI

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=15166 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
ngysr"		929	6.1%
15		597	3.9%
5		464	3.1%
546A		450	3.0%

File Colombo Sinhala (cont.)

#9 IDI: IDI (cont.)

Value (cont.)	Label	Cases	Percentage
546B		360	2.4%
552A		195	1.3%
552B		191	1.3%
553C		542	3.6%
555		621	4.1%
555A		993	6.5%
556		1211	8.0%
556A		803	5.3%
556B		1496	9.9%
a		1620	10.7%
alsiai"		943	6.2%
dk ol=k"		483	3.2%
dk"		520	3.4%
dk-ngysr"		167	1.1%
dlagjqu"		58	0.4%
je		454	3.0%
l"		683	4.5%
ld"		1	0.0%
msáh"		109	0.7%
q;a udj;"		443	2.9%
qKq fmdl=K"		210	1.4%
sh"		623	4.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#10 IDJ: IDJ

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=15166 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
o"		143	0.9%
ol=k"		157	1.0%
\$n"		724	4.8%
-ngysr"		187	1.2%
1		1887	12.4%
10		732	4.8%
2		358	2.4%
3		1708	11.3%
30		443	2.9%
35		210	1.4%

File Colombo Sinhala (cont.)

#10 IDJ: IDJ (cont.)

Value (cont.)	Label	Cases	Percentage
4		3970	26.2%
540A		929	6.1%
540B		684	4.5%
541		943	6.2%
546		167	1.1%
547		520	3.4%
547A		483	3.2%
70		58	0.4%
a		454	3.0%
j;a; W;+r"		154	1.0%
j;a; ol=K"		255	1.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#11 IDK: IDK

Information	[Type= discrete] [Format=character] [Missing=*
Statistics [NW/ W]	[Valid=15166 /-] [Invalid=0 /-]
Frequency table not shown (667 Modalities)	

#12 INITIALS: INITIALS

Information	[Type= discrete] [Format=character] [Missing=*
Statistics [NW/ W]	[Valid=12215 /-] [Invalid=0 /-]

#13 SURNAME: SURNAME

Information	[Type= discrete] [Format=character] [Missing=*
Statistics [NW/ W]	[Valid=13241 /-]

#14 ADDR1: ADDR1

Information	[Type= discrete] [Format=character] [Missing=*
Statistics [NW/ W]	[Valid=14321 /-]

#15 ADDR2: ADDR2

Information	[Type= discrete] [Format=character] [Missing=*
Statistics [NW/ W]	[Valid=14867 /-]

File Colombo Sinhala (cont.)

#16 ADDR3: ADDR3

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=14011 /-]

#17 ADDR4: ADDR4

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=11978 /-]

#18 BZONE: BZONE

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=12033 /-]

Frequency table not shown (558 Modalities)

#19 DAMGTYP: DAMGTYP

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=12033 /-]

Frequency table not shown (257 Modalities)

#20 V20

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=9685 /-]

Frequency table not shown (116 Modalities)

#21 V21

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=7555 /-] [Invalid=0 /-]

Frequency table not shown (56 Modalities)

#22 V22

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=4599 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
- ngysr"		7	0.2%
mdr"		2	0.0%

File Colombo Sinhala (cont.)

#22 V22

Value (cont.)	Label	Cases	Percentage
"		396	8.6%
"fldr		13	0.3%
"foysj		1	0.0%
"fudrgqje		3	0.1%
"fudrgquq		3	0.1%
"n'in		3	0.1%
1		1357	29.5%
2		460	10.0%
3		409	8.9%
4		1442	31.4%
a		217	4.7%
alsiai"		2	0.0%
dk"		3	0.1%
fld<T 15		1	0.0%
fld<U 15		4	0.1%
fudrgqj		178	3.9%
j;a;"		17	0.4%
je		62	1.3%
msáh"		5	0.1%
ngysr		10	0.2%
q mdr"		1	0.0%
s mdr"		1	0.0%
sh"		1	0.0%
ˆkdj		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#23 V23

Information	[Type= discrete] [Format=character] [Missing=*		
Statistics [NW/ W]	[Valid=2333 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
- ngysr"		1	0.0%
mdr"		1	0.0%
"		212	9.1%
"fldr		1	0.0%
"foysj		1	0.0%
1		717	30.7%
2		238	10.2%
3		173	7.4%

File Colombo Sinhala (cont.)

#23 V23

Value (cont.)	Label	Cases	Percentage
4		625	26.8%
a		68	2.9%
fudrgqj		272	11.7%
j;a;"		4	0.2%
je		13	0.6%
msáh"		3	0.1%
ngysr		4	0.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#24 V24

Information	[Type= discrete] [Format=character] [Missing=*		
Statistics [NW/ W]	[Valid=1344 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
"		69	5.1%
1		514	38.2%
2		86	6.4%
3		135	10.0%
4		343	25.5%
a		13	1.0%
fudrgqj		183	13.6%
je		1	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#25 V25

Information	[Type= discrete] [Format=character] [Missing=*		
Statistics [NW/ W]	[Valid=736 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
"		13	1.8%
1		332	45.1%
2		40	5.4%
3		130	17.7%
4		156	21.2%
a		1	0.1%
fudrgqj		64	8.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Colombo Sinhala (cont.)

#26 V26

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=309 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
"		1	0.3%
1		147	47.6%
2		16	5.2%
3		79	25.6%
4		53	17.2%
fudrgqj		13	4.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#27 V27

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=84 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1		35	41.7%
2		7	8.3%
3		27	32.1%
4		14	16.7%
fudrgqj		1	1.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#28 V28

Information [Type= continuous] [Format=numeric] [Range= 1-4] [Missing=*]

Statistics [NW/ W] [Valid=14 /-] [Invalid=15152 /-] [Mean=2.214 /-] [StdDev=1.311 /-]

#29 V29

Information [Type= continuous] [Format=numeric] [Range= 3-3] [Missing=*]

Statistics [NW/ W] [Valid=1 /-] [Invalid=15165 /-] [Mean=3 /-]

File Galle Sinhala

#1 IDA: IDA

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=25868 /-] [Invalid=0 /-]
Frequency table not shown (134 Modalities)	

#2 IDB: IDB

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=25868 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
31		25867	100.0%
chirs		1	0.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#3 DISTRICT: DISTRICT

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=25868 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
.		1	0.0%
Galla		123	0.5%
Galle		25159	97.3%
Galle		585	2.3%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#4 DSCODE: DSCODE

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=25868 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
3		203	0.8%
30		2	0.0%
33		905	3.5%
36		9873	38.2%
39		5628	21.8%
54		4183	16.2%
55		1	0.0%
56		1	0.0%
6		5068	19.6%
7		1	0.0%

File Galle Sinhala (cont.)

#4 DSCODE: DSCODE (cont.)

Value (cont.)	Label	Cases	Percentage
8		1	0.0%
.		1	0.0%
aleáh udj;"		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#5 DSDIVISION: DSDIVISION

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=25868 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
Ambalangoda		905	3.5%
Balapitiya		5072	19.6%
Bentota		203	0.8%
Four gravets		413	1.6%
FourGravets		5162	20.0%
Galle Four Gravets		54	0.2%
Habaraduwa		4185	16.2%
Hikkaduwa		9873	38.2%
W!rj;a;		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#6 GN1: GN1

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=25868 /-] [Invalid=0 /-]
Frequency table not shown (77 Modalities)	

#7 GN2: GN2

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=25868 /-]
Frequency table not shown (132 Modalities)	

#8 GN3: GN3

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=25867 /-]
Frequency table not shown (119 Modalities)	

File Galle Sinhala (cont.)

#9 IDI: IDI

Information	[Type= discrete] [Format=character] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=25868 /-] [Invalid=0 /-]
--------------------	---------------------------------

Frequency table not shown (109 Modalities)

#10 IDJ: IDJ

Information	[Type= discrete] [Format=character] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=25868 /-] [Invalid=0 /-]
--------------------	---------------------------------

Frequency table not shown (50 Modalities)

#11 IDK: IDK

Information	[Type= discrete] [Format=character] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=25867 /-] [Invalid=0 /-]
--------------------	---------------------------------

Frequency table not shown (392 Modalities)

#12 INITIALS: INITIALS

Information	[Type= discrete] [Format=character] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=22868 /-] [Invalid=0 /-]
--------------------	---------------------------------

#13 SURNAME: SURNAME

Information	[Type= discrete] [Format=character] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=24408 /-]
--------------------	------------------

#14 ADDR1: ADDR1

Information	[Type= discrete] [Format=character] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=24877 /-]
--------------------	------------------

#15 ADDR2: ADDR2

Information	[Type= discrete] [Format=character] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=25697 /-]
--------------------	------------------

#16 ADDR3: ADDR3

Information	[Type= discrete] [Format=character] [Missing=*]
-------------	---

File Galle Sinhala (cont.)

#16 ADDR3: ADDR3 (cont.)

Statistics [NW/ W]	[Valid=23952 /-]
--------------------	------------------

#17 ADDR4: ADDR4

Information	[Type= discrete] [Format=character] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=20697 /-]
--------------------	------------------

#18 BZONE: BZONE

Information	[Type= discrete] [Format=character] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=20021 /-]
--------------------	------------------

#19 DAMGTYP: DAMGTYP

Information	[Type= discrete] [Format=character] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=20467 /-]
--------------------	------------------

Frequency table not shown (475 Modalities)

#20 V20

Information	[Type= discrete] [Format=character] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=18211 /-] [Invalid=0 /-]
--------------------	---------------------------------

Frequency table not shown (251 Modalities)

#21 V21

Information	[Type= discrete] [Format=character] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=15237 /-] [Invalid=0 /-]
--------------------	---------------------------------

Frequency table not shown (149 Modalities)

#22 V22

Information	[Type= discrete] [Format=character] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=11222 /-] [Invalid=0 /-]
--------------------	---------------------------------

Frequency table not shown (84 Modalities)

#23 V23

Information	[Type= discrete] [Format=character] [Missing=*]
-------------	---

Tsunami Sample Frame - 2005 (Tsunami Affected Housing Units) - Variables Description

File Galle Sinhala (cont.)

#23 V23

Statistics [NW/ W] [Valid=7529 /-] [Invalid=0 /-]

Frequency table not shown (41 Modalities)

#24 V24

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=4498 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
"		353	7.8%
".d		10	0.2%
"n		1	0.0%
"wyqka.		2	0.0%
"wyqx.		4	0.1%
"wiAan		4	0.1%
"win		12	0.3%
1		910	20.2%
2		1248	27.7%
3		642	14.3%
4		1155	25.7%
Sf.dv"		2	0.0%
WKjgqk		1	0.0%
a		97	2.2%
aj;a;"		5	0.1%
b qqrej		2	0.0%
kaf.dv"		26	0.6%
msgsh"""		2	0.0%
msgsh""		5	0.1%
nQiai		13	0.3%
nv"""		2	0.0%
udoïmd.u		1	0.0%
yslalvqj		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#25 V25

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=2496 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
"		97	3.9%
".d		1	0.0%

File Galle Sinhala (cont.)

#25 V25

Value (cont.)	Label	Cases	Percentage
"n		2	0.1%
"wyqx.		2	0.1%
"win		2	0.1%
1		441	17.7%
2		687	27.5%
3		473	19.0%
4		755	30.2%
WKjgqk		1	0.0%
a		16	0.6%
kaf.dv"		16	0.6%
msgsh""		1	0.0%
nQiai		2	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#26 V26

Information	[Type= discrete] [Format=character] [Missing=*		
Statistics [NW/ W]	[Valid=996 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
"		16	1.6%
1		140	14.1%
2		215	21.6%
3		206	20.7%
4		412	41.4%
a		3	0.3%
kaf.dv"		2	0.2%
msgsh""		1	0.1%
msgsh"		1	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#27 V27

Information	[Type= discrete] [Format=character] [Missing=*		
Statistics [NW/ W]	[Valid=266 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
"		3	1.1%
1		38	14.3%
2		54	20.3%
3		47	17.7%

File Galle Sinhala (cont.)

#27 V27

Value (cont.)	Label	Cases	Percentage
4		124	46.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#28 V28

Information	[Type= continuous] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=53 /-] [Invalid=25815 /-] [Mean=2.962 /-] [StdDev=1.109 /-]

#29 V29

Information	[Type= continuous] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=10 /-] [Invalid=25858 /-] [Mean=2.7 /-] [StdDev=1.16 /-]

#30 V30

Information	[Type= continuous] [Format=numeric] [Range= 3-3] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=25866 /-] [Mean=3 /-] [StdDev=0 /-]

File Gampaha Sinhala

#1 IDA: IDA

Information	[Type= discrete] [Format=numeric] [Range= 269-287] [Missing=*]
Statistics [NW/ W]	[Valid=3555 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
269		99	2.8%
270		377	10.6%
271		33	0.9%
272		252	7.1%
273		425	12.0%
279		393	11.1%
280		194	5.5%
281		5	0.1%
282		78	2.2%
283		717	20.2%
284		369	10.4%

File Gampaha Sinhala (cont.)

#1 IDA: IDA (cont.)

Value (cont.)	Label	Cases	Percentage
285		236	6.6%
286		231	6.5%
287		146	4.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#2 IDB: IDB

Information	[Type= discrete] [Format=numeric] [Range= 12-12] [Missing=*]		
Statistics [NW/ W]	[Valid=3555 /-] [Invalid=0 /-]		

Value	Label	Cases	Percentage
12		3555	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#3 DISTRICT: DISTRICT

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=3555 /-] [Invalid=0 /-]		

Value	Label	Cases	Percentage
Gampaha		3550	99.9%
Gmpaha		5	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#4 DSCODE: DSCODE

Information	[Type= discrete] [Format=numeric] [Range= 3-18] [Missing=*]		
Statistics [NW/ W]	[Valid=3555 /-] [Invalid=0 /-]		

Value	Label	Cases	Percentage
3		2369	66.6%
18		1186	33.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#5 DSDIVISION: DSDIVISION

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=3555 /-] [Invalid=0 /-]		

Value	Label	Cases	Percentage
Negombo		2369	66.6%
Wattala		1186	33.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Gampaha Sinhala (cont.)

#6 GN1: GN1

Information	[Type= continuous] [Format=numeric] [Range= 5-230] [Missing=*]
Statistics [NW/ W]	[Valid=3555 /-] [Invalid=0 /-] [Mean=112.443 /-] [StdDev=66.867 /-]

#7 GN2: GN2

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=3555 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
Kudapaduwa North		78	2.2%
Dickowita		377	10.6%
Duwa		236	6.6%
Ethukala		5	0.1%
Hekitta		425	12.0%
Kammaltura		393	11.1%
Munnakkaraya		146	4.1%
Munnakkaraya North		369	10.4%
Palangature		194	5.5%
Palliyawatta North		33	0.9%
Palliyawatta South		252	7.1%
Pitipana North		231	6.5%
Uswetakeiyawa		99	2.8%
Wellavidiya		717	20.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#8 GN3: GN3

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=3555 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
"Ma;a;+ld		5	0.1%
"je		717	20.2%
"liu		393	11.1%
"m		285	8.0%
W;=re msámk		231	6.5%
W;=re uqkakilrh		369	10.4%
Wiajegfilhshdj		99	2.8%

File Gampaha Sinhala (cont.)

#8 GN3: GN3 (cont.)

Value (cont.)	Label	Cases	Percentage
fyals;a;		425	12.0%
I+vdmdvqj W;+r		78	2.2%
m<Ö;=frA		194	5.5%
uq;a;lalrh		146	4.1%
¥j		236	6.6%
Èla´úg		377	10.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#9 IDI: IDI

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=3555 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
"		5	0.1%
156		146	4.1%
156A		369	10.4%
162		231	6.5%
162A		236	6.6%
167		99	2.8%
168B		377	10.6%
169		425	12.0%
73 B		78	2.2%
75A		194	5.5%
a		1002	28.2%
a;=r"		393	11.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#10 IDJ: IDJ

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=3555 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1		156	4.4%
2		52	1.5%
3		456	12.8%
4		1491	41.9%
73		5	0.1%
77A		393	11.1%

File Gampaha Sinhala (cont.)

#10 IDJ: IDJ (cont.)

Value (cont.)	Label	Cases	Percentage
sh j;a; ol=K"		252	7.1%
shj;a; W;=r"		33	0.9%
ùosh"		717	20.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#11 IDK: IDK

Information	[Type= discrete] [Format=character] [Missing=*
Statistics [NW/ W]	[Valid=3555 /-] [Invalid=0 /-]
Frequency table not shown (301 Modalities)	

#12 INITIALS: INITIALS

Information	[Type= discrete] [Format=character] [Missing=*
Statistics [NW/ W]	[Valid=2790 /-] [Invalid=0 /-]
Frequency table not shown (821 Modalities)	

#13 SURNAME: SURNAME

Information	[Type= discrete] [Format=character] [Missing=*
Statistics [NW/ W]	[Valid=3414 /-]

#14 ADDR1: ADDR1

Information	[Type= discrete] [Format=character] [Missing=*
Statistics [NW/ W]	[Valid=3284 /-]

#15 ADDR2: ADDR2

Information	[Type= discrete] [Format=character] [Missing=*
Statistics [NW/ W]	[Valid=3550 /-]

#16 ADDR3: ADDR3

Information	[Type= discrete] [Format=character] [Missing=*
Statistics [NW/ W]	[Valid=3529 /-]
Frequency table not shown (998 Modalities)	

File Gampaha Sinhala (cont.)

#17 ADDR4: ADDR4

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=3281 /-]
Frequency table not shown (404 Modalities)	

#18 BZONE: BZONE

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=3074 /-] [Invalid=0 /-]
Frequency table not shown (143 Modalities)	

#19 DAMGTYP: DAMGTYP

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=3175 /-] [Invalid=0 /-]
Frequency table not shown (76 Modalities)	

#20 V20

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=2536 /-] [Invalid=0 /-]
Frequency table not shown (43 Modalities)	

#21 V21

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=1930 /-] [Invalid=0 /-]
Frequency table not shown (32 Modalities)	

#22 V22

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1358 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
j;a;		1	0.1%
"		84	6.2%
"j;a;		46	3.4%
"j;a;a		1	0.1%
"j;s;		1	0.1%
"ye		63	4.6%

File Gampaha Sinhala (cont.)

#22 V22

Value (cont.)	Label	Cases	Percentage
1		258	19.0%
2		160	11.8%
3		100	7.4%
4		560	41.2%
a		5	0.4%
ashj;a;"		2	0.1%
aâ o w		1	0.1%
fīdÉÑīfā		3	0.2%
fīdÑŌīfū		2	0.1%
kaishdj;a;"		4	0.3%
sh j;a;"		6	0.4%
shj;a;"		16	1.2%
uS.uqj		4	0.3%
xishdj;a;"		12	0.9%
ó.uqj		18	1.3%
ùosh"		6	0.4%
úosh"		4	0.3%
ÿj		1	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#23 V23

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=688 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
"		1	0.1%
j;a;		54	7.8%
"		57	8.3%
"j;a;		30	4.4%
"ye		39	5.7%
1		144	20.9%
2		67	9.7%
3		40	5.8%
4		238	34.6%
aúia udj;"		1	0.1%
sh j;a;"		1	0.1%
shj;a;"		3	0.4%
uS.uqj		1	0.1%
xishdj;a;"		6	0.9%

File Gampaha Sinhala (cont.)

#23 V23

Value (cont.)	Label	Cases	Percentage
ó.uqj		5	0.7%
ùosh"		1	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#24 V24

Information	[Type= discrete] [Format=character] [Missing=*		
Statistics [NW/ W]	[Valid=374 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
j;a;		38	10.2%
"		85	22.7%
"j;a;		7	1.9%
"ye		7	1.9%
1		35	9.4%
2		48	12.8%
3		28	7.5%
4		124	33.2%
uS.uqj		1	0.3%
ó.uqj		1	0.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#25 V25

Information	[Type= discrete] [Format=character] [Missing=*		
Statistics [NW/ W]	[Valid=218 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
j;a;		7	3.2%
"		45	20.6%
1		32	14.7%
2		45	20.6%
3		25	11.5%
4		64	29.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#26 V26

Information	[Type= discrete] [Format=character] [Missing=*		
Statistics [NW/ W]	[Valid=144 /-] [Invalid=0 /-]		

File Gampaha Sinhala (cont.)

#26 V26

Value	Label	Cases	Percentage
"		7	4.9%
1		19	13.2%
2		19	13.2%
3		32	22.2%
4		67	46.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#27 V27

Information	[Type= continuous] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=53 /-] [Invalid=3502 /-] [Mean=3.415 /-] [StdDev=0.819 /-]

#28 V28

Information	[Type= continuous] [Format=numeric] [Range= 3-4] [Missing=*]
Statistics [NW/ W]	[Valid=7 /-] [Invalid=3548 /-] [Mean=3.714 /-] [StdDev=0.488 /-]

File Hambantota Sinhala

#1 IDA: IDA

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=5701 /-] [Invalid=0 /-]
Frequency table not shown (34 Modalities)	

#2 IDB: IDB

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=5701 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
33		5700	100.0%
is;a;s iłkd		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Hambantota Sinhala (cont.)

#3 DISTRICT: DISTRICT

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=5701 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
10		1	0.0%
Hambantota		5677	99.6%
Hambantota		23	0.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#4 DSCODE: DSCODE

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=5701 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
12		1728	30.3%
15		453	7.9%
33		3051	53.5%
9		468	8.2%
lv ùÒh		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#5 DSDIVISION: DSDIVISION

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=5701 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
Ambalantota		453	7.9%
Hambantota		1728	30.3%
Tangalla		3051	53.5%
Tissamaharama		468	8.2%
yĩnkaf;dg		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#6 GN1: GN1

Information	[Type= continuous] [Format=numeric] [Range= 10-360] [Missing=*]		
Statistics [NW/ W]	[Valid=5700 /-] [Invalid=1 /-] [Mean=205.664 /-] [StdDev=96.309 /-]		

#7 GN2: GN2

Information	[Type= discrete] [Format=character] [Missing=*]		
-------------	---	--	--

File Hambantota Sinhala (cont.)

#7 GN2: GN2 (cont.)

Statistics [NW/ W] [Valid=5701 /-] [Invalid=0 /-]

Frequency table not shown (34 Modalities)

#8 GN3: GN3

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=5701 /-] [Invalid=0 /-]

Frequency table not shown (31 Modalities)

#9 IDI: IDI

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=5700 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
"		212	3.7%
126		74	1.3%
142		275	4.8%
19		340	6.0%
21		128	2.2%
238		99	1.7%
239		146	2.6%
254		66	1.2%
268		497	8.7%
269		191	3.4%
270		66	1.2%
272		210	3.7%
276		121	2.1%
285		110	1.9%
295		152	2.7%
296		99	1.7%
82		51	0.9%
90		190	3.3%
93		658	11.5%
94		666	11.7%
a		1294	22.7%
kaf;dg ol=K"		32	0.6%
smgkaú		23	0.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Hambantota Sinhala (cont.)

#10 IDJ: IDJ			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=5700 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
ol=K"		194	3.4%
W;+r"		68	1.2%
W;=r"		121	2.1%
ngysr"		292	5.1%
ol=K"		141	2.5%
"		340	6.0%
1		907	15.9%
123		89	1.6%
143		32	0.6%
145		77	1.4%
156		46	0.8%
2		183	3.2%
3		655	11.5%
4		2394	42.0%
slal+vdj"		37	0.6%
`vh"		124	2.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#11 IDK: IDK		
Information		[Type= continuous] [Format=numeric] [Range= 1-460] [Missing=*]
Statistics [NW/ W]		[Valid=5700 /-] [Invalid=1 /-] [Mean=130.284 /-] [StdDev=115.986 /-]

#12 INITIALS: INITIALS		
Information		[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]		[Valid=4686 /-] [Invalid=0 /-]
Frequency table not shown (969 Modalities)		

#13 SURNAME: SURNAME		
Information		[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]		[Valid=5641 /-]

#14 ADDR1: ADDR1		
Information		[Type= discrete] [Format=character] [Missing=*]

File Hambantota Sinhala (cont.)

#14 ADDR1: ADDR1 (cont.)

Statistics [NW/ W]	[Valid=5201 /-]
--------------------	-----------------

#15 ADDR2: ADDR2

Information	[Type= discrete] [Format=character] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=5636 /-]
--------------------	-----------------

#16 ADDR3: ADDR3

Information	[Type= discrete] [Format=character] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=5383 /-]
--------------------	-----------------

Frequency table not shown (936 Modalities)

#17 ADDR4: ADDR4

Information	[Type= discrete] [Format=character] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=4571 /-]
--------------------	-----------------

Frequency table not shown (506 Modalities)

#18 BZONE: BZONE

Information	[Type= discrete] [Format=character] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=4525 /-] [Invalid=0 /-]
--------------------	--------------------------------

Frequency table not shown (243 Modalities)

#19 DAMGTYP: DAMGTYP

Information	[Type= discrete] [Format=character] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=4724 /-] [Invalid=0 /-]
--------------------	--------------------------------

Frequency table not shown (151 Modalities)

#20 V20

Information	[Type= discrete] [Format=character] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=3962 /-] [Invalid=0 /-]
--------------------	--------------------------------

Frequency table not shown (94 Modalities)

File Hambantota Sinhala (cont.)

#21 V21

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=2874 /-] [Invalid=0 /-]
Frequency table not shown (62 Modalities)	

#22 V22

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=1906 /-] [Invalid=0 /-]
Frequency table not shown (41 Modalities)	

#23 V23

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=1470 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
"		3	0.2%
ol=K"		16	1.1%
"		57	3.9%
";x.		3	0.2%
"^;djld		1	0.1%
"kdl=		1	0.1%
"oslaje		1	0.1%
"udje		2	0.1%
"wln		3	0.2%
\$ol=K"		8	0.5%
1		329	22.4%
2		365	24.8%
3		217	14.8%
4		349	23.7%
a		35	2.4%
amsgsh"		1	0.1%
kaf;dg"		6	0.4%
kdl+^ .uqj		19	1.3%
kdl=ç .uqj		43	2.9%
kdl=^ .uqj		1	0.1%
ol=K"		1	0.1%
q.uqj"		1	0.1%
sh"		2	0.1%
sl lljqre&"		1	0.1%

File Hambantota Sinhala (cont.)

#23 V23

Value (cont.)	Label	Cases	Percentage
sl&"		4	0.3%
yīnkaf;dg		1	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#24 V24

Information	[Type= discrete] [Format=character] [Missing=*		
Statistics [NW/ W]	[Valid=887 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
"		1	0.1%
ol=K"		8	0.9%
"		26	2.9%
".x.		2	0.2%
1		226	25.5%
2		177	20.0%
3		124	14.0%
4		281	31.7%
a		6	0.7%
kaf;dg"		3	0.3%
kdl+^ .uqj		10	1.1%
kdl=ċ .uqj		20	2.3%
q.uqj"		1	0.1%
sl&"		1	0.1%
yqx.u		1	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#25 V25

Information	[Type= discrete] [Format=character] [Missing=*		
Statistics [NW/ W]	[Valid=427 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
ol=K"		2	0.5%
"		4	0.9%
"kdl=		1	0.2%
1		113	26.5%
2		87	20.4%
3		63	14.8%
4		144	33.7%
a		2	0.5%

File Hambantota Sinhala (cont.)

#25 V25

Value (cont.)	Label	Cases	Percentage
kdl+^ .ujj		2	0.5%
kdl=¿ .ujj		9	2.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#26 V26

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=169 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
"		2	1.2%
1		42	24.9%
2		28	16.6%
3		33	19.5%
4		61	36.1%
kdl=¿ .ujj		2	1.2%
q.ujj"		1	0.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#27 V27

Information	[Type= continuous] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=47 /-] [Invalid=5654 /-] [Mean=2.766 /-] [StdDev=1.127 /-]

#28 V28

Information	[Type= continuous] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=11 /-] [Invalid=5690 /-] [Mean=2.545 /-] [StdDev=1.214 /-]

#29 V29

Information	[Type= continuous] [Format=numeric] [Range= 2-2] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=5700 /-] [Mean=2 /-]

#30 V30

Information	[Type= continuous] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=5701 /-]

File Hambantota Sinhala (cont.)

#31 V31

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F30		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#32 V32

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F31		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#33 V33

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F32		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#34 V34

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F33		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#35 V35

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F34		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

File Hambantota Sinhala (cont.)

#36 V36

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F35		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#37 V37

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F36		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#38 V38

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F37		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#39 V39

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F38		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#40 V40

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F39		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

File Hambantota Sinhala (cont.)

#41 V41

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F40		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#42 V42

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F41		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#43 V43

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F42		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#44 V44

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F43		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#45 V45

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F44		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

File Hambantota Sinhala (cont.)

#46 V46

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F45		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#47 V47

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F46		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#48 V48

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F47		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#49 V49

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F48		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#50 V50

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F49		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

File Hambantota Sinhala (cont.)

#51 V51

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F50		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#52 V52

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F51		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#53 V53

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F52		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#54 V54

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F53		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#55 V55

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F54		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

File Hambantota Sinhala (cont.)

#56 V56

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F55		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#57 V57

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F56		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#58 V58

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F57		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#59 V59

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F58		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#60 V60

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F59		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

File Hambantota Sinhala (cont.)

#61 V61

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F60		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#62 V62

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F61		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#63 V63

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F62		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#64 V64

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F63		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#65 V65

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F64		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

File Hambantota Sinhala (cont.)

#66 V66

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F65		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#67 V67

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F66		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#68 V68

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F67		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#69 V69

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F68		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#70 V70

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F69		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

File Hambantota Sinhala (cont.)

#71 V71

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F70		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#72 V72

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F71		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#73 V73

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F72		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#74 V74

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F73		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#75 V75

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F74		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

File Hambantota Sinhala (cont.)

#76 V76

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F75		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#77 V77

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F76		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#78 V78

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F77		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#79 V79

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F78		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#80 V80

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F79		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

File Hambantota Sinhala (cont.)

#81 V81

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F80		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#82 V82

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F81		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#83 V83

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F82		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#84 V84

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F83		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#85 V85

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F84		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

File Hambantota Sinhala (cont.)

#86 V86

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F85		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#87 V87

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F86		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#88 V88

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F87		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#89 V89

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F88		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#90 V90

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F89		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

File Hambantota Sinhala (cont.)

#91 V91

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F90		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#92 V92

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F91		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#93 V93

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F92		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#94 V94

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F93		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#95 V95

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F94		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

File Hambantota Sinhala (cont.)

#96 V96

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F95		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#97 V97

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F96		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#98 V98

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F97		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#99 V99

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F98		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#100 V100

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F99		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

File Hambantota Sinhala (cont.)

#101 V101

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F100		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#102 V102

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F101		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#103 V103

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F102		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#104 V104

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F103		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#105 V105

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F104		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

File Hambantota Sinhala (cont.)

#106 V106

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F105		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#107 V107

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F106		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#108 V108

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F107		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#109 V109

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F108		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#110 V110

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F109		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

File Hambantota Sinhala (cont.)

#111 V111

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F110		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#112 V112

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F111		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#113 V113

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F112		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#114 V114

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F113		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#115 V115

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F114		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

File Hambantota Sinhala (cont.)

#116 V116			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F115		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#117 V117			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F116		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#118 V118			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F117		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#119 V119			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F118		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#120 V120			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F119		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

File Hambantota Sinhala (cont.)

#121 V121

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F120		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#122 V122

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F121		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#123 V123

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F122		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#124 V124

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F123		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#125 V125

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F124		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

File Hambantota Sinhala (cont.)

#126 V126

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=1 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
F125		1	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#127 V127

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=1 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
F126		1	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#128 V128

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=1 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
F127		1	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#129 V129

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=1 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
F128		1	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#130 V130

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=1 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
F129		1	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Hambantota Sinhala (cont.)

#131 V131

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F130		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#132 V132

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F131		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#133 V133

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F132		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#134 V134

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F133		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#135 V135

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F134		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

File Hambantota Sinhala (cont.)

#136 V136

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=1 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
F135		1	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#137 V137

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=1 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
F136		1	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#138 V138

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=1 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
F137		1	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#139 V139

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=1 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
F138		1	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#140 V140

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=1 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
F139		1	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Hambantota Sinhala (cont.)

#141 V141

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F140		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#142 V142

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F141		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#143 V143

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F142		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#144 V144

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F143		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#145 V145

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F144		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

File Hambantota Sinhala (cont.)

#146 V146

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F145		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#147 V147

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F146		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#148 V148

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F147		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#149 V149

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F148		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#150 V150

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F149		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

File Hambantota Sinhala (cont.)

#151 V151

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F150		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#152 V152

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F151		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#153 V153

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F152		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#154 V154

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F153		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#155 V155

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F154		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

File Hambantota Sinhala (cont.)

#156 V156

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F155		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#157 V157

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F156		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#158 V158

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F157		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#159 V159

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F158		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#160 V160

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F159		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

File Hambantota Sinhala (cont.)

#161 V161			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F160		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#162 V162			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F161		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#163 V163			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F162		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#164 V164			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F163		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#165 V165			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F164		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

File Hambantota Sinhala (cont.)

#166 V166

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F165		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#167 V167

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F166		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#168 V168

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F167		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#169 V169

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F168		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#170 V170

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F169		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

File Hambantota Sinhala (cont.)

#171 V171

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F170		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#172 V172

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F171		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#173 V173

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F172		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#174 V174

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F173		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#175 V175

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F174		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

File Hambantota Sinhala (cont.)

#176 V176

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F175		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#177 V177

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F176		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#178 V178

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F177		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#179 V179

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F178		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#180 V180

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F179		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

File Hambantota Sinhala (cont.)

#181 V181

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F180		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#182 V182

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F181		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#183 V183

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F182		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#184 V184

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F183		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#185 V185

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F184		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

File Hambantota Sinhala (cont.)

#186 V186

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F185		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#187 V187

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F186		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#188 V188

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F187		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#189 V189

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F188		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#190 V190

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F189		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

File Hambantota Sinhala (cont.)

#191 V191

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F190		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#192 V192

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F191		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#193 V193

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F192		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#194 V194

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F193		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#195 V195

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F194		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

File Hambantota Sinhala (cont.)

#196 V196

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F195		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#197 V197

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F196		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#198 V198

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F197		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#199 V199

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F198		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#200 V200

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F199		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

File Hambantota Sinhala (cont.)

#201 V201

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F200		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#202 V202

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F201		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#203 V203

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F202		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#204 V204

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F203		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#205 V205

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F204		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

File Hambantota Sinhala (cont.)

#206 V206

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F205		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#207 V207

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F206		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#208 V208

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F207		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#209 V209

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F208		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#210 V210

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F209		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

File Hambantota Sinhala (cont.)

#211 V211

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F210		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#212 V212

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F211		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#213 V213

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F212		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#214 V214

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F213		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#215 V215

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F214		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

File Hambantota Sinhala (cont.)

#216 V216

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F215		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#217 V217

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F216		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#218 V218

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F217		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#219 V219

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F218		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#220 V220

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F219		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

File Hambantota Sinhala (cont.)

#221 V221

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F220		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#222 V222

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F221		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#223 V223

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F222		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#224 V224

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F223		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#225 V225

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F224		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

File Hambantota Sinhala (cont.)

#226 V226

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F225		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#227 V227

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F226		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#228 V228

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F227		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#229 V229

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F228		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#230 V230

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F229		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

File Hambantota Sinhala (cont.)

#231 V231

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F230		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#232 V232

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F231		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#233 V233

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F232		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#234 V234

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F233		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#235 V235

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F234		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

File Hambantota Sinhala (cont.)

#236 V236

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F235		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#237 V237

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F236		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#238 V238

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F237		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#239 V239

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F238		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#240 V240

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F239		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

File Hambantota Sinhala (cont.)

#241 V241

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F240		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#242 V242

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F241		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#243 V243

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F242		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#244 V244

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F243		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#245 V245

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F244		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

File Hambantota Sinhala (cont.)

#246 V246

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F245		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#247 V247

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F246		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#248 V248

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F247		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#249 V249

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F248		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#250 V250

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F249		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

File Hambantota Sinhala (cont.)

#251 V251

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F250		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#252 V252

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F251		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#253 V253

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F252		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#254 V254

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F253		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#255 V255

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F254		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

File Hambantota Sinhala (cont.)

#256 V256

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F255		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#257 V257

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F256		1	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#258 V258

Information	[Type= continuous] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=5701 /-]		

#259 V259

Information	[Type= continuous] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=5701 /-]		

#260 V260

Information	[Type= continuous] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=5701 /-]		

#261 V261

Information	[Type= continuous] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=5701 /-]		

#262 V262

Information	[Type= continuous] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=5701 /-]		

File Hambantota Sinhala (cont.)

#263 V263

Information	[Type= continuous] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=5701 /-]

#264 V264

Information	[Type= continuous] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=5701 /-]

#265 V265

Information	[Type= continuous] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=5701 /-]

#266 V266

Information	[Type= continuous] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=5701 /-]

File Jaffna English

#1 IDA: IDA

Information	[Type= continuous] [Format=numeric] [Range= 621-651] [Missing=*]
Statistics [NW/ W]	[Valid=7262 /-] [Invalid=0 /-] [Mean=638.258 /-] [StdDev=8.109 /-]

#2 IDB: IDB

Information	[Type= discrete] [Format=numeric] [Range= 41-41] [Missing=*]
Statistics [NW/ W]	[Valid=7262 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
41		7262	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#3 DISTRICT: DISTRICT

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=7262 /-] [Invalid=0 /-]

Tsunami Sample Frame - 2005 (Tsunami Affected Housing Units) - Variables Description

File Jaffna English (cont.)

#3 DISTRICT: DISTRICT (cont.)

Value	Label	Cases	Percentage
Jaffna		7262	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#4 DSCODE: DSCODE

Information	[Type= discrete] [Format=numeric] [Range= 24-27] [Missing=*]		
Statistics [NW/ W]	[Valid=7262 /-] [Invalid=0 /-]		

Value	Label	Cases	Percentage
24		3544	48.8%
27		3718	51.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#5 DSDIVISION: DSDIVISION

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=7262 /-] [Invalid=0 /-]		

Value	Label	Cases	Percentage
Vadamarachchi		222	3.1%
Vadamarachchi North		1367	18.8%
Vadamaradchchi North		708	9.7%
Vadamaradchi East		3135	43.2%
Vadamaradchi North		43	0.6%
Vadamaradchy East		272	3.7%
Vadamaradchy North		742	10.2%
Vadamaratchy North		81	1.1%
Vdamarachchi North		153	2.1%
Wadamarachchi North		402	5.5%
Wadamaradchi East		137	1.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Jaffna English (cont.)

#6 GN1: GN1

Information	[Type= continuous] [Format=numeric] [Range= 5-120] [Missing=*]
Statistics [NW/ W]	[Valid=7262 /-] [Invalid=0 /-] [Mean=66.529 /-] [StdDev=28.767 /-]

#7 GN2: GN2

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=7262 /-]

Frequency table not shown (31 Modalities)

#8 GN3: GN3

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=7262 /-] [Invalid=0 /-]

Frequency table not shown (31 Modalities)

#9 IDJ: IDJ

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=7262 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1		3814	52.5%
2		292	4.0%
3		2098	28.9%
4		1058	14.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#10 IDK: IDK

Information	[Type= continuous] [Format=numeric] [Range= 1-591] [Missing=*]
Statistics [NW/ W]	[Valid=7262 /-] [Invalid=0 /-] [Mean=114.576 /-] [StdDev=114.811 /-]

#11 INITIALS: INITIALS

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=7106 /-] [Invalid=0 /-]

Frequency table not shown (147 Modalities)

File Jaffna English (cont.)

#12 SURNAME: SURNAME

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=7262 /-]

#13 ADDR1: ADDR1

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=7262 /-]

Frequency table not shown (230 Modalities)

#14 ADDR2: ADDR2

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=1617 /-] [Invalid=0 /-]

Frequency table not shown (51 Modalities)

#15 ADDR3: ADDR3

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=111 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
	Karawatti	1	0.9%
	Point Pedro	3	2.7%
	Polikandy East	24	21.6%
	Thondamanaru	5	4.5%
	V V T	73	65.8%
	V.V.T	3	2.7%
	VVT	1	0.9%
	Valvettithurai	1	0.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#16 ADDR4: ADDR4

Information	[Type= continuous] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=7262 /-]

#17 BZONE: BZONE

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=7261 /-] [Invalid=1 /-]

File Jaffna English (cont.)

#17 BZONE: BZONE (cont.)

Value	Label	Cases	Percentage
1		37	0.5%
2		238	3.3%
4		5	0.1%
5		6981	96.1%
Sysmiss		1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#18 DAMGTYP: DAMGTYP

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=7262 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1		3814	52.5%
2		292	4.0%
3		2097	28.9%
4		1058	14.6%
5		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#19 V19

Information	[Type= continuous] [Format=numeric] [Range= 3-3] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=7261 /-] [Mean=3 /-]

File Kalutara Sinhala

#1 IDA: IDA

Information	[Type= continuous] [Format=numeric] [Range= 107-211] [Missing=*]
Statistics [NW/ W]	[Valid=12957 /-] [Invalid=0 /-] [Mean=158.709 /-] [StdDev=35.644 /-]

#2 IDB: IDB

Information	[Type= continuous] [Format=numeric] [Range= 13-99] [Missing=*]
Statistics [NW/ W]	[Valid=12957 /-] [Invalid=0 /-] [Mean=13.289 /-] [StdDev=4.07 /-]

File Kalutara Sinhala (cont.)

#3 DISTRICT: DISTRICT

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=12957 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
Kalutara		12957	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#4 DSCODE: DSCODE

Information	[Type= continuous] [Format=numeric] [Range= 3-107] [Missing=*]
Statistics [NW/ W]	[Valid=12957 /-] [Invalid=0 /-] [Mean=16.572 /-] [StdDev=10.243 /-]

#5 DSDIVISION: DSDIVISION

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=12957 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
Beruwala		3073	23.7%
Beruwela		1260	9.7%
Kalutara		4457	34.4%
Panadura		4167	32.2%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#6 GN1: GN1

Information	[Type= continuous] [Format=numeric] [Range= 5-430] [Missing=*]
Statistics [NW/ W]	[Valid=12957 /-] [Invalid=0 /-] [Mean=226.861 /-] [StdDev=108.964 /-]

#7 GN2: GN2

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=12957 /-] [Invalid=0 /-]
Frequency table not shown (54 Modalities)	

#8 GN3: GN3

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=12957 /-] [Invalid=0 /-]
Frequency table not shown (51 Modalities)	

File Kalutara Sinhala (cont.)

#9 IDI: IDI

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=12957 /-] [Invalid=0 /-]

Frequency table not shown (48 Modalities)

#10 IDJ: IDJ

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=12957 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
ngysr"		161	1.2%
"		487	3.8%
1		1000	7.7%
2		275	2.1%
3		2130	16.4%
4		3396	26.2%
686A		532	4.1%
692		390	3.0%
692A		326	2.5%
697		191	1.5%
697A		56	0.4%
717B		134	1.0%
730A		354	2.7%
734		218	1.7%
734A		329	2.5%
735		450	3.5%
735A		651	5.0%
740A		95	0.7%
741		217	1.7%
743A		82	0.6%
746		55	0.4%
746A		42	0.3%
747A		221	1.7%
748		148	1.1%
a		563	4.3%
sf.dv"		211	1.6%
suxlv"		243	1.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Kalutara Sinhala (cont.)

#11 IDK: IDK

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=12957 /-] [Invalid=0 /-]
Frequency table not shown (333 Modalities)	

#12 INITIALS: INITIALS

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=11363 /-] [Invalid=0 /-]

#13 SURNAME: SURNAME

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=12111 /-]

#14 ADDR1: ADDR1

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=12640 /-]

#15 ADDR2: ADDR2

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=12811 /-]

#16 ADDR3: ADDR3

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=12541 /-]

#17 ADDR4: ADDR4

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=10229 /-]

#18 BZONE: BZONE

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=9895 /-]
Frequency table not shown (621 Modalities)	

File Kalutara Sinhala (cont.)

#19 DAMGTYP: DAMGTYP

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=10452 /-]
Frequency table not shown (299 Modalities)	

#20 V20

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=9022 /-] [Invalid=0 /-]
Frequency table not shown (160 Modalities)	

#21 V21

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=7060 /-] [Invalid=0 /-]
Frequency table not shown (89 Modalities)	

#22 V22

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=4692 /-] [Invalid=0 /-]
Frequency table not shown (43 Modalities)	

#23 V23

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=2488 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
"		1	0.0%
mdr"		1	0.0%
"		302	12.1%
"W;=re ;		1	0.0%
"fudr.		1	0.0%
"f'rej		58	2.3%
"l		5	0.2%
"mhd.		1	0.0%
"		2	0.1%
1		351	14.1%
2		489	19.7%
3		301	12.1%

File Kalutara Sinhala (cont.)

#23 V23

Value (cont.)	Label	Cases	Percentage
4		574	23.1%
a		105	4.2%
amsáh"		2	0.1%
jdoaoqj		2	0.1%
jdoaŕj		6	0.2%
jdoaŷj		56	2.3%
lŕ;r		73	2.9%
lŕ;r W;=r		1	0.0%
lŕ;r		83	3.3%
mdkŷr		10	0.4%
nv"		5	0.2%
sf.dv"		1	0.0%
sh msgqmi"		1	0.0%
uaq		2	0.1%
uq		48	1.9%
wŕ;a.u		6	0.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#24 V24

Value	Label	Cases	Percentage
"		161	11.5%
"fŕej		27	1.9%
"l		2	0.1%
"		1	0.1%
1		151	10.8%
2		389	27.8%
3		123	8.8%
4		329	23.6%
W;=re		2	0.1%
a		51	3.7%
amsáh"		1	0.1%
jdoaŕj		1	0.1%
jdoaŷj		24	1.7%
lŕ;r		50	3.6%
lŕ;r		73	5.2%
mdkŷr		2	0.1%

File Kalutara Sinhala (cont.)

#24 V24

Value (cont.)	Label	Cases	Percentage
q;r"		1	0.1%
sh msgqmi"		2	0.1%
uq		4	0.3%
w^;a.u		3	0.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#25 V25

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=1000 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
"		78	7.8%
"firej		6	0.6%
"l		2	0.2%
1		145	14.5%
2		296	29.6%
3		94	9.4%
4		281	28.1%
a		4	0.4%
jdoayj		2	0.2%
lç;r		37	3.7%
l^;r		51	5.1%
mdkÿr		1	0.1%
uq		2	0.2%
wç;a.u		1	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#26 V26

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=617 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
"		10	1.6%
"firej		1	0.2%
1		106	17.2%
2		157	25.4%
3		88	14.3%
4		214	34.7%
a		2	0.3%

File Kalutara Sinhala (cont.)

#26 V26

Value (cont.)	Label	Cases	Percentage
l;r		17	2.8%
l;r		20	3.2%
uq		2	0.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#27 V27

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=319 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
"		3	0.9%
1		86	27.0%
2		83	26.0%
3		63	19.7%
4		81	25.4%
a		2	0.6%
l;r		1	0.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#28 V28

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=135 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
"		2	1.5%
1		48	35.6%
2		12	8.9%
3		38	28.1%
4		33	24.4%
l;r		2	1.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#29 V29

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=27 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1		12	44.4%
2		1	3.7%

File Kalutara Sinhala (cont.)

#29 V29

Value (cont.)	Label	Cases	Percentage
3		10	37.0%
4		2	7.4%
l;r		2	7.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#30 V30

Information	[Type= continuous] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=5 /-] [Invalid=12952 /-] [Mean=2 /-] [StdDev=0.707 /-]

#31 V31

Information	[Type= continuous] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=4 /-] [Invalid=12953 /-] [Mean=2.5 /-] [StdDev=1 /-]

File Kilinochchi English

#1 IDA: IDA

Information	[Type= discrete] [Format=numeric] [Range= 652-660] [Missing=*]
Statistics [NW/ W]	[Valid=773 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
652		91	11.8%
653		96	12.4%
654		130	16.8%
655		6	0.8%
656		152	19.7%
657		130	16.8%
658		139	18.0%
659		18	2.3%
660		11	1.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#2 IDB: IDB

Information	[Type= discrete] [Format=numeric] [Range= 45-45] [Missing=*]
-------------	--

File Kilinochchi English (cont.)

#2 IDB: IDB (cont.)

Statistics [NW/ W] [Valid=773 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
45		773	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#3 DISTRICT: DISTRICT

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=773 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
Kilinochchi		586	75.8%
Kilinochchi		187	24.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#4 DSCODE: DSCODE

Information [Type= discrete] [Format=numeric] [Range= 3-12] [Missing=*]

Statistics [NW/ W] [Valid=773 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
3		187	24.2%
6		29	3.8%
12		557	72.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#5 DSDIVISION: DSDIVISION

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=773 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
Kandawalai		29	3.8%
Pachchilaipalli		96	12.4%
Pachchilaippally		91	11.8%
Poonakary		557	72.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#6 GN1: GN1

Information [Type= continuous] [Format=numeric] [Range= 5-95] [Missing=*]

Statistics [NW/ W] [Valid=773 /-] [Invalid=0 /-] [Mean=63.92 /-] [StdDev=28.463 /-]

File Kilinochchi English (cont.)

#7 GN2: GN2

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=773 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
Allippalai		96	12.4%
Elephantpass		11	1.4%
Gnanimadam		6	0.8%
Kowtharimunai		139	18.0%
Nallur		130	16.8%
Pallikuda		152	19.7%
Poonaveli		130	16.8%
Puliyampokanai		18	2.3%
Puloepalai		91	11.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#8 GN3: GN3

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=773 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
KN46		11	1.4%
KN56		18	2.3%
KN59		130	16.8%
KN63		6	0.8%
KN65		152	19.7%
KN68		139	18.0%
KN76		130	16.8%
KN84		91	11.8%
KN89		96	12.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#9 IDJ: IDJ

Information [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]

Statistics [NW/ W] [Valid=773 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1		299	38.7%
4		474	61.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Kilinochchi English (cont.)

#10 IDK: IDK

Information	[Type= continuous] [Format=numeric] [Range= 1-134] [Missing=*]
Statistics [NW/ W]	[Valid=773 /-] [Invalid=0 /-] [Mean=49.687 /-] [StdDev=35.314 /-]

#11 INITIALS: INITIALS

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=764 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
A		47	6.2%
AJ		1	0.1%
DSS		1	0.1%
E		18	2.4%
F		1	0.1%
G		4	0.5%
GK		1	0.1%
I		55	7.2%
J		4	0.5%
K		125	16.4%
L		5	0.7%
M		55	7.2%
N		48	6.3%
P		82	10.7%
R		14	1.8%
RM		2	0.3%
S		189	24.7%
SA		1	0.1%
T		46	6.0%
TT		1	0.1%
V		10	1.3%
W		40	5.2%
Y		13	1.7%
YK		1	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#12 SURNAME: SURNAME

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=773 /-]

Frequency table not shown (632 Modalities)

File Kilinochchi English (cont.)

#13 ADDR1: ADDR1

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=773 /-]
Frequency table not shown (36 Modalities)	

#14 ADDR2: ADDR2

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=760 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
Akkarayan		1	0.1%
Elephantpass		11	1.4%
Gnanimadam		6	0.8%
Gowdharimunai		2	0.3%
Irathinapuram		2	0.3%
Jayanthi Nagar		1	0.1%
Kilinochchi		5	0.7%
Kunjupparandar		21	2.8%
Nallur		24	3.2%
Palai		175	23.0%
Palavi		18	2.4%
Pallikuda		1	0.1%
Poonagar		3	0.4%
Poonagary		243	32.0%
Poonagary.		1	0.1%
Poonahari		148	19.5%
Puliyampokanai		18	2.4%
Samipuram		1	0.1%
Siva Nagar		2	0.3%
Skandhapuram		2	0.3%
Solai		1	0.1%
Sonavil		4	0.5%
Uruththinapuram		1	0.1%
Veravil		68	8.9%
Welfare Center		1	0.1%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#15 ADDR3: ADDR3

Information	[Type= discrete] [Format=character] [Missing=*]
-------------	---

File Kilinochchi English (cont.)

#15 ADDR3: ADDR3 (cont.)

Statistics [NW/ W] [Valid=118 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
Kilinochchi		2	1.7%
Nallur		12	10.2%
North Kuchchi		1	0.8%
Parandan		15	12.7%
Poonagary		12	10.2%
Poonahari		6	5.1%
Poonakary		68	57.6%
Uruththirapuram		1	0.8%
Vannerikulam		1	0.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#16 ADDR4: ADDR4

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=1 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
Iramanadapuram		1	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#17 BZONE: BZONE

Information [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]

Statistics [NW/ W] [Valid=773 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1		193	25.0%
2		441	57.1%
5		139	18.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#18 DAMGTYP: DAMGTYP

Information [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]

Statistics [NW/ W] [Valid=773 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1		299	38.7%
4		474	61.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Matara Sinhala

#1 IDA: IDA

Information	[Type= continuous] [Format=numeric] [Range= 1-900] [Missing=*]
Statistics [NW/ W]	[Valid=16685 /-] [Invalid=0 /-] [Mean=142.674 /-] [StdDev=102.457 /-]

#2 IDB: IDB

Information	[Type= discrete] [Format=numeric] [Range= 32-38] [Missing=*]
Statistics [NW/ W]	[Valid=16685 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
32		16661	99.9%
33		1	0.0%
34		1	0.0%
35		1	0.0%
36		1	0.0%
37		1	0.0%
38		19	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#3 DISTRICT: DISTRICT

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=16685 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
Matara		16614	99.6%
Matara3		71	0.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#4 DSCODE: DSCODE

Information	[Type= discrete] [Format=numeric] [Range= 39-48] [Missing=*]
Statistics [NW/ W]	[Valid=16685 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
39		5602	33.6%
40		1	0.0%
41		1	0.0%
42		5718	34.3%
43		3	0.0%
44		1	0.0%
45		2345	14.1%
48		3014	18.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Matara Sinhala (cont.)

#5 DSDIVISION: DSDIVISION

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=16685 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
Deninuwara		154	0.9%
Devinuwara		2172	13.0%
Dikwella		3014	18.1%
Matara Four Gravets		5719	34.3%
Weligama		5626	33.7%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#6 GN1: GN1

Information	[Type= continuous] [Format=numeric] [Range= 40-330] [Missing=*]
Statistics [NW/ W]	[Valid=16685 /-] [Invalid=0 /-] [Mean=196.968 /-] [StdDev=63.724 /-]

#7 GN2: GN2

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=16685 /-]
Frequency table not shown (71 Modalities)	

#8 GN3: GN3

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=16685 /-]
Frequency table not shown (63 Modalities)	

#9 IDI: IDI

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=16282 /-] [Invalid=0 /-]
Frequency table not shown (62 Modalities)	

#10 IDJ: IDJ

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=16685 /-] [Invalid=0 /-]

File Matara Sinhala (cont.)

#10 IDJ: IDJ (cont.)

Value	Label	Cases	Percentage
ke(")		71	0.4%
"		463	2.8%
-ol+K"		285	1.7%
1		892	5.3%
2		373	2.2%
3		2181	13.1%
380A		408	2.4%
381C		216	1.3%
385		105	0.6%
387 A		379	2.3%
387B		423	2.5%
387C		315	1.9%
388a		188	1.1%
4		6730	40.3%
405 A		168	1.0%
405D		59	0.4%
407		375	2.2%
407C		170	1.0%
411C		402	2.4%
412		683	4.1%
416A		216	1.3%
433G		120	0.7%
444 A		267	1.6%
453 D		166	1.0%
453A		258	1.5%
453C		135	0.8%
a		403	2.4%
mjq"		234	1.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#11 IDK: IDK

Information	[Type= discrete] [Format=character] [Missing=*
Statistics [NW/ W]	[Valid=16685 /-] [Invalid=0 /-]
Frequency table not shown (503 Modalities)	

#12 INITIALS: INITIALS

Information	[Type= discrete] [Format=character] [Missing=*
-------------	--

File Matara Sinhala (cont.)

#12 INITIALS: INITIALS (cont.)

Statistics [NW/ W]	[Valid=14791 /-] [Invalid=0 /-]
--------------------	---------------------------------

#13 SURNAME: SURNAME

Information	[Type= discrete] [Format=character] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=15871 /-]
--------------------	------------------

#14 ADDR1: ADDR1

Information	[Type= discrete] [Format=character] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=16420 /-]
--------------------	------------------

#15 ADDR2: ADDR2

Information	[Type= discrete] [Format=character] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=16448 /-]
--------------------	------------------

#16 ADDR3: ADDR3

Information	[Type= discrete] [Format=character] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=15618 /-]
--------------------	------------------

#17 ADDR4: ADDR4

Information	[Type= discrete] [Format=character] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=13620 /-]
--------------------	------------------

#18 BZONE: BZONE

Information	[Type= discrete] [Format=character] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=13217 /-]
--------------------	------------------

Frequency table not shown (665 Modalities)

#19 DAMGTYP: DAMGTYP

Information	[Type= discrete] [Format=character] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=12585 /-]
--------------------	------------------

Frequency table not shown (315 Modalities)

File Matara Sinhala (cont.)

#20 V20

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=11149 /-] [Invalid=0 /-]
Frequency table not shown (155 Modalities)	

#21 V21

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=9034 /-] [Invalid=0 /-]
Frequency table not shown (81 Modalities)	

#22 V22

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=5698 /-] [Invalid=0 /-]
Frequency table not shown (58 Modalities)	

#23 V23

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=3154 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
mdr"		1	0.0%
o"		1	0.0%
ol+K"		9	0.3%
ol=K"		12	0.4%
"		212	6.7%
"je		3	0.1%
"oslafj		1	0.0%
"oslaje		14	0.4%
.kaor		30	1.0%
1		475	15.1%
2		676	21.4%
3		443	14.0%
4		1018	32.3%
Ek"		1	0.0%
a		86	2.7%
a.u ol=K"		1	0.0%
afyak"		2	0.1%
fkdagsgf.dv		2	0.1%

File Matara Sinhala (cont.)

#23 V23

Value (cont.)	Label	Cases	Percentage
fIdagagf.dv		1	0.0%
fIdaÜgf.dv		20	0.6%
fIdgsgf.dv		1	0.0%
fóukqjr		5	0.2%
mrK mdr		1	0.0%
o'.kaor		4	0.1%
ol=Kq .kaor		46	1.5%
s.u"		19	0.6%
suq		1	0.0%
u;r		3	0.1%
ud;r		66	2.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#24 V24

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1618 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
o"		1	0.1%
ol+K"		8	0.5%
ol==K"		1	0.1%
"		76	4.7%
"oslaje		2	0.1%
.kaor		17	1.1%
1		289	17.9%
2		424	26.2%
3		221	13.7%
4		509	31.5%
a		18	1.1%
fIdaÜgf.dv		5	0.3%
fóukqjr		1	0.1%
o'.kaor		1	0.1%
ol=Kq .kaor		19	1.2%
s.u"		3	0.2%
ud;r		22	1.4%
wyx.u		1	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Tsunami Sample Frame - 2005 (Tsunami Affected Housing Units) - Variables Description

File Matara Sinhala (cont.)

#25 V25

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=988 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
ykaosh"		1	0.1%
"		17	1.7%
.kaor		5	0.5%
1		179	18.1%
2		238	24.1%
3		120	12.1%
4		414	41.9%
a		2	0.2%
ol=Kq .kaor		7	0.7%
ud;r		5	0.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#26 V26

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=473 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
"		2	0.4%
";		1	0.2%
1		70	14.8%
2		85	18.0%
3		50	10.6%
4		263	55.6%
ol=Kq .kaor		1	0.2%
ud;r		1	0.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#27 V27

Information [Type= continuous] [Format=numeric] [Range= 1-4] [Missing=*]

Statistics [NW/ W] [Valid=155 /-] [Invalid=16530 /-] [Mean=3.232 /-] [StdDev=1.133 /-]

#28 V28

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=33 /-] [Invalid=0 /-]

File Matara Sinhala (cont.)

#28 V28

Value	Label	Cases	Percentage
1		9	27.3%
2		1	3.0%
3		3	9.1%
4		19	57.6%
a		1	3.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#29 V29

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=4 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
ol+K"		1	25.0%
4		3	75.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#30 V30

Information	[Type= continuous] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=16685 /-]

#31 V31

Information	[Type= continuous] [Format=numeric] [Range= 2-2] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=16684 /-] [Mean=2 /-]

#32 V32

Information	[Type= continuous] [Format=numeric] [Range= 2-2] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=16684 /-] [Mean=2 /-]

File Mullaitivu English

#1 IDA: IDA

Information	[Type= discrete] [Format=numeric] [Range= 603-620] [Missing=*]
-------------	--

File Mullaitivu English (cont.)

#1 IDA: IDA (cont.)

Statistics [NW/ W] [Valid=5937 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
603		277	4.7%
604		270	4.5%
605		567	9.6%
606		344	5.8%
607		142	2.4%
608		289	4.9%
609		287	4.8%
610		458	7.7%
611		177	3.0%
612		370	6.2%
613		199	3.4%
614		418	7.0%
615		462	7.8%
616		361	6.1%
617		409	6.9%
618		348	5.9%
619		454	7.6%
620		105	1.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#2 IDB: IDB

Information [Type= discrete] [Format=numeric] [Range= 44-44] [Missing=*]

Statistics [NW/ W] [Valid=5937 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
44		5937	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#3 DISTRICT: DISTRICT

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=5937 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
Mullaitivu		5937	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Mullaitivu English (cont.)

#4 DSCODE: DSCODE

Information	[Type= discrete] [Format=numeric] [Range= 15-15] [Missing=*]		
Statistics [NW/ W]	[Valid=5937 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
15		5937	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#5 DSDIVISION: DSDIVISION

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=5937 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
Maritimepattu		5648	95.1%
Meritimepattu		289	4.9%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#6 GN1: GN1

Information	[Type= continuous] [Format=numeric] [Range= 5-225] [Missing=*]		
Statistics [NW/ W]	[Valid=5937 /-] [Invalid=0 /-] [Mean=93.466 /-] [StdDev=76.835 /-]		

#7 GN2: GN2

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=5937 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
Alambil-South		270	4.5%
Alampil North		289	4.9%
Ampalavanpokkanai		567	9.6%
Chemmalai		361	6.1%
Chemmalai East		105	1.8%
Chilawattai		458	7.7%
Chilawattai South		277	4.7%
Kallappadu North		418	7.0%
Kallappadu-South		454	7.6%
Kovilkudiyiruppu		142	2.4%
Manalkudiyiruppu		287	4.8%
Mullaithivu-South		199	3.4%

File Mullaitivu English (cont.)

#7 GN2: GN2 (cont.)

Value (cont.)	Label	Cases	Percentage
Mullativu Town		177	3.0%
Mullivaikkal East		462	7.8%
Mullivaikkal-West		370	6.2%
Selvapuram		409	6.9%
Uppumaveli		344	5.8%
Vannankulam		348	5.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#8 GN3: GN3

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=5937 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
MU100		567	9.6%
MU83		105	1.8%
MU84		361	6.1%
MU85		344	5.8%
MU86		289	4.9%
MU87		270	4.5%
MU88		458	7.7%
MU89		277	4.7%
MU90		454	7.6%
MU91		418	7.0%
MU92		348	5.9%
MU93		199	3.4%
MU94		409	6.9%
MU95		142	2.4%
MU96		287	4.8%
MU97		177	3.0%
MU98		462	7.8%
MU99		370	6.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#9 IDJ: IDJ

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=5937 /-] [Invalid=0 /-]

File Mullaitivu English (cont.)

#9 IDJ: IDJ (cont.)

Value	Label	Cases	Percentage
1		4551	76.7%
2		627	10.6%
3		509	8.6%
4		250	4.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#10 IDK: IDK

Information	[Type= continuous] [Format=numeric] [Range= 1-455] [Missing=*]
Statistics [NW/ W]	[Valid=5937 /-] [Invalid=0 /-] [Mean=133.339 /-] [StdDev=113.036 /-]

#11 INITIALS: INITIALS

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=5673 /-] [Invalid=0 /-]
Frequency table not shown (96 Modalities)	

#12 SURNAME: SURNAME

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=5937 /-]

#13 ADDR1: ADDR1

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=5937 /-]
Frequency table not shown (61 Modalities)	

#14 ADDR2: ADDR2

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=2489 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1st Lane		13	0.5%
Alambil		327	13.1%
Alambil-South		51	2.0%
Alampil		627	25.2%
Ampalavanpokkanai		94	3.8%

File Mullaitivu English (cont.)

#14 ADDR2: ADDR2 (cont.)

Value (cont.)	Label	Cases	Percentage
Chemmalai		17	0.7%
Chilawaththai South		80	3.2%
Chilawattai		317	12.7%
Kallappadu-South		24	1.0%
Kovilkudiyuruppu		67	2.7%
Kurushadi		40	1.6%
Mulathivu		254	10.2%
Mullai		137	5.5%
Mullaithivu		24	1.0%
Mullaitivu		225	9.0%
Mullativu		5	0.2%
Mullivaikkal		141	5.7%
Nayaru		1	0.0%
Selvapuram South		40	1.6%
Vannankulam		1	0.0%
Wannakulam		1	0.0%
Wannankulam		3	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#15 ADDR3: ADDR3

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=16 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
.		1	6.3%
Alambil		1	6.3%
Mulathivu		1	6.3%
Selvapuram South		13	81.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#16 ADDR4: ADDR4

Information	[Type= continuous] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=5937 /-]		

File Mullaitivu English (cont.)

#17 BZONE: BZONE

Information [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]

Statistics [NW/ W] [Valid=5937 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1		3031	51.1%
2		2887	48.6%
4		19	0.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#18 DAMGTYP: DAMGTYP

Information [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]

Statistics [NW/ W] [Valid=5937 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1		4551	76.7%
2		627	10.6%
3		509	8.6%
4		250	4.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Puttalam Sinhala

#1 IDA: IDA

Information [Type= discrete] [Format=numeric] [Range= 101-107] [Missing=*]

Statistics [NW/ W] [Valid=320 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
101		43	13.4%
102		80	25.0%
103		45	14.1%
104		149	46.6%
105		1	0.3%
106		1	0.3%
107		1	0.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Puttalam Sinhala (cont.)

#2 IDB: IDB

Information	[Type= discrete] [Format=numeric] [Range= 62-62] [Missing=*]		
Statistics [NW/ W]	[Valid=320 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
62		320	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#3 DISTRICT: DISTRICT

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=320 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
Puttalam		320	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#4 DSCODE: DSCODE

Information	[Type= discrete] [Format=numeric] [Range= 45-45] [Missing=*]		
Statistics [NW/ W]	[Valid=320 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
45		320	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#5 DSDIVISION: DSDIVISION

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=320 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
Wennappuwa		320	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#6 GN1: GN1

Information	[Type= continuous] [Format=numeric] [Range= 150-235] [Missing=*]		
Statistics [NW/ W]	[Valid=320 /-] [Invalid=0 /-] [Mean=217.875 /-] [StdDev=27.992 /-]		

#7 GN2: GN2

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=320 /-] [Invalid=0 /-]		

File Puttalam Sinhala (cont.)

#7 GN2: GN2 (cont.)

Value	Label	Cases	Percentage
Aluththota		45	14.1%
Kammala		80	25.0%
Sindrathriya		152	47.5%
Wellamankaraya		43	13.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#8 GN3: GN3

Information	[Type= discrete] [Format=character] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=320 /-] [Invalid=0 /-]
--------------------	-------------------------------

Value	Label	Cases	Percentage
"fj		43	13.4%
"liu		80	25.0%
iskā;s%h		152	47.5%
w̄;af;dg		45	14.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#9 IDI: IDI

Information	[Type= discrete] [Format=character] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=320 /-] [Invalid=0 /-]
--------------------	-------------------------------

Value	Label	Cases	Percentage
"		80	25.0%
481		149	46.6%
481A		45	14.1%
482		1	0.3%
483		1	0.3%
484		1	0.3%
a		43	13.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#10 IDJ: IDJ

Information	[Type= discrete] [Format=character] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=320 /-] [Invalid=0 /-]
--------------------	-------------------------------

Value	Label	Cases	Percentage
1		5	1.6%
2		13	4.1%
3		29	9.1%

File Puttalam Sinhala (cont.)

#10 IDJ: IDJ (cont.)

Value (cont.)	Label	Cases	Percentage
4		150	46.9%
481B		80	25.0%
uxlrh"		43	13.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#11 IDK: IDK

Information	[Type= discrete] [Format=character] [Missing=*
Statistics [NW/ W]	[Valid=320 /-] [Invalid=0 /-]
Frequency table not shown (109 Modalities)	

#12 INITIALS: INITIALS

Information	[Type= discrete] [Format=character] [Missing=*
Statistics [NW/ W]	[Valid=248 /-] [Invalid=0 /-]
Frequency table not shown (99 Modalities)	

#13 SURNAME: SURNAME

Information	[Type= discrete] [Format=character] [Missing=*
Statistics [NW/ W]	[Valid=266 /-]
Frequency table not shown (222 Modalities)	

#14 ADDR1: ADDR1

Information	[Type= discrete] [Format=character] [Missing=*
Statistics [NW/ W]	[Valid=309 /-] [Invalid=0 /-]
Frequency table not shown (213 Modalities)	

#15 ADDR2: ADDR2

Information	[Type= discrete] [Format=character] [Missing=*
Statistics [NW/ W]	[Valid=319 /-]
Frequency table not shown (140 Modalities)	

#16 ADDR3: ADDR3

Information	[Type= discrete] [Format=character] [Missing=*
-------------	--

File Puttalam Sinhala (cont.)

#16 ADDR3: ADDR3 (cont.)

Statistics [NW/ W] [Valid=316 /-] [Invalid=0 /-]

Frequency table not shown (67 Modalities)

#17 ADDR4: ADDR4

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=290 /-] [Invalid=0 /-]

Frequency table not shown (32 Modalities)

#18 BZONE: BZONE

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=229 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
"		68	29.7%
"fj		9	3.9%
"fjA		1	0.4%
"fvd		1	0.4%
"je		27	11.8%
"jhslald		21	9.2%
"m%cd Yd		2	0.9%
"ol=Kq liu		1	0.4%
.=ref.a ckmoh		3	1.3%
1		8	3.5%
85\$ta		1	0.4%
86		1	0.4%
87		1	0.4%
a		55	24.0%
amska fydag		2	0.9%
dj wi		1	0.4%
iQrsh.yj;a; ckmoh		1	0.4%
ika¯;s%h		1	0.4%
iska¯;s%h		15	6.6%
lalkaks udj;"		2	0.9%
lalkakss udj;"		1	0.4%
uxlrh"		7	3.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Puttalam Sinhala (cont.)

#19 DAMGTYP: DAMGTYP

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=242 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
"		62	25.6%
"fj		6	2.5%
"je		5	2.1%
"jhslald		17	7.0%
"ol=Kq liu		1	0.4%
1		41	16.9%
2		37	15.3%
3		4	1.7%
4		3	1.2%
a		36	14.9%
a udj;"		2	0.8%
amska fydag		1	0.4%
dj wi		2	0.8%
iska ;s%h		6	2.5%
lalkaks udj;"		1	0.4%
n\$khskuvu		2	0.8%
uxlrh"		16	6.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#20 V20

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=265 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
"		47	17.7%
"jhslald		48	18.1%
1		38	14.3%
2		38	14.3%
3		7	2.6%
4		64	24.2%
a		11	4.2%
a udj;"		1	0.4%
iska ;s%h		1	0.4%
m .yj;a;		1	0.4%
uxlrh"		9	3.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Puttalam Sinhala (cont.)

#21 V21

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=198 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
"		53	26.8%
"jhslald		30	15.2%
1		26	13.1%
2		18	9.1%
3		12	6.1%
4		50	25.3%
n\$khskuvu		3	1.5%
uxlrh"		6	3.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#22 V22

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=100 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
"		30	30.0%
"jhslald		5	5.0%
1		18	18.0%
2		15	15.0%
3		5	5.0%
4		27	27.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#23 V23

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=95 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
"		5	5.3%
1		16	16.8%
2		48	50.5%
3		1	1.1%
4		25	26.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Puttalam Sinhala (cont.)

#24 V24

Information	[Type= continuous] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=95 /-] [Invalid=225 /-] [Mean=3.116 /-] [StdDev=1.11 /-]

#25 V25

Information	[Type= continuous] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=39 /-] [Invalid=281 /-] [Mean=3.615 /-] [StdDev=0.847 /-]

#26 V26

Information	[Type= continuous] [Format=numeric] [Range= 4-4] [Missing=*]
Statistics [NW/ W]	[Valid=5 /-] [Invalid=315 /-] [Mean=4 /-] [StdDev=0 /-]

File Trincomali English

#1 IDA: IDA

Information	[Type= continuous] [Format=numeric] [Range= 464-903] [Missing=*]
Statistics [NW/ W]	[Valid=14552 /-] [Invalid=0 /-] [Mean=488.924 /-] [StdDev=20.647 /-]

#2 IDB: IDB

Information	[Type= discrete] [Format=numeric] [Range= 53-53] [Missing=*]		
Statistics [NW/ W]	[Valid=14552 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
53		14552	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#3 DISTRICT: DISTRICT

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=14552 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
Trincomalee		13335	91.6%
Trincomalee		1168	8.0%
Trincomalee		49	0.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Trincomali English (cont.)

#4 DSCODE: DSCODE

Information	[Type= continuous] [Format=numeric] [Range= 6-33] [Missing=*]
Statistics [NW/ W]	[Valid=14552 /-] [Invalid=0 /-] [Mean=19.165 /-] [StdDev=8.442 /-]

#5 DSDIVISION: DSDIVISION

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=14552 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
Kinniya		3850	26.5%
Kuchchaveli		2678	18.4%
Moothur		716	4.9%
Muththur		48	0.3%
Muthur		142	1.0%
Muttur		928	6.4%
Seruvila		184	1.3%
Town and Gravets		4601	31.6%
Verugal		1405	9.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#6 GN1: GN1

Information	[Type= continuous] [Format=numeric] [Range= 5-195] [Missing=*]
Statistics [NW/ W]	[Valid=14552 /-] [Invalid=0 /-] [Mean=84.446 /-] [StdDev=49.495 /-]

#7 GN2: GN2

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=14552 /-]

Frequency table not shown (51 Modalities)

#8 GN3: GN3

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=14552 /-] [Invalid=0 /-]

Frequency table not shown (51 Modalities)

#9 IDJ: IDJ

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
-------------	--

File Trincomali English (cont.)

#9 IDJ: IDJ (cont.)

Statistics [NW/ W] [Valid=14552 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1		4778	32.8%
2		1138	7.8%
3		3856	26.5%
4		4780	32.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#10 IDK: IDK

Information [Type= continuous] [Format=numeric] [Range= 1-508] [Missing=*]

Statistics [NW/ W] [Valid=14552 /-] [Invalid=0 /-] [Mean=107.012 /-] [StdDev=102.801 /-]

#11 INITIALS: INITIALS

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=13448 /-] [Invalid=0 /-]

Frequency table not shown (760 Modalities)

#12 SURNAME: SURNAME

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=14552 /-]

#13 ADDR1: ADDR1

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=14543 /-]

#14 ADDR2: ADDR2

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=9619 /-]

Frequency table not shown (288 Modalities)

#15 ADDR3: ADDR3

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=953 /-]

File Trincomali English (cont.)

#15 ADDR3: ADDR3 (cont.)

Frequency table not shown (78 Modalities)

#16 ADDR4: ADDR4

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=176 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
.		2	1.1%
Batticaloa Road		2	1.1%
Neerodu Mulai		1	0.6%
Neerodu Munai		12	6.8%
Neerotter Munai		2	1.1%
Nilaveli		1	0.6%
Palaiyootru		1	0.6%
Sinnampillai Senai		2	1.1%
Sinnappillai Road		1	0.6%
Thirumalei		1	0.6%
Trincomalea		2	1.1%
Trincomalee		149	84.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#17 BZONE: BZONE

Information [Type= continuous] [Format=numeric] [Range= 1-5] [Missing=*]

Statistics [NW/ W] [Valid=14279 /-] [Invalid=273 /-] [Mean=3.731 /-] [StdDev=1.744 /-]

#18 DAMGTYP: DAMGTYP

Information [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]

Statistics [NW/ W] [Valid=14551 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
1		4731	32.5%
2		1136	7.8%
3		3838	26.4%
4		4619	31.7%
5		227	1.6%
Sysmiss		1	

File Trincomali English (cont.)

#18 DAMGTYP: DAMGTYP (cont.)

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#19 V19

Information	[Type= continuous] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=273 /-] [Invalid=14279 /-] [Mean=2.923 /-] [StdDev=1.387 /-]

#20 V20

Information	[Type= continuous] [Format=numeric] [Range= 4-4] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=14551 /-] [Mean=4 /-]

Documentation

Reports and analytical documents	161
Extracts from Atlas on the Buildings Affected by the Tsunami - 2004	161
Questionnaires	161
Tsunami Affected Housing Units (Sample Frame) 2005	161
Other documents	161
Study Documentation of TAH105 Project	161
Statistical tables	161
Other resources	161
Original data - Colombo	161
Original data - Gampaha	161
Original data - Kaluthara	161
Original data - Galle	162
Original data - Matara	162
Original data - Hambantota	162
Original data - Amparaj	162
Original data - Mullativu	162
Original data - Killinochchi	162
Original data - Batticaloa	162
Original data - Trincomalee	162
Original data - Jaffna	162
Original data - Puttalam	162

Reports and analytical documents

Extracts from Atlas on the Buildings Affected by the Tsunami - 2004, "Documentation\Extracts from Atlas on the Buildings Affected by the Tsunami - 2004.pdf"

Questionnaires

Tsunami Affected Housing Units (Sample Frame) 2005, "Documentation\TAH002.pdf"

Other documents

Study Documentation of TAH105 Project, "Documentation\Study Documentation of TAH105 Project.pdf"

DL Araliya 2 Font, "Documentation\DL Araliya 2.TTF"

Other resources

Original data - Colombo, "Data\Colombo.zip"

Original data - Gampaha, "Data\Gampaha.zip"

Original data - Kaluthara, "Data\Kalutara.zip"

Original data - Galle, "Data\Galle.zip"

Original data - Matara, "Data\Matara.zip"

Original data - Hambantota, "Data\Hambantota.zip"

Original data - Amparai, "Data\Ampara.zip"

Original data - Mullativu, "Data\Mulative.zip"

Original data - Killinochchi, "Data\Kilinochchi.zip"

Original data - Batticaloa, "Data\Batticaloa.zip"

Original data - Trincomalee, "Data\Trincomalee.zip"

Original data - Jaffna, "Data\Jaffna.zip"

Original data - Puttalam, "Data\Puttalam.zip"