

Sri Lanka

Statistics Division, Registrar General's Department, Ministry of Public
Administration and Home Affairs

Vital Statistics - Deaths - 1977

Study Documentation

December 7, 2009

Metadata Production

| | |
|----------------------|---|
| Metadata Producer(s) | Registrar General's Department (RGD) , Ministray of Public Administration and Home Affairs , Providing Metadata |
| Production Date | December 5, 2008 |
| Version | Version 1.0 (September 2008). |
| Identification | DDI-LKA-RGD-RGD-1977-v1.0 |

This document was generated using the [IHSN Microdata Management Toolkit](#)

Table of Contents

| | |
|--|----|
| Overview | 1 |
| Scope & Coverage | 2 |
| Producers & Sponsors | 2 |
| Data Collection | 2 |
| Accessibility | 3 |
| Rights & Disclaimer | 3 |
| Files Description | 4 |
| Death_77 | 4 |
| Variables List | 5 |
| Death_77 | 5 |
| Variables Description | 6 |
| Death_77 | 6 |
| Documentation | 16 |

Sri Lanka (1977)
Vital Statistics - Deaths - 1977 (RGD - 1977)

| Overview | |
|---|---|
| Type | Administrative Records, Other (ad/oth] |
| Identification | LKA-RGD-RGD-1977-v1.0 |
| Version | Production Date: 2008-09-05 v1.0: Full edited dataset, original version for internal DPD use. |
| Series | <p>Registration of vital events commenced in 1867 with the enactment of civil registration laws which conferred the legal sanction for the registration of events namely, live births, deaths, still births and marriages. According to the law every death has to be registered within 5 days from the date of occurrence. Although death registrations are compulsory by law, few events are missed and not registered for various reasons.</p> <p>[By the survey conducted in 1980 to assess the completeness of the registration of births and deaths, it was found that about 98.8 per cent of births and 94.0 per cent of deaths are being registered in Sri Lanka in any given period].</p> <p>Deaths are registered at the place of occurrence and not in the area of deceased.</p> |
| <p><u>Abstract</u></p> <p>Registration of vital events commenced in 1867 with the enactment of civil registration laws which conferred the legal sanction for the registration of events namely, live births, deaths, still births and marriages. According to the law every death has to be registered within 5 days from the date of occurrence. Although death registrations are compulsory by law, few events are missed and not registered for various reasons.</p> <p>[By the survey conducted in 1980 to assess the completeness of the registration of births and deaths, it was found that about 98.8 per cent of births and 94.0 per cent of deaths are being registered in Sri Lanka in any given period].</p> <p>Deaths are registered at the place of occurrence and not in the area of the deceased.]</p> | |
| Kind of Data | Administrative records data [adm] |
| Unit of Analysis | Death of individual |

Scope & Coverage

Scope

The scope of the Registration of Death 1977 include :

- District
- AGA Division
- Registrar's Division
- Month & Year
- Date of Death
- If urban, assessment number, street and town
- If rural, Name of village
- Revenue District
- Whether outside division
- Distinguishing letters
- Race
- Age at Death - in days
- Age at Death - in months
- Age at Death - in years
- Immediate Cause
- Antecedent and/or underlying cause
- Other contributory causes

| | |
|--------|--------------------------------|
| Topics | DEMOGRAPHY AND POPULATION [14] |
|--------|--------------------------------|

Geographic Coverage

National coverage.

Universe

Entire population of local individuals whose death has occurred in Sri Lanka.

Producers & Sponsors

| | |
|-------------------------|---|
| Primary Investigator(s) | Statistics Division, Registrar General's Department, Ministry of Public Administration and Home Affairs |
| Other Producer(s) | Divisional Secretariats , Data Collection |
| Funding Agency/ies | Government of Sri Lanka (GOSL) |

Data Collection

| | |
|---|------------------------------------|
| Data Collection Dates | start 1977-01-01 end 1977-12-31 |
| Data Collection Mode | Other [oth] |
| <p><u>Data Collection Notes</u></p> <p>When a death of an individual occurs, the respondent of the death meets the Registrar of Births and Deaths appointed for the area where the death occurred and obtains the death certificate.</p> <p>A copy of the death certificate is sent to the Divisional Secretariat Office along with the monthly return of deaths which includes the details of deaths occurred in a particular month.</p> | |

The Additional District Registrars receive the returns from all Divisional Secretariat offices attached to them. The Additional District Registrars send these returns to the Statistical Division of the Registrar General's Office for data processing purposes

| | |
|-------------------|--|
| Data Collector(s) | Registrars of Berths & Deaths , Registrar General's Department Additional District Registrar , Registrar General's Department Statistical Division - Registrar General's Office , Registrar General's Department |
|-------------------|--|

Other Processing

Data processing included the following steps.

1. Accepting the filled birth return forms by the Statistical Division
2. Do a visual check for completeness
3. Coding of data
4. Entry of data
5. Run edit program for each District batch
6. Produce error report
7. Correction of errors on the report
8. Change incorrect data using the corrected error report
9. Re-run the edit program and repeat the error correction procedure
10. Produce final tables on clean data with a backup of clean data.

Accessibility

| | |
|------------------|---|
| Access Authority | Registrar General (Registrar General's Department) , www.rgd.gov.lk , rg@rgd.gov.lk |
| Contact(s) | Statistical Division (Registrar General's Department) , www.rgd.gov.lk , ddstat@rgd.gov.lk |

Confidentiality

The degree of confidentiality of this microdata set is determined by the Access Authority. Please refer to the Access Authority for further details.

Access Conditions

Please contact the Access Authority for Access Terms and Conditions.

Citation Requirements

"Registrar General's Department,Vital Statistics (Deaths) - 1977 Version 1.0 of the public use dataset (September 2008)"

Rights & Disclaimer

Disclaimer

The Department of Census and Statistics and the Registrar General's Department will bear no responsibility for any results or interpretations arising from the secondary use of the data.

| | |
|-----------|--|
| Copyright | (C) 2008, Registrar General's Department |
|-----------|--|

Files Description

Dataset contains 1 file(s)

| Death_77 | |
|---|--------|
| # Cases | 103284 |
| # Variable(s) | 25 |
| <u>File Content</u> The file contains the data related to the Return of Death Form 1977. | |
| <u>Producer</u> Registrar General's Department | |

Variables List

Dataset contains 25 variable(s)

| File Death_77 | | | | | | | |
|---------------|--|------------------------------------|----------|-------------|--------|---------|----------|
| # | Name | Label | Type | Format | Valid | Invalid | Question |
| 1 | SECTOR | Sector | discrete | numeric-1.0 | 103284 | 0 | - |
| 2 | REVENUE_DISTRICT | District | discrete | numeric-2.0 | 103284 | 0 | - |
| 3 | D_R_O_DIVISION | GA Division | discrete | numeric-2.0 | 103284 | 0 | - |
| 4 | REGISTRAR_DIVISION | Registrar's Division | discrete | numeric-2.0 | 103284 | 0 | - |
| 5 | TOWN | Town (Not Applicable) | discrete | numeric-2.0 | 42483 | 60801 | - |
| 6 | MONTH | Month | discrete | numeric-2.0 | 103284 | 0 | - |
| 7 | YEAR | Year | discrete | numeric-2.0 | 103284 | 0 | - |
| 8 | SEX | Sex | discrete | numeric-1.0 | 103284 | 0 | - |
| 9 | ENTRY_NUMBER | Entry Number | discrete | numeric-4.0 | 103284 | 0 | - |
| 10 | RESIDENCE_TOWN | Town (Residence) | discrete | numeric-2.0 | 1215 | 102069 | - |
| 11 | DISTRICT_RESIDENCE | District | discrete | numeric-2.0 | 641 | 102643 | - |
| 12 | OUTSIDE_DIVISION | Within the Registrars Division | discrete | numeric-1.0 | 103284 | 0 | - |
| 13 | DISTINGUISHING_LETTERS | Distinguishing Letters | discrete | numeric-1.0 | 45408 | 57876 | - |
| 14 | RACE | Race | discrete | numeric-2.0 | 103284 | 0 | - |
| 15 | SINGLE_AGE | Single Age | discrete | numeric-3.0 | 103284 | 0 | - |
| 16 | DD_MM_YY_CODE | DD/M/Y Code | discrete | numeric-1.0 | 103284 | 0 | - |
| 17 | DEATH_CODE | Death Code(Cause of Death) | discrete | numeric-3.0 | 103284 | 0 | - |
| 18 | SUB_GROUP | Sub Group | discrete | numeric-1.0 | 42971 | 60313 | - |
| 19 | DEATH_CODE_A | Antecedent and/or underline causes | discrete | numeric-3.0 | 103284 | 0 | - |
| 20 | SUB_GROUP_A | Sub Group A | discrete | character-1 | 32671 | 0 | - |
| 21 | DEATH_CODE_B | Other Contributory Causes | discrete | numeric-2.0 | 103284 | 0 | - |
| 22 | SUB_GROUP_B | Sub Group B | discrete | character-1 | 58276 | 0 | - |
| 23 | OCCURANCE_MONTH | Occurance Month | discrete | numeric-2.0 | 103284 | 0 | - |
| 24 | DIED_IN_SAME_YEAR | Died in same year | discrete | numeric-1.0 | 103090 | 194 | - |
| 25 | CLASS_OF_RECORD | Class of Record | discrete | character-1 | 103284 | 0 | - |

Variables Description

Dataset contains 25 variable(s)

File Death_77

#1 SECTOR: Sector

| Information | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*] | | |
|--------------------|--|-------|------------|
| Statistics [NW/ W] | [Valid=103284 /-] [Invalid=0 /-] | | |
| Value | Label | Cases | Percentage |
| 1 | Urban | 42483 | 41.1% |
| 2 | Rural | 51675 | 50.0% |
| 3 | Estate | 9126 | 8.8% |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#2 REVENUE_DISTRICT: District

| Information | [Type= discrete] [Format=numeric] [Range= 1-24] [Missing=*] | | |
|--------------------|---|-------|------------|
| Statistics [NW/ W] | [Valid=103284 /-] [Invalid=0 /-] | | |
| Value | Label | Cases | Percentage |
| 1 | Colombo | 20578 | 19.9% |
| 2 | Negombo | 3002 | 2.9% |
| 3 | Kalutara | 5505 | 5.3% |
| 4 | Kandy | 10516 | 10.2% |
| 5 | Matale | 2734 | 2.6% |
| 6 | Nuwara Eliya | 3929 | 3.8% |
| 7 | Galle | 5941 | 5.8% |
| 8 | Matara | 4449 | 4.3% |
| 9 | Hambantota | 2540 | 2.5% |
| 10 | Jaffna | 5131 | 5.0% |
| 11 | Mannar | 614 | 0.6% |
| 12 | Vavuniya | 761 | 0.7% |
| 13 | Batticaloa | 2631 | 2.5% |
| 14 | Ampara | 2003 | 1.9% |
| 15 | Trincomalee | 1127 | 1.1% |
| 16 | Kurunegala | 7523 | 7.3% |
| 17 | Puttalam | 858 | 0.8% |
| 18 | Chillaw | 2211 | 2.1% |
| 19 | Anuradhapura | 2964 | 2.9% |
| 20 | Polonnaruwa | 1076 | 1.0% |
| 21 | Badulla | 5430 | 5.3% |
| 22 | Monaragala | 1381 | 1.3% |
| 23 | Ratnapura | 6037 | 5.8% |
| 24 | Kegalle | 4343 | 4.2% |

File Death_77 (cont.)

#2 REVENUE_DISTRICT: District (cont.)

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#3 D_R_O_DIVISION: AGA Division

Information [Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]

Statistics [NW/ W] [Valid=103284 /-] [Invalid=0 /-]

| Value | Label | Cases | Percentage |
|-------|-------|-------|------------|
| 1 | | 42188 | 40.8% |
| 2 | | 10059 | 9.7% |
| 3 | | 10425 | 10.1% |
| 4 | | 9271 | 9.0% |
| 5 | | 8692 | 8.4% |
| 6 | | 5302 | 5.1% |
| 7 | | 4775 | 4.6% |
| 8 | | 3027 | 2.9% |
| 9 | | 3069 | 3.0% |
| 10 | | 2464 | 2.4% |
| 11 | | 2950 | 2.9% |
| 12 | | 491 | 0.5% |
| 13 | | 43 | 0.0% |
| 14 | | 185 | 0.2% |
| 15 | | 309 | 0.3% |
| 16 | | 34 | 0.0% |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#4 REGISTRAR_DIVISI: Registrar's Division

Information [Type= discrete] [Format=numeric] [Range= 1-59] [Missing=*]

Statistics [NW/ W] [Valid=103284 /-] [Invalid=0 /-]

Frequency table not shown (68 Modalities)

#5 TOWN: Town (Not Applicable)

Information [Type= discrete] [Format=numeric] [Range= 1-22] [Missing=*]

Statistics [NW/ W] [Valid=42483 /-] [Invalid=60801 /-]

| Value | Label | Cases | Percentage |
|-------|-------|-------|------------|
| 1 | | 29862 | 70.3% |
| 2 | | 3800 | 8.9% |
| 3 | | 1109 | 2.6% |
| 4 | | 2185 | 5.1% |

File Death_77 (cont.)

#5 TOWN: Town (Not Applicable) (cont.)

| Value (cont.) | Label | Cases | Percentage |
|---------------|-------|-------|------------|
| 5 | | 772 | 1.8% |
| 6 | | 343 | 0.8% |
| 7 | | 269 | 0.6% |
| 8 | | 726 | 1.7% |
| 9 | | 225 | 0.5% |
| 10 | | 219 | 0.5% |
| 11 | | 125 | 0.3% |
| 12 | | 690 | 1.6% |
| 13 | | 137 | 0.3% |
| 14 | | 176 | 0.4% |
| 15 | | 12 | 0.0% |
| 17 | | 112 | 0.3% |
| 18 | | 120 | 0.3% |
| 19 | | 104 | 0.2% |
| 20 | | 30 | 0.1% |
| 21 | | 22 | 0.1% |
| 22 | | 542 | 1.3% |
| 23 | | 644 | 1.5% |
| 24 | | 259 | 0.6% |
| Sysmiss | | 60801 | |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#6 MONTH: Month

| Information | [Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*] | | |
|--------------------|---|-------|------------|
| Statistics [NW/ W] | [Valid=103284 /-] [Invalid=0 /-] | | |
| Value | Label | Cases | Percentage |
| 1 | January | 10642 | 10.3% |
| 2 | February | 9496 | 9.2% |
| 3 | March | 8797 | 8.5% |
| 4 | April | 7562 | 7.3% |
| 5 | May | 8360 | 8.1% |
| 6 | June | 8081 | 7.8% |
| 7 | July | 7868 | 7.6% |
| 8 | August | 9759 | 9.4% |
| 9 | September | 7793 | 7.5% |
| 10 | October | 7911 | 7.7% |
| 11 | November | 8181 | 7.9% |
| 12 | December | 8834 | 8.6% |

File Death_77 (cont.)

#6 MONTH: Month (cont.)

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#7 YEAR: Year

Information [Type= discrete] [Format=numeric] [Range= 77-77] [Missing=*]

Statistics [NW/ W] [Valid=103284 /-] [Invalid=0 /-]

| Value | Label | Cases | Percentage |
|-------|-------|--------|------------|
| 77 | | 103284 | 100.0% |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#8 SEX: Sex

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W] [Valid=103284 /-] [Invalid=0 /-]

| Value | Label | Cases | Percentage |
|-------|--------|-------|------------|
| 1 | Male | 59110 | 57.2% |
| 2 | Female | 44174 | 42.8% |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#9 ENTRY_NUMBER: Entry Number

Information [Type= discrete] [Format=numeric] [Range= 1-9999] [Missing=*]

Statistics [NW/ W] [Valid=103284 /-] [Invalid=0 /-]

#10 RESIDENCE_TOWN: Town (Residence)

Information [Type= discrete] [Format=numeric] [Range= 1-47] [Missing=*]

Statistics [NW/ W] [Valid=1215 /-] [Invalid=102069 /-]

| Value | Label | Cases | Percentage |
|-------|-------|-------|------------|
| 1 | | 75 | 6.2% |
| 2 | | 206 | 17.0% |
| 3 | | 90 | 7.4% |
| 4 | | 189 | 15.6% |
| 5 | | 108 | 8.9% |
| 6 | | 62 | 5.1% |
| 7 | | 82 | 6.7% |
| 8 | | 31 | 2.6% |
| 9 | | 29 | 2.4% |
| 10 | | 3 | 0.2% |
| 11 | | 41 | 3.4% |

File Death_77 (cont.)

#10 RESIDENCE_TOWN: Town (Residence) (cont.)

| Value (cont.) | Label | Cases | Percentage |
|---------------|-------|--------|------------|
| 12 | | 33 | 2.7% |
| 13 | | 26 | 2.1% |
| 15 | | 14 | 1.2% |
| 16 | | 7 | 0.6% |
| 18 | | 35 | 2.9% |
| 19 | | 91 | 7.5% |
| 21 | | 61 | 5.0% |
| 23 | | 31 | 2.6% |
| 24 | | 1 | 0.1% |
| Sysmiss | | 102069 | |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#11 DISTRICT_RESIDEN: District

| Information | [Type= discrete] [Format=numeric] [Range= 1-24] [Missing=*] | | |
|--------------------|---|-------|------------|
| Statistics [NW/ W] | [Valid=641 /-] [Invalid=102643 /-] | | |
| Value | Label | Cases | Percentage |
| 1 | Colombo | 82 | 12.8% |
| 2 | Negombo | 55 | 8.6% |
| 3 | Kalutara | 101 | 15.8% |
| 4 | Kandy | 35 | 5.5% |
| 5 | Matale | 58 | 9.0% |
| 6 | Nuwara Eliya | 148 | 23.1% |
| 7 | Galle | 24 | 3.7% |
| 8 | Matara | 3 | 0.5% |
| 9 | Hambantota | 11 | 1.7% |
| 10 | Jaffna | 2 | 0.3% |
| 11 | Mannar | 4 | 0.6% |
| 12 | Vavuniya | 4 | 0.6% |
| 13 | Batticaloa | 0 | 0.0% |
| 14 | Ampara | 1 | 0.2% |
| 15 | Trincomalee | 3 | 0.5% |
| 16 | Kurunegala | 5 | 0.8% |
| 17 | Puttalam | 0 | 0.0% |
| 18 | Chillaw | 2 | 0.3% |
| 19 | Anuradhapura | 15 | 2.3% |
| 20 | Polonnaruwa | 12 | 1.9% |
| 21 | Badulla | 17 | 2.7% |
| 22 | Monaragala | 0 | 0.0% |

File Death_77 (cont.)

#11 DISTRICT_RESIDEN: District (cont.)

| Value (cont.) | Label | Cases | Percentage |
|---------------|-----------|--------|------------|
| 23 | Ratnapura | 9 | 1.4% |
| 24 | Kegalle | 50 | 7.8% |
| Sysmiss | | 102643 | |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#12 OUTSIDE_DIVISION: Within the Registrars Division

| Information | [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*] | | |
|--------------------|--|-------|------------|
| Statistics [NW/ W] | [Valid=103284 /-] [Invalid=0 /-] | | |
| Value | Label | Cases | Percentage |
| 0 | OUT | 25405 | 24.6% |
| 1 | IN | 77879 | 75.4% |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#13 DISTINGU_LETTER: Distinguishing Letters

| Information | [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*] | | |
|--------------------|--|-------|------------|
| Statistics [NW/ W] | [Valid=45408 /-] [Invalid=57876 /-] | | |
| Value | Label | Cases | Percentage |
| 0 | | 27 | 0.1% |
| 1 | | 8686 | 19.1% |
| 2 | | 474 | 1.0% |
| 3 | | 482 | 1.1% |
| 4 | | 11093 | 24.4% |
| 5 | | 5 | 0.0% |
| 6 | | 23790 | 52.4% |
| 7 | | 553 | 1.2% |
| 8 | | 25 | 0.1% |
| 9 | | 273 | 0.6% |
| Sysmiss | | 57876 | |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#14 RACE: Race

| Information | [Type= discrete] [Format=numeric] [Range= 1-14] [Missing=*] | | |
|--------------------|---|-------|------------|
| Statistics [NW/ W] | [Valid=103284 /-] [Invalid=0 /-] | | |
| Value | Label | Cases | Percentage |
| 1 | Sinhalese | 70742 | 68.5% |
| 2 | Sri Lanka Tamil | 11765 | 11.4% |

File Death_77 (cont.)

#14 RACE: Race (cont.)

| Value (cont.) | Label | Cases | Percentage |
|---------------|---------------------|-------|------------|
| 3 | Sri lanka Moors | 6922 | 6.7% |
| 4 | Burghers Eurasia | 405 | 0.4% |
| 5 | Malays | 249 | 0.2% |
| 6 | Veddah | 8 | 0.0% |
| 7 | Indian Tamil | 12823 | 12.4% |
| 8 | Indian Moors | 150 | 0.1% |
| 9 | Pakistan Tamil | 1 | 0.0% |
| 10 | Pakistan Moors | 0 | 0.0% |
| 11 | Europeans | 16 | 0.0% |
| 12 | Other - Ind - Pak | 98 | 0.1% |
| 13 | Other Non Ind - Pak | 19 | 0.0% |
| 14 | Unknown Race | 86 | 0.1% |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#15 SINGLE_AGE: Single Age

| | |
|--------------------|---|
| Information | [Type= discrete] [Format=numeric] [Range= 0-125] [Missing=*] |
| Statistics [NW/ W] | [Valid=103284 /-] [Invalid=0 /-] |
| Definition | <p>Single-Age & DMY-Code</p> <p>a) DMY-code = 1 & Single-Age = 000 (Lived only less than 24 hours)</p> <p>b) DMY-code = 1 & Single-Age = 001-030 (Lived only the number of days given in the Single-Age Field)</p> <p>c) DMY-code = 2 (Lived only the number of months given in the Single-Age Field)</p> <p>d) DMY-code = 3 (Lived only the numbers years given in the Single-Age field)</p> <p>e) DMY-code = 0 & Single-Age = 0 (Age of death is unspecified)</p> |

#16 DD_MM_YY_CODE: D/M/Y Code

| | |
|--------------------|--|
| Information | [Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*] |
| Statistics [NW/ W] | [Valid=103284 /-] [Invalid=0 /-] |

#17 DEATH_CODE: Death Code(Cause of Death)

| | |
|-------------|--|
| Information | [Type= discrete] [Format=numeric] [Range= 0-989] [Missing=*] |
|-------------|--|

File Death_77 (cont.)

#17 DEATH_CODE: Death Code(Cause of Death) (cont.)

| | |
|--------------------|----------------------------------|
| Statistics [NW/ W] | [Valid=103284 /-] [Invalid=0 /-] |
|--------------------|----------------------------------|

Frequency table not shown (551 Modalities)

#18 SUB_GROUP: Sub Group

| | |
|-------------|--|
| Information | [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*] |
|-------------|--|

| | |
|--------------------|-------------------------------------|
| Statistics [NW/ W] | [Valid=42971 /-] [Invalid=60313 /-] |
|--------------------|-------------------------------------|

| Value | Label | Cases | Percentage |
|---------|-------|-------|------------|
| 0 | | 4055 | 9.4% |
| 1 | | 7356 | 17.1% |
| 2 | | 7171 | 16.7% |
| 3 | | 171 | 0.4% |
| 4 | | 1591 | 3.7% |
| 5 | | 560 | 1.3% |
| 6 | | 1126 | 2.6% |
| 7 | | 186 | 0.4% |
| 8 | | 2722 | 6.3% |
| 9 | | 18033 | 42.0% |
| Sysmiss | | 60313 | |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#19 DEATH_CODE_A: Antecedent and/or underline causes

| | |
|-------------|--|
| Information | [Type= discrete] [Format=numeric] [Range= 1-379] [Missing=*] |
|-------------|--|

| | |
|--------------------|----------------------------------|
| Statistics [NW/ W] | [Valid=103284 /-] [Invalid=0 /-] |
|--------------------|----------------------------------|

Frequency table not shown (136 Modalities)

#20 SUB_GROUP_A: Sub Group A

| | |
|-------------|---|
| Information | [Type= discrete] [Format=character] [Missing=*] |
|-------------|---|

| | |
|--------------------|---------------------------------|
| Statistics [NW/ W] | [Valid=32671 /-] [Invalid=0 /-] |
|--------------------|---------------------------------|

| Value | Label | Cases | Percentage |
|-------|-------|-------|------------|
| A | | 8549 | 26.2% |
| B | | 7128 | 21.8% |
| C | | 10394 | 31.8% |
| D | | 2144 | 6.6% |
| E | | 4456 | 13.6% |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Death_77 (cont.)

#21 DEATH_CODE_B: Other Contributory Causes

| | |
|-------------|---|
| Information | [Type= discrete] [Format=numeric] [Range= 1-50] [Missing=*] |
|-------------|---|

| | |
|--------------------|----------------------------------|
| Statistics [NW/ W] | [Valid=103284 /-] [Invalid=0 /-] |
|--------------------|----------------------------------|

Frequency table not shown (47 Modalities)

#22 SUB_GROUP_B: Sub Group B

| | |
|-------------|---|
| Information | [Type= discrete] [Format=character] [Missing=*] |
|-------------|---|

| | |
|--------------------|---------------------------------|
| Statistics [NW/ W] | [Valid=58276 /-] [Invalid=0 /-] |
|--------------------|---------------------------------|

| Value | Label | Cases | Percentage |
|-------|-------|-------|------------|
| A | | 13290 | 22.8% |
| B | | 5203 | 8.9% |
| C | | 9033 | 15.5% |
| D | | 7750 | 13.3% |
| E | | 18544 | 31.8% |
| F | | 4456 | 7.6% |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#23 OCCURANCE_MONTH: Occurance Month

| | |
|-------------|---|
| Information | [Type= discrete] [Format=numeric] [Missing=*] |
|-------------|---|

| | |
|--------------------|----------------------------------|
| Statistics [NW/ W] | [Valid=103284 /-] [Invalid=0 /-] |
|--------------------|----------------------------------|

| Value | Label | Cases | Percentage |
|-------|-------|-------|------------|
| 1 | | 10708 | 10.4% |
| 2 | | 8387 | 8.1% |
| 3 | | 8262 | 8.0% |
| 4 | | 8078 | 7.8% |
| 5 | | 8384 | 8.1% |
| 6 | | 8386 | 8.1% |
| 7 | | 8764 | 8.5% |
| 8 | | 8232 | 8.0% |
| 9 | | 7369 | 7.1% |
| 10 | | 8079 | 7.8% |
| 11 | | 8315 | 8.1% |
| 12 | | 10320 | 10.0% |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#24 DIED_IN_SAME_YEA: Died in same year

| | |
|-------------|---|
| Information | [Type= discrete] [Format=numeric] [Missing=*] |
|-------------|---|

| | |
|--------------------|------------------------------------|
| Statistics [NW/ W] | [Valid=103090 /-] [Invalid=194 /-] |
|--------------------|------------------------------------|

File Death_77 (cont.)

#24 DIED_IN_SAME_YEA: Died in same year (cont.)

| Value | Label | Cases | Percentage |
|---------|-------|-------|------------|
| 0 | Yes | 9156 | 8.9% |
| 1 | No | 93934 | 91.1% |
| Sysmiss | | 194 | |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#25 CLASS_OF_RECORD: Class of Record

| Information | [Type= discrete] [Format=character] [Missing=*] | | |
|--------------------|---|--------|------------|
| Statistics [NW/ W] | [Valid=103284 /-] [Invalid=0 /-] | | |
| Value | Label | Cases | Percentage |
| D | | 103284 | 100.0% |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Documentation

| | |
|---|----|
| Reports and analytical documents..... | 16 |
| Sri Lanka Vital Statistics - Deaths 1977 Study Documentation..... | 16 |
| Questionnaires..... | 16 |
| Questionnaire - Registration of Death..... | 16 |
| Technical documents..... | 16 |
| Data Dictionary..... | 16 |

Reports and analytical documents

Sri Lanka Vital Statistics - Deaths 1977 Study Documentation, "Documents\Reports\Sri Lanka Vital Statistics - Deaths 1977 Study Documentation.pdf"

Questionnaires

Questionnaire - Registration of Death, "Documents\Questionnaire\Questionnaire Death(1970-1990).pdf"

Technical documents

Data Dictionary, "Documents\Technical\Data Dictionary of RG Death 1971-1979.pdf"