

Sri Lanka

Statistics Division, Registrar General's Department, Ministry of Public
Administration and Home Affairs

Vital Statistics - Deaths - 1981

Study Documentation

December 7, 2009

Metadata Production

Metadata Producer(s)	Registrar General's Department (RGD) , Ministry of Public Administration and Home Affairs , Providing Metadata
Production Date	December 17, 2008
Version	Version 1.0 (September 2008).
Identification	DDI-LKA-RGD-RGD-1981-v1.0

This document was generated using the [IHSN Microdata Management Toolkit](#)

Table of Contents

Overview	1
Scope & Coverage	2
Producers & Sponsors	2
Data Collection	2
Accessibility	3
Rights & Disclaimer	3
Files Description	4
Death_81	4
Variables List	5
Death_81	5
Variables Description	6
Death_81	6
Documentation	17

Sri Lanka (1981)
Vital Statistics - Deaths - 1981 (RGD - 1981)

Overview	
Type	Administrative Records, Other (ad/oth]
Identification	LKA-RGD-RGD-1981-v1.0
Version	Production Date: 2008-09-17 v1.0: Full edited dataset, original version for internal DPD use.
Series	<p>Registration of vital events commenced in 1867 with the enactment of civil registration laws which conferred the legal sanction for the registration of events namely, live births, deaths, still births and marriages. According to the law every death has to be registered within 5 days from the date of occurrence. Although death registrations are compulsory by law, few events are missed and not registered for various reasons.</p> <p>[By the survey conducted in 1980 to assess the completeness of the registration of births and deaths, it was found that about 98.8 per cent of births and 94.0 per cent of deaths are being registered in Sri Lanka in any given period].</p> <p>Deaths are registered at the place of occurrence and not in the area of deceased.</p>
<p><u>Abstract</u></p> <p>Registration of vital events commenced in 1867 with the enactment of civil registration laws which conferred the legal sanction for the registration of events namely, live births, deaths, still births and marriages. According to the law every death has to be registered within 5 days from the date of occurrence. Although death registrations are compulsory by law, few events are missed and not registered for various reasons.</p> <p>[By the survey conducted in 1980 to assess the completeness of the registration of births and deaths, it was found that about 98.8 per cent of births and 94.0 per cent of deaths are being registered in Sri Lanka in any given period].</p> <p>Deaths are registered at the place of occurrence and not in the area of the deceased.]</p>	
Kind of Data	Administrative records data [adm]
Unit of Analysis	Death of individual

Scope & Coverage	
<u>Scope</u> The scope of the Registration of Death 1981 include : <ul style="list-style-type: none"> -District -AGA Division -Registrar's Division -Month & Year -Date of Death -If urban, assessment number, street and town -If rural, Name of village -Revenue District -Whether outside division -Distinguishing letters -Race -Age at Death - in days -Age at Death - in months -Age at Death - in years -Immediate Cause -Antecedent and/or underlying cause -Other contributory causes 	
Topics	DEMOGRAPHY AND POPULATION [14]
<u>Geographic Coverage</u> National coverage.	
<u>Universe</u> Entire population of local individuals whose death has occurred in Sri Lanka.	

Producers & Sponsors	
Primary Investigator(s)	Statistics Division, Registrar General's Department, Ministry of Public Administration and Home Affairs
Other Producer(s)	Divisional Secretariats , Data Collection
Funding Agency/ies	Government of Sri Lanka (GOSL)

Data Collection	
Data Collection Dates	start 1981-01-01 end 1981-12-31
Data Collection Mode	Other [oth]
<u>Data Collection Notes</u> When a death of an individual occurs, the respondent of the death meets the Registrar of Births and Deaths appointed for the area where the death occurred and obtains the death certificate. A copy of the death certificate is sent to the Divisional Secretariat Office along with the monthly return of deaths which includes the details of deaths occurred in a particular month.	

The Additional District Registrars receive the returns from all Divisional Secretariat offices attached to them. The Additional District Registrars send these returns to the Statistical Division of the Registrar General's Office for data processing purposes

Data Collector(s)	Registrars of Berths & Deaths , Registrar General's Department Additional District Registrar , Registrar General's Department Statistical Division - Registrar General's Office , Registrar General's Department
-------------------	--

Other Processing

Data processing included the following steps.

1. Accepting the filled birth return forms by the Statistical Division
2. Do a visual check for completeness
3. Coding of data
4. Entry of data
5. Run edit program for each District batch
6. Produce error report
7. Correction of errors on the report
8. Change incorrect data using the corrected error report
9. Re-run the edit program and repeat the error correction procedure
10. Produce final tables on clean data with a backup of clean data.

Accessibility

Access Authority	Registrar General (Registrar General's Department) , www.rgd.gov.lk , rg@rgd.gov.lk
Contact(s)	Statistical Division (Registrar General's Department) , www.rgd.gov.lk , ddstat@rgd.gov.lk

Confidentiality

The degree of confidentiality of this microdata set is determined by the Access Authority. Please refer to the Access Authority for further details.

Access Conditions

Please contact the Access Authority for Access Terms and Conditions.

Citation Requirements

"Registrar General's Department,Vital Statistics (Deaths) - 1981 Version 1.0 of the public use dataset (September 2008)"

Rights & Disclaimer

Disclaimer

The Department of Census and Statistics and the Registrar General's Department will bear no responsibility for any results or interpretations arising from the secondary use of the data.

Copyright	(C) 1981, Registrar General's Department
-----------	--

Files Description

Dataset contains 1 file(s)

Death_81	
# Cases	88481
# Variable(s)	26
<u>File Content</u> The file contains the data related to the Return of Death Form 1981.	
<u>Producer</u> Registrar General's Department	

Variables List

Dataset contains 26 variable(s)

File Death_81							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	SECTOR	Sector	discrete	numeric-1.0	88481	0	-
2	REVENUE_DISTRICT	District	discrete	numeric-2.0	88481	0	-
3	D_R_O_DIVISION	AGA Division	discrete	numeric-2.0	88481	0	-
4	REGISTRAR_DIVISION	Registrar's Division	discrete	numeric-2.0	88481	0	-
5	TOWN	Town (Not Applicable)	discrete	numeric-2.0	39250	49231	-
6	MONTH	Month	discrete	numeric-2.0	88481	0	-
7	YEAR	Year	discrete	numeric-2.0	88481	0	-
8	SEX	Sex	discrete	numeric-1.0	88481	0	-
9	ENTRY_NUMBER	Entry Number	discrete	numeric-4.0	88481	0	-
10	RESIDENCE_TOWN	Town (Residence)	discrete	numeric-2.0	108	88373	-
11	DISTRICT_RESIDENCE	District	discrete	numeric-2.0	88481	0	-
12	OUTSIDE_DIVISION	Within the Registrars Division	discrete	numeric-1.0	88481	0	-
13	DISTINGUISHING_LETTERS	Distinguishing Letters	discrete	numeric-1.0	39087	49394	-
14	RACE	Race	discrete	numeric-2.0	88481	0	-
15	SINGLE_AGE	Single Age	discrete	numeric-3.0	88481	0	-
16	DD_MM_YY_CODE	DD/M/Y Code	discrete	numeric-1.0	88481	0	-
17	DEATH_CODE	Death Code(Cause of Death)	discrete	numeric-3.0	88481	0	-
18	SUB_CLASSIFICATION	Sub Group	discrete	numeric-1.0	58919	29562	-
19	DEATH_CODE	Antecedent and/or underline causes	discrete	numeric-2.0	88481	0	-
20	SUBA_CLASSIFICATION	Sub Group A	discrete	numeric-2.0	84967	3514	-
21	GROUP_CODE	Other Contributory Causes	discrete	numeric-1.0	76662	11819	-
22	SUBB_CLASSIFICATION	Sub Group B	discrete	numeric-2.0	39598	48883	-
23	OCCURANCE_MONTH	Occurance Month	discrete	numeric-2.0	88481	0	-
24	DIED_IN_SAME_YEAR	Died in same year	discrete	numeric-1.0	88249	232	-
25	AGA_DIV_RESIDENCE	AGA Division of the Residence	discrete	numeric-2.0	88481	0	-
26	CLASS_OF_RECORD	Class of Record	discrete	numeric-1.0	0	88481	-

Variables Description

Dataset contains 26 variable(s)

File Death_81

#1 SECTOR: Sector

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=88481 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Urban	39250	44.4%
2	Rural	43608	49.3%
3	Estate	5623	6.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#2 REVENUE_DISTRICT: District

Information	[Type= discrete] [Format=numeric] [Range= 1-24] [Missing=*]		
Statistics [NW/ W]	[Valid=88481 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Colombo	16056	18.1%
2	Negombo	2442	2.8%
3	Kalutara	4717	5.3%
4	Kandy	8509	9.6%
5	Matale	2008	2.3%
6	Nuwara Eliya	3097	3.5%
7	Galle	5239	5.9%
8	Matara	3938	4.5%
9	Hambantota	1885	2.1%
10	Jaffna	4588	5.2%
11	Mannar	523	0.6%
12	Vavuniya	434	0.5%
13	Batticaloa	1878	2.1%
14	Ampara	1627	1.8%
15	Trincomalee	1027	1.2%
16	Kurunegala	6810	7.7%
17	Puttalam	786	0.9%
18	Chillaw	1846	2.1%
19	Anuradhapura	2387	2.7%
20	Polonnaruwa	975	1.1%
21	Badulla	3992	4.5%
22	Monaragala	890	1.0%
23	Ratnapura	4791	5.4%
24	Kegalle	3631	4.1%

File Death_81 (cont.)

#2 REVENUE_DISTRICT: District (cont.)

Value (cont.)	Label	Cases	Percentage
25	Mullativu	195	0.2%
26	Gampaha	4210	4.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#3 D_R_O_DIVISION: AGA Division

Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]		
Statistics [NW/ W]	[Valid=88481 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1		36112	40.8%
2		6303	7.1%
3		5738	6.5%
4		7000	7.9%
5		5214	5.9%
6		4744	5.4%
7		4215	4.8%
8		4382	5.0%
9		2184	2.5%
10		1770	2.0%
11		1637	1.9%
12		1733	2.0%
13		2334	2.6%
14		2541	2.9%
15		910	1.0%
16		1565	1.8%
17		99	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#4 REGISTRAR_DIVISI: Registrar's Division

Information	[Type= discrete] [Format=numeric] [Range= 1-59] [Missing=*]
Statistics [NW/ W]	[Valid=88481 /-] [Invalid=0 /-]
Frequency table not shown (68 Modalities)	

#5 TOWN: Town (Not Applicable)

Information	[Type= discrete] [Format=numeric] [Range= 1-22] [Missing=*]		
Statistics [NW/ W]	[Valid=39250 /-] [Invalid=49231 /-]		

File Death_81 (cont.)

#5 TOWN: Town (Not Applicable) (cont.)

Value	Label	Cases	Percentage
1		20359	51.9%
2		1742	4.4%
3		1717	4.4%
4		1412	3.6%
5		1198	3.1%
6		624	1.6%
7		2531	6.4%
8		811	2.1%
9		250	0.6%
10		234	0.6%
11		407	1.0%
12		777	2.0%
13		7188	18.3%
Sysmiss		49231	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#6 MONTH: Month

Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]		
Statistics [NW/ W]	[Valid=88481 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	January	8059	9.1%
2	February	6975	7.9%
3	March	7158	8.1%
4	April	6433	7.3%
5	May	7252	8.2%
6	June	7714	8.7%
7	July	7115	8.0%
8	August	7118	8.0%
9	September	7785	8.8%
10	October	7470	8.4%
11	November	7437	8.4%
12	December	7965	9.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#7 YEAR: Year

Information	[Type= discrete] [Format=numeric] [Range= 81-81] [Missing=*]		
Statistics [NW/ W]	[Valid=88481 /-] [Invalid=0 /-]		

File Death_81 (cont.)

#7 YEAR: Year (cont.)

Value	Label	Cases	Percentage
81		88481	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#8 SEX: Sex

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=88481 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Male	50818	57.4%
2	Female	37663	42.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#9 ENTRY_NUMBER: Entry Number

Information	[Type= discrete] [Format=numeric] [Range= 1-9999] [Missing=*]
Statistics [NW/ W]	[Valid=88481 /-] [Invalid=0 /-]

#10 RESIDENCE_TOWN: Town (Residence)

Information	[Type= discrete] [Format=numeric] [Range= 1-47] [Missing=*]		
Statistics [NW/ W]	[Valid=108 /-] [Invalid=88373 /-]		
Value	Label	Cases	Percentage
1		16	14.8%
2		37	34.3%
3		1	0.9%
4		4	3.7%
5		11	10.2%
6		6	5.6%
7		1	0.9%
8		3	2.8%
10		9	8.3%
11		3	2.8%
13		2	1.9%
22		1	0.9%
24		2	1.9%
52		1	0.9%
80		3	2.8%
81		7	6.5%
83		1	0.9%

File Death_81 (cont.)

#10 RESIDENCE_TOWN: Town (Residence) (cont.)

Value (cont.)	Label	Cases	Percentage
Sysmiss		88373	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#11 DISTRICT_RESIDEN: District

Information	[Type= discrete] [Format=numeric] [Range= 1-24] [Missing=*]		
Statistics [NW/ W]	[Valid=88481 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Colombo	13033	14.7%
2	Negombo	2405	2.7%
3	Kalutara	4773	5.4%
4	Kandy	8098	9.2%
5	Matale	2075	2.3%
6	Nuwara Eliya	3410	3.9%
7	Galle	5260	5.9%
8	Matara	3838	4.3%
9	Hambantota	2052	2.3%
10	Jaffna	4652	5.3%
11	Mannar	515	0.6%
12	Vavuniya	453	0.5%
13	Batticaloa	1691	1.9%
14	Ampara	1852	2.1%
15	Trincomalee	1068	1.2%
16	Kurunegala	6905	7.8%
17	Puttalam	886	1.0%
18	Chillaw	1908	2.2%
19	Anuradhapura	2363	2.7%
20	Polonnaruwa	1098	1.2%
21	Badulla	3830	4.3%
22	Monaragala	1052	1.2%
23	Ratnapura	4826	5.5%
24	Kegalle	3980	4.5%
25	Mullativu	187	0.2%
26	Gampaha	6256	7.1%
98		15	0.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

File Death_81 (cont.)

#12 OUTSIDE_DIVISION: Within the Registrars Division

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=88481 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	OUT	23899	27.0%
1	IN	64582	73.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#13 DISTINGU_LETTER: Distinguishing Letters

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]

Statistics [NW/ W] [Valid=39087 /-] [Invalid=49394 /-]

Value	Label	Cases	Percentage
0		74	0.2%
1		5399	13.8%
2		256	0.7%
3		698	1.8%
4		9855	25.2%
5		2	0.0%
6		22664	58.0%
7		77	0.2%
8		33	0.1%
9		29	0.1%
Sysmiss		49394	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#14 RACE: Race

Information [Type= discrete] [Format=numeric] [Range= 1-14] [Missing=*]

Statistics [NW/ W] [Valid=88481 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Sinhalese	63409	71.7%
2	Sri Lanka Tamil	9715	11.0%
3	Sri Lanka Moors	5883	6.6%
4	Burghers Eurasia	315	0.4%
5	Malays	165	0.2%
6	Veddah	13	0.0%
7	Indian Tamil	8761	9.9%
8	Indian Moors	42	0.0%
9	Pakistan Tamil	5	0.0%

File Death_81 (cont.)

#14 RACE: Race (cont.)

Value (cont.)	Label	Cases	Percentage
10	Pakistan Moors	13	0.0%
11	Europeans	17	0.0%
12	Other - Ind - Pak	33	0.0%
13	Other Non Ind - Pak	27	0.0%
14	Unknown Race	83	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#15 SINGLE_AGE: Single Age

Information	[Type= discrete] [Format=numeric] [Range= 0-125] [Missing=*]
Statistics [NW/ W]	[Valid=88481 /-] [Invalid=0 /-]
Definition	<p>Single-Age & DMY-Code</p> <p>a) DMY-code = 1 & Single-Age = 000 (Lived only less than 24 hours)</p> <p>b) DMY-code = 1 & Single-Age = 001-030 (Lived only the number of days given in the Single-Age Field)</p> <p>c) DMY-code = 2 (Lived only the number of months given in the Single-Age Field)</p> <p>d) DMY-code = 3 (Lived only the numbers years given in the Single-Age field)</p> <p>e) DMY-code = 0 & Single-Age = 0 (Age of death is unspecified)</p>

#16 DD_MM_YY_CODE: D/M/Y Code

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
Statistics [NW/ W]	[Valid=88481 /-] [Invalid=0 /-]

#17 DEATH_CODE: Death Code(Cause of Death)

Information	[Type= discrete] [Format=numeric] [Range= 0-989] [Missing=*]
Statistics [NW/ W]	[Valid=88481 /-] [Invalid=0 /-]
Frequency table not shown (915 Modalities)	

#18 SUB_CLASSIFICATI: Sub Group

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=58919 /-] [Invalid=29562 /-]

File Death_81 (cont.)

#18 SUB_CLASSIFICATI: Sub Group (cont.)

Value	Label	Cases	Percentage
0		5507	9.3%
1		9878	16.8%
2		1237	2.1%
3		5131	8.7%
4		627	1.1%
5		1433	2.4%
6		4191	7.1%
7		149	0.3%
8		1649	2.8%
9		29117	49.4%
Sysmiss		29562	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#19 DEATHA_CODE: Antecedent and/or underline causes

Information	[Type= discrete] [Format=numeric] [Range= 1-379] [Missing=*]
Statistics [NW/ W]	[Valid=88481 /-] [Invalid=0 /-]
Frequency table not shown (54 Modalities)	

#20 SUBA_CLASSIFI_A: Sub Group A

Information		[Type= discrete] [Format=numeric] [Missing=*]	
Statistics [NW/ W]		[Valid=84967 /-] [Invalid=3514 /-]	
Value	Label	Cases	Percentage
0		11114	<div></div> 13.1%
1		10242	<div></div> 12.1%
2		1520	<div></div> 1.8%
3		2379	<div></div> 2.8%
4		872	<div></div> 1.0%
5		18885	<div></div> 22.2%
6		3248	<div></div> 3.8%
7		915	<div></div> 1.1%
8		865	<div></div> 1.0%
10		313	<div></div> 0.4%
11		154	<div></div> 0.2%
13		11	<div></div> 0.0%
20		124	<div></div> 0.1%
21		4507	<div></div> 5.3%
31		77	<div></div> 0.1%

File Death_81 (cont.)

#20 SUBA_CLASSIFI_A: Sub Group A (cont.)

Value (cont.)	Label	Cases	Percentage
90		16291	19.2%
91		6325	7.4%
92		5551	6.5%
93		11	0.0%
94		1537	1.8%
95		26	0.0%
Sysmiss		3514	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#21 GROUP_CODE: Other Contributory Causes

Information	[Type= discrete] [Format=numeric] [Range= 1-50] [Missing=*]		
Statistics [NW/ W]	[Valid=76662 /-] [Invalid=11819 /-]		
Value	Label	Cases	Percentage
1		6347	8.3%
2		4179	5.5%
3		3482	4.5%
4		14131	18.4%
5		39136	51.1%
6		4564	6.0%
7		4823	6.3%
Sysmiss		11819	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#22 SUBB_CLASSIFI_B: Sub Group B

Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=39598 /-] [Invalid=48883 /-]		
Value	Label	Cases	Percentage
0		5762	14.6%
1		6047	15.3%
2		975	2.5%
3		2213	5.6%
4		70	0.2%
5		17844	45.1%
6		3195	8.1%
7		898	2.3%
8		758	1.9%
90		1320	3.3%

File Death_81 (cont.)

#22 SUBB_CLASSIFI_B: Sub Group B (cont.)

Value (cont.)	Label	Cases	Percentage
91		516	1.3%
Sysmiss		48883	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#23 OCCURANCE_MONTH: Occurance Month

Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=88481 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1		8403	9.5%
2		7201	8.1%
3		7198	8.1%
4		7122	8.0%
5		7496	8.5%
6		7301	8.3%
7		6845	7.7%
8		6902	7.8%
9		7219	8.2%
10		7140	8.1%
11		7565	8.5%
12		8089	9.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#24 DIED_IN_SAME_YEA: Died in same year

Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=88249 /-] [Invalid=232 /-]		
Value	Label	Cases	Percentage
0	Yes	6860	7.8%
1	No	81389	92.2%
Sysmiss		232	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#25 AGA_DIV_RESIDENC: AGA Division of the Residence

Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=88481 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1		23226	26.2%

File Death_81 (cont.)

#25 AGA_DIV_RESIDENC: AGA Division of the Residence (cont.)

Value (cont.)	Label	Cases	Percentage
2		7703	8.7%
3		7459	8.4%
4		8318	9.4%
5		8494	9.6%
6		6502	7.3%
7		4773	5.4%
8		5208	5.9%
9		2656	3.0%
10		2255	2.5%
11		1748	2.0%
12		2038	2.3%
13		2754	3.1%
14		2433	2.7%
15		1057	1.2%
16		1730	2.0%
17		112	0.1%
98		15	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#26 CLASS_OF_RECORD: Class of Record

Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=88481 /-]		
Value	Label	Cases	Percentage
Sysmiss		88481	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Documentation

Reports and analytical documents.....	17
Study Documentation RGD 1981 Project.....	17
Questionnaires.....	17
Questionnaire - Registration of Death.....	17
Technical documents.....	17
Data Dictionary.....	17

Reports and analytical documents

Study Documentation RGD 1981 Project, Sri Lanka [lka], English [eng], "Documents\Reports\Study Documentation RGD 1981 Project.pdf"

Questionnaires

Questionnaire - Registration of Death, "Documents\Questionnaire\Questionnaire Death(1970-1990).pdf"

Technical documents

Data Dictionary, "Documents\Technical\Data Dictionary - Deaths 1981-1990.pdf"