

Sri Lanka

Statistics Division, Registrar General's Department, Ministry of Public
Administration and Home Affairs

Vital Statistics - Deaths - 1983

Study Documentation

December 7, 2009

Metadata Production

Metadata Producer(s)	Registrar General's Department (RGD) , Ministry of Public Administration and Home Affairs , Providing Metadata
Production Date	December 19, 2008
Version	Version 1.0 (September 2008).
Identification	DDI-LKA-RGD-RGD-1983-v1.0

This document was generated using the [IHSN Microdata Management Toolkit](#)

Table of Contents

Overview	1
Scope & Coverage	2
Producers & Sponsors	2
Data Collection	2
Accessibility	3
Rights & Disclaimer	3
Files Description	4
Death_83	4
Variables List	5
Death_83	5
Variables Description	6
Death_83	6
Documentation	17

Sri Lanka (1983)
Vital Statistics - Deaths - 1983 (RGD - 1983)

Overview	
Type	Administrative Records, Other (ad/oth]
Identification	LKA-RGD-RGD-1983-v1.0
Version	Production Date: 2008-09-19 v1.0: Full edited dataset, original version for internal DPD use.
Series	<p>Registration of vital events commenced in 1867 with the enactment of civil registration laws which conferred the legal sanction for the registration of events namely, live births, deaths, still births and marriages. According to the law every death has to be registered within 5 days from the date of occurrence. Although death registrations are compulsory by law, few events are missed and not registered for various reasons.</p> <p>[By the survey conducted in 1980 to assess the completeness of the registration of births and deaths, it was found that about 98.8 per cent of births and 94.0 per cent of deaths are being registered in Sri Lanka in any given period].</p> <p>Deaths are registered at the place of occurrence and not in the area of deceased.</p>
<p><u>Abstract</u></p> <p>Registration of vital events commenced in 1867 with the enactment of civil registration laws which conferred the legal sanction for the registration of events namely, live births, deaths, still births and marriages. According to the law every death has to be registered within 5 days from the date of occurrence. Although death registrations are compulsory by law, few events are missed and not registered for various reasons.</p> <p>[By the survey conducted in 1980 to assess the completeness of the registration of births and deaths, it was found that about 98.8 per cent of births and 94.0 per cent of deaths are being registered in Sri Lanka in any given period].</p> <p>Deaths are registered at the place of occurrence and not in the area of the deceased.]</p>	
Kind of Data	Administrative records data [adm]
Unit of Analysis	Death of individual

Scope & Coverage	
<u>Scope</u> The scope of the Registration of Death 1983 include : <ul style="list-style-type: none"> -District -AGA Division -Registrar's Division -Month & Year -Date of Death -If urban, assessment number, street and town -If rural, Name of village -Revenue District -Whether outside division -Distinguishing letters -Race -Age at Death - in days -Age at Death - in months -Age at Death - in years -Immediate Cause -Antecedent and/or underlying cause -Other contributory causes 	
Topics	DEMOGRAPHY AND POPULATION [14]
<u>Geographic Coverage</u> National coverage.	
<u>Universe</u> Entire population of local individuals whose death has occurred in Sri Lanka.	

Producers & Sponsors	
Primary Investigator(s)	Statistics Division, Registrar General's Department, Ministry of Public Administration and Home Affairs
Other Producer(s)	Divisional Secretariats , Data Collection
Funding Agency/ies	Government of Sri Lanka (GOSL)

Data Collection	
Data Collection Dates	start 1983-01-01 end 1983-12-31
Data Collection Mode	Other [oth]
<u>Data Collection Notes</u> When a death of an individual occurs, the respondent of the death meets the Registrar of Births and Deaths appointed for the area where the death occurred and obtains the death certificate. A copy of the death certificate is sent to the Divisional Secretariat Office along with the monthly return of deaths which includes the details of deaths occurred in a particular month.	

The Additional District Registrars receive the returns from all Divisional Secretariat offices attached to them. The Additional District Registrars send these returns to the Statistical Division of the Registrar General's Office for data processing purposes

Data Collector(s)	Registrars of Berths & Deaths , Registrar General's Department Additional District Registrar , Registrar General's Department Statistical Division - Registrar General's Office , Registrar General's Department
-------------------	--

Other Processing

Data processing included the following steps.

1. Accepting the filled birth return forms by the Statistical Division
2. Do a visual check for completeness
3. Coding of data
4. Entry of data
5. Run edit program for each District batch
6. Produce error report
7. Correction of errors on the report
8. Change incorrect data using the corrected error report
9. Re-run the edit program and repeat the error correction procedure
10. Produce final tables on clean data with a backup of clean data.

Accessibility

Access Authority	Registrar General (Registrar General's Department) , www.rgd.gov.lk , rg@rgd.gov.lk
Contact(s)	Statistical Division (Registrar General's Department) , www.rgd.gov.lk , ddstat@rgd.gov.lk

Confidentiality

The degree of confidentiality of this microdata set is determined by the Access Authority. Please refer to the Access Authority for further details.

Access Conditions

Please contact the Access Authority for Access Terms and Conditions.

Citation Requirements

"Registrar General's Department,Vital Statistics (Deaths) - 1983 Version 1.0 of the public use dataset (September 2008)"

Rights & Disclaimer

Disclaimer

The Department of Census and Statistics and the Registrar General's Department will bear no responsibility for any results or interpretations arising from the secondary use of the data.

Copyright	(C) 1983, Registrar General's Department
-----------	--

Files Description

Dataset contains 1 file(s)

Death_83	
# Cases	95164
# Variable(s)	26
<u>File Content</u> The file contains the data related to the Return of Death Form 1983.	
<u>Producer</u> Registrar General's Department	

Variables List

Dataset contains 26 variable(s)

File Death_83							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	SECTOR	Sector	discrete	numeric-1.0	95164	0	-
2	REVENUE_DISTRICT	District	discrete	numeric-2.0	95164	0	-
3	D_R_O_DIVISION	AGA Division	discrete	numeric-2.0	95164	0	-
4	REGISTRAR_DIVISION	Registrar's Division	discrete	numeric-2.0	95164	0	-
5	TOWN	Town (Not Applicable)	discrete	numeric-2.0	44407	50757	-
6	MONTH	Month	discrete	numeric-2.0	95164	0	-
7	YEAR	Year	discrete	numeric-2.0	95164	0	-
8	SEX	Sex	discrete	numeric-1.0	95164	0	-
9	ENTRY_NUMBER	Entry Number	discrete	numeric-4.0	95164	0	-
10	RESIDENCE_TOWN	Town (Residence)	discrete	numeric-2.0	8	95156	-
11	DISTRICT_RESIDENCE	District	discrete	numeric-2.0	95164	0	-
12	OUTSIDE_DIVISION	Within the Registrars Division	discrete	numeric-1.0	95164	0	-
13	DISTINGUISHING_LETTERS	Distinguishing Letters	discrete	numeric-1.0	43782	51382	-
14	RACE	Race	discrete	numeric-2.0	95164	0	-
15	SINGLE_AGE	Single Age	discrete	numeric-3.0	95164	0	-
16	DD_MM_YY_CODE	DD/MM/Y Code	discrete	numeric-1.0	95164	0	-
17	DEATH_CODE	Death Code(Cause of Death)	discrete	numeric-3.0	95164	0	-
18	SUB_CLASSIFICATION	Sub Group	discrete	numeric-1.0	64632	30532	-
19	DEATH_CODE	Antecedent and/or underline causes	discrete	numeric-2.0	95164	0	-
20	SUBA_CLASSIFICATION	Sub Group A	discrete	numeric-2.0	90912	4252	-
21	GROUP_CODE	Other Contributory Causes	discrete	numeric-1.0	83216	11948	-
22	SUBB_CLASSIFICATION	Sub Group B	discrete	numeric-2.0	41391	53773	-
23	OCCURANCE_MONTH	Occurance Month	discrete	numeric-2.0	95164	0	-
24	DIED_IN_SAME_YEAR	Died in same year	discrete	numeric-1.0	94820	344	-
25	AGA_DIV_RESIDENCE	AGA Division of the Residence	discrete	numeric-2.0	95164	0	-
26	CLASS_OF_RECORD	Class of Record	discrete	numeric-1.0	0	95164	-

Variables Description

Dataset contains 26 variable(s)

File Death_83

#1 SECTOR: Sector

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=95164 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Urban	44407	46.7%
2	Rural	44453	46.7%
3	Estate	6304	6.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#2 REVENUE_DISTRICT: District

Information	[Type= discrete] [Format=numeric] [Range= 1-24] [Missing=*]		
Statistics [NW/ W]	[Valid=95164 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Colombo	16991	17.9%
2	Negombo	2770	2.9%
3	Kalutara	4989	5.2%
4	Kandy	9636	10.1%
5	Matale	1958	2.1%
6	Nuwara Eliya	3210	3.4%
7	Galle	5120	5.4%
8	Matara	4034	4.2%
9	Hambantota	1885	2.0%
10	Jaffna	4453	4.7%
11	Mannar	536	0.6%
12	Vavuniya	548	0.6%
13	Batticaloa	1945	2.0%
14	Ampara	1893	2.0%
15	Trincomalee	1109	1.2%
16	Kurunegala	7804	8.2%
17	Puttalam	888	0.9%
18	Chillaw	2359	2.5%
19	Anuradhapura	2811	3.0%
20	Polonnaruwa	918	1.0%
21	Badulla	3943	4.1%
22	Monaragala	928	1.0%
23	Ratnapura	4835	5.1%
24	Kegalle	4055	4.3%

File Death_83 (cont.)

#2 REVENUE_DISTRICT: District (cont.)

Value (cont.)	Label	Cases	Percentage
25	Mullativu	334	0.4%
26	Gampaha	5212	5.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#3 D_R_O_DIVISION: AGA Division

Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]
Statistics [NW/ W]	[Valid=95164 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1		38351	40.3%
2		6891	7.2%
3		5983	6.3%
4		6769	7.1%
5		7889	8.3%
6		5168	5.4%
7		4048	4.3%
8		4518	4.7%
9		2191	2.3%
10		1912	2.0%
11		1818	1.9%
12		1665	1.7%
13		2330	2.4%
14		3160	3.3%
15		962	1.0%
16		1403	1.5%
17		106	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#4 REGISTRAR_DIVISI: Registrar's Division

Information	[Type= discrete] [Format=numeric] [Range= 1-59] [Missing=*]
Statistics [NW/ W]	[Valid=95164 /-] [Invalid=0 /-]

Frequency table not shown (68 Modalities)

#5 TOWN: Town (Not Applicable)

Information	[Type= discrete] [Format=numeric] [Range= 1-22] [Missing=*]
Statistics [NW/ W]	[Valid=44407 /-] [Invalid=50757 /-]

File Death_83 (cont.)

#5 TOWN: Town (Not Applicable) (cont.)

Value	Label	Cases	Percentage
1		23209	52.3%
2		2115	4.8%
3		1724	3.9%
4		1025	2.3%
5		1005	2.3%
6		672	1.5%
7		650	1.5%
8		975	2.2%
9		862	1.9%
10		220	0.5%
11		508	1.1%
12		1036	2.3%
13		10406	23.4%
Sysmiss		50757	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#6 MONTH: Month

Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]		
Statistics [NW/ W]	[Valid=95164 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	January	9539	10.0%
2	February	7789	8.2%
3	March	8097	8.5%
4	April	7316	7.7%
5	May	7344	7.7%
6	June	7852	8.3%
7	July	7310	7.7%
8	August	8231	8.6%
9	September	7704	8.1%
10	October	7822	8.2%
11	November	8370	8.8%
12	December	7790	8.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#7 YEAR: Year

Information	[Type= discrete] [Format=numeric] [Range= 83-83] [Missing=*]		
Statistics [NW/ W]	[Valid=95164 /-] [Invalid=0 /-]		

Vital Statistics - Deaths - 1983 - Variables Description

File Death_83 (cont.)

#7 YEAR: Year (cont.)

Value	Label	Cases	Percentage
83		95164	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#8 SEX: Sex

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=95164 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Male	56361	59.2%
2	Female	38803	40.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#9 ENTRY_NUMBER: Entry Number

Information	[Type= discrete] [Format=numeric] [Range= 1-9999] [Missing=*]
Statistics [NW/ W]	[Valid=95164 /-] [Invalid=0 /-]

#10 RESIDENCE_TOWN: Town (Residence)

Information	[Type= discrete] [Format=numeric] [Range= 1-47] [Missing=*]		
Statistics [NW/ W]	[Valid=8 /-] [Invalid=95156 /-]		
Value	Label	Cases	Percentage
4		1	12.5%
5		2	25.0%
83		5	62.5%
Sysmiss		95156	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#11 DISTRICT_RESIDEN: District

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]		
Statistics [NW/ W]	[Valid=95164 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Colombo	13193	13.9%
2	Negombo	2817	3.0%
3	Kalutara	5418	5.7%
4	Kandy	9001	9.5%
5	Matale	2069	2.2%
6	Nuwara Eliya	3586	3.8%

File Death_83 (cont.)

#11 DISTRICT_RESIDEN: District (cont.)

Value (cont.)	Label	Cases	Percentage
7	Galle	5264	5.5%
8	Matara	4003	4.2%
9	Hambantota	2059	2.2%
10	Jaffna	4492	4.7%
11	Mannar	559	0.6%
12	Vavuniya	583	0.6%
13	Batticaloa	1805	1.9%
14	Ampara	2063	2.2%
15	Trincomalee	1154	1.2%
16	Kurunegala	7812	8.2%
17	Puttalam	964	1.0%
18	Chillaw	2452	2.6%
19	Anuradhapura	2773	2.9%
20	Polonnaruwa	1047	1.1%
21	Badulla	3889	4.1%
22	Monaragala	1037	1.1%
23	Ratnapura	4907	5.2%
24	Kegalle	4626	4.9%
25	Mullativu	340	0.4%
26	Gampaha	6834	7.2%
98		417	0.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#12 OUTSIDE_DIVISION: Within the Registrars Division

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=95164 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	OUT	26289	27.6%
1	IN	68875	72.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#13 DISTINGU_LETTER: Distinguishing Letters

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=43782 /-] [Invalid=51382 /-]		
Value	Label	Cases	Percentage
0		11	0.0%
1		5878	13.4%

File Death_83 (cont.)

#13 DISTINGU_LETTER: Distinguishing Letters (cont.)

Value (cont.)	Label	Cases	Percentage
2		262	0.6%
3		554	1.3%
4		11745	26.8%
5		28	0.1%
6		25301	57.8%
7		2	0.0%
9		1	0.0%
Sysmiss		51382	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#14 RACE: Race

Information	[Type= discrete] [Format=numeric] [Range= 1-14] [Missing=*]		
Statistics [NW/ W]	[Valid=95164 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Sinhalese	68316	71.8%
2	Sri Lanka Tamil	10690	11.2%
3	Sri Lanka Moors	6387	6.7%
4	Burghers Eurasia	374	0.4%
5	Malays	186	0.2%
6	Veddah	11	0.0%
7	Indian Tamil	8940	9.4%
8	Indian Moors	24	0.0%
9	Pakistan Tamil	3	0.0%
10	Pakistan Moors	3	0.0%
11	Europeans	25	0.0%
12	Other - Ind - Pak	39	0.0%
13	Other Non Ind - Pak	14	0.0%
14	Unknown Race	152	0.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#15 SINGLE_AGE: Single Age

Information	[Type= discrete] [Format=numeric] [Range= 0-125] [Missing=*]
Statistics [NW/ W]	[Valid=95164 /-] [Invalid=0 /-]
Definition	Single-Age & DMY-Code a) DMY-code = 1 & Single-Age = 000 (Lived only less than 24 hours)

File Death_83 (cont.)

#15 SINGLE_AGE: Single Age (cont.)

- b) DMY-code = 1 & Single-Age = 001-030
(Lived only the number of days given in the Single-Age Field)
- c) DMY-code = 2
(Lived only the number of months given in the Single-Age Field)
- d) DMY-code = 3
(Lived only the numbers years given in the Single-Age field)
- e) DMY-code = 0 & Single-Age = 0
(Age of death is unspecified)

#16 DD_MM_YY_CODE: D/M/Y Code

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
Statistics [NW/ W]	[Valid=95164 /-] [Invalid=0 /-]

#17 DEATH_CODE: Death Code(Cause of Death)

Information	[Type= discrete] [Format=numeric] [Range= 0-989] [Missing=*]
Statistics [NW/ W]	[Valid=95164 /-] [Invalid=0 /-]

Frequency table not shown (914 Modalities)

#18 SUB_CLASSIFICATI: Sub Group

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=64632 /-] [Invalid=30532 /-]

Value	Label	Cases	Percentage
0		6164	9.5%
1		12735	19.7%
2		1258	1.9%
3		5195	8.0%
4		557	0.9%
5		2109	3.3%
6		5014	7.8%
7		218	0.3%
8		2613	4.0%
9		28769	44.5%
Sysmiss		30532	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Death_83 (cont.)

#19 DEATHA_CODE: Antecedent and/or underline causes

Information	[Type= discrete] [Format=numeric] [Range= 1-379] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=95164 /-] [Invalid=0 /-]
--------------------	---------------------------------

Frequency table not shown (55 Modalities)

#20 SUBA_CLASSIFI_A: Sub Group A

Information	[Type= discrete] [Format=numeric] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=90912 /-] [Invalid=4252 /-]
--------------------	------------------------------------

Value	Label	Cases	Percentage
0		11370	12.5%
1		11229	12.4%
2		1455	1.6%
3		2334	2.6%
4		953	1.0%
5		19856	21.8%
6		4141	4.6%
7		951	1.0%
8		979	1.1%
10		307	0.3%
11		96	0.1%
12		3	0.0%
13		24	0.0%
20		55	0.1%
21		3763	4.1%
30		1	0.0%
31		49	0.1%
90		14848	16.3%
91		7521	8.3%
92		9256	10.2%
93		18	0.0%
94		1685	1.9%
95		18	0.0%
Sysmiss		4252	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#21 GROUP_CODE: Other Contributory Causes

Information	[Type= discrete] [Format=numeric] [Range= 1-50] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=83216 /-] [Invalid=11948 /-]
--------------------	-------------------------------------

File Death_83 (cont.)

#21 GROUP_CODE: Other Contributory Causes (cont.)

Value	Label	Cases	Percentage
1		7363	8.8%
2		4279	5.1%
3		3036	3.6%
4		12971	15.6%
5		43805	52.6%
6		5104	6.1%
7		6658	8.0%
Sysmiss		11948	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#22 SUBB_CLASSIFI_B: Sub Group B

Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=41391 /-] [Invalid=53773 /-]		
Value	Label	Cases	Percentage
0		5937	14.3%
1		6179	14.9%
2		880	2.1%
3		2147	5.2%
4		66	0.2%
5		18746	45.3%
6		4091	9.9%
7		941	2.3%
8		885	2.1%
90		1011	2.4%
91		508	1.2%
Sysmiss		53773	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#23 OCCURANCE_MONTH: Occurance Month

Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=95164 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		7	0.0%
1		8511	8.9%
2		6902	7.3%
3		7438	7.8%
4		7624	8.0%

File Death_83 (cont.)

#23 OCCURANCE_MONTH: Occurance Month (cont.)

Value (cont.)	Label	Cases	Percentage
5		7649	8.0%
6		7974	8.4%
7		8668	9.1%
8		7913	8.3%
9		7370	7.7%
10		7859	8.3%
11		8071	8.5%
12		9178	9.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#24 DIED_IN_SAME_YEA: Died in same year

Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=94820 /-] [Invalid=344 /-]		
Value	Label	Cases	Percentage
0	Yes	8989	9.5%
1	No	85831	90.5%
Sysmiss		344	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#25 AGA_DIV_RESIDENC: AGA Division of the Residence

Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=95164 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1		25357	26.6%
2		8801	9.2%
3		7584	8.0%
4		8680	9.1%
5		9667	10.2%
6		6846	7.2%
7		4649	4.9%
8		5260	5.5%
9		2571	2.7%
10		2336	2.5%
11		2108	2.2%
12		2017	2.1%
13		2712	2.8%
14		3246	3.4%

File Death_83 (cont.)

#25 AGA_DIV_RESIDENC: AGA Division of the Residence (cont.)

Value (cont.)	Label	Cases	Percentage
15		1203	1.3%
16		1595	1.7%
17		115	0.1%
98		417	0.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#26 CLASS_OF_RECORD: Class of Record

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=95164 /-]

Value	Label	Cases	Percentage
Sysmiss		95164	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Documentation

Reports and analytical documents.....	17
Study Documentation RGD 1983 Project.....	17
Questionnaires.....	17
Questionnaire - Registration of Death.....	17
Technical documents.....	17
Data Dictionary.....	17

Reports and analytical documents

Study Documentation RGD 1983 Project, Sri Lanka [lka], English [eng], "Documents\Reports\Study Documentation RGD 1983 Project.pdf"

Questionnaires

Questionnaire - Registration of Death, "Documents\Questionnaire\Questionnaire Death(1970-1990).pdf"

Technical documents

Data Dictionary, "Documents\Technical\Data Dictionary - Deaths 1981-1990.pdf"