

Sri Lanka

Statistics Division, Registrar General's Department, Ministry of Public
Administration and Home Affairs

Vital Statistics - Deaths - 1984

Study Documentation

December 7, 2009

Metadata Production

Metadata Producer(s)	Registrar General's Department (RGD) , Ministry of Public Administration and Home Affairs , Providing Metadata
Production Date	December 19, 2008
Version	Version 1.0 (September 2008).
Identification	DDI-LKA-RGD-RGD-1984-v1.0

This document was generated using the [IHSN Microdata Management Toolkit](#)

Table of Contents

Overview	1
Scope & Coverage	2
Producers & Sponsors	2
Data Collection	2
Accessibility	3
Rights & Disclaimer	3
Files Description	4
Death_84	4
Variables List	5
Death_84	5
Variables Description	6
Death_84	6
Documentation	17

Sri Lanka (1984)
Vital Statistics - Deaths - 1984 (RGD - 1984)

Overview	
Type	Administrative Records, Other (ad/oth]
Identification	LKA-RGD-RGD-1984-v1.0
Version	Production Date: 2008-09-19 v1.0: Full edited dataset, original version for internal DPD use.
Series	<p>Registration of vital events commenced in 1867 with the enactment of civil registration laws which conferred the legal sanction for the registration of events namely, live births, deaths, still births and marriages. According to the law every death has to be registered within 5 days from the date of occurrence. Although death registrations are compulsory by law, few events are missed and not registered for various reasons.</p> <p>[By the survey conducted in 1980 to assess the completeness of the registration of births and deaths, it was found that about 98.8 per cent of births and 94.0 per cent of deaths are being registered in Sri Lanka in any given period].</p> <p>Deaths are registered at the place of occurrence and not in the area of deceased.</p>
<p><u>Abstract</u> Registration of vital events commenced in 1867 with the enactment of civil registration laws which conferred the legal sanction for the registration of events namely, live births, deaths, still births and marriages. According to the law every death has to be registered within 5 days from the date of occurrence. Although death registrations are compulsory by law, few events are missed and not registered for various reasons.</p> <p>[By the survey conducted in 1980 to assess the completeness of the registration of births and deaths, it was found that about 98.8 per cent of births and 94.0 per cent of deaths are being registered in Sri Lanka in any given period].</p> <p>Deaths are registered at the place of occurrence and not in the area of the deceased.]</p>	
Kind of Data	Administrative records data [adm]
Unit of Analysis	Death of individual

Scope & Coverage	
<p><u>Scope</u> The scope of the Registration of Death 1984 include :</p> <ul style="list-style-type: none"> -District -AGA Division -Registrar's Division -Month & Year -Date of Death -If urban, assessment number, street and town -If rural, Name of village -Revenue District -Whether outside division -Distinguishing letters -Race -Age at Death - in days -Age at Death - in months -Age at Death - in years -Immediate Cause -Antecedent and/or underlying cause -Other contributory causes 	
Topics	DEMOGRAPHY AND POPULATION [14]
<p><u>Geographic Coverage</u> National coverage.</p>	
<p><u>Universe</u> Entire population of local individuals whose death has occurred in Sri Lanka.</p>	

Producers & Sponsors	
Primary Investigator(s)	Statistics Division, Registrar General's Department, Ministry of Public Administration and Home Affairs
Other Producer(s)	Divisional Secretariats , Data Collection
Funding Agency/ies	Government of Sri Lanka (GOSL)

Data Collection	
Data Collection Dates	start 1984-01-01 end 1984-12-31
Data Collection Mode	Other [oth]
<p><u>Data Collection Notes</u> When a death of an individual occurs, the respondent of the death meets the Registrar of Births and Deaths appointed for the area where the death occurred and obtains the death certificate.</p> <p>A copy of the death certificate is sent to the Divisional Secretariat Office along with the monthly return of deaths which includes the details of deaths occurred in a particular month.</p>	

The Additional District Registrars receive the returns from all Divisional Secretariat offices attached to them. The Additional District Registrars send these returns to the Statistical Division of the Registrar General's Office for data processing purposes

Data Collector(s)	Registrars of Berths & Deaths , Registrar General's Department Additional District Registrar , Registrar General's Department Statistical Division - Registrar General's Office , Registrar General's Department
-------------------	--

Other Processing

Data processing included the following steps.

1. Accepting the filled birth return forms by the Statistical Division
2. Do a visual check for completeness
3. Coding of data
4. Entry of data
5. Run edit program for each District batch
6. Produce error report
7. Correction of errors on the report
8. Change incorrect data using the corrected error report
9. Re-run the edit program and repeat the error correction procedure
10. Produce final tables on clean data with a backup of clean data.

Accessibility

Access Authority	Registrar General (Registrar General's Department) , www.rgd.gov.lk , rg@rgd.gov.lk
Contact(s)	Statistical Division (Registrar General's Department) , www.rgd.gov.lk , ddstat@rgd.gov.lk

Confidentiality

The degree of confidentiality of this microdata set is determined by the Access Authority. Please refer to the Access Authority for further details.

Access Conditions

Please contact the Access Authority for Access Terms and Conditions.

Citation Requirements

"Registrar General's Department,Vital Statistics (Deaths) - 1984 Version 1.0 of the public use dataset (September 2008)"

Rights & Disclaimer

Disclaimer

The Department of Census and Statistics and the Registrar General's Department will bear no responsibility for any results or interpretations arising from the secondary use of the data.

Copyright	(C) 1984, Registrar General's Department
-----------	--

Files Description

Dataset contains 1 file(s)

Death_84	
# Cases	100725
# Variable(s)	26
<u>File Content</u> The file contains the data related to the Return of Death Form 1984.	
<u>Producer</u> Registrar General's Department	

Variables List

Dataset contains 26 variable(s)

File Death_84							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	SECTOR	Sector	discrete	numeric-1.0	100725	0	-
2	REVENUE_DISTRICT	District	discrete	numeric-2.0	100725	0	-
3	D_R_O_DIVISION	AGA Division	discrete	numeric-2.0	100725	0	-
4	REGISTRAR_DIVISION	Registrar's Division	discrete	numeric-2.0	100725	0	-
5	TOWN	Town (Not Applicable)	discrete	numeric-2.0	44794	55931	-
6	MONTH	Month	discrete	numeric-2.0	100725	0	-
7	YEAR	Year	discrete	numeric-2.0	100725	0	-
8	SEX	Sex	discrete	numeric-1.0	100725	0	-
9	ENTRY_NUMBER	Entry Number	discrete	numeric-4.0	100725	0	-
10	RESIDENCE_TOWN	Town (Residence)	discrete	numeric-2.0	5	100720	-
11	DISTRICT_RESIDENCE	District	discrete	numeric-2.0	100725	0	-
12	OUTSIDE_DIVISION	Within the Registrars Division	discrete	numeric-1.0	100725	0	-
13	DISTINGUISHING_LETTERS	Distinguishing Letters	discrete	numeric-1.0	43175	57550	-
14	RACE	Race	discrete	numeric-2.0	100725	0	-
15	SINGLE_AGE	Single Age	discrete	numeric-3.0	100725	0	-
16	DD_MM_YY_CODE	DD/M/Y Code	discrete	numeric-1.0	100725	0	-
17	DEATH_CODE	Death Code(Cause of Death)	discrete	numeric-3.0	100725	0	-
18	SUB_CLASSIFICATION	Sub Group	discrete	numeric-1.0	67532	33193	-
19	DEATH_CODE	Antecedent and/or underline causes	discrete	numeric-2.0	100725	0	-
20	SUBA_CLASSIFICATION	Sub Group A	discrete	numeric-2.0	96554	4171	-
21	GROUP_CODE	Other Contributory Causes	discrete	numeric-1.0	88848	11877	-
22	SUBB_CLASSIFICATION	Sub Group B	discrete	numeric-2.0	44412	56313	-
23	OCCURANCE_MONTH	Occurance Month	discrete	numeric-2.0	100725	0	-
24	DIED_IN_SAME_YEAR	Died in same year	discrete	numeric-1.0	100160	565	-
25	AGA_DIV_RESIDENCE	AGA Division of the Residence	discrete	numeric-2.0	100725	0	-
26	CLASS_OF_RECORD	Class of Record	discrete	numeric-1.0	0	100725	-

Variables Description

Dataset contains 26 variable(s)

File Death_84

#1 SECTOR: Sector

Information [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]

Statistics [NW/ W] [Valid=100725 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Urban	44794	44.5%
2	Rural	49302	48.9%
3	Estate	6629	6.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#2 REVENUE_DISTRICT: District

Information [Type= discrete] [Format=numeric] [Range= 1-24] [Missing=*]

Statistics [NW/ W] [Valid=100725 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Colombo	16638	16.5%
2	Negombo	2995	3.0%
3	Kalutara	5551	5.5%
4	Kandy	9453	9.4%
5	Matale	2290	2.3%
6	Nuwara Eliya	3314	3.3%
7	Galle	5232	5.2%
8	Matara	4386	4.4%
9	Hambantota	1934	1.9%
10	Jaffna	5468	5.4%
11	Mannar	673	0.7%
12	Vavuniya	639	0.6%
13	Batticaloa	2313	2.3%
14	Ampara	1810	1.8%
15	Trincomalee	1321	1.3%
16	Kurunegala	8105	8.0%
17	Puttalam	964	1.0%
18	Chillaw	2266	2.2%
19	Anuradhapura	3344	3.3%
20	Polonnaruwa	1146	1.1%
21	Badulla	4880	4.8%
22	Monaragala	1089	1.1%
23	Ratnapura	5135	5.1%
24	Kegalle	4163	4.1%

Vital Statistics - Deaths - 1984 - Variables Description

File Death_84 (cont.)

#2 REVENUE_DISTRICT: District (cont.)

Value (cont.)	Label	Cases	Percentage
25	Mullativu	378	0.4%
26	Gampaha	5238	5.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#3 D_R_O_DIVISION: AGA Division

Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]		
Statistics [NW/ W]	[Valid=100725 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1		43207	42.9%
2		7397	7.3%
3		6303	6.3%
4		7091	7.0%
5		7626	7.6%
6		5576	5.5%
7		4186	4.2%
8		4667	4.6%
9		2248	2.2%
10		1928	1.9%
11		1952	1.9%
12		1857	1.8%
13		2269	2.3%
14		1711	1.7%
15		1060	1.1%
16		1531	1.5%
17		116	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#4 REGISTRAR_DIVISI: Registrar's Division

Information	[Type= discrete] [Format=numeric] [Range= 1-59] [Missing=*]
Statistics [NW/ W]	[Valid=100725 /-] [Invalid=0 /-]
Frequency table not shown (68 Modalities)	

#5 TOWN: Town (Not Applicable)

Information	[Type= discrete] [Format=numeric] [Range= 1-22] [Missing=*]
Statistics [NW/ W]	[Valid=44794 /-] [Invalid=55931 /-]

Vital Statistics - Deaths - 1984 - Variables Description

File Death_84 (cont.)

#5 TOWN: Town (Not Applicable) (cont.)

Value	Label	Cases	Percentage
1		23130	51.6%
2		2653	5.9%
3		2377	5.3%
4		1366	3.0%
5		1474	3.3%
6		1009	2.3%
7		4741	10.6%
8		1058	2.4%
9		870	1.9%
10		250	0.6%
11		275	0.6%
12		355	0.8%
13		5236	11.7%
Sysmiss		55931	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#6 MONTH: Month

Information [Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]

Statistics [NW/ W] [Valid=100725 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	January	8782	8.7%
2	February	8190	8.1%
3	March	9037	9.0%
4	April	7743	7.7%
5	May	9241	9.2%
6	June	8622	8.6%
7	July	8851	8.8%
8	August	8888	8.8%
9	September	7313	7.3%
10	October	7857	7.8%
11	November	7415	7.4%
12	December	8786	8.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#7 YEAR: Year

Information [Type= discrete] [Format=numeric] [Range= 84-84] [Missing=*]

Statistics [NW/ W] [Valid=100725 /-] [Invalid=0 /-]

Vital Statistics - Deaths - 1984 - Variables Description

File Death_84 (cont.)

#7 YEAR: Year (cont.)

Value	Label	Cases	Percentage
84		100725	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#8 SEX: Sex

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=100725 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Male	60309	59.9%
2	Female	40416	40.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#9 ENTRY_NUMBER: Entry Number

Information	[Type= discrete] [Format=numeric] [Range= 1-9999] [Missing=*]
Statistics [NW/ W]	[Valid=100725 /-] [Invalid=0 /-]

#10 RESIDENCE_TOWN: Town (Residence)

Information	[Type= discrete] [Format=numeric] [Range= 1-47] [Missing=*]		
Statistics [NW/ W]	[Valid=5 /-] [Invalid=100720 /-]		
Value	Label	Cases	Percentage
1		1	20.0%
3		1	20.0%
84		3	60.0%
Systemiss		100720	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#11 DISTRICT_RESIDEN: District

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]		
Statistics [NW/ W]	[Valid=100725 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Colombo	13389	13.3%
2	Negombo	3082	3.1%
3	Kalutara	5729	5.7%
4	Kandy	8804	8.7%
5	Matale	2271	2.3%
6	Nuwara Eliya	3651	3.6%

Vital Statistics - Deaths - 1984 - Variables Description

File Death_84 (cont.)

#11 DISTRICT_RESIDEN: District (cont.)

Value (cont.)	Label	Cases	Percentage
7	Galle	5338	5.3%
8	Matara	4423	4.4%
9	Hambantota	2068	2.1%
10	Jaffna	5482	5.4%
11	Mannar	697	0.7%
12	Vavuniya	668	0.7%
13	Batticaloa	2276	2.3%
14	Ampara	1889	1.9%
15	Trincomalee	1374	1.4%
16	Kurunegala	8258	8.2%
17	Puttalam	1685	1.7%
18	Chillaw	1706	1.7%
19	Anuradhapura	3304	3.3%
20	Polonnaruwa	1262	1.3%
21	Badulla	4848	4.8%
22	Monaragala	1173	1.2%
23	Ratnapura	5233	5.2%
24	Kegalle	4584	4.6%
25	Mullativu	381	0.4%
26	Gampaha	6738	6.7%
98		412	0.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#12 OUTSIDE_DIVISION: Within the Registrars Division

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=100725 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	OUT	25982	25.8%
1	IN	74743	74.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#13 DISTINGU_LETTER: Distinguishing Letters

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=43175 /-] [Invalid=57550 /-]		
Value	Label	Cases	Percentage
0		7	0.0%
1		5900	13.7%

File Death_84 (cont.)

#13 DISTINGU_LETTER: Distinguishing Letters (cont.)

Value (cont.)	Label	Cases	Percentage
2		264	0.6%
3		461	1.1%
4		11944	27.7%
5		57	0.1%
6		24541	56.8%
7		1	0.0%
Sysmiss		57550	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#14 RACE: Race

Information	[Type= discrete] [Format=numeric] [Range= 1-14] [Missing=*]
Statistics [NW/ W]	[Valid=100725 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Sinhalese	72485	72.0%
2	Sri Lanka Tamil	11718	11.6%
3	Sri lanka Moors	6352	6.3%
4	Burghers Eurasia	298	0.3%
5	Malays	214	0.2%
6	Veddah	18	0.0%
7	Indian Tamil	9249	9.2%
8	Indian Moors	35	0.0%
9	Pakistan Tamil	1	0.0%
10	Pakistan Moors	4	0.0%
11	Europeans	27	0.0%
12	Other - Ind - Pak	21	0.0%
13	Other Non Ind - Pak	4	0.0%
14	Unknown Race	299	0.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#15 SINGLE_AGE: Single Age

Information	[Type= discrete] [Format=numeric] [Range= 0-125] [Missing=*]
Statistics [NW/ W]	[Valid=100725 /-] [Invalid=0 /-]

Definition	<p>Single-Age & DMY-Code</p> <p>a) DMY-code = 1 & Single-Age = 000 (Lived only less than 24 hours)</p> <p>b) DMY-code = 1 & Single-Age = 001-030 (Lived only the number of days given in the Single-Age Field)</p>
------------	--

File Death_84 (cont.)

#15 SINGLE_AGE: Single Age (cont.)

	<p>c) DMY-code = 2 (Lived only the number of months given in the Single-Age Field)</p> <p>d) DMY-code = 3 (Lived only the numbers years given in the Single-Age field)</p> <p>e) DMY-code = 0 & Single-Age = 0 (Age of death is unspecified)</p>
--	--

#16 DD_MM_YY_CODE: D/M/Y Code

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
Statistics [NW/ W]	[Valid=100725 /-] [Invalid=0 /-]

#17 DEATH_CODE: Death Code(Cause of Death)

Information	[Type= discrete] [Format=numeric] [Range= 0-989] [Missing=*]
Statistics [NW/ W]	[Valid=100725 /-] [Invalid=0 /-]
Frequency table not shown (914 Modalities)	

#18 SUB_CLASSIFICATI: Sub Group

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=67532 /-] [Invalid=33193 /-]

Value	Label	Cases	Percentage
0		6303	9.3%
1		11912	17.6%
2		1341	2.0%
3		5373	8.0%
4		647	1.0%
5		2673	4.0%
6		4751	7.0%
7		169	0.3%
8		2257	3.3%
9		32106	47.5%
Sysmiss		33193	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#19 DEATHA_CODE: Antecedent and/or underline causes

Information	[Type= discrete] [Format=numeric] [Range= 1-379] [Missing=*]
-------------	--

Vital Statistics - Deaths - 1984 - Variables Description

File Death_84 (cont.)

#19 DEATHA_CODE: Antecedent and/or underline causes (cont.)

Statistics [NW/ W] [Valid=100725 /-] [Invalid=0 /-]

Frequency table not shown (55 Modalities)

#20 SUBA_CLASSIFI_A: Sub Group A

Information [Type= discrete] [Format=numeric] [Missing=*]

Statistics [NW/ W] [Valid=96554 /-] [Invalid=4171 /-]

Value	Label	Cases	Percentage
0		12788	13.2%
1		11280	11.7%
2		1424	1.5%
3		2586	2.7%
4		1043	1.1%
5		22214	23.0%
6		3542	3.7%
7		967	1.0%
8		836	0.9%
10		257	0.3%
11		108	0.1%
12		3	0.0%
13		60	0.1%
20		35	0.0%
21		3538	3.7%
30		1	0.0%
31		49	0.1%
90		15815	16.4%
91		7689	8.0%
92		10368	10.7%
93		22	0.0%
94		1907	2.0%
95		22	0.0%
Sysmiss		4171	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#21 GROUP_CODE: Other Contributory Causes

Information [Type= discrete] [Format=numeric] [Range= 1-50] [Missing=*]

Statistics [NW/ W] [Valid=88848 /-] [Invalid=11877 /-]

Value	Label	Cases	Percentage
1		6456	7.3%

Vital Statistics - Deaths - 1984 - Variables Description

File Death_84 (cont.)

#21 GROUP_CODE: Other Contributory Causes (cont.)

Value (cont.)	Label	Cases	Percentage
2		4257	4.8%
3		3374	3.8%
4		14540	16.4%
5		47975	54.0%
6		5643	6.4%
7		6603	7.4%
Sysmiss		11877	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#22 SUBB_CLASSIFI_B: Sub Group B

Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=44412 /-] [Invalid=56313 /-]		
Value	Label	Cases	Percentage
0		6830	15.4%
1		6308	14.2%
2		972	2.2%
3		2409	5.4%
4		50	0.1%
5		21024	47.3%
6		3487	7.9%
7		961	2.2%
8		760	1.7%
90		1073	2.4%
91		538	1.2%
Sysmiss		56313	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#23 OCCURANCE_MONTH: Occurance Month

Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=100725 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		1	0.0%
1		9113	9.0%
2		8690	8.6%
3		8854	8.8%
4		8621	8.6%
5		8994	8.9%

Vital Statistics - Deaths - 1984 - Variables Description

File Death_84 (cont.)

#23 OCCURANCE_MONTH: Occurance Month (cont.)

Value (cont.)	Label	Cases	Percentage
6		8286	8.2%
7		8777	8.7%
8		7934	7.9%
9		7317	7.3%
10		7815	7.8%
11		7702	7.6%
12		8621	8.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#24 DIED_IN_SAME_YEA: Died in same year

Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=100160 /-] [Invalid=565 /-]		
Value	Label	Cases	Percentage
0	Yes	7980	8.0%
1	No	92180	92.0%
Sysmiss		565	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#25 AGA_DIV_RESIDENC: AGA Division of the Residence

Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=100725 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1		29453	29.2%
2		9130	9.1%
3		7930	7.9%
4		8938	8.9%
5		10017	9.9%
6		6891	6.8%
7		4735	4.7%
8		5491	5.5%
9		2601	2.6%
10		2298	2.3%
11		2022	2.0%
12		2223	2.2%
13		2674	2.7%
14		3071	3.0%
15		1190	1.2%

File Death_84 (cont.)

#25 AGA_DIV_RESIDENC: AGA Division of the Residence (cont.)

Value (cont.)	Label	Cases	Percentage
16		1611	1.6%
17		38	0.0%
98		412	0.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#26 CLASS_OF_RECORD: Class of Record

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=100725 /-]

Value	Label	Cases	Percentage
Sysmiss		100725	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Documentation

Reports and analytical documents	17
Study Documentation RGD 1984 Project	17
Questionnaires	17
Questionnaire - Registration of Death	17
Technical documents	17
Data Dictionary	17

Reports and analytical documents

Study Documentation RGD 1984 Project, Sri Lanka [lka], English [eng], "Documents\Reports\Study Documentation RGD 1984 Project.pdf"

Questionnaires

Questionnaire - Registration of Death, "Documents\Questionnaire\Questionnaire Death(1970-1990).pdf"

Technical documents

Data Dictionary, "Documents\Technical\Data Dictionary - Deaths 1981-1990.pdf"