

Sri Lanka

Statistics Division, Registrar General's Department, Ministry of Public  
Administration and Home Affairs

## Vital Statistics - Deaths - 1989

Study Documentation

December 7, 2009

# Metadata Production

Metadata Producer(s)	Registrar General's Department (RGD) , Ministry of Public Administration and Home Affairs , Providing Metadata
Production Date	December 19, 2008
Version	Version 1.0 ( September 2008 ).
Identification	DDI-LKA-RGD-RGD-1989-v1.0

This document was generated using the [IHSN Microdata Management Toolkit](#)

# Table of Contents

<a href="#">Overview.....</a>	<a href="#">1</a>
<a href="#">Scope &amp; Coverage.....</a>	<a href="#">2</a>
<a href="#">Producers &amp; Sponsors.....</a>	<a href="#">2</a>
<a href="#">Data Collection.....</a>	<a href="#">2</a>
<a href="#">Accessibility.....</a>	<a href="#">3</a>
<a href="#">Rights &amp; Disclaimer.....</a>	<a href="#">3</a>
<a href="#">Files Description.....</a>	<a href="#">4</a>
<a href="#">Death_89.....</a>	<a href="#">4</a>
<a href="#">Variables List.....</a>	<a href="#">5</a>
<a href="#">Death_89.....</a>	<a href="#">5</a>
<a href="#">Variables Description.....</a>	<a href="#">6</a>
<a href="#">Death_89.....</a>	<a href="#">6</a>
<a href="#">Documentation.....</a>	<a href="#">17</a>



Sri Lanka (1989)  
Vital Statistics - Deaths - 1989 (RGD - 1989)

Overview	
Type	Administrative Records, Other (ad/oth]
Identification	LKA-RGD-RGD-1989-v1.0
Version	Production Date: 2008-09-19 v1.0: Full edited dataset, original version for internal DPD use.
Series	<p>Registration of vital events commenced in 1867 with the enactment of civil registration laws which conferred the legal sanction for the registration of events namely, live births, deaths, still births and marriages. According to the law every death has to be registered within 5 days from the date of occurrence. Although death registrations are compulsory by law, few events are missed and not registered for various reasons.</p> <p>[By the survey conducted in 1980 to assess the completeness of the registration of births and deaths, it was found that about 98.8 per cent of births and 94.0 per cent of deaths are being registered in Sri Lanka in any given period].</p> <p>Deaths are registered at the place of occurrence and not in the area of deceased.</p>
<p><u>Abstract</u></p> <p>Registration of vital events commenced in 1867 with the enactment of civil registration laws which conferred the legal sanction for the registration of events namely, live births, deaths, still births and marriages. According to the law every death has to be registered within 5 days from the date of occurrence. Although death registrations are compulsory by law, few events are missed and not registered for various reasons.</p> <p>[By the survey conducted in 1980 to assess the completeness of the registration of births and deaths, it was found that about 98.8 per cent of births and 94.0 per cent of deaths are being registered in Sri Lanka in any given period].</p> <p>Deaths are registered at the place of occurrence and not in the area of the deceased.]</p>	
Kind of Data	Administrative records data [adm]
Unit of Analysis	Death of individual

Scope & Coverage	
<u>Scope</u> The scope of the Registration of Death 1989 include : <ul style="list-style-type: none"> <li>-District</li> <li>-AGA Division</li> <li>-Registrar's Division</li> <li>-Month &amp; Year</li> <li>-Date of Death</li> <li>-If urban, assessment number, street and town</li> <li>-If rural, Name of village</li> <li>-Revenue District</li> <li>-Whether outside division</li> <li>-Distinguishing letters</li> <li>-Race</li> <li>-Age at Death - in days</li> <li>-Age at Death - in months</li> <li>-Age at Death - in years</li> <li>-Immediate Cause</li> <li>-Antecedent and/or underlying cause</li> <li>-Other contributory causes</li> </ul>	
Topics	DEMOGRAPHY AND POPULATION [14]
<u>Geographic Coverage</u> National coverage.	
<u>Universe</u> Entire population of local individuals whose death has occurred in Sri Lanka.	

Producers & Sponsors	
Primary Investigator(s)	Statistics Division, Registrar General's Department, Ministry of Public Administration and Home Affairs
Other Producer(s)	Divisional Secretariats , Data Collection
Funding Agency/ies	Government of Sri Lanka (GOSL)

Data Collection	
Data Collection Dates	start 1989-01-01 end 1989-12-31
Data Collection Mode	Other [oth]
<u>Data Collection Notes</u> When a death of an individual occurs, the respondent of the death meets the Registrar of Births and Deaths appointed for the area where the death occurred and obtains the death certificate.  A copy of the death certificate is sent to the Divisional Secretariat Office along with the monthly return of deaths which includes the details of deaths occurred in a particular month.	

The Additional District Registrars receive the returns from all Divisional Secretariat offices attached to them. The Additional District Registrars send these returns to the Statistical Division of the Registrar General's Office for data processing purposes

Data Collector(s)	Registrars of Berths & Deaths , Registrar General's Department Additional District Registrar , Registrar General's Department Statistical Division - Registrar General's Office , Registrar General's Department
-------------------	--

#### Other Processing

Data processing included the following steps.

1. Accepting the filled birth return forms by the Statistical Division
2. Do a visual check for completeness
3. Coding of data
4. Entry of data
5. Run edit program for each District batch
6. Produce error report
7. Correction of errors on the report
8. Change incorrect data using the corrected error report
9. Re-run the edit program and repeat the error correction procedure
10. Produce final tables on clean data with a backup of clean data.

#### **Accessibility**

Access Authority	Registrar General (Registrar General's Department) , <a href="http://www.rgd.gov.lk">www.rgd.gov.lk</a> , <a href="mailto:rg@rgd.gov.lk">rg@rgd.gov.lk</a>
Contact(s)	Statistical Division (Registrar General's Department) , <a href="http://www.rgd.gov.lk">www.rgd.gov.lk</a> , <a href="mailto:ddstat@rgd.gov.lk">ddstat@rgd.gov.lk</a>

#### Confidentiality

The degree of confidentiality of this microdata set is determined by the Access Authority. Please refer to the Access Authority for further details.

#### Access Conditions

Please contact the Access Authority for Access Terms and Conditions.

#### Citation Requirements

"Registrar General's Department,Vital Statistics (Deaths) - 1989 Version 1.0 of the public use dataset (September 2008 )"

#### **Rights & Disclaimer**

##### Disclaimer

The Department of Census and Statistics and the Registrar General's Department will bear no responsibility for any results or interpretations arising from the secondary use of the data.

Copyright	(C) 1989, Registrar General's Department
-----------	--

## Files Description

Dataset contains 1 file(s)

Death_89	
# Cases	105239
# Variable(s)	26
<u>File Content</u> The file contains the data related to the Return of Death Form 1989.	
<u>Producer</u> Registrar General's Department	



# Variables List

Dataset contains 26 variable(s)

File Death_89							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	<a href="#">SECTOR</a>	Sector	discrete	numeric-1.0	105239	0	-
2	<a href="#">REVENUE_DISTRICT</a>	District	discrete	numeric-2.0	105239	0	-
3	<a href="#">D_R_O_DIVISION</a>	AGA Division	discrete	numeric-2.0	105239	0	-
4	<a href="#">REGISTRAR_DIVISION</a>	Registrar's Division	discrete	numeric-2.0	105239	0	-
5	<a href="#">TOWN</a>	Town (Not Applicable)	discrete	numeric-2.0	48876	56363	-
6	<a href="#">MONTH</a>	Month	discrete	numeric-2.0	105239	0	-
7	<a href="#">YEAR</a>	Year	discrete	numeric-2.0	105239	0	-
8	<a href="#">SEX</a>	Sex	discrete	numeric-1.0	105239	0	-
9	<a href="#">ENTRY_NUMBER</a>	Entry Number	discrete	numeric-4.0	105239	0	-
10	<a href="#">RESIDENCE_TOWN</a>	Town (Residence)	discrete	numeric-2.0	18	105221	-
11	<a href="#">DISTRICT_RESIDENCE</a>	District	discrete	numeric-2.0	105239	0	-
12	<a href="#">OUTSIDE_DIVISION</a>	Within the Registrars Division	discrete	numeric-1.0	105239	0	-
13	<a href="#">DISTINGUISHING_LETTERS</a>	Distinguishing Letters	discrete	numeric-1.0	40935	64304	-
14	<a href="#">RACE</a>	Race	discrete	numeric-2.0	105239	0	-
15	<a href="#">SINGLE_AGE</a>	Single Age	discrete	numeric-3.0	105239	0	-
16	<a href="#">DD_MM_YY_CODE</a>	DD/MM/Y Code	discrete	numeric-1.0	105239	0	-
17	<a href="#">DEATH_CODE</a>	Death Code(Cause of Death)	discrete	numeric-3.0	105239	0	-
18	<a href="#">SUB_CLASSIFICATION</a>	Sub Group	discrete	numeric-1.0	72147	33092	-
19	<a href="#">DEATH_CODE</a>	Antecedent and/or underline causes	discrete	numeric-2.0	105239	0	-
20	<a href="#">SUBA_CLASSIFICATION</a>	Sub Group A	discrete	numeric-2.0	94900	10339	-
21	<a href="#">GROUP_CODE</a>	Other Contributory Causes	discrete	numeric-1.0	94490	10749	-
22	<a href="#">SUBB_CLASSIFICATION</a>	Sub Group B	discrete	numeric-2.0	40719	64520	-
23	<a href="#">OCCURANCE_MONTH</a>	Occurance Month	discrete	numeric-2.0	105239	0	-
24	<a href="#">DIED_IN_SAME_YEAR</a>	Died in same year	discrete	numeric-1.0	102432	2807	-
25	<a href="#">AGA_DIV_RESIDENCE</a>	AGA Division of the Residence	discrete	numeric-2.0	105239	0	-
26	<a href="#">CLASS_OF_RECORD</a>	Class of Record	discrete	numeric-1.0	0	105239	-

# Variables Description

Dataset contains 26 variable(s)

## File Death\_89

### #1 SECTOR: Sector

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=105239 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Urban	48876	46.4%
2	Rural	51312	48.8%
3	Estate	5051	4.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### #2 REVENUE\_DISTRICT: District

Information	[Type= discrete] [Format=numeric] [Range= 1-24] [Missing=*]		
Statistics [NW/ W]	[Valid=105239 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Colombo	17354	16.5%
2	Negombo	2748	2.6%
3	Kalutara	5573	5.3%
4	Kandy	8443	8.0%
5	Matale	2374	2.3%
6	Nuwara Eliya	4849	4.6%
7	Galle	5716	5.4%
8	Matara	4813	4.6%
9	Hambantota	2321	2.2%
10	Jaffna	4179	4.0%
11	Mannar	718	0.7%
12	Vavuniya	569	0.5%
13	Batticaloa	3101	2.9%
14	Ampara	2348	2.2%
15	Trincomalee	1615	1.5%
16	Kurunegala	7911	7.5%
17	Puttalam	843	0.8%
18	Chillaw	2203	2.1%
19	Anuradhapura	3729	3.5%
20	Polonnaruwa	1473	1.4%
21	Badulla	4363	4.1%
22	Monaragala	1458	1.4%
23	Ratnapura	5011	4.8%
24	Kegalle	4493	4.3%

## File Death\_89 (cont.)

## #2 REVENUE\_DISTRICT: District (cont.)

Value (cont.)	Label	Cases	Percentage
25	Mullativu	512	0.5%
26	Gampaha	5996	5.7%
27	Kilinochchi	526	0.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## #3 D\_R\_O\_DIVISION: AGA Division

Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]		
Statistics [NW/ W]	[Valid=105239 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1		42158	40.1%
2		8483	8.1%
3		6524	6.2%
4		7064	6.7%
5		6872	6.5%
6		6496	6.2%
7		4557	4.3%
8		4215	4.0%
9		4240	4.0%
10		3126	3.0%
11		1600	1.5%
12		2212	2.1%
13		2059	2.0%
14		1904	1.8%
15		1534	1.5%
16		1252	1.2%
17		785	0.7%
18		158	0.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## #4 REGISTRAR\_DIVISI: Registrar's Division

Information	[Type= discrete] [Format=numeric] [Range= 1-59] [Missing=*]		
Statistics [NW/ W]	[Valid=105239 /-] [Invalid=0 /-]		
Frequency table not shown (80 Modalities)			

## #5 TOWN: Town (Not Applicable)

Information	[Type= discrete] [Format=numeric] [Range= 1-22] [Missing=*]		
-------------	---	--	--

## File Death\_89 (cont.)

## #5 TOWN: Town (Not Applicable) (cont.)

Statistics [NW/ W] [Valid=48876 /-] [Invalid=56363 /-]

Value	Label	Cases	Percentage
1		31676	64.8%
2		4915	10.1%
3		2156	4.4%
4		1814	3.7%
5		1208	2.5%
6		2104	4.3%
7		1842	3.8%
8		1468	3.0%
9		546	1.1%
10		317	0.6%
11		630	1.3%
12		132	0.3%
13		22	0.0%
14		46	0.1%
Sysmiss		56363	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## #6 MONTH: Month

Information [Type= discrete] [Format=numeric] [Range= 1-12] [Missing=\*]

Statistics [NW/ W] [Valid=105239 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	January	10186	9.7%
2	February	8452	8.0%
3	March	9467	9.0%
4	April	7784	7.4%
5	May	8771	8.3%
6	June	8415	8.0%
7	July	8499	8.1%
8	August	8700	8.3%
9	September	8782	8.3%
10	October	8908	8.5%
11	November	8628	8.2%
12	December	8647	8.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## File Death\_89 (cont.)

## #7 YEAR: Year

Information	[Type= discrete] [Format=numeric] [Range= 89-89] [Missing=*]		
Statistics [NW/ W]	[Valid=105239 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
89		105239	100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

## #8 SEX: Sex

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=105239 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Male	68128	64.7%
2	Female	37111	35.3%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

## #9 ENTRY\_NUMBER: Entry Number

Information	[Type= discrete] [Format=numeric] [Range= 1-9999] [Missing=*]		
Statistics [NW/ W]	[Valid=105239 /-] [Invalid=0 /-]		

## #10 RESIDENCE\_TOWN: Town (Residence)

Information	[Type= discrete] [Format=numeric] [Range= 1-47] [Missing=*]		
Statistics [NW/ W]	[Valid=18 /-] [Invalid=105221 /-]		
Value	Label	Cases	Percentage
2		1	5.6%
5		2	11.1%
86		2	11.1%
88		6	33.3%
89		7	38.9%
Sysmiss		105221	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

## #11 DISTRICT\_RESIDEN: District

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]		
Statistics [NW/ W]	[Valid=105239 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Colombo	13817	13.1%

## File Death\_89 (cont.)

## #11 DISTRICT\_RESIDEN: District (cont.)

Value (cont.)	Label	Cases	Percentage
2	Negombo	2997	2.8%
3	Kalutara	5862	5.6%
4	Kandy	7992	7.6%
5	Matale	2408	2.3%
6	Nuwara Eliya	5074	4.8%
7	Galle	5906	5.6%
8	Matara	4621	4.4%
9	Hambantota	2683	2.5%
10	Jaffna	4163	4.0%
11	Mannar	733	0.7%
12	Vavuniya	641	0.6%
13	Batticaloa	3080	2.9%
14	Ampara	2502	2.4%
15	Trincomalee	1676	1.6%
16	Kurunegala	8004	7.6%
17	Puttalam	877	0.8%
18	Chillaw	2278	2.2%
19	Anuradhapura	3762	3.6%
20	Polonnaruwa	1587	1.5%
21	Badulla	4337	4.1%
22	Monaragala	1498	1.4%
23	Ratnapura	5198	4.9%
24	Kegalle	4920	4.7%
25	Mullativu	526	0.5%
26	Gampaha	7352	7.0%
27	Kilinochchi	560	0.5%
98		185	0.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## #12 OUTSIDE\_DIVISION: Within the Registrars Division

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=105239 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	OUT	24064	22.9%
1	IN	81175	77.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## File Death\_89 (cont.)

## #13 DISTINGU\_LETTER: Distinguishing Letters

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=\*]

Statistics [NW/ W] [Valid=40935 /-] [Invalid=64304 /-]

Value	Label	Cases	Percentage
0		202	0.5%
1		4124	10.1%
2		142	0.3%
3		1137	2.8%
4		12843	31.4%
5		160	0.4%
6		22325	54.5%
7		1	0.0%
8		1	0.0%
Sysmiss		64304	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## #14 RACE: Race

Information [Type= discrete] [Format=numeric] [Range= 1-14] [Missing=\*]

Statistics [NW/ W] [Valid=105239 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Sinhalese	77251	73.4%
2	Sri Lanka Tamil	13274	12.6%
3	Sri lanka Moors	5993	5.7%
4	Burghers Eurasia	358	0.3%
5	Malays	213	0.2%
6	Veddah	10	0.0%
7	Indian Tamil	7911	7.5%
8	Indian Moors	26	0.0%
9	Pakistan Tamil	5	0.0%
10	Pakistan Moors	2	0.0%
11	Europeans	3	0.0%
12	Other - Ind - Pak	16	0.0%
13	Other Non Ind - Pak	25	0.0%
14	Unknown Race	152	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## #15 SINGLE\_AGE: Single Age

Information [Type= discrete] [Format=numeric] [Range= 0-125] [Missing=\*]

Statistics [NW/ W] [Valid=105239 /-] [Invalid=0 /-]

## File Death\_89 (cont.)

## #15 SINGLE\_AGE: Single Age (cont.)

Definition	<p>Single-Age &amp; DMY-Code</p> <p>a) DMY-code = 1 &amp; Single-Age = 000 (Lived only less than 24 hours)</p> <p>b) DMY-code = 1 &amp; Single-Age = 001-030 (Lived only the number of days given in the Single-Age Field)</p> <p>c) DMY-code = 2 (Lived only the number of months given in the Single-Age Field)</p> <p>d) DMY-code = 3 (Lived only the numbers years given in the Single-Age field)</p> <p>e) DMY-code = 0 &amp; Single-Age = 0 (Age of death is unspecified)</p>
------------	---

## #16 DD\_MM\_YY\_CODE: D/M/Y Code

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
Statistics [NW/ W]	[Valid=105239 /-] [Invalid=0 /-]

## #17 DEATH\_CODE: Death Code(Cause of Death)

Information	[Type= discrete] [Format=numeric] [Range= 0-989] [Missing=*]
Statistics [NW/ W]	[Valid=105239 /-] [Invalid=0 /-]
Frequency table not shown (915 Modalities)	

## #18 SUB\_CLASSIFICATI: Sub Group

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=72147 /-] [Invalid=33092 /-]		
Value	Label	Cases	Percentage
0		6234	8.6%
1		11178	15.5%
2		1756	2.4%
3		3755	5.2%
4		2628	3.6%
5		1149	1.6%
6		3651	5.1%
7		152	0.2%
8		6089	8.4%
9		35555	49.3%
Sysmiss		33092	



## File Death\_89 (cont.)

## #18 SUB\_CLASSIFICATI: Sub Group (cont.)

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## #19 DEATHA\_CODE: Antecedent and/or underline causes

Information [Type= discrete] [Format=numeric] [Range= 1-379] [Missing=\*]

Statistics [NW/ W] [Valid=105239 /-] [Invalid=0 /-]

Frequency table not shown (55 Modalities)

## #20 SUBA\_CLASSIFI\_A: Sub Group A

Information [Type= discrete] [Format=numeric] [Missing=\*]

Statistics [NW/ W] [Valid=94900 /-] [Invalid=10339 /-]

Value	Label	Cases	Percentage
0		12312	13.0%
1		8891	9.4%
2		1020	1.1%
3		2664	2.8%
4		5303	5.6%
5		21962	23.1%
6		1290	1.4%
7		1718	1.8%
8		1109	1.2%
10		335	0.4%
11		15	0.0%
13		2	0.0%
20		17	0.0%
21		2428	2.6%
31		3	0.0%
90		17087	18.0%
91		6028	6.4%
92		10531	11.1%
93		15	0.0%
94		2167	2.3%
95		3	0.0%
Sysmiss		10339	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## #21 GROUP\_CODE: Other Contributory Causes

Information [Type= discrete] [Format=numeric] [Range= 1-50] [Missing=\*]

## File Death\_89 (cont.)

## #21 GROUP\_CODE: Other Contributory Causes (cont.)

Statistics [NW/ W]	[Valid=94490 /-] [Invalid=10749 /-]
--------------------	-------------------------------------

Value	Label	Cases	Percentage
1		4376	4.6%
2		4479	4.7%
3		2574	2.7%
4		17047	18.0%
5		44002	46.6%
6		10412	11.0%
7		11600	12.3%
Sysmiss		10749	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## #22 SUBB\_CLASSIFI\_B: Sub Group B

Information	[Type= discrete] [Format=numeric] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=40719 /-] [Invalid=64520 /-]
--------------------	-------------------------------------

Value	Label	Cases	Percentage
0		6348	15.6%
1		5562	13.7%
2		773	1.9%
3		2307	5.7%
4		30	0.1%
5		20994	51.6%
6		1259	3.1%
7		1715	4.2%
8		1091	2.7%
90		386	0.9%
91		254	0.6%
Sysmiss		64520	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## #23 OCCURANCE\_MONTH: Occurance Month

Information	[Type= discrete] [Format=numeric] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=105239 /-] [Invalid=0 /-]
--------------------	----------------------------------

Value	Label	Cases	Percentage
0		1	0.0%
1		9246	8.8%
2		8756	8.3%
3		8651	8.2%

## File Death\_89 (cont.)

## #23 OCCURANCE\_MONTH: Occurance Month (cont.)

Value (cont.)	Label	Cases	Percentage
4		8183	7.8%
5		8669	8.2%
6		9201	8.7%
7		9101	8.6%
8		8564	8.1%
9		7994	7.6%
10		8592	8.2%
11		8828	8.4%
12		9453	9.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## #24 DIED\_IN\_SAME\_YEA: Died in same year

Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=102432 /-] [Invalid=2807 /-]		
Value	Label	Cases	Percentage
0	Yes	10516	10.3%
1	No	91916	89.7%
Sysmiss		2807	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## #25 AGA\_DIV\_RESIDENC: AGA Division of the Residence

Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=105239 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1		32705	31.1%
2		8406	8.0%
3		8268	7.9%
4		8432	8.0%
5		7697	7.3%
6		7927	7.5%
7		4842	4.6%
8		5612	5.3%
9		4942	4.7%
10		3550	3.4%
11		1879	1.8%
12		2029	1.9%
13		2501	2.4%

## File Death\_89 (cont.)

## #25 AGA\_DIV\_RESIDENC: AGA Division of the Residence (cont.)

Value (cont.)	Label	Cases	Percentage
14		2130	2.0%
15		1831	1.7%
16		1493	1.4%
17		657	0.6%
18		153	0.1%
98		185	0.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## #26 CLASS\_OF\_RECORD: Class of Record

Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=105239 /-]		
Value	Label	Cases	Percentage
Sysmiss		105239	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## Documentation

<a href="#">Reports and analytical documents.....</a>	<a href="#">17</a>
<a href="#">Study Documentation RGD 1989 Project.....</a>	<a href="#">17</a>
<a href="#">Questionnaires.....</a>	<a href="#">17</a>
<a href="#">Questionnaire - Registration of Death.....</a>	<a href="#">17</a>
<a href="#">Technical documents.....</a>	<a href="#">17</a>
<a href="#">Data Dictionary.....</a>	<a href="#">17</a>

### Reports and analytical documents

Study Documentation RGD 1989 Project, Sri Lanka [lka], English [eng], "Documents\Reports\Study Documentation RGD 1989 Project.pdf"

### Questionnaires

Questionnaire - Registration of Death, "Documents\Questionnaire\Questionnaire Death(1970-1990).pdf"

### Technical documents

Data Dictionary, "Documents\Technical\Data Dictionary - Deaths 1981-1990.pdf"