Sri Lanka

Statistics Division, Registrar General's Department, Ministry of Public
Administration and Home Affairs

# Vital Statistics - Deaths - 1994

## Study Documentation

December 7, 2009

# Metadata Production

| Metadata Producer(s) | Registrar General's Department (RGD) , Ministry of Public Administration and Home Affairs , Providing Metadata |
|---|---|
| Production Date | December 17, 2008 |
| Version | Version 1.0 ( June 2008 ). |
| Identification | DDI-LKA-RGD-RGD-1994-v1.0 |

This document was generated using the **IHSN Microdata Management Toolkit**

# Table of Contents

## Sri Lanka (1994)
# Vital Statistics - Deaths - 1994 (RGD - 1994)

## Overview

| | |
|---|---|
| Type | Administrative Records, Other (ad/oth] |
| Identification | LKA-RGD-RGD-1994-v1.0 |
| Version | Production Date: 2008-06-17<br>v1.0: Full edited dataset, original version  for internal DPD use. |
| Series | Registration of vital events commenced in 1867 with the enactment of civil registration laws which conferred the legal sanction for the registration of events namely, live births, deaths, still births and marriages. According to the law every death has to be registered within  5 days from the date of occurrence. Although death  registrations are compulsory by law, few events are missed and not registered for various reasons.<br><br>[By the survey conducted in 1980 to assess the completeness of the registration of births and deaths, it was found that about 98.8 per cent of births and 94.0 per cent of deaths are being registered in Sri Lanka in any given period].<br><br>Deaths  are registered at the place of occurrence and not in the area of deceased. |

Abstract
Registration of vital events commenced in 1867 with the enactment of civil registration laws which conferred the legal sanction for the registration of events namely, live births, deaths, still births and marriages. According to the law every death has to be registered within  5 days from the date of occurrence. Although death  registrations are compulsory by law, few events are missed and not registered for various reasons.

[By the survey conducted in 1980 to assess the completeness of the registration of births and deaths, it was found that about 98.8 per cent of births and 94.0 per cent of deaths are being registered in Sri Lanka in any given period].

Deaths  are registered at the place of occurrence and not in the area of the deceased.]

| | |
|---|---|
| Kind of Data | Administrative records data [adm] |
| Unit of Analysis | Death of individual |

## Scope & Coverage

Scope
The scope of the Registration of Death 1994 include :
    -District
    -AGA Division
    -Registrar's Division
    -Month & Year
    -Date of Death
    -If urban, assessment number, street and town
    -If rural, Name of village
    -Revenue District
    -Whether outside division
    -Distinguishing letters
    -Race
    -Age at Death - in days
    -Age at Death - in months
    -Age at Death - in years
    -Immediate Cause
    -Antecedent and/or underlying cause
    -Other contributions

| Topics | DEMOGRAPHY AND POPULATION [14] |
|---|---|

Geographic Coverage
National coverage.

Universe
Entire population of local individuals whose death has occured in Sri Lanka.

## Producers & Sponsors

| Primary Investigator(s) | Statistics Division, Registrar General's Department, Ministry of Public Administration and Home Affairs |
|---|---|
| Other Producer(s) | Divisional Secretariats , Data Collection |
| Funding Agency/ies | Goverment of Sri Lanka (GOSL) |

## Data Collection

| Data Collection Dates | start 1994-01-01 end 1994-12-31 |
|---|---|
| Data Collection Mode | Other [oth] |

Data Collection Notes
When a death of an individual occurs, the respondent of the death meets the Registrar of Births and Deaths appointed for the area where the death occured and obtains the death certificate.

A copy of the death certificate is sent to the Divisional Secretariat Office along with the monthly return of deaths which includes the details of deaths occured in a particular month.

The Additional District Registrars receive the returns from all Divisional Secretariate offices attached to them. The Additional District Registrars send these returns to the Statistical Division of the Registrar General's Office for data processing purposes.

| Data Collector(s) | Registrars of Berths & Deaths , Registrar General's Department<br>Additional District Registrar , Registrar General's Department<br>Statistical Division - Registrar General's Office , Registrar General's Department |
|---|---|

Other Processing
Data processing included the following steps.

1. Accepting the filled birth return forms by the Statistical Division
2. Do a visual check for completeness
3. Coding of data
4. Entry of data
5. Run edit program for each District batch
6. Produce error report
7. Correction of errors on the report
8. Change incorrect data using the corrected error report
9. Re-run the edit program and repeat the error correction procedure
10. Produce final tables on clean data with a backup of clean data.

## Accessibility

| Access Authority | Registrar General (Registrar General's Department) , www.rgd.gov.lk , rg@rgd.gov.lk |
|---|---|
| Contact(s) | Statstical Division (Registrar General's Department) , www.rgd.gov.lk , ddstat@rgd.gov.lk |

Confidentiality
The degree of confidentiality of this microdata set is determined by the Access Authority. Please refer to the Access Authority for further details.

Access Conditions
Please contact the Access Authority for Access Terms and Conditions.

Citation Requirements
"Registrar General's Department,Vital Statistics (Deaths) - 1994 Version 1.0 of the public use dataset (June 2008 )"

## Rights & Disclaimer

Disclaimer
The Department of Census and Statistics and the Registrar General's Department  will bear no responsibility for any results or interpretations arising from the secondary use of the data.

| Copyright | (C) 2008, Registrar General's Department |
|---|---|

# Files Description

Dataset contains 1 file(s)

| Death_94 | |
| --- | --- |
| # Cases | 100394 |
| # Variable(s) | 24 |
| File Content<br>The file contains the data related to Return of Deaths form 1994. | |
| Producer<br>Registrar General's Department | |

# Variables List

Dataset contains 24 variable(s)

| File Death_94 | | | | | | | |
|---|---|---|---|---|---|---|---|
| # | Name | Label | Type | Format | Valid | Invalid | Question |
| 1 | SEC | Sector | discrete | numeric-1.0 | 100394 | 0 | - |
| 2 | SEX | Sex | discrete | numeric-1.0 | 100394 | 0 | - |
| 3 | DIS | District | discrete | numeric-2.0 | 100394 | 0 | - |
| 4 | AGAD | AGA Division | discrete | numeric-2.0 | 100394 | 0 | - |
| 5 | RGDV | Registrar's Division | discrete | numeric-2.0 | 100394 | 0 | - |
| 6 | SUBDV | Town (Not Applicable) | discrete | numeric-2.0 | 52786 | 47608 | - |
| 7 | MON | Month | discrete | numeric-2.0 | 100394 | 0 | - |
| 8 | YER | Year | discrete | numeric-2.0 | 100394 | 0 | - |
| 9 | SHEETN | Sheet Number | discrete | numeric-2.0 | 100394 | 0 | - |
| 10 | ENTNO | 1. No. of Registration Entry | discrete | numeric-4.0 | 100389 | 5 | - |
| 11 | DDAY | 2. Date of Death - Day | discrete | numeric-2.0 | 100394 | 0 | - |
| 12 | DMON | 2. Date of Death - Month | continuous | numeric-2.0 | 100394 | 0 | - |
| 13 | DYER | 2. Date of Death - Year | continuous | numeric-2.0 | 100394 | 0 | - |
| 14 | DAGA | 3. AGA Division | continuous | numeric-2.0 | 100394 | 0 | - |
| 15 | DDIS | 5. District | continuous | numeric-2.0 | 100394 | 0 | - |
| 16 | INOUT | 6.Within the Registrars Division | continuous | numeric-1.0 | 100394 | 0 | - |
| 17 | PLDEATH | 4.Place of Death | continuous | numeric-1.0 | 54590 | 45804 | - |
| 18 | RACE | 8. Race | continuous | numeric-2.0 | 100394 | 0 | - |
| 19 | DAGED | Age at Death - In days | discrete | numeric-2.0 | 4595 | 95799 | - |
| 20 | DAGEM | Age at Death - In months | discrete | numeric-2.0 | 1424 | 98970 | - |
| 21 | DAGEY | Age at Death - In years | discrete | numeric-3.0 | 94375 | 6019 | - |
| 22 | CAUSEL | 16.Immeadiate cause | discrete | character-1 | 14684 | 0 | - |
| 23 | CAUSEN | 17.Antecedent and or Undelying cause | discrete | numeric-3.0 | 100394 | 0 | - |
| 24 | CAUSEP | 18.Other contributions | discrete | numeric-1.0 | 69978 | 30416 | - |

# Variables Description

Dataset contains24 variable(s)

File Death_94

### #1 SEC: Sector

| Information | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=100394 /-] [Invalid=0 /-] |

| Value | Label | Cases | Percentage |
|---|---|---|---|
| 1 | Urban | 52786 | 52.6% |
| 2 | Rural | 44002 | 43.8% |
| 3 | Estate | 3606 | 3.6% |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### #2 SEX: Sex

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=100394 /-] [Invalid=0 /-] |

| Value | Label | Cases | Percentage |
|---|---|---|---|
| 1 | Male | 62020 | 61.8% |
| 2 | Female | 38374 | 38.2% |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### #3 DIS: District

| Information | [Type= discrete] [Format=numeric] [Range= 1-27] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=100394 /-] [Invalid=0 /-] |

| Value | Label | Cases | Percentage |
|---|---|---|---|
| 1 | Colombo | 18915 | 18.8% |
| 2 | Negombo | 3064 | 3.1% |
| 3 | Kalutara | 5207 | 5.2% |
| 4 | Kandy | 7862 | 7.8% |
| 5 | Matale | 2101 | 2.1% |
| 6 | Nuwara Eliya | 3730 | 3.7% |
| 7 | Galle | 5883 | 5.9% |
| 8 | Matara | 4449 | 4.4% |
| 9 | Hambantota | 1791 | 1.8% |
| 10 | Jaffna | 5156 | 5.1% |
| 11 | Mannar | 384 | 0.4% |
| 12 | Vavuniya | 466 | 0.5% |
| 13 | Batticaloa | 2575 | 2.6% |
| 14 | Ampara | 2027 | 2.0% |

## File Death_94 (cont.)

### #3 DIS: District (cont.)

| Value (cont.) | Label | Cases | Percentage |
|---|---|---|---|
| 15 | Trincomalee | 1156 | 1.2% |
| 16 | Kurunegala | 7388 | 7.4% |
| 17 | Puttalam | 1045 | 1.0% |
| 18 | Chillaw | 2144 | 2.1% |
| 19 | Anuradhapura | 3852 | 3.8% |
| 20 | Polonnaruwa | 1668 | 1.7% |
| 21 | Badulla | 3482 | 3.5% |
| 22 | Monaragala | 1143 | 1.1% |
| 23 | Ratnapura | 4710 | 4.7% |
| 24 | Kegalle | 3552 | 3.5% |
| 25 | Mullativu | 335 | 0.3% |
| 26 | Gampaha | 5613 | 5.6% |
| 27 | Kilinochchi | 696 | 0.7% |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### #4 AGAD: AGA Division

| Information | [Type= discrete] [Format=numeric] [Range= 1-23] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=100394 /-] [Invalid=0 /-] |

| Value | Label | Cases | Percentage |
|---|---|---|---|
| 1 | | 40475 | 40.3% |
| 2 | | 8256 | 8.2% |
| 3 | | 5593 | 5.6% |
| 4 | | 5849 | 5.8% |
| 5 | | 7049 | 7.0% |
| 6 | | 5298 | 5.3% |
| 7 | | 4719 | 4.7% |
| 8 | | 4493 | 4.5% |
| 9 | | 3264 | 3.3% |
| 10 | | 3157 | 3.1% |
| 11 | | 1588 | 1.6% |
| 12 | | 1458 | 1.5% |
| 13 | | 1878 | 1.9% |
| 14 | | 2071 | 2.1% |
| 15 | | 2063 | 2.1% |
| 16 | | 842 | 0.8% |
| 17 | | 984 | 1.0% |
| 18 | | 218 | 0.2% |
| 19 | | 280 | 0.3% |

# File Death_94 (cont.)

## #4 AGAD: AGA Division (cont.)

| Value (cont.) | Label | Cases | Percentage |
|---|---|---|---|
| 20 | | 163 | 0.2% |
| 21 | | 364 | 0.4% |
| 22 | | 228 | 0.2% |
| 23 | | 104 | 0.1% |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## #5 RGDV: Registrar's Division

| Information | [Type= discrete] [Format=numeric] [Range= 0-79] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=100394 /-] [Invalid=0 /-] |

Frequency table not shown (80 Modalities)

## #6 SUBDV: Town (Not Applicable)

| Information | [Type= discrete] [Format=numeric] [Range= 1-14] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=52786 /-] [Invalid=47608 /-] |

| Value | Label | Cases | Percentage |
|---|---|---|---|
| 1 | | 35054 | 66.4% |
| 2 | | 5996 | 11.4% |
| 3 | | 1936 | 3.7% |
| 4 | | 1143 | 2.2% |
| 5 | | 1411 | 2.7% |
| 6 | | 1737 | 3.3% |
| 7 | | 1836 | 3.5% |
| 8 | | 1667 | 3.2% |
| 9 | | 475 | 0.9% |
| 10 | | 458 | 0.9% |
| 11 | | 726 | 1.4% |
| 12 | | 243 | 0.5% |
| 13 | | 77 | 0.1% |
| 14 | | 27 | 0.1% |
| Sysmiss | | 47608 | |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## #7 MON: Month

| Information | [Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=100394 /-] [Invalid=0 /-] |

## File Death_94 (cont.)

### #7 MON: Month (cont.)

| Value | Label | Cases | Percentage |
|---|---|---|---|
| 1 | January | 9309 | 9.3% |
| 2 | February | 8330 | 8.3% |
| 3 | March | 8505 | 8.5% |
| 4 | April | 7819 | 7.8% |
| 5 | May | 8425 | 8.4% |
| 6 | June | 8192 | 8.2% |
| 7 | July | 7804 | 7.8% |
| 8 | August | 7477 | 7.4% |
| 9 | September | 8076 | 8.0% |
| 10 | October | 8088 | 8.1% |
| 11 | November | 8618 | 8.6% |
| 12 | December | 9751 | 9.7% |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### #8 YER: Year

| Information | [Type= discrete] [Format=numeric] [Range= 91-91] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=100394 /-] [Invalid=0 /-] |

| Value | Label | Cases | Percentage |
|---|---|---|---|
| 94 | | 100394 | 100.0% |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### #9 SHEETN: Sheet Number

| Information | [Type= discrete] [Format=numeric] [Range= 0-80] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=100394 /-] [Invalid=0 /-] |

Frequency table not shown (100 Modalities)

### #10 ENTNO: 1. No. of Registration Entry

| Information | [Type= discrete] [Format=numeric] [Range= 0-9999] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=100389 /-] [Invalid=5 /-] |

### #11 DDAY: 2. Date of Death - Day

| Information | [Type= discrete] [Format=numeric] [Range= 1-31] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=100394 /-] [Invalid=0 /-] |

Frequency table not shown (31 Modalities)

## File Death_94 (cont.)

### #12 DMON: 2. Date of Death - Month

| Information | [Type= continuous] [Format=numeric] [Range= 1-12] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=100394 /-] [Invalid=0 /-] |

| Value | Label | Cases | Percentage |
|---|---|---|---|
| 1 | January | 9681 | 9.6% |
| 2 | February | 8082 | 8.1% |
| 3 | March | 8303 | 8.3% |
| 4 | April | 7942 | 7.9% |
| 5 | May | 7692 | 7.7% |
| 6 | June | 7725 | 7.7% |
| 7 | July | 7774 | 7.7% |
| 8 | August | 7907 | 7.9% |
| 9 | September | 7817 | 7.8% |
| 10 | October | 8705 | 8.7% |
| 11 | November | 9349 | 9.3% |
| 12 | December | 9417 | 9.4% |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### #13 DYER: 2. Date of Death - Year

| Information | [Type= continuous] [Format=numeric] [Range= 60-91] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=100394 /-] [Invalid=0 /-] |

### #14 DAGA: 3. AGA Division

| Information | [Type= continuous] [Format=numeric] [Range= 1-98] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=100394 /-] [Invalid=0 /-] |

### #15 DDIS: 5. District

| Information | [Type= continuous] [Format=numeric] [Range= 1-98] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=100394 /-] [Invalid=0 /-] |

| Value | Label | Cases | Percentage |
|---|---|---|---|
| 1 | Colombo | 14986 | 14.9% |
| 2 | Negombo | 3227 | 3.2% |
| 3 | Kalutara | 5723 | 5.7% |
| 4 | Kandy | 7000 | 7.0% |
| 5 | Matale | 2298 | 2.3% |
| 6 | Nuwara Eliya | 4255 | 4.2% |
| 7 | Galle | 5799 | 5.8% |

## File Death_94 (cont.)

### #15 DDIS: 5. District (cont.)

| Value (cont.) | Label | Cases | Percentage |
|---|---|---|---|
| 8 | Matara | 4503 | 4.5% |
| 9 | Hambantota | 2244 | 2.2% |
| 10 | Jaffna | 4920 | 4.9% |
| 11 | Mannar | 336 | 0.3% |
| 12 | Vavuniya | 489 | 0.5% |
| 13 | Batticaloa | 2423 | 2.4% |
| 14 | Ampara | 2251 | 2.2% |
| 15 | Trincomalee | 1131 | 1.1% |
| 16 | Kurunegala | 7761 | 7.7% |
| 17 | Puttalam | 1222 | 1.2% |
| 18 | Chillaw | 2251 | 2.2% |
| 19 | Anuradhapura | 3889 | 3.9% |
| 20 | Polonnaruwa | 1840 | 1.8% |
| 21 | Badulla | 3527 | 3.5% |
| 22 | Monaragala | 1335 | 1.3% |
| 23 | Ratnapura | 4953 | 4.9% |
| 24 | Kegalle | 4251 | 4.2% |
| 25 | Mullativu | 294 | 0.3% |
| 26 | Gampaha | 6932 | 6.9% |
| 27 | Kilinochchi | 544 | 0.5% |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### #16 INOUT: 6.Within the Registrars Division

| Information | [Type= continuous] [Format=numeric] [Range= 0-1] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=100394 /-] [Invalid=0 /-] |

| Value | Label | Cases | Percentage |
|---|---|---|---|
| 0 | OUT | 34167 | 34.0% |
| 1 | IN | 66227 | 66.0% |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### #17 PLDEATH: 4.Place of Death

| Information | [Type= continuous] [Format=numeric] [Range= 0-9] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=54590 /-] [Invalid=45804 /-] |

| Value | Label | Cases | Percentage |
|---|---|---|---|
| 0 | EL | 77 | 0.1% |
| 1 | EO | 2498 | 4.6% |
| 2 | NE | 105 | 0.2% |

# File Death_94 (cont.)

## #17 PLDEATH: 4.Place of Death (cont.)

| Value (cont.) | Label | Cases | Percentage |
|---|---|---|---|
| 3 | H | 785 | 1.4% |
| 4 | J | 20323 | 37.2% |
| 5 | OH | 76 | 0.1% |
| 6 | OHEL | 30625 | 56.1% |
| 7 | OHEO | 84 | 0.2% |
| 8 | HEL | 6 | 0.0% |
| 9 | HEO | 11 | 0.0% |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## #18 RACE: 8. Race

| Information | [Type= continuous] [Format=numeric] [Range= 1-14] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=100394 /-] [Invalid=0 /-] |

| Value | Label | Cases | Percentage |
|---|---|---|---|
| 1 | Sinhalese | 75590 | 75.3% |
| 2 | Sri Lanka Tamil | 13128 | 13.1% |
| 3 | Sri lanka Moors | 5979 | 6.0% |
| 4 | Burghers Eurasia | 333 | 0.3% |
| 5 | Malays | 196 | 0.2% |
| 6 | Veddah | 10 | 0.0% |
| 7 | Indian Tamil | 5041 | 5.0% |
| 8 | Indian Moors | 13 | 0.0% |
| 9 | Pakistan Tamil | 0 | 0.0% |
| 10 | Pakistan Moors | 4 | 0.0% |
| 11 | Europeans | 30 | 0.0% |
| 12 | Other - Ind - Pak | 34 | 0.0% |
| 13 | Other Non Ind - Pak | 36 | 0.0% |
| 14 | Unknown Race | 0 | 0.0% |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## #19 DAGED: Age at Death - In days

| Information | [Type= discrete] [Format=numeric] [Range= 1-29] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=4595 /-] [Invalid=95799 /-] |

| Value | Label | Cases | Percentage |
|---|---|---|---|
| 1 | | 1669 | 36.3% |
| 2 | | 577 | 12.6% |
| 3 | | 502 | 10.9% |
| 4 | | 304 | 6.6% |

# File Death_94 (cont.)

## #19 DAGED: Age at Death - In days (cont.)

| Value (cont.) | Label | Cases | Percentage |
|---|---|---|---|
| 5 | | 263 | 5.7% |
| 6 | | 205 | 4.5% |
| 7 | | 177 | 3.9% |
| 8 | | 117 | 2.5% |
| 9 | | 82 | 1.8% |
| 10 | | 101 | 2.2% |
| 11 | | 59 | 1.3% |
| 12 | | 49 | 1.1% |
| 13 | | 44 | 1.0% |
| 14 | | 60 | 1.3% |
| 15 | | 52 | 1.1% |
| 16 | | 43 | 0.9% |
| 17 | | 29 | 0.6% |
| 18 | | 42 | 0.9% |
| 19 | | 27 | 0.6% |
| 20 | | 29 | 0.6% |
| 21 | | 35 | 0.8% |
| 22 | | 25 | 0.5% |
| 23 | | 18 | 0.4% |
| 24 | | 7 | 0.2% |
| 25 | | 24 | 0.5% |
| 26 | | 18 | 0.4% |
| 27 | | 9 | 0.2% |
| 28 | | 11 | 0.2% |
| 29 | | 17 | 0.4% |
| Sysmiss | | 95799 | |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## #20 DAGEM: Age at Death - In months

| Information | [Type= discrete] [Format=numeric] [Range= 1-11] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=1424 /-] [Invalid=98970 /-] |

| Value | Label | Cases | Percentage |
|---|---|---|---|
| 1 | | 265 | 18.6% |
| 2 | | 219 | 15.4% |
| 3 | | 185 | 13.0% |
| 4 | | 148 | 10.4% |
| 5 | | 119 | 8.4% |
| 6 | | 99 | 7.0% |

# File Death_94 (cont.)

## #20 DAGEM: Age at Death - In months (cont.)

| Value (cont.) | Label | Cases | Percentage |
|---|---|---|---|
| 7 | | 99 | 7.0% |
| 8 | | 84 | 5.9% |
| 9 | | 88 | 6.2% |
| 10 | | 57 | 4.0% |
| 11 | | 61 | 4.3% |
| Sysmiss | | 98970 | |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## #21 DAGEY: Age at Death - In years

| Information | [Type= discrete] [Format=numeric] [Range= 1-119] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=94375 /-] [Invalid=6019 /-] |
| Frequency table not shown (120 Modalities) ||

## #22 CAUSEL: 16.Immeadiate cause

| Information | [Type= discrete] [Format=character] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=14684 /-] [Invalid=0 /-] |

| Value | Label | Cases | Percentage |
|---|---|---|---|
| E | | 14684 | 100.0% |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## #23 CAUSEN: 17.Antecedent and or Undelying cause

| Information | [Type= discrete] [Format=numeric] [Range= 1-999] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=100394 /-] [Invalid=0 /-] |
| Frequency table not shown (914 Modalities) ||

## #24 CAUSEP: 18.Other contributions

| Information | [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=69978 /-] [Invalid=30416 /-] |

| Value | Label | Cases | Percentage |
|---|---|---|---|
| 0 | | 8068 | 11.5% |
| 1 | | 9682 | 13.8% |
| 2 | | 2011 | 2.9% |
| 3 | | 4110 | 5.9% |
| 4 | | 529 | 0.8% |

## File Death_94 (cont.)

### #24 CAUSEP: 18.Other contributions (cont.)

| Value (cont.) | Label | Cases | Percentage |
|---|---|---|---|
| 5 | | 1179 | 1.7% |
| 6 | | 3947 | 5.6% |
| 7 | | 409 | 0.6% |
| 8 | | 7322 | 10.5% |
| 9 | | 32721 | 46.8% |
| Sysmiss | | 30416 | |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# Documentation

## Reports and analytical documents

Study Documentation RGD 1994 Project, Sri Lanka [lka], English [eng], "Documents\Reports\Study Documentation RGD 1994 Project.pdf"

## Questionnaires

Questionnaire - Registration of Death, "Documents\Questionnaire\Questionnaire-Death.pdf"

## Technical documents

Data Dictionary, "Documents\Technical\Data Dictionary of Death_91-96.pdf"

Table 3.1 : INFANT DEATHS REGISTERED BY DISTRICT, SECTOR AND SEX - 1994, "Documents\Tables\Table 3.1.pdf"

Table 3.2 : INFANT DEATHS REGISTERED BY DISTRICT, AGE AND SEX - 1994, "Documents\Tables\Table 3.2.pdf"

Table 3.3 : INFANT DEATHS REGISTERED BY DISTRICT, RACE AND SEX - 1994, "Documents\Tables\Table 3.3.pdf"

Table 3.4 : INFANT DEATHS REGISTERED BY DISTRICT, MONTH AND SEX - 1994, "Documents\Tables\Table 3.4.pdf"

Table 3.5a : INFANT DEATHS REGISTERED BY DISTRICT, RACE AND AGE, SEX ( Under One Month) - 1994, "Documents\Tables\Table 3.5a.pdf"

Table 3.5b : INFANT DEATHS REGISTERED BY DISTRICT, RACE AND AGE, SEX ( One Month to Under One Year) - 1994, "Documents\Tables\Table 3.5b.pdf"

Table 4.1 : DEATHS REGISTERED BY DISTRICT, SECTOR AND SEX - 1994, "Documents\Tables\Table 4.1.pdf"

Table 4.2 : DEATHS REGISTERED BY USUAL RESIDENT DISTRICT AND SEX - 1994, "Documents\Tables\Table 4.2.pdf"

Table 4.3 : DEATHS REGISTERED BY DISTRICT, AGE AND SEX - 1994, "Documents\Tables\Table 4.3.pdf"

Table 4.4 : DEATHS REGISTERED BY RACE, AGE AND SEX - 1994, "Documents\Tables\Table 4.4.pdf"

Table 4.5 : DEATHS REGISTERED BY DISTRICT, YEAR OF OCCURANCE, MONTH AND SEX - 1994, "Documents\Tables\Table 4.5.pdf"

Table 4.6 : DEATHS REGISTERED BY DISTRICT, RACE AND SEX - 1994, "Documents\Tables\Table 4.6.pdf"

Table 5: DEATHS REGISTERED BY CAUSE (INTERMEDIATE LIST] AGE AND SEX, 1994, "Documents\Tables\Table 5.pdf"