

Sri Lanka

Statistics Division, Registrar General's Department, Ministry of Public
Administration and Home Affairs

Vital Statistics - Deaths - 1995

Study Documentation

December 7, 2009

Metadata Production

Metadata Producer(s)	Registrar General's Department (RGD) , Ministry of Public Administration and Home Affairs , Providing Metadata
Production Date	December 17, 2008
Version	Version 1.0 (June 2008).
Identification	DDI-LKA-RGD-RGD-1995-v1.0

This document was generated using the [IHSN Microdata Management Toolkit](#)

Table of Contents

Overview.....	1
Scope & Coverage.....	2
Producers & Sponsors.....	2
Data Collection.....	2
Accessibility.....	3
Rights & Disclaimer.....	3
Files Description.....	4
Death_95.....	4
Variables List.....	5
Death_95.....	5
Variables Description.....	6
Death_95.....	6
Documentation.....	16

Sri Lanka (1995)
Vital Statistics - Deaths - 1995 (RGD - 1995)

Overview	
Type	Administrative Records, Other (ad/oth]
Identification	LKA-RGD-RGD-1995-v1.0
Version	Production Date: 2008-06-17 v1.0: Full edited dataset, original version for internal DPD use.
Series	<p>Registration of vital events commenced in 1867 with the enactment of civil registration laws which conferred the legal sanction for the registration of events namely, live births, deaths, still births and marriages. According to the law every death has to be registered within 5 days from the date of occurrence. Although death registrations are compulsory by law, few events are missed and not registered for various reasons.</p> <p>[By the survey conducted in 1980 to assess the completeness of the registration of births and deaths, it was found that about 98.8 per cent of births and 94.0 per cent of deaths are being registered in Sri Lanka in any given period].</p> <p>Deaths are registered at the place of occurrence and not in the area of deceased.</p>
<p><u>Abstract</u></p> <p>Registration of vital events commenced in 1867 with the enactment of civil registration laws which conferred the legal sanction for the registration of events namely, live births, deaths, still births and marriages. According to the law every death has to be registered within 5 days from the date of occurrence. Although death registrations are compulsory by law, few events are missed and not registered for various reasons.</p> <p>[By the survey conducted in 1980 to assess the completeness of the registration of births and deaths, it was found that about 98.8 per cent of births and 94.0 per cent of deaths are being registered in Sri Lanka in any given period].</p> <p>Deaths are registered at the place of occurrence and not in the area of the deceased.]</p>	
Kind of Data	Administrative records data [adm]
Unit of Analysis	Death of individual

Scope & Coverage

Scope

The scope of the Registration of Death 1995 include :

- District
- AGA Division
- Registrar's Division
- Month & Year
- Date of Death
- If urban, assessment number, street and town
- If rural, Name of village
- Revenue District
- Whether outside division
- Distinguishing letters
- Race
- Age at Death - in days
- Age at Death - in months
- Age at Death - in years
- Immediate Cause
- Antecedent and/or underlying cause
- Other contributions

Topics	DEMOGRAPHY AND POPULATION [14]
--------	--------------------------------

Geographic Coverage

National coverage.

Universe

Entire population of local individuals whose death has occurred in Sri Lanka.

Producers & Sponsors

Primary Investigator(s)	Statistics Division, Registrar General's Department, Ministry of Public Administration and Home Affairs
Other Producer(s)	Divisional Secretariats , Data Collection
Funding Agency/ies	Government of Sri Lanka (GOSL)

Data Collection

Data Collection Dates	start 1995-01-01 end 1995-12-31
Data Collection Mode	Other [oth]
<p><u>Data Collection Notes</u></p> <p>When a death of an individual occurs, the respondent of the death meets the Registrar of Births and Deaths appointed for the area where the death occurred and obtains the death certificate.</p> <p>A copy of the death certificate is sent to the Divisional Secretariat Office along with the monthly return of deaths which includes the details of deaths occurred in a particular month.</p>	

The Additional District Registrars receive the returns from all Divisional Secretariate offices attached to them. The Additional District Registrars send these returns to the Statistical Division of the Registrar General's Office for data processing purposes.

Data Collector(s)	Registrars of Berths & Deaths , Registrar General's Department Additional District Registrar , Registrar General's Department Statistical Division - Registrar General's Office , Registrar General's Department
-------------------	--

Other Processing

Data processing included the following steps.

1. Accepting the filled birth return forms by the Statistical Division
2. Do a visual check for completeness
3. Coding of data
4. Entry of data
5. Run edit program for each District batch
6. Produce error report
7. Correction of errors on the report
8. Change incorrect data using the corrected error report
9. Re-run the edit program and repeat the error correction procedure
10. Produce final tables on clean data with a backup of clean data.

Accessibility

Access Authority	Registrar General (Registrar General's Department) , www.rgd.gov.lk , rg@rgd.gov.lk
Contact(s)	Statistical Division (Registrar General's Department) , www.rgd.gov.lk , ddstat@rgd.gov.lk

Confidentiality

The degree of confidentiality of this microdata set is determined by the Access Authority. Please refer to the Access Authority for further details.

Access Conditions

Please contact the Access Authority for Access Terms and Conditions.

Citation Requirements

"Registrar General's Department,Vital Statistics (Deaths) - 1995 Version 1.0 of the public use dataset (June 2008)"

Rights & Disclaimer

Disclaimer

The Department of Census and Statistics and the Registrar General's Department will bear no responsibility for any results or interpretations arising from the secondary use of the data.

Copyright	(C) 2008, Registrar General's Department
-----------	--

Files Description

Dataset contains 1 file(s)

Death_95	
# Cases	104707
# Variable(s)	24
<u>File Content</u> The file contains the data related to Return of Deaths form 1995.	
<u>Producer</u> Registrar General's Department	

Variables List

Dataset contains 24 variable(s)

File Death_95							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	SEC	Sector	discrete	numeric-1.0	104707	0	-
2	SEX	Sex	discrete	numeric-1.0	104707	0	-
3	DIS	District	discrete	numeric-2.0	104707	0	-
4	AGAD	AGA Division	discrete	numeric-2.0	104707	0	-
5	RGDV	Registrar's Division	discrete	numeric-2.0	104707	0	-
6	SUBDV	Town (Not Applicable)	discrete	numeric-2.0	54532	50175	-
7	MON	Month	discrete	numeric-2.0	104707	0	-
8	YER	Year	discrete	numeric-2.0	104707	0	-
9	SHEETN	Sheet Number	discrete	numeric-2.0	104707	0	-
10	ENTNO	1. No. of Registration Entry	discrete	numeric-4.0	104701	6	-
11	DDAY	2. Date of Death - Day	discrete	numeric-2.0	104707	0	-
12	DMON	2. Date of Death - Month	continuous	numeric-2.0	104707	0	-
13	DYER	2. Date of Death - Year	continuous	numeric-2.0	104707	0	-
14	DAGA	3. AGA Division	continuous	numeric-2.0	104707	0	-
15	DDIS	5. District	continuous	numeric-2.0	104707	0	-
16	INOUT	6. Within the Registrars Division	continuous	numeric-1.0	104707	0	-
17	PLDEATH	4. Place of Death	continuous	numeric-1.0	64358	40349	-
18	RACE	8. Race	continuous	numeric-2.0	104707	0	-
19	DAGED	Age at Death - In days	discrete	numeric-2.0	4328	100379	-
20	DAGEM	Age at Death - In months	discrete	numeric-2.0	1332	103375	-
21	DAGEY	Age at Death - In years	discrete	numeric-3.0	99047	5660	-
22	CAUSEL	16. Immediate cause	discrete	character-1	18195	0	-
23	CAUSEN	17. Antecedent and or Undelying cause	discrete	numeric-3.0	104707	0	-
24	CAUSEP	18. Other contributions	discrete	numeric-1.0	73485	31222	-

Variables Description

Dataset contains 24 variable(s)

File Death_95

#1 SEC: Sector

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=104707 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Urban	54532	52.1%
2	Rural	46379	44.3%
3	Estate	3796	3.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#2 SEX: Sex

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=104707 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Male	65716	62.8%
2	Female	38991	37.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#3 DIS: District

Information	[Type= discrete] [Format=numeric] [Range= 1-27] [Missing=*]		
Statistics [NW/ W]	[Valid=104707 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Colombo	19043	18.2%
2	Negombo	3149	3.0%
3	Kalutara	5405	5.2%
4	Kandy	8283	7.9%
5	Matale	2391	2.3%
6	Nuwara Eliya	3840	3.7%
7	Galle	6145	5.9%
8	Matara	5498	5.3%
9	Hambantota	1895	1.8%
10	Jaffna	3552	3.4%
11	Mannar	388	0.4%
12	Vavuniya	708	0.7%
13	Batticaloa	2504	2.4%
14	Ampara	2515	2.4%

File Death_95 (cont.)

#3 DIS: District (cont.)

Value (cont.)	Label	Cases	Percentage
15	Trincomalee	1174	1.1%
16	Kurunegala	7686	7.3%
17	Puttalam	1141	1.1%
18	Chillaw	2108	2.0%
19	Anuradhapura	4269	4.1%
20	Polonnaruwa	1621	1.5%
21	Badulla	3847	3.7%
22	Monaragala	1276	1.2%
23	Ratnapura	4616	4.4%
24	Kegalle	3844	3.7%
25	Mullativu	398	0.4%
26	Gampaha	6188	5.9%
27	Kilinochchi	1223	1.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#4 AGAD: AGA Division

Information	[Type= discrete] [Format=numeric] [Range= 1-23] [Missing=*]		
Statistics [NW/ W]	[Valid=104707 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1		41264	39.4%
2		9069	8.7%
3		6110	5.8%
4		5980	5.7%
5		7391	7.1%
6		5482	5.2%
7		4710	4.5%
8		4731	4.5%
9		3531	3.4%
10		3392	3.2%
11		1842	1.8%
12		1577	1.5%
13		1932	1.8%
14		2139	2.0%
15		2121	2.0%
16		904	0.9%
17		1070	1.0%
18		301	0.3%
19		257	0.2%

File Death_95 (cont.)

#4 AGAD: AGA Division (cont.)

Value (cont.)	Label	Cases	Percentage
20		117	0.1%
21		424	0.4%
22		244	0.2%
23		119	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#5 RGDV: Registrar's Division

Information	[Type= discrete] [Format=numeric] [Range= 0-79] [Missing=*]
Statistics [NW/ W]	[Valid=104707 /-] [Invalid=0 /-]
Frequency table not shown (80 Modalities)	

#6 SUBDV: Town (Not Applicable)

Information	[Type= discrete] [Format=numeric] [Range= 1-14] [Missing=*]
Statistics [NW/ W]	[Valid=54532 /-] [Invalid=50175 /-]

Value	Label	Cases	Percentage
1		36088	66.2%
2		6143	11.3%
3		1795	3.3%
4		1478	2.7%
5		1378	2.5%
6		2050	3.8%
7		1740	3.2%
8		1861	3.4%
9		427	0.8%
10		509	0.9%
11		686	1.3%
12		262	0.5%
13		94	0.2%
14		21	0.0%
Sysmiss		50175	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#7 MON: Month

Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]
Statistics [NW/ W]	[Valid=104707 /-] [Invalid=0 /-]

File Death_95 (cont.)

#7 MON: Month (cont.)

Value	Label	Cases	Percentage
1	January	9217	8.8%
2	February	8138	7.8%
3	March	8413	8.0%
4	April	7552	7.2%
5	May	8540	8.2%
6	June	8867	8.5%
7	July	8520	8.1%
8	August	7884	7.5%
9	September	7857	7.5%
10	October	8890	8.5%
11	November	9156	8.7%
12	December	11673	11.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#8 YER: Year

Information	[Type= discrete] [Format=numeric] [Range= 95-95] [Missing=*]		
Statistics [NW/ W]	[Valid=104707 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
95		104707	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#9 SHEETN: Sheet Number

Information	[Type= discrete] [Format=numeric] [Range= 0-80] [Missing=*]
Statistics [NW/ W]	[Valid=104707 /-] [Invalid=0 /-]
Frequency table not shown (78 Modalities)	

#10 ENTNO: 1. No. of Registration Entry

Information	[Type= discrete] [Format=numeric] [Range= 0-9999] [Missing=*]		
Statistics [NW/ W]	[Valid=104701 /-] [Invalid=6 /-]		

#11 DDAY: 2. Date of Death - Day

Information	[Type= discrete] [Format=numeric] [Range= 1-31] [Missing=*]
Statistics [NW/ W]	[Valid=104707 /-] [Invalid=0 /-]
Frequency table not shown (31 Modalities)	

File Death_95 (cont.)

#12 DMON: 2. Date of Death - Month

Information	[Type= continuous] [Format=numeric] [Range= 1-12] [Missing=*]		
Statistics [NW/ W]	[Valid=104707 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	January	8781	8.4%
2	February	7930	7.6%
3	March	8619	8.2%
4	April	8443	8.1%
5	May	8822	8.4%
6	June	8631	8.2%
7	July	8657	8.3%
8	August	8328	8.0%
9	September	8045	7.7%
10	October	8702	8.3%
11	November	9932	9.5%
12	December	9817	9.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#13 DYER: 2. Date of Death - Year

Information	[Type= continuous] [Format=numeric] [Range= 59-95] [Missing=*]
Statistics [NW/ W]	[Valid=104707 /-] [Invalid=0 /-]

#14 DAGA: 3. AGA Division

Information	[Type= continuous] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=104707 /-] [Invalid=0 /-]

#15 DDIS: 5. District

Information	[Type= continuous] [Format=numeric] [Range= 1-98] [Missing=*]		
Statistics [NW/ W]	[Valid=104707 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Colombo	15357	14.7%
2	Negombo	3387	3.2%
3	Kalutara	5767	5.5%
4	Kandy	7501	7.2%
5	Matale	2583	2.5%
6	Nuwara Eliya	4344	4.1%
7	Galle	6160	5.9%

File Death_95 (cont.)

#15 DDIS: 5. District (cont.)

Value (cont.)	Label	Cases	Percentage
8	Matara	5607	5.4%
9	Hambantota	2398	2.3%
10	Jaffna	3301	3.2%
11	Mannar	331	0.3%
12	Vavuniya	744	0.7%
13	Batticaloa	2213	2.1%
14	Ampara	2779	2.7%
15	Trincomalee	1178	1.1%
16	Kurunegala	8164	7.8%
17	Puttalam	1239	1.2%
18	Chillaw	2325	2.2%
19	Anuradhapura	4257	4.1%
20	Polonnaruwa	1798	1.7%
21	Badulla	3930	3.8%
22	Monaragala	1483	1.4%
23	Ratnapura	4938	4.7%
24	Kegalle	4637	4.4%
25	Mullativu	320	0.3%
26	Gampaha	7182	6.9%
27	Kilinochchi	778	0.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#16 INOUT: 6.Within the Registrars Division

Information	[Type= continuous] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=104707 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	OUT	36893	35.2%
1	IN	67814	64.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#17 PLDEATH: 4.Place of Death

Information	[Type= continuous] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=64358 /-] [Invalid=40349 /-]		
Value	Label	Cases	Percentage
0	EL	40	0.1%
1	EO	2873	4.5%
2	NE	96	0.1%

File Death_95 (cont.)

#17 PLDEATH: 4.Place of Death (cont.)

Value (cont.)	Label	Cases	Percentage
3	H	978	1.5%
4	J	27229	42.3%
5	OH	53	0.1%
6	OHEL	33018	51.3%
7	OHEO	60	0.1%
8	HEL	3	0.0%
9	HEO	8	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#18 RACE: 8. Race

Information	[Type= continuous] [Format=numeric] [Range= 1-14] [Missing=*]
Statistics [NW/ W]	[Valid=104707 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Sinhalese	80281	76.7%
2	Sri Lanka Tamil	12510	11.9%
3	Sri Lanka Moors	6043	5.8%
4	Burghers Eurasia	301	0.3%
5	Malays	214	0.2%
6	Veddah	18	0.0%
7	Indian Tamil	5229	5.0%
8	Indian Moors	9	0.0%
9	Pakistan Tamil	1	0.0%
10	Pakistan Moors	4	0.0%
11	Europeans	24	0.0%
12	Other - Ind - Pak	23	0.0%
13	Other Non Ind - Pak	37	0.0%
14	Unknown Race	13	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#19 DAGED: Age at Death - In days

Information	[Type= discrete] [Format=numeric] [Range= 1-29] [Missing=*]
Statistics [NW/ W]	[Valid=4328 /-] [Invalid=100379 /-]

Value	Label	Cases	Percentage
1		1657	38.3%
2		519	12.0%
3		439	10.1%
4		309	7.1%

File Death_95 (cont.)

#19 DAGED: Age at Death - In days (cont.)

Value (cont.)	Label	Cases	Percentage
5		258	6.0%
6		166	3.8%
7		134	3.1%
8		92	2.1%
9		70	1.6%
10		92	2.1%
11		44	1.0%
12		51	1.2%
13		39	0.9%
14		58	1.3%
15		47	1.1%
16		32	0.7%
17		34	0.8%
18		36	0.8%
19		30	0.7%
20		44	1.0%
21		32	0.7%
22		24	0.6%
23		20	0.5%
24		17	0.4%
25		15	0.3%
26		13	0.3%
27		17	0.4%
28		15	0.3%
29		24	0.6%
Sysmiss		100379	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#20 DAGEM: Age at Death - In months

Information	[Type= discrete] [Format=numeric] [Range= 1-11] [Missing=*]		
Statistics [NW/ W]	[Valid=1332 /-] [Invalid=103375 /-]		
Value	Label	Cases	Percentage
1		259	19.4%
2		213	16.0%
3		206	15.5%
4		116	8.7%
5		114	8.6%
6		109	8.2%

File Death_95 (cont.)

#20 DAGEM: Age at Death - In months (cont.)

Value (cont.)	Label	Cases	Percentage
7		83	6.2%
8		67	5.0%
9		68	5.1%
10		52	3.9%
11		45	3.4%
Sysmiss		103375	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#21 DAGEY: Age at Death - In years

Information	[Type= discrete] [Format=numeric] [Range= 1-119] [Missing=*]
Statistics [NW/ W]	[Valid=99047 /-] [Invalid=5660 /-]
Frequency table not shown (119 Modalities)	

#22 CAUSEL: 16.Immeadiate cause

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=18195 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
E		18195	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#23 CAUSEN: 17.Antecedent and or Undelying cause






Information	[Type= discrete] [Format=numeric] [Range= 1-999] [Missing=*]
Statistics [NW/ W]	[Valid=104707 /-] [Invalid=0 /-]
Frequency table not shown (914 Modalities)	

#24 CAUSEP: 18.Other contributions

Information		[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]	
Statistics [NW/ W]		[Valid=73485 /-] [Invalid=31222 /-]	
Value	Label	Cases	Percentage
0		9599	<div></div> 13.1%
1		8316	<div></div> 11.3%
2		2287	<div></div> 3.1%
3		4744	<div></div> 6.5%
4		358	<div></div> 0.5%

File Death_95 (cont.)

#24 CAUSEP: 18.Other contributions (cont.)

Value (cont.)	Label	Cases	Percentage
5		1730	 2.4%
6		3773	 5.1%
7		406	 0.6%
8		8615	 11.7%
9		33657	 45.8%
Sysmiss		31222	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Documentation

Reports and analytical documents.....	16
Study Documentation RGD 1995 Project.....	16
Questionnaires.....	16
Questionnaire - Registration of Death.....	16
Technical documents.....	16
Data Dictionary.....	16
Statistical tables.....	16

Reports and analytical documents

Study Documentation RGD 1995 Project, Sri Lanka [lka], English [eng], "Documents\Reports\Study Documentation RGD 1995 Project.pdf"

Questionnaires

Questionnaire - Registration of Death, "Documents\Questionnaire\Questionnaire-Death.pdf"

Technical documents

Data Dictionary, "Documents\Technical\Data Dictionary of Death_91-96.pdf"

Table 3.1 : INFANT DEATHS REGISTERED BY DISTRICT, SECTOR AND SEX - 1995, "Documents\Tables\Table 3.1.pdf"

Table 3.2 : INFANT DEATHS REGISTERED BY DISTRICT, AGE AND SEX - 1995, "Documents\Tables\Table 3.2.pdf"

Table 3.3 : INFANT DEATHS REGISTERED BY DISTRICT, RACE AND SEX - 1995, "Documents\Tables\Table 3.3.pdf"

Table 3.4 : INFANT DEATHS REGISTERED BY DISTRICT, MONTH AND SEX - 1995, "Documents\Tables\Table 3.4.pdf"

Table 3.5a : INFANT DEATHS REGISTERED BY DISTRICT, RACE AND AGE, SEX (Under One Month) - 1995, "Documents\Tables\Table 3.5a.pdf"

Table 3.5b : INFANT DEATHS REGISTERED BY DISTRICT, RACE AND AGE, SEX (One Month to Under One Year) - 1995, "Documents\Tables\Table 3.5b.pdf"

Table 4.1 : DEATHS REGISTERED BY DISTRICT, SECTOR AND SEX - 1995, "Documents\Tables\Table 4.1.pdf"

Table 4.2 : DEATHS REGISTERED BY USUAL RESIDENT DISTRICT AND SEX - 1995, "Documents\Tables\Table 4.2.pdf"

Table 4.3 : DEATHS REGISTERED BY DISTRICT, AGE AND SEX - 1995, "Documents\Tables\Table 4.3.pdf"

Table 4.4 : DEATHS REGISTERED BY RACE, AGE AND SEX - 1995

Table 4.5 : DEATHS REGISTERED BY DISTRICT, YEAR OF OCCURANCE, MONTH AND SEX - 1995, "Documents\Tables\Table 4.5.pdf"

Table 4.6 : DEATHS REGISTERED BY DISTRICT, RACE AND SEX - 1995, "Documents\Tables\Table 4.6.pdf"

Table 5: DEATHS REGISTERED BY CAUSE (INTERMEDIATE LIST] AGE AND SEX, 1995, "Documents\Tables\table 5.pdf"