

Sri Lanka

Statistics Division, Registrar General's Department, Ministry of Public
Administration and Home Affairs

Vital Statistics - Deaths - 1996

Study Documentation

December 7, 2009

Metadata Production

Metadata Producer(s)	Registrar General's Department (RGD) , Ministry of Public Administration and Home Affairs , Providing Metadata
Production Date	December 17, 2008
Version	Version 1.0 (June 2008).
Identification	DDI-LKA-RGD-RGD-1996-v1.0

This document was generated using the [IHSN Microdata Management Toolkit](#)

Table of Contents

Overview	1
Scope & Coverage	2
Producers & Sponsors	2
Data Collection	2
Accessibility	3
Rights & Disclaimer	3
Files Description	4
Death_96	4
Variables List	5
Death_96	5
Variables Description	6
Death_96	6
Documentation	16

Sri Lanka (1996)
Vital Statistics - Deaths - 1996 (RGD - 1996)

Overview

Type	Administrative Records, Other (ad/oth]
Identification	LKA-RGD-RGD-1996-v1.0
Version	Production Date: 2008-06-17 v1.0: Full edited dataset, original version for internal DPD use.
Series	<p>Registration of vital events commenced in 1867 with the enactment of civil registration laws which conferred the legal sanction for the registration of events namely, live births, deaths, still births and marriages. According to the law every death has to be registered within 5 days from the date of occurrence. Although death registrations are compulsory by law, few events are missed and not registered for various reasons.</p> <p>[By the survey conducted in 1980 to assess the completeness of the registration of births and deaths, it was found that about 98.8 per cent of births and 94.0 per cent of deaths are being registered in Sri Lanka in any given period].</p> <p>Deaths are registered at the place of occurrence and not in the area of deceased.</p>
<p><u>Abstract</u> Registration of vital events commenced in 1867 with the enactment of civil registration laws which conferred the legal sanction for the registration of events namely, live births, deaths, still births and marriages. According to the law every death has to be registered within 5 days from the date of occurrence. Although death registrations are compulsory by law, few events are missed and not registered for various reasons.</p> <p>[By the survey conducted in 1980 to assess the completeness of the registration of births and deaths, it was found that about 98.8 per cent of births and 94.0 per cent of deaths are being registered in Sri Lanka in any given period].</p> <p>Deaths are registered at the place of occurrence and not in the area of the deceased.]</p>	
Kind of Data	Administrative records data [adm]
Unit of Analysis	Death of individual

Scope & Coverage	
<p><u>Scope</u></p> <p>The scope of the Registration of Death 1996 include :</p> <ul style="list-style-type: none"> -District -AGA Division -Registrar's Division -Month & Year -Date of Death -If urban, assessment number, street and town -If rural, Name of village -Revenue District -Whether outside division -Distinguishing letters -Race -Age at Death - in days -Age at Death - in months -Age at Death - in years -Immediate Cause -Antecedent and/or underlying cause -Other contributions 	
Topics	DEMOGRAPHY AND POPULATION [14]
<p><u>Geographic Coverage</u></p> <p>National coverage.</p>	
<p><u>Universe</u></p> <p>Entire population of local individuals whose death has occurred in Sri Lanka.</p>	

Producers & Sponsors	
Primary Investigator(s)	Statistics Division, Registrar General's Department, Ministry of Public Administration and Home Affairs
Other Producer(s)	Divisional Secretariats , Data Collection
Funding Agency/ies	Government of Sri Lanka (GOSL)

Data Collection	
Data Collection Dates	start 1996-01-01 end 1996-12-31
Data Collection Mode	Other [oth]
<p><u>Data Collection Notes</u></p> <p>When a death of an individual occurs, the respondent of the death meets the Registrar of Births and Deaths appointed for the area where the death occurred and obtains the death certificate.</p> <p>A copy of the death certificate is sent to the Divisional Secretariat Office along with the monthly return of deaths which includes the details of deaths occurred in a particular month.</p>	

The Additional District Registrars receive the returns from all Divisional Secretariate offices attached to them. The Additional District Registrars send these returns to the Statistical Division of the Registrar General's Office for data processing purposes.

Data Collector(s)	Registrars of Berths & Deaths , Registrar General's Department Additional District Registrar , Registrar General's Department Statistical Division - Registrar General's Office , Registrar General's Department
-------------------	--

Other Processing

Data processing included the following steps.

1. Accepting the filled birth return forms by the Statistical Division
2. Do a visual check for completeness
3. Coding of data
4. Entry of data
5. Run edit program for each District batch
6. Produce error report
7. Correction of errors on the report
8. Change incorrect data using the corrected error report
9. Re-run the edit program and repeat the error correction procedure
10. Produce final tables on clean data with a backup of clean data.

Accessibility

Access Authority	Registrar General (Registrar General's Department) , www.rgd.gov.lk , rg@rgd.gov.lk
Contact(s)	Statistical Division (Registrar General's Department) , www.rgd.gov.lk , ddstat@rgd.gov.lk

Confidentiality

The degree of confidentiality of this microdata set is determined by the Access Authority. Please refer to the Access Authority for further details.

Access Conditions

Please contact the Access Authority for Access Terms and Conditions.

Citation Requirements

"Registrar General's Department,Vital Statistics (Deaths) - 1996 Version 1.0 of the public use dataset (June 2008)"

Rights & Disclaimer

Disclaimer

The Department of Census and Statistics and the Registrar General's Department will bear no responsibility for any results or interpretations arising from the secondary use of the data.

Copyright	(C) 2008, Registrar General's Department
-----------	--

Files Description

Dataset contains 1 file(s)

Death_96	
# Cases	122161
# Variable(s)	25
<u>File Content</u> The file contains the data related to Return of Deaths form 1996.	
<u>Producer</u> Registrar General's Department	

Variables List

Dataset contains 25 variable(s)

File Death_96							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	SEC	Sector	discrete	numeric-1.0	122161	0	-
2	SEX	Sex	discrete	numeric-1.0	122161	0	-
3	DIS	District	discrete	numeric-2.0	122161	0	-
4	AGAD	AGA Division	discrete	numeric-2.0	122161	0	-
5	RGDV	Registrar's Division	discrete	numeric-2.0	122161	0	-
6	SUBDV	Town (Not Applicable)	discrete	numeric-2.0	60131	62030	-
7	MON	Month	discrete	numeric-2.0	122161	0	-
8	YER	Year	discrete	numeric-2.0	122161	0	-
9	SHEETN	Sheet Number	discrete	numeric-2.0	122136	25	-
10	ENTNO	1. No. of Registration Entry	discrete	numeric-4.0	122132	29	-
11	DDAY	2. Date of Death - Day	discrete	numeric-2.0	122161	0	-
12	DMON	2. Date of Death - Month	discrete	numeric-2.0	122161	0	-
13	DYER	2. Date of Death - Year	discrete	numeric-2.0	122161	0	-
14	DAGA	3. AGA Division	discrete	numeric-2.0	122161	0	-
15	DDIS	5. District	discrete	numeric-2.0	122161	0	-
16	INOUT	6. Within the Registrars Division	discrete	numeric-1.0	122161	0	-
17	PLDEATH	4. Place of Death	discrete	numeric-1.0	122161	0	-
18	DISTIN	7. Distinguishing Letters	discrete	numeric-2.0	122161	0	-
19	RACE	8. Race	discrete	numeric-2.0	122161	0	-
20	DAGED	Age at Death - In days	discrete	numeric-2.0	4427	117734	-
21	DAGEM	Age at Death - In months	discrete	numeric-2.0	1452	120709	-
22	DAGEY	Age at Death - In years	discrete	numeric-3.0	116282	5879	-
23	CAUSEL	16. Immediate cause	discrete	character-1	26077	0	-
24	CAUSEN	17. Antecedent and or Undelying cause	discrete	numeric-3.0	122161	0	-
25	CAUSEP	18. Other contributions	discrete	numeric-1.0	83207	38954	-

Variables Description

Dataset contains 25 variable(s)

File Death_96

#1 SEC: Sector			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=122161 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Urban	60131	49.2%
2	Rural	58217	47.7%
3	Estate	3813	3.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#2 SEX: Sex			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=122161 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Male	79784	65.3%
2	Female	42377	34.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#3 DIS: District			
Information	[Type= discrete] [Format=numeric] [Range= 1-27] [Missing=*]		
Statistics [NW/ W]	[Valid=122161 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Colombo	20643	16.9%
2	Gampaha	10993	9.0%
3	Kalutara	6316	5.2%
4	Kandy	10578	8.7%
5	Matale	2727	2.2%
6	Nuwara Eliya	4053	3.3%
7	Galle	7063	5.8%
8	Matara	6047	5.0%
9	Hambantota	3183	2.6%
10	Jaffna	4295	3.5%
11	Mannar	410	0.3%
12	Vavuniya	807	0.7%
13	Batticaloa	2235	1.8%
14	Ampara	2160	1.8%

File Death_96 (cont.)

#3 DIS: District (cont.)

Value (cont.)	Label	Cases	Percentage
15	Trincomalee	1234	1.0%
16	Kurunegala	8959	7.3%
17	Puttalam	3845	3.1%
19	Anuradhapura	4931	4.0%
20	Polonnaruwa	2209	1.8%
21	Badulla	4798	3.9%
22	Monaragala	1756	1.4%
23	Ratnapura	5477	4.5%
24	Kegalle	4722	3.9%
25	Mullativu	1054	0.9%
27	Kilinochchi	1666	1.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#4 AGAD: AGA Division

Information	[Type= discrete] [Format=numeric] [Range= 1-23] [Missing=*]		
Statistics [NW/ W]	[Valid=122161 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1		42009	34.4%
2		10324	8.5%
3		6590	5.4%
4		6710	5.5%
5		7784	6.4%
6		5162	4.2%
7		6359	5.2%
8		6075	5.0%
9		6040	4.9%
10		5368	4.4%
11		2861	2.3%
12		2889	2.4%
13		3034	2.5%
14		3280	2.7%
15		2677	2.2%
16		1601	1.3%
17		1257	1.0%
18		390	0.3%
19		290	0.2%
20		199	0.2%
21		547	0.4%

Vital Statistics - Deaths - 1996 - Variables Description

File Death_96 (cont.)

#4 AGAD: AGA Division (cont.)

Value (cont.)	Label	Cases	Percentage
22		334	0.3%
23		156	0.1%
24		96	0.1%
25		75	0.1%
26		54	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#5 RGDV: Registrar's Division

Information	[Type= discrete] [Format=numeric] [Range= 0-79] [Missing=*]
Statistics [NW/ W]	[Valid=122161 /-] [Invalid=0 /-]
Frequency table not shown (80 Modalities)	

#6 SUBDV: Town (Not Applicable)

Information	[Type= discrete] [Format=numeric] [Range= 1-14] [Missing=*]
Statistics [NW/ W]	[Valid=60131 /-] [Invalid=62030 /-]

Value	Label	Cases	Percentage
1		36228	60.2%
2		6829	11.4%
3		2756	4.6%
4		1844	3.1%
5		1720	2.9%
6		2627	4.4%
7		1278	2.1%
8		1505	2.5%
9		1736	2.9%
10		508	0.8%
11		308	0.5%
12		883	1.5%
13		1512	2.5%
14		145	0.2%
15		252	0.4%
Sysmiss		62030	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#7 MON: Month

Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]
-------------	---

Vital Statistics - Deaths - 1996 - Variables Description

File Death_96 (cont.)

#7 MON: Month (cont.)

Statistics [NW/ W] [Valid=122161 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	January	10392	8.5%
2	February	9934	8.1%
3	March	10126	8.3%
4	April	8900	7.3%
5	May	10916	8.9%
6	June	11228	9.2%
7	July	10303	8.4%
8	August	10023	8.2%
9	September	9532	7.8%
10	October	10105	8.3%
11	November	10368	8.5%
12	December	10334	8.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#8 YER: Year

Information [Type= discrete] [Format=numeric] [Range= 96-96] [Missing=*]

Statistics [NW/ W] [Valid=122161 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
96		122161	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#9 SHEETN: Sheet Number

Information [Type= discrete] [Format=numeric] [Range= 0-80] [Missing=*]

Statistics [NW/ W] [Valid=122136 /-] [Invalid=25 /-]

Frequency table not shown (91 Modalities)

#10 ENTNO: 1. No. of Registration Entry

Information [Type= discrete] [Format=numeric] [Range= 0-9999] [Missing=*]

Statistics [NW/ W] [Valid=122132 /-] [Invalid=29 /-]

#11 DDAY: 2. Date of Death - Day

Information [Type= discrete] [Format=numeric] [Range= 1-31] [Missing=*]

Statistics [NW/ W] [Valid=122161 /-] [Invalid=0 /-]

Frequency table not shown (31 Modalities)

Vital Statistics - Deaths - 1996 - Variables Description

File Death_96 (cont.)

#12 DMON: 2. Date of Death - Month

Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]		
Statistics [NW/ W]	[Valid=122161 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	January	10883	8.9%
2	February	9496	7.8%
3	March	9412	7.7%
4	April	9403	7.7%
5	May	10242	8.4%
6	June	9271	7.6%
7	July	9691	7.9%
8	August	10233	8.4%
9	September	9993	8.2%
10	October	11233	9.2%
11	November	10881	8.9%
12	December	11423	9.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#13 DYER: 2. Date of Death - Year

Information	[Type= discrete] [Format=numeric] [Range= 96-96] [Missing=*]		
Statistics [NW/ W]	[Valid=122161 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
65		1	0.0%
66		1	0.0%
69		1	0.0%
71		2	0.0%
72		2	0.0%
74		5	0.0%
75		5	0.0%
76		2	0.0%
77		1	0.0%
78		5	0.0%
79		1	0.0%
80		10	0.0%
81		8	0.0%
82		13	0.0%
83		15	0.0%
84		24	0.0%
85		64	0.1%
86		61	0.0%

File Death_96 (cont.)

#13 DYER: 2. Date of Death - Year (cont.)

Value (cont.)	Label	Cases	Percentage
87		135	0.1%
88		493	0.4%
89		6711	5.5%
90		2474	2.0%
91		390	0.3%
92		173	0.1%
93		273	0.2%
94		289	0.2%
95		8236	6.7%
96		102766	84.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#14 DAGA: 3. AGA Division

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=122161 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1		30456	24.9%
2		10387	8.5%
3		8611	7.0%
4		8695	7.1%
5		8805	7.2%
6		7177	5.9%
7		5597	4.6%
8		7607	6.2%
9		6856	5.6%
10		5482	4.5%
11		3282	2.7%
12		3574	2.9%
13		3586	2.9%
14		3371	2.8%
15		2870	2.3%
16		1843	1.5%
17		1086	0.9%
18		462	0.4%
19		443	0.4%
20		241	0.2%
21		694	0.6%
22		424	0.3%

Vital Statistics - Deaths - 1996 - Variables Description

File Death_96 (cont.)

#14 DAGA: 3. AGA Division (cont.)

Value (cont.)	Label	Cases	Percentage
23		145	0.1%
24		164	0.1%
25		70	0.1%
26		84	0.1%
98		149	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#15 DDIS: 5. District

Information [Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]

Statistics [NW/ W] [Valid=122161 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Colombo	15666	12.8%
2	Gampaha	12718	10.4%
3	Kalutara	6938	5.7%
4	Kandy	9809	8.0%
5	Matale	2871	2.4%
6	Nuwara Eliya	4556	3.7%
7	Galle	7114	5.8%
8	Matara	6299	5.2%
9	Hambantota	3647	3.0%
10	Jaffna	3599	2.9%
11	Mannar	397	0.3%
12	Vavuniya	905	0.7%
13	Batticaloa	1909	1.6%
14	Ampara	2392	2.0%
15	Trincomalee	1211	1.0%
16	Kurunegala	9595	7.9%
17	Puttalam	4252	3.5%
19	Anuradhapura	5040	4.1%
20	Polonnaruwa	2431	2.0%
21	Badulla	4890	4.0%
22	Monaragala	2063	1.7%
23	Ratnapura	5985	4.9%
24	Kegalle	5493	4.5%
25	Mullativu	873	0.7%
27	Kilinochchi	1359	1.1%
98		149	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Vital Statistics - Deaths - 1996 - Variables Description

File Death_96 (cont.)

#16 INOUT: 6. Within the Registrars Division

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=122161 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	OUT	42504	34.8%
1	IN	79657	65.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#17 PLDEATH: 4. Place of Death

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=122161 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	EL	0	0.0%
1	EO	46678	38.2%
2	NE	75483	61.8%
3	H	0	0.0%
4	J	0	0.0%
5	OH	0	0.0%
6	OHEL	0	0.0%
7	OHEO	0	0.0%
8	HEL	0	0.0%
9	HEO	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#18 DISTIN: 7. Distinguishing Letters

Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=122161 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1		3327	2.7%
2		500	0.4%
3		118334	96.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#19 RACE: 8. Race

Information	[Type= discrete] [Format=numeric] [Range= 1-14] [Missing=*]		
Statistics [NW/ W]	[Valid=122161 /-] [Invalid=0 /-]		

File Death_96 (cont.)

#19 RACE: 8. Race (cont.)

Value	Label	Cases	Percentage
1	Sinhalese	94993	77.8%
2	Sri Lanka Tamil	14386	11.8%
3	Sri lanka Moors	6610	5.4%
4	Burghers Eurasia	351	0.3%
5	Malays	184	0.2%
6	Veddah	0	0.0%
7	Indian Tamil	5409	4.4%
8	Indian Moors	5	0.0%
9	Pakistan Tamil	1	0.0%
10	Pakistan Moors	4	0.0%
11	Europeans	30	0.0%
12	Other - Ind - Pak	48	0.0%
13	Other Non Ind - Pak	29	0.0%
14	Unknown Race	111	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#20 DAGED: Age at Death - In days

Information [Type= discrete] [Format=numeric] [Range= 1-29] [Missing=*]

Statistics [NW/ W] [Valid=4427 /-] [Invalid=117734 /-]

Frequency table not shown (31 Modalities)

#21 DAGEM: Age at Death - In months

Information [Type= discrete] [Format=numeric] [Range= 1-11] [Missing=*]

Statistics [NW/ W] [Valid=1452 /-] [Invalid=120709 /-]

Value	Label	Cases	Percentage
1		246	16.9%
2		240	16.5%
3		176	12.1%
4		119	8.2%
5		142	9.8%
6		131	9.0%
7		103	7.1%
8		90	6.2%
9		79	5.4%
10		70	4.8%
11		56	3.9%
Sysmiss		120709	

File Death_96 (cont.)

#21 DAGEM: Age at Death - In months (cont.)

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#22 DAGEY: Age at Death - In years

Information [Type= discrete] [Format=numeric] [Range= 1-119] [Missing=*]

Statistics [NW/ W] [Valid=116282 /-] [Invalid=5879 /-]

Frequency table not shown (121 Modalities)

#23 CAUSEL: 16.Immeadiate cause

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=26077 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
E		26077	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#24 CAUSEN: 17.Antecedent and or Undelying cause

Information [Type= discrete] [Format=numeric] [Range= 1-999] [Missing=*]

Statistics [NW/ W] [Valid=122161 /-] [Invalid=0 /-]

Frequency table not shown (915 Modalities)

#25 CAUSEP: 18.Other contributions

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]

Statistics [NW/ W] [Valid=83207 /-] [Invalid=38954 /-]

Value	Label	Cases	Percentage
0		17568	21.1%
1		9481	11.4%
2		2550	3.1%
3		3611	4.3%
4		405	0.5%
5		1732	2.1%
6		3472	4.2%
7		310	0.4%
8		8602	10.3%
9		35476	42.6%
Sysmiss		38954	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Documentation

Reports and analytical documents	16
Study Documentation RGD 1996 Project	16
Questionnaires	16
Questionnaire - Registration of Death	16
Technical documents	16
Data Dictionary	16
Statistical tables	16

Reports and analytical documents

Study Documentation RGD 1996 Project, Sri Lanka [lka], English [eng], "Documents\Reports\Study Documentation RGD 1996 Project.pdf"

Questionnaires

Questionnaire - Registration of Death, "Documents\Questionnaire\Questionnaire-Death.pdf"

Technical documents

Data Dictionary, "Documents\Technical\Data Dictionary of Death_91-96.pdf"

Table 3.1 : INFANT DEATHS REGISTERED BY DISTRICT, SECTOR AND SEX - 1996, "Documents\Tables\Table 3.1.pdf"

Table 3.2 : INFANT DEATHS REGISTERED BY DISTRICT, AGE AND SEX - 1996, "Documents\Tables\Table 3.2.pdf"

Table 3.3 : INFANT DEATHS REGISTERED BY DISTRICT, RACE AND SEX - 1996, "Documents\Tables\Table 3.3.pdf"

Table 3.4 : INFANT DEATHS REGISTERED BY DISTRICT, MONTH AND SEX - 1996, "Documents\Tables\Table 3.4.pdf"

Table 3.5a : INFANT DEATHS REGISTERED BY DISTRICT, RACE AND AGE, SEX (Under One Month) - 1996

Table 3.5b : INFANT DEATHS REGISTERED BY DISTRICT, RACE AND AGE, SEX (One Month to Under One Year) - 1996, "Documents\Tables\Table 3.5b.pdf"

Table 4.1 : DEATHS REGISTERED BY DISTRICT, SECTOR AND SEX - 1996, "Documents\Tables\Table 4.1.pdf"

Table 4.2 : DEATHS REGISTERED BY USUAL RESIDENT DISTRICT AND SEX - 1996, "Documents\Tables\Table

4.2.pdf"

Table 4.3 : DEATHS REGISTERED BY DISTRICT, AGE AND SEX - 1996, "Documents\Tables\Table 4.3.pdf"

Table 4.4 : DEATHS REGISTERED BY RACE, AGE AND SEX - 1996, "Documents\Tables\Table 4.4.pdf"

Table 4.5 : DEATHS REGISTERED BY DISTRICT, YEAR OF OCCURANCE, MONTH AND SEX - 1996,
"Documents\Tables\Table 4.5.pdf"

Table 4.6 : DEATHS REGISTERED BY DISTRICT, RACE AND SEX - 1996, "Documents\Tables\Table 4.6.pdf"

Table 5: DEATHS REGISTERED BY CAUSE (INTERMEDIATE LIST] AGE AND SEX, 1996,
"Documents\Tables\table 5.pdf"