

Sri Lanka

Statistics Division, Registrar General's Department, Ministry of Public
Administration and Home Affairs

Vital Statistics - Deaths - 1999

Study Documentation

December 7, 2009

Metadata Production

Metadata Producer(s)	Registrar General's Department (RGD) , Ministry of Public Administration and Home Affairs , Providing Metadata
Production Date	December 17, 2008
Version	Version 1.0 (June 2008).
Identification	DDI-LKA-RGD-RGD-1999-v1.0

This document was generated using the [IHSN Microdata Management Toolkit](#)

Table of Contents

Overview	1
Scope & Coverage	2
Producers & Sponsors	2
Data Collection	2
Accessibility	3
Rights & Disclaimer	3
Files Description	4
Death_1999	4
Variables List	5
Death_1999	5
Variables Description	6
Death_1999	6
Documentation	16

Sri Lanka (1999)
Vital Statistics - Deaths - 1999 (RGD - 1999)

Overview	
Type	Administrative Records, Other (ad/oth]
Identification	LKA-RGD-RGD-1999-v1.0
Version	Production Date: 2008-06-17 v1.0: Full edited dataset, original version for internal DPD use.
Series	<p>Registration of vital events commenced in 1867 with the enactment of civil registration laws which conferred the legal sanction for the registration of events namely, live births, deaths, still births and marriages. According to the law every death has to be registered within 5 days from the date of occurrence. Although death registrations are compulsory by law, few events are missed and not registered for various reasons.</p> <p>[By the survey conducted in 1980 to assess the completeness of the registration of births and deaths, it was found that about 98.8 per cent of births and 94.0 per cent of deaths are being registered in Sri Lanka in any given period].</p> <p>Deaths are registered at the place of occurrence and not in the area of deceased.</p>
<p><u>Abstract</u> Registration of vital events commenced in 1867 with the enactment of civil registration laws which conferred the legal sanction for the registration of events namely, live births, deaths, still births and marriages. According to the law every death has to be registered within 5 days from the date of occurrence. Although death registrations are compulsory by law, few events are missed and not registered for various reasons.</p> <p>[By the survey conducted in 1980 to assess the completeness of the registration of births and deaths, it was found that about 98.8 per cent of births and 94.0 per cent of deaths are being registered in Sri Lanka in any given period].</p> <p>Deaths are registered at the place of occurrence and not in the area of the deceased.]</p>	
Kind of Data	Administrative records data [adm]
Unit of Analysis	Death of individual

Scope & Coverage	
<p><u>Scope</u> The scope of the Registration of Death 1999 include :</p> <ul style="list-style-type: none"> -District -AGA Division -Registrar's Division -Month & Year -Date of Death -If urban, assessment number, street and town -If rural, Name of village -Revenue District -Whether outside division -Distinguishing letters -Race -Age at Death - in days -Age at Death - in months -Age at Death - in years -Immediate Cause -Antecedent and/or underlying cause -Other contributions 	
Topics	DEMOGRAPHY AND POPULATION [14]
<p><u>Geographic Coverage</u> National coverage.</p>	
<p><u>Universe</u> Entire population of local individuals whose death has occurred in Sri Lanka.</p>	

Producers & Sponsors	
Primary Investigator(s)	Statistics Division, Registrar General's Department, Ministry of Public Administration and Home Affairs
Other Producer(s)	Divisional Secretariats , Data Collection
Funding Agency/ies	Government of Sri Lanka (GOSL)

Data Collection	
Data Collection Dates	start 1999-01-01 end 1999-12-31
Data Collection Mode	Other [oth]
<p><u>Data Collection Notes</u> When a death of an individual occurs, the respondent of the death meets the Registrar of Births and Deaths appointed for the area where the death occurred and obtains the death certificate.</p> <p>A copy of the death certificate is sent to the Divisional Secretariat Office along with the monthly return of deaths which includes the details of deaths occurred in a particular month.</p>	

The Additional District Registrars receive the returns from all Divisional Secretariate offices attached to them. The Additional District Registrars send these returns to the Statistical Division of the Registrar General's Office for data processing purposes.

Data Collector(s)	Registrars of Berths & Deaths , Registrar General's Department Additional District Registrar , Registrar General's Department Statistical Division - Registrar General's Office , Registrar General's Department
-------------------	--

Other Processing

Data processing included the following steps.

1. Accepting the filled birth return forms by the Statistical Division
2. Do a visual check for completeness
3. Coding of data
4. Entry of data
5. Run edit program for each District batch
6. Produce error report
7. Correction of errors on the report
8. Change incorrect data using the corrected error report
9. Re-run the edit program and repeat the error correction procedure
10. Produce final tables on clean data with a backup of clean data.

Accessibility

Access Authority	Registrar General (Registrar General's Department) , www.rgd.gov.lk , rg@rgd.gov.lk
Contact(s)	Statistical Division (Registrar General's Department) , www.rgd.gov.lk , ddstat@rgd.gov.lk

Confidentiality

The degree of confidentiality of this microdata set is determined by the Access Authority. Please refer to the Access Authority for further details.

Access Conditions

Please contact the Access Authority for Access Terms and Conditions.

Citation Requirements

"Registrar General's Department,Vital Statistics (Deaths) - 1999 Version 1.0 of the public use dataset (June 2008)"

Rights & Disclaimer

Disclaimer

The Department of Census and Statistics and the Registrar General's Department will bear no responsibility for any results or interpretations arising from the secondary use of the data.

Copyright	(C) 2008, Registrar General's Department
-----------	--

Files Description

Dataset contains 1 file(s)

Death_1999	
# Cases	115330
# Variable(s)	24
<u>File Content</u> The file contains the data related to Return of Deaths form 1999.	
<u>Producer</u> Registrar General's Department	

Variables List

Dataset contains 24 variable(s)

File Death_1999							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	SEC	Sector	discrete	numeric-1.0	115330	0	-
2	SEX	Sex	discrete	numeric-1.0	115330	0	-
3	DIS	District	discrete	numeric-2.0	115330	0	-
4	AGAD	AGA Division	discrete	numeric-2.0	115330	0	-
5	RGDV	Registrar's Division	discrete	numeric-2.0	115330	0	-
6	SUBDV	Town (Not Applicable)	discrete	numeric-2.0	62606	52724	-
7	MON	Month	discrete	numeric-2.0	115330	0	-
8	YER	Year	discrete	numeric-2.0	115330	0	-
9	SHEETN	Sheet Number	discrete	numeric-2.0	115319	11	-
10	ENTNO	1. No. of Registration Entry	discrete	numeric-4.0	115330	0	-
11	DDAY	2. Date of Death - Day	discrete	numeric-2.0	115330	0	-
12	DMON	2. Date of Death - Month	discrete	numeric-2.0	115330	0	-
13	DYER	2. Date of Death - Year	discrete	numeric-2.0	115330	0	-
14	DAGA	3. AGA Division	continuous	numeric-2.0	115330	0	-
15	DDIS	5. District	continuous	numeric-2.0	115330	0	-
16	INOUT	6. Within the Registrars Division	continuous	numeric-1.0	115330	0	-
17	PLDEATH	4. Place of Death	continuous	numeric-1.0	115330	0	-
18	DISTIN	7. Distinguishing Letters	discrete	numeric-2.0	115330	0	-
19	RACE	8. Race	continuous	numeric-2.0	115330	0	-
20	DAGED	Age at Death - In days	discrete	numeric-2.0	3499	111831	-
21	DAGEM	Age at Death - In months	discrete	numeric-2.0	1038	114292	-
22	DAGEY	Age at Death - In years	discrete	numeric-3.0	110793	4537	-
23	CAUSEL	Cause of Death - Three character category	discrete	character-3	115330	0	-
24	CAUSEP	18. Other contributions	discrete	numeric-1.0	78449	36881	-

Variables Description

Dataset contains 24 variable(s)

File Death_1999

#1 SEC: Sector

Information [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]

Statistics [NW/ W] [Valid=115330 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Urban	62606	54.3%
2	Rural	48304	41.9%
3	Estate	4420	3.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#2 SEX: Sex

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W] [Valid=115330 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Male	72245	62.6%
2	Female	43085	37.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#3 DIS: District

Information [Type= discrete] [Format=numeric] [Range= 1-27] [Missing=*]

Statistics [NW/ W] [Valid=115330 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Colombo	21464	18.6%
2	Gampaha	10713	9.3%
3	Kalutara	6278	5.4%
4	Kandy	9256	8.0%
5	Matale	2558	2.2%
6	Nuwara Eliya	4361	3.8%
7	Galle	6832	5.9%
8	Matara	4998	4.3%
9	Hambantota	1946	1.7%
10	Jaffna	2872	2.5%
11	Kilinochchi	1319	1.1%
12	Mannar	426	0.4%
13	Vavuniya	1037	0.9%
14	Mulativu	1078	0.9%

File Death_1999 (cont.)

#3 DIS: District (cont.)

Value (cont.)	Label	Cases	Percentage
15	Bataloa	2496	2.2%
16	Ampara	1948	1.7%
17	Trincomalee	1491	1.3%
18	Kurunegala	9147	7.9%
19	Puttalm	3549	3.1%
20	Anuradapura	4292	3.7%
21	Polonnaruwa	1663	1.4%
22	Badulla	4510	3.9%
23	Monaragala	1278	1.1%
24	Ratnapura	5175	4.5%
25	Kegalle	4643	4.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#4 AGAD: AGA Division

Information	[Type= discrete] [Format=numeric] [Range= 1-23] [Missing=*]		
Statistics [NW/ W]	[Valid=115330 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1		43026	37.3%
2		8980	7.8%
3		5470	4.7%
4		6373	5.5%
5		8200	7.1%
6		4124	3.6%
7		6404	5.6%
8		5039	4.4%
9		5326	4.6%
10		5231	4.5%
11		2687	2.3%
12		2652	2.3%
13		2599	2.3%
14		2148	1.9%
15		2291	2.0%
16		1522	1.3%
17		1361	1.2%
18		460	0.4%
19		228	0.2%
20		208	0.2%
21		416	0.4%

Vital Statistics - Deaths - 1999 - Variables Description

File Death_1999 (cont.)

#4 AGAD: AGA Division (cont.)

Value (cont.)	Label	Cases	Percentage
22		170	0.1%
23		136	0.1%
24		82	0.1%
25		54	0.0%
26		143	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#5 RGDV: Registrar's Division

Information	[Type= discrete] [Format=numeric] [Range= 0-79] [Missing=*]
Statistics [NW/ W]	[Valid=115330 /-] [Invalid=0 /-]
Frequency table not shown (80 Modalities)	

#6 SUBDV: Town (Not Applicable)

Information	[Type= discrete] [Format=numeric] [Range= 1-14] [Missing=*]
Statistics [NW/ W]	[Valid=62606 /-] [Invalid=52724 /-]

Value	Label	Cases	Percentage
1		38082	60.8%
2		6387	10.2%
3		3496	5.6%
4		1881	3.0%
5		2047	3.3%
6		2943	4.7%
7		1130	1.8%
8		1516	2.4%
9		1683	2.7%
10		249	0.4%
11		298	0.5%
12		1002	1.6%
13		1521	2.4%
14		371	0.6%
Sysmiss		52724	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#7 MON: Month

Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]
Statistics [NW/ W]	[Valid=115330 /-] [Invalid=0 /-]

Vital Statistics - Deaths - 1999 - Variables Description

File Death_1999 (cont.)

#7 MON: Month (cont.)

Value	Label	Cases	Percentage
1	January	9644	8.4%
2	February	9057	7.9%
3	March	9453	8.2%
4	April	9071	7.9%
5	May	10149	8.8%
6	June	9637	8.4%
7	July	9446	8.2%
8	August	9773	8.5%
9	September	9224	8.0%
10	October	9740	8.4%
11	November	9968	8.6%
12	December	10168	8.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#8 YER: Year

Information	[Type= discrete] [Format=numeric] [Range= 99-99] [Missing=*]		
Statistics [NW/ W]	[Valid=115330 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
99		115330	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#9 SHEETN: Sheet Number

Information	[Type= discrete] [Format=numeric] [Range= 0-80] [Missing=*]		
Statistics [NW/ W]	[Valid=115319 /-] [Invalid=11 /-]		
Frequency table not shown (89 Modalities)			

#10 ENTNO: 1. No. of Registration Entry

Information	[Type= discrete] [Format=numeric] [Range= 0-9999] [Missing=*]		
Statistics [NW/ W]	[Valid=115330 /-] [Invalid=0 /-]		

#11 DDAY: 2. Date of Death - Day

Information	[Type= discrete] [Format=numeric] [Range= 1-31] [Missing=*]		
Statistics [NW/ W]	[Valid=115330 /-] [Invalid=0 /-]		
Frequency table not shown (31 Modalities)			

File Death_1999 (cont.)

#12 DMON: 2. Date of Death - Month

Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]		
Statistics [NW/ W]	[Valid=115330 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	January	9843	8.5%
2	February	8710	7.6%
3	March	9775	8.5%
4	April	10351	9.0%
5	May	9647	8.4%
6	June	9266	8.0%
7	July	9112	7.9%
8	August	8926	7.7%
9	September	9101	7.9%
10	October	10380	9.0%
11	November	10008	8.7%
12	December	10211	8.9%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#13 DYER: 2. Date of Death - Year

Information	[Type= discrete] [Format=numeric] [Range= 46-99] [Missing=*]		
Statistics [NW/ W]	[Valid=115330 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
46		1	0.0%
63		1	0.0%
68		1	0.0%
69		1	0.0%
74		1	0.0%
75		2	0.0%
76		4	0.0%
77		7	0.0%
78		3	0.0%
79		2	0.0%
80		3	0.0%
81		6	0.0%
82		9	0.0%
83		12	0.0%
84		13	0.0%
85		31	0.0%
86		20	0.0%
87		31	0.0%

File Death_1999 (cont.)

#13 DYER: 2. Date of Death - Year (cont.)

Value (cont.)	Label	Cases	Percentage
88		47	0.0%
89		288	0.2%
90		278	0.2%
91		100	0.1%
92		80	0.1%
93		77	0.1%
94		76	0.1%
95		170	0.1%
96		293	0.3%
97		657	0.6%
98		8304	7.2%
99		104812	90.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#14 DAGA: 3. AGA Division

Information	[Type= continuous] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=115330 /-] [Invalid=0 /-]

#15 DDIS: 5. District

Information	[Type= continuous] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=115330 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Colombo	16158	14.0%
2	Gampaha	12677	11.0%
3	Kalutara	6960	6.0%
4	Kandy	9137	7.9%
5	Matale	2624	2.3%
6	Nuwara Eliya	4761	4.1%
7	Galle	7081	6.1%
8	Matara	4893	4.2%
9	Hambantota	2443	2.1%
10	Jaffna	3085	2.7%
11	Kilinochchi	1062	0.9%
12	Mannar	357	0.3%
13	Vavuniya	895	0.8%
14	Mulativu	652	0.6%
15	Bataloa	2524	2.2%

File Death_1999 (cont.)

#15 DDIS: 5. District (cont.)

Value (cont.)	Label	Cases	Percentage
16	Ampara	2149	1.9%
17	Trincomalee	1523	1.3%
18	Kurunegala	9382	8.1%
19	Puttalm	3993	3.5%
20	Anuradapura	4149	3.6%
21	Polonnaruwa	1808	1.6%
22	Badulla	4377	3.8%
23	Monaragala	1687	1.5%
24	Ratnapura	5660	4.9%
25	Kegalle	5287	4.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#16 INOUT: 6. Within the Registrars Division

Information	[Type= continuous] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=115330 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	OUT	38294	33.2%
1	IN	77036	66.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#17 PLDEATH: 4. Place of Death

Information	[Type= continuous] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=115330 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	EL	0	0.0%
1	EO	50935	44.2%
2	NE	64395	55.8%
3	H	0	0.0%
4	J	0	0.0%
5	OH	0	0.0%
6	OHEL	0	0.0%
7	OHEO	0	0.0%
8	HEL	0	0.0%
9	HEO	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Vital Statistics - Deaths - 1999 - Variables Description

File Death_1999 (cont.)

#18 DISTIN: 7. Distinguishing Letters

Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=115330 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1		4056	3.5%
2		322	0.3%
3		110952	96.2%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#19 RACE: 8. Race

Information	[Type= continuous] [Format=numeric] [Range= 1-14] [Missing=*]		
Statistics [NW/ W]	[Valid=115330 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Sinhalese	87879	76.2%
2	Sri Lanka Tamil	13949	12.1%
3	Sri lanka Moors	7051	6.1%
4	Burghers Eurasia	309	0.3%
5	Malays	187	0.2%
6	Veddah	7	0.0%
7	Indian Tamil	5755	5.0%
8	Indian Moors	5	0.0%
9	Pakistan Tamil	4	0.0%
10	Pakistan Moors	5	0.0%
11	Europeans	28	0.0%
12	Other - Ind - Pak	19	0.0%
13	Other Non Ind - Pak	31	0.0%
14	Unknown Race	101	0.1%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#20 DAGED: Age at Death - In days

Information	[Type= discrete] [Format=numeric] [Range= 1-29] [Missing=*]
Statistics [NW/ W]	[Valid=3499 /-] [Invalid=111831 /-]
Frequency table not shown (31 Modalities)	

#21 DAGEM: Age at Death - In months

Information	[Type= discrete] [Format=numeric] [Range= 1-11] [Missing=*]
Statistics [NW/ W]	[Valid=1038 /-] [Invalid=114292 /-]

File Death_1999 (cont.)

#21 DAGEM: Age at Death - In months (cont.)

Value	Label	Cases	Percentage
1		189	18.2%
2		149	14.4%
3		148	14.3%
4		98	9.4%
5		95	9.2%
6		75	7.2%
7		73	7.0%
8		65	6.3%
9		58	5.6%
10		49	4.7%
11		39	3.8%
Sysmiss		114292	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#22 DAGEY: Age at Death - In years

Information	[Type= discrete] [Format=numeric] [Range= 1-119] [Missing=*]
Statistics [NW/ W]	[Valid=110793 /-] [Invalid=4537 /-]
Frequency table not shown (120 Modalities)	

#23 CAUSEL: Cause of Death - Three character category

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=115330 /-] [Invalid=0 /-]
Frequency table not shown (2050 Modalities)	

#24 CAUSEP: 18.Other contributions

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=78449 /-] [Invalid=36881 /-]		
Value	Label	Cases	Percentage
0		5953	7.6%
1		1719	2.2%
2		7722	9.8%
3		3430	4.4%
4		985	1.3%
5		172	0.2%
6		903	1.2%

File Death_1999 (cont.)

#24 CAUSEP: 18.Other contributions (cont.)

Value (cont.)	Label	Cases	Percentage
7		146	0.2%
8		657	0.8%
9		56762	72.4%
Sysmiss		36881	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Documentation

Reports and analytical documents	16
Study Documentation RGD 1999 Project	16
Questionnaires	16
Questionnaire - Registration of Death	16
Technical documents	16
Data Dictionary	16
Statistical tables	16

Reports and analytical documents

Study Documentation RGD 1999 Project, Sri Lanka [lka], English [eng], "Documents\Reports\Study Documentation RGD 1999 Project.pdf"

Questionnaires

Questionnaire - Registration of Death, "Documents\Questionnaire\Questionnaire-Death.pdf"

Technical documents

Data Dictionary, "Documents\Technical\Data Dictionary of Death_98-99.pdf"

Table 3.1 INFANT DEATHS REGISTERED BY DISTRICT, SECTOR AND SEX -1999, "Documents\Tables\Table 3.1.pdf"

Table 3.2 INFANT DEATHS REGISTERED BY DISTRICT, AGE AND SEX -1999(Part-1), "Documents\Tables\Table 3.2.pdf"

Table 3.3 INFANT DEATHS REGISTERED BY DISTRICT, RACE AND SEX -1999 (Part-1), "Documents\Tables\Table 3.3.pdf"

Table 3.4 INFANT DEATHS REGISTERED BY DISTRICT, MONTH AND SEX -1999 (Part-1), "Documents\Tables\Table 3.4.pdf"

Table 3.5a : INFANT DEATHS REGISTERED BY DISTRICT, RACE AND AGE, SEX (Under One Month) -1999 (Part-1), "Documents\Tables\Table 3.5a.pdf"

Table 3.5b : INFANT DEATHS REGISTERED BY DISTRICT, RACE AND AGE, SEX (One Month to Under One Year) - 1999 (Part-1), "Documents\Tables\Table 3.5b.pdf"

Table 4.1 : DEATHS REGISTERED BY DISTRICT, SECTOR AND SEX -1999, "Documents\Tables\Table 4.1.pdf"

Table 4.2 : DEATHS REGISTERED BY USUAL RESIDENT DISTRICT AND SEX· 1999, "Documents\Tables\Table 4.2.pdf"

Table 4.3 : DEATHS REGISTERED BY DISTRICT, AGE AND SEX· 1999 (Part-1), "Documents\Tables\Table 4.3.pdf"

Table 4.4 : DEATHS REGISTERED BY RACE, AGE AND SEX -1999 (Part-1), "Documents\Tables\Table 4.4.pdf"

Table 4.5 : DEATHS REGISTERED BY DISTRICT, YEAR OF OCCURANCE, MONTH AND SEX . 1999 IParl 1.1), "Documents\Tables\Table 4.5.pdf"

Table 4.6 : DEATHS REGISTERED BY DISTRICT, RACE AND SEX -1999 (Part-1), "Documents\Tables\Table 4.6.pdf"

Table 5 : Number of deaths according to cause by age and sex -1999 Part 1 (List 1 - IC010), "Documents\Tables\Table 5.pdf"