

Sri Lanka

Statistics Division, Registrar General's Department, Ministry of Public
Administration and Home Affairs

Vital Statistics - Deaths - 2000

Study Documentation

December 7, 2009

Metadata Production

Metadata Producer(s)	Registrar General's Department (RGD) , Ministry of Public Administration and Home Affairs , Providing Metadata
Production Date	December 17, 2008
Version	Version 1.0 (June 2008).
Identification	DDI-LKA-RGD-RGD-2000-v1.0

This document was generated using the [IHSN Microdata Management Toolkit](#)

Table of Contents

Overview	1
Scope & Coverage	2
Producers & Sponsors	2
Data Collection	2
Accessibility	3
Rights & Disclaimer	3
Files Description	4
Death_2000	4
Variables List	5
Death_2000	5
Variables Description	6
Death_2000	6
Documentation	16

Sri Lanka (2000)
Vital Statistics - Deaths - 2000 (RGD - 2000)

Overview	
Type	Administrative Records, Other (ad/oth]
Identification	LKA-RGD-RGD-2000-v1.0
Version	Production Date: 2008-06-17 v1.0: Full edited dataset, original version for internal DPD use.
Series	<p>Registration of vital events commenced in 1867 with the enactment of civil registration laws which conferred the legal sanction for the registration of events namely, live births, deaths, still births and marriages. According to the law every death has to be registered within 5 days from the date of occurrence. Although death registrations are compulsory by law, few events are missed and not registered for various reasons.</p> <p>[By the survey conducted in 1980 to assess the completeness of the registration of births and deaths, it was found that about 98.8 per cent of births and 94.0 per cent of deaths are being registered in Sri Lanka in any given period].</p> <p>Deaths are registered at the place of occurrence and not in the area of deceased.</p>
<p><u>Abstract</u></p> <p>Registration of vital events commenced in 1867 with the enactment of civil registration laws which conferred the legal sanction for the registration of events namely, live births, deaths, still births and marriages. According to the law every death has to be registered within 5 days from the date of occurrence. Although death registrations are compulsory by law, few events are missed and not registered for various reasons.</p> <p>[By the survey conducted in 1980 to assess the completeness of the registration of births and deaths, it was found that about 98.8 per cent of births and 94.0 per cent of deaths are being registered in Sri Lanka in any given period].</p> <p>Deaths are registered at the place of occurrence and not in the area of the deceased.]</p>	
Kind of Data	Administrative records data [adm]
Unit of Analysis	Death of individual

Scope & Coverage

Scope

The scope of the Registration of Death 2000 include :

- District
- AGA Division
- Registrar's Division
- Month & Year
- Date of Death
- If urban, assessment number, street and town
- If rural, Name of village
- Revenue District
- Whether outside division
- Distinguishing letters
- Race
- Age at Death - in days
- Age at Death - in months
- Age at Death - in years
- Immediate Cause
- Antecedent and/or underlying cause
- Other contributions

Topics	DEMOGRAPHY AND POPULATION [14]
--------	--------------------------------

Geographic Coverage

National coverage.

Universe

Entire population of local individuals whose death has occurred in Sri Lanka.

Producers & Sponsors

Primary Investigator(s)	Statistics Division, Registrar General's Department, Ministry of Public Administration and Home Affairs
Other Producer(s)	Divisional Secretariats , Data Collection
Funding Agency/ies	Government of Sri Lanka (GOSL)

Data Collection

Data Collection Dates	start 2000-01-01 end 2000-12-31
Data Collection Mode	Other [oth]

Data Collection Notes

When a death of an individual occurs, the respondent of the death meets the Registrar of Births and Deaths appointed for the area where the death occurred and obtains the death certificate.

A copy of the death certificate is sent to the Divisional Secretariat Office along with the monthly return of deaths which includes the details of deaths occurred in a particular month.

The Additional District Registrars receive the returns from all Divisional Secretariate offices attached to them. The Additional District Registrars send these returns to the Statistical Division of the Registrar General's Office for data processing purposes.

Data Collector(s)	Registrars of Berths & Deaths , Registrar General's Department Additional District Registrar , Registrar General's Department Statistical Division - Registrar General's Office , Registrar General's Department
-------------------	--

Other Processing

Data processing included the following steps.

1. Accepting the filled birth return forms by the Statistical Division
2. Do a visual check for completeness
3. Coding of data
4. Entry of data
5. Run edit program for each District batch
6. Produce error report
7. Correction of errors on the report
8. Change incorrect data using the corrected error report
9. Re-run the edit program and repeat the error correction procedure
10. Produce final tables on clean data with a backup of clean data.

Accessibility

Access Authority	Registrar General (Registrar General's Department) , www.rgd.gov.lk , rg@rgd.gov.lk
Contact(s)	Statistical Division (Registrar General's Department) , www.rgd.gov.lk , ddstat@rgd.gov.lk

Confidentiality

The degree of confidentiality of this microdata set is determined by the Access Authority. Please refer to the Access Authority for further details.

Access Conditions

Please contact the Access Authority for Access Terms and Conditions.

Citation Requirements

"Registrar General's Department,Vital Statistics (Deaths) - 2000 Version 1.0 of the public use dataset (June 2008)"

Rights & Disclaimer

Disclaimer

The Department of Census and Statistics and the Registrar General's Department will bear no responsibility for any results or interpretations arising from the secondary use of the data.

Copyright	(C) 2008, Registrar General's Department
-----------	--

Files Description

Dataset contains 1 file(s)

Death_2000	
# Cases	116200
# Variable(s)	24
<u>File Content</u> The file contains the data related to Return of Deaths form 2000.	
<u>Producer</u> Registrar General's Department	

Variables List

Dataset contains 24 variable(s)

File Death_2000							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	SEC	Sector	discrete	numeric-1.0	116200	0	-
2	DIS	District	discrete	numeric-2.0	116200	0	-
3	AGAD	AGA Division	discrete	numeric-2.0	116200	0	-
4	RGDV	Registrar's Division	discrete	numeric-2.0	116200	0	-
5	SUBDV	Town (Not Applicable)	discrete	numeric-2.0	63074	53126	-
6	MON	Month	discrete	numeric-2.0	116200	0	-
7	YER	Year	discrete	numeric-2.0	116200	0	-
8	SHEETN	Sheet Number	discrete	numeric-2.0	116200	0	-
9	ENTNO	1. No. of Registration Entry	discrete	numeric-4.0	116200	0	-
10	DDAY	2. Date of Death - Day	discrete	numeric-2.0	116200	0	-
11	DMON	2. Date of Death - Month	discrete	numeric-2.0	116200	0	-
12	DYER	2. Date of Death - Year	discrete	numeric-2.0	116200	0	-
13	SEX	4. Sex	discrete	numeric-1.0	116200	0	-
14	DAGA	3. AGA Division	discrete	numeric-2.0	116200	0	-
15	DDIS	5. District	discrete	numeric-2.0	116200	0	-
16	INOUT	6. Within the Registrars Division	discrete	numeric-1.0	116200	0	-
17	PLDEATH	4. Place of Death	discrete	numeric-1.0	116200	0	-
18	RACE	8. Race	continuous	numeric-2.0	116200	0	-
19	DAGED	Age at Death - In days	discrete	numeric-2.0	3463	112737	-
20	DAGEM	Age at Death - In months	discrete	numeric-2.0	1196	115004	-
21	DAGEY	Age at Death - In years	discrete	numeric-3.0	111541	4659	-
22	CAUSEL	Cause of Death - Three character category	discrete	character-3	116200	0	-
23	CAUSEP	18. Other contributions	discrete	numeric-1.0	84948	31252	-
24	C1	C1	discrete	numeric-2.0	0	116200	-

Variables Description

Dataset contains 24 variable(s)

File Death_2000

#1 SEC: Sector

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=116200 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Urban	63074	54.3%
2	Rural	49474	42.6%
3	Estate	3652	3.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#2 DIS: District

Information	[Type= discrete] [Format=numeric] [Range= 1-27] [Missing=*]		
Statistics [NW/ W]	[Valid=116200 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Colombo	20653	17.8%
2	Gampaha	10546	9.1%
3	Kalutara	6235	5.4%
4	Kandy	9337	8.0%
5	Matale	2435	2.1%
6	Nuwara Eliya	3667	3.2%
7	Galle	6688	5.8%
8	Matara	4770	4.1%
9	Hambantota	2097	1.8%
10	Jaffna	3601	3.1%
11	Kilinochchi	1725	1.5%
12	Mannar	506	0.4%
13	Vavuniya	969	0.8%
14	Mulativu	1548	1.3%
15	Bataloa	2785	2.4%
16	Ampara	2665	2.3%
17	Trincomalee	1600	1.4%
18	Kurunegala	9377	8.1%
19	Puttalm	3429	3.0%
20	Anuradapura	4385	3.8%
21	Polonnaruwa	1734	1.5%
22	Badulla	4379	3.8%
23	Monaragala	1363	1.2%
24	Ratnapura	5036	4.3%

File Death_2000 (cont.)

#2 DIS: District (cont.)

Value (cont.)	Label	Cases	Percentage
25	Kegalle	4670	4.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#3 AGAD: AGA Division

Information	[Type= discrete] [Format=numeric] [Range= 1-23] [Missing=*]		
Statistics [NW/ W]	[Valid=116200 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1		33874	29.2%
2		16115	13.9%
3		7358	6.3%
4		6236	5.4%
5		7522	6.5%
6		4668	4.0%
7		3911	3.4%
8		6452	5.6%
9		5973	5.1%
10		4331	3.7%
11		4267	3.7%
12		2940	2.5%
13		2708	2.3%
14		2320	2.0%
15		2620	2.3%
16		1302	1.1%
17		1613	1.4%
18		572	0.5%
19		268	0.2%
20		189	0.2%
21		328	0.3%
22		159	0.1%
23		137	0.1%
24		79	0.1%
25		52	0.0%
26		39	0.0%
27		102	0.1%
28		65	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Death_2000 (cont.)

#4 RGDV: Registrar's Division

Information	[Type= discrete] [Format=numeric] [Range= 0-79] [Missing=*]
Statistics [NW/ W]	[Valid=116200 /-] [Invalid=0 /-]
Frequency table not shown (80 Modalities)	

#5 SUBDV: Town (Not Applicable)

Information	[Type= discrete] [Format=numeric] [Range= 1-14] [Missing=*]		
Statistics [NW/ W]	[Valid=63074 /-] [Invalid=53126 /-]		
Value	Label	Cases	Percentage
1		28780	45.6%
2		12969	20.6%
3		5206	8.3%
4		2385	3.8%
5		2276	3.6%
6		2968	4.7%
7		1045	1.7%
8		1000	1.6%
9		1331	2.1%
10		1738	2.8%
11		202	0.3%
12		1608	2.5%
13		1227	1.9%
14		339	0.5%
Sysmiss		53126	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#6 MON: Month

Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]		
Statistics [NW/ W]	[Valid=116200 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	January	10585	9.1%
2	February	9622	8.3%
3	March	10005	8.6%
4	April	9207	7.9%
5	May	9857	8.5%
6	June	9139	7.9%
7	July	10104	8.7%
8	August	9068	7.8%

File Death_2000 (cont.)

#6 MON: Month (cont.)

Value (cont.)	Label	Cases	Percentage
9	September	9066	7.8%
10	October	9613	8.3%
11	November	9961	8.6%
12	December	9973	8.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#7 YER: Year

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=116200 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		116200	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#8 SHEETN: Sheet Number

Information	[Type= discrete] [Format=numeric] [Range= 0-91] [Missing=*]
Statistics [NW/ W]	[Valid=116200 /-] [Invalid=0 /-]

Frequency table not shown (78 Modalities)

#9 ENTNO: 1. No. of Registration Entry

Information	[Type= discrete] [Format=numeric] [Range= 0-9999] [Missing=*]
Statistics [NW/ W]	[Valid=116200 /-] [Invalid=0 /-]

#10 DDAY: 2. Date of Death - Day

Information	[Type= discrete] [Format=numeric] [Range= 1-31] [Missing=*]
Statistics [NW/ W]	[Valid=116200 /-] [Invalid=0 /-]

Frequency table not shown (31 Modalities)

#11 DMON: 2. Date of Death - Month

Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]
Statistics [NW/ W]	[Valid=116200 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	January	10461	9.0%
2	February	9390	8.1%

File Death_2000 (cont.)

#11 DMON: 2. Date of Death - Month (cont.)

Value (cont.)	Label	Cases	Percentage
3	March	9720	8.4%
4	April	10413	9.0%
5	May	9457	8.1%
6	June	9022	7.8%
7	July	9318	8.0%
8	August	8950	7.7%
9	September	9262	8.0%
10	October	10150	8.7%
11	November	9594	8.3%
12	December	10463	9.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#12 DYER: 2. Date of Death - Year

Information	[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]
Statistics [NW/ W]	[Valid=116200 /-] [Invalid=0 /-]
Frequency table not shown (31 Modalities)	

#13 SEX: 4. Sex

Information		[Type= discrete] [Format=numeric] [Missing=*]	
Statistics [NW/ W]		[Valid=116200 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Male	72987	<div></div> 62.8%
2	Female	43213	<div></div> 37.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#14 DAGA: 3. AGA Division

Information		[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]	
Statistics [NW/ W]		[Valid=116200 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1		19565	<div></div> 16.8%
2		10896	<div></div> 9.4%
3		9305	<div></div> 8.0%
4		9195	<div></div> 7.9%
5		9101	<div></div> 7.8%
6		7077	<div></div> 6.1%
7		6594	<div></div> 5.7%

File Death_2000 (cont.)

#14 DAGA: 3. AGA Division (cont.)

Value (cont.)	Label	Cases	Percentage
8		6692	5.8%
9		6791	5.8%
10		5704	4.9%
11		4806	4.1%
12		3920	3.4%
13		3718	3.2%
14		3273	2.8%
15		2889	2.5%
16		1673	1.4%
17		1720	1.5%
18		992	0.9%
19		402	0.3%
20		208	0.2%
21		525	0.5%
22		364	0.3%
23		111	0.1%
24		279	0.2%
25		28	0.0%
26		128	0.1%
27		108	0.1%
28		102	0.1%
98		34	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#15 DDIS: 5. District

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]		
Statistics [NW/ W]	[Valid=116200 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Colombo	15517	13.4%
2	Gampaha	11821	10.2%
3	Kalutara	7021	6.0%
4	Kandy	8363	7.2%
5	Matale	2752	2.4%
6	Nuwara Eliya	4364	3.8%
7	Galle	6630	5.7%
8	Matara	4937	4.2%
9	Hambantota	2722	2.3%
10	Jaffna	3085	2.7%

File Death_2000 (cont.)

#15 DDIS: 5. District (cont.)

Value (cont.)	Label	Cases	Percentage
11	Kilinochchi	1098	0.9%
12	Mannar	481	0.4%
13	Vavuniya	803	0.7%
14	Mulativu	920	0.8%
15	Baticaloa	2751	2.4%
16	Ampara	3018	2.6%
17	Trincomalee	1681	1.4%
18	Kurunegala	10253	8.8%
19	Puttalm	3882	3.3%
20	Anuradapura	4545	3.9%
21	Polonnaruwa	1977	1.7%
22	Badulla	4416	3.8%
23	Monaragala	1734	1.5%
24	Ratnapura	5711	4.9%
25	Kegalle	5684	4.9%
98		34	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#16 INOUT: 6. Within the Registrars Division

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=116200 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	OUT	0	0.0%
1	IN	69599	59.9%
2		46601	40.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#17 PLDEATH: 4. Place of Death

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=116200 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Hospital	55728	48.0%
2	Other	60472	52.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Death_2000 (cont.)

#18 RACE: 8. Race

Information	[Type= continuous] [Format=numeric] [Range= 1-14] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=116200 /-] [Invalid=0 /-]
--------------------	----------------------------------

Value	Label	Cases	Percentage
1	Sinhalese	88134	75.8%
2	Sri Lanka Tamil	14604	12.6%
3	Sri Lanka Moors	7445	6.4%
4	Burghers Eurasia	302	0.3%
5	Malays	195	0.2%
6	Veddah	2	0.0%
7	Indian Tamil	5254	4.5%
8	Indian Moors	10	0.0%
9	Pakistan Tamil	0	0.0%
10	Pakistan Moors	41	0.0%
11	Europeans	37	0.0%
12	Other - Ind - Pak	33	0.0%
13	Other Non Ind - Pak	43	0.0%
14	Unknown Race	100	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#19 DAGED: Age at Death - In days

Information	[Type= discrete] [Format=numeric] [Range= 1-29] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=3463 /-] [Invalid=112737 /-]
--------------------	-------------------------------------

Frequency table not shown (31 Modalities)

#20 DAGEM: Age at Death - In months

Information	[Type= discrete] [Format=numeric] [Range= 1-11] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=1196 /-] [Invalid=115004 /-]
--------------------	-------------------------------------

Value	Label	Cases	Percentage
1		199	16.6%
2		193	16.1%
3		152	12.7%
4		106	8.9%
5		95	7.9%
6		117	9.8%
7		89	7.4%
8		74	6.2%
9		76	6.4%

File Death_2000 (cont.)

#20 DAGEM: Age at Death - In months (cont.)

Value (cont.)	Label	Cases	Percentage
10		57	4.8%
11		38	3.2%
Sysmiss		115004	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#21 DAGEY: Age at Death - In years

Information	[Type= discrete] [Format=numeric] [Range= 1-119] [Missing=*]
Statistics [NW/ W]	[Valid=111541 /-] [Invalid=4659 /-]
Frequency table not shown (119 Modalities)	

#22 CAUSEL: Cause of Death - Three character category

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=116200 /-] [Invalid=0 /-]
Frequency table not shown (2048 Modalities)	

#23 CAUSEP: 18.Other contributions

Information		[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]	
Statistics [NW/ W]		[Valid=84948 /-] [Invalid=31252 /-]	
Value	Label	Cases	Percentage
0		6738	<div><div></div></div> 7.9%
1		1919	<div><div></div></div> 2.3%
2		6354	<div><div></div></div> 7.5%
3		5028	<div><div></div></div> 5.9%
4		1255	<div><div></div></div> 1.5%
5		320	<div><div></div></div> 0.4%
6		1077	<div><div></div></div> 1.3%
7		196	<div><div></div></div> 0.2%
8		745	<div><div></div></div> 0.9%
9		61316	<div><div></div></div> 72.2%
Sysmiss		31252	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#24 C1: C1

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=116200 /-]

File Death_2000 (cont.)

#24 C1: C1 (cont.)

Value	Label	Cases	Percentage
Sysmiss		116200	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Documentation

Reports and analytical documents.....	16
Study Documentation RGD 2000 Project.....	16
Questionnaires.....	16
Questionnaire - Registration of Death.....	16
Technical documents.....	16
Documents\Technical\Data Dictionary - Death 2000.....	16
Statistical tables.....	16

Reports and analytical documents

Study Documentation RGD 2000 Project, Sri Lanka [lka], English [eng], "Documents\Reports\Study Documentation RGD 2000 Project.pdf"

Questionnaires

Questionnaire - Registration of Death, "Documents\Questionnaire\Vital Statistics - Death2000.pdf"

Technical documents

Documents\Technical\Data Dictionary - Death 2000, "Documents\Technical\Data Dictionary of death_2000-01.pdf"

Table 3.1 : INFANT DEATHS REGISTERED BY DISTRICT, SECTOR AND SEX - 2000, "Documents\Tables\Table 3.1.pdf"

Table 3.2 : INFANT DEATHS REGISTERED BY DISTRICT, AGE AND SEX - 2000, "Documents\Tables\Table 3.2.pdf"

Table 3.3 : INFANT DEATHS REGISTERED BY DISTRICT, RACE AND SEX - 2000, "Documents\Tables\Table 3.3.pdf"

Table 3.4 : INFANT DEATHS REGISTERED BY DISTRICT, MONTH AND SEX - 2000, "Documents\Tables\Table 3.4.pdf"

Table 3.5a : INFANT DEATHS REGISTERED BY DISTRICT, RACE AND AGE, SEX (Under One Month) - 2000, "Documents\Tables\Table 3.5a.pdf"

Table 3.5b : INFANT DEATHS REGISTERED BY DISTRICT, RACE AND AGE, SEX (One Month to Under One Year) - 2000, "Documents\Tables\Table 3.5b.pdf"

Table 4.1 : DEATHS REGISTERED BY DISTRICT, SECTOR AND SEX - 2000, "Documents\Tables\Table 4.1.pdf"

Table 4.2 : DEATHS REGISTERED BY USUAL RESIDENT DISTRICT AND SEX - 2000, "Documents\Tables\Table 4.2.pdf"

Table 4.3 : DEATHS REGISTERED BY DISTRICT, AGE AND SEX - 2000, "Documents\Tables\Table 4.3.pdf"

Table 4.4 : DEATHS REGISTERED BY RACE, AGE AND SEX - 2000, "Documents\Tables\Table 4.4.pdf"

Table 4.5 : DEATHS REGISTERED BY DISTRICT, YEAR OF OCCURANCE, MONTH AND SEX - 2000, "Documents\Tables\Table 4.5.pdf"

Table 4.6 : DEATHS REGISTERED BY DISTRICT, RACE AND SEX - 2000, "Documents\Tables\Table 4.6.pdf"

Table 5 : Number of deaths according to cause by age and sex - 2000 (List 1 - ICD10), "Documents\Tables\Table 5.pdf"