

SRI LANKA

Department of Census and Statistics (DCS)

Demographic and Health Survey - 1993

Study Documentation

November 9, 2009

Metadata Production

Metadata Producer(s)	Population Census Division and Data Processing Division, Department of Census and Statistics (DCS) , Ministry of Finance and Planning , Conducting the survey
Production Date	November 27, 2008
Version	Version 1.0 (February 2008)
Identification	DDI-LKA-DCS-DHS-1993-v1.0

This document was generated using the [IHSN Microdata Management Toolkit](#)

Table of Contents

Overview	1
Scope & Coverage	1
Producers & Sponsors	2
Sampling	2
Data Collection	3
Data Processing & Appraisal	4
Accessibility	5
Rights & Disclaimer	6
Files Description	7
DHS93_HH	7
DHS93_Person	7
DHS93_Women	8
DHS93_Child	8
Variables List	9
DHS93_HH	9
DHS93_Person	14
DHS93_Women	15
DHS93_Child	43
Variables Description	51
DHS93_HH	51
DHS93_Person	89
DHS93_Women	92
DHS93_Child	291
Documentation	342

SRI LANKA (1993)
Demographic and Health Survey - 1993 (DHS 1993)

Overview	
Type	Demographic and Health Survey [hh/dhs]
Identification	LKA-DCS-DHS-1993-v1.0
Version	Production Date: 2008-02-27 v1.0 : Full edited dataset, for internal DPD use.
Series	The first comprehensive survey on fertility and family planning was conducted in 1975 by the Department of Census and Statistics (DCS). Since then the Department has conducted similar surveys in 1982, 1985, and 1987. The 1993 survey is therefore the fifth in the series. This sample survey is further intended to serve as a source of demographic data for comparison with earlier surveys, particularly with Sri Lanka Demographic and Health Survey 1987, in order to understand the demographic changes over the recent past.
<p><u>Abstract</u></p> <p>The major objective of this survey was to provide up-to-date and accurate information on fertility, contraception, child mortality, child nutrition and health status of children.</p> <p>This sample survey is further intended to serve as a source of demographic data for comparison with earlier surveys such as Sri Lanka Demographic and Health Survey 1987 (DHS87) and Sri Lanka Contraceptive Prevalence Survey 1982 (CPS82). Such comparisons help to understand the demographic changes over a period of time.</p> <p>Two types of questionnaires were used in the survey. ie (1) Household and (2) Individual.</p> <p>Source : Report on Sri Lanka Demographic and Health Survey 1993 published in 1995</p>	
Kind of Data	Sample survey data [ssd]
Unit of Analysis	(1) Household (2) Eligible women (3) Children

Scope & Coverage	
<p><u>Scope</u></p> <p>The major objective of this survey was to provide up-to-date and accurate information on fertility, contraception, child mortality, child nutrition and health status of children. This information is intended to assist policy makers planners administrators and researchers in assessing and evaluating population and health programs as well as to plan new strategies for improving the health and well being of the population.</p>	
Topics	HEALTH [8]
<p><u>Geographic Coverage</u></p> <p>The country has been stratified into nine zones on the basis of socio economic and ecological criteria for DHS87. The same zones were used without major changes. Although there are nine zones the survey was confined to seven excluding Northern and Eastern provinces; the few areas covered in Amparai district in the Eastern Province during DHS87 had to be excluded due to security reasons of the country.</p>	

Universe

The survey interviews were designed to obtain responses from all usual residents and any visitors who slept in the household the night before the interview. An eligible respondent was defined as an ever married woman aged 15 - 49 years who slept in the household the night before the interview.

Source : Report on Sri Lanka Demographic and Health Survey 1993 published in 1995

Producers & Sponsors

Primary Investigator(s)	Department of Census and Statistics (DCS), Ministry of Finance and Planning
Other Producer(s)	Health and Family Planning Project , Ministry of Health
Funding Agency/ies	IDA/World Bank , Funding

Sampling

Sampling Procedure

Sample size - 9230 households 7078 eligible women in 9007 housing units.

Selection process : The sample is a multi-stage stratified probability sample representative of the entire country excluding Northern and Eastern Provinces. The country has been stratified into nine zones on the basis of socio-economic and ecological criteria for DHS87. The same zones were used without major changes. Although there are nine zones the survey was confined to seven, excluding Northern and Eastern Provinces. The seven zones are:

- Zone 1 - Colombo Metro consisting some urban areas in Colombo and Gampaha District
- Zone 2 - Colombo feeder areas
- Zone 3 - South Western coastal low lands
- Zone 4 - Lower South Central hill country excluding Districts with a concentration of estates
- Zone 5 - South Central hill country with a concentration of estates
- Zone 6 - Irrigated dry zone with major or minor irrigation schemes
- Zone 7 - Rain-fed Dry zone

Each zone was further stratified into three strata - urban, rural and estate sectors. The number of stages of the design and the Primary Sampling Units (PSU) vary according to the sector.

In urban areas PSU is the ward and generally two census blocks have been selected per ward as the second stage unit. The selections were carried out with probability proportional to size(PPS). The number of housing units was taken as the measure of size.

The PSU's were mostly selected from a specially organized frame consisting of wards and Grama Niladhari divisions organized by zone, sector and within sector geographically. The organization provided a better basis for stratification as it is arranged on a geographical basis.

The census blocks were selected from the only frame available from 1981 Census of Population and Housing. The ever married women aged 15-49 found in the selected housing units were interviewed.

In rural areas, Grama Niladhari (GN) division was taken as PSU and generally a single village has been selected per sample GN division with PPS. As such in rural areas villages form effective PSU's. However special steps were taken to merge and divide the villages to deal with areas which are too small or too large.

Unlike the GN divisions and wards, the selection in the estate sector has to take into account the fact that many estates are very small in size to form proper units for first stage of selection. To avoid the need to group estates in the whole frame special procedure was applied to select estates depending on the relative size of the estate compared to the nearby estates.

Deviations from Sample Design

The target sample size was 6500 ever married women in the age group 15-49. This includes an over-sampling of around 500 women in five less developed areas in zones 6 and 7. The latter addition to the sample is needed to provide Policy relevant information and permit comparative analysis of these areas. In order to get that target sample, a total of 9007 housing units were selected for the survey.

Response Rate

Sample size - 9230 households 7078 eligible women in 9007 housing units.
Completed - 8918 households 6983 eligible women

Household response rate - 98.9%
Eligible women response rate - 98.7%
Overall response rate - 97.6%

Household interviews

Completed	96.6%	
other(vacant, incompetent responder, refused etc)		3.4%
Un-weighted number	9230	

Eligible women interviews

Completed	98.7%	
Other(not in, refused, partly complete etc)		1.3%
Un-weighted number	7078	

Weighting

The report on Sri Lanka Demographic and Health Survey 1993 published in 1995, Page 12 gives the details of sample weights in a table named Household and Individual Weights by Zone. A scanned copy of this table is available in the External Resource Section of this archived version.

Data Collection

Data Collection Dates	start 1993-07 end 1993-09
-----------------------	------------------------------

Data Collection Mode	Face-to-face [f2f]
----------------------	--------------------

Data Collection Notes

Data collection was carried out by ten teams each consisting of five female interviewers, one measurer and an assistant to measure and record the height and weight of children and a supervisor. The interviewers and measurers were drawn from among statistical investigators of the department attached to the field offices and

head office division.

The interviewers were trained in general interviewing techniques and field procedures. Mock interviews, practice sessions in the field were carried out.

Special lectures were held by experts on reproductive physiology, methods of contraception and anthropometric measurements of children. Interviewers were given special instructions on the items in the questionnaire to be checked before leaving the sample household. Supervisors were asked to edit filled questionnaires in the field during the evening following the interview.

Questionnaires

Household Questionnaire - listed all usual residents any visitors who slept in the household the night before the interview and some basic information was collected on the characteristics of each person listed such as age, sex, marital status, relationship to head of household. The household questionnaire was used to identify women who were eligible for the individual questionnaire.

Individual questionnaire - Administered to each eligible woman who was defined as one who is an ever married female aged between 15 - 49 who slept in the household the night before the interview. This questionnaire had eight sections such as Respondent's background, Reproduction, Contraception, Health of children, Marriage, Fertility, Husband's background, length and weight of infants.

Source : Report on Sri Lanka Demographic and Health Survey 1993 published in 1995

Data Collector(s)	Department of Census and Statistics (DCS)
-------------------	---

Supervision

Each team had a supervisor. The supervisors were either statisticians or statistical officers of the DCS. The completed questionnaires were examined by supervisors in the field. A senior officer of DCS was appointed as the coordinator to check quality control procedures and solve logistic problems.

Data Processing & Appraisal

Data Editing

Manual editing covered basic investigations such as checking of identification details, completeness of the questionnaire, coding, age and birth history, checking of certain internal consistencies, checking the information recorded in filter questions and coding of few items.

Other Processing

The data processing was done on microcomputers and the data entry and computer editing was carried out using Integrated Micro Computer Processing System (IMPS) software package developed by US Bureau of The Census. Statistical Package for Social Services (SPSS) was used to obtain tabulations.

The anthropometric indices were calculated using ANTHRO software developed by Centre for Disease Control (CDC) and World Health Organization(WHO).

Estimates of Sampling Error

The sample of women had been selected as a simple sample, it would have been possible to use straightforward formulas for calculating sampling errors. However the sample design for this survey depended on stratification, stages and clusters. The computer package CLUSTERS developed by the International Statistical Institute for the World Fertility Survey was used to assist in computing the sampling errors with the proper statistical methodology.

In general, the sampling errors are small, which implies that the results are reliable.

Other Forms of Data Appraisal

PI refer to the Source : Report on Sri Lanka Demographic and Health Survey 1993 published in 1995

Accessibility

Access Authority	Director General (Department of Census and Statistics) , http://www.statistics.gov.lk , dgcensus@sltnet.lk
Contact(s)	Information Unit (Department of Census and Statistics) , http://www.statistics.gov.lk , information@statistics.gov.lk Census Division (Department of Census and Statistics) , http://www.statistics.gov.lk , census@statistics.gov.lk

Confidentiality

Under the Statistical Ordinance, micro data cannot be released with identifications for public use. Procedures are in place to ensure that information relating to any particular individual person, household or undertaking will be kept strictly confidential and will not be divulged to external parties. Information on individual or individual Household/establishment will not be divulged or published in such a form that will facilitate the identification of any particular person or establishment as the data have been collected under the Statistical Ordinance, according to which the information at individual level cannot be divulged and such information is strictly confidential.

Access Conditions

The dataset has been anonymized and is available as a Public Use Dataset. It is accessible to all for statistical and research purposes only, under the following terms and conditions:

1. The data and other materials will not be redistributed or sold to other individuals, institutions, or organizations without the written agreement.
2. The data will be used for statistical and scientific research purposes only. They will be used solely for reporting of aggregated information, and not for investigation of specific individuals or organizations.
3. No attempt will be made to re-identify respondents, and no use will be made of the identity of any person or establishment discovered inadvertently.
4. No attempt will be made to produce links among datasets provided by the Department or among data from the Department and other datasets that could identify individuals or organizations.
5. Any books, articles, conference papers, theses, dissertations, reports, or other publications that employ data obtained from the Department will cite the source of data in accordance with the Citation Requirement provided with each dataset.
6. An electronic copy of all reports and publications based on the requested data will be sent to the Department

The following rules apply to micro data released by the Department of Census and Statistics.

- Only the requests of Government Institutions, Recognized Universities, Students, and selected international agencies are entertained. However, the Data users are required to strictly adhere to the terms stipulated in the agreement form.
- All the data requests should be made to Director General (DG) of the DCS as the sole authority of releasing data is vested with the DG of the DCS. The DCS of Sri Lanka reserves sole right to approve or reject any data request

made depending on the confidential nature of the data set and intended purpose of the study or analysis.

- Requests for micro data should be made through the agreement form designed by DCS for this purpose (Form D.R.1). The agreement form should be filled in triplicate and the Study/project proposal should accompany the filled agreement form. If requests are made for the micro data of more than one survey, a separate agreement should be signed.
- If the data request is from a student a letter from the respective Dept. Head/Dean/Supervisor, recommending the issue of data, should also be accompanied.
- If the request is approved only 25% of the data file is released at the first stage. The release of the total data file is considered only after reviewing the draft report prepared on the basis of the 25% sample data file.
- The released Data file should be used only for the specific study/Analysis mentioned in the agreement form and shall not be used for any other purpose without the prior approval of the Director General of the DCS. Moreover, Copies of the micro-data file, obtained from the DCS, shall not be given to anyone else without the prior written approval of the Director General of the DCS.
- The draft report of the Study/Analysis should be submitted to the DCS and the concurrence of the DG of the DCS, should be obtained before publishing it. Once published, a copy of the final report should be submitted to the DCS.

[Department : The Department of Census and Statistics (DCS)]

Source : http://www.statistics.gov.lk/databases/data%20dissemination/DataDissaPolicy_

Citation Requirements

Department of Census and Statistics, Sri Lanka Demographic and Health Survey 1993 [DHS 1993], Version 1.0 of the public use dataset February, 2008, provided by the National Data Archive, Data Processing Division, www.statistics.gov.lk"

Rights & Disclaimer

Disclaimer

The Department of Census and Statistics bears no responsibility for any results or interpretations arising from the secondary use of the data.

Copyright

[c] 2008, Department of Census and Statistics

Files Description

Dataset contains 4 file(s)

DHS93_HH	
# Cases	9230
# Variable(s)	184
File Structure	Type: relational Key(s): ZONE (Zone) , DIST (District) , SECTOR (Sector(Ur/Ru/Es)) , PSU (PSU(Ward/GN/Es)) , SSU (Survey Block No) , HUN (Housing Unit No) , HHNO (Household No)
<p><u>File Content</u> This data file carries data recorded in the Household schedule of the DHS93 questionnaire. The Identification section (Zone, District... Housing unit no, Household no), Interviewer visits section and a matrix of questions dealing with the people living in the household comprise this questionnaire.</p>	
<p><u>Producer</u> Data Processing Department of the Department of Census and Statistics</p>	
<p><u>Notes</u> This file corresponds to the household schedule which has three sections - Identification, Interviewer visits and a 21x8 matrix of information about the people who usually live in the household or are staying with the respondent now.</p> <p>The matrix has 24 rows. 21 rows have been included in data processing. The circled numbers in column 8 determine the eligible women in the schedule. Responses to 6 question columns (Col 2 to 7) have been filled for each person in the schedule.</p> <p>Variable names pertaining to the cells in the matrix are constructed by concatenating (1) HH from the word 'Household' (2)three/four characters to represent a particular characteristic in each of the 8 columns (such as 'AGE' to represent Age recorded in Col6, plus a number between 01 to 21 to represent the Line number which is the row number.</p> <p>eg: HHAGE012 - Name given to the variable corresponding to the cell formed by intercepting the 12th row with the AGE column in the matrix of the Household questionnaire.</p>	

DHS93_Person	
# Cases	43240
# Variable(s)	22
File Structure	Type: relational Key(s): ZONE (Zone) , DIST (District) , SECTOR (Sector(Ur/Ru/Es)) , PSU (PSU(Ward/GN/Es)) , SSU (Survey Block No) , HUN (Housing Unit No) , HHNO (Household No)
<p><u>File Content</u> This file contains information on household population such as age, sex, relationship to head of household, marital status.</p>	

Producer

Data Processing Department of the Department of Census and Statistics

DHS93_Women

Cases

7078

Variable(s)

800

File Structure

Type: relational

Key(s): ZONE (Zone) , DIST (District) , SECTOR (Sector(Ur/Ru/Es)) , PSU (PSU(Ward/GN/Es)) , SSU (Survey Block No) , HUN (Housing Unit No) , HHNO (Household No)

File Content

This data file carries data recorded in the Individual schedule of the DHS93 questionnaire. The Identification section (Zone, District... Housing unit no, Household no), Interviewer visits section, respondent's background, Reproduction, Birth history, Contraception, Marriage, Fertility preferences, Husband's background and work for each eligible women were filled in this questionnaire and the data were recorded in this file.

Producer

Data Processing Department of the Department of Census and Statistics

DHS93_Child

Cases

3924

Variable(s)

201

File Structure

Type: relational

Key(s): ZONE (Zone) , DIST (District) , SECTOR (Sector(Ur/Ru/Es)) , PSU (PSU(Ward/GN/Es)) , SSU (Survey Block No) , HUN (Housing Unit No) , HHNO (Household No)

File Content

This file contains the information about the infants, child mortality, child health, feeding patterns and the nutritional status of the children.

Producer

Data Processing Department of the Department of Census and Statistics

Variables List

Dataset contains 1207 variable(s)

File DHS93_HH							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	ZONE	Zone	continuous	numeric-2.0	9230	0	-
2	DIST	District	continuous	numeric-2.0	9230	0	-
3	SECTOR	Sector(Ur/Ru/Es)	continuous	numeric-1.0	9230	0	-
4	PSU	PSU(Ward/GN/Es)	continuous	numeric-2.0	9230	0	-
5	SSU	Survey Block No	continuous	numeric-1.0	9230	0	-
6	HUN	Housing Unit No	continuous	numeric-3.0	9230	0	-
7	HHNO	Household No	continuous	numeric-1.0	9230	0	-
8	WLN	Visit No ?	continuous	numeric-2.0	0	9230	-
9	MONTH	Final Visit Month	continuous	numeric-2.0	9230	0	-
10	YEAR	Final Visit Year	continuous	numeric-2.0	9230	0	-
11	INTR	Interviewer	continuous	numeric-2.0	9230	0	-
12	RESULT	Result Code	continuous	numeric-1.0	9230	0	-
13	VISITS	Total No of Visits	continuous	numeric-1.0	9230	0	-
14	HHWEIGHT	hhweight	continuous	numeric-7.0	9230	0	-
15	HHLNO001	Line No 01	continuous	numeric-2.0	8918	312	-
16	HHLNO002	Line No 02	continuous	numeric-2.0	8635	595	-
17	HHLNO003	Line No 03	continuous	numeric-2.0	7989	1241	-
18	HHLNO004	Line No 04	continuous	numeric-2.0	6713	2517	-
19	HHLNO005	Line No 05	continuous	numeric-2.0	4802	4428	-
20	HHLNO006	Line No 06	continuous	numeric-2.0	2862	6368	-
21	HHLNO007	Line No 07	continuous	numeric-2.0	1603	7627	-
22	HHLNO008	Line No 08	continuous	numeric-2.0	832	8398	-
23	HHLNO009	Line No 09	continuous	numeric-2.0	420	8810	-
24	HHLNO010	Line No 10	continuous	numeric-2.0	211	9019	-
25	HHLNO011	Line No 11	continuous	numeric-2.0	116	9114	-
26	HHLNO012	Line No 12	continuous	numeric-2.0	56	9174	-
27	HHLNO013	Line No 13	continuous	numeric-2.0	30	9200	-
28	HHLNO014	Line No 14	continuous	numeric-2.0	19	9211	-
29	HHLNO015	Line No 15	continuous	numeric-2.0	14	9216	-
30	HHLNO016	Line No 16	continuous	numeric-2.0	8	9222	-
31	HHLNO017	Line No 17	continuous	numeric-2.0	6	9224	-
32	HHLNO018	Line No 18	continuous	numeric-2.0	3	9227	-
33	HHLNO019	Line No 19	continuous	numeric-2.0	1	9229	-
34	HHLNO020	Line No 20	continuous	numeric-2.0	1	9229	-

Demographic and Health Survey - 1993 - Variables List

File DHS93_HH (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
35	HHLNO021	Line No 21	continuous	numeric-2.0	1	9229	-
36	HHREL001	Rel-ship to Head of H/hold 01	continuous	numeric-2.0	8918	312	-
37	HHREL002	Rel-ship to Head of H/hold 02	continuous	numeric-2.0	8635	595	-
38	HHREL003	Rel-ship to Head of H/hold 03	continuous	numeric-2.0	7989	1241	-
39	HHREL004	Rel-ship to Head of H/hold 04	continuous	numeric-2.0	6713	2517	-
40	HHREL005	Rel-ship to Head of H/hold 05	continuous	numeric-2.0	4802	4428	-
41	HHREL006	Rel-ship to Head of H/hold 06	continuous	numeric-2.0	2862	6368	-
42	HHREL007	Rel-ship to Head of H/hold 07	continuous	numeric-2.0	1603	7627	-
43	HHREL008	Rel-ship to Head of H/hold 08	continuous	numeric-2.0	832	8398	-
44	HHREL009	Rel-ship to Head of H/hold 09	continuous	numeric-2.0	420	8810	-
45	HHREL010	Rel-ship to Head of H/hold 10	continuous	numeric-2.0	211	9019	-
46	HHREL011	Rel-ship to Head of H/hold 11	continuous	numeric-2.0	116	9114	-
47	HHREL012	Rel-ship to Head of H/hold 12	continuous	numeric-2.0	56	9174	-
48	HHREL013	Rel-ship to Head of H/hold 13	continuous	numeric-2.0	30	9200	-
49	HHREL014	Rel-ship to Head of H/hold 14	continuous	numeric-2.0	19	9211	-
50	HHREL015	Rel-ship to Head of H/hold 15	continuous	numeric-2.0	14	9216	-
51	HHREL016	Rel-ship to Head of H/hold 16	continuous	numeric-2.0	8	9222	-
52	HHREL017	Rel-ship to Head of H/hold 17	continuous	numeric-2.0	6	9224	-
53	HHREL018	Rel-ship to Head of H/hold 18	continuous	numeric-2.0	3	9227	-
54	HHREL019	Rel-ship to Head of H/hold 19	continuous	numeric-2.0	1	9229	-
55	HHREL020	Rel-ship to Head of H/hold 20	continuous	numeric-2.0	1	9229	-
56	HHREL021	Rel-ship to Head of H/hold 21	continuous	numeric-2.0	1	9229	-
57	HHRES101	Person usually lives 01	continuous	numeric-1.0	8918	312	-
58	HHRES102	Person usually lives 02	continuous	numeric-1.0	8635	595	-

Demographic and Health Survey - 1993 - Variables List

File DHS93_HH (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
59	HHRES103	Person usually lives 03	continuous	numeric-1.0	7989	1241	-
60	HHRES104	Person usually lives 04	continuous	numeric-1.0	6713	2517	-
61	HHRES105	Person usually lives 05	continuous	numeric-1.0	4802	4428	-
62	HHRES106	Person usually lives 06	continuous	numeric-1.0	2862	6368	-
63	HHRES107	Person usually lives 07	continuous	numeric-1.0	1603	7627	-
64	HHRES108	Person usually lives 08	continuous	numeric-1.0	832	8398	-
65	HHRES109	Person usually lives 09	continuous	numeric-1.0	420	8810	-
66	HHRES110	Person usually lives 10	continuous	numeric-1.0	211	9019	-
67	HHRES111	Person usually lives 11	continuous	numeric-1.0	116	9114	-
68	HHRES112	Person usually lives 12	continuous	numeric-1.0	56	9174	-
69	HHRES113	Person usually lives 13	continuous	numeric-1.0	30	9200	-
70	HHRES114	Person usually lives 14	continuous	numeric-1.0	19	9211	-
71	HHRES115	Person usually lives 15	continuous	numeric-1.0	14	9216	-
72	HHRES116	Person usually lives 16	continuous	numeric-1.0	8	9222	-
73	HHRES117	Person usually lives 17	continuous	numeric-1.0	6	9224	-
74	HHRES118	Person usually lives 18	continuous	numeric-1.0	3	9227	-
75	HHRES119	Person usually lives 19	continuous	numeric-1.0	1	9229	-
76	HHRES120	Person usually lives 20	continuous	numeric-1.0	1	9229	-
77	HHRES121	Person usually lives 21	continuous	numeric-1.0	1	9229	-
78	HHRES201	Person slept last night 01	continuous	numeric-1.0	8918	312	-
79	HHRES202	Person slept last night 02	continuous	numeric-1.0	8635	595	-
80	HHRES203	Person slept last night 03	continuous	numeric-1.0	7989	1241	-
81	HHRES204	Person slept last night 04	continuous	numeric-1.0	6713	2517	-
82	HHRES205	Person slept last night 05	continuous	numeric-1.0	4802	4428	-
83	HHRES206	Person slept last night 06	continuous	numeric-1.0	2862	6368	-
84	HHRES207	Person slept last night 07	continuous	numeric-1.0	1603	7627	-
85	HHRES208	Person slept last night 08	continuous	numeric-1.0	832	8398	-
86	HHRES209	Person slept last night 09	continuous	numeric-1.0	420	8810	-
87	HHRES210	Person slept last night 10	continuous	numeric-1.0	211	9019	-
88	HHRES211	Person slept last night 11	continuous	numeric-1.0	116	9114	-
89	HHRES212	Person slept last night 12	continuous	numeric-1.0	56	9174	-
90	HHRES213	Person slept last night 13	continuous	numeric-1.0	30	9200	-
91	HHRES214	Person slept last night 14	continuous	numeric-1.0	19	9211	-
92	HHRES215	Person slept last night 15	continuous	numeric-1.0	14	9216	-
93	HHRES216	Person slept last night 16	continuous	numeric-1.0	8	9222	-
94	HHRES217	Person slept last night 17	continuous	numeric-1.0	6	9224	-
95	HHRES218	Person slept last night 18	continuous	numeric-1.0	3	9227	-

Demographic and Health Survey - 1993 - Variables List

File DHS93_HH (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
96	HHRES219	Person slept last night 19	continuous	numeric-1.0	1	9229	-
97	HHRES220	Person slept last night 20	continuous	numeric-1.0	1	9229	-
98	HHRES221	Person slept last night 21	continuous	numeric-1.0	1	9229	-
99	HHSEX001	Sex 01	continuous	numeric-1.0	8918	312	-
100	HHSEX002	Sex 02	continuous	numeric-1.0	8635	595	-
101	HHSEX003	Sex 03	continuous	numeric-1.0	7989	1241	-
102	HHSEX004	Sex 04	continuous	numeric-1.0	6713	2517	-
103	HHSEX005	Sex 05	continuous	numeric-1.0	4802	4428	-
104	HHSEX006	Sex 06	continuous	numeric-1.0	2862	6368	-
105	HHSEX007	Sex 07	continuous	numeric-1.0	1603	7627	-
106	HHSEX008	Sex 08	continuous	numeric-1.0	832	8398	-
107	HHSEX009	Sex 09	continuous	numeric-1.0	420	8810	-
108	HHSEX010	Sex 10	continuous	numeric-1.0	211	9019	-
109	HHSEX011	Sex 12	continuous	numeric-1.0	116	9114	-
110	HHSEX012	Sex 13	continuous	numeric-1.0	56	9174	-
111	HHSEX013	Sex 14	continuous	numeric-1.0	30	9200	-
112	HHSEX014	Sex 15	continuous	numeric-1.0	19	9211	-
113	HHSEX015	Sex 16	continuous	numeric-1.0	14	9216	-
114	HHSEX016	Sex 17	continuous	numeric-1.0	8	9222	-
115	HHSEX017	Sex 18	continuous	numeric-1.0	6	9224	-
116	HHSEX018	Sex 19	continuous	numeric-1.0	3	9227	-
117	HHSEX019	Sex 20	continuous	numeric-1.0	1	9229	-
118	HHSEX020	Sex 21	continuous	numeric-1.0	1	9229	-
119	HHSEX021	Sex 22	continuous	numeric-1.0	1	9229	-
120	HHAGE001	Age 01	continuous	numeric-2.0	8918	312	-
121	HHAGE002	Age 02	continuous	numeric-2.0	8635	595	-
122	HHAGE003	Age 03	continuous	numeric-2.0	7989	1241	-
123	HHAGE004	Age 04	continuous	numeric-2.0	6713	2517	-
124	HHAGE005	Age 05	continuous	numeric-2.0	4802	4428	-
125	HHAGE006	Age 06	continuous	numeric-2.0	2862	6368	-
126	HHAGE007	Age 07	continuous	numeric-2.0	1603	7627	-
127	HHAGE008	Age 08	continuous	numeric-2.0	832	8398	-
128	HHAGE009	Age 09	continuous	numeric-2.0	420	8810	-
129	HHAGE010	Age 10	continuous	numeric-2.0	211	9019	-
130	HHAGE011	Age 11	continuous	numeric-2.0	116	9114	-
131	HHAGE012	Age 12	continuous	numeric-2.0	56	9174	-
132	HHAGE013	Age 13	continuous	numeric-2.0	30	9200	-

Demographic and Health Survey - 1993 - Variables List

File DHS93_HH (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
133	HHAGE014	Age 14	continuous	numeric-2.0	19	9211	-
134	HHAGE015	Age 15	continuous	numeric-2.0	14	9216	-
135	HHAGE016	Age 16	continuous	numeric-2.0	8	9222	-
136	HHAGE017	Age 17	continuous	numeric-2.0	6	9224	-
137	HHAGE018	Age 18	continuous	numeric-2.0	3	9227	-
138	HHAGE019	Age 19	continuous	numeric-2.0	1	9229	-
139	HHAGE020	Age 20	continuous	numeric-2.0	1	9229	-
140	HHAGE021	Age 21	continuous	numeric-2.0	1	9229	-
141	HHMAR001	Marital Status 01	continuous	numeric-1.0	8918	312	-
142	HHMAR002	Marital Status 02	continuous	numeric-1.0	8635	595	-
143	HHMAR003	Marital Status 03	continuous	numeric-1.0	7989	1241	-
144	HHMAR004	Marital Status 04	continuous	numeric-1.0	6713	2517	-
145	HHMAR005	Marital Status 05	continuous	numeric-1.0	4802	4428	-
146	HHMAR006	Marital Status 06	continuous	numeric-1.0	2862	6368	-
147	HHMAR007	Marital Status 07	continuous	numeric-1.0	1603	7627	-
148	HHMAR008	Marital Status 08	continuous	numeric-1.0	832	8398	-
149	HHMAR009	Marital Status 09	continuous	numeric-1.0	420	8810	-
150	HHMAR010	Marital Status 10	continuous	numeric-1.0	211	9019	-
151	HHMAR011	Marital Status 11	continuous	numeric-1.0	116	9114	-
152	HHMAR012	Marital Status 12	continuous	numeric-1.0	56	9174	-
153	HHMAR013	Marital Status 13	continuous	numeric-1.0	30	9200	-
154	HHMAR014	Marital Status 14	continuous	numeric-1.0	19	9211	-
155	HHMAR015	Marital Status 15	continuous	numeric-1.0	14	9216	-
156	HHMAR016	Marital Status 16	continuous	numeric-1.0	8	9222	-
157	HHMAR017	Marital Status 17	continuous	numeric-1.0	6	9224	-
158	HHMAR018	Marital Status 18	continuous	numeric-1.0	3	9227	-
159	HHMAR019	Marital Status 19	continuous	numeric-1.0	1	9229	-
160	HHMAR020	Marital Status 20	continuous	numeric-1.0	1	9229	-
161	HHMAR021	Marital Status 21	continuous	numeric-1.0	1	9229	-
162	HHELIG01	Eligibility 01	continuous	numeric-2.0	604	8626	-
163	HHELIG02	Eligibility 02	continuous	numeric-2.0	4615	4615	-
164	HHELIG03	Eligibility 03	continuous	numeric-2.0	703	8527	-
165	HHELIG04	Eligibility 04	continuous	numeric-2.0	470	8760	-
166	HHELIG05	Eligibility 05	continuous	numeric-2.0	227	9003	-
167	HHELIG06	Eligibility 06	continuous	numeric-2.0	160	9070	-
168	HHELIG07	Eligibility 07	continuous	numeric-2.0	150	9080	-
169	HHELIG08	Eligibility 08	continuous	numeric-2.0	73	9157	-

Demographic and Health Survey - 1993 - Variables List

File DHS93_HH (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
170	HHELIG09	Eligibility 09	continuous	numeric-2.0	37	9193	-
171	HHELIG10	Eligibility 10	continuous	numeric-2.0	14	9216	-
172	HHELIG11	Eligibility 11	continuous	numeric-2.0	8	9222	-
173	HHELIG12	Eligibility 12	continuous	numeric-2.0	7	9223	-
174	HHELIG13	Eligibility 13	continuous	numeric-2.0	1	9229	-
175	HHELIG14	Eligibility 14	continuous	numeric-2.0	1	9229	-
176	HHELIG15	Eligibility 15	continuous	numeric-2.0	4	9226	-
177	HHELIG16	Eligibility 16	continuous	numeric-2.0	2	9228	-
178	HHELIG17	Eligibility 17	continuous	numeric-2.0	2	9228	-
179	HHELIG18	Eligibility 18	continuous	numeric-2.0	0	9230	-
180	HHELIG19	Eligibility 19	continuous	numeric-2.0	0	9230	-
181	HHELIG20	Eligibility 20	continuous	numeric-2.0	0	9230	-
182	HHELIG21	Eligibility 21	continuous	numeric-2.0	0	9230	-
183	USUALRES	No of Usual Residents ?	continuous	numeric-2.0	9230	0	-
184	TOTALPER	Total Eligible Persons	continuous	numeric-2.0	9230	0	-

File DHS93_Person							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	ZONE	Zone	continuous	numeric-2.0	43240	0	-
2	DIST	District	continuous	numeric-2.0	43240	0	-
3	SECTOR	Sector(Ur/Ru/Es)	continuous	numeric-1.0	43240	0	-
4	PSU	PSU(Ward/GN/Es)	continuous	numeric-2.0	43240	0	-
5	SSU	Survey Block No	continuous	numeric-1.0	43240	0	-
6	HUN	Housing Unit No	continuous	numeric-3.0	43240	0	-
7	HHNO	Household No	continuous	numeric-1.0	43240	0	-
8	WIN	Visit No ?	continuous	numeric-2.0	0	43240	-
9	MONTH	Final Visit Month	continuous	numeric-2.0	43240	0	-
10	YEAR	Final Visit Year	continuous	numeric-2.0	43240	0	-
11	INU	Interviewer ?	continuous	numeric-2.0	43240	0	-
12	RESULT	Result Code	continuous	numeric-1.0	43240	0	-
13	VISITS	Total No of Visits	continuous	numeric-1.0	43240	0	-
14	HHWEIGHT	HHweight	continuous	numeric-7.0	43240	0	-
15	LNO	Line No	continuous	numeric-2.0	43240	0	-
16	REL	Rel-ship to Head of H/hold	continuous	numeric-2.0	43240	0	-
17	RES1	Person usually lives	continuous	numeric-1.0	43240	0	-
18	RES2	Person slept last night	continuous	numeric-1.0	43240	0	-

Demographic and Health Survey - 1993 - Variables List

File DHS93_Person (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
19	SEX	Sex	continuous	numeric-1.0	43240	0	-
20	AGE	Age	continuous	numeric-2.0	43240	0	-
21	MAR	Marital Status	continuous	numeric-1.0	43240	0	-
22	ELIGNO	Eligibility	continuous	numeric-2.0	7078	36162	-

File DHS93_Women							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	ZONE	Zone	continuous	numeric-2.0	7078	0	-
2	DIST	District	continuous	numeric-2.0	7078	0	-
3	SECTOR	Sector(Ur/Ru/Es)	continuous	numeric-1.0	7078	0	-
4	PSU	PSU(Ward/GN/Es)	continuous	numeric-2.0	7078	0	-
5	SSU	Survey Block No	continuous	numeric-1.0	7078	0	-
6	HUN	Housing Unit No	continuous	numeric-3.0	7078	0	-
7	HHNO	Household No	continuous	numeric-1.0	7078	0	-
8	WLNO	Visit No ?	continuous	numeric-2.0	7078	0	-
9	MOINT	Month of Interview	continuous	numeric-2.0	7078	0	-
10	YRINT	Year of Interview	continuous	numeric-2.0	7078	0	-
11	INTERVR	Interviewer	continuous	numeric-2.0	7078	0	-
12	RESULT	Result Code	continuous	numeric-1.0	7078	0	-
13	VISITS	Total No. of Visits	continuous	numeric-1.0	7078	0	-
14	Q101	No. of Persons in the Household	continuous	numeric-2.0	6983	95	-
15	Q102	No. of Children <= 5 Listed and Live in the Household	continuous	numeric-2.0	6983	95	-
16	Q103H	Interview Time HH	continuous	numeric-2.0	6983	95	-
17	Q103M	Interview Time MM	continuous	numeric-2.0	6983	95	-
18	Q104	Where Lived	continuous	numeric-1.0	6983	95	-
19	Q105	Duration of Where Lived	continuous	numeric-2.0	6983	95	-
20	Q106M	Birth Month	continuous	numeric-2.0	6983	95	-
21	Q106Y	Birth Year	continuous	numeric-2.0	6983	95	-
22	Q107	Age at Last Birth Day	continuous	numeric-2.0	6983	95	-
23	Q108	Attended School	continuous	numeric-1.0	6983	95	-
24	Q109C	Highest Level in School	continuous	numeric-1.0	6308	770	-
25	Q109U	Highest Grade in School	continuous	numeric-2.0	6308	770	-
26	Q110	Highest Exam Passed	continuous	numeric-1.0	4401	2677	-
27	Q112	Ability to Read a Newspaper	continuous	numeric-1.0	2582	4496	-
28	Q113	Frequency of Reading	continuous	numeric-1.0	1555	5523	-

Demographic and Health Survey - 1993 - Variables List

File DHS93_Women (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
		Newspaper					
29	Q114	Frequency of Watching TV	continuous	numeric-1.0	6983	95	-
30	Q115	Frequency of Listening to Radio	continuous	numeric-1.0	6983	95	-
31	Q116	With Whom to Consult Health	continuous	numeric-1.0	6983	95	-
32	Q117	Major Source of Drinking Water	continuous	numeric-2.0	6983	95	-
33	Q118	Use Boiled Water	continuous	numeric-1.0	6983	95	-
34	Q119	Toilet Facility	continuous	numeric-1.0	6983	95	-
35	Q120	Exclusive Toilet/Shared with Others	continuous	numeric-1.0	6013	1065	-
36	Q121	Wash Hands after Use of Toilet	continuous	numeric-1.0	6983	95	-
37	Q122A	Have Electricity in the House	continuous	numeric-1.0	6983	95	-
38	Q122B	Have Radio in the House	continuous	numeric-1.0	6983	95	-
39	Q122C	Have TV in the House	continuous	numeric-1.0	6983	95	-
40	Q122D	Have Refrigerator in the House	continuous	numeric-1.0	6983	95	-
41	Q122E	Have a Bicycle in the House	continuous	numeric-1.0	6983	95	-
42	Q122F	Have a Motor Bike in the House	continuous	numeric-1.0	6983	95	-
43	Q122G	Have a Car in the House	continuous	numeric-1.0	6983	95	-
44	Q122H	Have a Van in the House	continuous	numeric-1.0	6983	95	-
45	Q122I	Have a Tractor in the House	continuous	numeric-1.0	6983	95	-
46	Q123	Floor Material	continuous	numeric-1.0	6983	95	-
47	Q124	Roof Material	continuous	numeric-1.0	6983	95	-
48	Q125	Wall Material	continuous	numeric-1.0	6983	95	-
49	Q126	Religious Group	continuous	numeric-1.0	6983	95	-
50	Q127	Ethnicity	continuous	numeric-1.0	6983	95	-
51	Q201	Ever Given Birth	continuous	numeric-1.0	6983	95	-
52	Q202	Have a Son or Daughter Living Here	continuous	numeric-1.0	6361	717	-
53	Q203S	No of Sons Living At Home	continuous	numeric-2.0	6245	833	-
54	Q203D	No of Daughters Living At Home	continuous	numeric-2.0	6245	833	-
55	Q204	Have a Son or Daughter not Living Here	continuous	numeric-1.0	6361	717	-
56	Q205S	Sons Living Elsewhere	continuous	numeric-2.0	1088	5990	-

Demographic and Health Survey - 1993 - Variables List

File DHS93_Women (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
57	Q205D	Daughters Living Elsewhere	continuous	numeric-2.0	1088	5990	-
58	Q206	Any Boy or a Girl Gave Birth to but later Died	continuous	numeric-1.0	6983	95	-
59	Q207B	No of Boys Died	continuous	numeric-2.0	830	6248	-
60	Q207G	No of Girls Died	continuous	numeric-2.0	830	6248	-
61	Q208	Total no of Live Births	continuous	numeric-2.0	6983	95	-
62	V801	Type of sector	continuous	numeric-1.0	6983	95	-
63	V802	Zones	continuous	numeric-1.0	6983	95	-
64	V808	Educational level	continuous	numeric-1.0	6983	95	-
65	V012	Age in 5 year age groups	continuous	numeric-1.0	6983	95	-
66	V013	Age < 30 or 30+	continuous	numeric-1.0	6983	95	-
67	V208	Births in last 5 years	continuous	numeric-1.0	6983	95	-
68	V209	Number of births in last year	continuous	numeric-1.0	6983	95	-
69	V210M	Month of 1st birth	continuous	numeric-2.0	6361	717	-
70	V210Y	Year of 1st birth	continuous	numeric-2.0	6361	717	-
71	V212	Age at 1st birth	continuous	numeric-2.0	6361	717	-
72	V213	Age at 1st birth grouped	continuous	numeric-1.0	6983	95	-
73	V214	Currently pregnant	continuous	numeric-1.0	6983	95	-
74	V217	Menstruation in last 8 weeks	continuous	numeric-1.0	6983	95	-
75	V219A	Number of living children	continuous	numeric-2.0	6983	95	-
76	V219A6	Living children grouped (6)	continuous	numeric-1.0	6983	95	-
77	V219A4	Living children grouped (4)	continuous	numeric-1.0	6983	95	-
78	V220A	Number of living Children + Current Preg	continuous	numeric-2.0	6983	95	-
79	V220A6	Living Children + Current Preg grouped (6)	continuous	numeric-1.0	6983	95	-
80	V220A4	Living Children + Current Preg grouped (4)	continuous	numeric-1.0	6983	95	-
81	V501	Marital Status	continuous	numeric-1.0	6983	95	-
82	V502	Current Marital Status	continuous	numeric-1.0	6983	95	-
83	V509	Age at 1st marriage	continuous	numeric-2.0	6983	95	-
84	V510	Age at 1st Marriage grouped	continuous	numeric-1.0	6983	95	-
85	V404	Currently breastfeeding	continuous	numeric-1.0	6983	95	-
86	V512	Marital Duration	continuous	numeric-2.0	6983	95	-
87	V512A	Marital duration grouped	continuous	numeric-1.0	6983	95	-
88	WCMC	Womans CMC of birth	continuous	numeric-4.0	6983	95	-

Demographic and Health Survey - 1993 - Variables List

File DHS93_Women (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
89	CMINTV	Century month of interview	continuous	numeric-4.0	6983	95	-
90	RWEIGHT	Respondants sample weight	continuous	numeric-7.0	6983	95	-
91	STRCMC	Century month of sterilization	continuous	numeric-4.0	1910	5168	-
92	MIARCMC	Century month of marriage	continuous	numeric-4.0	6983	95	-
93	LACHIAGE	Age of last child	continuous	numeric-2.0	6983	95	-
94	Q2120001	Birth Line No 01	continuous	numeric-2.0	6361	717	-
95	Q2120002	Birth Line No 02	continuous	numeric-2.0	5030	2048	-
96	Q2120003	Birth Line No 03	continuous	numeric-2.0	3383	3695	-
97	Q2120004	Birth Line No 04	continuous	numeric-2.0	1922	5156	-
98	Q2120005	Birth Line No 05	continuous	numeric-2.0	1007	6071	-
99	Q2120006	Birth Line No 06	continuous	numeric-2.0	487	6591	-
100	Q2120007	Birth Line No 07	continuous	numeric-2.0	255	6823	-
101	Q2120008	Birth Line No 08	continuous	numeric-2.0	129	6949	-
102	Q2120009	Birth Line No 09	continuous	numeric-2.0	66	7012	-
103	Q2120010	Birth Line No 10	continuous	numeric-2.0	37	7041	-
104	Q2120011	Birth Line No 11	continuous	numeric-2.0	17	7061	-
105	Q2120012	Birth Line No 12	continuous	numeric-2.0	6	7072	-
106	Q2120013	Birth Line No 13	continuous	numeric-2.0	1	7077	-
107	Q212A001	Single/Multiple Birth for 01	continuous	numeric-1.0	6361	717	-
108	Q212A002	Single/Multiple Birth for 02	continuous	numeric-1.0	5030	2048	-
109	Q212A003	Single/Multiple Birth for 03	continuous	numeric-1.0	3383	3695	-
110	Q212A004	Single/Multiple Birth for 04	continuous	numeric-1.0	1922	5156	-
111	Q212A005	Single/Multiple Birth for 05	continuous	numeric-1.0	1007	6071	-
112	Q212A006	Single/Multiple Birth for 06	continuous	numeric-1.0	487	6591	-
113	Q212A007	Single/Multiple Birth for 07	continuous	numeric-1.0	255	6823	-
114	Q212A008	Single/Multiple Birth for 08	continuous	numeric-1.0	129	6949	-
115	Q212A009	Single/Multiple Birth for 09	continuous	numeric-1.0	66	7012	-
116	Q212A010	Single/Multiple Birth for 10	continuous	numeric-1.0	37	7041	-
117	Q212A011	Single/Multiple Birth for 11	continuous	numeric-1.0	17	7061	-
118	Q212A012	Single/Multiple Birth for 12	continuous	numeric-1.0	6	7072	-
119	Q212A013	Single/Multiple Birth for 13	continuous	numeric-1.0	1	7077	-
120	Q2130001	Boy/Girl for 01	continuous	numeric-1.0	6361	717	-
121	Q2130002	Boy/Girl for 02	continuous	numeric-1.0	5030	2048	-
122	Q2130003	Boy/Girl for 03	continuous	numeric-1.0	3383	3695	-
123	Q2130004	Boy/Girl for 04	continuous	numeric-1.0	1922	5156	-
124	Q2130005	Boy/Girl for 05	continuous	numeric-1.0	1007	6071	-

Demographic and Health Survey - 1993 - Variables List

File DHS93_Women (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
125	Q2130006	Boy/Girl for 06	continuous	numeric-1.0	487	6591	-
126	Q2130007	Boy/Girl for 07	continuous	numeric-1.0	255	6823	-
127	Q2130008	Boy/Girl for 08	continuous	numeric-1.0	129	6949	-
128	Q2130009	Boy/Girl for 09	continuous	numeric-1.0	66	7012	-
129	Q2130010	Boy/Girl for 10	continuous	numeric-1.0	37	7041	-
130	Q2130011	Boy/Girl for 11	continuous	numeric-1.0	17	7061	-
131	Q2130012	Boy/Girl for 12	continuous	numeric-1.0	6	7072	-
132	Q2130013	Boy/Girl for 13	continuous	numeric-1.0	1	7077	-
133	Q214M001	Birth Month of Boy/Grl for 01	continuous	numeric-2.0	6361	717	-
134	Q214M002	Birth Month of Boy/Grl for 02	continuous	numeric-2.0	5030	2048	-
135	Q214M003	Birth Month of Boy/Grl for 03	continuous	numeric-2.0	3383	3695	-
136	Q214M004	Birth Month of Boy/Grl for 04	continuous	numeric-2.0	1922	5156	-
137	Q214M005	Birth Month of Boy/Grl for 05	continuous	numeric-2.0	1007	6071	-
138	Q214M006	Birth Month of Boy/Grl for 06	continuous	numeric-2.0	487	6591	-
139	Q214M007	Birth Month of Boy/Grl for 07	continuous	numeric-2.0	255	6823	-
140	Q214M008	Birth Month of Boy/Grl for 08	continuous	numeric-2.0	129	6949	-
141	Q214M009	Birth Month of Boy/Grl for 09	continuous	numeric-2.0	66	7012	-
142	Q214M010	Birth Month of Boy/Grl for 10	continuous	numeric-2.0	37	7041	-
143	Q214M011	Birth Month of Boy/Grl for 11	continuous	numeric-2.0	17	7061	-
144	Q214M012	Birth Month of Boy/Grl for 12	continuous	numeric-2.0	6	7072	-
145	Q214M013	Birth Month of Boy/Grl for 13	continuous	numeric-2.0	1	7077	-
146	Q214Y001	Birth Year of Boy/Grl for 01	continuous	numeric-2.0	6361	717	-
147	Q214Y002	Birth Year of Boy/Grl for 02	continuous	numeric-2.0	5030	2048	-
148	Q214Y003	Birth Year of Boy/Grl for 03	continuous	numeric-2.0	3383	3695	-
149	Q214Y004	Birth Year of Boy/Grl for 04	continuous	numeric-2.0	1922	5156	-
150	Q214Y005	Birth Year of Boy/Grl for 05	continuous	numeric-2.0	1007	6071	-

Demographic and Health Survey - 1993 - Variables List

File DHS93_Women (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
151	Q214Y006	Birth Year of Boy/Grl for 06	continuous	numeric-2.0	487	6591	-
152	Q214Y007	Birth Year of Boy/Grl for 07	continuous	numeric-2.0	255	6823	-
153	Q214Y008	Birth Year of Boy/Grl for 08	continuous	numeric-2.0	129	6949	-
154	Q214Y009	Birth Year of Boy/Grl for 09	continuous	numeric-2.0	66	7012	-
155	Q214Y010	Birth Year of Boy/Grl for 10	continuous	numeric-2.0	37	7041	-
156	Q214Y011	Birth Year of Boy/Grl for 11	continuous	numeric-2.0	17	7061	-
157	Q214Y012	Birth Year of Boy/Grl for 12	continuous	numeric-2.0	6	7072	-
158	Q214Y013	Birth Year of Boy/Grl for 13	continuous	numeric-2.0	1	7077	-
159	Q2150001	Still Alive 01	continuous	numeric-1.0	6361	717	-
160	Q2150002	Still Alive 02	continuous	numeric-1.0	5030	2048	-
161	Q2150003	Still Alive 03	continuous	numeric-1.0	3383	3695	-
162	Q2150004	Still Alive 04	continuous	numeric-1.0	1922	5156	-
163	Q2150005	Still Alive 05	continuous	numeric-1.0	1007	6071	-
164	Q2150006	Still Alive 06	continuous	numeric-1.0	487	6591	-
165	Q2150007	Still Alive 07	continuous	numeric-1.0	255	6823	-
166	Q2150008	Still Alive 08	continuous	numeric-1.0	129	6949	-
167	Q2150009	Still Alive 09	continuous	numeric-1.0	66	7012	-
168	Q2150010	Still Alive 10	continuous	numeric-1.0	37	7041	-
169	Q2150011	Still Alive 11	continuous	numeric-1.0	17	7061	-
170	Q2150012	Still Alive 12	continuous	numeric-1.0	6	7072	-
171	Q2150013	Still Alive 13	continuous	numeric-1.0	1	7077	-
172	Q216C001	Age at Death MM 01	continuous	numeric-1.0	369	6709	-
173	Q216C002	Age at Death MM 02	continuous	numeric-1.0	257	6821	-
174	Q216C003	Age at Death MM 03	continuous	numeric-1.0	171	6907	-
175	Q216C004	Age at Death MM 04	continuous	numeric-1.0	119	6959	-
176	Q216C005	Age at Death MM 05	continuous	numeric-1.0	56	7022	-
177	Q216C006	Age at Death MM 06	continuous	numeric-1.0	40	7038	-
178	Q216C007	Age at Death MM 07	continuous	numeric-1.0	17	7061	-
179	Q216C008	Age at Death MM 08	continuous	numeric-1.0	6	7072	-
180	Q216C009	Age at Death MM 09	continuous	numeric-1.0	6	7072	-
181	Q216C010	Age at Death MM 10	continuous	numeric-1.0	1	7077	-
182	Q216C011	Age at Death MM 11	continuous	numeric-1.0	0	7078	-

Demographic and Health Survey - 1993 - Variables List

File DHS93_Women (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
183	Q216C012	Age at Death MM 12	continuous	numeric-1.0	0	7078	-
184	Q216C013	Age at Death MM 13	continuous	numeric-1.0	0	7078	-
185	Q216U001	Age at Death YY 01	continuous	numeric-2.0	369	6709	-
186	Q216U002	Age at Death YY 02	continuous	numeric-2.0	257	6821	-
187	Q216U003	Age at Death YY 03	continuous	numeric-2.0	171	6907	-
188	Q216U004	Age at Death YY 04	continuous	numeric-2.0	119	6959	-
189	Q216U005	Age at Death YY 05	continuous	numeric-2.0	56	7022	-
190	Q216U006	Age at Death YY 06	continuous	numeric-2.0	40	7038	-
191	Q216U007	Age at Death YY 07	continuous	numeric-2.0	17	7061	-
192	Q216U008	Age at Death YY 08	continuous	numeric-2.0	6	7072	-
193	Q216U009	Age at Death YY 09	continuous	numeric-2.0	6	7072	-
194	Q216U010	Age at Death YY 10	continuous	numeric-2.0	1	7077	-
195	Q216U011	Age at Death YY 11	continuous	numeric-2.0	0	7078	-
196	Q216U012	Age at Death YY 12	continuous	numeric-2.0	0	7078	-
197	Q216U013	Age at Death YY 13	continuous	numeric-2.0	0	7078	-
198	Q2170001	Age Now 01	continuous	numeric-2.0	5992	1086	-
199	Q2170002	Age Now 02	continuous	numeric-2.0	4773	2305	-
200	Q2170003	Age Now 03	continuous	numeric-2.0	3212	3866	-
201	Q2170004	Age Now 04	continuous	numeric-2.0	1803	5275	-
202	Q2170005	Age Now 05	continuous	numeric-2.0	951	6127	-
203	Q2170006	Age Now 06	continuous	numeric-2.0	447	6631	-
204	Q2170007	Age Now 07	continuous	numeric-2.0	238	6840	-
205	Q2170008	Age Now 08	continuous	numeric-2.0	123	6955	-
206	Q2170009	Age Now 09	continuous	numeric-2.0	60	7018	-
207	Q2170010	Age Now 10	continuous	numeric-2.0	36	7042	-
208	Q2170011	Age Now 11	continuous	numeric-2.0	17	7061	-
209	Q2170012	Age Now 12	continuous	numeric-2.0	6	7072	-
210	Q2170013	Age Now 13	continuous	numeric-2.0	1	7077	-
211	Q2180001	Living With Respondnt 01	continuous	numeric-1.0	5992	1086	-
212	Q2180002	Living With Respondnt 02	continuous	numeric-1.0	4773	2305	-
213	Q2180003	Living With Respondnt 03	continuous	numeric-1.0	3212	3866	-
214	Q2180004	Living With Respondnt 04	continuous	numeric-1.0	1803	5275	-
215	Q2180005	Living With Respondnt 05	continuous	numeric-1.0	951	6127	-
216	Q2180006	Living With Respondnt 06	continuous	numeric-1.0	447	6631	-
217	Q2180007	Living With Respondnt 07	continuous	numeric-1.0	238	6840	-
218	Q2180008	Living With Respondnt 08	continuous	numeric-1.0	123	6955	-
219	Q2180009	Living With Respondnt 09	continuous	numeric-1.0	60	7018	-

Demographic and Health Survey - 1993 - Variables List

File DHS93_Women (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
220	Q2180010	Living With Respondnt 10	continuous	numeric-1.0	36	7042	-
221	Q2180011	Living With Respondnt 11	continuous	numeric-1.0	17	7061	-
222	Q2180012	Living With Respondnt 12	continuous	numeric-1.0	6	7072	-
223	Q2180013	Living With Respondnt 13	continuous	numeric-1.0	1	7077	-
224	CICMC001	CiCMC001	continuous	numeric-4.0	6361	717	-
225	CICMC002	CiCMC002	continuous	numeric-4.0	5030	2048	-
226	CICMC003	CiCMC003	continuous	numeric-4.0	3383	3695	-
227	CICMC004	CiCMC004	continuous	numeric-4.0	1922	5156	-
228	CICMC005	CiCMC005	continuous	numeric-4.0	1007	6071	-
229	CICMC006	CiCMC006	continuous	numeric-4.0	487	6591	-
230	CICMC007	CiCMC007	continuous	numeric-4.0	255	6823	-
231	CICMC008	CiCMC008	continuous	numeric-4.0	129	6949	-
232	CICMC009	CiCMC009	continuous	numeric-4.0	66	7012	-
233	CICMC010	CiCMC010	continuous	numeric-4.0	37	7041	-
234	CICMC011	CiCMC011	continuous	numeric-4.0	17	7061	-
235	CICMC012	CiCMC012	continuous	numeric-4.0	6	7072	-
236	CICMC013	CiCMC013	continuous	numeric-4.0	1	7077	-
237	Q220C	How Long ago Last Menstr. Strtd	continuous	numeric-1.0	6983	95	-
238	Q220U	Time Units to date for Above	continuous	numeric-2.0	6983	95	-
239	Q222	Reason for Time lag	continuous	numeric-1.0	1482	5596	-
240	Q223	Is Respondnt Pregnant Now	continuous	numeric-1.0	6983	95	-
241	Q224	No of Mths being Pregnant	continuous	numeric-2.0	457	6621	-
242	Q225	Had Tetanus Injection while Pregnant	continuous	numeric-1.0	457	6621	-
243	Q226	Consulted Anyone on this Pregnancy	continuous	numeric-1.0	457	6621	-
244	Q227	Consulted Whom	continuous	numeric-1.0	339	6739	-
245	Q228	Preg terminated due to Miscar/abort/still birth	continuous	numeric-1.0	6983	95	-
246	Q229	No of Unusual Preg. Terminations	continuous	numeric-1.0	1191	5887	-
247	Q230S	No of Still Births	continuous	numeric-1.0	1191	5887	-
248	Q230M	No of Spontaneous abortion	continuous	numeric-1.0	1191	5887	-
249	Q230A	No of Induced Abortions	continuous	numeric-1.0	1191	5887	-
250	Q231	Highest Prob of being Preg as per Respondnt	continuous	numeric-1.0	6983	95	-
251	Q232A	Children <10 yrs present	continuous	numeric-1.0	6983	95	-

Demographic and Health Survey - 1993 - Variables List

File DHS93_Women (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
		ar this point					
252	Q232B	Husband present at this point	continuous	numeric-1.0	6983	95	-
253	Q232C	Other males present at this point	continuous	numeric-1.0	6983	95	-
254	Q232D	Other females present at this point	continuous	numeric-1.0	6983	95	-
255	Q3020001	Ever Heard of Pill	continuous	numeric-1.0	6983	95	-
256	Q3020002	Ever Heard of IUD	continuous	numeric-1.0	6983	95	-
257	Q3020003	Ever Heard of Injections	continuous	numeric-1.0	6983	95	-
258	Q3020004	Ever Heard of Diaphragm/Foam/Jelly	continuous	numeric-1.0	6983	95	-
259	Q3020005	Ever Heard of Condom	continuous	numeric-1.0	6983	95	-
260	Q3020006	Ever Heard of Female Sterilization	continuous	numeric-1.0	6983	95	-
261	Q3020007	Ever Heard of Male Sterilization	continuous	numeric-1.0	6983	95	-
262	Q3020008	Ever Heard of Safe Period	continuous	numeric-1.0	6983	95	-
263	Q3020009	Ever Heard of Withdrawal	continuous	numeric-1.0	6983	95	-
264	Q3020010	Ever Heard of Norplant	continuous	numeric-1.0	6983	95	-
265	Q3020011	Ever Heard of Any Other Methods	continuous	numeric-1.0	6983	95	-
266	Q3030001	Ever Used Pill	continuous	numeric-1.0	6439	639	-
267	Q3030002	Ever Used IUD	continuous	numeric-1.0	5669	1409	-
268	Q3030003	Ever Used Injections	continuous	numeric-1.0	6287	791	-
269	Q3030004	Ever Used Diaphragm/Foam/Jelly	continuous	numeric-1.0	720	6358	-
270	Q3030005	Ever Used Condom	continuous	numeric-1.0	5123	1955	-
271	Q3030006	Ever Used Female Sterilization	continuous	numeric-1.0	6766	312	-
272	Q3030007	Ever Used Male Sterilization	continuous	numeric-1.0	6003	1075	-
273	Q3030008	Ever Used Safe Period	continuous	numeric-1.0	4164	2914	-
274	Q3030009	Ever Used Withdrawal	continuous	numeric-1.0	3223	3855	-
275	Q3030010	Ever Used Norplant	continuous	numeric-1.0	764	6314	-
276	Q3030011	Ever Used Any Other Methods	continuous	numeric-1.0	140	6938	-
277	Q3040001	Method Obtained from where 01	continuous	numeric-2.0	6439	639	-
278	Q3040002	Method Obtained from where 02	continuous	numeric-2.0	5669	1409	-
279	Q3040003	Method Obtained from where 03	continuous	numeric-2.0	6287	791	-

Demographic and Health Survey - 1993 - Variables List

File DHS93_Women (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
280	Q3040004	Method Obtained from where 04	continuous	numeric-2.0	720	6358	-
281	Q3040005	Method Obtained from where 05	continuous	numeric-2.0	5123	1955	-
282	Q3040006	Method Obtained from where 06	continuous	numeric-2.0	6766	312	-
283	Q3040007	Method Obtained from where 07	continuous	numeric-2.0	6003	1075	-
284	Q3040008	Method Obtained from where 08	continuous	numeric-2.0	4164	2914	-
285	Q3040009	Method Obtained from where 09	continuous	numeric-2.0	0	7078	-
286	Q3040010	Method Obtained from where 10	continuous	numeric-2.0	764	6314	-
287	Q3040011	Method Obtained from where 11	continuous	numeric-2.0	0	7078	-
288	Q3050001	Problem Obtaining Method 01	continuous	numeric-2.0	6439	639	-
289	Q3050002	Problem Obtaining Method 02	continuous	numeric-2.0	5669	1409	-
290	Q3050003	Problem Obtaining Method 03	continuous	numeric-2.0	6287	791	-
291	Q3050004	Problem Obtaining Method 04	continuous	numeric-2.0	720	6358	-
292	Q3050005	Problem Obtaining Method 05	continuous	numeric-2.0	5123	1955	-
293	Q3050006	Problem Obtaining Method 06	continuous	numeric-2.0	6766	312	-
294	Q3050007	Problem Obtaining Method 07	continuous	numeric-2.0	6003	1075	-
295	Q3050008	Problem Obtaining Method 08	continuous	numeric-2.0	4164	2914	-
296	Q3050009	Problem Obtaining Method 09	continuous	numeric-2.0	3223	3855	-
297	Q3050010	Problem Obtaining Method 10	continuous	numeric-2.0	764	6314	-
298	Q3050011	Problem Obtaining Method 11	continuous	numeric-2.0	0	7078	-
299	Q307	Tried/used anything to delay/avoid Preg	continuous	numeric-1.0	1775	5303	-
300	Q310	How determine the day to abstain	continuous	numeric-1.0	2237	4841	-
301	Q311	No of children while first time using a preventive method	continuous	numeric-2.0	5208	1870	-
302	Q313	Currently use a method for prevention	continuous	numeric-1.0	4994	2084	-

Demographic and Health Survey - 1993 - Variables List

File DHS93_Women (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
303	Q314	Past month used a method for prevention	continuous	numeric-1.0	802	6276	-
304	Q315	Ever abstained from sexual relations	continuous	numeric-1.0	2560	4518	-
305	Q316	Currently abstaining from sexual relations	continuous	numeric-1.0	1291	5787	-
306	Q317	Reason for abstinence	continuous	numeric-1.0	703	6375	-
307	Q318	Which Method Used by Respondnt	continuous	numeric-2.0	4321	2757	-
308	Q319M	Month of Sterilization Operation	continuous	numeric-2.0	1925	5153	-
309	Q319Y	Year of Sterilization Operation	continuous	numeric-2.0	1925	5153	-
310	Q320	Received Incentive Payment	continuous	numeric-1.0	1925	5153	-
311	Q321	Would Undergo Operation Without Incentive Payment ?	continuous	numeric-1.0	1507	5571	-
312	Q323	Obtained a method within last 12 Mths	continuous	numeric-1.0	2308	4770	Have you obtained a method to avoid pregnancy or sought advice about a method to avoid pregnancy in the last twelve months from a hospital, clinic, a doctor, or a fieldworker?
313	Q324	Which Method Obtained	continuous	numeric-2.0	247	6831	-
314	Q325	Obtained Instructions on safe period last 12 mths	continuous	numeric-1.0	2061	5017	Have you obtained instructions for using the safe period in the last twelve months from a hospital, clinic, a doctor, or a field worker?
315	Q326	Where advice/method/sterilization took place	continuous	numeric-2.0	3263	3815	-
316	Q327	Anything to dislike about service	continuous	numeric-1.0	3036	4042	-
317	Q330M	How Long Using Method Continuously Mth	continuous	numeric-2.0	2396	4682	-
318	Q330Y	How Long Using Method Continuously Year	continuous	numeric-2.0	2396	4682	-
319	Q331	Any Problems Using Current Method	continuous	numeric-1.0	4321	2757	-
320	Q332	Main Problem experienced	continuous	numeric-2.0	537	6541	-
321	Q333	Using any Additional Method	continuous	numeric-1.0	4321	2757	-
322	Q334	Additional Method	continuous	numeric-2.0	458	6620	-
323	Q335	Ever Used Any Other Method before current MethodQ335	continuous	numeric-1.0	4321	2757	-

Demographic and Health Survey - 1993 - Variables List

File DHS93_Women (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
324	Q336	Which Method Used Before	continuous	numeric-2.0	744	6334	-
325	Q337M	What Mth start Using Method before Current	continuous	numeric-2.0	744	6334	-
326	Q337Y	What Year start Using Method before Current	continuous	numeric-2.0	744	6334	-
327	Q338M	How Long (Mth) start Using Method before Current	continuous	numeric-2.0	744	6334	-
328	Q338Y	How long (Year) start Using Method before Current	continuous	numeric-2.0	744	6334	-
329	Q339	Main Reason to stop Method Before Current	continuous	numeric-2.0	744	6334	-
330	Q341	Used any method to avoid pregnancy since last birth	continuous	numeric-1.0	716	6362	-
331	Q342	Last Method Used	continuous	numeric-2.0	459	6619	-
332	Q343M	Started Using That Method MM	continuous	numeric-2.0	459	6619	-
333	Q343Y	Started Using That Method YY	continuous	numeric-2.0	459	6619	-
334	Q344M	How Long Using Last Method MM	continuous	numeric-2.0	459	6619	-
335	Q344Y	How Long Using Last Method YY	continuous	numeric-2.0	459	6619	-
336	Q345	Main Reason to stop Last MethodQ345	continuous	numeric-2.0	459	6619	-
337	Q346	Intend to Use a method in the Future	continuous	numeric-1.0	2662	4416	-
338	Q347	Preferred Method	continuous	numeric-2.0	830	6248	-
339	Q348	Intend to Use a method in the Next 12 mths	continuous	numeric-1.0	830	6248	-
340	Q349A	Acceptable for FP Info to be Provided on Radio	continuous	numeric-1.0	6983	95	-
341	Q349B	Acceptable for FP Info to be Provided on TV	continuous	numeric-1.0	6983	95	-
342	Q350	When Listen to radio	continuous	numeric-1.0	6983	95	-
343	COL35301	COL35301	continuous	numeric-1.0	3204	3874	-
344	COL35302	COL35302	continuous	numeric-1.0	978	6100	-
345	COL35303	COL35303	continuous	numeric-1.0	105	6973	-
346	COL35304	COL35304	continuous	numeric-1.0	0	7078	-
347	Q3550001	Avoided Getting Pregnant 01	continuous	numeric-1.0	2435	4643	-
348	Q3550002	Avoided Getting Pregnant 02	continuous	numeric-1.0	755	6323	-

Demographic and Health Survey - 1993 - Variables List

File DHS93_Women (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
349	Q3550003	Avoided Getting Pregnant 03	continuous	numeric-1.0	67	7011	-
350	Q3550004	Avoided Getting Pregnant 04	continuous	numeric-1.0	0	7078	-
351	Q3560001	Last Method used then 01	continuous	numeric-2.0	1330	5748	-
352	Q3560002	Last Method used then 02	continuous	numeric-2.0	229	6849	-
353	Q3560003	Last Method used then 03	continuous	numeric-2.0	10	7068	-
354	Q3560004	Last Method used then 04	continuous	numeric-2.0	0	7078	-
355	Q3570001	Preceding Method 01	continuous	numeric-2.0	1330	5748	-
356	Q3570002	Preceding Method 02	continuous	numeric-2.0	229	6849	-
357	Q3570003	Preceding Method 03	continuous	numeric-2.0	10	7068	-
358	Q3570004	Preceding Method 04	continuous	numeric-2.0	0	7078	-
359	Q358M001	How Long Last Method Used That Time MM 01	continuous	numeric-2.0	1330	5748	-
360	Q358M002	How Long Last Method Used That Time MM 02	continuous	numeric-2.0	229	6849	-
361	Q358M003	How Long Last Method Used That Time MM 03	continuous	numeric-2.0	10	7068	-
362	Q358M004	How Long Last Method Used That Time MM 04	continuous	numeric-2.0	0	7078	-
363	Q358Y001	How Long Last Method Used That Time YY 01	continuous	numeric-2.0	1330	5748	-
364	Q358Y002	How Long Last Method Used That Time YY 02	continuous	numeric-2.0	229	6849	-
365	Q358Y003	How Long Last Method Used That Time YY 03	continuous	numeric-2.0	10	7068	-
366	Q358Y004	How Long Last Method Used That Time YY 04	continuous	numeric-2.0	0	7078	-
367	Q359001	Became Pregnant While Still Using Last Method 01	continuous	numeric-1.0	1330	5748	-
368	Q359002	Became Pregnant While Still Using Last Method 02	continuous	numeric-1.0	229	6849	-
369	Q359003	Became Pregnant While Still Using Last Method 03	continuous	numeric-1.0	10	7068	-
370	Q359004	Became Pregnant While Still Using Last Method 04	continuous	numeric-1.0	0	7078	-
371	Q3600001	Main Reason to Stop Last Method 01	continuous	numeric-2.0	938	6140	-
372	Q3600002	Main Reason to Stop Last Method 02	continuous	numeric-2.0	161	6917	-
373	Q3600003	Main Reason to Stop Last Method 03	continuous	numeric-2.0	7	7071	-
374	Q3600004	Main Reason to Stop Last Method 04	continuous	numeric-2.0	0	7078	-

Demographic and Health Survey - 1993 - Variables List

File DHS93_Women (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
375	Q3610001	Have Cghild Then/Later/No More 01	continuous	numeric-1.0	2034	5044	At the time you became pregnant (with Name) did you want to have that child then to wait until later or to have no (more) children at all
376	Q3610002	Have Cghild Then/Later/No More 02	continuous	numeric-1.0	786	6292	-
377	Q3610003	Have Cghild Then/Later/No More 03	continuous	numeric-1.0	98	6980	-
378	Q3610004	Have Cghild Then/Later/No More 04	continuous	numeric-1.0	0	7078	-
379	Q3620001	Want to have that Child Later or Not to Have 01	continuous	numeric-1.0	392	6686	-
380	Q3620002	Want to have that Child Later or Not to Have 02	continuous	numeric-1.0	68	7010	-
381	Q3620003	Want to have that Child Later or Not to Have 03	continuous	numeric-1.0	3	7075	-
382	Q3620004	Want to have that Child Later or Not to Have 04	continuous	numeric-1.0	0	7078	-
383	COL40001	COL40001	continuous	numeric-1.0	2975	4103	-
384	COL40002	COL40002	continuous	numeric-1.0	850	6228	-
385	COL40003	COL40003	continuous	numeric-1.0	93	6985	-
386	COL40004	COL40004	continuous	numeric-1.0	6	7072	-
387	LNNO0001	LNNO0001	continuous	numeric-2.0	2975	4103	-
388	LNNO0002	LNNO0002	continuous	numeric-2.0	850	6228	-
389	LNNO0003	LNNO0003	continuous	numeric-2.0	93	6985	-
390	LNNO0004	LNNO0004	continuous	numeric-2.0	6	7072	-
391	Q4030001	Received Tetanus Inj. when Pregnant 01	continuous	numeric-1.0	2975	4103	-
392	Q4030002	Received Tetanus Inj. when Pregnant 02	continuous	numeric-1.0	850	6228	-
393	Q4030003	Received Tetanus Inj. when Pregnant 03	continuous	numeric-1.0	93	6985	-
394	Q4030004	Received Tetanus Inj. when Pregnant 04	continuous	numeric-1.0	6	7072	-
395	Q4040001	Family Health Worker Visited 01	continuous	numeric-1.0	2975	4103	-
396	Q4040002	Family Health Worker Visited 02	continuous	numeric-1.0	850	6228	-
397	Q4040003	Family Health Worker Visited 03	continuous	numeric-1.0	93	6985	-
398	Q4040004	Family Health Worker Visited 04	continuous	numeric-1.0	6	7072	-
399	Q4050001	Visited a Clinic/Doctor 01	continuous	numeric-1.0	2975	4103	-
400	Q4050002	Visited a Clinic/Doctor 02	continuous	numeric-1.0	850	6228	-

Demographic and Health Survey - 1993 - Variables List

File DHS93_Women (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
401	Q4050003	Visited a Clinic/Doctor 03	continuous	numeric-1.0	93	6985	-
402	Q4050004	Visited a Clinic/Doctor 04	continuous	numeric-1.0	6	7072	-
403	Q4060001	Child was Born at 01	continuous	numeric-1.0	2975	4103	-
404	Q4060002	Child was Born at 02	continuous	numeric-1.0	850	6228	-
405	Q4060003	Child was Born at 03	continuous	numeric-1.0	93	6985	-
406	Q4060004	Child was Born at 04	continuous	numeric-1.0	6	7072	-
407	Q4070001	Who Assisted with Delivery 01	continuous	numeric-1.0	2975	4103	-
408	Q4070002	Who Assisted with Delivery 02	continuous	numeric-1.0	850	6228	-
409	Q4070003	Who Assisted with Delivery 03	continuous	numeric-1.0	93	6985	-
410	Q4070004	Who Assisted with Delivery 04	continuous	numeric-1.0	6	7072	-
411	Q4080001	Ever did Breast Feeding 01	continuous	numeric-1.0	2975	4103	-
412	Q4080002	Ever did Breast Feeding 02	continuous	numeric-1.0	850	6228	-
413	Q4080003	Ever did Breast Feeding 03	continuous	numeric-1.0	93	6985	-
414	Q4080004	Ever did Breast Feeding 04	continuous	numeric-1.0	6	7072	-
415	Q409C001	How Long After Birth began Feeding 01	continuous	numeric-1.0	2922	4156	-
416	Q409C002	How Long After Birth began Feeding 02	continuous	numeric-1.0	826	6252	-
417	Q409C003	How Long After Birth began Feeding 03	continuous	numeric-1.0	87	6991	-
418	Q409C004	How Long After Birth began Feeding 04	continuous	numeric-1.0	5	7073	-
419	Q409U001	Hrs/Days After Birth began Feeding 01	continuous	numeric-2.0	2922	4156	-
420	Q409U002	Hrs/Days After Birth began Feeding 02	continuous	numeric-2.0	826	6252	-
421	Q409U003	Hrs/Days After Birth began Feeding 03	continuous	numeric-2.0	87	6991	-
422	Q409U004	Hrs/Days After Birth began Feeding 04	continuous	numeric-2.0	5	7073	-
423	Q4100001	First Milk Threw away 01	continuous	numeric-1.0	2922	4156	-
424	Q4100002	First Milk Threw away 02	continuous	numeric-1.0	826	6252	-
425	Q4100003	First Milk Threw away 03	continuous	numeric-1.0	87	6991	-
426	Q4100004	First Milk Threw away 04	continuous	numeric-1.0	5	7073	-
427	Q4110001	Reason to Throw 01	continuous	numeric-1.0	1377	5701	-

Demographic and Health Survey - 1993 - Variables List

File DHS93_Women (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
428	Q4110002	Reason to Throw 02	continuous	numeric-1.0	388	6690	-
429	Q4110003	Reason to Throw 03	continuous	numeric-1.0	50	7028	-
430	Q4110004	Reason to Throw 04	continuous	numeric-1.0	4	7074	-
431	Q4120001	Who Advised 01	continuous	numeric-1.0	741	6337	-
432	Q4120002	Who Advised 02	continuous	numeric-1.0	215	6863	-
433	Q4120003	Who Advised 03	continuous	numeric-1.0	24	7054	-
434	Q4120004	Who Advised 04	continuous	numeric-1.0	0	7078	-
435	Q4130001	Still Breast Feeding 01	continuous	numeric-1.0	2922	4156	-
436	Q4130002	Still Breast Feeding 02	continuous	numeric-1.0	0	7078	-
437	Q4130003	Still Breast Feeding 03	continuous	numeric-1.0	0	7078	-
438	Q4130004	Still Breast Feeding 04	continuous	numeric-1.0	0	7078	-
439	Q4140001	Age MM where Breast Feeding Stopped 01	continuous	numeric-2.0	1308	5770	-
440	Q4140002	Age MM where Breast Feeding Stopped 02	continuous	numeric-2.0	826	6252	-
441	Q4140003	Age MM where Breast Feeding Stopped 03	continuous	numeric-2.0	87	6991	-
442	Q4140004	Age MM where Breast Feeding Stopped 04	continuous	numeric-2.0	5	7073	-
443	Q4150001	Main Reason for Breast feeding never done/stopped 01	continuous	numeric-2.0	1340	5738	-
444	Q4150002	Main Reason for Breast feeding never done/stopped 02	continuous	numeric-2.0	800	6278	-
445	Q4150003	Main Reason for Breast feeding never done/stopped 03	continuous	numeric-2.0	88	6990	-
446	Q4150004	Main Reason for Breast feeding never done/stopped 04	continuous	numeric-2.0	6	7072	-
447	Q416A001	What age began to give Powered Milk 01	continuous	numeric-2.0	2960	4118	-
448	Q416A002	What age began to give Powered Milk 02	continuous	numeric-2.0	837	6241	-
449	Q416A003	What age began to give Powered Milk 03	continuous	numeric-2.0	91	6987	-
450	Q416A004	What age began to give Powered Milk 04	continuous	numeric-2.0	5	7073	-
451	Q416B001	What age began to give Cow/goat Milk 01	continuous	numeric-2.0	2960	4118	-
452	Q416B002	What age began to give Cow/goat Milk 02	continuous	numeric-2.0	837	6241	-
453	Q416B003	What age began to give Cow/goat Milk 03	continuous	numeric-2.0	91	6987	-

Demographic and Health Survey - 1993 - Variables List

File DHS93_Women (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
454	Q416B004	What age began to give Cow/goat Milk 04	continuous	numeric-2.0	5	7073	-
455	Q416C001	What age began to give Cungee 01	continuous	numeric-2.0	2960	4118	-
456	Q416C002	What age began to give Cungee 02	continuous	numeric-2.0	837	6241	-
457	Q416C003	What age began to give Cungee 03	continuous	numeric-2.0	91	6987	-
458	Q416C004	What age began to give Cungee 04	continuous	numeric-2.0	5	7073	-
459	Q416D001	What age began to give Eggs 01	continuous	numeric-2.0	2960	4118	-
460	Q416D002	What age began to give Eggs 02	continuous	numeric-2.0	837	6241	-
461	Q416D003	What age began to give Eggs 03	continuous	numeric-2.0	91	6987	-
462	Q416D004	What age began to give Eggs 04	continuous	numeric-2.0	5	7073	-
463	Q416E001	What age began to give Potatoes 01	continuous	numeric-2.0	2960	4118	-
464	Q416E002	What age began to give Potatoes 02	continuous	numeric-2.0	837	6241	-
465	Q416E003	What age began to give Potatoes 03	continuous	numeric-2.0	91	6987	-
466	Q416E004	What age began to give Potatoes 04	continuous	numeric-2.0	5	7073	-
467	Q416F001	What age began to give Fruit Juice 01	continuous	numeric-2.0	2960	4118	-
468	Q416F002	What age began to give Fruit Juice 02	continuous	numeric-2.0	837	6241	-
469	Q416F003	What age began to give Fruit Juice 03	continuous	numeric-2.0	91	6987	-
470	Q416F004	What age began to give Fruit Juice 04	continuous	numeric-2.0	5	7073	-
471	Q416G001	What age began to give Soup 01	continuous	numeric-2.0	2960	4118	-
472	Q416G002	What age began to give Soup 02	continuous	numeric-2.0	837	6241	-
473	Q416G003	What age began to give Soup 03	continuous	numeric-2.0	91	6987	-
474	Q416G004	What age began to give Soup 04	continuous	numeric-2.0	5	7073	-
475	Q416H001	What age began to give Water 01	continuous	numeric-2.0	2960	4118	-
476	Q416H002	What age began to give Water 02	continuous	numeric-2.0	837	6241	-

Demographic and Health Survey - 1993 - Variables List

File DHS93_Women (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
477	Q416H003	What age began to give Water 03	continuous	numeric-2.0	91	6987	-
478	Q416H004	What age began to give Water 04	continuous	numeric-2.0	5	7073	-
479	Q4170001	What age began to give at Least one food except water 01	continuous	numeric-2.0	2960	4118	-
480	Q4170002	What age began to give at Least one food except water 02	continuous	numeric-2.0	837	6241	-
481	Q4170003	What age began to give at Least one food except water 03	continuous	numeric-2.0	91	6987	-
482	Q4170004	What age began to give at Least one food except water 04	continuous	numeric-2.0	5	7073	-
483	Q4190001	Why Waited so long to begin daily suppl. feeding 01	continuous	numeric-1.0	241	6837	-
484	Q4190002	Why Waited so long to begin daily suppl. feeding 02	continuous	numeric-1.0	84	6994	-
485	Q4190003	Why Waited so long to begin daily suppl. feeding 03	continuous	numeric-1.0	7	7071	-
486	Q4190004	Why Waited so long to begin daily suppl. feeding 04	continuous	numeric-1.0	0	7078	-
487	Q4200001	Continue/reduce/stop Breast feeding when suppl. feeding was given 01	continuous	numeric-1.0	2700	4378	-
488	Q4200002	Continue/reduce/stop Breast feeding when suppl. feeding was given 02	continuous	numeric-1.0	813	6265	-
489	Q4200003	Continue/reduce/stop Breast feeding when suppl. feeding was given 03	continuous	numeric-1.0	85	6993	-
490	Q4200004	Continue/reduce/stop Breast feeding when suppl. feeding was given 04	continuous	numeric-1.0	5	7073	-
491	Q4210001	Periods returned in mths after birth of 01	continuous	numeric-2.0	2975	4103	-
492	Q4210002	Periods returned in mths after birth of 02	continuous	numeric-2.0	850	6228	-
493	Q4210003	Periods returned in mths after birth of 03	continuous	numeric-2.0	93	6985	-

Demographic and Health Survey - 1993 - Variables List

File DHS93_Women (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
494	Q4210004	Periods returned in mths after birth of 04	continuous	numeric-2.0	6	7072	-
495	Q4220001	Resumed Sexual Relations since birth of 01	continuous	numeric-1.0	2975	4103	-
496	Q4220002	Resumed Sexual Relations since birth of 02	continuous	numeric-1.0	0	7078	-
497	Q4220003	Resumed Sexual Relations since birth of 03	continuous	numeric-1.0	0	7078	-
498	Q4220004	Resumed Sexual Relations since birth of 04	continuous	numeric-1.0	0	7078	-
499	Q4230001	No of Mths to resume Sex after Birth of 01	continuous	numeric-2.0	2573	4505	-
500	Q4230002	No of Mths to resume Sex after Birth of 02	continuous	numeric-2.0	850	6228	-
501	Q4230003	No of Mths to resume Sex after Birth of 03	continuous	numeric-2.0	93	6985	-
502	Q4230004	No of Mths to resume Sex after Birth of 04	continuous	numeric-2.0	6	7072	-
503	Q4240001	Immunization card 01	continuous	numeric-1.0	2975	4103	-
504	Q4240002	Immunization card 02	continuous	numeric-1.0	850	6228	-
505	Q4240003	Immunization card 03	continuous	numeric-1.0	93	6985	-
506	Q4240004	Immunization card 04	continuous	numeric-1.0	6	7072	-
507	BCGNO001	BCG Given 01	continuous	numeric-1.0	2422	4656	-
508	BCGNO002	BCG Given 02	continuous	numeric-1.0	664	6414	-
509	BCGNO003	BCG Given 03	continuous	numeric-1.0	64	7014	-
510	BCGNO004	BCG Given 04	continuous	numeric-1.0	4	7074	-
511	BCGDATE1	Date BCG Given 01	continuous	numeric-6.0	2422	4656	-
512	BCGDATE2	Date BCG Given 02	continuous	numeric-6.0	664	6414	-
513	BCGDATE3	Date BCG Given 03	continuous	numeric-6.0	64	7014	-
514	BCGDATE4	Date BCG Given 04	continuous	numeric-6.0	4	7074	-
515	TR1NO001	Triple 1 Given 01	continuous	numeric-1.0	2422	4656	-
516	TR1NO002	Triple 1 Given 02	continuous	numeric-1.0	664	6414	-
517	TR1NO003	Triple 1 Given 03	continuous	numeric-1.0	64	7014	-
518	TR1NO004	Triple 1 Given 04	continuous	numeric-1.0	4	7074	-
519	TR1DATE1	Date Triple 1 Given 01	continuous	numeric-6.0	2236	4842	-
520	TR1DATE2	Date Triple 1 Given 02	continuous	numeric-6.0	658	6420	-
521	TR1DATE3	Date Triple 1 Given 03	continuous	numeric-6.0	63	7015	-
522	TR1DATE4	Date Triple 1 Given 04	continuous	numeric-6.0	4	7074	-
523	PO1NO001	Polio1 Given 01	continuous	numeric-1.0	2422	4656	-
524	PO1NO002	Polio1 Given 02	continuous	numeric-1.0	664	6414	-
525	PO1NO003	Polio1 Given 03	continuous	numeric-1.0	64	7014	-

Demographic and Health Survey - 1993 - Variables List

File DHS93_Women (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
526	PO1NO004	Polio1 Given 04	continuous	numeric-1.0	4	7074	-
527	PO1DATE1	Date Polio1 Given 01	continuous	numeric-6.0	2231	4847	-
528	PO1DATE2	Date Polio1 Given 02	continuous	numeric-6.0	657	6421	-
529	PO1DATE3	Date Polio1 Given 03	continuous	numeric-6.0	63	7015	-
530	PO1DATE4	Date Polio1 Given 04	continuous	numeric-6.0	4	7074	-
531	TR2NO001	Triple 2 Given 01	continuous	numeric-1.0	2422	4656	-
532	TR2NO002	Triple 2 Given 02	continuous	numeric-1.0	664	6414	-
533	TR2NO003	Triple 2 Given 03	continuous	numeric-1.0	64	7014	-
534	TR2NO004	Triple 2 Given 04	continuous	numeric-1.0	4	7074	-
535	TR2DATE1	Date Triple 2 Given 01	continuous	numeric-6.0	2126	4952	-
536	TR2DATE2	Date Triple 2 Given 02	continuous	numeric-6.0	656	6422	-
537	TR2DATE3	Date Triple 2 Given 03	continuous	numeric-6.0	62	7016	-
538	TR2DATE4	Date Triple 2 Given 04	continuous	numeric-6.0	4	7074	-
539	PO2NO001	Polio2 Given 01	continuous	numeric-1.0	2422	4656	-
540	PO2NO002	Polio2 Given 02	continuous	numeric-1.0	664	6414	-
541	PO2NO003	Polio2 Given 03	continuous	numeric-1.0	64	7014	-
542	PO2NO004	Polio2 Given 04	continuous	numeric-1.0	4	7074	-
543	PO2DATE1	Date Polio2 Given 01	continuous	numeric-6.0	2124	4954	-
544	PO2DATE2	Date Polio2 Given 02	continuous	numeric-6.0	654	6424	-
545	PO2DATE3	Date Polio2 Given 03	continuous	numeric-6.0	61	7017	-
546	PO2DATE4	Date Polio2 Given 04	continuous	numeric-6.0	4	7074	-
547	TR3NO001	Triple3 Given 01	continuous	numeric-1.0	2422	4656	-
548	TR3NO002	Triple3 Given 02	continuous	numeric-1.0	664	6414	-
549	TR3NO003	Triple3 Given 03	continuous	numeric-1.0	64	7014	-
550	TR3NO004	Triple3 Given 04	continuous	numeric-1.0	4	7074	-
551	TR3DATE1	Date Triple3 Given 01	continuous	numeric-6.0	2005	5073	-
552	TR3DATE2	Date Triple3 Given 02	continuous	numeric-6.0	650	6428	-
553	TR3DATE3	Date Triple3 Given 03	continuous	numeric-6.0	63	7015	-
554	TR3DATE4	Date Triple3 Given 04	continuous	numeric-6.0	4	7074	-
555	PO3NO001	Polio3 Given 01	continuous	numeric-1.0	2422	4656	-
556	PO3NO002	Polio3 Given 02	continuous	numeric-1.0	664	6414	-
557	PO3NO003	Polio3 Given 03	continuous	numeric-1.0	64	7014	-
558	PO3NO004	Polio3 Given 04	continuous	numeric-1.0	4	7074	-
559	PO3DATE1	Date Polio3 Given 01	continuous	numeric-6.0	1999	5079	-
560	PO3DATE2	Date Polio3 Given 02	continuous	numeric-6.0	648	6430	-
561	PO3DATE3	Date Polio3 Given 03	continuous	numeric-6.0	62	7016	-
562	PO3DATE4	Date Polio3 Given 04	continuous	numeric-6.0	4	7074	-

Demographic and Health Survey - 1993 - Variables List

File DHS93_Women (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
563	MEANO001	Measles Inj Given 01	continuous	numeric-1.0	2422	4656	-
564	MEANO002	Measles Inj Given 02	continuous	numeric-1.0	664	6414	-
565	MEANO003	Measles Inj Given 03	continuous	numeric-1.0	64	7014	-
566	MEANO004	Measles Inj Given 04	continuous	numeric-1.0	4	7074	-
567	MEADATE1	Date Measles Inj Given 01	continuous	numeric-6.0	1825	5253	-
568	MEADATE2	Date Measles Inj Given 02	continuous	numeric-6.0	638	6440	-
569	MEADATE3	Date Measles Inj Given 03	continuous	numeric-6.0	62	7016	-
570	MEADATE4	Date Measles Inj Given 04	continuous	numeric-6.0	4	7074	-
571	TR4NO001	Triple 4 Given 01	continuous	numeric-1.0	2422	4656	-
572	TR4NO002	Triple 4 Given 02	continuous	numeric-1.0	664	6414	-
573	TR4NO003	Triple 4 Given 03	continuous	numeric-1.0	64	7014	-
574	TR4NO004	Triple 4 Given 04	continuous	numeric-1.0	4	7074	-
575	TR4DATE1	Date Triple 4 Given 01	continuous	numeric-6.0	1321	5757	-
576	TR4DATE2	Date Triple 4 Given 02	continuous	numeric-6.0	601	6477	-
577	TR4DATE3	Date Triple 4 Given 03	continuous	numeric-6.0	57	7021	-
578	TR4DATE4	Date Triple 4 Given 04	continuous	numeric-6.0	4	7074	-
579	PO4NO001	Polio 4 given 01	continuous	numeric-1.0	2422	4656	-
580	PO4NO002	Polio 4 given 02	continuous	numeric-1.0	664	6414	-
581	PO4NO003	Polio 4 given 03	continuous	numeric-1.0	64	7014	-
582	PO4NO004	Polio 4 given 04	continuous	numeric-1.0	4	7074	-
583	PO4DATE1	Date Polio 4 given 01	continuous	numeric-6.0	1312	5766	-
584	PO4DATE2	Date Polio 4 given 02	continuous	numeric-6.0	597	6481	-
585	PO4DATE3	Date Polio 4 given 03	continuous	numeric-6.0	56	7022	-
586	PO4DATE4	Date Polio 4 given 04	continuous	numeric-6.0	4	7074	-
587	Q4260001	Card Weight at Birth 01	continuous	numeric-3.0	2422	4656	-
588	Q4260002	Card Weight at Birth 02	continuous	numeric-3.0	664	6414	-
589	Q4260003	Card Weight at Birth 03	continuous	numeric-3.0	64	7014	-
590	Q4260004	Card Weight at Birth 04	continuous	numeric-3.0	4	7074	-
591	Q4270001	Weight at Birth 01	continuous	numeric-3.0	553	6525	-
592	Q4270002	Weight at Birth 02	continuous	numeric-3.0	186	6892	-
593	Q4270003	Weight at Birth 03	continuous	numeric-3.0	29	7049	-
594	Q4270004	Weight at Birth 04	continuous	numeric-3.0	2	7076	-
595	Q4280001	Ever Had immunization 01	continuous	numeric-1.0	553	6525	-
596	Q4280002	Ever Had immunization 02	continuous	numeric-1.0	186	6892	-
597	Q4280003	Ever Had immunization 03	continuous	numeric-1.0	29	7049	-
598	Q4280004	Ever Had immunization 04	continuous	numeric-1.0	2	7076	-
599	Q429A001	Had BCG 01	continuous	numeric-1.0	506	6572	-

Demographic and Health Survey - 1993 - Variables List

File DHS93_Women (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
600	Q429A002	Had BCG 02	continuous	numeric-1.0	155	6923	-
601	Q429A003	Had BCG 03	continuous	numeric-1.0	22	7056	-
602	Q429A004	Had BCG 04	continuous	numeric-1.0	1	7077	-
603	Q429B00A	Had Triple1 01	continuous	numeric-1.0	506	6572	-
604	Q429B002	Had Triple1 02	continuous	numeric-1.0	155	6923	-
605	Q429B003	Had Triple1 03	continuous	numeric-1.0	22	7056	-
606	Q429B004	Had Triple1 04	continuous	numeric-1.0	1	7077	-
607	Q429C001	Had Polio1 01	continuous	numeric-1.0	506	6572	-
608	Q429C002	Had Polio1 02	continuous	numeric-1.0	155	6923	-
609	Q429C003	Had Polio1 03	continuous	numeric-1.0	22	7056	-
610	Q429C004	Had Polio1 04	continuous	numeric-1.0	1	7077	-
611	Q429D001	Had Triple 2 01	continuous	numeric-1.0	506	6572	-
612	Q429D002	Had Triple 2 02	continuous	numeric-1.0	155	6923	-
613	Q429D003	Had Triple 2 03	continuous	numeric-1.0	22	7056	-
614	Q429D004	Had Triple 2 04	continuous	numeric-1.0	1	7077	-
615	Q429E001	Had Polio2 01	continuous	numeric-1.0	506	6572	-
616	Q429E002	Had Polio2 02	continuous	numeric-1.0	155	6923	-
617	Q429E003	Had Polio2 03	continuous	numeric-1.0	22	7056	-
618	Q429E004	Had Polio2 04	continuous	numeric-1.0	1	7077	-
619	Q429F001	Had Triple3 01	continuous	numeric-1.0	506	6572	-
620	Q429F002	Had Triple3 01	continuous	numeric-1.0	155	6923	-
621	Q429F003	Had Triple3 01	continuous	numeric-1.0	22	7056	-
622	Q429F004	Had Triple3 01	continuous	numeric-1.0	1	7077	-
623	Q429G00A	Had Polio3 01	continuous	numeric-1.0	506	6572	-
624	Q429G002	Had Polio3 02	continuous	numeric-1.0	155	6923	-
625	Q429G003	Had Polio3 03	continuous	numeric-1.0	22	7056	-
626	Q429G004	Had Polio3 04	continuous	numeric-1.0	1	7077	-
627	Q429H001	Had Triple4 01	continuous	numeric-1.0	506	6572	-
628	Q429H002	Had Triple4 02	continuous	numeric-1.0	155	6923	-
629	Q429H003	Had Triple4 03	continuous	numeric-1.0	22	7056	-
630	Q429H004	Had Triple4 04	continuous	numeric-1.0	1	7077	-
631	Q429I001	Had Polio4 01	continuous	numeric-1.0	506	6572	-
632	Q429I002	Had Polio4 02	continuous	numeric-1.0	155	6923	-
633	Q429I003	Had Polio4 03	continuous	numeric-1.0	22	7056	-
634	Q429I004	Had Polio4 04	continuous	numeric-1.0	1	7077	-
635	Q4300001	Age at which Immunization Given 01	continuous	numeric-2.0	506	6572	-
636	Q4300002	Age at which Immunization	continuous	numeric-2.0	155	6923	-

Demographic and Health Survey - 1993 - Variables List

File DHS93_Women (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
		Given 02					
637	Q4300003	Age at which Immunization Given 03	continuous	numeric-2.0	22	7056	-
638	Q4300004	Age at which Immunization Given 04	continuous	numeric-2.0	1	7077	-
639	Q4310001	Measles Inj Given 01	continuous	numeric-1.0	506	6572	-
640	Q4310002	Measles Inj Given 02	continuous	numeric-1.0	155	6923	-
641	Q4310003	Measles Inj Given 03	continuous	numeric-1.0	22	7056	-
642	Q4310004	Measles Inj Given 04	continuous	numeric-1.0	1	7077	-
643	Q4320001	Diarrhoea 4 or More Times last 24 Hrs 01	continuous	numeric-1.0	2975	4103	-
644	Q4320002	Diarrhoea 4 or More Times last 24 Hrs 02	continuous	numeric-1.0	850	6228	-
645	Q4320003	Diarrhoea 4 or More Times last 24 Hrs 03	continuous	numeric-1.0	93	6985	-
646	Q4320004	Diarrhoea 4 or More Times last 24 Hrs 04	continuous	numeric-1.0	6	7072	-
647	Q4330001	Diarrhoea 4 or More Times last 2wks 01	continuous	numeric-1.0	2904	4174	-
648	Q4330002	Diarrhoea 4 or More Times last 2wks 02	continuous	numeric-1.0	841	6237	-
649	Q4330003	Diarrhoea 4 or More Times last 2wks 03	continuous	numeric-1.0	93	6985	-
650	Q4330004	Diarrhoea 4 or More Times last 2wks 04	continuous	numeric-1.0	6	7072	-
651	Q4340001	Diarrhoea Treatment Method 01	continuous	numeric-1.0	187	6891	-
652	Q4340002	Diarrhoea Treatment Method 02	continuous	numeric-1.0	23	7055	-
653	Q4340003	Diarrhoea Treatment Method 03	continuous	numeric-1.0	1	7077	-
654	Q4340004	Diarrhoea Treatment Method 04	continuous	numeric-1.0	0	7078	-
655	Q4350001	Treated Diarrhoea with Jeevani/ORS 01	continuous	numeric-1.0	187	6891	-
656	Q4350002	Treated Diarrhoea with Jeevani/ORS 02	continuous	numeric-1.0	23	7055	-
657	Q4350003	Treated Diarrhoea with Jeevani/ORS 03	continuous	numeric-1.0	1	7077	-
658	Q4350004	Treated Diarrhoea with Jeevani/ORS 04	continuous	numeric-1.0	0	7078	-
659	Q436A001	Water given to treat diarrhoea 01	continuous	numeric-1.0	65	7013	-
660	Q436A002	Water given to treat diarrhoea 02	continuous	numeric-1.0	6	7072	-

Demographic and Health Survey - 1993 - Variables List

File DHS93_Women (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
661	Q436A003	Water given to treat diarrhoea 03	continuous	numeric-1.0	0	7078	-
662	Q436A004	Water given to treat diarrhoea 04	continuous	numeric-1.0	0	7078	-
663	Q436B001	Tablets/Inj/Syrup Given to treat Diarrhoea 01	continuous	numeric-1.0	69	7009	-
664	Q436B002	Tablets/Inj/Syrup Given to treat Diarrhoea 02	continuous	numeric-1.0	6	7072	-
665	Q436B003	Tablets/Inj/Syrup Given to treat Diarrhoea 03	continuous	numeric-1.0	0	7078	-
666	Q436B004	Tablets/Inj/Syrup Given to treat Diarrhoea 04	continuous	numeric-1.0	0	7078	-
667	Q436C001	Increased fluids to Treat Diarrhoea 01	continuous	numeric-1.0	62	7016	-
668	Q436C002	Increased fluids to Treat Diarrhoea 02	continuous	numeric-1.0	4	7074	-
669	Q436C003	Increased fluids to Treat Diarrhoea 03	continuous	numeric-1.0	0	7078	-
670	Q436C004	Increased fluids to Treat Diarrhoea 04	continuous	numeric-1.0	0	7078	-
671	Q436D001	Increased foods to Treat Diarrhoea 01	continuous	numeric-1.0	7	7071	-
672	Q436D002	Increased foods to Treat Diarrhoea 02	continuous	numeric-1.0	0	7078	-
673	Q436D003	Increased foods to Treat Diarrhoea 03	continuous	numeric-1.0	0	7078	-
674	Q436D004	Increased foods to Treat Diarrhoea 04	continuous	numeric-1.0	0	7078	-
675	Q436E001	Gave cunjee to Treat Diarrhoea 01	continuous	numeric-1.0	47	7031	-
676	Q436E002	Gave cunjee to Treat Diarrhoea 02	continuous	numeric-1.0	6	7072	-
677	Q436E003	Gave cunjee to Treat Diarrhoea 03	continuous	numeric-1.0	0	7078	-
678	Q436E004	Gave cunjee to Treat Diarrhoea 04	continuous	numeric-1.0	0	7078	-
679	Q436F001	Decreased fluids to Treat Diarrhoea 01	continuous	numeric-1.0	9	7069	-
680	Q436F002	Decreased fluids to Treat Diarrhoea 02	continuous	numeric-1.0	2	7076	-
681	Q436F003	Decreased fluids to Treat Diarrhoea 03	continuous	numeric-1.0	0	7078	-
682	Q436F004	Decreased fluids to Treat Diarrhoea 04	continuous	numeric-1.0	0	7078	-
683	Q436G001	Decreased foods to Treat Diarrhoea 01	continuous	numeric-1.0	36	7042	-

Demographic and Health Survey - 1993 - Variables List

File DHS93_Women (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
684	Q436G002	Decreased foods to Treat Diarrhoea 02	continuous	numeric-1.0	4	7074	-
685	Q436G003	Decreased foods to Treat Diarrhoea 03	continuous	numeric-1.0	0	7078	-
686	Q436G004	Decreased foods to Treat Diarrhoea 04	continuous	numeric-1.0	0	7078	-
687	Q436H001	Other to treat Diarrhoea 01	continuous	numeric-1.0	38	7040	-
688	Q436H002	Other to treat Diarrhoea 02	continuous	numeric-1.0	5	7073	-
689	Q436H003	Other to treat Diarrhoea 03	continuous	numeric-1.0	0	7078	-
690	Q436H004	Other to treat Diarrhoea 04	continuous	numeric-1.0	0	7078	-
691	Q436I001	Nothing Done to treat Diarrhoea 01	continuous	numeric-1.0	40	7038	-
692	Q436I002	Nothing Done to treat Diarrhoea 02	continuous	numeric-1.0	8	7070	-
693	Q436I003	Nothing Done to treat Diarrhoea 03	continuous	numeric-1.0	1	7077	-
694	Q436I004	Nothing Done to treat Diarrhoea 04	continuous	numeric-1.0	0	7078	-
695	Q438	Heard of Jeevani or any ORS	continuous	numeric-1.0	2903	4175	-
696	Q439	Gave Jeevani or ORS to any of the children	continuous	numeric-1.0	2775	4303	-
697	Q440	Obtained the Packet From	continuous	numeric-1.0	1633	5445	-
698	Q442	No of Times of Breastfed Yesterday Night time	continuous	numeric-2.0	1614	5464	-
699	Q443	No of times Breastfed Yesterday Day time	continuous	numeric-2.0	1614	5464	-
700	Q444A	Gave Water Last Night/Yesterday	continuous	numeric-1.0	1614	5464	-
701	Q444B	Gave Fruit Juice Last Night/Yesterday	continuous	numeric-1.0	1614	5464	-
702	Q444C	Gave Powdered Milk Last Night/Yesterday	continuous	numeric-1.0	1614	5464	-
703	Q444D	Gave Cow's/Goats Milk Last Night/Yesterday	continuous	numeric-1.0	1614	5464	-
704	Q444E	Gave Vitamin Syrup/Medicine Last Night/Yesterday	continuous	numeric-1.0	1614	5464	-
705	Q444F	Gave Any Other Liquid Last Night/Yesterday	continuous	numeric-1.0	1614	5464	-
706	Q444G	Gave Any Solid or Mushy food Last Nigh/Yesterday	continuous	numeric-1.0	1614	5464	-
707	Q446	Used a Bottle with Nipple to give Liquids	continuous	numeric-1.0	1553	5525	-
708	Q448	Continued/reduced/stopped	continuous	numeric-1.0	137	6941	-

Demographic and Health Survey - 1993 - Variables List

File DHS93_Women (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
		Breastfeeding when there is Diarrhoea					
709	Q449	Reason for reduce/stop breastfeeding	continuous	numeric-1.0	19	7059	-
710	Q501	Marital Status	continuous	numeric-1.0	6983	95	-
711	Q501A	Living with Husband	continuous	numeric-1.0	6433	645	-
712	Q502	Married once or more than once	continuous	numeric-1.0	6983	95	-
713	Q503M	Month started living as Hub/wfe	continuous	numeric-2.0	6983	95	-
714	Q503Y	Year started living as Hub/wfe	continuous	numeric-2.0	6983	95	-
715	Q504	How old when Started Living with Husb.	continuous	numeric-2.0	202	6876	-
716	Q505	Where lived before living with Husb.	continuous	numeric-1.0	6983	95	-
717	Q506	(1st)Husband lived in the Same Place	continuous	numeric-1.0	6983	95	-
718	Q507	Distance in Miles to his Place	continuous	numeric-3.0	4518	2560	-
719	Q508A	Parents Still Alive - Mother	continuous	numeric-1.0	6983	95	-
720	Q508B	Parents Still Alive - Father	continuous	numeric-1.0	6983	95	-
721	Q509A	Husband's Parents Still Alive - Mother	continuous	numeric-1.0	6983	95	-
722	Q509B	Husband's Parents Still Alive - Father	continuous	numeric-1.0	6983	95	-
723	Q512A	Parents not Alive now but Alive at Merriage time W/Mother	continuous	numeric-1.0	5510	1568	-
724	Q512B	Parents not Alive now but Alive at Merriage time W/Father	continuous	numeric-1.0	5510	1568	-
725	Q512C	Parents not Alive now but Alive at Merriage time H/Mother	continuous	numeric-1.0	5510	1568	-
726	Q512D	Parents not Alive now but Alive at Merriage time H/Father	continuous	numeric-1.0	5510	1568	-
727	Q514	Lived with any parent at least 6 mths	continuous	numeric-1.0	6934	144	At any time since you began living with your (first) husband, did you and he live with any of these parents for at least 6 months
728	Q515	For How Many Yrs Lived With the Parents at that Time	continuous	numeric-2.0	4781	2297	-
729	Q516	Living with Your Parents or Husb's Parents	continuous	numeric-1.0	5297	1781	-

Demographic and Health Survey - 1993 - Variables List

File DHS93_Women (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
730	Q518	Had Sexual Intercourse last 4 weeks	continuous	numeric-1.0	6433	645	-
731	Q519	No of Times Had S/Int	continuous	numeric-2.0	5049	2029	-
732	Q520C	When Had S/Int last	continuous	numeric-1.0	6433	645	-
733	Q520H	No of Times S/Int	continuous	numeric-2.0	6433	645	-
734	Q523	Happy to be Pregnant next Few Weeks	continuous	numeric-1.0	1507	5571	-
735	Q524	Main Reason not Using a Method	continuous	numeric-2.0	788	6290	-
736	Q525A	Present Children <10	continuous	numeric-1.0	6433	645	-
737	Q525B	Present Husband	continuous	numeric-1.0	6433	645	-
738	Q525C	Present Other Males	continuous	numeric-1.0	6433	645	-
739	Q525D	Present Other Females	continuous	numeric-1.0	6433	645	-
740	Q603	Have another Child	continuous	numeric-1.0	4640	2438	-
741	Q604	Definitely No	continuous	numeric-1.0	2353	4725	-
742	Q605	More Inclined to have a nother child	continuous	numeric-1.0	245	6833	-
743	Q606	Definitely Want a Child	continuous	numeric-1.0	2042	5036	-
744	Q607C	How long to wait for the Next Birth MM	continuous	numeric-1.0	2101	4977	-
745	Q607U	How long to wait for the Next Birth YY	continuous	numeric-2.0	2101	4977	-
746	Q608	Age of Youngest Child Would be	continuous	numeric-2.0	137	6941	-
747	Q609	Last child was Born by Caesarean	continuous	numeric-1.0	1690	5388	-
748	Q610	Regret of Having had the Operation	continuous	numeric-1.0	1925	5153	-
749	Q611	Like to Have Another Child	continuous	numeric-1.0	222	6856	-
750	Q612	No of Children Preferred	continuous	numeric-2.0	6320	758	-
751	Q612A	Range - No of children Preferred - Start	continuous	numeric-2.0	663	6415	-
752	Q612B	Range - No of children Preferred - End	continuous	numeric-2.0	663	6415	-
753	Q702	Husband Attended School	continuous	numeric-1.0	6983	95	-
754	Q703C	Highest Grade in School	continuous	numeric-1.0	6655	423	-
755	Q703U	Highest Grade code	continuous	numeric-2.0	6655	423	-
756	Q704	Highest Exam Passed	continuous	numeric-1.0	4690	2388	-
757	Q706	Can Read a Letter	continuous	numeric-1.0	2293	4785	-
758	Q707	Husband's Work	continuous	numeric-2.0	6983	95	-
759	Q708	Earns Regular Wages/Salary	continuous	numeric-1.0	5320	1758	-

Demographic and Health Survey - 1993 - Variables List

File DHS93_Women (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
760	Q709	Husband Works on His Land	continuous	numeric-1.0	1663	5415	-
761	Q709A	Hires others to work for Him	continuous	numeric-1.0	1318	5760	-
762	Q710	Work for Money/Share of Crop	continuous	numeric-1.0	345	6733	-
763	Q711	Worked Regularly before Marriage	continuous	numeric-1.0	6983	95	-
764	Q712	Saved the Income or Turned over to Family	continuous	numeric-1.0	2142	4936	-
765	Q713	Worked other than on a Farm	continuous	numeric-1.0	6983	95	-
766	Q714	Currently Working other than on a farm	continuous	numeric-1.0	2025	5053	-
767	Q715	Currently Working on a farm	continuous	numeric-1.0	5460	1618	-
768	Q716	Kind of Work Doing	continuous	numeric-2.0	1889	5189	-
769	Q717H	Recording Time HH	continuous	numeric-2.0	6983	95	-
770	Q717M	Recording Time MM	continuous	numeric-2.0	6983	95	-
771	Q801	Measurer	continuous	numeric-2.0	2916	4162	-
772	LN800001	Line No of Youngest Living Child	continuous	numeric-2.0	2916	4162	-
773	LN800002	Line No of Next to Youngest Living Child	continuous	numeric-2.0	796	6282	-
774	LN800003	Line No of Second to Youngest Living Child	continuous	numeric-2.0	76	7002	-
775	LN800004	Line No of Third to Youngest Living Child	continuous	numeric-2.0	3	7075	-
776	Q802M001	Dob MM 01	continuous	numeric-2.0	2916	4162	-
777	Q802M002	Dob MM 02	continuous	numeric-2.0	796	6282	-
778	Q802M003	Dob MM 03	continuous	numeric-2.0	76	7002	-
779	Q802M004	Dob MM 04	continuous	numeric-2.0	3	7075	-
780	Q802Y001	Dob YY 01	continuous	numeric-2.0	2916	4162	-
781	Q802Y002	Dob YY 02	continuous	numeric-2.0	796	6282	-
782	Q802Y003	Dob YY 03	continuous	numeric-2.0	76	7002	-
783	Q802Y004	Dob YY 04	continuous	numeric-2.0	3	7075	-
784	Q8030001	Age 01 MM	continuous	numeric-1.0	2916	4162	-
785	Q8030002	Age 02 MM	continuous	numeric-1.0	796	6282	-
786	Q8030003	Age 03 MM	continuous	numeric-1.0	76	7002	-
787	Q8030004	Age 04 MM	continuous	numeric-1.0	3	7075	-
788	Q8040001	Length 01 cm	continuous	numeric-4.0	2721	4357	-
789	Q8040002	Length 02 cm	continuous	numeric-4.0	792	6286	-

Demographic and Health Survey - 1993 - Variables List

File DHS93_Women (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
790	Q8040003	Length 03 cm	continuous	numeric-4.0	75	7003	-
791	Q8040004	Length 04 cm	continuous	numeric-4.0	3	7075	-
792	Q8050001	Weight 01 Kg	continuous	numeric-3.0	2721	4357	-
793	Q8050002	Weight 02 Kg	continuous	numeric-3.0	792	6286	-
794	Q8050003	Weight 03 Kg	continuous	numeric-3.0	75	7003	-
795	Q8050004	Weight 04 Kg	continuous	numeric-3.0	3	7075	-
796	Q8060001	Result 01	continuous	numeric-1.0	2721	4357	-
797	Q8060002	Result 02	continuous	numeric-1.0	792	6286	-
798	Q8060003	Result 03	continuous	numeric-1.0	75	7003	-
799	Q8060004	Result 04	continuous	numeric-1.0	3	7075	-
800	V612	Ideal number of children	continuous	numeric-2.0	6983	95	-

File DHS93_Child							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	ZONE	Zone	continuous	numeric-2.0	3924	0	-
2	DIST	District	continuous	numeric-2.0	3924	0	-
3	SECTOR	Sector(Ur/Ru/Es)	continuous	numeric-1.0	3924	0	-
4	PSU	PSU(Ward/GN/Es)	continuous	numeric-2.0	3924	0	-
5	SSU	Survey Block No	continuous	numeric-1.0	3924	0	-
6	HUN	Housing Unit No	continuous	numeric-3.0	3924	0	-
7	HHNO	Household No	continuous	numeric-1.0	3924	0	-
8	WLNO	Visit No ?	continuous	numeric-2.0	3924	0	-
9	MOINT	Month of Interview	continuous	numeric-2.0	3924	0	-
10	YRINT	Year of Interview	continuous	numeric-2.0	3924	0	-
11	INTERVR	Interviewer	continuous	numeric-2.0	3924	0	-
12	RESULT	Result Code	continuous	numeric-1.0	3924	0	-
13	VISITS	Total No. of Visits	continuous	numeric-1.0	3924	0	-
14	Q212	Birth No	continuous	numeric-2.0	3924	0	-
15	Q212A	Single/Multiple Birth	continuous	numeric-1.0	3924	0	-
16	Q213	Boy/Girl	continuous	numeric-1.0	3924	0	-
17	Q214M	Birth Month	continuous	numeric-2.0	3924	0	-
18	Q214Y	Birth Year	continuous	numeric-2.0	3924	0	-
19	Q215	Child Still Alive	continuous	numeric-1.0	3924	0	-
20	Q216C	Age At Death Code	continuous	numeric-1.0	95	3829	-
21	Q216U	Age at Death Value	continuous	numeric-2.0	95	3829	-
22	Q217	Age if Alive	continuous	numeric-2.0	3829	95	-

Demographic and Health Survey - 1993 - Variables List

File DHS93_Child (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
23	Q218	Living With the Respondent	continuous	numeric-1.0	3829	95	-
24	Q104	Where Lived	continuous	numeric-1.0	3924	0	-
25	Q105	Duration of Where Lived	continuous	numeric-2.0	3924	0	-
26	Q106M	Birth Month	continuous	numeric-2.0	3924	0	-
27	Q106Y	Birth Year	continuous	numeric-2.0	3924	0	-
28	Q107	Age at Last Birth Day	continuous	numeric-2.0	3924	0	-
29	Q108	Attended School	continuous	numeric-1.0	3924	0	-
30	Q109C	Highest Level in School	continuous	numeric-1.0	3564	360	-
31	Q109U	Highest Grade in School	continuous	numeric-2.0	3564	360	-
32	Q110	Highest Exam Passed	continuous	numeric-1.0	2551	1373	-
33	Q112	Ability to Read a Newspaper	continuous	numeric-1.0	1373	2551	-
34	Q113	Frequency of Reading a Newspaper	continuous	numeric-1.0	801	3123	-
35	Q114	Frequency of Watching TV	continuous	numeric-1.0	3924	0	-
36	Q115	Frequency of Listening to Radio	continuous	numeric-1.0	3924	0	-
37	Q116	With Whom to Consult Health	continuous	numeric-1.0	3924	0	-
38	Q117	Major Source of Drinking Water	continuous	numeric-2.0	3924	0	-
39	Q118	Use Boiled Water	continuous	numeric-1.0	3924	0	-
40	Q119	Toilet Facility	continuous	numeric-1.0	3924	0	-
41	Q120	Exclusive Toilet/Shared with Others	continuous	numeric-1.0	3250	674	-
42	Q121	Wash Hands after Use of Toilet	continuous	numeric-1.0	3924	0	-
43	Q122A	Have Electricity in the House	continuous	numeric-1.0	3924	0	-
44	Q122B	Have Radio in the House	continuous	numeric-1.0	3924	0	-
45	Q122C	Have TV in the House	continuous	numeric-1.0	3924	0	-
46	Q122D	Have Refrigerator in the House	continuous	numeric-1.0	3924	0	-
47	Q122E	Have a Bicycle in the House	continuous	numeric-1.0	3924	0	-
48	Q122F	Have a Motor Bike in the House	continuous	numeric-1.0	3924	0	-
49	Q122G	Have a Car in the House	continuous	numeric-1.0	3924	0	-
50	Q122H	Have a Van in the House	continuous	numeric-1.0	3924	0	-
51	Q122I	Have a Tractor in the House	continuous	numeric-1.0	3924	0	-

Demographic and Health Survey - 1993 - Variables List

File DHS93_Child (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
52	Q123	Floor Material	continuous	numeric-1.0	3924	0	-
53	Q124	Roof Material	continuous	numeric-1.0	3924	0	-
54	Q125	Wall Material	continuous	numeric-1.0	3924	0	-
55	Q126	Religious Group	continuous	numeric-1.0	3924	0	-
56	Q127	Ethnicity	continuous	numeric-1.0	3924	0	-
57	Q202	Have a Son or Daughter Living Here	continuous	numeric-1.0	3923	1	-
58	Q203S	Sons Living Here At Home	continuous	numeric-2.0	3895	29	-
59	Q203D	Daughters Living Here At Home	continuous	numeric-2.0	3895	29	-
60	Q204	Have a Son or Daughter not Living Here	continuous	numeric-1.0	3923	1	-
61	Q205S	Sons Living Elsewhere	continuous	numeric-2.0	197	3727	-
62	Q205D	Daughters Living Elsewhere	continuous	numeric-2.0	197	3727	-
63	Q206	Any Boy or a Girl Gave Birth to but later Died	continuous	numeric-1.0	3924	0	-
64	Q207B	No of Boys Died	continuous	numeric-2.0	363	3561	-
65	Q207G	No of Girls Died	continuous	numeric-2.0	363	3561	-
66	Q208	Total no of Live Births	continuous	numeric-2.0	3924	0	-
67	Q223	Is Respondnt Pregnant Now	continuous	numeric-1.0	3907	17	-
68	Q224	No of Mths being Pregnant	continuous	numeric-2.0	261	3663	-
69	Q318	Which Method Used by Respondnt	continuous	numeric-2.0	2500	1424	-
70	Q501	Marital Status	continuous	numeric-1.0	3924	0	-
71	Q501A	Living with Husband	continuous	numeric-1.0	3811	113	-
72	Q502	Married once or more than once	continuous	numeric-1.0	3924	0	-
73	Q503M	Month started living as Husb/wfe	continuous	numeric-2.0	3924	0	-
74	Q503Y	Year started living as Husb/wfe	continuous	numeric-2.0	3924	0	-
75	Q504	How old when Started Living with Husb.	continuous	numeric-2.0	97	3827	-
76	Q524	Main Reason not Using a Method	continuous	numeric-2.0	417	3507	-
77	Q612	No of Children Preferred	continuous	numeric-2.0	3646	278	-
78	Q612A	Range - No of children Preferred - Start	continuous	numeric-2.0	278	3646	-
79	Q612B	Range - No of children Preferred - End	continuous	numeric-2.0	278	3646	-
80	Q702	Husband Attended School	continuous	numeric-1.0	3924	0	-

Demographic and Health Survey - 1993 - Variables List

File DHS93_Child (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
81	Q703C	Highest Grade in School	continuous	numeric-1.0	3728	196	-
82	Q703U	Highest Grade Code	continuous	numeric-2.0	3728	196	-
83	Q704	Highest Exam Passed	continuous	numeric-1.0	2617	1307	-
84	Q706	Can Read a Letter	continuous	numeric-1.0	1307	2617	-
85	Q707	Husband's work	continuous	numeric-2.0	3924	0	-
86	Q708	Earns Regular Wages/Salary	continuous	numeric-1.0	2916	1008	-
87	Q709	Husband Works on His Land	continuous	numeric-1.0	1008	2916	-
88	Q709A	Hires others to work for Him	continuous	numeric-1.0	778	3146	-
89	Q710	Work for Money/Share of Crop	continuous	numeric-1.0	230	3694	-
90	Q711	Worked Regularly before Marriage	continuous	numeric-1.0	3924	0	-
91	Q712	Saved the Income or Turned over to Family	continuous	numeric-1.0	1259	2665	-
92	Q713	Worked other than on a Farm	continuous	numeric-1.0	3924	0	-
93	Q714	Currently Working other than on a farm	continuous	numeric-1.0	975	2949	-
94	Q715	Currently Working on a farm	continuous	numeric-1.0	3187	737	-
95	Q716	Kind of Work Doing	continuous	numeric-2.0	882	3042	-
96	LASCHILD	Flag of last child	continuous	numeric-1.0	3924	0	-
97	Q403	Received Tetanus Inj. when Pregnant	continuous	numeric-1.0	3924	0	-
98	Q404	Family Health Worker Visited	continuous	numeric-1.0	3924	0	-
99	Q405	Visited a Clinic/Doctor	continuous	numeric-1.0	3924	0	-
100	Q406	Child was Born at	continuous	numeric-1.0	3924	0	-
101	Q407	Who Assisted with Delivery	continuous	numeric-1.0	3924	0	-
102	Q408	Ever did Breast Feeding	continuous	numeric-1.0	3924	0	-
103	Q409C	How Long After Birth began Feeding	continuous	numeric-1.0	3840	84	-
104	Q409U	Hrs/Days After Birth began Feeding	continuous	numeric-2.0	3840	84	-
105	Q410	First Milk Threw away	continuous	numeric-1.0	3840	84	-
106	Q411	Reason to Throw	continuous	numeric-1.0	1819	2105	-
107	Q412	Who Advised	continuous	numeric-1.0	980	2944	-
108	Q413	Still Breast Feeding	continuous	numeric-1.0	2922	1002	-
109	Q414	Age MM where Breast	continuous	numeric-2.0	2226	1698	-

Demographic and Health Survey - 1993 - Variables List

File DHS93_Child (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
		Feeding Stopped					
110	Q415	Main Reason for Breast feeding never done/stopped	continuous	numeric-2.0	2234	1690	-
111	Q416A	What age began to give Powered Milk	continuous	numeric-2.0	3893	31	-
112	Q416B	What age began to give Cow/goat Milk	continuous	numeric-2.0	3893	31	-
113	Q416C	What age began to give Cungee	continuous	numeric-2.0	3893	31	-
114	Q416D	What age began to give Eggs	continuous	numeric-2.0	3893	31	-
115	Q416E	What age began to give Potatoes	continuous	numeric-2.0	3893	31	-
116	Q416F	What age began to give Fruit Juice	continuous	numeric-2.0	3893	31	-
117	Q416G	What age began to give Soup	continuous	numeric-2.0	3893	31	-
118	Q416H	What age began to give Water	continuous	numeric-2.0	3893	31	-
119	Q417	What age began to give at Least one food except water	continuous	numeric-2.0	3893	31	-
120	Q419	Why Waited so long to begin daily suppl. feeding	continuous	numeric-1.0	332	3592	-
121	Q420	Continue/reduce/stop Breast feeding when suppl. feeding was given	continuous	numeric-1.0	3603	321	-
122	Q421	Periods returned in mths after birth	continuous	numeric-2.0	3924	0	-
123	Q422	Resumed Sexual Relations since birth	continuous	numeric-1.0	2975	949	-
124	Q423	No of Mths to resume Sex after Birth of	continuous	numeric-2.0	3522	402	-
125	Q424	Immunization card	continuous	numeric-1.0	3924	0	-
126	BCGNO	BCG Given	continuous	numeric-1.0	3154	770	-
127	BCGDATE	Date BCG Given	continuous	numeric-6.0	3154	770	-
128	TR1NO	Triple1 Given	continuous	numeric-1.0	3154	770	-
129	TR1DATE	Date triple1 Given	continuous	numeric-6.0	2961	963	-
130	PO1NO	Polio1 Given	continuous	numeric-1.0	3154	770	-
131	PO1DATE	Date Polio1 Given	continuous	numeric-6.0	2955	969	-
132	TR2NO	Triple2 Given	continuous	numeric-1.0	3154	770	-
133	TR2DATE	Date Triple2 Given	continuous	numeric-6.0	2848	1076	-
134	PO2NO	Polio2 Given	continuous	numeric-1.0	3154	770	-

Demographic and Health Survey - 1993 - Variables List

File DHS93_Child (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
135	PO2DATE	Date Polio2 Given	continuous	numeric-6.0	2843	1081	-
136	TR3NO	Triple3 Given	continuous	numeric-1.0	3154	770	-
137	TR3DATE	Date Triple3 Given	continuous	numeric-6.0	2722	1202	-
138	PO3NO	Polio3 Given	continuous	numeric-1.0	3154	770	-
139	PO3DATE	Date Polio3 Given	continuous	numeric-6.0	2713	1211	-
140	MSNO	Measles Inj Given	continuous	numeric-1.0	3154	770	-
141	MSDATE	Date Measles Inj Given	continuous	numeric-6.0	2529	1395	-
142	TR4NO	Triple4 Given	continuous	numeric-1.0	3154	770	-
143	TR4DATE	Date Triple4 Given	continuous	numeric-6.0	1983	1941	-
144	PO4NO	Polio4 Given	continuous	numeric-1.0	3154	770	-
145	PO4DATE	Date Polio4 Given	continuous	numeric-6.0	1969	1955	-
146	Q426	Card Weight at Birth	continuous	numeric-3.0	3154	770	-
147	Q427	Weight at Birth	continuous	numeric-3.0	770	3154	-
148	Q428	Ever Had immunization	continuous	numeric-1.0	770	3154	-
149	Q429A	Had BCG	continuous	numeric-1.0	684	3240	-
150	Q429B	Had Triple1	continuous	numeric-1.0	684	3240	-
151	Q429C	Had Polio1	continuous	numeric-1.0	684	3240	-
152	Q429D	Had Triple 2	continuous	numeric-1.0	684	3240	-
153	Q429E	Had Polio2	continuous	numeric-1.0	684	3240	-
154	Q429F	Had Triple3	continuous	numeric-1.0	684	3240	-
155	Q429G	Had Polio3	continuous	numeric-1.0	684	3240	-
156	Q429H	Had Triple4	continuous	numeric-1.0	684	3240	-
157	Q429I	Had Polio4	continuous	numeric-1.0	684	3240	-
158	Q430	Age at which Immunization Given	continuous	numeric-2.0	684	3240	-
159	Q431	Measles Inj Given	continuous	numeric-1.0	684	3240	-
160	Q432	Diarrhoea 4 or More Times last 24 Hrs	continuous	numeric-1.0	3924	0	-
161	Q433	Diarrhoea 4 or More Times last 2wks	continuous	numeric-1.0	3844	80	-
162	Q434	Diarrhoea Treatment Method	continuous	numeric-1.0	211	3713	-
163	Q435	Treated Diarrhoea with Jeevani/ORS	continuous	numeric-1.0	211	3713	-
164	Q436A	Water given to treat diarrhoea	continuous	numeric-1.0	71	3853	-
165	Q436B	Tablets/Inj/Syrup Given to treat Diarrhoea	continuous	numeric-1.0	75	3849	-
166	Q436C	Increased fluids to Treat Diarrhoea	continuous	numeric-1.0	66	3858	-

Demographic and Health Survey - 1993 - Variables List

File DHS93_Child (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
167	Q436D	Increased foods to Treat Diarrhoea	continuous	numeric-1.0	7	3917	-
168	Q436E	Gave cunjee to Treat Diarrhoea	continuous	numeric-1.0	53	3871	-
169	Q436F	Decreased fluids to Treat Diarrhoea	continuous	numeric-1.0	11	3913	-
170	Q436G	Decreased foods to Treat Diarrhoea	continuous	numeric-1.0	40	3884	-
171	Q436H	Other to treat Diarrhoea	continuous	numeric-1.0	43	3881	-
172	Q436I	Nothing Done to treat Diarrhoea	continuous	numeric-1.0	49	3875	-
173	Q438	Heard of Jeevani or any ORS	continuous	numeric-1.0	3811	113	-
174	Q439	Gave Jeevani or ORS to any of the children	continuous	numeric-1.0	3621	303	-
175	Q440	Obtained the Packet From	continuous	numeric-1.0	2216	1708	-
176	Q442	No of Times of Breastfed Yesterday Night time	continuous	numeric-2.0	2301	1623	-
177	Q443	No of times Breastfed Yesterday Day time	continuous	numeric-2.0	2301	1623	-
178	Q444A	Gave Water Last Night/Yesterday	continuous	numeric-1.0	2301	1623	-
179	Q444B	Gave Fruit Juice Last Night/Yesterday	continuous	numeric-1.0	2301	1623	-
180	Q444C	Gave Powdered Milk Last Night/Yesterday	continuous	numeric-1.0	2301	1623	-
181	Q444D	Gave Cow's/Goats Milk Last Night/Yesterday	continuous	numeric-1.0	2301	1623	-
182	Q444E	Gave Vitamin Syrup/Medicine Last Night/Yesterday	continuous	numeric-1.0	2301	1623	-
183	Q444F	Gave Any Other Liquid Last Night/Yesterday	continuous	numeric-1.0	2301	1623	-
184	Q444G	Gave Any Solid or Mushy food Last Nigh/Yesterday	continuous	numeric-1.0	2301	1623	-
185	Q446	Used a Bottle with Nipple to give Liquids	continuous	numeric-1.0	2208	1716	-
186	Q448	Continued/reduced/stopped Breastfeeding when there is Diarrhoea	continuous	numeric-1.0	193	3731	-
187	Q449	Reason for reduce/stop breastfeeding	continuous	numeric-1.0	27	3897	-
188	Q801	Measurer	continuous	numeric-2.0	3860	64	-
189	Q802M	Dob MM	continuous	numeric-2.0	3859	65	-
190	Q802Y	Dob YY	continuous	numeric-2.0	3859	65	-

Demographic and Health Survey - 1993 - Variables List

File DHS93_Child (cont.)							
#	Name	Label	Type	Format	Valid	Invalid	Question
191	Q803	Age MM	continuous	numeric-1.0	3859	65	-
192	Q804	Length	continuous	numeric-4.0	3659	265	-
193	Q805	Weight	continuous	numeric-3.0	3659	265	-
194	Q806	Result	continuous	numeric-1.0	3659	265	-
195	CCMC	Childs Century Month	continuous	numeric-4.0	3924	0	-
196	WCMC	Womens CMC of Birth	continuous	numeric-4.0	3924	0	-
197	CMINTV	Century Month of interview	continuous	numeric-4.0	3924	0	-
198	RWEIGHT	Respondants Sample weight	continuous	numeric-7.0	3924	0	-
199	MARCMC	Century month of marriage	continuous	numeric-4.0	3562	362	-
200	BIRTHINT	Birth Interval	continuous	numeric-3.0	3924	0	-
201	LACHIAGE	Age of last child	continuous	numeric-2.0	2926	998	-

Variables Description

Dataset contains 1207 variable(s)

File DHS93_HH

#1 ZONE: Zone	
Information	[Type= continuous] [Format=numeric] [Range= 11-72] [Missing=*]
Statistics [NW/ W]	[Valid=9230 /-] [Invalid=0 /-] [Mean=43.69 /-] [StdDev=20.261 /-]
Definition	a geographical area of the country demarked on the basis of the socio-economic and ecological criteria of that area.
Universe	Demographic characteristics
Source	Household member

#2 DIST: District	
Information	[Type= continuous] [Format=numeric] [Range= 1-24] [Missing=*]
Statistics [NW/ W]	[Valid=9230 /-] [Invalid=0 /-] [Mean=11.036 /-] [StdDev=8.144 /-]

#3 SECTOR: Sector(Ur/Ru/Es)			
Information	[Type= continuous] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=9230 /-] [Invalid=0 /-] [Mean=1.888 /-] [StdDev=0.517 /-]		
Value	Label	Cases	Percentage
1	Urban	1808	19.6%
2	Rural	6644	72.0%
3	Estate	778	8.4%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#4 PSU: PSU(Ward/GN/Es)	
Information	[Type= continuous] [Format=numeric] [Range= 1-30] [Missing=*]
Statistics [NW/ W]	[Valid=9230 /-] [Invalid=0 /-] [Mean=13.513 /-] [StdDev=8.042 /-]

#5 SSU: Survey Block No	
Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=9230 /-] [Invalid=0 /-] [Mean=1.061 /-] [StdDev=0.24 /-]

#6 HUN: Housing Unit No	
Information	[Type= continuous] [Format=numeric] [Range= 1-409] [Missing=*]
Statistics [NW/ W]	[Valid=9230 /-] [Invalid=0 /-] [Mean=88.786 /-] [StdDev=70.432 /-]

Demographic and Health Survey - 1993 - Variables Description

File DHS93_HH (cont.)

#7 HHNO: Household No

Information	[Type= continuous] [Format=numeric] [Range= 0-4] [Missing=*]
Statistics [NW/ W]	[Valid=9230 /-] [Invalid=0 /-] [Mean=0.993 /-] [StdDev=0.256 /-]

#8 WLN: Visit No ?

Information	[Type= continuous] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=9230 /-]

#9 MONTH: Final Visit Month

Information	[Type= continuous] [Format=numeric] [Range= 7-10] [Missing=*]
Statistics [NW/ W]	[Valid=9230 /-] [Invalid=0 /-] [Mean=7.599 /-] [StdDev=0.66 /-]

#10 YEAR: Final Visit Year

Information	[Type= continuous] [Format=numeric] [Range= 93-93] [Missing=*]
Statistics [NW/ W]	[Valid=9230 /-] [Invalid=0 /-] [Mean=93 /-] [StdDev=0 /-]

#11 INTR: Interviewer

Information	[Type= continuous] [Format=numeric] [Range= 1-49] [Missing=*]
Statistics [NW/ W]	[Valid=9230 /-] [Invalid=0 /-] [Mean=25.61 /-] [StdDev=15.107 /-]

#12 RESULT: Result Code

Information	[Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=9230 /-] [Invalid=0 /-] [Mean=1.157 /-] [StdDev=0.936 /-]

Value	Label	Cases	Percentage
1	Completed	8919	96.6%
2	HH present but no competent respondent at home	17	0.2%
3	Nobody at home	86	0.9%
4	Postponed	0	0.0%
5	Refused	6	0.1%
6	Dwelling vacant/Address not a dwelling	101	1.1%
7	Dwelling destroyed	24	0.3%
8	Dwelling not found	31	0.3%
9	Other	46	0.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Demographic and Health Survey - 1993 - Variables Description

File DHS93_HH (cont.)

#13 VISITS: Total No of Visits

Information	[Type= continuous] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=9230 /-] [Invalid=0 /-] [Mean=1.124 /-] [StdDev=0.4 /-]

#14 HHWEIGHT: hhweight

Information	[Type= continuous] [Format=numeric] [Range= 141597-1657915] [Missing=*]
Statistics [NW/ W]	[Valid=9230 /-] [Invalid=0 /-] [Mean=996116.821 /-] [StdDev=476103.208 /-]

#15 HHLNO001: Line No 01

Information	[Type= continuous] [Format=numeric] [Range= 1-20] [Missing=*]
Statistics [NW/ W]	[Valid=8918 /-] [Invalid=312 /-] [Mean=1.281 /-] [StdDev=1.099 /-]

#16 HHLNO002: Line No 02

Information	[Type= continuous] [Format=numeric] [Range= 1-18] [Missing=*]
Statistics [NW/ W]	[Valid=8635 /-] [Invalid=595 /-] [Mean=2.107 /-] [StdDev=0.848 /-]

#17 HHLNO003: Line No 03

Information	[Type= continuous] [Format=numeric] [Range= 1-11] [Missing=*]
Statistics [NW/ W]	[Valid=7989 /-] [Invalid=1241 /-] [Mean=3.048 /-] [StdDev=0.747 /-]

#18 HHLNO004: Line No 04

Information	[Type= continuous] [Format=numeric] [Range= 1-17] [Missing=*]
Statistics [NW/ W]	[Valid=6713 /-] [Invalid=2517 /-] [Mean=3.964 /-] [StdDev=0.71 /-]

#19 HHLNO005: Line No 05

Information	[Type= continuous] [Format=numeric] [Range= 1-12] [Missing=*]
Statistics [NW/ W]	[Valid=4802 /-] [Invalid=4428 /-] [Mean=4.893 /-] [StdDev=0.794 /-]

#20 HHLNO006: Line No 06

Information	[Type= continuous] [Format=numeric] [Range= 1-16] [Missing=*]
Statistics [NW/ W]	[Valid=2862 /-] [Invalid=6368 /-] [Mean=5.808 /-] [StdDev=1.041 /-]

Demographic and Health Survey - 1993 - Variables Description

File DHS93_HH (cont.)

#21 HHLNO007: Line No 07

Information	[Type= continuous] [Format=numeric] [Range= 1-13] [Missing=*]
Statistics [NW/ W]	[Valid=1603 /-] [Invalid=7627 /-] [Mean=6.497 /-] [StdDev=1.594 /-]

#22 HHLNO008: Line No 08

Information	[Type= continuous] [Format=numeric] [Range= 1-15] [Missing=*]
Statistics [NW/ W]	[Valid=832 /-] [Invalid=8398 /-] [Mean=7.186 /-] [StdDev=1.983 /-]

#23 HHLNO009: Line No 09

Information	[Type= continuous] [Format=numeric] [Range= 1-15] [Missing=*]
Statistics [NW/ W]	[Valid=420 /-] [Invalid=8810 /-] [Mean=8.045 /-] [StdDev=2.118 /-]

#24 HHLNO010: Line No 10

Information	[Type= continuous] [Format=numeric] [Range= 1-15] [Missing=*]
Statistics [NW/ W]	[Valid=211 /-] [Invalid=9019 /-] [Mean=9.057 /-] [StdDev=2.244 /-]

#25 HHLNO011: Line No 11

Information	[Type= continuous] [Format=numeric] [Range= 1-11] [Missing=*]
Statistics [NW/ W]	[Valid=116 /-] [Invalid=9114 /-] [Mean=9.629 /-] [StdDev=2.521 /-]

#26 HHLNO012: Line No 12

Information	[Type= continuous] [Format=numeric] [Range= 2-18] [Missing=*]
Statistics [NW/ W]	[Valid=56 /-] [Invalid=9174 /-] [Mean=10.268 /-] [StdDev=2.87 /-]

#27 HHLNO013: Line No 13

Information	[Type= continuous] [Format=numeric] [Range= 4-13] [Missing=*]
Statistics [NW/ W]	[Valid=30 /-] [Invalid=9200 /-] [Mean=11.833 /-] [StdDev=2.306 /-]

#28 HHLNO014: Line No 14

Information	[Type= continuous] [Format=numeric] [Range= 3-14] [Missing=*]
Statistics [NW/ W]	[Valid=19 /-] [Invalid=9211 /-] [Mean=12.263 /-] [StdDev=3.28 /-]

Demographic and Health Survey - 1993 - Variables Description

File DHS93_HH (cont.)

#29 HHLNO015: Line No 15

Information	[Type= continuous] [Format=numeric] [Range= 10-15] [Missing=*]
Statistics [NW/ W]	[Valid=14 /-] [Invalid=9216 /-] [Mean=13.357 /-] [StdDev=2.17 /-]

#30 HHLNO016: Line No 16

Information	[Type= continuous] [Format=numeric] [Range= 5-16] [Missing=*]
Statistics [NW/ W]	[Valid=8 /-] [Invalid=9222 /-] [Mean=14.625 /-] [StdDev=3.889 /-]

#31 HHLNO017: Line No 17

Information	[Type= continuous] [Format=numeric] [Range= 10-17] [Missing=*]
Statistics [NW/ W]	[Valid=6 /-] [Invalid=9224 /-] [Mean=15.833 /-] [StdDev=2.858 /-]

#32 HHLNO018: Line No 18

Information	[Type= continuous] [Format=numeric] [Range= 2-18] [Missing=*]
Statistics [NW/ W]	[Valid=3 /-] [Invalid=9227 /-] [Mean=10.667 /-] [StdDev=8.083 /-]

#33 HHLNO019: Line No 19

Information	[Type= continuous] [Format=numeric] [Range= 13-13] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=9229 /-] [Mean=13 /-]

#34 HHLNO020: Line No 20

Information	[Type= continuous] [Format=numeric] [Range= 19-19] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=9229 /-] [Mean=19 /-]

#35 HHLNO021: Line No 21

Information	[Type= continuous] [Format=numeric] [Range= 21-21] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=9229 /-] [Mean=21 /-]

#36 HHREL001: Rel-ship to Head of H/hold 01

Information	[Type= continuous] [Format=numeric] [Range= 1-12] [Missing=*]
Statistics [NW/ W]	[Valid=8918 /-] [Invalid=312 /-] [Mean=1.236 /-] [StdDev=0.985 /-]

Value	Label	Cases	Percentage
1	Head of Household	8144	91.3%
2	Husband/Wife2	151	1.7%

Demographic and Health Survey - 1993 - Variables Description

File DHS93_HH (cont.)

#36 HHREL001: Rel-ship to Head of H/hold 01 (cont.)

Value (cont.)	Label	Cases	Percentage
3	Son/Daughter	437	4.9%
4	Son in law/Daughter in law4	18	0.2%
5	Grand son/Grand daughter	70	0.8%
6	Parents	20	0.2%
7	Grand father/Grand mother	4	0.0%
8	Brother/Sister	13	0.1%
9	Other Relative	43	0.5%
10	Adopted Child	5	0.1%
11	Visitor	2	0.0%
12	Other	11	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#37 HHREL002: Rel-ship to Head of H/hold 02

Information	[Type= continuous] [Format=numeric] [Range= 1-12] [Missing=*]		
Statistics [NW/ W]	[Valid=8635 /-] [Invalid=595 /-] [Mean=2.389 /-] [StdDev=1.206 /-]		
Value	Label	Cases	Percentage
1	Head of Household	416	4.8%
2	Husband/Wife2	6103	70.7%
3	Son/Daughter	1656	19.2%
4	Son in law/Daughter in law4	85	1.0%
5	Grand son/Grand daughter	97	1.1%
6	Parents	82	0.9%
7	Grand father/Grand mother	9	0.1%
8	Brother/Sister	94	1.1%
9	Other Relative	67	0.8%
10	Adopted Child	4	0.0%
11	Visitor	4	0.0%
12	Other	18	0.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#38 HHREL003: Rel-ship to Head of H/hold 03

Information	[Type= continuous] [Format=numeric] [Range= 1-12] [Missing=*]		
Statistics [NW/ W]	[Valid=7989 /-] [Invalid=1241 /-] [Mean=3.343 /-] [StdDev=1.383 /-]		
Value	Label	Cases	Percentage
1	Head of Household	109	1.4%
2	Husband/Wife2	276	3.5%
3	Son/Daughter	6593	82.5%

Demographic and Health Survey - 1993 - Variables Description

File DHS93_HH (cont.)

#38 HHREL003: Rel-ship to Head of H/hold 03 (cont.)

Value (cont.)	Label	Cases	Percentage
4	Son in law/Daughter in law4	330	4.1%
5	Grand son/Grand daughter	219	2.7%
6	Parents	87	1.1%
7	Grand father/Grand mother	32	0.4%
8	Brother/Sister	121	1.5%
9	Other Relative	156	2.0%
10	Adopted Child	28	0.4%
11	Visitor	5	0.1%
12	Other	33	0.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#39 HHREL004: Rel-ship to Head of H/hold 04

Information	[Type= continuous] [Format=numeric] [Range= 1-12] [Missing=*]		
Statistics [NW/ W]	[Valid=6713 /-] [Invalid=2517 /-] [Mean=3.575 /-] [StdDev=1.608 /-]		
Value	Label	Cases	Percentage
1	Head of Household	82	1.2%
2	Husband/Wife2	90	1.3%
3	Son/Daughter	5206	77.6%
4	Son in law/Daughter in law4	332	4.9%
5	Grand son/Grand daughter	500	7.4%
6	Parents	87	1.3%
7	Grand father/Grand mother	37	0.6%
8	Brother/Sister	96	1.4%
9	Other Relative	197	2.9%
10	Adopted Child	26	0.4%
11	Visitor	11	0.2%
12	Other	49	0.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#40 HHREL005: Rel-ship to Head of H/hold 05

Information	[Type= continuous] [Format=numeric] [Range= 1-12] [Missing=*]		
Statistics [NW/ W]	[Valid=4802 /-] [Invalid=4428 /-] [Mean=3.982 /-] [StdDev=2.053 /-]		
Value	Label	Cases	Percentage
1	Head of Household	68	1.4%
2	Husband/Wife2	61	1.3%
3	Son/Daughter	3289	68.5%
4	Son in law/Daughter in law4	137	2.9%

Demographic and Health Survey - 1993 - Variables Description

File DHS93_HH (cont.)

#40 HHREL005: Rel-ship to Head of H/hold 05 (cont.)

Value (cont.)	Label	Cases	Percentage
5	Grand son/Grand daughter	613	12.8%
6	Parents	115	2.4%
7	Grand father/Grand mother	54	1.1%
8	Brother/Sister	103	2.1%
9	Other Relative	247	5.1%
10	Adopted Child	15	0.3%
11	Visitor	15	0.3%
12	Other	85	1.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#41 HHREL006: Rel-ship to Head of H/hold 06

Information	[Type= continuous] [Format=numeric] [Range= 1-12] [Missing=*]		
Statistics [NW/ W]	[Valid=2862 /-] [Invalid=6368 /-] [Mean=4.425 /-] [StdDev=2.366 /-]		
Value	Label	Cases	Percentage
1	Head of Household	49	1.7%
2	Husband/Wife2	45	1.6%
3	Son/Daughter	1617	56.5%
4	Son in law/Daughter in law4	109	3.8%
5	Grand son/Grand daughter	478	16.7%
6	Parents	107	3.7%
7	Grand father/Grand mother	50	1.7%
8	Brother/Sister	82	2.9%
9	Other Relative	217	7.6%
10	Adopted Child	15	0.5%
11	Visitor	19	0.7%
12	Other	74	2.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#42 HHREL007: Rel-ship to Head of H/hold 07

Information	[Type= continuous] [Format=numeric] [Range= 1-12] [Missing=*]		
Statistics [NW/ W]	[Valid=1603 /-] [Invalid=7627 /-] [Mean=4.679 /-] [StdDev=2.541 /-]		
Value	Label	Cases	Percentage
1	Head of Household	30	1.9%
2	Husband/Wife2	77	4.8%
3	Son/Daughter	732	45.7%
4	Son in law/Daughter in law4	74	4.6%
5	Grand son/Grand daughter	324	20.2%

Demographic and Health Survey - 1993 - Variables Description

File DHS93_HH (cont.)

#42 HHREL007: Rel-ship to Head of H/hold 07 (cont.)

Value (cont.)	Label	Cases	Percentage
6	Parents	57	3.6%
7	Grand father/Grand mother	27	1.7%
8	Brother/Sister	49	3.1%
9	Other Relative	162	10.1%
10	Adopted Child	9	0.6%
11	Visitor	10	0.6%
12	Other	52	3.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#43 HHREL008: Rel-ship to Head of H/hold 08

Information	[Type= continuous] [Format=numeric] [Range= 1-12] [Missing=*]		
Statistics [NW/ W]	[Valid=832 /-] [Invalid=8398 /-] [Mean=5.01 /-] [StdDev=2.63 /-]		
Value	Label	Cases	Percentage
1	Head of Household	12	1.4%
2	Husband/Wife2	18	2.2%
3	Son/Daughter	345	41.5%
4	Son in law/Daughter in law4	45	5.4%
5	Grand son/Grand daughter	195	23.4%
6	Parents	31	3.7%
7	Grand father/Grand mother	11	1.3%
8	Brother/Sister	25	3.0%
9	Other Relative	107	12.9%
10	Adopted Child	3	0.4%
11	Visitor	6	0.7%
12	Other	34	4.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#44 HHREL009: Rel-ship to Head of H/hold 09

Information	[Type= continuous] [Format=numeric] [Range= 1-12] [Missing=*]		
Statistics [NW/ W]	[Valid=420 /-] [Invalid=8810 /-] [Mean=5.319 /-] [StdDev=2.658 /-]		
Value	Label	Cases	Percentage
1	Head of Household	5	1.2%
2	Husband/Wife2	4	1.0%
3	Son/Daughter	147	35.0%
4	Son in law/Daughter in law4	27	6.4%
5	Grand son/Grand daughter	115	27.4%
6	Parents	11	2.6%

Demographic and Health Survey - 1993 - Variables Description

File DHS93_HH (cont.)

#44 HHREL009: Rel-ship to Head of H/hold 09 (cont.)

Value (cont.)	Label	Cases	Percentage
7	Grand father/Grand mother	9	2.1%
8	Brother/Sister	13	3.1%
9	Other Relative	65	15.5%
10	Adopted Child	4	1.0%
11	Visitor	1	0.2%
12	Other	19	4.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#45 HHREL010: Rel-ship to Head of H/hold 10

Information	[Type= continuous] [Format=numeric] [Range= 1-12] [Missing=*]
Statistics [NW/ W]	[Valid=211 /-] [Invalid=9019 /-] [Mean=5.464 /-] [StdDev=2.547 /-]

Value	Label	Cases	Percentage
1	Head of Household	2	0.9%
2	Husband/Wife2	2	0.9%
3	Son/Daughter	62	29.4%
4	Son in law/Daughter in law4	13	6.2%
5	Grand son/Grand daughter	69	32.7%
6	Parents	4	1.9%
7	Grand father/Grand mother	2	0.9%
8	Brother/Sister	9	4.3%
9	Other Relative	39	18.5%
10	Adopted Child	2	0.9%
11	Visitor	1	0.5%
12	Other	6	2.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#46 HHREL011: Rel-ship to Head of H/hold 11

Information	[Type= continuous] [Format=numeric] [Range= 1-12] [Missing=*]
Statistics [NW/ W]	[Valid=116 /-] [Invalid=9114 /-] [Mean=5.647 /-] [StdDev=2.694 /-]

Value	Label	Cases	Percentage
1	Head of Household	4	3.4%
2	Husband/Wife2	0	0.0%
3	Son/Daughter	28	24.1%
4	Son in law/Daughter in law4	9	7.8%
5	Grand son/Grand daughter	36	31.0%
6	Parents	2	1.7%
7	Grand father/Grand mother	2	1.7%

Demographic and Health Survey - 1993 - Variables Description

File DHS93_HH (cont.)

#46 HHREL011: Rel-ship to Head of H/hold 11 (cont.)

Value (cont.)	Label	Cases	Percentage
8	Brother/Sister	6	5.2%
9	Other Relative	22	19.0%
10	Adopted Child	2	1.7%
11	Visitor	1	0.9%
12	Other	4	3.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#47 HHREL012: Rel-ship to Head of H/hold 12

Information	[Type= continuous] [Format=numeric] [Range= 3-12] [Missing=*]
Statistics [NW/ W]	[Valid=56 /-] [Invalid=9174 /-] [Mean=5.554 /-] [StdDev=2.716 /-]

Value	Label	Cases	Percentage
1	Head of Household	0	0.0%
2	Husband/Wife2	0	0.0%
3	Son/Daughter	18	32.1%
4	Son in law/Daughter in law4	7	12.5%
5	Grand son/Grand daughter	13	23.2%
6	Parents	0	0.0%
7	Grand father/Grand mother	3	5.4%
8	Brother/Sister	1	1.8%
9	Other Relative	11	19.6%
10	Adopted Child	0	0.0%
11	Visitor	0	0.0%
12	Other	3	5.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#48 HHREL013: Rel-ship to Head of H/hold 13

Information	[Type= continuous] [Format=numeric] [Range= 3-12] [Missing=*]
Statistics [NW/ W]	[Valid=30 /-] [Invalid=9200 /-] [Mean=5.467 /-] [StdDev=2.3 /-]

Value	Label	Cases	Percentage
1	Head of Household	0	0.0%
2	Husband/Wife2	0	0.0%
3	Son/Daughter	8	26.7%
4	Son in law/Daughter in law4	0	0.0%
5	Grand son/Grand daughter	13	43.3%
6	Parents	2	6.7%
7	Grand father/Grand mother	1	3.3%
8	Brother/Sister	1	3.3%

Demographic and Health Survey - 1993 - Variables Description

File DHS93_HH (cont.)

#48 HHREL013: Rel-ship to Head of H/hold 13 (cont.)

Value (cont.)	Label	Cases	Percentage
9	Other Relative	4	13.3%
10	Adopted Child	0	0.0%
11	Visitor	0	0.0%
12	Other	1	3.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#49 HHREL014: Rel-ship to Head of H/hold 14

Information	[Type= continuous] [Format=numeric] [Range= 3-12] [Missing=*]
Statistics [NW/ W]	[Valid=19 /-] [Invalid=9211 /-] [Mean=5.842 /-] [StdDev=2.754 /-]

Value	Label	Cases	Percentage
1	Head of Household	0	0.0%
2	Husband/Wife2	0	0.0%
3	Son/Daughter	5	26.3%
4	Son in law/Daughter in law4	1	5.3%
5	Grand son/Grand daughter	7	36.8%
6	Parents	0	0.0%
7	Grand father/Grand mother	0	0.0%
8	Brother/Sister	0	0.0%
9	Other Relative	5	26.3%
10	Adopted Child	0	0.0%
11	Visitor	0	0.0%
12	Other	1	5.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#50 HHREL015: Rel-ship to Head of H/hold 15

Information	[Type= continuous] [Format=numeric] [Range= 3-12] [Missing=*]
Statistics [NW/ W]	[Valid=14 /-] [Invalid=9216 /-] [Mean=5.357 /-] [StdDev=2.763 /-]

Value	Label	Cases	Percentage
1	Head of Household	0	0.0%
2	Husband/Wife2	0	0.0%
3	Son/Daughter	5	35.7%
4	Son in law/Daughter in law4	0	0.0%
5	Grand son/Grand daughter	6	42.9%
6	Parents	0	0.0%
7	Grand father/Grand mother	0	0.0%
8	Brother/Sister	0	0.0%
9	Other Relative	2	14.3%

Demographic and Health Survey - 1993 - Variables Description

File DHS93_HH (cont.)

#50 HHREL015: Rel-ship to Head of H/hold 15 (cont.)

Value (cont.)	Label	Cases	Percentage
10	Adopted Child	0	0.0%
11	Visitor	0	0.0%
12	Other	1	7.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#51 HHREL016: Rel-ship to Head of H/hold 16

Information	[Type= continuous] [Format=numeric] [Range= 5-12] [Missing=*]		
Statistics [NW/ W]	[Valid=8 /-] [Invalid=9222 /-] [Mean=7.25 /-] [StdDev=2.659 /-]		
Value	Label	Cases	Percentage
1	Head of Household	0	0.0%
2	Husband/Wife2	0	0.0%
3	Son/Daughter	0	0.0%
4	Son in law/Daughter in law4	0	0.0%
5	Grand son/Grand daughter	4	50.0%
6	Parents	0	0.0%
7	Grand father/Grand mother	0	0.0%
8	Brother/Sister	1	12.5%
9	Other Relative	2	25.0%
10	Adopted Child	0	0.0%
11	Visitor	0	0.0%
12	Other	1	12.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#52 HHREL017: Rel-ship to Head of H/hold 17

Information	[Type= continuous] [Format=numeric] [Range= 4-12] [Missing=*]		
Statistics [NW/ W]	[Valid=6 /-] [Invalid=9224 /-] [Mean=8 /-] [StdDev=2.966 /-]		
Value	Label	Cases	Percentage
1	Head of Household	0	0.0%
2	Husband/Wife2	0	0.0%
3	Son/Daughter	0	0.0%
4	Son in law/Daughter in law4	1	16.7%
5	Grand son/Grand daughter	1	16.7%
6	Parents	0	0.0%
7	Grand father/Grand mother	0	0.0%
8	Brother/Sister	0	0.0%
9	Other Relative	3	50.0%
10	Adopted Child	0	0.0%

Demographic and Health Survey - 1993 - Variables Description

File DHS93_HH (cont.)

#52 HHREL017: Rel-ship to Head of H/hold 17 (cont.)

Value (cont.)	Label	Cases	Percentage
11	Visitor	0	0.0%
12	Other	1	16.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#53 HHREL018: Rel-ship to Head of H/hold 18

Information	[Type= continuous] [Format=numeric] [Range= 3-9] [Missing=*
Statistics [NW/ W]	[Valid=3 /-] [Invalid=9227 /-] [Mean=7 /-] [StdDev=3.464 /-]

Value	Label	Cases	Percentage
1	Head of Household	0	0.0%
2	Husband/Wife2	0	0.0%
3	Son/Daughter	1	33.3%
4	Son in law/Daughter in law4	0	0.0%
5	Grand son/Grand daughter	0	0.0%
6	Parents	0	0.0%
7	Grand father/Grand mother	0	0.0%
8	Brother/Sister	0	0.0%
9	Other Relative	2	66.7%
10	Adopted Child	0	0.0%
11	Visitor	0	0.0%
12	Other	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#54 HHREL019: Rel-ship to Head of H/hold 19

Information	[Type= continuous] [Format=numeric] [Range= 3-3] [Missing=*
Statistics [NW/ W]	[Valid=1 /-] [Invalid=9229 /-] [Mean=3 /-]

Value	Label	Cases	Percentage
1	Head of Household	0	0.0%
2	Husband/Wife2	0	0.0%
3	Son/Daughter	1	100.0%
4	Son in law/Daughter in law4	0	0.0%
5	Grand son/Grand daughter	0	0.0%
6	Parents	0	0.0%
7	Grand father/Grand mother	0	0.0%
8	Brother/Sister	0	0.0%
9	Other Relative	0	0.0%
10	Adopted Child	0	0.0%
11	Visitor	0	0.0%

Demographic and Health Survey - 1993 - Variables Description

File DHS93_HH (cont.)

#54 HHREL019: Rel-ship to Head of H/hold 19 (cont.)

Value (cont.)	Label	Cases	Percentage
12	Other	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#55 HHREL020: Rel-ship to Head of H/hold 20

Information	[Type= continuous] [Format=numeric] [Range= 5-5] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=9229 /-] [Mean=5 /-]		

Value	Label	Cases	Percentage
1	Head of Household	0	0.0%
2	Husband/Wife2	0	0.0%
3	Son/Daughter	0	0.0%
4	Son in law/Daughter in law4	0	0.0%
5	Grand son/Grand daughter	1	100.0%
6	Parents	0	0.0%
7	Grand father/Grand mother	0	0.0%
8	Brother/Sister	0	0.0%
9	Other Relative	0	0.0%
10	Adopted Child	0	0.0%
11	Visitor	0	0.0%
12	Other	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#56 HHREL021: Rel-ship to Head of H/hold 21

Information	[Type= continuous] [Format=numeric] [Range= 5-5] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=9229 /-] [Mean=5 /-]		

Value	Label	Cases	Percentage
1	Head of Household	0	0.0%
2	Husband/Wife2	0	0.0%
3	Son/Daughter	0	0.0%
4	Son in law/Daughter in law4	0	0.0%
5	Grand son/Grand daughter	1	100.0%
6	Parents	0	0.0%
7	Grand father/Grand mother	0	0.0%
8	Brother/Sister	0	0.0%
9	Other Relative	0	0.0%
10	Adopted Child	0	0.0%
11	Visitor	0	0.0%
12	Other	0	0.0%

Demographic and Health Survey - 1993 - Variables Description

File DHS93_HH (cont.)

#56 HHREL021: Rel-ship to Head of H/hold 21 (cont.)

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#57 HHRES101: Person usually lives 01

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W] [Valid=8918 /-] [Invalid=312 /-] [Mean=1.003 /-] [StdDev=0.0549 /-]

Value	Label	Cases	Percentage
1	Yes	8891	99.7%
2	No	27	0.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#58 HHRES102: Person usually lives 02

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W] [Valid=8635 /-] [Invalid=595 /-] [Mean=1.004 /-] [StdDev=0.0653 /-]

Value	Label	Cases	Percentage
1	Yes	8598	99.6%
2	No	37	0.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#59 HHRES103: Person usually lives 03

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W] [Valid=7989 /-] [Invalid=1241 /-] [Mean=1.009 /-] [StdDev=0.0919 /-]

Value	Label	Cases	Percentage
1	Yes	7921	99.1%
2	No	68	0.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#60 HHRES104: Person usually lives 04

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W] [Valid=6713 /-] [Invalid=2517 /-] [Mean=1.014 /-] [StdDev=0.117 /-]

Value	Label	Cases	Percentage
1	Yes	6620	98.6%
2	No	93	1.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Demographic and Health Survey - 1993 - Variables Description

File DHS93_HH (cont.)

#61 HHRES105: Person usually lives 05

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=4802 /-] [Invalid=4428 /-] [Mean=1.024 /-] [StdDev=0.153 /-]		
Value	Label	Cases	Percentage
1	Yes	4687	97.6%
2	No	115	2.4%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#62 HHRES106: Person usually lives 06

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=2862 /-] [Invalid=6368 /-] [Mean=1.042 /-] [StdDev=0.201 /-]		
Value	Label	Cases	Percentage
1	Yes	2741	95.8%
2	No	121	4.2%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#63 HHRES107: Person usually lives 07

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=1603 /-] [Invalid=7627 /-] [Mean=1.056 /-] [StdDev=0.229 /-]		
Value	Label	Cases	Percentage
1	Yes	1514	94.4%
2	No	89	5.6%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#64 HHRES108: Person usually lives 08

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=832 /-] [Invalid=8398 /-] [Mean=1.071 /-] [StdDev=0.257 /-]		
Value	Label	Cases	Percentage
1	Yes	773	92.9%
2	No	59	7.1%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#65 HHRES109: Person usually lives 09

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=420 /-] [Invalid=8810 /-] [Mean=1.069 /-] [StdDev=0.254 /-]		

Demographic and Health Survey - 1993 - Variables Description

File DHS93_HH (cont.)

#65 HHRES109: Person usually lives 09 (cont.)

Value	Label	Cases	Percentage
1	Yes	391	93.1%
2	No	29	6.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#66 HHRES110: Person usually lives 10

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*		
Statistics [NW/ W]	[Valid=211 /-] [Invalid=9019 /-] [Mean=1.095 /-] [StdDev=0.294 /-]		
Value	Label	Cases	Percentage
1	Yes	191	90.5%
2	No	20	9.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#67 HHRES111: Person usually lives 11

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*		
Statistics [NW/ W]	[Valid=116 /-] [Invalid=9114 /-] [Mean=1.129 /-] [StdDev=0.337 /-]		
Value	Label	Cases	Percentage
1	Yes	101	87.1%
2	No	15	12.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#68 HHRES112: Person usually lives 12

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*		
Statistics [NW/ W]	[Valid=56 /-] [Invalid=9174 /-] [Mean=1.161 /-] [StdDev=0.371 /-]		
Value	Label	Cases	Percentage
1	Yes	47	83.9%
2	No	9	16.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#69 HHRES113: Person usually lives 13

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*		
Statistics [NW/ W]	[Valid=30 /-] [Invalid=9200 /-] [Mean=1.267 /-] [StdDev=0.45 /-]		
Value	Label	Cases	Percentage
1	Yes	22	73.3%
2	No	8	26.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Demographic and Health Survey - 1993 - Variables Description

File DHS93_HH (cont.)

#70 HHRES114: Person usually lives 14

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=19 /-] [Invalid=9211 /-] [Mean=1.368 /-] [StdDev=0.496 /-]		
Value	Label	Cases	Percentage
1	Yes	12	63.2%
2	No	7	36.8%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#71 HHRES115: Person usually lives 15

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=14 /-] [Invalid=9216 /-] [Mean=1.357 /-] [StdDev=0.497 /-]		
Value	Label	Cases	Percentage
1	Yes	9	64.3%
2	No	5	35.7%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#72 HHRES116: Person usually lives 16

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=8 /-] [Invalid=9222 /-] [Mean=1.5 /-] [StdDev=0.535 /-]		
Value	Label	Cases	Percentage
1	Yes	4	50.0%
2	No	4	50.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#73 HHRES117: Person usually lives 17

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=6 /-] [Invalid=9224 /-] [Mean=1.667 /-] [StdDev=0.516 /-]		
Value	Label	Cases	Percentage
1	Yes	2	33.3%
2	No	4	66.7%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#74 HHRES118: Person usually lives 18

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=3 /-] [Invalid=9227 /-] [Mean=1.333 /-] [StdDev=0.577 /-]		

Demographic and Health Survey - 1993 - Variables Description

File DHS93_HH (cont.)

#74 HHRES118: Person usually lives 18 (cont.)

Value	Label	Cases	Percentage
1	Yes	2	66.7%
2	No	1	33.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#75 HHRES119: Person usually lives 19

Information	[Type= continuous] [Format=numeric] [Range= 2-2] [Missing=*		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=9229 /-] [Mean=2 /-]		
Value	Label	Cases	Percentage
1	Yes	0	0.0%
2	No	1	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#76 HHRES120: Person usually lives 20

Information	[Type= continuous] [Format=numeric] [Range= 2-2] [Missing=*		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=9229 /-] [Mean=2 /-]		
Value	Label	Cases	Percentage
1	Yes	0	0.0%
2	No	1	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#77 HHRES121: Person usually lives 21

Information	[Type= continuous] [Format=numeric] [Range= 2-2] [Missing=*		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=9229 /-] [Mean=2 /-]		
Value	Label	Cases	Percentage
1	Yes	0	0.0%
2	No	1	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#78 HHRES201: Person slept last night 01

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*		
Statistics [NW/ W]	[Valid=8918 /-] [Invalid=312 /-] [Mean=1.034 /-] [StdDev=0.181 /-]		
Value	Label	Cases	Percentage
1	Yes	8615	96.6%
2	No	303	3.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Demographic and Health Survey - 1993 - Variables Description

File DHS93_HH (cont.)

#79 HHRES202: Person slept last night 02

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=8635 /-] [Invalid=595 /-] [Mean=1.032 /-] [StdDev=0.176 /-]		
Value	Label	Cases	Percentage
1	Yes	8358	96.8%
2	No	277	3.2%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#80 HHRES203: Person slept last night 03

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=7989 /-] [Invalid=1241 /-] [Mean=1.044 /-] [StdDev=0.205 /-]		
Value	Label	Cases	Percentage
1	Yes	7637	95.6%
2	No	352	4.4%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#81 HHRES204: Person slept last night 04

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=6713 /-] [Invalid=2517 /-] [Mean=1.034 /-] [StdDev=0.182 /-]		
Value	Label	Cases	Percentage
1	Yes	6484	96.6%
2	No	229	3.4%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#82 HHRES205: Person slept last night 05

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=4802 /-] [Invalid=4428 /-] [Mean=1.032 /-] [StdDev=0.177 /-]		
Value	Label	Cases	Percentage
1	Yes	4647	96.8%
2	No	155	3.2%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#83 HHRES206: Person slept last night 06

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=2862 /-] [Invalid=6368 /-] [Mean=1.038 /-] [StdDev=0.192 /-]		

Demographic and Health Survey - 1993 - Variables Description

File DHS93_HH (cont.)

#83 HHRES206: Person slept last night 06 (cont.)

Value	Label	Cases	Percentage
1	Yes	2752	96.2%
2	No	110	3.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#84 HHRES207: Person slept last night 07

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*		
Statistics [NW/ W]	[Valid=1603 /-] [Invalid=7627 /-] [Mean=1.037 /-] [StdDev=0.188 /-]		
Value	Label	Cases	Percentage
1	Yes	1544	96.3%
2	No	59	3.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#85 HHRES208: Person slept last night 08

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*		
Statistics [NW/ W]	[Valid=832 /-] [Invalid=8398 /-] [Mean=1.055 /-] [StdDev=0.229 /-]		
Value	Label	Cases	Percentage
1	Yes	786	94.5%
2	No	46	5.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#86 HHRES209: Person slept last night 09

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*		
Statistics [NW/ W]	[Valid=420 /-] [Invalid=8810 /-] [Mean=1.029 /-] [StdDev=0.167 /-]		
Value	Label	Cases	Percentage
1	Yes	408	97.1%
2	No	12	2.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#87 HHRES210: Person slept last night 10

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*		
Statistics [NW/ W]	[Valid=211 /-] [Invalid=9019 /-] [Mean=1.043 /-] [StdDev=0.203 /-]		
Value	Label	Cases	Percentage
1	Yes	202	95.7%
2	No	9	4.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Demographic and Health Survey - 1993 - Variables Description

File DHS93_HH (cont.)

#88 HHRES211: Person slept last night 11

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=116 /-] [Invalid=9114 /-] [Mean=1.095 /-] [StdDev=0.294 /-]		
Value	Label	Cases	Percentage
1	Yes	105	90.5%
2	No	11	9.5%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#89 HHRES212: Person slept last night 12

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=56 /-] [Invalid=9174 /-] [Mean=1.089 /-] [StdDev=0.288 /-]		
Value	Label	Cases	Percentage
1	Yes	51	91.1%
2	No	5	8.9%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#90 HHRES213: Person slept last night 13

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=30 /-] [Invalid=9200 /-] [Mean=1.133 /-] [StdDev=0.346 /-]		
Value	Label	Cases	Percentage
1	Yes	26	86.7%
2	No	4	13.3%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#91 HHRES214: Person slept last night 14

Information	[Type= continuous] [Format=numeric] [Range= 1-1] [Missing=*]		
Statistics [NW/ W]	[Valid=19 /-] [Invalid=9211 /-] [Mean=1 /-] [StdDev=0 /-]		
Value	Label	Cases	Percentage
1	Yes	19	100.0%
2	No	0	0.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#92 HHRES215: Person slept last night 15

Information	[Type= continuous] [Format=numeric] [Range= 1-1] [Missing=*]		
Statistics [NW/ W]	[Valid=14 /-] [Invalid=9216 /-] [Mean=1 /-] [StdDev=0 /-]		

Demographic and Health Survey - 1993 - Variables Description

File DHS93_HH (cont.)

#92 HHRES215: Person slept last night 15 (cont.)

Value	Label	Cases	Percentage
1	Yes	14	100.0%
2	No	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#93 HHRES216: Person slept last night 16

Information	[Type= continuous] [Format=numeric] [Range= 1-1] [Missing=*		
Statistics [NW/ W]	[Valid=8 /-] [Invalid=9222 /-] [Mean=1 /-] [StdDev=0 /-]		
Value	Label	Cases	Percentage
1	Yes	8	100.0%
2	No	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#94 HHRES217: Person slept last night 17

Information	[Type= continuous] [Format=numeric] [Range= 1-1] [Missing=*		
Statistics [NW/ W]	[Valid=6 /-] [Invalid=9224 /-] [Mean=1 /-] [StdDev=0 /-]		
Value	Label	Cases	Percentage
1	Yes	6	100.0%
2	No	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#95 HHRES218: Person slept last night 18

Information	[Type= continuous] [Format=numeric] [Range= 1-1] [Missing=*		
Statistics [NW/ W]	[Valid=3 /-] [Invalid=9227 /-] [Mean=1 /-] [StdDev=0 /-]		
Value	Label	Cases	Percentage
1	Yes	3	100.0%
2	No	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#96 HHRES219: Person slept last night 19

Information	[Type= continuous] [Format=numeric] [Range= 1-1] [Missing=*		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=9229 /-] [Mean=1 /-]		
Value	Label	Cases	Percentage
1	Yes	1	100.0%
2	No	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Demographic and Health Survey - 1993 - Variables Description

File DHS93_HH (cont.)

#97 HHRES220: Person slept last night 20

Information	[Type= continuous] [Format=numeric] [Range= 1-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=9229 /-] [Mean=1 /-]		
Value	Label	Cases	Percentage
1	Yes	1	100.0%
2	No	0	0.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#98 HHRES221: Person slept last night 21

Information	[Type= continuous] [Format=numeric] [Range= 1-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=9229 /-] [Mean=1 /-]		
Value	Label	Cases	Percentage
1	Yes	1	100.0%
2	No	0	0.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#99 HHSEX001: Sex 01

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=8918 /-] [Invalid=312 /-] [Mean=1.218 /-] [StdDev=0.413 /-]		

#100 HHSEX002: Sex 02

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=8635 /-] [Invalid=595 /-] [Mean=1.802 /-] [StdDev=0.399 /-]		

#101 HHSEX003: Sex 03

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=7989 /-] [Invalid=1241 /-] [Mean=1.488 /-] [StdDev=0.5 /-]		

#102 HHSEX004: Sex 04

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=6713 /-] [Invalid=2517 /-] [Mean=1.498 /-] [StdDev=0.5 /-]		

#103 HHSEX005: Sex 05

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=4802 /-] [Invalid=4428 /-] [Mean=1.499 /-] [StdDev=0.5 /-]		

Demographic and Health Survey - 1993 - Variables Description

File DHS93_HH (cont.)

#104 HHSEX006: Sex 06

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=2862 /-] [Invalid=6368 /-] [Mean=1.51 /-] [StdDev=0.5 /-]

#105 HHSEX007: Sex 07

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1603 /-] [Invalid=7627 /-] [Mean=1.516 /-] [StdDev=0.5 /-]

#106 HHSEX008: Sex 08

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=832 /-] [Invalid=8398 /-] [Mean=1.492 /-] [StdDev=0.5 /-]

#107 HHSEX009: Sex 09

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=420 /-] [Invalid=8810 /-] [Mean=1.493 /-] [StdDev=0.501 /-]

#108 HHSEX010: Sex 10

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=211 /-] [Invalid=9019 /-] [Mean=1.483 /-] [StdDev=0.501 /-]

#109 HHSEX011: Sex 12

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=116 /-] [Invalid=9114 /-] [Mean=1.517 /-] [StdDev=0.502 /-]

#110 HHSEX012: Sex 13

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=56 /-] [Invalid=9174 /-] [Mean=1.5 /-] [StdDev=0.505 /-]

#111 HHSEX013: Sex 14

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=30 /-] [Invalid=9200 /-] [Mean=1.567 /-] [StdDev=0.504 /-]

Demographic and Health Survey - 1993 - Variables Description

File DHS93_HH (cont.)

#112 HHSEX014: Sex 15

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=19 /-] [Invalid=9211 /-] [Mean=1.421 /-] [StdDev=0.507 /-]

#113 HHSEX015: Sex 16

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=14 /-] [Invalid=9216 /-] [Mean=1.643 /-] [StdDev=0.497 /-]

#114 HHSEX016: Sex 17

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=8 /-] [Invalid=9222 /-] [Mean=1.75 /-] [StdDev=0.463 /-]

#115 HHSEX017: Sex 18

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=6 /-] [Invalid=9224 /-] [Mean=1.667 /-] [StdDev=0.516 /-]

#116 HHSEX018: Sex 19

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=3 /-] [Invalid=9227 /-] [Mean=1.333 /-] [StdDev=0.577 /-]

#117 HHSEX019: Sex 20

Information	[Type= continuous] [Format=numeric] [Range= 1-1] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=9229 /-] [Mean=1 /-]

#118 HHSEX020: Sex 21

Information	[Type= continuous] [Format=numeric] [Range= 1-1] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=9229 /-] [Mean=1 /-]

#119 HHSEX021: Sex 22

Information	[Type= continuous] [Format=numeric] [Range= 2-2] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=9229 /-] [Mean=2 /-]

Demographic and Health Survey - 1993 - Variables Description

File DHS93_HH (cont.)

#120 HHAGE001: Age 01

Information	[Type= continuous] [Format=numeric] [Range= 0-96] [Missing=*]
Statistics [NW/ W]	[Valid=8918 /-] [Invalid=312 /-] [Mean=45.952 /-] [StdDev=16.464 /-]

#121 HHAGE002: Age 02

Information	[Type= continuous] [Format=numeric] [Range= 0-96] [Missing=*]
Statistics [NW/ W]	[Valid=8635 /-] [Invalid=595 /-] [Mean=37.876 /-] [StdDev=14.885 /-]

#122 HHAGE003: Age 03

Information	[Type= continuous] [Format=numeric] [Range= 0-96] [Missing=*]
Statistics [NW/ W]	[Valid=7989 /-] [Invalid=1241 /-] [Mean=19.643 /-] [StdDev=14.024 /-]

#123 HHAGE004: Age 04

Information	[Type= continuous] [Format=numeric] [Range= 0-91] [Missing=*]
Statistics [NW/ W]	[Valid=6713 /-] [Invalid=2517 /-] [Mean=16.776 /-] [StdDev=13.363 /-]

#124 HHAGE005: Age 05

Information	[Type= continuous] [Format=numeric] [Range= 0-96] [Missing=*]
Statistics [NW/ W]	[Valid=4802 /-] [Invalid=4428 /-] [Mean=16.707 /-] [StdDev=15.488 /-]

#125 HHAGE006: Age 06

Information	[Type= continuous] [Format=numeric] [Range= 0-96] [Missing=*]
Statistics [NW/ W]	[Valid=2862 /-] [Invalid=6368 /-] [Mean=18.408 /-] [StdDev=18.048 /-]

#126 HHAGE007: Age 07

Information	[Type= continuous] [Format=numeric] [Range= 0-96] [Missing=*]
Statistics [NW/ W]	[Valid=1603 /-] [Invalid=7627 /-] [Mean=19.886 /-] [StdDev=18.656 /-]

#127 HHAGE008: Age 08

Information	[Type= continuous] [Format=numeric] [Range= 0-90] [Missing=*]
Statistics [NW/ W]	[Valid=832 /-] [Invalid=8398 /-] [Mean=19.755 /-] [StdDev=18.288 /-]

Demographic and Health Survey - 1993 - Variables Description

File DHS93_HH (cont.)

#128 HHAGE009: Age 09

Information	[Type= continuous] [Format=numeric] [Range= 0-92] [Missing=*]
Statistics [NW/ W]	[Valid=420 /-] [Invalid=8810 /-] [Mean=19.698 /-] [StdDev=18.849 /-]

#129 HHAGE010: Age 10

Information	[Type= continuous] [Format=numeric] [Range= 0-85] [Missing=*]
Statistics [NW/ W]	[Valid=211 /-] [Invalid=9019 /-] [Mean=17.834 /-] [StdDev=16.664 /-]

#130 HHAGE011: Age 11

Information	[Type= continuous] [Format=numeric] [Range= 0-87] [Missing=*]
Statistics [NW/ W]	[Valid=116 /-] [Invalid=9114 /-] [Mean=18.914 /-] [StdDev=18.066 /-]

#131 HHAGE012: Age 12

Information	[Type= continuous] [Format=numeric] [Range= 0-90] [Missing=*]
Statistics [NW/ W]	[Valid=56 /-] [Invalid=9174 /-] [Mean=22.982 /-] [StdDev=19.701 /-]

#132 HHAGE013: Age 13

Information	[Type= continuous] [Format=numeric] [Range= 0-70] [Missing=*]
Statistics [NW/ W]	[Valid=30 /-] [Invalid=9200 /-] [Mean=18.9 /-] [StdDev=18.382 /-]

#133 HHAGE014: Age 14

Information	[Type= continuous] [Format=numeric] [Range= 1-43] [Missing=*]
Statistics [NW/ W]	[Valid=19 /-] [Invalid=9211 /-] [Mean=15.474 /-] [StdDev=10.921 /-]

#134 HHAGE015: Age 15

Information	[Type= continuous] [Format=numeric] [Range= 0-43] [Missing=*]
Statistics [NW/ W]	[Valid=14 /-] [Invalid=9216 /-] [Mean=17 /-] [StdDev=14.412 /-]

#135 HHAGE016: Age 16

Information	[Type= continuous] [Format=numeric] [Range= 0-47] [Missing=*]
Statistics [NW/ W]	[Valid=8 /-] [Invalid=9222 /-] [Mean=18.5 /-] [StdDev=18.944 /-]

Demographic and Health Survey - 1993 - Variables Description

File DHS93_HH (cont.)

#136 HHAGE017: Age 17

Information	[Type= continuous] [Format=numeric] [Range= 1-24] [Missing=*]
Statistics [NW/ W]	[Valid=6 /-] [Invalid=9224 /-] [Mean=16.333 /-] [StdDev=8.406 /-]

#137 HHAGE018: Age 18

Information	[Type= continuous] [Format=numeric] [Range= 0-30] [Missing=*]
Statistics [NW/ W]	[Valid=3 /-] [Invalid=9227 /-] [Mean=18.333 /-] [StdDev=16.073 /-]

#138 HHAGE019: Age 19

Information	[Type= continuous] [Format=numeric] [Range= 26-26] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=9229 /-] [Mean=26 /-]

#139 HHAGE020: Age 20

Information	[Type= continuous] [Format=numeric] [Range= 2-2] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=9229 /-] [Mean=2 /-]

#140 HHAGE021: Age 21

Information	[Type= continuous] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=9229 /-] [Mean=0 /-]

#141 HHMAR001: Marital Status 01

Information	[Type= continuous] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=8918 /-] [Invalid=312 /-] [Mean=1.915 /-] [StdDev=0.489 /-]

Value	Label	Cases	Percentage
1	Formerly Married	1478	16.6%
2	Currently Married	6723	75.4%
3	Never Married	717	8.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#142 HHMAR002: Marital Status 02

Information	[Type= continuous] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=8635 /-] [Invalid=595 /-] [Mean=2.137 /-] [StdDev=0.425 /-]

Value	Label	Cases	Percentage
1	Formerly Married	271	3.1%

Demographic and Health Survey - 1993 - Variables Description

File DHS93_HH (cont.)

#142 HHMAR002: Marital Status 02 (cont.)

Value (cont.)	Label	Cases	Percentage
2	Currently Married	6912	80.0%
3	Never Married	1452	16.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#143 HHMAR003: Marital Status 03

Information	[Type= continuous] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=7989 /-] [Invalid=1241 /-] [Mean=2.783 /-] [StdDev=0.475 /-]

Value	Label	Cases	Percentage
1	Formerly Married	222	2.8%
2	Currently Married	1292	16.2%
3	Never Married	6475	81.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#144 HHMAR004: Marital Status 04

Information	[Type= continuous] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=6713 /-] [Invalid=2517 /-] [Mean=2.834 /-] [StdDev=0.428 /-]

Value	Label	Cases	Percentage
1	Formerly Married	150	2.2%
2	Currently Married	813	12.1%
3	Never Married	5750	85.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#145 HHMAR005: Marital Status 05

Information	[Type= continuous] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=4802 /-] [Invalid=4428 /-] [Mean=2.83 /-] [StdDev=0.457 /-]

Value	Label	Cases	Percentage
1	Formerly Married	162	3.4%
2	Currently Married	493	10.3%
3	Never Married	4147	86.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#146 HHMAR006: Marital Status 06

Information	[Type= continuous] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=2862 /-] [Invalid=6368 /-] [Mean=2.763 /-] [StdDev=0.53 /-]

Demographic and Health Survey - 1993 - Variables Description

File DHS93_HH (cont.)

#146 HHMAR006: Marital Status 06 (cont.)

Value	Label	Cases	Percentage
1	Formerly Married	143	5.0%
2	Currently Married	392	13.7%
3	Never Married	2327	81.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#147 HHMAR007: Marital Status 07

Information	[Type= continuous] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=1603 /-] [Invalid=7627 /-] [Mean=2.708 /-] [StdDev=0.549 /-]

Value	Label	Cases	Percentage
1	Formerly Married	76	4.7%
2	Currently Married	316	19.7%
3	Never Married	1211	75.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#148 HHMAR008: Marital Status 08

Information	[Type= continuous] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=832 /-] [Invalid=8398 /-] [Mean=2.714 /-] [StdDev=0.544 /-]

Value	Label	Cases	Percentage
1	Formerly Married	38	4.6%
2	Currently Married	162	19.5%
3	Never Married	632	76.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#149 HHMAR009: Marital Status 09

Information	[Type= continuous] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=420 /-] [Invalid=8810 /-] [Mean=2.7 /-] [StdDev=0.57 /-]

Value	Label	Cases	Percentage
1	Formerly Married	24	5.7%
2	Currently Married	78	18.6%
3	Never Married	318	75.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#150 HHMAR010: Marital Status 10

Information	[Type= continuous] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=211 /-] [Invalid=9019 /-] [Mean=2.763 /-] [StdDev=0.489 /-]

Demographic and Health Survey - 1993 - Variables Description

File DHS93_HH (cont.)

#150 HHMAR010: Marital Status 10 (cont.)

Value	Label	Cases	Percentage
1	Formerly Married	6	2.8%
2	Currently Married	38	18.0%
3	Never Married	167	79.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#151 HHMAR011: Marital Status 11

Information	[Type= continuous] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=116 /-] [Invalid=9114 /-] [Mean=2.681 /-] [StdDev=0.569 /-]

Value	Label	Cases	Percentage
1	Formerly Married	6	5.2%
2	Currently Married	25	21.6%
3	Never Married	85	73.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#152 HHMAR012: Marital Status 12

Information	[Type= continuous] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=56 /-] [Invalid=9174 /-] [Mean=2.625 /-] [StdDev=0.558 /-]

Value	Label	Cases	Percentage
1	Formerly Married	2	3.6%
2	Currently Married	17	30.4%
3	Never Married	37	66.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#153 HHMAR013: Marital Status 13

Information	[Type= continuous] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=30 /-] [Invalid=9200 /-] [Mean=2.733 /-] [StdDev=0.521 /-]

Value	Label	Cases	Percentage
1	Formerly Married	1	3.3%
2	Currently Married	6	20.0%
3	Never Married	23	76.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#154 HHMAR014: Marital Status 14

Information	[Type= continuous] [Format=numeric] [Range= 2-3] [Missing=*]
Statistics [NW/ W]	[Valid=19 /-] [Invalid=9211 /-] [Mean=2.789 /-] [StdDev=0.419 /-]

Demographic and Health Survey - 1993 - Variables Description

File DHS93_HH (cont.)

#154 HHMAR014: Marital Status 14 (cont.)

Value	Label	Cases	Percentage
1	Formerly Married	0	0.0%
2	Currently Married	4	21.1%
3	Never Married	15	78.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#155 HHMAR015: Marital Status 15

Information	[Type= continuous] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=14 /-] [Invalid=9216 /-] [Mean=2.571 /-] [StdDev=0.646 /-]

Value	Label	Cases	Percentage
1	Formerly Married	1	7.1%
2	Currently Married	4	28.6%
3	Never Married	9	64.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#156 HHMAR016: Marital Status 16

Information	[Type= continuous] [Format=numeric] [Range= 2-3] [Missing=*]
Statistics [NW/ W]	[Valid=8 /-] [Invalid=9222 /-] [Mean=2.75 /-] [StdDev=0.463 /-]

Value	Label	Cases	Percentage
1	Formerly Married	0	0.0%
2	Currently Married	2	25.0%
3	Never Married	6	75.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#157 HHMAR017: Marital Status 17

Information	[Type= continuous] [Format=numeric] [Range= 2-3] [Missing=*]
Statistics [NW/ W]	[Valid=6 /-] [Invalid=9224 /-] [Mean=2.667 /-] [StdDev=0.516 /-]

Value	Label	Cases	Percentage
1	Formerly Married	0	0.0%
2	Currently Married	2	33.3%
3	Never Married	4	66.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#158 HHMAR018: Marital Status 18

Information	[Type= continuous] [Format=numeric] [Range= 3-3] [Missing=*]
Statistics [NW/ W]	[Valid=3 /-] [Invalid=9227 /-] [Mean=3 /-] [StdDev=0 /-]

Demographic and Health Survey - 1993 - Variables Description

File DHS93_HH (cont.)

#158 HHMAR018: Marital Status 18 (cont.)

Value	Label	Cases	Percentage
1	Formerly Married	0	0.0%
2	Currently Married	0	0.0%
3	Never Married	3	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#159 HHMAR019: Marital Status 19

Information	[Type= continuous] [Format=numeric] [Range= 2-2] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=9229 /-] [Mean=2 /-]

Value	Label	Cases	Percentage
1	Formerly Married	0	0.0%
2	Currently Married	1	100.0%
3	Never Married	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#160 HHMAR020: Marital Status 20

Information	[Type= continuous] [Format=numeric] [Range= 3-3] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=9229 /-] [Mean=3 /-]

Value	Label	Cases	Percentage
1	Formerly Married	0	0.0%
2	Currently Married	0	0.0%
3	Never Married	1	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#161 HHMAR021: Marital Status 21

Information	[Type= continuous] [Format=numeric] [Range= 3-3] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=9229 /-] [Mean=3 /-]

Value	Label	Cases	Percentage
1	Formerly Married	0	0.0%
2	Currently Married	0	0.0%
3	Never Married	1	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#162 HHELIG01: Eligibility 01

Information	[Type= continuous] [Format=numeric] [Range= 1-10] [Missing=*]
Statistics [NW/ W]	[Valid=604 /-] [Invalid=8626 /-] [Mean=1.326 /-] [StdDev=0.929 /-]

Demographic and Health Survey - 1993 - Variables Description

File DHS93_HH (cont.)

#163 HHELIG02: Eligibility 02

Information	[Type= continuous] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=4615 /-] [Invalid=4615 /-] [Mean=2.009 /-] [StdDev=0.274 /-]

#164 HHELIG03: Eligibility 03

Information	[Type= continuous] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=703 /-] [Invalid=8527 /-] [Mean=2.784 /-] [StdDev=0.672 /-]

#165 HHELIG04: Eligibility 04

Information	[Type= continuous] [Format=numeric] [Range= 1-10] [Missing=*]
Statistics [NW/ W]	[Valid=470 /-] [Invalid=8760 /-] [Mean=3.679 /-] [StdDev=0.958 /-]

#166 HHELIG05: Eligibility 05

Information	[Type= continuous] [Format=numeric] [Range= 1-12] [Missing=*]
Statistics [NW/ W]	[Valid=227 /-] [Invalid=9003 /-] [Mean=4.374 /-] [StdDev=1.349 /-]

#167 HHELIG06: Eligibility 06

Information	[Type= continuous] [Format=numeric] [Range= 2-11] [Missing=*]
Statistics [NW/ W]	[Valid=160 /-] [Invalid=9070 /-] [Mean=5.2 /-] [StdDev=1.651 /-]

#168 HHELIG07: Eligibility 07

Information	[Type= continuous] [Format=numeric] [Range= 2-12] [Missing=*]
Statistics [NW/ W]	[Valid=150 /-] [Invalid=9080 /-] [Mean=4.793 /-] [StdDev=2.555 /-]

#169 HHELIG08: Eligibility 08

Information	[Type= continuous] [Format=numeric] [Range= 2-14] [Missing=*]
Statistics [NW/ W]	[Valid=73 /-] [Invalid=9157 /-] [Mean=6.288 /-] [StdDev=2.96 /-]

#170 HHELIG09: Eligibility 09

Information	[Type= continuous] [Format=numeric] [Range= 2-14] [Missing=*]
Statistics [NW/ W]	[Valid=37 /-] [Invalid=9193 /-] [Mean=7.595 /-] [StdDev=2.733 /-]

Demographic and Health Survey - 1993 - Variables Description

File DHS93_HH (cont.)

#171 HHELIG10: Eligibility 10

Information	[Type= continuous] [Format=numeric] [Range= 2-10] [Missing=*]
Statistics [NW/ W]	[Valid=14 /-] [Invalid=9216 /-] [Mean=8 /-] [StdDev=2.801 /-]

#172 HHELIG11: Eligibility 11

Information	[Type= continuous] [Format=numeric] [Range= 6-11] [Missing=*]
Statistics [NW/ W]	[Valid=8 /-] [Invalid=9222 /-] [Mean=9.75 /-] [StdDev=2.053 /-]

#173 HHELIG12: Eligibility 12

Information	[Type= continuous] [Format=numeric] [Range= 2-12] [Missing=*]
Statistics [NW/ W]	[Valid=7 /-] [Invalid=9223 /-] [Mean=9.286 /-] [StdDev=3.861 /-]

#174 HHELIG13: Eligibility 13

Information	[Type= continuous] [Format=numeric] [Range= 13-13] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=9229 /-] [Mean=13 /-]

#175 HHELIG14: Eligibility 14

Information	[Type= continuous] [Format=numeric] [Range= 10-10] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=9229 /-] [Mean=10 /-]

#176 HHELIG15: Eligibility 15

Information	[Type= continuous] [Format=numeric] [Range= 11-15] [Missing=*]
Statistics [NW/ W]	[Valid=4 /-] [Invalid=9226 /-] [Mean=14 /-] [StdDev=2 /-]

#177 HHELIG16: Eligibility 16

Information	[Type= continuous] [Format=numeric] [Range= 16-16] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=9228 /-] [Mean=16 /-] [StdDev=0 /-]

#178 HHELIG17: Eligibility 17

Information	[Type= continuous] [Format=numeric] [Range= 10-17] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=9228 /-] [Mean=13.5 /-] [StdDev=4.95 /-]

Demographic and Health Survey - 1993 - Variables Description

File DHS93_HH (cont.)

#179 HHELIG18: Eligibility 18

Information	[Type= continuous] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=9230 /-]

#180 HHELIG19: Eligibility 19

Information	[Type= continuous] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=9230 /-]

#181 HHELIG20: Eligibility 20

Information	[Type= continuous] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=9230 /-]

#182 HHELIG21: Eligibility 21

Information	[Type= continuous] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=9230 /-]
Definition	<p>A geographical area of the country identified on the basis of socio-economic and ecological criteria for DHS87. The country was divided into nine zones for the survey.</p> <ol style="list-style-type: none"> 1. Colombo Metro consisting some urban areas in Colombo and Gampaha Districts. 2. Colombo feeder areas 3. South western coastal low lands 4. Lower South Central hill country excluding districts with a concentration of estates 5. south Central hill country with a concentration of estates 6. Irrigated Dry Zone with major or minor irrigation schemes 7. Rain fed Dry Zone

#183 USUALRES: No of Usual Residents ?

Information	[Type= continuous] [Format=numeric] [Range= 0-18] [Missing=*]
Statistics [NW/ W]	[Valid=9230 /-] [Invalid=0 /-] [Mean=4.607 /-] [StdDev=2.13 /-]

Value	Label	Cases	Percentage
0	0	313	3.4%
1	1	286	3.1%
2	2	674	7.3%
3	3	1336	14.5%
4	4	1940	21.0%
5	5	1950	21.1%
6	6	1240	13.4%
7	7	733	7.9%
8	8	377	4.1%

File DHS93_HH (cont.)

#183 USUALRES: No of Usual Residents ? (cont.)

Value (cont.)	Label	Cases	Percentage
9	9	195	2.1%
10	10	92	1.0%
11	11	53	0.6%
12	12	23	0.2%
13	13	10	0.1%
14	14	3	0.0%
15	15	2	0.0%
16	16	1	0.0%
17	17	1	0.0%
18	18	1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#184 TOTALPER: Total Eligible Persons

Information	[Type= continuous] [Format=numeric] [Range= 0-21] [Missing=*]
Statistics [NW/ W]	[Valid=9230 /-] [Invalid=0 /-] [Mean=4.685 /-] [StdDev=2.194 /-]

File DHS93_Person

#1 ZONE: Zone

Information	[Type= continuous] [Format=numeric] [Range= 11-72] [Missing=*]
Statistics [NW/ W]	[Valid=43240 /-] [Invalid=0 /-] [Mean=43.398 /-] [StdDev=20.348 /-]

#2 DIST: District

Information	[Type= continuous] [Format=numeric] [Range= 1-24] [Missing=*]
Statistics [NW/ W]	[Valid=43240 /-] [Invalid=0 /-] [Mean=10.925 /-] [StdDev=8.125 /-]

#3 SECTOR: Sector(Ur/Ru/Es)

Information	[Type= continuous] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=43240 /-] [Invalid=0 /-] [Mean=1.875 /-] [StdDev=0.518 /-]

#4 PSU: PSU(Ward/GN/Es)

Information	[Type= continuous] [Format=numeric] [Range= 1-30] [Missing=*]
-------------	---

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Person (cont.)

#4 PSU: PSU(Ward/GN/Es) (cont.)

Statistics [NW/ W]	[Valid=43240 /-] [Invalid=0 /-] [Mean=13.42 /-] [StdDev=8.055 /-]
--------------------	---

#5 SSU: Survey Block No

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=43240 /-] [Invalid=0 /-] [Mean=1.06 /-] [StdDev=0.237 /-]
--------------------	--

#6 HUN: Housing Unit No

Information	[Type= continuous] [Format=numeric] [Range= 1-409] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=43240 /-] [Invalid=0 /-] [Mean=88.945 /-] [StdDev=70.361 /-]
--------------------	---

#7 HHNO: Household No

Information	[Type= continuous] [Format=numeric] [Range= 1-4] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=43240 /-] [Invalid=0 /-] [Mean=1.022 /-] [StdDev=0.161 /-]
--------------------	---

#8 WIN: Visit No ?

Information	[Type= continuous] [Format=numeric] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=0 /-] [Invalid=43240 /-]
--------------------	---------------------------------

#9 MONTH: Final Visit Month

Information	[Type= continuous] [Format=numeric] [Range= 7-10] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=43240 /-] [Invalid=0 /-] [Mean=7.597 /-] [StdDev=0.666 /-]
--------------------	---

#10 YEAR: Final Visit Year

Information	[Type= continuous] [Format=numeric] [Range= 93-93] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=43240 /-] [Invalid=0 /-] [Mean=93 /-] [StdDev=0 /-]
--------------------	--

#11 INU: Interviewer ?

Information	[Type= continuous] [Format=numeric] [Range= 1-49] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=43240 /-] [Invalid=0 /-] [Mean=25.582 /-] [StdDev=15.111 /-]
--------------------	---

#12 RESULT: Result Code

Information	[Type= continuous] [Format=numeric] [Range= 1-1] [Missing=*]
-------------	--

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Person (cont.)

#12 RESULT: Result Code (cont.)

Statistics [NW/ W]	[Valid=43240 /-] [Invalid=0 /-] [Mean=1 /-] [StdDev=0 /-]
--------------------	---

#13 VISITS: Total No of Visits

Information	[Type= continuous] [Format=numeric] [Range= 1-3] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=43240 /-] [Invalid=0 /-] [Mean=1.101 /-] [StdDev=0.349 /-]
--------------------	---

#14 HHWEIGHT: HHweight

Information	[Type= continuous] [Format=numeric] [Range= 141597-1657915] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=43240 /-] [Invalid=0 /-] [Mean=999260.626 /-] [StdDev=472968.634 /-]
--------------------	---

#15 LNO: Line No

Information	[Type= continuous] [Format=numeric] [Range= 1-21] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=43240 /-] [Invalid=0 /-] [Mean=3.357 /-] [StdDev=2.074 /-]
--------------------	---

#16 REL: Rel-ship to Head of H/hold

Information	[Type= continuous] [Format=numeric] [Range= 1-12] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=43240 /-] [Invalid=0 /-] [Mean=3.021 /-] [StdDev=1.984 /-]
--------------------	---

#17 RES1: Person usually lives

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=43240 /-] [Invalid=0 /-] [Mean=1.017 /-] [StdDev=0.127 /-]
--------------------	---

#18 RES2: Person slept last night

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=43240 /-] [Invalid=0 /-] [Mean=1.036 /-] [StdDev=0.187 /-]
--------------------	---

#19 SEX: Sex

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=43240 /-] [Invalid=0 /-] [Mean=1.501 /-] [StdDev=0.5 /-]
--------------------	---

#20 AGE: Age

Information	[Type= continuous] [Format=numeric] [Range= 0-96] [Missing=*]
-------------	---

File DHS93_Person (cont.)

#20 AGE: Age (cont.)

Statistics [NW/ W]	[Valid=43240 /-] [Invalid=0 /-] [Mean=27.858 /-] [StdDev=19.554 /-]
--------------------	---

#21 MAR: Marital Status

Information	[Type= continuous] [Format=numeric] [Range= 1-3] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=43240 /-] [Invalid=0 /-] [Mean=2.481 /-] [StdDev=0.607 /-]
--------------------	---

#22 ELIGNO: Eligibility

Information	[Type= continuous] [Format=numeric] [Range= 1-17] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=7078 /-] [Invalid=36162 /-] [Mean=2.464 /-] [StdDev=1.43 /-]
--------------------	---

File DHS93_Women

#1 ZONE: Zone

Information	[Type= continuous] [Format=numeric] [Range= 11-72] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=7078 /-] [Invalid=0 /-] [Mean=43.729 /-] [StdDev=20.62 /-]
--------------------	---

#2 DIST: District

Information	[Type= continuous] [Format=numeric] [Range= 1-24] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=7078 /-] [Invalid=0 /-] [Mean=11.09 /-] [StdDev=8.173 /-]
--------------------	--

#3 SECTOR: Sector(Ur/Ru/Es)

Information	[Type= continuous] [Format=numeric] [Range= 1-3] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=7078 /-] [Invalid=0 /-] [Mean=1.877 /-] [StdDev=0.531 /-]
--------------------	--

#4 PSU: PSU(Ward/GN/Es)

Information	[Type= continuous] [Format=numeric] [Range= 1-30] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=7078 /-] [Invalid=0 /-] [Mean=13.459 /-] [StdDev=8.062 /-]
--------------------	---

#5 SSU: Survey Block No

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]
-------------	--

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#5 SSU: Survey Block No (cont.)

Statistics [NW/ W]	[Valid=7078 /-] [Invalid=0 /-] [Mean=1.06 /-] [StdDev=0.237 /-]
--------------------	---

#6 HUN: Housing Unit No

Information	[Type= continuous] [Format=numeric] [Range= 1-409] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=7078 /-] [Invalid=0 /-] [Mean=88.892 /-] [StdDev=70.603 /-]
--------------------	--

#7 HHNO: Household No

Information	[Type= continuous] [Format=numeric] [Range= 1-4] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=7078 /-] [Invalid=0 /-] [Mean=1.031 /-] [StdDev=0.189 /-]
--------------------	--

#8 WLNO: Visit No ?

Information	[Type= continuous] [Format=numeric] [Range= 1-17] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=7078 /-] [Invalid=0 /-] [Mean=2.464 /-] [StdDev=1.43 /-]
--------------------	---

#9 MOINT: Month of Interview

Information	[Type= continuous] [Format=numeric] [Range= 7-10] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=7078 /-] [Invalid=0 /-] [Mean=7.61 /-] [StdDev=0.674 /-]
--------------------	---

#10 YRINT: Year of Interview

Information	[Type= continuous] [Format=numeric] [Range= 93-93] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=7078 /-] [Invalid=0 /-] [Mean=93 /-] [StdDev=0 /-]
--------------------	---

#11 INTERVR: Interviewer

Information	[Type= continuous] [Format=numeric] [Range= 1-49] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=7078 /-] [Invalid=0 /-] [Mean=26.063 /-] [StdDev=15.313 /-]
--------------------	--

#12 RESULT: Result Code

Information	[Type= continuous] [Format=numeric] [Range= 1-6] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=7078 /-] [Invalid=0 /-]
--------------------	--------------------------------

Value	Label	Cases	Percentage
1	Completed	6983	98.7%
2	Not at home	74	1.0%
3	Postponed	1	0.0%

File DHS93_Women (cont.)

#12 RESULT: Result Code (cont.)

Value (cont.)	Label	Cases	Percentage
4	Refused	7	0.1%
5	Party completed	0	0.0%
6	Other	13	0.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#13 VISITS: Total No. of Visits

Information	[Type= continuous] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=7078 /-] [Invalid=0 /-] [Mean=1.084 /-] [StdDev=0.333 /-]

#14 Q101: No. of Persons in the Household

Information	[Type= continuous] [Format=numeric] [Range= 1-21] [Missing=*]
Statistics [NW/ W]	[Valid=6983 /-] [Invalid=95 /-] [Mean=5.429 /-] [StdDev=2.168 /-]

#15 Q102: No. of Children <= 5 Listed and Live in the Household

Information	[Type= continuous] [Format=numeric] [Range= 0-5] [Missing=*]
Statistics [NW/ W]	[Valid=6983 /-] [Invalid=95 /-] [Mean=0.708 /-] [StdDev=0.838 /-]

#16 Q103H: Interview Time HH

Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]
Statistics [NW/ W]	[Valid=6983 /-] [Invalid=95 /-] [Mean=12.621 /-] [StdDev=6.627 /-]

#17 Q103M: Interview Time MM

Information	[Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*]
Statistics [NW/ W]	[Valid=6983 /-] [Invalid=95 /-] [Mean=22.574 /-] [StdDev=17.54 /-]

#18 Q104: Where Lived

Information	[Type= continuous] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=6983 /-] [Invalid=95 /-] [Mean=2.795 /-] [StdDev=0.736 /-]		
Value	Label	Cases	Percentage
1	Colombo Metro	736	10.5%
2	Other Urban	544	7.8%
3	Rural	5122	73.3%
4	Estate	579	8.3%

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#18 Q104: Where Lived (cont.)

Value (cont.)	Label	Cases	Percentage
5	Abroad	2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#19 Q105: Duration of Where Lived

Information	[Type= continuous] [Format=numeric] [Range= 0-97] [Missing=*]
Statistics [NW/ W]	[Valid=6983 /-] [Invalid=95 /-] [Mean=41.998 /-] [StdDev=40.794 /-]

#20 Q106M: Birth Month

Information	[Type= continuous] [Format=numeric] [Range= 1-12] [Missing=*]
Statistics [NW/ W]	[Valid=6983 /-] [Invalid=95 /-] [Mean=6.506 /-] [StdDev=3.535 /-]

Value	Label	Cases	Percentage
1	1	596	8.5%
2	2	558	8.0%
3	3	691	9.9%
4	4	608	8.7%
5	5	561	8.0%
6	6	526	7.5%
7	7	474	6.8%
8	8	581	8.3%
9	9	529	7.6%
10	10	573	8.2%
11	11	638	9.1%
12	12	648	9.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#21 Q106Y: Birth Year

Information	[Type= continuous] [Format=numeric] [Range= 43-78] [Missing=*]
Statistics [NW/ W]	[Valid=6983 /-] [Invalid=95 /-] [Mean=58.119 /-] [StdDev=8.327 /-]

#22 Q107: Age at Last Birth Day

Information	[Type= continuous] [Format=numeric] [Range= 15-49] [Missing=*]
Statistics [NW/ W]	[Valid=6983 /-] [Invalid=95 /-] [Mean=34.5 /-] [StdDev=8.31 /-]
Frequency table not shown (35 Modalities)	

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#23 Q108: Attended School

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=6983 /-] [Invalid=95 /-] [Mean=1.097 /-] [StdDev=0.296 /-]		
Value	Label	Cases	Percentage
1	Yes	6308	90.3%
2	No	675	9.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#24 Q109C: Highest Level in School

Information	[Type= continuous] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=6308 /-] [Invalid=770 /-] [Mean=2.001 /-] [StdDev=0.778 /-]		
Value	Label	Cases	Percentage
1	Primary	1907	30.2%
2	Secondary	2487	39.4%
3	Higher	1914	30.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#25 Q109U: Highest Grade in School

Information	[Type= continuous] [Format=numeric] [Range= 0-12] [Missing=*]		
Statistics [NW/ W]	[Valid=6308 /-] [Invalid=770 /-] [Mean=7.484 /-] [StdDev=2.973 /-]		
Value	Label	Cases	Percentage
0	00	4	0.1%
1	01	92	1.5%
2	02	328	5.2%
3	03	378	6.0%
4	04	493	7.8%
5	05	612	9.7%
6	06	387	6.1%
7	07	395	6.3%
8	08	527	8.4%
9	09	1178	18.7%
10	10	1156	18.3%
11	11	266	4.2%
12	12	492	7.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#26 Q110: Highest Exam Passed

Information	[Type= continuous] [Format=numeric] [Range= 1-6] [Missing=*]		
-------------	--	--	--

File DHS93_Women (cont.)

#26 Q110: Highest Exam Passed (cont.)

Statistics [NW/ W]	[Valid=4401 /-] [Invalid=2677 /-] [Mean=4.154 /-] [StdDev=2.302 /-]
--------------------	---

Value	Label	Cases	Percentage
1	GCE OL	1260	28.6%
2	GCE AL	365	8.3%
3	University Degree	84	1.9%
4	Tech/Professional	50	1.1%
5	Other	13	0.3%
6	None	2629	59.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#27 Q112: Ability to Read a Newspaper

Information	[Type= continuous] [Format=numeric] [Range= 1-3] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=2582 /-] [Invalid=4496 /-] [Mean=2.065 /-] [StdDev=0.852 /-]
--------------------	---

Value	Label	Cases	Percentage
1	Easily	858	33.2%
2	With difficulty	697	27.0%
3	Not at all	1027	39.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#28 Q113: Frequency of Reading Newspaper

Information	[Type= continuous] [Format=numeric] [Range= 1-3] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=1555 /-] [Invalid=5523 /-] [Mean=2.134 /-] [StdDev=0.645 /-]
--------------------	---

Value	Label	Cases	Percentage
1	Regularly	233	15.0%
2	Seldom	881	56.7%
3	Never	441	28.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#29 Q114: Frequency of Watching TV

Information	[Type= continuous] [Format=numeric] [Range= 1-3] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=6983 /-] [Invalid=95 /-] [Mean=2.076 /-] [StdDev=0.765 /-]
--------------------	---

Value	Label	Cases	Percentage
1	Regularly	1797	25.7%
2	Seldom	2859	40.9%
3	Never	2327	33.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File DHS93_Women (cont.)

#30 Q115: Frequency of Listening to Radio

Information	[Type= continuous] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=6983 /-] [Invalid=95 /-] [Mean=1.862 /-] [StdDev=0.708 /-]		
Value	Label	Cases	Percentage
1	Regularly	2297	32.9%
2	Seldom	3350	48.0%
3	Never	1336	19.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#31 Q116: With Whom to Consult Health

Information	[Type= continuous] [Format=numeric] [Range= 1-7] [Missing=*]		
Statistics [NW/ W]	[Valid=6983 /-] [Invalid=95 /-] [Mean=3.111 /-] [StdDev=1.099 /-]		
Value	Label	Cases	Percentage
1	Dr - Ayur	127	1.8%
2	Dr - Western2	2764	39.6%
3	Family Health Worker	772	11.1%
4	Clinic/Hospital	3085	44.2%
5	Health Volunteers	21	0.3%
6	Don't take advice	193	2.8%
7	Other	21	0.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#32 Q117: Major Source of Drinking Water

Information	[Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=6983 /-] [Invalid=95 /-] [Mean=4.506 /-] [StdDev=1.647 /-]		
Value	Label	Cases	Percentage
1	Piped into Residence	662	9.5%
2	Piped into premises	259	3.7%
3	Public Tap	950	13.6%
4	Tube well/Abesin. pump	423	6.1%
5	Protected well	2905	41.6%
6	Unprotected well	1325	19.0%
7	River/canal/tank/spring water	431	6.2%
8	Rain water	1	0.0%
9	Other	27	0.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#33 Q118: Use Boiled Water

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=6983 /-] [Invalid=95 /-] [Mean=1.529 /-] [StdDev=0.499 /-]		
Value	Label	Cases	Percentage
1	Yes	3290	47.1%
2	No	3693	52.9%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#34 Q119: Toilet Facility

Information	[Type= continuous] [Format=numeric] [Range= 1-6] [Missing=*]		
Statistics [NW/ W]	[Valid=6983 /-] [Invalid=95 /-] [Mean=2.75 /-] [StdDev=1.406 /-]		
Value	Label	Cases	Percentage
1	Flush	332	4.8%
2	Water seal	4057	58.1%
3	Pit	1587	22.7%
4	Bucket	8	0.1%
5	Other	29	0.4%
6	None	970	13.9%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#35 Q120: Exclusive Toilet/Shared with Others

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=6013 /-] [Invalid=1065 /-] [Mean=1.16 /-] [StdDev=0.366 /-]		
Value	Label	Cases	Percentage
1	Exclusive	5052	84.0%
2	Shared	961	16.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#36 Q121: Wash Hands after Use of Toilet

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=6983 /-] [Invalid=95 /-] [Mean=1.272 /-] [StdDev=0.445 /-]		
Value	Label	Cases	Percentage
1	Yes	5084	72.8%
2	No	1899	27.2%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#37 Q122A: Have Electricity in the House

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=6983 /-] [Invalid=95 /-] [Mean=1.604 /-] [StdDev=0.489 /-]		
Value	Label	Cases	Percentage
1	Yes	2767	39.6%
2	No	4216	60.4%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#38 Q122B: Have Radio in the House

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=6983 /-] [Invalid=95 /-] [Mean=1.25 /-] [StdDev=0.433 /-]		
Value	Label	Cases	Percentage
1	Yes	5238	75.0%
2	No	1745	25.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#39 Q122C: Have TV in the House

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=6983 /-] [Invalid=95 /-] [Mean=1.637 /-] [StdDev=0.481 /-]		
Value	Label	Cases	Percentage
1	Yes	2538	36.3%
2	No	4445	63.7%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#40 Q122D: Have Refrigerator in the House

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=6983 /-] [Invalid=95 /-] [Mean=1.876 /-] [StdDev=0.33 /-]		
Value	Label	Cases	Percentage
1	Yes	866	12.4%
2	No	6117	87.6%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#41 Q122E: Have a Bicycle in the House

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=6983 /-] [Invalid=95 /-] [Mean=1.548 /-] [StdDev=0.498 /-]		

File DHS93_Women (cont.)

#41 Q122E: Have a Bicycle in the House (cont.)

Value	Label	Cases	Percentage
1	Yes	3154	45.2%
2	No	3829	54.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#42 Q122F: Have a Motor Bike in the House

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*		
Statistics [NW/ W]	[Valid=6983 /-] [Invalid=95 /-] [Mean=1.875 /-] [StdDev=0.331 /-]		
Value	Label	Cases	Percentage
1	Yes	876	12.5%
2	No	6107	87.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#43 Q122G: Have a Car in the House

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*		
Statistics [NW/ W]	[Valid=6983 /-] [Invalid=95 /-] [Mean=1.971 /-] [StdDev=0.167 /-]		
Value	Label	Cases	Percentage
1	Yes	200	2.9%
2	No	6783	97.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#44 Q122H: Have a Van in the House

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*		
Statistics [NW/ W]	[Valid=6983 /-] [Invalid=95 /-] [Mean=1.983 /-] [StdDev=0.13 /-]		
Value	Label	Cases	Percentage
1	Yes	120	1.7%
2	No	6863	98.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#45 Q122I: Have a Tractor in the House

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*		
Statistics [NW/ W]	[Valid=6983 /-] [Invalid=95 /-] [Mean=1.983 /-] [StdDev=0.13 /-]		
Value	Label	Cases	Percentage
1	Yes	120	1.7%
2	No	6863	98.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#46 Q123: Floor Material

Information	[Type= continuous] [Format=numeric] [Range= 1-6] [Missing=*]		
Statistics [NW/ W]	[Valid=6983 /-] [Invalid=95 /-] [Mean=2.711 /-] [StdDev=1.001 /-]		
Value	Label	Cases	Percentage
1	Terrazo/Floor tile	128	1.8%
2	Cement	4334	62.1%
3	Wood	17	0.2%
4	Dung/Mud	2449	35.1%
5	Sand	43	0.6%
6	Other	12	0.2%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#47 Q124: Roof Material

Information	[Type= continuous] [Format=numeric] [Range= 1-6] [Missing=*]		
Statistics [NW/ W]	[Valid=6983 /-] [Invalid=95 /-] [Mean=2.194 /-] [StdDev=1.297 /-]		
Value	Label	Cases	Percentage
1	Tile	3289	47.1%
2	Asbestos	849	12.2%
3	Tin Sheets	1214	17.4%
4	Cadjan/palmyrah/straw	1546	22.1%
5	Waste material	5	0.1%
6	Other	80	1.1%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#48 Q125: Wall Material

Information	[Type= continuous] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=6983 /-] [Invalid=95 /-] [Mean=1.48 /-] [StdDev=0.718 /-]		
Value	Label	Cases	Percentage
1	Brick/cement/stone/cabook	4307	61.7%
2	Mud	2238	32.0%
3	Wood	221	3.2%
4	Cadjan/palmyrah	198	2.8%
5	Other	19	0.3%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#49 Q126: Religious Group

Information	[Type= continuous] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=6983 /-] [Invalid=95 /-] [Mean=1.518 /-] [StdDev=0.996 /-]		

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#49 Q126: Religious Group (cont.)

Value	Label	Cases	Percentage
1	Buddhist	5201	74.5%
2	Hindu	639	9.2%
3	Muslim	510	7.3%
4	Roman Catholic	572	8.2%
5	Other Christian	61	0.9%
6	Other	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#50 Q127: Ethnicity

Information	[Type= continuous] [Format=numeric] [Range= 1-7] [Missing=*]
Statistics [NW/ W]	[Valid=6983 /-] [Invalid=95 /-] [Mean=1.446 /-] [StdDev=1.008 /-]

Value	Label	Cases	Percentage
1	Sinhalese	5648	80.9%
2	Sri Lanka Tamil	252	3.6%
3	Indian Tamil	541	7.7%
4	Sri Lanka Moor	454	6.5%
5	Burgher	28	0.4%
6	Malay6	57	0.8%
7	Other	3	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#51 Q201: Ever Given Birth

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=6983 /-] [Invalid=95 /-] [Mean=1.089 /-] [StdDev=0.285 /-]

Value	Label	Cases	Percentage
1	Yes	6361	91.1%
2	No	622	8.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#52 Q202: Have a Son or Daughter Living Here

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=6361 /-] [Invalid=717 /-] [Mean=1.018 /-] [StdDev=0.134 /-]

Value	Label	Cases	Percentage
1	Yes	6245	98.2%
2	No	116	1.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File DHS93_Women (cont.)

#53 Q203S: No of Sons Living At Home

Information [Type= continuous] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=6245 /-] [Invalid=833 /-] [Mean=1.315 /-] [StdDev=1.046 /-]

Value	Label	Cases	Percentage
0	0	1336	21.4%
1	1	2637	42.2%
2	2	1517	24.3%
3	3	548	8.8%
4	4	150	2.4%
5	5	45	0.7%
6	6	10	0.2%
7	7	1	0.0%
8	8	1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#54 Q203D: No of Daughters Living At Home

Information [Type= continuous] [Format=numeric] [Range= 0-7] [Missing=*]

Statistics [NW/ W] [Valid=6245 /-] [Invalid=833 /-] [Mean=1.199 /-] [StdDev=1.024 /-]

Value	Label	Cases	Percentage
0	0	1627	26.1%
1	1	2627	42.1%
2	2	1331	21.3%
3	3	488	7.8%
4	4	135	2.2%
5	5	31	0.5%
6	6	4	0.1%
7	7	2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#55 Q204: Have a Son or Daughter not Living Here

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W] [Valid=6361 /-] [Invalid=717 /-] [Mean=1.829 /-] [StdDev=0.377 /-]

Value	Label	Cases	Percentage
1	Yes	1088	17.1%
2	No	5273	82.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#56 Q205S: Sons Living Elsewhere

Information [Type= continuous] [Format=numeric] [Range= 0-5] [Missing=*

Statistics [NW/ W] [Valid=1088 /-] [Invalid=5990 /-] [Mean=0.724 /-] [StdDev=0.873 /-]

Value	Label	Cases	Percentage
0	0	524	48.2%
1	1	403	37.0%
2	2	114	10.5%
3	3	34	3.1%
4	4	10	0.9%
5	5	3	0.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#57 Q205D: Daughters Living Elsewhere

Information [Type= continuous] [Format=numeric] [Range= 0-5] [Missing=*

Statistics [NW/ W] [Valid=1088 /-] [Invalid=5990 /-] [Mean=1.075 /-] [StdDev=0.906 /-]

Value	Label	Cases	Percentage
0	0	278	25.6%
1	1	553	50.8%
2	2	177	16.3%
3	3	61	5.6%
4	4	15	1.4%
5	5	4	0.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#58 Q206: Any Boy or a Girl Gave Birth to but later Died

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*

Statistics [NW/ W] [Valid=6983 /-] [Invalid=95 /-] [Mean=1.881 /-] [StdDev=0.324 /-]

Value	Label	Cases	Percentage
1	Yes	830	11.9%
2	No	6153	88.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#59 Q207B: No of Boys Died

Information [Type= continuous] [Format=numeric] [Range= 0-4] [Missing=*

Statistics [NW/ W] [Valid=830 /-] [Invalid=6248 /-] [Mean=0.694 /-] [StdDev=0.657 /-]

Value	Label	Cases	Percentage
0	0	331	39.9%

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#59 Q207B: No of Boys Died (cont.)

Value (cont.)	Label	Cases	Percentage
1	1	435	52.4%
2	2	52	6.3%
3	3	11	1.3%
4	4	1	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#60 Q207G: No of Girls Died

Information	[Type= continuous] [Format=numeric] [Range= 0-4] [Missing=*]		
Statistics [NW/ W]	[Valid=830 /-] [Invalid=6248 /-] [Mean=0.561 /-] [StdDev=0.633 /-]		
Value	Label	Cases	Percentage
0	0	420	50.6%
1	1	361	43.5%
2	2	43	5.2%
3	3	5	0.6%
4	4	1	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#61 Q208: Total no of Live Births

Information	[Type= continuous] [Format=numeric] [Range= 0-13] [Missing=*]		
Statistics [NW/ W]	[Valid=6983 /-] [Invalid=95 /-] [Mean=2.678 /-] [StdDev=1.844 /-]		
Value	Label	Cases	Percentage
0	0	622	8.9%
1	1	1331	19.1%
2	2	1647	23.6%
3	3	1461	20.9%
4	4	915	13.1%
5	5	520	7.4%
6	6	232	3.3%
7	7	126	1.8%
8	8	63	0.9%
9	9	29	0.4%
10	10	20	0.3%
11	11	11	0.2%
12	12	5	0.1%
13	13	1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#62 V801: Type of sector

Information	[Type= continuous] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=6983 /-] [Invalid=95 /-]		
Value	Label	Cases	Percentage
1	Metro Colombo	965	13.8%
2	Other Urban	497	7.1%
3	Rural	4904	70.2%
4	Estates	617	8.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#63 V802: Zones

Information	[Type= continuous] [Format=numeric] [Range= 1-7] [Missing=*]		
Statistics [NW/ W]	[Valid=6983 /-] [Invalid=95 /-]		
Value	Label	Cases	Percentage
1	Zone 1	965	13.8%
2	Zone 2	756	10.8%
3	Zone 3	829	11.9%
4	Zone 4	881	12.6%
5	Zone 5	1214	17.4%
6	Zone 6	1038	14.9%
7	Zone 7	1300	18.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#64 V808: Educational level

Information	[Type= continuous] [Format=numeric] [Range= 0-3] [Missing=*]		
Statistics [NW/ W]	[Valid=6983 /-] [Invalid=95 /-]		
Value	Label	Cases	Percentage
0	No education	675	9.7%
1	Primary	1907	27.3%
2	Secondary	2487	35.6%
3	More than secondary	1914	27.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#65 V012: Age in 5 year age groups

Information	[Type= continuous] [Format=numeric] [Range= 1-7] [Missing=*]		
Statistics [NW/ W]	[Valid=6983 /-] [Invalid=95 /-]		

File DHS93_Women (cont.)

#65 V012: Age in 5 year age groups (cont.)

Value	Label	Cases	Percentage
1	15-19	166	2.4%
2	20-24	800	11.5%
3	25-29	1176	16.8%
4	30-34	1330	19.0%
5	35-39	1296	18.6%
6	40-44	1223	17.5%
7	45-49	992	14.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#66 V013: Age < 30 or 30+

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=6983 /-] [Invalid=95 /-]		
Value	Label	Cases	Percentage
1	<30	2142	30.7%
2	30+	4841	69.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#67 V208: Births in last 5 years

Information	[Type= continuous] [Format=numeric] [Range= 0-4] [Missing=*]
Statistics [NW/ W]	[Valid=6983 /-] [Invalid=95 /-] [Mean=0.551 /-] [StdDev=0.731 /-]

#68 V209: Number of births in last year

Information	[Type= continuous] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=6983 /-] [Invalid=95 /-] [Mean=0.111 /-] [StdDev=0.322 /-]

#69 V210M: Month of 1st birth

Information	[Type= continuous] [Format=numeric] [Range= 1-12] [Missing=*]
Statistics [NW/ W]	[Valid=6361 /-] [Invalid=717 /-] [Mean=6.404 /-] [StdDev=3.476 /-]

#70 V210Y: Year of 1st birth

Information	[Type= continuous] [Format=numeric] [Range= 56-93] [Missing=*]
Statistics [NW/ W]	[Valid=6361 /-] [Invalid=717 /-] [Mean=80.378 /-] [StdDev=8.272 /-]

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#71 V212: Age at 1st birth

Information	[Type= continuous] [Format=numeric] [Range= 10-44] [Missing=*]
Statistics [NW/ W]	[Valid=6361 /-] [Invalid=717 /-] [Mean=22.447 /-] [StdDev=4.808 /-]

#72 V213: Age at 1st birth grouped

Information	[Type= continuous] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6983 /-] [Invalid=95 /-]

Value	Label	Cases	Percentage
0	No birth	622	8.9%
1	< 15	81	1.2%
2	15-17	743	10.6%
3	18-19	1090	15.6%
4	20-21	1208	17.3%
5	22-24	1409	20.2%
6	25-27	882	12.6%
7	28-30	503	7.2%
8	31+	445	6.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#73 V214: Currently pregnant

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=6983 /-] [Invalid=95 /-]

Value	Label	Cases	Percentage
1	Yes	457	6.5%
2	No or unsure	6526	93.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#74 V217: Menstruation in last 8 weeks

Information	[Type= continuous] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=6983 /-] [Invalid=95 /-]

Value	Label	Cases	Percentage
0	No	1735	24.8%
1	Yes	5248	75.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#75 V219A: Number of living children

Information	[Type= continuous] [Format=numeric] [Range= 0-12] [Missing=*]
-------------	---

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#75 V219A: Number of living children (cont.)

Statistics [NW/ W] [Valid=6983 /-] [Invalid=95 /-] [Mean=2.529 /-] [StdDev=1.707 /-]

#76 V219A6: Living children grouped (6)

Information [Type= continuous] [Format=numeric] [Range= 1-7] [Missing=*]

Statistics [NW/ W] [Valid=6983 /-] [Invalid=95 /-]

Value	Label	Cases	Percentage
1	0	645	9.2%
2	1	1401	20.1%
3	2	1750	25.1%
4	3	1488	21.3%
5	4	887	12.7%
6	5	451	6.5%
7	6+	361	5.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#77 V219A4: Living children grouped (4)

Information [Type= continuous] [Format=numeric] [Range= 1-5] [Missing=*]

Statistics [NW/ W] [Valid=6983 /-] [Invalid=95 /-]

Value	Label	Cases	Percentage
1	0	645	9.2%
2	1	1401	20.1%
3	2	1750	25.1%
4	3	1488	21.3%
5	4+	1699	24.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#78 V220A: Number of living Children + Current Preg

Information [Type= continuous] [Format=numeric] [Range= 0-12] [Missing=*]

Statistics [NW/ W] [Valid=6983 /-] [Invalid=95 /-] [Mean=2.594 /-] [StdDev=1.669 /-]

#79 V220A6: Living Children + Current Preg grouped (6)

Information [Type= continuous] [Format=numeric] [Range= 1-7] [Missing=*]

Statistics [NW/ W] [Valid=6983 /-] [Invalid=95 /-]

Value	Label	Cases	Percentage
1	0	444	6.4%
2	1	1470	21.1%

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#79 V220A6: Living Children + Current Preg grouped (6) (cont.)

Value (cont.)	Label	Cases	Percentage
3	2	1817	26.0%
4	3	1529	21.9%
5	4	891	12.8%
6	5	465	6.7%
7	6+	367	5.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#80 V220A4: Living Children + Current Preg grouped (4)

Information	[Type= continuous] [Format=numeric] [Range= 1-5] [Missing=*		
Statistics [NW/ W]	[Valid=6983 /-] [Invalid=95 /-]		
Value	Label	Cases	Percentage
1	0	444	6.4%
2	1	1470	21.1%
3	2	1817	26.0%
4	3	1529	21.9%
5	4+	1723	24.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#81 V501: Marital Status

Information	[Type= continuous] [Format=numeric] [Range= 1-5] [Missing=*		
Statistics [NW/ W]	[Valid=6983 /-] [Invalid=95 /-]		
Value	Label	Cases	Percentage
1	CM-Living together	6364	91.1%
2	CM-not living together	69	1.0%
3	Widowed	338	4.8%
4	Divorced	26	0.4%
5	Seperated	186	2.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#82 V502: Current Marital Status

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*		
Statistics [NW/ W]	[Valid=6983 /-] [Invalid=95 /-]		
Value	Label	Cases	Percentage
1	Currently married	6433	92.1%
2	Formerly married	550	7.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File DHS93_Women (cont.)

#83 V509: Age at 1st marriage

Information	[Type= continuous] [Format=numeric] [Range= 9-46] [Missing=*]
Statistics [NW/ W]	[Valid=6983 /-] [Invalid=95 /-] [Mean=21.158 /-] [StdDev=4.879 /-]

#84 V510: Age at 1st Marriage grouped

Information	[Type= continuous] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=6983 /-] [Invalid=95 /-]

Value	Label	Cases	Percentage
1	< 15	300	4.3%
2	15-17	1293	18.5%
3	18-19	1380	19.8%
4	20-21	1173	16.8%
5	22-24	1321	18.9%
6	25-27	757	10.8%
7	28-29	314	4.5%
8	30+	445	6.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#85 V404: Currently breastfeeding

Information	[Type= continuous] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=6983 /-] [Invalid=95 /-]

Value	Label	Cases	Percentage
0	No	5369	76.9%
1	Yes	1614	23.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#86 V512: Marital Duration

Information	[Type= continuous] [Format=numeric] [Range= 0-37] [Missing=*]
Statistics [NW/ W]	[Valid=6983 /-] [Invalid=95 /-] [Mean=13.001 /-] [StdDev=8.704 /-]

#87 V512A: Marital duration grouped

Information	[Type= continuous] [Format=numeric] [Range= 1-7] [Missing=*]
Statistics [NW/ W]	[Valid=6983 /-] [Invalid=95 /-]

Value	Label	Cases	Percentage
1	0-4	1458	20.9%
2	5-9	1329	19.0%

File DHS93_Women (cont.)

#87 V512A: Marital duration grouped (cont.)

Value (cont.)	Label	Cases	Percentage
3	10-14	1310	18.8%
4	15-19	1149	16.5%
5	20-24	922	13.2%
6	25-29	545	7.8%
7	30+	270	3.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#88 WCMC: Womans CMC of birth

Information	[Type= continuous] [Format=numeric] [Range= 524-940] [Missing=*]
Statistics [NW/ W]	[Valid=6983 /-] [Invalid=95 /-] [Mean=703.93 /-] [StdDev=99.786 /-]

#89 CMINTV: Century month of interview

Information	[Type= continuous] [Format=numeric] [Range= 1123-1126] [Missing=*]
Statistics [NW/ W]	[Valid=6983 /-] [Invalid=95 /-] [Mean=1123.609 /-] [StdDev=0.674 /-]

#90 RWEIGHT: Respondants sample weight

Information	[Type= continuous] [Format=numeric] [Range= 142125-1670273] [Missing=*]
Statistics [NW/ W]	[Valid=6983 /-] [Invalid=95 /-] [Mean=1000000.069 /-] [StdDev=483605.267 /-]

#91 STRCMC: Century month of sterilization

Information	[Type= continuous] [Format=numeric] [Range= 807-1124] [Missing=*]
Statistics [NW/ W]	[Valid=1910 /-] [Invalid=5168 /-] [Mean=1012.985 /-] [StdDev=64.158 /-]

#92 MIARCMC: Century month of marriage

Information	[Type= continuous] [Format=numeric] [Range= 670-1124] [Missing=*]
Statistics [NW/ W]	[Valid=6983 /-] [Invalid=95 /-] [Mean=961.993 /-] [StdDev=104.65 /-]

#93 LACHIAGE: Age of last child

Information	[Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*]
Statistics [NW/ W]	[Valid=6983 /-] [Invalid=95 /-] [Mean=16.821 /-] [StdDev=29.367 /-]

File DHS93_Women (cont.)

#94 Q2120001: Birth Line No 01

Information	[Type= continuous] [Format=numeric] [Range= 1-11] [Missing=*]
Statistics [NW/ W]	[Valid=6361 /-] [Invalid=717 /-] [Mean=1.002 /-] [StdDev=0.125 /-]

#95 Q2120002: Birth Line No 02

Information	[Type= continuous] [Format=numeric] [Range= 2-2] [Missing=*]
Statistics [NW/ W]	[Valid=5030 /-] [Invalid=2048 /-] [Mean=2 /-] [StdDev=0 /-]

#96 Q2120003: Birth Line No 03

Information	[Type= continuous] [Format=numeric] [Range= 3-3] [Missing=*]
Statistics [NW/ W]	[Valid=3383 /-] [Invalid=3695 /-] [Mean=3 /-] [StdDev=0 /-]

#97 Q2120004: Birth Line No 04

Information	[Type= continuous] [Format=numeric] [Range= 4-4] [Missing=*]
Statistics [NW/ W]	[Valid=1922 /-] [Invalid=5156 /-] [Mean=4 /-] [StdDev=0 /-]

#98 Q2120005: Birth Line No 05

Information	[Type= continuous] [Format=numeric] [Range= 5-5] [Missing=*]
Statistics [NW/ W]	[Valid=1007 /-] [Invalid=6071 /-] [Mean=5 /-] [StdDev=0 /-]

#99 Q2120006: Birth Line No 06

Information	[Type= continuous] [Format=numeric] [Range= 6-6] [Missing=*]
Statistics [NW/ W]	[Valid=487 /-] [Invalid=6591 /-] [Mean=6 /-] [StdDev=0 /-]

#100 Q2120007: Birth Line No 07

Information	[Type= continuous] [Format=numeric] [Range= 7-7] [Missing=*]
Statistics [NW/ W]	[Valid=255 /-] [Invalid=6823 /-] [Mean=7 /-] [StdDev=0 /-]

#101 Q2120008: Birth Line No 08

Information	[Type= continuous] [Format=numeric] [Range= 8-8] [Missing=*]
Statistics [NW/ W]	[Valid=129 /-] [Invalid=6949 /-] [Mean=8 /-] [StdDev=0 /-]

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#102 Q2120009: Birth Line No 09

Information	[Type= continuous] [Format=numeric] [Range= 9-9] [Missing=*]
Statistics [NW/ W]	[Valid=66 /-] [Invalid=7012 /-] [Mean=9 /-] [StdDev=0 /-]

#103 Q2120010: Birth Line No 10

Information	[Type= continuous] [Format=numeric] [Range= 10-10] [Missing=*]
Statistics [NW/ W]	[Valid=37 /-] [Invalid=7041 /-] [Mean=10 /-] [StdDev=0 /-]

#104 Q2120011: Birth Line No 11

Information	[Type= continuous] [Format=numeric] [Range= 11-11] [Missing=*]
Statistics [NW/ W]	[Valid=17 /-] [Invalid=7061 /-] [Mean=11 /-] [StdDev=0 /-]

#105 Q2120012: Birth Line No 12

Information	[Type= continuous] [Format=numeric] [Range= 12-12] [Missing=*]
Statistics [NW/ W]	[Valid=6 /-] [Invalid=7072 /-] [Mean=12 /-] [StdDev=0 /-]

#106 Q2120013: Birth Line No 13

Information	[Type= continuous] [Format=numeric] [Range= 13-13] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=7077 /-] [Mean=13 /-]

#107 Q212A001: Single/Multiple Birth for 01

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=6361 /-] [Invalid=717 /-] [Mean=1.01 /-] [StdDev=0.0983 /-]

Value	Label	Cases	Percentage
1	Single	6299	99.0%
2	Multiple	62	1.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#108 Q212A002: Single/Multiple Birth for 02

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=5030 /-] [Invalid=2048 /-] [Mean=1.025 /-] [StdDev=0.155 /-]

Value	Label	Cases	Percentage
1	Single	4906	97.5%
2	Multiple	124	2.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#109 Q212A003: Single/Multiple Birth for 03

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=3383 /-] [Invalid=3695 /-] [Mean=1.029 /-] [StdDev=0.167 /-]		
Value	Label	Cases	Percentage
1	Single	3286	97.1%
2	Multiple	97	2.9%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#110 Q212A004: Single/Multiple Birth for 04

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=1922 /-] [Invalid=5156 /-] [Mean=1.033 /-] [StdDev=0.178 /-]		
Value	Label	Cases	Percentage
1	Single	1859	96.7%
2	Multiple	63	3.3%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#111 Q212A005: Single/Multiple Birth for 05

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=1007 /-] [Invalid=6071 /-] [Mean=1.042 /-] [StdDev=0.2 /-]		
Value	Label	Cases	Percentage
1	Single	965	95.8%
2	Multiple	42	4.2%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#112 Q212A006: Single/Multiple Birth for 06

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=487 /-] [Invalid=6591 /-] [Mean=1.039 /-] [StdDev=0.194 /-]		
Value	Label	Cases	Percentage
1	Single	468	96.1%
2	Multiple	19	3.9%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#113 Q212A007: Single/Multiple Birth for 07

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=255 /-] [Invalid=6823 /-] [Mean=1.039 /-] [StdDev=0.194 /-]		

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#113 Q212A007: Single/Multiple Birth for 07 (cont.)

Value	Label	Cases	Percentage
1	Single	245	96.1%
2	Multiple	10	3.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#114 Q212A008: Single/Multiple Birth for 08

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*		
Statistics [NW/ W]	[Valid=129 /-] [Invalid=6949 /-] [Mean=1.07 /-] [StdDev=0.256 /-]		
Value	Label	Cases	Percentage
1	Single	120	93.0%
2	Multiple	9	7.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#115 Q212A009: Single/Multiple Birth for 09

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*		
Statistics [NW/ W]	[Valid=66 /-] [Invalid=7012 /-] [Mean=1.061 /-] [StdDev=0.24 /-]		
Value	Label	Cases	Percentage
1	Single	62	93.9%
2	Multiple	4	6.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#116 Q212A010: Single/Multiple Birth for 10

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*		
Statistics [NW/ W]	[Valid=37 /-] [Invalid=7041 /-] [Mean=1.027 /-] [StdDev=0.164 /-]		
Value	Label	Cases	Percentage
1	Single	36	97.3%
2	Multiple	1	2.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#117 Q212A011: Single/Multiple Birth for 11

Information	[Type= continuous] [Format=numeric] [Range= 1-1] [Missing=*		
Statistics [NW/ W]	[Valid=17 /-] [Invalid=7061 /-] [Mean=1 /-] [StdDev=0 /-]		
Value	Label	Cases	Percentage
1	Single	17	100.0%
2	Multiple	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#118 Q212A012: Single/Multiple Birth for 12

Information	[Type= continuous] [Format=numeric] [Range= 1-1] [Missing=*]		
Statistics [NW/ W]	[Valid=6 /-] [Invalid=7072 /-] [Mean=1 /-] [StdDev=0 /-]		
Value	Label	Cases	Percentage
1	Single	6	100.0%
2	Multiple	0	0.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#119 Q212A013: Single/Multiple Birth for 13

Information	[Type= continuous] [Format=numeric] [Range= 1-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=7077 /-] [Mean=1 /-]		
Value	Label	Cases	Percentage
1	Single	1	100.0%
2	Multiple	0	0.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#120 Q2130001: Boy/Girl for 01

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=6361 /-] [Invalid=717 /-] [Mean=1.481 /-] [StdDev=0.5 /-]		
Value	Label	Cases	Percentage
1	Boy	3302	51.9%
2	Girl	3059	48.1%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#121 Q2130002: Boy/Girl for 02

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=5030 /-] [Invalid=2048 /-] [Mean=1.495 /-] [StdDev=0.5 /-]		
Value	Label	Cases	Percentage
1	Boy	2540	50.5%
2	Girl	2490	49.5%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#122 Q2130003: Boy/Girl for 03

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=3383 /-] [Invalid=3695 /-] [Mean=1.5 /-] [StdDev=0.5 /-]		

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#122 Q2130003: Boy/Girl for 03 (cont.)

Value	Label	Cases	Percentage
1	Boy	1691	50.0%
2	Girl	1692	50.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#123 Q2130004: Boy/Girl for 04

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=1922 /-] [Invalid=5156 /-] [Mean=1.475 /-] [StdDev=0.5 /-]		
Value	Label	Cases	Percentage
1	Boy	1009	52.5%
2	Girl	913	47.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#124 Q2130005: Boy/Girl for 05

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=1007 /-] [Invalid=6071 /-] [Mean=1.491 /-] [StdDev=0.5 /-]		
Value	Label	Cases	Percentage
1	Boy	513	50.9%
2	Girl	494	49.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#125 Q2130006: Boy/Girl for 06

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=487 /-] [Invalid=6591 /-] [Mean=1.495 /-] [StdDev=0.5 /-]		
Value	Label	Cases	Percentage
1	Boy	246	50.5%
2	Girl	241	49.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#126 Q2130007: Boy/Girl for 07

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=255 /-] [Invalid=6823 /-] [Mean=1.42 /-] [StdDev=0.494 /-]		
Value	Label	Cases	Percentage
1	Boy	148	58.0%
2	Girl	107	42.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#127 Q2130008: Boy/Girl for 08

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=129 /-] [Invalid=6949 /-] [Mean=1.473 /-] [StdDev=0.501 /-]		
Value	Label	Cases	Percentage
1	Boy	68	52.7%
2	Girl	61	47.3%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#128 Q2130009: Boy/Girl for 09

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=66 /-] [Invalid=7012 /-] [Mean=1.5 /-] [StdDev=0.504 /-]		
Value	Label	Cases	Percentage
1	Boy	33	50.0%
2	Girl	33	50.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#129 Q2130010: Boy/Girl for 10

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=37 /-] [Invalid=7041 /-] [Mean=1.514 /-] [StdDev=0.507 /-]		
Value	Label	Cases	Percentage
1	Boy	18	48.6%
2	Girl	19	51.4%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#130 Q2130011: Boy/Girl for 11

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=17 /-] [Invalid=7061 /-] [Mean=1.588 /-] [StdDev=0.507 /-]		
Value	Label	Cases	Percentage
1	Boy	7	41.2%
2	Girl	10	58.8%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#131 Q2130012: Boy/Girl for 12

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=6 /-] [Invalid=7072 /-] [Mean=1.5 /-] [StdDev=0.548 /-]		

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#131 Q2130012: Boy/Girl for 12 (cont.)

Value	Label	Cases	Percentage
1	Boy	3	50.0%
2	Girl	3	50.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#132 Q2130013: Boy/Girl for 13

Information	[Type= continuous] [Format=numeric] [Range= 1-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=7077 /-] [Mean=1 /-]		
Value	Label	Cases	Percentage
1	Boy	1	100.0%
2	Girl	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#133 Q214M001: Birth Month of Boy/Grl for 01

Information	[Type= continuous] [Format=numeric] [Range= 1-12] [Missing=*]
Statistics [NW/ W]	[Valid=6361 /-] [Invalid=717 /-] [Mean=6.404 /-] [StdDev=3.476 /-]

#134 Q214M002: Birth Month of Boy/Grl for 02

Information	[Type= continuous] [Format=numeric] [Range= 1-12] [Missing=*]
Statistics [NW/ W]	[Valid=5030 /-] [Invalid=2048 /-] [Mean=6.497 /-] [StdDev=3.468 /-]

#135 Q214M003: Birth Month of Boy/Grl for 03

Information	[Type= continuous] [Format=numeric] [Range= 1-12] [Missing=*]
Statistics [NW/ W]	[Valid=3383 /-] [Invalid=3695 /-] [Mean=6.479 /-] [StdDev=3.471 /-]

#136 Q214M004: Birth Month of Boy/Grl for 04

Information	[Type= continuous] [Format=numeric] [Range= 1-12] [Missing=*]
Statistics [NW/ W]	[Valid=1922 /-] [Invalid=5156 /-] [Mean=6.413 /-] [StdDev=3.554 /-]

#137 Q214M005: Birth Month of Boy/Grl for 05

Information	[Type= continuous] [Format=numeric] [Range= 1-12] [Missing=*]
Statistics [NW/ W]	[Valid=1007 /-] [Invalid=6071 /-] [Mean=6.463 /-] [StdDev=3.571 /-]

File DHS93_Women (cont.)

#138 Q214M006: Birth Month of Boy/Grl for 06

Information	[Type= continuous] [Format=numeric] [Range= 1-12] [Missing=*]
Statistics [NW/ W]	[Valid=487 /-] [Invalid=6591 /-] [Mean=6.107 /-] [StdDev=3.49 /-]

#139 Q214M007: Birth Month of Boy/Grl for 07

Information	[Type= continuous] [Format=numeric] [Range= 1-12] [Missing=*]
Statistics [NW/ W]	[Valid=255 /-] [Invalid=6823 /-] [Mean=6.122 /-] [StdDev=3.435 /-]

#140 Q214M008: Birth Month of Boy/Grl for 08

Information	[Type= continuous] [Format=numeric] [Range= 1-12] [Missing=*]
Statistics [NW/ W]	[Valid=129 /-] [Invalid=6949 /-] [Mean=6.209 /-] [StdDev=3.372 /-]

#141 Q214M009: Birth Month of Boy/Grl for 09

Information	[Type= continuous] [Format=numeric] [Range= 1-12] [Missing=*]
Statistics [NW/ W]	[Valid=66 /-] [Invalid=7012 /-] [Mean=5.576 /-] [StdDev=3.587 /-]

#142 Q214M010: Birth Month of Boy/Grl for 10

Information	[Type= continuous] [Format=numeric] [Range= 1-12] [Missing=*]
Statistics [NW/ W]	[Valid=37 /-] [Invalid=7041 /-] [Mean=6.216 /-] [StdDev=3.743 /-]

#143 Q214M011: Birth Month of Boy/Grl for 11

Information	[Type= continuous] [Format=numeric] [Range= 2-10] [Missing=*]
Statistics [NW/ W]	[Valid=17 /-] [Invalid=7061 /-] [Mean=5.765 /-] [StdDev=2.796 /-]

#144 Q214M012: Birth Month of Boy/Grl for 12

Information	[Type= continuous] [Format=numeric] [Range= 1-11] [Missing=*]
Statistics [NW/ W]	[Valid=6 /-] [Invalid=7072 /-] [Mean=6.833 /-] [StdDev=4.401 /-]

#145 Q214M013: Birth Month of Boy/Grl for 13

Information	[Type= continuous] [Format=numeric] [Range= 9-9] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=7077 /-] [Mean=9 /-]

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#146 Q214Y001: Birth Year of Boy/Grl for 01

Information	[Type= continuous] [Format=numeric] [Range= 56-93] [Missing=*]
Statistics [NW/ W]	[Valid=6361 /-] [Invalid=717 /-] [Mean=80.378 /-] [StdDev=8.272 /-]

#147 Q214Y002: Birth Year of Boy/Grl for 02

Information	[Type= continuous] [Format=numeric] [Range= 58-93] [Missing=*]
Statistics [NW/ W]	[Valid=5030 /-] [Invalid=2048 /-] [Mean=80.964 /-] [StdDev=7.744 /-]

#148 Q214Y003: Birth Year of Boy/Grl for 03

Information	[Type= continuous] [Format=numeric] [Range= 60-93] [Missing=*]
Statistics [NW/ W]	[Valid=3383 /-] [Invalid=3695 /-] [Mean=81.158 /-] [StdDev=7.23 /-]

#149 Q214Y004: Birth Year of Boy/Grl for 04

Information	[Type= continuous] [Format=numeric] [Range= 61-93] [Missing=*]
Statistics [NW/ W]	[Valid=1922 /-] [Invalid=5156 /-] [Mean=81.135 /-] [StdDev=7.033 /-]

#150 Q214Y005: Birth Year of Boy/Grl for 05

Information	[Type= continuous] [Format=numeric] [Range= 62-93] [Missing=*]
Statistics [NW/ W]	[Valid=1007 /-] [Invalid=6071 /-] [Mean=81.109 /-] [StdDev=6.853 /-]

#151 Q214Y006: Birth Year of Boy/Grl for 06

Information	[Type= continuous] [Format=numeric] [Range= 63-93] [Missing=*]
Statistics [NW/ W]	[Valid=487 /-] [Invalid=6591 /-] [Mean=80.686 /-] [StdDev=6.507 /-]

#152 Q214Y007: Birth Year of Boy/Grl for 07

Information	[Type= continuous] [Format=numeric] [Range= 64-93] [Missing=*]
Statistics [NW/ W]	[Valid=255 /-] [Invalid=6823 /-] [Mean=81.129 /-] [StdDev=6.166 /-]

#153 Q214Y008: Birth Year of Boy/Grl for 08

Information	[Type= continuous] [Format=numeric] [Range= 70-93] [Missing=*]
Statistics [NW/ W]	[Valid=129 /-] [Invalid=6949 /-] [Mean=81.248 /-] [StdDev=5.784 /-]

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#154 Q214Y009: Birth Year of Boy/Grl for 09

Information	[Type= continuous] [Format=numeric] [Range= 72-93] [Missing=*]
Statistics [NW/ W]	[Valid=66 /-] [Invalid=7012 /-] [Mean=82.167 /-] [StdDev=5.47 /-]

#155 Q214Y010: Birth Year of Boy/Grl for 10

Information	[Type= continuous] [Format=numeric] [Range= 74-92] [Missing=*]
Statistics [NW/ W]	[Valid=37 /-] [Invalid=7041 /-] [Mean=83 /-] [StdDev=4.558 /-]

#156 Q214Y011: Birth Year of Boy/Grl for 11

Information	[Type= continuous] [Format=numeric] [Range= 77-90] [Missing=*]
Statistics [NW/ W]	[Valid=17 /-] [Invalid=7061 /-] [Mean=83.824 /-] [StdDev=4.05 /-]

#157 Q214Y012: Birth Year of Boy/Grl for 12

Information	[Type= continuous] [Format=numeric] [Range= 80-89] [Missing=*]
Statistics [NW/ W]	[Valid=6 /-] [Invalid=7072 /-] [Mean=85.167 /-] [StdDev=3.251 /-]

#158 Q214Y013: Birth Year of Boy/Grl for 13

Information	[Type= continuous] [Format=numeric] [Range= 88-88] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=7077 /-] [Mean=88 /-]

#159 Q2150001: Still Alive 01

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=6361 /-] [Invalid=717 /-] [Mean=1.058 /-] [StdDev=0.234 /-]

Value	Label	Cases	Percentage
1	Yes	5992	94.2%
2	No	369	5.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#160 Q2150002: Still Alive 02

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=5030 /-] [Invalid=2048 /-] [Mean=1.051 /-] [StdDev=0.22 /-]

Value	Label	Cases	Percentage
1	Yes	4773	94.9%
2	No	257	5.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#161 Q2150003: Still Alive 03

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=3383 /-] [Invalid=3695 /-] [Mean=1.051 /-] [StdDev=0.219 /-]		
Value	Label	Cases	Percentage
1	Yes	3212	94.9%
2	No	171	5.1%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#162 Q2150004: Still Alive 04

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=1922 /-] [Invalid=5156 /-] [Mean=1.062 /-] [StdDev=0.241 /-]		
Value	Label	Cases	Percentage
1	Yes	1803	93.8%
2	No	119	6.2%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#163 Q2150005: Still Alive 05

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=1007 /-] [Invalid=6071 /-] [Mean=1.056 /-] [StdDev=0.229 /-]		
Value	Label	Cases	Percentage
1	Yes	951	94.4%
2	No	56	5.6%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#164 Q2150006: Still Alive 06

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=487 /-] [Invalid=6591 /-] [Mean=1.082 /-] [StdDev=0.275 /-]		
Value	Label	Cases	Percentage
1	Yes	447	91.8%
2	No	40	8.2%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#165 Q2150007: Still Alive 07

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=255 /-] [Invalid=6823 /-] [Mean=1.067 /-] [StdDev=0.25 /-]		

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#165 Q2150007: Still Alive 07 (cont.)

Value	Label	Cases	Percentage
1	Yes	238	93.3%
2	No	17	6.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#166 Q2150008: Still Alive 08

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=129 /-] [Invalid=6949 /-] [Mean=1.047 /-] [StdDev=0.211 /-]		
Value	Label	Cases	Percentage
1	Yes	123	95.3%
2	No	6	4.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#167 Q2150009: Still Alive 09

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=66 /-] [Invalid=7012 /-] [Mean=1.091 /-] [StdDev=0.29 /-]		
Value	Label	Cases	Percentage
1	Yes	60	90.9%
2	No	6	9.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#168 Q2150010: Still Alive 10

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=37 /-] [Invalid=7041 /-] [Mean=1.027 /-] [StdDev=0.164 /-]		
Value	Label	Cases	Percentage
1	Yes	36	97.3%
2	No	1	2.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#169 Q2150011: Still Alive 11

Information	[Type= continuous] [Format=numeric] [Range= 1-1] [Missing=*]		
Statistics [NW/ W]	[Valid=17 /-] [Invalid=7061 /-] [Mean=1 /-] [StdDev=0 /-]		
Value	Label	Cases	Percentage
1	Yes	17	100.0%
2	No	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#170 Q2150012: Still Alive 12

Information	[Type= continuous] [Format=numeric] [Range= 1-1] [Missing=*]		
Statistics [NW/ W]	[Valid=6 /-] [Invalid=7072 /-] [Mean=1 /-] [StdDev=0 /-]		
Value	Label	Cases	Percentage
1	Yes	6	100.0%
2	No	0	0.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#171 Q2150013: Still Alive 13

Information	[Type= continuous] [Format=numeric] [Range= 1-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=7077 /-] [Mean=1 /-]		
Value	Label	Cases	Percentage
1	Yes	1	100.0%
2	No	0	0.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#172 Q216C001: Age at Death MM 01

Information	[Type= continuous] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=369 /-] [Invalid=6709 /-] [Mean=1.71 /-] [StdDev=0.831 /-]		

#173 Q216C002: Age at Death MM 02

Information	[Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=257 /-] [Invalid=6821 /-] [Mean=1.942 /-] [StdDev=0.923 /-]		

#174 Q216C003: Age at Death MM 03

Information	[Type= continuous] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=171 /-] [Invalid=6907 /-] [Mean=1.877 /-] [StdDev=0.869 /-]		

#175 Q216C004: Age at Death MM 04

Information	[Type= continuous] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=119 /-] [Invalid=6959 /-] [Mean=1.824 /-] [StdDev=0.84 /-]		

#176 Q216C005: Age at Death MM 05

Information	[Type= continuous] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=56 /-] [Invalid=7022 /-] [Mean=1.804 /-] [StdDev=0.796 /-]		

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#177 Q216C006: Age at Death MM 06

Information	[Type= continuous] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=40 /-] [Invalid=7038 /-] [Mean=1.725 /-] [StdDev=0.751 /-]

#178 Q216C007: Age at Death MM 07

Information	[Type= continuous] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=17 /-] [Invalid=7061 /-] [Mean=2 /-] [StdDev=0.866 /-]

#179 Q216C008: Age at Death MM 08

Information	[Type= continuous] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=6 /-] [Invalid=7072 /-] [Mean=2.167 /-] [StdDev=0.983 /-]

#180 Q216C009: Age at Death MM 09

Information	[Type= continuous] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=6 /-] [Invalid=7072 /-] [Mean=1.667 /-] [StdDev=0.816 /-]

#181 Q216C010: Age at Death MM 10

Information	[Type= continuous] [Format=numeric] [Range= 2-2] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=7077 /-] [Mean=2 /-]

#182 Q216C011: Age at Death MM 11

Information	[Type= continuous] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=7078 /-]

#183 Q216C012: Age at Death MM 12

Information	[Type= continuous] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=7078 /-]

#184 Q216C013: Age at Death MM 13

Information	[Type= continuous] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=7078 /-]

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#185 Q216U001: Age at Death YY 01

Information	[Type= continuous] [Format=numeric] [Range= 0-30] [Missing=*]
Statistics [NW/ W]	[Valid=369 /-] [Invalid=6709 /-] [Mean=6.377 /-] [StdDev=6.804 /-]

#186 Q216U002: Age at Death YY 02

Information	[Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*]
Statistics [NW/ W]	[Valid=257 /-] [Invalid=6821 /-] [Mean=6.689 /-] [StdDev=8.551 /-]

#187 Q216U003: Age at Death YY 03

Information	[Type= continuous] [Format=numeric] [Range= 0-27] [Missing=*]
Statistics [NW/ W]	[Valid=171 /-] [Invalid=6907 /-] [Mean=6.608 /-] [StdDev=6.543 /-]

#188 Q216U004: Age at Death YY 04

Information	[Type= continuous] [Format=numeric] [Range= 0-27] [Missing=*]
Statistics [NW/ W]	[Valid=119 /-] [Invalid=6959 /-] [Mean=6.269 /-] [StdDev=6.484 /-]

#189 Q216U005: Age at Death YY 05

Information	[Type= continuous] [Format=numeric] [Range= 0-21] [Missing=*]
Statistics [NW/ W]	[Valid=56 /-] [Invalid=7022 /-] [Mean=5.679 /-] [StdDev=4.951 /-]

#190 Q216U006: Age at Death YY 06

Information	[Type= continuous] [Format=numeric] [Range= 0-21] [Missing=*]
Statistics [NW/ W]	[Valid=40 /-] [Invalid=7038 /-] [Mean=5.65 /-] [StdDev=5.573 /-]

#191 Q216U007: Age at Death YY 07

Information	[Type= continuous] [Format=numeric] [Range= 0-12] [Missing=*]
Statistics [NW/ W]	[Valid=17 /-] [Invalid=7061 /-] [Mean=4.353 /-] [StdDev=3.552 /-]

#192 Q216U008: Age at Death YY 08

Information	[Type= continuous] [Format=numeric] [Range= 0-17] [Missing=*]
Statistics [NW/ W]	[Valid=6 /-] [Invalid=7072 /-] [Mean=8.833 /-] [StdDev=7.139 /-]

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#193 Q216U009: Age at Death YY 09

Information	[Type= continuous] [Format=numeric] [Range= 0-7] [Missing=*]
Statistics [NW/ W]	[Valid=6 /-] [Invalid=7072 /-] [Mean=4.167 /-] [StdDev=3.061 /-]

#194 Q216U010: Age at Death YY 10

Information	[Type= continuous] [Format=numeric] [Range= 2-2] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=7077 /-] [Mean=2 /-]

#195 Q216U011: Age at Death YY 11

Information	[Type= continuous] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=7078 /-]

#196 Q216U012: Age at Death YY 12

Information	[Type= continuous] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=7078 /-]

#197 Q216U013: Age at Death YY 13

Information	[Type= continuous] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=7078 /-]

#198 Q2170001: Age Now 01

Information	[Type= continuous] [Format=numeric] [Range= 0-37] [Missing=*]
Statistics [NW/ W]	[Valid=5992 /-] [Invalid=1086 /-] [Mean=11.997 /-] [StdDev=8.171 /-]

#199 Q2170002: Age Now 02

Information	[Type= continuous] [Format=numeric] [Range= 0-35] [Missing=*]
Statistics [NW/ W]	[Valid=4773 /-] [Invalid=2305 /-] [Mean=11.436 /-] [StdDev=7.662 /-]

#200 Q2170003: Age Now 03

Information	[Type= continuous] [Format=numeric] [Range= 0-32] [Missing=*]
Statistics [NW/ W]	[Valid=3212 /-] [Invalid=3866 /-] [Mean=11.32 /-] [StdDev=7.191 /-]

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#201 Q2170004: Age Now 04

Information	[Type= continuous] [Format=numeric] [Range= 0-30] [Missing=*]
Statistics [NW/ W]	[Valid=1803 /-] [Invalid=5275 /-] [Mean=11.258 /-] [StdDev=6.932 /-]

#202 Q2170005: Age Now 05

Information	[Type= continuous] [Format=numeric] [Range= 0-31] [Missing=*]
Statistics [NW/ W]	[Valid=951 /-] [Invalid=6127 /-] [Mean=11.338 /-] [StdDev=6.815 /-]

#203 Q2170006: Age Now 06

Information	[Type= continuous] [Format=numeric] [Range= 0-30] [Missing=*]
Statistics [NW/ W]	[Valid=447 /-] [Invalid=6631 /-] [Mean=11.779 /-] [StdDev=6.535 /-]

#204 Q2170007: Age Now 07

Information	[Type= continuous] [Format=numeric] [Range= 0-29] [Missing=*]
Statistics [NW/ W]	[Valid=238 /-] [Invalid=6840 /-] [Mean=11.345 /-] [StdDev=6.116 /-]

#205 Q2170008: Age Now 08

Information	[Type= continuous] [Format=numeric] [Range= 0-23] [Missing=*]
Statistics [NW/ W]	[Valid=123 /-] [Invalid=6955 /-] [Mean=11.26 /-] [StdDev=5.645 /-]

#206 Q2170009: Age Now 09

Information	[Type= continuous] [Format=numeric] [Range= 0-20] [Missing=*]
Statistics [NW/ W]	[Valid=60 /-] [Invalid=7018 /-] [Mean=10.667 /-] [StdDev=5.351 /-]

#207 Q2170010: Age Now 10

Information	[Type= continuous] [Format=numeric] [Range= 1-19] [Missing=*]
Statistics [NW/ W]	[Valid=36 /-] [Invalid=7042 /-] [Mean=9.75 /-] [StdDev=4.656 /-]

#208 Q2170011: Age Now 11

Information	[Type= continuous] [Format=numeric] [Range= 2-16] [Missing=*]
Statistics [NW/ W]	[Valid=17 /-] [Invalid=7061 /-] [Mean=8.941 /-] [StdDev=4.308 /-]

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#209 Q2170012: Age Now 12

Information	[Type= continuous] [Format=numeric] [Range= 4-12] [Missing=*]
Statistics [NW/ W]	[Valid=6 /-] [Invalid=7072 /-] [Mean=7.333 /-] [StdDev=3.077 /-]

#210 Q2170013: Age Now 13

Information	[Type= continuous] [Format=numeric] [Range= 4-4] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=7077 /-] [Mean=4 /-]

#211 Q2180001: Living With Respondnt 01

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=5992 /-] [Invalid=1086 /-] [Mean=1.133 /-] [StdDev=0.34 /-]		
Value	Label	Cases	Percentage
1	Yes	5195	86.7%
2	No	797	13.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#212 Q2180002: Living With Respondnt 02

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=4773 /-] [Invalid=2305 /-] [Mean=1.111 /-] [StdDev=0.314 /-]		
Value	Label	Cases	Percentage
1	Yes	4244	88.9%
2	No	529	11.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#213 Q2180003: Living With Respondnt 03

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=3212 /-] [Invalid=3866 /-] [Mean=1.097 /-] [StdDev=0.296 /-]		
Value	Label	Cases	Percentage
1	Yes	2901	90.3%
2	No	311	9.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#214 Q2180004: Living With Respondnt 04

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=1803 /-] [Invalid=5275 /-] [Mean=1.093 /-] [StdDev=0.29 /-]		

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#214 Q2180004: Living With Respondnt 04 (cont.)

Value	Label	Cases	Percentage
1	Yes	1636	90.7%
2	No	167	9.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#215 Q2180005: Living With Respondnt 05

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*		
Statistics [NW/ W]	[Valid=951 /-] [Invalid=6127 /-] [Mean=1.09 /-] [StdDev=0.287 /-]		
Value	Label	Cases	Percentage
1	Yes	865	91.0%
2	No	86	9.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#216 Q2180006: Living With Respondnt 06

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*		
Statistics [NW/ W]	[Valid=447 /-] [Invalid=6631 /-] [Mean=1.094 /-] [StdDev=0.292 /-]		
Value	Label	Cases	Percentage
1	Yes	405	90.6%
2	No	42	9.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#217 Q2180007: Living With Respondnt 07

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*		
Statistics [NW/ W]	[Valid=238 /-] [Invalid=6840 /-] [Mean=1.076 /-] [StdDev=0.265 /-]		
Value	Label	Cases	Percentage
1	Yes	220	92.4%
2	No	18	7.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#218 Q2180008: Living With Respondnt 08

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*		
Statistics [NW/ W]	[Valid=123 /-] [Invalid=6955 /-] [Mean=1.033 /-] [StdDev=0.178 /-]		
Value	Label	Cases	Percentage
1	Yes	119	96.7%
2	No	4	3.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#219 Q2180009: Living With Respondnt 09

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=60 /-] [Invalid=7018 /-] [Mean=1.05 /-] [StdDev=0.22 /-]		
Value	Label	Cases	Percentage
1	Yes	57	95.0%
2	No	3	5.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#220 Q2180010: Living With Respondnt 10

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=36 /-] [Invalid=7042 /-] [Mean=1.028 /-] [StdDev=0.167 /-]		
Value	Label	Cases	Percentage
1	Yes	35	97.2%
2	No	1	2.8%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#221 Q2180011: Living With Respondnt 11

Information	[Type= continuous] [Format=numeric] [Range= 1-1] [Missing=*]		
Statistics [NW/ W]	[Valid=17 /-] [Invalid=7061 /-] [Mean=1 /-] [StdDev=0 /-]		
Value	Label	Cases	Percentage
1	Yes	17	100.0%
2	No	0	0.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#222 Q2180012: Living With Respondnt 12

Information	[Type= continuous] [Format=numeric] [Range= 1-1] [Missing=*]		
Statistics [NW/ W]	[Valid=6 /-] [Invalid=7072 /-] [Mean=1 /-] [StdDev=0 /-]		
Value	Label	Cases	Percentage
1	Yes	6	100.0%
2	No	0	0.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#223 Q2180013: Living With Respondnt 13

Information	[Type= continuous] [Format=numeric] [Range= 1-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=7077 /-] [Mean=1 /-]		

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#223 Q2180013: Living With Respondnt 13 (cont.)

Value	Label	Cases	Percentage
1	Yes	1	100.0%
2	No	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#224 CICMC001: CiCMC001

Information	[Type= continuous] [Format=numeric] [Range= 679-1125] [Missing=*]
Statistics [NW/ W]	[Valid=6361 /-] [Invalid=717 /-] [Mean=970.939 /-] [StdDev=99.252 /-]

#225 CICMC002: CiCMC002

Information	[Type= continuous] [Format=numeric] [Range= 703-1124] [Missing=*]
Statistics [NW/ W]	[Valid=5030 /-] [Invalid=2048 /-] [Mean=978.063 /-] [StdDev=92.902 /-]

#226 CICMC003: CiCMC003

Information	[Type= continuous] [Format=numeric] [Range= 722-1125] [Missing=*]
Statistics [NW/ W]	[Valid=3383 /-] [Invalid=3695 /-] [Mean=980.38 /-] [StdDev=86.857 /-]

#227 CICMC004: CiCMC004

Information	[Type= continuous] [Format=numeric] [Range= 735-1124] [Missing=*]
Statistics [NW/ W]	[Valid=1922 /-] [Invalid=5156 /-] [Mean=980.036 /-] [StdDev=84.407 /-]

#228 CICMC005: CiCMC005

Information	[Type= continuous] [Format=numeric] [Range= 748-1122] [Missing=*]
Statistics [NW/ W]	[Valid=1007 /-] [Invalid=6071 /-] [Mean=979.774 /-] [StdDev=82.197 /-]

#229 CICMC006: CiCMC006

Information	[Type= continuous] [Format=numeric] [Range= 761-1125] [Missing=*]
Statistics [NW/ W]	[Valid=487 /-] [Invalid=6591 /-] [Mean=974.337 /-] [StdDev=77.858 /-]

#230 CICMC007: CiCMC007

Information	[Type= continuous] [Format=numeric] [Range= 774-1123] [Missing=*]
Statistics [NW/ W]	[Valid=255 /-] [Invalid=6823 /-] [Mean=979.675 /-] [StdDev=74.119 /-]

File DHS93_Women (cont.)

#231 CICMC008: CiCMC008

Information	[Type= continuous] [Format=numeric] [Range= 848-1121] [Missing=*]
Statistics [NW/ W]	[Valid=129 /-] [Invalid=6949 /-] [Mean=981.186 /-] [StdDev=68.818 /-]

#232 CICMC009: CiCMC009

Information	[Type= continuous] [Format=numeric] [Range= 876-1120] [Missing=*]
Statistics [NW/ W]	[Valid=66 /-] [Invalid=7012 /-] [Mean=991.576 /-] [StdDev=65.124 /-]

#233 CICMC010: CiCMC010

Information	[Type= continuous] [Format=numeric] [Range= 894-1108] [Missing=*]
Statistics [NW/ W]	[Valid=37 /-] [Invalid=7041 /-] [Mean=1002.216 /-] [StdDev=55.094 /-]

#234 CICMC011: CiCMC011

Information	[Type= continuous] [Format=numeric] [Range= 927-1090] [Missing=*]
Statistics [NW/ W]	[Valid=17 /-] [Invalid=7061 /-] [Mean=1011.647 /-] [StdDev=50.04 /-]

#235 CICMC012: CiCMC012

Information	[Type= continuous] [Format=numeric] [Range= 970-1071] [Missing=*]
Statistics [NW/ W]	[Valid=6 /-] [Invalid=7072 /-] [Mean=1028.833 /-] [StdDev=37.579 /-]

#236 CICMC013: CiCMC013

Information	[Type= continuous] [Format=numeric] [Range= 1065-1065] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=7077 /-] [Mean=1065 /-]

#237 Q220C: How Long ago Last Menstr. Strtd

Information	[Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=6983 /-] [Invalid=95 /-] [Mean=2.484 /-] [StdDev=1.836 /-]

Value	Label	Cases	Percentage
1	Days Ago	1426	20.4%
2	Weeks Ago	3672	52.6%
3	Months Ago	1151	16.5%
4	Years Ago	297	4.3%
9	Other	437	6.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#238 Q220U: Time Units to date for Above

Information	[Type= continuous] [Format=numeric] [Range= 0-98] [Missing=*]		
Statistics [NW/ W]	[Valid=6983 /-] [Invalid=95 /-] [Mean=8.422 /-] [StdDev=22.449 /-]		
Value	Label	Cases	Percentage
0	No	54	0.8%
1	01	1774	25.4%
2	02	1693	24.2%
3	03	1887	27.0%
4	04	328	4.7%
5	05	292	4.2%
6	06	257	3.7%
7	07	87	1.2%
8	08	97	1.4%
9	09	46	0.7%
10	10	14	0.2%
11	11	6	0.1%
12	12	11	0.2%
95	Before Last Birth	429	6.1%
96	Never Menstr.d	0	0.0%
98	Don't Know	8	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#239 Q222: Reason for Time lag

Information	[Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=1482 /-] [Invalid=5596 /-] [Mean=3.024 /-] [StdDev=1.447 /-]		
Value	Label	Cases	Percentage
1	Menopausal	334	22.5%
2	Irregular/injections	140	9.4%
3	Postpartum	412	27.8%
4	Pregnant	442	29.8%
5	Don't Know	84	5.7%
6	Not unusual	62	4.2%
9	Other	8	0.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#240 Q223: Is Respondnt Pregnant Now

Information	[Type= continuous] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=6983 /-] [Invalid=95 /-] [Mean=1.94 /-] [StdDev=0.26 /-]		

File DHS93_Women (cont.)

#240 Q223: Is Respondnt Pregnant Now (cont.)

Value	Label	Cases	Percentage
1	Yes	457	6.5%
2	No	6485	92.9%
3	Not sure	41	0.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#241 Q224: No of Mths being Pregnant

Information	[Type= continuous] [Format=numeric] [Range= 1-10] [Missing=*]		
Statistics [NW/ W]	[Valid=457 /-] [Invalid=6621 /-] [Mean=5.383 /-] [StdDev=2.352 /-]		
Value	Label	Cases	Percentage
1	1	15	3.3%
2	2	50	10.9%
3	3	62	13.6%
4	4	53	11.6%
5	5	46	10.1%
6	6	50	10.9%
7	7	67	14.7%
8	8	79	17.3%
9	9	34	7.4%
10	10	1	0.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#242 Q225: Had Tetanus Injection while Pregnant

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=457 /-] [Invalid=6621 /-] [Mean=1.411 /-] [StdDev=0.493 /-]		
Value	Label	Cases	Percentage
1	Yes	269	58.9%
2	No	188	41.1%
3	Don't know	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#243 Q226: Consulted Anyone on this Pregnancy

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=457 /-] [Invalid=6621 /-] [Mean=1.258 /-] [StdDev=0.438 /-]		
Value	Label	Cases	Percentage
1	Yes	339	74.2%
2	No	118	25.8%

File DHS93_Women (cont.)

#243 Q226: Consulted Anyone on this Pregnancy (cont.)

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#244 Q227: Consulted Whom

Information [Type= continuous] [Format=numeric] [Range= 1-4] [Missing=*]

Statistics [NW/ W] [Valid=339 /-] [Invalid=6739 /-] [Mean=1.351 /-] [StdDev=0.724 /-]

Value	Label	Cases	Percentage
1	Doctor	269	79.4%
2	Govt. Nurse	22	6.5%
3	Family Health Worker	47	13.9%
4	Traditional birth attendant	1	0.3%
5	Other	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#245 Q228: Preg terminated due to Miscar/abort/still birth

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W] [Valid=6983 /-] [Invalid=95 /-] [Mean=1.829 /-] [StdDev=0.376 /-]

Value	Label	Cases	Percentage
1	Yes	1191	17.1%
2	No	5792	82.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#246 Q229: No of Unusual Preg. Terminations

Information [Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*]

Statistics [NW/ W] [Valid=1191 /-] [Invalid=5887 /-] [Mean=1.395 /-] [StdDev=0.944 /-]

Value	Label	Cases	Percentage
1	1	905	76.0%
2	2	189	15.9%
3	3	60	5.0%
4	4	17	1.4%
5	5	7	0.6%
6	6	6	0.5%
8	8	3	0.3%
9	9	4	0.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File DHS93_Women (cont.)

#247 Q230S: No of Still Births

Information	[Type= continuous] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=1191 /-] [Invalid=5887 /-] [Mean=0.369 /-] [StdDev=0.744 /-]

#248 Q230M: No of Spontaneous abortion

Information	[Type= continuous] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=1191 /-] [Invalid=5887 /-] [Mean=0.851 /-] [StdDev=0.871 /-]

#249 Q230A: No of Induced Abortions

Information	[Type= continuous] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=1191 /-] [Invalid=5887 /-] [Mean=0.175 /-] [StdDev=0.608 /-]

#250 Q231: Highest Prob of being Preg as per Respondnt

Information	[Type= continuous] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=6983 /-] [Invalid=95 /-] [Mean=4.702 /-] [StdDev=2.526 /-]

Value	Label	Cases	Percentage
1	During period	49	0.7%
2	Right after period end	1075	15.4%
3	Middle of the cycle	2996	42.9%
4	Just before period begins	200	2.9%
5	At any time	125	1.8%
6	Other	41	0.6%
8	Not known	2497	35.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#251 Q232A: Children <10 yrs present ar this point

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=6983 /-] [Invalid=95 /-] [Mean=1.811 /-] [StdDev=0.391 /-]

Value	Label	Cases	Percentage
1	Yes	1317	18.9%
2	No	5666	81.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#252 Q232B: Husband present at this point

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=6983 /-] [Invalid=95 /-] [Mean=1.986 /-] [StdDev=0.117 /-]

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#252 Q232B: Husband present at this point (cont.)

Value	Label	Cases	Percentage
1	Yes	97	1.4%
2	No	6886	98.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#253 Q232C: Other males present at this point

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=6983 /-] [Invalid=95 /-] [Mean=1.995 /-] [StdDev=0.0706 /-]		
Value	Label	Cases	Percentage
1	Yes	35	0.5%
2	No	6948	99.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#254 Q232D: Other females present at this point

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=6983 /-] [Invalid=95 /-] [Mean=1.945 /-] [StdDev=0.228 /-]		
Value	Label	Cases	Percentage
1	Yes	385	5.5%
2	No	6598	94.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#255 Q3020001: Ever Heard of Pill

Information	[Type= continuous] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=6983 /-] [Invalid=95 /-] [Mean=1.353 /-] [StdDev=0.62 /-]		
Value	Label	Cases	Percentage
1	Yes/Spon	5063	72.5%
2	Yes/Prbd	1376	19.7%
3	No	544	7.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#256 Q3020002: Ever Heard of IUD

Information	[Type= continuous] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=6983 /-] [Invalid=95 /-] [Mean=1.735 /-] [StdDev=0.756 /-]		
Value	Label	Cases	Percentage
1	Yes/Spon	3166	45.3%

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#256 Q3020002: Ever Heard of IUD (cont.)

Value (cont.)	Label	Cases	Percentage
2	Yes/Prbd	2503	35.8%
3	No	1314	18.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#257 Q3020003: Ever Heard of Injections

Information	[Type= continuous] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=6983 /-] [Invalid=95 /-] [Mean=1.577 /-] [StdDev=0.666 /-]		
Value	Label	Cases	Percentage
1	Yes/Spon	3652	52.3%
2	Yes/Prbd	2635	37.7%
3	No	696	10.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#258 Q3020004: Ever Heard of Diaphragm/Foam/Jelly

Information	[Type= continuous] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=6983 /-] [Invalid=95 /-] [Mean=2.871 /-] [StdDev=0.406 /-]		
Value	Label	Cases	Percentage
1	Yes/Spon	183	2.6%
2	Yes/Prbd	537	7.7%
3	No	6263	89.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#259 Q3020005: Ever Heard of Condom

Information	[Type= continuous] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=6983 /-] [Invalid=95 /-] [Mean=1.941 /-] [StdDev=0.767 /-]		
Value	Label	Cases	Percentage
1	Yes/Spon	2273	32.6%
2	Yes/Prbd	2850	40.8%
3	No	1860	26.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#260 Q3020006: Ever Heard of Female Sterilization

Information	[Type= continuous] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=6983 /-] [Invalid=95 /-] [Mean=1.505 /-] [StdDev=0.559 /-]		

File DHS93_Women (cont.)

#260 Q3020006: Ever Heard of Female Sterilization (cont.)

Value	Label	Cases	Percentage
1	Yes/Spon	3671	52.6%
2	Yes/Prbd	3095	44.3%
3	No	217	3.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#261 Q3020007: Ever Heard of Male Sterilization

Information	[Type= continuous] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=6983 /-] [Invalid=95 /-] [Mean=1.846 /-] [StdDev=0.641 /-]		
Value	Label	Cases	Percentage
1	Yes/Spon	2055	29.4%
2	Yes/Prbd	3948	56.5%
3	No	980	14.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#262 Q3020008: Ever Heard of Safe Period

Information	[Type= continuous] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=6983 /-] [Invalid=95 /-] [Mean=2.194 /-] [StdDev=0.759 /-]		
Value	Label	Cases	Percentage
1	Yes/Spon	1462	20.9%
2	Yes/Prbd	2702	38.7%
3	No	2819	40.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#263 Q3020009: Ever Heard of Withdrawal

Information	[Type= continuous] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=6983 /-] [Invalid=95 /-] [Mean=2.462 /-] [StdDev=0.634 /-]		
Value	Label	Cases	Percentage
1	Yes/Spon	537	7.7%
2	Yes/Prbd	2686	38.5%
3	No	3760	53.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#264 Q3020010: Ever Heard of Norplant

Information	[Type= continuous] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=6983 /-] [Invalid=95 /-] [Mean=2.858 /-] [StdDev=0.434 /-]		

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#264 Q3020010: Ever Heard of Norplant (cont.)

Value	Label	Cases	Percentage
1	Yes/Spon	231	3.3%
2	Yes/Prbd	533	7.6%
3	No	6219	89.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#265 Q3020011: Ever Heard of Any Other Methods

Information	[Type= continuous] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=6983 /-] [Invalid=95 /-] [Mean=2.97 /-] [StdDev=0.223 /-]

Value	Label	Cases	Percentage
1	Yes/Spon	71	1.0%
2	Yes/Prbd	69	1.0%
3	No	6843	98.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#266 Q3030001: Ever Used Pill

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=6439 /-] [Invalid=639 /-] [Mean=1.781 /-] [StdDev=0.414 /-]

Value	Label	Cases	Percentage
1	Yes	1413	21.9%
2	No	5026	78.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#267 Q3030002: Ever Used IUD

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=5669 /-] [Invalid=1409 /-] [Mean=1.914 /-] [StdDev=0.281 /-]

Value	Label	Cases	Percentage
1	Yes	490	8.6%
2	No	5179	91.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#268 Q3030003: Ever Used Injections

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=6287 /-] [Invalid=791 /-] [Mean=1.817 /-] [StdDev=0.387 /-]

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#268 Q3030003: Ever Used Injections (cont.)

Value	Label	Cases	Percentage
1	Yes	1150	18.3%
2	No	5137	81.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#269 Q3030004: Ever Used Diaphragm/Foam/Jelly

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=720 /-] [Invalid=6358 /-] [Mean=1.992 /-] [StdDev=0.091 /-]		
Value	Label	Cases	Percentage
1	Yes	6	0.8%
2	No	714	99.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#270 Q3030005: Ever Used Condom

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=5123 /-] [Invalid=1955 /-] [Mean=1.874 /-] [StdDev=0.332 /-]		
Value	Label	Cases	Percentage
1	Yes	645	12.6%
2	No	4478	87.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#271 Q3030006: Ever Used Female Sterilization

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=6766 /-] [Invalid=312 /-] [Mean=1.75 /-] [StdDev=0.433 /-]		
Value	Label	Cases	Percentage
1	Yes	1692	25.0%
2	No	5074	75.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#272 Q3030007: Ever Used Male Sterilization

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=6003 /-] [Invalid=1075 /-] [Mean=1.956 /-] [StdDev=0.205 /-]		
Value	Label	Cases	Percentage
1	Yes	264	4.4%
2	No	5739	95.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#273 Q3030008: Ever Used Safe Period

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=4164 /-] [Invalid=2914 /-] [Mean=1.463 /-] [StdDev=0.499 /-]		
Value	Label	Cases	Percentage
1	Yes	2237	53.7%
2	No	1927	46.3%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#274 Q3030009: Ever Used Withdrawal

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=3223 /-] [Invalid=3855 /-] [Mean=1.553 /-] [StdDev=0.497 /-]		
Value	Label	Cases	Percentage
1	Yes	1440	44.7%
2	No	1783	55.3%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#275 Q3030010: Ever Used Norplant

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=764 /-] [Invalid=6314 /-] [Mean=1.987 /-] [StdDev=0.114 /-]		
Value	Label	Cases	Percentage
1	Yes	10	1.3%
2	No	754	98.7%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#276 Q3030011: Ever Used Any Other Methods

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=140 /-] [Invalid=6938 /-] [Mean=1.3 /-] [StdDev=0.46 /-]		
Value	Label	Cases	Percentage
1	Yes	98	70.0%
2	No	42	30.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#277 Q3040001: Method Obtained from where 01

Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]		
Statistics [NW/ W]	[Valid=6439 /-] [Invalid=639 /-] [Mean=10.567 /-] [StdDev=23.852 /-]		

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#277 Q3040001: Method Obtained from where 01 (cont.)

Value	Label	Cases	Percentage
1	Govt. Hospital/MCH Center	2184	33.9%
2	Priv Dr/Priv nursing home	182	2.8%
3	Non-Govt. Clinic	35	0.5%
4	Mobile Clinic	248	3.9%
5	Family Health Worker/Nurse	2224	34.5%
6	Other Field worker	3	0.0%
7	Ayurvedic Dr	1	0.0%
8	Friend/Relative	5	0.1%
9	Pharmacy/Shop	1100	17.1%
10	Other	4	0.1%
11	Nowhere	13	0.2%
98	Don't Know	432	6.7%
99	99	8	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#278 Q3040002: Method Obtained from where 02

Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]
Statistics [NW/ W]	[Valid=5669 /-] [Invalid=1409 /-] [Mean=11.828 /-] [StdDev=29.957 /-]

Value	Label	Cases	Percentage
1	Govt. Hospital/MCH Center	4366	77.0%
2	Priv Dr/Priv nursing home	200	3.5%
3	Non-Govt. Clinic	46	0.8%
4	Mobile Clinic	148	2.6%
5	Family Health Worker/Nurse	234	4.1%
6	Other Field worker	0	0.0%
7	Ayurvedic Dr	1	0.0%
8	Friend/Relative	2	0.0%
9	Pharmacy/Shop	53	0.9%
10	Other	3	0.1%
11	Nowhere	6	0.1%
98	Don't Know	600	10.6%
99	99	10	0.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#279 Q3040003: Method Obtained from where 03

Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]
Statistics [NW/ W]	[Valid=6287 /-] [Invalid=791 /-] [Mean=6.913 /-] [StdDev=22.366 /-]

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#279 Q3040003: Method Obtained from where 03 (cont.)

Value	Label	Cases	Percentage
1	Govt. Hospital/MCH Center	4730	75.2%
2	Priv Dr/Priv nursing home	686	10.9%
3	Non-Govt. Clinic	63	1.0%
4	Mobile Clinic	214	3.4%
5	Family Health Worker/Nurse	191	3.0%
6	Other Field worker	2	0.0%
7	Ayurvedic Dr	1	0.0%
8	Friend/Relative	2	0.0%
9	Pharmacy/Shop	24	0.4%
10	Other	3	0.0%
11	Nowhere	15	0.2%
98	Don't Know	328	5.2%
99	99	28	0.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#280 Q3040004: Method Obtained from where 04

Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]		
Statistics [NW/ W]	[Valid=720 /-] [Invalid=6358 /-] [Mean=34.89 /-] [StdDev=44.102 /-]		
Value	Label	Cases	Percentage
1	Govt. Hospital/MCH Center	206	28.6%
2	Priv Dr/Priv nursing home	25	3.5%
3	Non-Govt. Clinic	4	0.6%
4	Mobile Clinic	6	0.8%
5	Family Health Worker/Nurse	105	14.6%
6	Other Field worker	0	0.0%
7	Ayurvedic Dr	0	0.0%
8	Friend/Relative	4	0.6%
9	Pharmacy/Shop	129	17.9%
10	Other	3	0.4%
11	Nowhere	3	0.4%
98	Don't Know	217	30.1%
99	99	18	2.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#281 Q3040005: Method Obtained from where 05

Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]		
Statistics [NW/ W]	[Valid=5123 /-] [Invalid=1955 /-] [Mean=19.697 /-] [StdDev=31.612 /-]		

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#281 Q3040005: Method Obtained from where 05 (cont.)

Value	Label	Cases	Percentage
1	Govt. Hospital/MCH Center	546	10.7%
2	Priv Dr/Priv nursing home	46	0.9%
3	Non-Govt. Clinic	19	0.4%
4	Mobile Clinic	107	2.1%
5	Family Health Worker/Nurse	821	16.0%
6	Other Field worker	3	0.1%
7	Ayurvedic Dr	1	0.0%
8	Friend/Relative	10	0.2%
9	Pharmacy/Shop	2846	55.6%
10	Other	12	0.2%
11	Nowhere	0	0.0%
98	Don't Know	649	12.7%
99	99	63	1.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#282 Q3040006: Method Obtained from where 06

Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]
Statistics [NW/ W]	[Valid=6766 /-] [Invalid=312 /-] [Mean=3.286 /-] [StdDev=14.442 /-]

Value	Label	Cases	Percentage
1	Govt. Hospital/MCH Center	6391	94.5%
2	Priv Dr/Priv nursing home	100	1.5%
3	Non-Govt. Clinic	73	1.1%
4	Mobile Clinic	7	0.1%
5	Family Health Worker/Nurse	10	0.1%
6	Other Field worker	1	0.0%
7	Ayurvedic Dr	2	0.0%
8	Friend/Relative	0	0.0%
9	Pharmacy/Shop	0	0.0%
10	Other	8	0.1%
11	Nowhere	21	0.3%
98	Don't Know	136	2.0%
99	99	17	0.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#283 Q3040007: Method Obtained from where 07

Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]
Statistics [NW/ W]	[Valid=6003 /-] [Invalid=1075 /-] [Mean=5.525 /-] [StdDev=20.254 /-]

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#283 Q3040007: Method Obtained from where 07 (cont.)

Value	Label	Cases	Percentage
1	Govt. Hospital/MCH Center	5531	92.1%
2	Priv Dr/Priv nursing home	77	1.3%
3	Non-Govt. Clinic	69	1.1%
4	Mobile Clinic	8	0.1%
5	Family Health Worker/Nurse	15	0.2%
6	Other Field worker	2	0.0%
7	Ayurvedic Dr	1	0.0%
8	Friend/Relative	1	0.0%
9	Pharmacy/Shop	2	0.0%
10	Other	5	0.1%
11	Nowhere	18	0.3%
98	Don't Know	254	4.2%
99	99	20	0.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#284 Q3040008: Method Obtained from where 08

Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]
Statistics [NW/ W]	[Valid=4164 /-] [Invalid=2914 /-] [Mean=11.039 /-] [StdDev=19.167 /-]

Value	Label	Cases	Percentage
1	Govt. Hospital/MCH Center	247	6.5%
2	Priv Dr/Priv nursing home	107	2.8%
3	Non-Govt. Clinic	19	0.5%
4	Mobile Clinic	65	1.7%
5	Family Health Worker/Nurse	1459	38.5%
6	Other Field worker	33	0.9%
7	Ayurvedic Dr	5	0.1%
8	Friend/Relative	1113	29.4%
9	Pharmacy/Shop	9	0.2%
10	Other	254	6.7%
11	Nowhere	293	7.7%
98	Don't Know	162	4.3%
99	99	26	0.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#285 Q3040009: Method Obtained from where 09

Information	[Type= continuous] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=7078 /-]

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#285 Q3040009: Method Obtained from where 09 (cont.)

Value	Label	Cases	Percentage
1	Govt. Hospital/MCH Center		
2	Priv Dr/Priv nursing home		
3	Non-Govt. Clinic		
4	Mobile Clinic		
5	Family Health Worker/Nurse		
6	Other Field worker		
7	Ayurvedic Dr		
8	Friend/Relative		
9	Pharmacy/Shop		
10	Other		
11	Nowhere		
98	Don't Know		
99	99		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#286 Q3040010: Method Obtained from where 10

Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]
Statistics [NW/ W]	[Valid=764 /-] [Invalid=6314 /-] [Mean=26.592 /-] [StdDev=42.404 /-]

Value	Label	Cases	Percentage
1	Govt. Hospital/MCH Center	491	64.8%
2	Priv Dr/Priv nursing home	23	3.0%
3	Non-Govt. Clinic	12	1.6%
4	Mobile Clinic	6	0.8%
5	Family Health Worker/Nurse	13	1.7%
6	Other Field worker	0	0.0%
7	Ayurvedic Dr	0	0.0%
8	Friend/Relative	5	0.7%
9	Pharmacy/Shop	1	0.1%
10	Other	7	0.9%
11	Nowhere	2	0.3%
98	Don't Know	161	21.2%
99	99	37	4.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#287 Q3040011: Method Obtained from where 11

Information	[Type= continuous] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=7078 /-]

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#287 Q3040011: Method Obtained from where 11 (cont.)

Value	Label	Cases	Percentage
1	Govt. Hospital/MCH Center		
2	Priv Dr/Priv nursing home		
3	Non-Govt. Clinic		
4	Mobile Clinic		
5	Family Health Worker/Nurse		
6	Other Field worker		
7	Ayurvedic Dr		
8	Friend/Relative		
9	Pharmacy/Shop		
10	Other		
11	Nowhere		
98	Don't Know		
99	99		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#288 Q3050001: Problem Obtaining Method 01

Information	[Type= continuous] [Format=numeric] [Range= 2-99] [Missing=*]		
Statistics [NW/ W]	[Valid=6439 /-] [Invalid=639 /-] [Mean=36.857 /-] [StdDev=42.82 /-]		
Value	Label	Cases	Percentage
2	Not effective	122	1.9%
3	Husband Disapproves	53	0.8%
4	Health concerns	2125	33.1%
5	Access/availability	18	0.3%
6	Cost too much	9	0.1%
7	Inconvenient to use	171	2.7%
10	Other	32	0.5%
11	None	1797	28.0%
98	Don't know	2096	32.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#289 Q3050002: Problem Obtaining Method 02

Information	[Type= continuous] [Format=numeric] [Range= 2-99] [Missing=*]		
Statistics [NW/ W]	[Valid=5669 /-] [Invalid=1409 /-] [Mean=49.23 /-] [StdDev=45.488 /-]		
Value	Label	Cases	Percentage
2	Not effective	208	3.7%
3	Husband Disapproves	94	1.7%
4	Health concerns	1262	22.3%

File DHS93_Women (cont.)

#289 Q3050002: Problem Obtaining Method 02 (cont.)

Value (cont.)	Label	Cases	Percentage
5	Access/availability	13	0.2%
6	Cost too much	2	0.0%
7	Inconvenient to use	175	3.1%
10	Other	34	0.6%
11	None	1249	22.1%
98	Don't know	2610	46.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#290 Q3050003: Problem Obtaining Method 03

Information	[Type= continuous] [Format=numeric] [Range= 2-99] [Missing=*]
Statistics [NW/ W]	[Valid=6287 /-] [Invalid=791 /-] [Mean=41.676 /-] [StdDev=44.231 /-]

Value	Label	Cases	Percentage
2	Not effective	124	2.0%
3	Husband Disapproves	65	1.0%
4	Health concerns	1836	29.4%
5	Access/availability	68	1.1%
6	Cost too much	24	0.4%
7	Inconvenient to use	39	0.6%
10	Other	35	0.6%
11	None	1705	27.3%
98	Don't know	2341	37.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#291 Q3050004: Problem Obtaining Method 04

Information	[Type= continuous] [Format=numeric] [Range= 2-99] [Missing=*]
Statistics [NW/ W]	[Valid=720 /-] [Invalid=6358 /-] [Mean=69.453 /-] [StdDev=42.069 /-]

Value	Label	Cases	Percentage
2	Not effective	14	2.0%
3	Husband Disapproves	9	1.3%
4	Health concerns	51	7.3%
5	Access/availability	13	1.9%
6	Cost too much	0	0.0%
7	Inconvenient to use	26	3.7%
10	Other	1	0.1%
11	None	114	16.3%
98	Don't know	472	67.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#292 Q3050005: Problem Obtaining Method 05

Information	[Type= continuous] [Format=numeric] [Range= 2-99] [Missing=*]		
Statistics [NW/ W]	[Valid=5123 /-] [Invalid=1955 /-] [Mean=55.769 /-] [StdDev=44.827 /-]		
Value	Label	Cases	Percentage
2	Not effective	220	4.4%
3	Husband Disapproves	384	7.6%
4	Health concerns	99	2.0%
5	Access/availability	12	0.2%
6	Cost too much	3	0.1%
7	Inconvenient to use	118	2.3%
10	Other	18	0.4%
11	None	1561	30.9%
98	Don't know	2629	52.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#293 Q3050006: Problem Obtaining Method 06

Information	[Type= continuous] [Format=numeric] [Range= 2-99] [Missing=*]		
Statistics [NW/ W]	[Valid=6766 /-] [Invalid=312 /-] [Mean=37.676 /-] [StdDev=41.876 /-]		
Value	Label	Cases	Percentage
2	Not effective	94	1.4%
3	Husband Disapproves	116	1.7%
4	Health concerns	1178	17.5%
5	Access/availability	36	0.5%
6	Cost too much	0	0.0%
7	Inconvenient to use	7	0.1%
10	Other	66	1.0%
11	None	3076	45.6%
98	Don't know	2166	32.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#294 Q3050007: Problem Obtaining Method 07

Information	[Type= continuous] [Format=numeric] [Range= 2-99] [Missing=*]		
Statistics [NW/ W]	[Valid=6003 /-] [Invalid=1075 /-] [Mean=55.009 /-] [StdDev=44.683 /-]		
Value	Label	Cases	Percentage
2	Not effective	68	1.1%
3	Husband Disapproves	248	4.2%
4	Health concerns	549	9.2%
5	Access/availability	17	0.3%

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#294 Q3050007: Problem Obtaining Method 07 (cont.)

Value (cont.)	Label	Cases	Percentage
6	Cost too much	0	0.0%
7	Inconvenient to use	2	0.0%
10	Other	45	0.8%
11	None	1962	32.9%
98	Don't know	3077	51.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#295 Q3050008: Problem Obtaining Method 08

Information	[Type= continuous] [Format=numeric] [Range= 2-99] [Missing=*]
Statistics [NW/ W]	[Valid=4164 /-] [Invalid=2914 /-] [Mean=28.622 /-] [StdDev=36.454 /-]

Value	Label	Cases	Percentage
2	Not effective	412	10.0%
3	Husband Disapproves	39	0.9%
4	Health concerns	12	0.3%
5	Access/availability	0	0.0%
6	Cost too much	0	0.0%
7	Inconvenient to use	121	2.9%
10	Other	15	0.4%
11	None	2669	64.6%
98	Don't know	862	20.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#296 Q3050009: Problem Obtaining Method 09

Information	[Type= continuous] [Format=numeric] [Range= 2-99] [Missing=*]
Statistics [NW/ W]	[Valid=3223 /-] [Invalid=3855 /-] [Mean=34.564 /-] [StdDev=40.544 /-]

Value	Label	Cases	Percentage
2	Not effective	366	11.5%
3	Husband Disapproves	170	5.3%
4	Health concerns	7	0.2%
5	Access/availability	0	0.0%
6	Cost too much	0	0.0%
7	Inconvenient to use	69	2.2%
10	Other	11	0.3%
11	None	1670	52.3%
98	Don't know	903	28.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#297 Q3050010: Problem Obtaining Method 10

Information	[Type= continuous] [Format=numeric] [Range= 2-99] [Missing=*]		
Statistics [NW/ W]	[Valid=764 /-] [Invalid=6314 /-] [Mean=75.525 /-] [StdDev=39.103 /-]		
Value	Label	Cases	Percentage
2	Not effective	8	1.1%
3	Husband Disapproves	4	0.5%
4	Health concerns	56	7.7%
5	Access/availability	12	1.6%
6	Cost too much	2	0.3%
7	Inconvenient to use	3	0.4%
10	Other	0	0.0%
11	None	106	14.6%
98	Don't know	537	73.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#298 Q3050011: Problem Obtaining Method 11

Information	[Type= continuous] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=7078 /-]		
Value	Label	Cases	Percentage
2	Not effective		
3	Husband Disapproves		
4	Health concerns		
5	Access/availability		
6	Cost too much		
7	Inconvenient to use		
10	Other		
11	None		
98	Don't know		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#299 Q307: Tried/used anything to delay/avoid Preg

Information	[Type= continuous] [Format=numeric] [Range= 2-2] [Missing=*]		
Statistics [NW/ W]	[Valid=1775 /-] [Invalid=5303 /-] [Mean=2 /-] [StdDev=0 /-]		
Value	Label	Cases	Percentage
1	Yes	0	0.0%
2	No	1775	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#300 Q310: How determine the day to abstain

Information	[Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=2237 /-] [Invalid=4841 /-] [Mean=1.071 /-] [StdDev=0.559 /-]		
Value	Label	Cases	Percentage
1	Based on calendar	2196	98.2%
2	Based on body temperature	6	0.3%
3	Based on cervical mucus	0	0.0%
4	Based on Body Temp/mucus	0	0.0%
5	Other	32	1.4%
9	Unknown	3	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#301 Q311: No of children while first time using a preventive method

Information	[Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*]		
Statistics [NW/ W]	[Valid=5208 /-] [Invalid=1870 /-] [Mean=2.044 /-] [StdDev=3.361 /-]		
Value	Label	Cases	Percentage
0	0	516	9.9%
1	1	2189	42.0%
2	2	1008	19.4%
3	3	730	14.0%
4	4	381	7.3%
5	5	197	3.8%
6	6	96	1.8%
7	7	50	1.0%
8	8	18	0.3%
9	9	4	0.1%
10	10	8	0.2%
11	11	4	0.1%
12	12	2	0.0%
97	97	3	0.1%
99	99	2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#302 Q313: Currently use a method for prevention

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=4994 /-] [Invalid=2084 /-] [Mean=1.161 /-] [StdDev=0.367 /-]		
Value	Label	Cases	Percentage
1	Yes	4192	83.9%

File DHS93_Women (cont.)

#302 Q313: Currently use a method for prevention (cont.)

Value (cont.)	Label	Cases	Percentage
2	No	802	16.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#303 Q314: Past month used a method for prevention

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=802 /-] [Invalid=6276 /-] [Mean=1.979 /-] [StdDev=0.144 /-]		
Value	Label	Cases	Percentage
1	Yes	17	2.1%
2	No	785	97.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#304 Q315: Ever abstained from sexual relations

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=2560 /-] [Invalid=4518 /-] [Mean=1.496 /-] [StdDev=0.5 /-]		
Value	Label	Cases	Percentage
1	Yes	1291	50.4%
2	No	1269	49.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#305 Q316: Currently abstaining from sexual relations

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=1291 /-] [Invalid=5787 /-] [Mean=1.455 /-] [StdDev=0.498 /-]		
Value	Label	Cases	Percentage
1	Yes	703	54.5%
2	No	588	45.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#306 Q317: Reason for abstinence

Information	[Type= continuous] [Format=numeric] [Range= 1-7] [Missing=*]		
Statistics [NW/ W]	[Valid=703 /-] [Invalid=6375 /-] [Mean=3.499 /-] [StdDev=1.409 /-]		
Value	Label	Cases	Percentage
1	Avoid Pregnancy	55	7.8%
2	Child of marriage age	57	8.1%
3	Husband away	288	41.0%

File DHS93_Women (cont.)

#306 Q317: Reason for abstinence (cont.)

Value (cont.)	Label	Cases	Percentage
4	Postpartum/breastfeeding	204	29.0%
5	Illness	39	5.5%
6	Religious reasons	4	0.6%
7	Other	56	8.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#307 Q318: Which Method Used by Respondnt

Information	[Type= continuous] [Format=numeric] [Range= 1-12] [Missing=*]
Statistics [NW/ W]	[Valid=4321 /-] [Invalid=2757 /-] [Mean=6.061 /-] [StdDev=2.524 /-]

Value	Label	Cases	Percentage
1	Pill	358	8.3%
2	IUD	177	4.1%
3	Injections	323	7.5%
4	Diaphragm/foam/jelly	1	0.0%
5	Condom	190	4.4%
6	Female sterilization	1690	39.1%
7	Male sterilization	235	5.4%
8	Safe period	872	20.2%
9	Withdrawal	297	6.9%
10	Norplant	8	0.2%
11	Other	0	0.0%
12	Prolonged Abstinence	170	3.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#308 Q319M: Month of Sterilization Operation

Information	[Type= continuous] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=1925 /-] [Invalid=5153 /-] [Mean=7.116 /-] [StdDev=8.717 /-]

Value	Label	Cases	Percentage
1	Jan	164	8.5%
2	Feb	159	8.3%
3	Mar	168	8.7%
4	Apr	123	6.4%
5	May	148	7.7%
6	Jun	262	13.6%
7	Jul	149	7.7%
8	Aug	151	7.8%
9	Sep	136	7.1%

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#308 Q319M: Month of Sterilization Operation (cont.)

Value (cont.)	Label	Cases	Percentage
10	Oct	155	8.1%
11	Nov	121	6.3%
12	Dec	174	9.0%
97	Not in Code list	5	0.3%
98	Don't know	10	0.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#309 Q319Y: Year of Sterilization Operation

Information [Type= continuous] [Format=numeric] [Range= 67-98] [Missing=*]

Statistics [NW/ W] [Valid=1925 /-] [Invalid=5153 /-] [Mean=83.982 /-] [StdDev=5.462 /-]

Value	Label	Cases	Percentage
67	67	3	0.2%
70	70	3	0.2%
71	71	14	0.7%
72	72	14	0.7%
73	73	25	1.3%
74	74	42	2.2%
75	75	54	2.8%
76	76	42	2.2%
77	77	43	2.2%
78	78	50	2.6%
79	79	63	3.3%
80	80	150	7.8%
81	81	111	5.8%
82	82	124	6.4%
83	83	176	9.1%
84	84	153	7.9%
85	85	131	6.8%
86	86	113	5.9%
87	87	89	4.6%
88	88	77	4.0%
89	89	59	3.1%
90	90	94	4.9%
91	91	93	4.8%
92	92	128	6.6%
93	93	60	3.1%
97	97	4	0.2%
98	98	10	0.5%

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#309 Q319Y: Year of Sterilization Operation (cont.)

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#310 Q320: Received Incentive Payment

Information [Type= continuous] [Format=numeric] [Range= 1-8] [Missing=*]

Statistics [NW/ W] [Valid=1925 /-] [Invalid=5153 /-] [Mean=1.258 /-] [StdDev=0.689 /-]

Value	Label	Cases	Percentage
1	Yes	1507	78.3%
2	No	405	21.0%
8	8	13	0.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#311 Q321: Would Undergo Operation Without Incentive Payment ?

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W] [Valid=1507 /-] [Invalid=5571 /-] [Mean=1.061 /-] [StdDev=0.239 /-]

Value	Label	Cases	Percentage
1	Yes	1415	93.9%
2	No	92	6.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#312 Q323: Obtained a method within last 12 Mths

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W] [Valid=2308 /-] [Invalid=4770 /-] [Mean=1.893 /-] [StdDev=0.309 /-]

Literal question Have you obtained a method to avoid pregnancy or sought advice about a method to avoid pregnancy in the last twelve months from a hospital, clinic, a doctor, or a fieldworker?

Value	Label	Cases	Percentage
1	Yes	247	10.7%
2	No	2061	89.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#313 Q324: Which Method Obtained

Information [Type= continuous] [Format=numeric] [Range= 1-12] [Missing=*]

Statistics [NW/ W] [Valid=247 /-] [Invalid=6831 /-] [Mean=4.757 /-] [StdDev=3.096 /-]

Value	Label	Cases	Percentage
1	Pill	61	24.7%
2	IUD	12	4.9%
3	Injections	53	21.5%

File DHS93_Women (cont.)

#313 Q324: Which Method Obtained (cont.)

Value (cont.)	Label	Cases	Percentage
4	Diaphragm/foam/jelly	0	0.0%
5	Condom	9	3.6%
6	Female sterilization	15	6.1%
7	Male sterilization	0	0.0%
8	Safe period	89	36.0%
9	Withdrawal	4	1.6%
10	Norplant	0	0.0%
11	Other	0	0.0%
12	Prolonged Abstinence	4	1.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#314 Q325: Obtained Instructions on safe period last 12 mths

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*		
Statistics [NW/ W]	[Valid=2061 /-] [Invalid=5017 /-] [Mean=1.984 /-] [StdDev=0.127 /-]		
Literal question	Have you obtained instructions for using the safe period in the last twelve months from a hospital, clinic, a doctor, or a field worker?		
Value	Label	Cases	Percentage
1	Yes	34	1.6%
2	No	2027	98.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#315 Q326: Where advice/method/sterilization took place

Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*		
Statistics [NW/ W]	[Valid=3263 /-] [Invalid=3815 /-] [Mean=2.517 /-] [StdDev=6.007 /-]		
Value	Label	Cases	Percentage
1	Govt. Hospital/MCH Center	2293	70.3%
2	Priv Dr/Priv nursing home	206	6.3%
3	Non-Govt. Clinic	81	2.5%
4	Mobile Clinic	38	1.2%
5	Family Health Worker/Nurse	407	12.5%
6	Other Field worker	8	0.2%
7	Ayurvedic Dr	1	0.0%
8	Friend/Relative	37	1.1%
9	Pharmacy/Shop	164	5.0%
10	Other	17	0.5%
11	Nowhere	0	0.0%
98	Don't Know	9	0.3%

File DHS93_Women (cont.)

#315 Q326: Where advice/method/sterilization took place (cont.)

Value (cont.)	Label	Cases	Percentage
99	99	2	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#316 Q327: Anything to dislike about service

Value	Label	Cases	Percentage
1	Wait too long	13	0.4%
2	Staff discourteous	6	0.2%
3	Services expensive	25	0.8%
4	Not able to get desired service	16	0.5%
5	Other	22	0.7%
6	No complaints	2920	96.3%
8	Don't know	30	1.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#317 Q330M: How Long Using Method Continuously Mth

Value	Label	Cases	Percentage
0	0	413	17.2%
1	1	128	5.3%
2	2	151	6.3%
3	3	150	6.3%
4	4	100	4.2%
5	5	100	4.2%
6	6	181	7.6%
7	7	86	3.6%
8	8	94	3.9%
9	9	79	3.3%
10	10	39	1.6%
11	11	19	0.8%
96	Since last birth	849	35.4%
98	98	1	0.0%
99	99	6	0.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#318 Q330Y: How Long Using Method Continuously Year

Information	[Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*]		
Statistics [NW/ W]	[Valid=2396 /-] [Invalid=4682 /-] [Mean=35.862 /-] [StdDev=44.941 /-]		
Value	Label	Cases	Percentage
0	0	555	23.2%
1	1	306	12.8%
2	2	201	8.4%
3	3	101	4.2%
4	4	84	3.5%
5	5	77	3.2%
6	6	40	1.7%
7	7	34	1.4%
8	8	38	1.6%
9	9	18	0.8%
10	10	38	1.6%
11	11	8	0.3%
12	12	7	0.3%
13	13	8	0.3%
14	14	7	0.3%
15	15	4	0.2%
16	16	5	0.2%
17	17	3	0.1%
18	18	6	0.3%
96	Since last birth	849	35.4%
98	98	1	0.0%
99	99	6	0.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#319 Q331: Any Problems Using Current Method

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=4321 /-] [Invalid=2757 /-] [Mean=1.876 /-] [StdDev=0.33 /-]		
Value	Label	Cases	Percentage
1	Yes	537	12.4%
2	No	3784	87.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#320 Q332: Main Problem experienced

Information	[Type= continuous] [Format=numeric] [Range= 2-10] [Missing=*]		
Statistics [NW/ W]	[Valid=537 /-] [Invalid=6541 /-] [Mean=4.039 /-] [StdDev=0.822 /-]		

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#320 Q332: Main Problem experienced (cont.)

Value	Label	Cases	Percentage
2	Not effective	18	3.4%
3	Husband Disapproves	13	2.4%
4	Health concerns	481	89.6%
5	Access/availability	9	1.7%
6	Cost too much	2	0.4%
7	Inconvenient to use	9	1.7%
10	Other	5	0.9%
11	None	0	0.0%
98	Don't know	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#321 Q333: Using any Additional Method

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=4321 /-] [Invalid=2757 /-] [Mean=1.894 /-] [StdDev=0.308 /-]

Value	Label	Cases	Percentage
1	Yes	458	10.6%
2	No	3863	89.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#322 Q334: Additional Method

Information	[Type= continuous] [Format=numeric] [Range= 1-12] [Missing=*]
Statistics [NW/ W]	[Valid=458 /-] [Invalid=6620 /-] [Mean=8.513 /-] [StdDev=1.254 /-]

Value	Label	Cases	Percentage
1	Pill	3	0.7%
2	IUD	0	0.0%
3	Injections	3	0.7%
4	Diaphragm/foam/jelly	0	0.0%
5	Condom	24	5.2%
7	Male sterilization	2	0.4%
8	Safe period	95	20.7%
9	Withdrawal	326	71.2%
10	Norplant	0	0.0%
11	Other	1	0.2%
12	Prolonged Abstinence	4	0.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#323 Q335: Ever Used Any Other Method before current MethodQ335

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=4321 /-] [Invalid=2757 /-] [Mean=1.828 /-] [StdDev=0.378 /-]		
Value	Label	Cases	Percentage
1	Yes	744	17.2%
2	No	3577	82.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#324 Q336: Which Method Used Before

Information	[Type= continuous] [Format=numeric] [Range= 1-12] [Missing=*]		
Statistics [NW/ W]	[Valid=744 /-] [Invalid=6334 /-] [Mean=4.282 /-] [StdDev=3.081 /-]		
Value	Label	Cases	Percentage
1	Pill	177	23.8%
2	IUD	50	6.7%
3	Injections	237	31.9%
4	Diaphragm/foam/jelly	1	0.1%
5	Condom	59	7.9%
7	Male sterilization	3	0.4%
8	Safe period	137	18.4%
9	Withdrawal	59	7.9%
10	Norplant	0	0.0%
11	Other	1	0.1%
12	Prolonged Abstinence	20	2.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#325 Q337M: What Mth start Using Method before Current

Information	[Type= continuous] [Format=numeric] [Range= 1-98] [Missing=*]		
Statistics [NW/ W]	[Valid=744 /-] [Invalid=6334 /-] [Mean=17.266 /-] [StdDev=30.899 /-]		
Value	Label	Cases	Percentage
1	1	106	14.2%
2	2	77	10.3%
3	3	39	5.2%
4	4	56	7.5%
5	5	60	8.1%
6	6	60	8.1%
7	7	39	5.2%
8	8	46	6.2%
9	9	57	7.7%

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#325 Q337M: What Mth start Using Method before Current (cont.)

Value (cont.)	Label	Cases	Percentage
10	10	37	5.0%
11	11	27	3.6%
12	12	46	6.2%
98	Don't know	94	12.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#326 Q337Y: What Year start Using Method before Current

Information [Type= continuous] [Format=numeric] [Range= 69-98] [Missing=*]

Statistics [NW/ W] [Valid=744 /-] [Invalid=6334 /-] [Mean=88.058 /-] [StdDev=5.396 /-]

Value	Label	Cases	Percentage
69	69	1	0.1%
71	71	4	0.5%
72	72	5	0.7%
73	73	5	0.7%
74	74	5	0.7%
75	75	4	0.5%
76	76	4	0.5%
77	77	7	0.9%
78	78	13	1.7%
79	79	17	2.3%
80	80	18	2.4%
81	81	18	2.4%
82	82	22	3.0%
83	83	28	3.8%
84	84	15	2.0%
85	85	23	3.1%
86	86	32	4.3%
87	87	35	4.7%
88	88	44	5.9%
89	89	53	7.1%
90	90	89	12.0%
91	91	108	14.5%
92	92	115	15.5%
93	93	44	5.9%
98	Don't know	35	4.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#327 Q338M: How Long (Mth) start Using Method before Current

Information	[Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*]		
Statistics [NW/ W]	[Valid=744 /-] [Invalid=6334 /-] [Mean=16.862 /-] [StdDev=32.853 /-]		
Value	Label	Cases	Percentage
0	0	152	20.4%
1	1	64	8.6%
2	2	65	8.7%
3	3	81	10.9%
4	4	35	4.7%
5	5	27	3.6%
6	6	99	13.3%
7	7	29	3.9%
8	8	21	2.8%
9	9	39	5.2%
10	10	21	2.8%
11	11	6	0.8%
97	97	50	6.7%
98	Don't know	54	7.3%
99	99	1	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#328 Q338Y: How long (Year) start Using Method before Current

Information	[Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*]		
Statistics [NW/ W]	[Valid=744 /-] [Invalid=6334 /-] [Mean=9.645 /-] [StdDev=26.769 /-]		
Value	Label	Cases	Percentage
0	0	318	42.7%
1	1	143	19.2%
2	2	87	11.7%
3	3	54	7.3%
4	4	19	2.6%
5	5	19	2.6%
6	6	6	0.8%
7	7	8	1.1%
8	8	5	0.7%
9	9	3	0.4%
10	10	4	0.5%
11	11	4	0.5%
12	12	3	0.4%
14	14	3	0.4%
15	15	3	0.4%

File DHS93_Women (cont.)

#328 Q338Y: How long (Year) start Using Method before Current (cont.)

Value (cont.)	Label	Cases	Percentage
17	17	1	0.1%
18	18	1	0.1%
97	97	50	6.7%
98	Don't know	12	1.6%
99	99	1	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#329 Q339: Main Reason to stop Method Before Current

Value	Label	Cases	Percentage
2	Not effective	33	4.4%
3	Husband Disapproves	29	3.9%
4	Health concerns	278	37.4%
5	Access/availability	29	3.9%
6	Cost too much	12	1.6%
7	Inconvenient to use	56	7.5%
8	Infrequent Sex	9	1.2%
9	To use permanent method	218	29.3%
10	Rumours of side effects	21	2.8%
11	Other	58	7.8%
98	Don't know	1	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#330 Q341: Used any method to avoid pregnancy since last birth

Value	Label	Cases	Percentage
1	Yes	420	58.7%
2	No	296	41.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#331 Q342: Last Method Used

Value	Label	Cases	Percentage
1	1	1	0.1%
2	2	1	0.1%
3	3	1	0.1%
4	4	1	0.1%
5	5	1	0.1%
6	6	1	0.1%
7	7	1	0.1%
8	8	1	0.1%
9	9	1	0.1%
10	10	1	0.1%
11	11	1	0.1%
12	12	1	0.1%
13	13	1	0.1%
14	14	1	0.1%
15	15	1	0.1%
16	16	1	0.1%
17	17	1	0.1%
18	18	1	0.1%
19	19	1	0.1%
20	20	1	0.1%
21	21	1	0.1%
22	22	1	0.1%
23	23	1	0.1%
24	24	1	0.1%
25	25	1	0.1%
26	26	1	0.1%
27	27	1	0.1%
28	28	1	0.1%
29	29	1	0.1%
30	30	1	0.1%
31	31	1	0.1%
32	32	1	0.1%
33	33	1	0.1%
34	34	1	0.1%
35	35	1	0.1%
36	36	1	0.1%
37	37	1	0.1%
38	38	1	0.1%
39	39	1	0.1%
40	40	1	0.1%
41	41	1	0.1%
42	42	1	0.1%
43	43	1	0.1%
44	44	1	0.1%
45	45	1	0.1%
46	46	1	0.1%
47	47	1	0.1%
48	48	1	0.1%
49	49	1	0.1%
50	50	1	0.1%
51	51	1	0.1%
52	52	1	0.1%
53	53	1	0.1%
54	54	1	0.1%
55	55	1	0.1%
56	56	1	0.1%
57	57	1	0.1%
58	58	1	0.1%
59	59	1	0.1%
60	60	1	0.1%
61	61	1	0.1%
62	62	1	0.1%
63	63	1	0.1%
64	64	1	0.1%
65	65	1	0.1%
66	66	1	0.1%
67	67	1	0.1%
68	68	1	0.1%
69	69	1	0.1%
70	70	1	0.1%
71	71	1	0.1%
72	72	1	0.1%
73	73	1	0.1%
74	74	1	0.1%
75	75	1	0.1%
76	76	1	0.1%
77	77	1	0.1%
78	78	1	0.1%
79	79	1	0.1%
80	80	1	0.1%
81	81	1	0.1%
82	82	1	0.1%
83	83	1	0.1%
84	84	1	0.1%
85	85	1	0.1%
86	86	1	0.1%
87	87	1	0.1%
88	88	1	0.1%
89	89	1	0.1%
90	90	1	0.1%
91	91	1	0.1%
92	92	1	0.1%
93	93	1	0.1%
94	94	1	0.1%
95	95	1	0.1%
96	96	1	0.1%
97	97	1	0.1%
98	98	1	0.1%
99	99	1	0.1%

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#331 Q342: Last Method Used (cont.)

Value	Label	Cases	Percentage
1	Pill	102	22.3%
2	IUD	25	5.5%
3	Injections	84	18.3%
4	Diaphragm/foam/jelly	0	0.0%
5	Condom	34	7.4%
7	Male sterilization	6	1.3%
8	Safe period	160	34.9%
9	Withdrawal	41	9.0%
10	Norplant	0	0.0%
11	Other	0	0.0%
12	Prolonged Abstinence	6	1.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#332 Q343M: Started Using That Method MM

Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]		
Statistics [NW/ W]	[Valid=459 /-] [Invalid=6619 /-] [Mean=25.547 /-] [StdDev=38.181 /-]		
Value	Label	Cases	Percentage
1	1	53	11.5%
2	2	47	10.2%
3	3	35	7.6%
4	4	28	6.1%
5	5	27	5.9%
6	6	23	5.0%
7	7	27	5.9%
8	8	32	7.0%
9	9	20	4.4%
10	10	22	4.8%
11	11	12	2.6%
12	12	34	7.4%
98	Don't know	97	21.1%
99	99	2	0.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#333 Q343Y: Started Using That Method YY

Information	[Type= continuous] [Format=numeric] [Range= 70-99] [Missing=*]		
Statistics [NW/ W]	[Valid=459 /-] [Invalid=6619 /-] [Mean=86.089 /-] [StdDev=6.321 /-]		

File DHS93_Women (cont.)

#333 Q343Y: Started Using That Method YY (cont.)

Value	Label	Cases	Percentage
70	70	1	0.2%
71	71	1	0.2%
72	72	3	0.7%
73	73	2	0.4%
74	74	13	2.8%
75	75	12	2.6%
76	76	12	2.6%
77	77	11	2.4%
78	78	12	2.6%
79	79	11	2.4%
80	80	26	5.7%
81	81	14	3.1%
82	82	17	3.7%
83	83	17	3.7%
84	84	18	3.9%
85	85	22	4.8%
86	86	28	6.1%
87	87	16	3.5%
88	88	30	6.5%
89	89	30	6.5%
90	90	31	6.8%
91	91	40	8.7%
92	92	43	9.4%
93	93	23	5.0%
98	Don't know	24	5.2%
99	99	2	0.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#334 Q344M: How Long Using Last Method MM

Information [Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*]

Statistics [NW/ W] [Valid=459 /-] [Invalid=6619 /-] [Mean=17.1 /-] [StdDev=34.467 /-]

Value	Label	Cases	Percentage
0	0	163	35.5%
1	1	32	7.0%
2	2	35	7.6%
3	3	41	8.9%
4	4	16	3.5%
5	5	15	3.3%

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#334 Q344M: How Long Using Last Method MM (cont.)

Value (cont.)	Label	Cases	Percentage
6	6	46	10.0%
7	7	9	2.0%
8	8	12	2.6%
9	9	14	3.1%
10	10	3	0.7%
11	11	3	0.7%
97	97	1	0.2%
98	Don't know	67	14.6%
99	99	2	0.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#335 Q344Y: How Long Using Last Method YY

Information	[Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*]
Statistics [NW/ W]	[Valid=459 /-] [Invalid=6619 /-] [Mean=8.601 /-] [StdDev=21.847 /-]

Value	Label	Cases	Percentage
0	0	116	25.3%
1	1	76	16.6%
2	2	46	10.0%
3	3	41	8.9%
4	4	32	7.0%
5	5	28	6.1%
6	6	16	3.5%
7	7	13	2.8%
8	8	15	3.3%
9	9	3	0.7%
10	10	21	4.6%
11	11	2	0.4%
12	12	5	1.1%
13	13	1	0.2%
14	14	7	1.5%
15	15	4	0.9%
16	16	2	0.4%
17	17	2	0.4%
18	18	2	0.4%
19	19	1	0.2%
20	20	1	0.2%
97	97	1	0.2%
98	Don't know	22	4.8%

File DHS93_Women (cont.)

#335 Q344Y: How Long Using Last Method YY (cont.)

Value (cont.)	Label	Cases	Percentage
99	99	2	0.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#336 Q345: Main Reason to stop Last MethodQ345

Value	Label	Cases	Percentage
1	To become pregnant	100	21.8%
2	Not effective	2	0.4%
3	Husband Disapproves	5	1.1%
4	Health concerns	91	19.8%
5	Access/availability	9	2.0%
6	Cost too much	1	0.2%
7	Inconvenient to use	6	1.3%
8	Infrequent Sex	46	10.0%
10	Rumours of side effects	5	1.1%
11	Other	188	41.0%
98	Don't know	5	1.1%
99	99	1	0.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#337 Q346: Intend to Use a method in the Future

Value	Label	Cases	Percentage
1	Yes	830	31.2%
2	No	1404	52.7%
8	Don't know	424	15.9%
9	9	4	0.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#338 Q347: Preferred Method

Value	Label	Cases	Percentage
1	Pill	100	12.0%

File DHS93_Women (cont.)

#338 Q347: Preferred Method (cont.)

Value (cont.)	Label	Cases	Percentage
2	IUD	40	4.8%
3	Injections	176	21.2%
4	Diaphragm/foam/jelly	0	0.0%
5	Condom	27	3.3%
6	Female sterilization	295	35.5%
7	Male sterilization	3	0.4%
8	Safe period	72	8.7%
9	Withdrawal	16	1.9%
10	Norplant	7	0.8%
11	Other	1	0.1%
12	Prolonged Abstinence	6	0.7%
13	Not decided	87	10.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#339 Q348: Intend to Use a method in the Next 12 mths

Information	[Type= continuous] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=830 /-] [Invalid=6248 /-] [Mean=2.011 /-] [StdDev=2.097 /-]		
Value	Label	Cases	Percentage
1	Yes	513	61.8%
2	No	230	27.7%
8	Don't know	87	10.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#340 Q349A: Acceptable for FP Info to be Provided on Radio

Information	[Type= continuous] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=6983 /-] [Invalid=95 /-] [Mean=1.815 /-] [StdDev=2.169 /-]		
Value	Label	Cases	Percentage
1	Yes	5834	83.5%
2	No	392	5.6%
8	Don't know	757	10.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#341 Q349B: Acceptable for FP Info to be Provided on TV

Information	[Type= continuous] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=6983 /-] [Invalid=95 /-] [Mean=1.955 /-] [StdDev=2.311 /-]		

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#341 Q349B: Acceptable for FP Info to be Provided on TV (cont.)

Value	Label	Cases	Percentage
1	Yes	5603	80.2%
2	No	499	7.1%
8	Don't know	881	12.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#342 Q350: When Listen to radio

Information	[Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=6983 /-] [Invalid=95 /-] [Mean=4.097 /-] [StdDev=1.459 /-]		
Value	Label	Cases	Percentage
1	Morning 5am - 12 noon	462	6.6%
2	Afternoon 12noon - 6pm	493	7.1%
3	Evening after 6pm	1674	24.0%
4	Throughout the day	813	11.6%
5	Only occassionally	2366	33.9%
6	Don't listen	1172	16.8%
9	9	3	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#343 COL35301: COL35301

Information	[Type= continuous] [Format=numeric] [Range= 0-2] [Missing=*]		
Statistics [NW/ W]	[Valid=3204 /-] [Invalid=3874 /-] [Mean=0.86 /-] [StdDev=0.355 /-]		
Value	Label	Cases	Percentage
0	0	457	14.3%
1	1	2738	85.5%
2	2	9	0.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#344 COL35302: COL35302

Information	[Type= continuous] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=978 /-] [Invalid=6100 /-] [Mean=1.774 /-] [StdDev=0.421 /-]		
Value	Label	Cases	Percentage
1	1	222	22.7%
2	2	755	77.2%
3	3	1	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#345 COL35303: COL35303

Information [Type= continuous] [Format=numeric] [Range= 2-3] [Missing=*

Statistics [NW/ W] [Valid=105 /-] [Invalid=6973 /-] [Mean=2.667 /-] [StdDev=0.474 /-]

Value	Label	Cases	Percentage
2	2	35	33.3%
3	3	70	66.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#346 COL35304: COL35304

Information [Type= continuous] [Format=numeric] [Missing=*

Statistics [NW/ W] [Valid=0 /-] [Invalid=7078 /-]

#347 Q3550001: Avoided Getting Pregnant 01

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*

Statistics [NW/ W] [Valid=2435 /-] [Invalid=4643 /-] [Mean=1.454 /-] [StdDev=0.498 /-]

Value	Label	Cases	Percentage
1	Yes	1330	54.6%
2	No	1105	45.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#348 Q3550002: Avoided Getting Pregnant 02

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*

Statistics [NW/ W] [Valid=755 /-] [Invalid=6323 /-] [Mean=1.697 /-] [StdDev=0.46 /-]

Value	Label	Cases	Percentage
1	Yes	229	30.3%
2	No	526	69.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#349 Q3550003: Avoided Getting Pregnant 03

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*

Statistics [NW/ W] [Valid=67 /-] [Invalid=7011 /-] [Mean=1.851 /-] [StdDev=0.359 /-]

Value	Label	Cases	Percentage
1	Yes	10	14.9%
2	No	57	85.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#350 Q3550004: Avoided Getting Pregnant 04

Information [Type= continuous] [Format=numeric] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=7078 /-]

Value	Label	Cases	Percentage
1	Yes		
2	No		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#351 Q3560001: Last Method used then 01

Information [Type= continuous] [Format=numeric] [Range= 1-12] [Missing=*]

Statistics [NW/ W] [Valid=1330 /-] [Invalid=5748 /-] [Mean=5.384 /-] [StdDev=3.138 /-]

Value	Label	Cases	Percentage
1	Pill	289	21.8%
2	IUD	31	2.3%
3	Injections	228	17.2%
4	Diaphragm/foam/jelly	0	0.0%
5	Condom	102	7.7%
7	Male sterilization	4	0.3%
8	Safe period	515	38.8%
9	Withdrawal	150	11.3%
10	Norplant	0	0.0%
11	Other	2	0.2%
12	Prolonged Abstinence	7	0.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#352 Q3560002: Last Method used then 02

Information [Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*]

Statistics [NW/ W] [Valid=229 /-] [Invalid=6849 /-] [Mean=4.799 /-] [StdDev=3.188 /-]

Value	Label	Cases	Percentage
1	Pill	64	27.9%
2	IUD	7	3.1%
3	Injections	47	20.5%
4	Diaphragm/foam/jelly	0	0.0%
5	Condom	9	3.9%
7	Male sterilization	0	0.0%
8	Safe period	83	36.2%
9	Withdrawal	19	8.3%
10	Norplant	0	0.0%

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#352 Q3560002: Last Method used then 02 (cont.)

Value (cont.)	Label	Cases	Percentage
11	Other	0	0.0%
12	Prolonged Abstinence	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#353 Q3560003: Last Method used then 03

Information	[Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=10 /-] [Invalid=7068 /-] [Mean=4.7 /-] [StdDev=3.713 /-]		
Value	Label	Cases	Percentage
1	Pill	4	40.0%
2	IUD	1	10.0%
3	Injections	0	0.0%
4	Diaphragm/foam/jelly	0	0.0%
5	Condom	0	0.0%
7	Male sterilization	0	0.0%
8	Safe period	4	40.0%
9	Withdrawal	1	10.0%
10	Norplant	0	0.0%
11	Other	0	0.0%
12	Prolonged Abstinence	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#354 Q3560004: Last Method used then 04

Information	[Type= continuous] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=7078 /-]		
Value	Label	Cases	Percentage
1	Pill		
2	IUD		
3	Injections		
4	Diaphragm/foam/jelly		
5	Condom		
7	Male sterilization		
8	Safe period		
9	Withdrawal		
10	Norplant		
11	Other		
12	Prolonged Abstinence		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#355 Q3570001: Preceding Method 01

Information	[Type= continuous] [Format=numeric] [Range= 0-12] [Missing=*]		
Statistics [NW/ W]	[Valid=1330 /-] [Invalid=5748 /-] [Mean=1.08 /-] [StdDev=2.489 /-]		
Value	Label	Cases	Percentage
0	None	1007	75.7%
1	Pill	100	7.5%
2	IUD	15	1.1%
3	Injections	65	4.9%
4	Diaphragm/foam/jelly	0	0.0%
5	Condom	31	2.3%
7	Male sterilization	0	0.0%
8	Safe period	66	5.0%
9	Withdrawal	41	3.1%
10	Norplant	0	0.0%
11	Other	0	0.0%
12	Prolonged Abstinence	5	0.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#356 Q3570002: Preceding Method 02

Information	[Type= continuous] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=229 /-] [Invalid=6849 /-] [Mean=0.629 /-] [StdDev=1.921 /-]		
Value	Label	Cases	Percentage
0	None	192	83.8%
1	Pill	16	7.0%
2	IUD	1	0.4%
3	Injections	5	2.2%
4	Diaphragm/foam/jelly	0	0.0%
5	Condom	5	2.2%
7	Male sterilization	0	0.0%
8	Safe period	4	1.7%
9	Withdrawal	6	2.6%
10	Norplant	0	0.0%
11	Other	0	0.0%
12	Prolonged Abstinence	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#357 Q3570003: Preceding Method 03

Information	[Type= continuous] [Format=numeric] [Range= 0-0] [Missing=*]		
Statistics [NW/ W]	[Valid=10 /-] [Invalid=7068 /-] [Mean=0 /-] [StdDev=0 /-]		

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#357 Q3570003: Preceding Method 03 (cont.)

Value	Label	Cases	Percentage
0	None	10	100.0%
1	Pill	0	0.0%
2	IUD	0	0.0%
3	Injections	0	0.0%
4	Diaphragm/foam/jelly	0	0.0%
5	Condom	0	0.0%
7	Male sterilization	0	0.0%
8	Safe period	0	0.0%
9	Withdrawal	0	0.0%
10	Norplant	0	0.0%
11	Other	0	0.0%
12	Prolonged Abstinence	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#358 Q3570004: Preceding Method 04

Information	[Type= continuous] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=7078 /-]		
Value	Label	Cases	Percentage
0	None		
1	Pill		
2	IUD		
3	Injections		
4	Diaphragm/foam/jelly		
5	Condom		
7	Male sterilization		
8	Safe period		
9	Withdrawal		
10	Norplant		
11	Other		
12	Prolonged Abstinence		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#359 Q358M001: How Long Last Method Used That Time MM 01

Information	[Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*]		
Statistics [NW/ W]	[Valid=1330 /-] [Invalid=5748 /-] [Mean=3.554 /-] [StdDev=8.426 /-]		
Value	Label	Cases	Percentage
0	0	496	37.3%

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#359 Q358M001: How Long Last Method Used That Time MM 01 (cont.)

Value (cont.)	Label	Cases	Percentage
1	1	79	5.9%
2	2	125	9.4%
3	3	141	10.6%
4	4	66	5.0%
5	5	74	5.6%
6	6	174	13.1%
7	7	34	2.6%
8	8	58	4.4%
9	9	44	3.3%
10	10	21	1.6%
11	11	9	0.7%
98	98	1	0.1%
99	99	8	0.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#360 Q358M002: How Long Last Method Used That Time MM 02

Information	[Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*]		
Statistics [NW/ W]	[Valid=229 /-] [Invalid=6849 /-] [Mean=4.166 /-] [StdDev=9.391 /-]		
Value	Label	Cases	Percentage
0	0	64	27.9%
1	1	20	8.7%
2	2	27	11.8%
3	3	25	10.9%
4	4	5	2.2%
5	5	17	7.4%
6	6	32	14.0%
7	7	10	4.4%
8	8	11	4.8%
9	9	10	4.4%
10	10	3	1.3%
11	11	3	1.3%
98	98	1	0.4%
99	99	1	0.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#361 Q358M003: How Long Last Method Used That Time MM 03

Information	[Type= continuous] [Format=numeric] [Range= 0-10] [Missing=*]
-------------	---

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#361 Q358M003: How Long Last Method Used That Time MM 03 (cont.)

Statistics [NW/ W] [Valid=10 /-] [Invalid=7068 /-] [Mean=3.2 /-] [StdDev=3.824 /-]

Value	Label	Cases	Percentage
0	0	4	40.0%
2	2	2	20.0%
3	3	1	10.0%
6	6	1	10.0%
9	9	1	10.0%
10	10	1	10.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#362 Q358M004: How Long Last Method Used That Time MM 04

Information [Type= continuous] [Format=numeric] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=7078 /-]

Value	Label	Cases	Percentage
0	0		
1	1		
2	2		
3	3		
4	4		
5	5		
6	6		
7	7		
8	8		
9	9		
10	10		
11	11		
98	98		
99	99		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#363 Q358Y001: How Long Last Method Used That Time YY 01

Information [Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*]

Statistics [NW/ W] [Valid=1330 /-] [Invalid=5748 /-] [Mean=2.271 /-] [StdDev=6.827 /-]

Value	Label	Cases	Percentage
0	0	398	29.9%
1	1	314	23.6%
2	2	247	18.6%
3	3	162	12.2%

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#363 Q358Y001: How Long Last Method Used That Time YY 01 (cont.)

Value (cont.)	Label	Cases	Percentage
4	4	86	6.5%
5	5	44	3.3%
6	6	31	2.3%
7	7	10	0.8%
8	8	9	0.7%
9	9	11	0.8%
10	10	4	0.3%
11	11	2	0.2%
12	12	3	0.2%
14	14	2	0.2%
15	15	1	0.1%
99	99	6	0.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#364 Q358Y002: How Long Last Method Used That Time YY 02

Information	[Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*]		
Statistics [NW/ W]	[Valid=229 /-] [Invalid=6849 /-] [Mean=2.044 /-] [StdDev=9.17 /-]		
Value	Label	Cases	Percentage
0	0	89	38.9%
1	1	61	26.6%
2	2	43	18.8%
3	3	21	9.2%
4	4	8	3.5%
5	5	3	1.3%
6	6	1	0.4%
8	8	1	0.4%
98	98	1	0.4%
99	99	1	0.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#365 Q358Y003: How Long Last Method Used That Time YY 03

Information	[Type= continuous] [Format=numeric] [Range= 0-4] [Missing=*]		
Statistics [NW/ W]	[Valid=10 /-] [Invalid=7068 /-] [Mean=1.6 /-] [StdDev=1.578 /-]		
Value	Label	Cases	Percentage
0	0	3	30.0%
1	1	3	30.0%
2	2	1	10.0%

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#365 Q358Y003: How Long Last Method Used That Time YY 03 (cont.)

Value (cont.)	Label	Cases	Percentage
3	3	1	10.0%
4	4	2	20.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#366 Q358Y004: How Long Last Method Used That Time YY 04

Information	[Type= continuous] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=7078 /-]		
Value	Label	Cases	Percentage
0	0		
1	1		
2	2		
3	3		
4	4		
5	5		
6	6		
7	7		
8	8		
9	9		
10	10		
11	11		
12	12		
14	14		
15	15		
99	99		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#367 Q359001: Became Pregnant While Still Using Last Method 01

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=1330 /-] [Invalid=5748 /-] [Mean=1.705 /-] [StdDev=0.456 /-]		
Value	Label	Cases	Percentage
1	Yes	392	29.5%
2	No	938	70.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#368 Q359002: Became Pregnant While Still Using Last Method 02

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
-------------	--	--	--

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#368 Q359002: Became Pregnant While Still Using Last Method 02 (cont.)

Statistics [NW/ W] [Valid=229 /-] [Invalid=6849 /-] [Mean=1.703 /-] [StdDev=0.458 /-]

Value	Label	Cases	Percentage
1	Yes	68	29.7%
2	No	161	70.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#369 Q359003: Became Pregnant While Still Using Last Method 03

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W] [Valid=10 /-] [Invalid=7068 /-] [Mean=1.7 /-] [StdDev=0.483 /-]

Value	Label	Cases	Percentage
1	Yes	3	30.0%
2	No	7	70.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#370 Q359004: Became Pregnant While Still Using Last Method 04

Information [Type= continuous] [Format=numeric] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=7078 /-]

Value	Label	Cases	Percentage
1	Yes		
2	No		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#371 Q360001: Main Reason to Stop Last Method 01

Information [Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]

Statistics [NW/ W] [Valid=938 /-] [Invalid=6140 /-] [Mean=3.293 /-] [StdDev=12.335 /-]

Value	Label	Cases	Percentage
1	To get Pregnant	778	83.8%
2	Not effective	3	0.3%
3	Husband Disapproves	6	0.6%
4	Health concerns	74	8.0%
5	Access/availability	21	2.3%
6	Cost too much	2	0.2%
7	Inconvenient to use	8	0.9%
8	Infrequent Sex	0	0.0%
10	Rumours of side effects	3	0.3%
11	Other	28	3.0%

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#371 Q3600001: Main Reason to Stop Last Method 01 (cont.)

Value (cont.)	Label	Cases	Percentage
98	Don't know	5	0.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#372 Q3600002: Main Reason to Stop Last Method 02

Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]
Statistics [NW/ W]	[Valid=161 /-] [Invalid=6917 /-] [Mean=3.087 /-] [StdDev=10.904 /-]

#373 Q3600003: Main Reason to Stop Last Method 03

Information	[Type= continuous] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=7 /-] [Invalid=7071 /-] [Mean=2.143 /-] [StdDev=1.464 /-]

#374 Q3600004: Main Reason to Stop Last Method 04

Information	[Type= continuous] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=7078 /-]

#375 Q3610001: Have Cghild Then/Later/No More 01

Information	[Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=2034 /-] [Invalid=5044 /-] [Mean=1.392 /-] [StdDev=0.692 /-]
Literal question	At the time you became pregnant (with Name) did you want to have that child then to wait until later or to have no (more) children at all

Value	Label	Cases	Percentage
1	Then	1460	71.8%
2	Later	356	17.5%
3	No More	217	10.7%
9	9	1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#376 Q3610002: Have Cghild Then/Later/No More 02

Information	[Type= continuous] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=786 /-] [Invalid=6292 /-] [Mean=1.326 /-] [StdDev=0.587 /-]

Value	Label	Cases	Percentage
1	Then	579	73.7%
2	Later	158	20.1%
3	No More	49	6.2%

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#376 Q3610002: Have Cghild Then/Later/No More 02 (cont.)

Value (cont.)	Label	Cases	Percentage
9	9	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#377 Q3610003: Have Cghild Then/Later/No More 03

Information	[Type= continuous] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=98 /-] [Invalid=6980 /-] [Mean=1.357 /-] [StdDev=0.613 /-]		
Value	Label	Cases	Percentage
1	Then	70	71.4%
2	Later	21	21.4%
3	No More	7	7.1%
9	9	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#378 Q3610004: Have Cghild Then/Later/No More 04

Information	[Type= continuous] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=7078 /-]		
Value	Label	Cases	Percentage
1	Then		
2	Later		
3	No More		
9	9		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#379 Q3620001: Want to have that Child Later or Not to Have 01

Information	[Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=392 /-] [Invalid=6686 /-] [Mean=1.462 /-] [StdDev=0.907 /-]		
Value	Label	Cases	Percentage
1	Have Child Later	239	61.0%
2	Not to have child	149	38.0%
9	9	4	1.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#380 Q3620002: Want to have that Child Later or Not to Have 02

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=68 /-] [Invalid=7010 /-] [Mean=1.309 /-] [StdDev=0.465 /-]		

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#380 Q3620002: Want to have that Child Later or Not to Have 02 (cont.)

Value	Label	Cases	Percentage
1	Have Child Later	47	69.1%
2	Not to have child	21	30.9%
9	9	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#381 Q3620003: Want to have that Child Later or Not to Have 03

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=3 /-] [Invalid=7075 /-] [Mean=1.333 /-] [StdDev=0.577 /-]		

Value	Label	Cases	Percentage
1	Have Child Later	2	66.7%
2	Not to have child	1	33.3%
9	9	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#382 Q3620004: Want to have that Child Later or Not to Have 04

Information	[Type= continuous] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=7078 /-]		

Value	Label	Cases	Percentage
1	Have Child Later		
2	Not to have child		
9	9		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#383 COL40001: COL40001

Information	[Type= continuous] [Format=numeric] [Range= 1-1] [Missing=*]		
Statistics [NW/ W]	[Valid=2975 /-] [Invalid=4103 /-] [Mean=1 /-] [StdDev=0 /-]		

Value	Label	Cases	Percentage
1	1	2975	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#384 COL40002: COL40002

Information	[Type= continuous] [Format=numeric] [Range= 2-2] [Missing=*]		
Statistics [NW/ W]	[Valid=850 /-] [Invalid=6228 /-] [Mean=2 /-] [StdDev=0 /-]		

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#384 COL40002: COL40002 (cont.)

Value	Label	Cases	Percentage
2	2	850	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#385 COL40003: COL40003

Information	[Type= continuous] [Format=numeric] [Range= 3-3] [Missing=*]		
Statistics [NW/ W]	[Valid=93 -] [Invalid=6985 -] [Mean=3 -] [StdDev=0 -]		
Value	Label	Cases	Percentage
3	3	93	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#386 COL40004: COL40004

Information	[Type= continuous] [Format=numeric] [Range= 4-4] [Missing=*]		
Statistics [NW/ W]	[Valid=6 -] [Invalid=7072 -] [Mean=4 -] [StdDev=0 -]		
Value	Label	Cases	Percentage
4	4	6	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#387 LNNO0001: LNNO0001

Information	[Type= continuous] [Format=numeric] [Range= 1-13] [Missing=*]		
Statistics [NW/ W]	[Valid=2975 -] [Invalid=4103 -] [Mean=2.447 -] [StdDev=1.561 -]		
Value	Label	Cases	Percentage
1	1	957	32.2%
2	2	888	29.8%
3	3	538	18.1%
4	4	304	10.2%
5	5	156	5.2%
6	6	62	2.1%
7	7	35	1.2%
8	8	14	0.5%
9	9	10	0.3%
10	10	6	0.2%
11	11	2	0.1%
12	12	2	0.1%
13	13	1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#388 LNNO0002: LNNO0002

Information [Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*

Statistics [NW/ W] [Valid=850 /-] [Invalid=6228 /-] [Mean=2.045 /-] [StdDev=1.379 /-]

Value	Label	Cases	Percentage
1	1	409	48.1%
2	2	202	23.8%
3	3	129	15.2%
4	4	58	6.8%
5	5	25	2.9%
6	6	16	1.9%
7	7	4	0.5%
8	8	6	0.7%
9	9	1	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#389 LNNO0003: LNNO0003

Information [Type= continuous] [Format=numeric] [Range= 1-7] [Missing=*

Statistics [NW/ W] [Valid=93 /-] [Invalid=6985 /-] [Mean=2.022 /-] [StdDev=1.399 /-]

Value	Label	Cases	Percentage
1	1	44	47.3%
2	2	27	29.0%
3	3	10	10.8%
4	4	6	6.5%
5	5	3	3.2%
7	7	3	3.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#390 LNNO0004: LNNO0004

Information [Type= continuous] [Format=numeric] [Range= 1-3] [Missing=*

Statistics [NW/ W] [Valid=6 /-] [Invalid=7072 /-] [Mean=1.667 /-] [StdDev=1.033 /-]

Value	Label	Cases	Percentage
1	1	4	66.7%
3	3	2	33.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#391 Q4030001: Received Tetanus Inj. when Pregnant 01

Information [Type= continuous] [Format=numeric] [Range= 1-8] [Missing=*

Statistics [NW/ W] [Valid=2975 /-] [Invalid=4103 /-] [Mean=1.917 /-] [StdDev=0.609 /-]

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#391 Q4030001: Received Tetanus Inj. when Pregnant 01 (cont.)

Value	Label	Cases	Percentage
1	Yes Dose 1	580	19.5%
2	Yes Dose 2	2098	70.5%
3	No	290	9.7%
8	Don't know	7	0.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#392 Q4030002: Received Tetanus Inj. when Pregnant 02

Information	[Type= continuous] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=850 /-] [Invalid=6228 /-] [Mean=1.971 /-] [StdDev=0.534 /-]		
Value	Label	Cases	Percentage
1	Yes Dose 1	119	14.0%
2	Yes Dose 2	642	75.5%
3	No	88	10.4%
8	Don't know	1	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#393 Q4030003: Received Tetanus Inj. when Pregnant 03

Information	[Type= continuous] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=93 /-] [Invalid=6985 /-] [Mean=1.989 /-] [StdDev=0.521 /-]		
Value	Label	Cases	Percentage
1	Yes Dose 1	13	14.0%
2	Yes Dose 2	68	73.1%
3	No	12	12.9%
8	Don't know	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#394 Q4030004: Received Tetanus Inj. when Pregnant 04

Information	[Type= continuous] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=6 /-] [Invalid=7072 /-] [Mean=2.333 /-] [StdDev=0.816 /-]		
Value	Label	Cases	Percentage
1	Yes Dose 1	1	16.7%
2	Yes Dose 2	2	33.3%
3	No	3	50.0%
8	Don't know	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#395 Q4040001: Family Health Worker Visited 01

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=2975 -] [Invalid=4103 -] [Mean=1.227 -] [StdDev=0.419 -]		
Value	Label	Cases	Percentage
1	Yes	2299	77.3%
2	No	676	22.7%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#396 Q4040002: Family Health Worker Visited 02

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=850 -] [Invalid=6228 -] [Mean=1.213 -] [StdDev=0.41 -]		
Value	Label	Cases	Percentage
1	Yes	669	78.7%
2	No	181	21.3%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#397 Q4040003: Family Health Worker Visited 03

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=93 -] [Invalid=6985 -] [Mean=1.258 -] [StdDev=0.44 -]		
Value	Label	Cases	Percentage
1	Yes	69	74.2%
2	No	24	25.8%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#398 Q4040004: Family Health Worker Visited 04

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=6 -] [Invalid=7072 -] [Mean=1.5 -] [StdDev=0.548 -]		
Value	Label	Cases	Percentage
1	Yes	3	50.0%
2	No	3	50.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#399 Q4050001: Visited a Clinic/Doctor 01

Information	[Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=2975 -] [Invalid=4103 -] [Mean=1.016 -] [StdDev=0.187 -]		

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#399 Q4050001: Visited a Clinic/Doctor 01 (cont.)

Value	Label	Cases	Percentage
1	Yes	2933	98.6%
2	No	41	1.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#400 Q4050002: Visited a Clinic/Doctor 02

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*		
Statistics [NW/ W]	[Valid=850 /-] [Invalid=6228 /-] [Mean=1.015 /-] [StdDev=0.123 /-]		
Value	Label	Cases	Percentage
1	Yes	837	98.5%
2	No	13	1.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#401 Q4050003: Visited a Clinic/Doctor 03

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*		
Statistics [NW/ W]	[Valid=93 /-] [Invalid=6985 /-] [Mean=1.043 /-] [StdDev=0.204 /-]		
Value	Label	Cases	Percentage
1	Yes	89	95.7%
2	No	4	4.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#402 Q4050004: Visited a Clinic/Doctor 04

Information	[Type= continuous] [Format=numeric] [Range= 1-1] [Missing=*		
Statistics [NW/ W]	[Valid=6 /-] [Invalid=7072 /-] [Mean=1 /-] [StdDev=0 /-]		
Value	Label	Cases	Percentage
1	Yes	6	100.0%
2	No	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#403 Q4060001: Child was Born at 01

Information	[Type= continuous] [Format=numeric] [Range= 1-4] [Missing=*		
Statistics [NW/ W]	[Valid=2975 /-] [Invalid=4103 /-] [Mean=1.211 /-] [StdDev=0.569 /-]		
Value	Label	Cases	Percentage
1	Govt Hospital/Maternity Home	2576	86.6%
2	Pvt. Nursing Home	175	5.9%

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#403 Q4060001: Child was Born at 01 (cont.)

Value (cont.)	Label	Cases	Percentage
3	At Home	219	7.4%
4	Other	5	0.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#404 Q4060002: Child was Born at 02

Information	[Type= continuous] [Format=numeric] [Range= 1-4] [Missing=*		
Statistics [NW/ W]	[Valid=850 /-] [Invalid=6228 /-] [Mean=1.276 /-] [StdDev=0.644 /-]		
Value	Label	Cases	Percentage
1	Govt Hospital/Maternity Home	705	82.9%
2	Pvt. Nursing Home	56	6.6%
3	At Home	88	10.4%
4	Other	1	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#405 Q4060003: Child was Born at 03

Information	[Type= continuous] [Format=numeric] [Range= 1-3] [Missing=*		
Statistics [NW/ W]	[Valid=93 /-] [Invalid=6985 /-] [Mean=1.344 /-] [StdDev=0.715 /-]		
Value	Label	Cases	Percentage
1	Govt Hospital/Maternity Home	74	79.6%
2	Pvt. Nursing Home	6	6.5%
3	At Home	13	14.0%
4	Other	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#406 Q4060004: Child was Born at 04

Information	[Type= continuous] [Format=numeric] [Range= 1-4] [Missing=*		
Statistics [NW/ W]	[Valid=6 /-] [Invalid=7072 /-] [Mean=1.833 /-] [StdDev=1.329 /-]		
Value	Label	Cases	Percentage
1	Govt Hospital/Maternity Home	4	66.7%
2	Pvt. Nursing Home	0	0.0%
3	At Home	1	16.7%
4	Other	1	16.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#407 Q4070001: Who Assisted with Delivery 01

Information	[Type= continuous] [Format=numeric] [Range= 1-6] [Missing=*]		
Statistics [NW/ W]	[Valid=2975 /-] [Invalid=4103 /-] [Mean=1.871 /-] [StdDev=0.635 /-]		
Value	Label	Cases	Percentage
1	Doctor	704	23.7%
2	Govt. Nurse/Family Health Worker	2051	68.9%
3	Traditional Birth Attendant	131	4.4%
4	Real/Neighbour	80	2.7%
5	Other	7	0.2%
6	No one	2	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#408 Q4070002: Who Assisted with Delivery 02

Information	[Type= continuous] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=850 /-] [Invalid=6228 /-] [Mean=1.934 /-] [StdDev=0.646 /-]		
Value	Label	Cases	Percentage
1	Doctor	170	20.0%
2	Govt. Nurse/Family Health Worker	601	70.7%
3	Traditional Birth Attendant	46	5.4%
4	Real/Neighbour	31	3.6%
5	Other	2	0.2%
6	No one	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#409 Q4070003: Who Assisted with Delivery 03

Information	[Type= continuous] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=93 /-] [Invalid=6985 /-] [Mean=2.011 /-] [StdDev=0.744 /-]		
Value	Label	Cases	Percentage
1	Doctor	18	19.4%
2	Govt. Nurse/Family Health Worker	63	67.7%
3	Traditional Birth Attendant	5	5.4%
4	Real/Neighbour	7	7.5%
5	Other	0	0.0%
6	No one	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#410 Q4070004: Who Assisted with Delivery 04

Information	[Type= continuous] [Format=numeric] [Range= 1-4] [Missing=*]		
-------------	--	--	--

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#410 Q4070004: Who Assisted with Delivery 04 (cont.)

Statistics [NW/ W] [Valid=6 /-] [Invalid=7072 /-] [Mean=2.333 /-] [StdDev=1.366 /-]

Value	Label	Cases	Percentage
1	Doctor	2	33.3%
2	Govt. Nurse/Family Health Worker	2	33.3%
3	Traditional Birth Attendant	0	0.0%
4	Real/Neighbour	2	33.3%
5	Other	0	0.0%
6	No one	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#411 Q4080001: Ever did Breast Feeding 01

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W] [Valid=2975 /-] [Invalid=4103 /-] [Mean=1.018 /-] [StdDev=0.132 /-]

Value	Label	Cases	Percentage
1	Yes	2922	98.2%
2	No	53	1.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#412 Q4080002: Ever did Breast Feeding 02

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W] [Valid=850 /-] [Invalid=6228 /-] [Mean=1.028 /-] [StdDev=0.166 /-]

Value	Label	Cases	Percentage
1	Yes	826	97.2%
2	No	24	2.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#413 Q4080003: Ever did Breast Feeding 03

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W] [Valid=93 /-] [Invalid=6985 /-] [Mean=1.065 /-] [StdDev=0.247 /-]

Value	Label	Cases	Percentage
1	Yes	87	93.5%
2	No	6	6.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#414 Q4080004: Ever did Breast Feeding 04

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#414 Q4080004: Ever did Breast Feeding 04 (cont.)

Statistics [NW/ W] [Valid=6 /-] [Invalid=7072 /-] [Mean=1.167 /-] [StdDev=0.408 /-]

Value	Label	Cases	Percentage
1	Yes	5	83.3%
2	No	1	16.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#415 Q409C001: How Long After Birth began Feeding 01

Information [Type= continuous] [Format=numeric] [Range= 0-2] [Missing=*]

Statistics [NW/ W] [Valid=2922 /-] [Invalid=4156 /-] [Mean=1.058 /-] [StdDev=0.385 /-]

Value	Label	Cases	Percentage
0	At the same time	137	4.7%
1	Hours	2479	84.8%
2	Days	306	10.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#416 Q409C002: How Long After Birth began Feeding 02

Information [Type= continuous] [Format=numeric] [Range= 0-2] [Missing=*]

Statistics [NW/ W] [Valid=826 /-] [Invalid=6252 /-] [Mean=1.027 /-] [StdDev=0.393 /-]

Value	Label	Cases	Percentage
0	At the same time	53	6.4%
1	Hours	698	84.5%
2	Days	75	9.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#417 Q409C003: How Long After Birth began Feeding 03

Information [Type= continuous] [Format=numeric] [Range= 0-2] [Missing=*]

Statistics [NW/ W] [Valid=87 /-] [Invalid=6991 /-] [Mean=1.034 /-] [StdDev=0.387 /-]

Value	Label	Cases	Percentage
0	At the same time	5	5.7%
1	Hours	74	85.1%
2	Days	8	9.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#418 Q409C004: How Long After Birth began Feeding 04

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W] [Valid=5 /-] [Invalid=7073 /-] [Mean=1.2 /-] [StdDev=0.447 /-]

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#418 Q409C004: How Long After Birth began Feeding 04 (cont.)

Value	Label	Cases	Percentage
0	At the same time	0	0.0%
1	Hours	4	80.0%
2	Days	1	20.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#419 Q409U001: Hrs/Days After Birth began Feeding 01

Information	[Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*]		
Statistics [NW/ W]	[Valid=2922 /-] [Invalid=4156 /-] [Mean=2.886 /-] [StdDev=3.472 /-]		
Value	Label	Cases	Percentage
0	0	296	10.1%
1	1	768	26.3%
2	2	670	22.9%
3	3	416	14.2%
4	4	260	8.9%
5	5	172	5.9%
6	6	117	4.0%
7	7	46	1.6%
8	8	49	1.7%
9	9	19	0.7%
10	10	32	1.1%
11	11	6	0.2%
12	12	26	0.9%
13	13	4	0.1%
14	14	7	0.2%
15	15	11	0.4%
16	16	1	0.0%
18	18	4	0.1%
20	20	7	0.2%
21	21	1	0.0%
22	22	1	0.0%
23	23	1	0.0%
24	24	5	0.2%
28	28	1	0.0%
36	36	1	0.0%
99	99	1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#420 Q409U002: Hrs/Days After Birth began Feeding 02

Information	[Type= continuous] [Format=numeric] [Range= 0-14] [Missing=*]		
Statistics [NW/ W]	[Valid=826 /-] [Invalid=6252 /-] [Mean=2.553 /-] [StdDev=2.313 /-]		
Value	Label	Cases	Percentage
0	0	104	12.6%
1	1	216	26.2%
2	2	189	22.9%
3	3	127	15.4%
4	4	57	6.9%
5	5	47	5.7%
6	6	34	4.1%
7	7	11	1.3%
8	8	19	2.3%
9	9	3	0.4%
10	10	10	1.2%
12	12	7	0.8%
13	13	1	0.1%
14	14	1	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#421 Q409U003: Hrs/Days After Birth began Feeding 03

Information	[Type= continuous] [Format=numeric] [Range= 0-24] [Missing=*]		
Statistics [NW/ W]	[Valid=87 /-] [Invalid=6991 /-] [Mean=2.598 /-] [StdDev=3.01 /-]		
Value	Label	Cases	Percentage
0	0	10	11.5%
1	1	23	26.4%
2	2	19	21.8%
3	3	18	20.7%
4	4	7	8.0%
5	5	4	4.6%
6	6	2	2.3%
8	8	1	1.1%
9	9	1	1.1%
10	10	1	1.1%
24	24	1	1.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#422 Q409U004: Hrs/Days After Birth began Feeding 04

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
-------------	--	--	--

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#422 Q409U004: Hrs/Days After Birth began Feeding 04 (cont.)

Statistics [NW/ W] [Valid=5 /-] [Invalid=7073 /-] [Mean=1.6 /-] [StdDev=0.548 /-]

Value	Label	Cases	Percentage
1	1	2	40.0%
2	2	3	60.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#423 Q4100001: First Milk Threw away 01

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W] [Valid=2922 /-] [Invalid=4156 /-] [Mean=1.529 /-] [StdDev=0.499 /-]

Value	Label	Cases	Percentage
1	Yes	1377	47.1%
2	No	1545	52.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#424 Q4100002: First Milk Threw away 02

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W] [Valid=826 /-] [Invalid=6252 /-] [Mean=1.53 /-] [StdDev=0.499 /-]

Value	Label	Cases	Percentage
1	Yes	388	47.0%
2	No	438	53.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#425 Q4100003: First Milk Threw away 03

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W] [Valid=87 /-] [Invalid=6991 /-] [Mean=1.425 /-] [StdDev=0.497 /-]

Value	Label	Cases	Percentage
1	Yes	50	57.5%
2	No	37	42.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#426 Q4100004: First Milk Threw away 04

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W] [Valid=5 /-] [Invalid=7073 /-] [Mean=1.2 /-] [StdDev=0.447 /-]

Value	Label	Cases	Percentage
1	Yes	4	80.0%

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#426 Q4100004: First Milk Threw away 04 (cont.)

Value (cont.)	Label	Cases	Percentage
2	No	1	20.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#427 Q4110001: Reason to Throw 01

Information	[Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=1377 /-] [Invalid=5701 /-] [Mean=4.602 /-] [StdDev=1.819 /-]		
Value	Label	Cases	Percentage
1	Milk Bad for Baby	177	12.9%
2	Milk yellow	76	5.5%
3	Baby refused	26	1.9%
4	Habit	319	23.2%
5	Other	38	2.8%
6	Advised to do so	735	53.4%
9	9	6	0.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#428 Q4110002: Reason to Throw 02

Information	[Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=388 /-] [Invalid=6690 /-] [Mean=4.637 /-] [StdDev=1.823 /-]		
Value	Label	Cases	Percentage
1	Milk Bad for Baby	49	12.6%
2	Milk yellow	22	5.7%
3	Baby refused	5	1.3%
4	Habit	90	23.2%
5	Other	7	1.8%
6	Advised to do so	213	54.9%
9	9	2	0.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#429 Q4110003: Reason to Throw 03

Information	[Type= continuous] [Format=numeric] [Range= 1-6] [Missing=*]		
Statistics [NW/ W]	[Valid=50 /-] [Invalid=7028 /-] [Mean=4.48 /-] [StdDev=1.776 /-]		
Value	Label	Cases	Percentage
1	Milk Bad for Baby	7	14.0%
2	Milk yellow	1	2.0%
3	Baby refused	2	4.0%

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#429 Q4110003: Reason to Throw 03 (cont.)

Value (cont.)	Label	Cases	Percentage
4	Habit	15	30.0%
5	Other	1	2.0%
6	Advised to do so	24	48.0%
9	9	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#430 Q4110004: Reason to Throw 04

Information	[Type= continuous] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=4 /-] [Invalid=7074 /-] [Mean=3.25 /-] [StdDev=1.5 /-]		
Value	Label	Cases	Percentage
1	Milk Bad for Baby	1	25.0%
2	Milk yellow	0	0.0%
3	Baby refused	0	0.0%
4	Habit	3	75.0%
5	Other	0	0.0%
6	Advised to do so	0	0.0%
9	9	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#431 Q4120001: Who Advised 01

Information	[Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=741 /-] [Invalid=6337 /-] [Mean=2.135 /-] [StdDev=0.977 /-]		
Value	Label	Cases	Percentage
1	Mother/Mother in law	248	33.5%
2	Family Health worker	192	25.9%
3	Hospital staff	259	35.0%
4	Other	41	5.5%
9	9	1	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#432 Q4120002: Who Advised 02

Information	[Type= continuous] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=215 /-] [Invalid=6863 /-] [Mean=2.098 /-] [StdDev=0.909 /-]		
Value	Label	Cases	Percentage
1	Mother/Mother in law	72	33.5%
2	Family Health worker	57	26.5%

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#432 Q4120002: Who Advised 02 (cont.)

Value (cont.)	Label	Cases	Percentage
3	Hospital staff	79	36.7%
4	Other	7	3.3%
9	9	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#433 Q4120003: Who Advised 03

Information	[Type= continuous] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=24 /-] [Invalid=7054 /-] [Mean=2.083 /-] [StdDev=1.1 /-]		
Value	Label	Cases	Percentage
1	Mother/Mother in law	10	41.7%
2	Family Health worker	5	20.8%
3	Hospital staff	6	25.0%
4	Other	3	12.5%
9	9	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#434 Q4120004: Who Advised 04

Information	[Type= continuous] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=7078 /-]		
Value	Label	Cases	Percentage
1	Mother/Mother in law		
2	Family Health worker		
3	Hospital staff		
4	Other		
9	9		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#435 Q4130001: Still Breast Feeding 01

Information	[Type= continuous] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=2922 /-] [Invalid=4156 /-] [Mean=1.456 /-] [StdDev=0.515 /-]		
Value	Label	Cases	Percentage
1	Yes	1614	55.2%
2	No	1283	43.9%
3	Child dead	25	0.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#436 Q4130002: Still Breast Feeding 02

Information	[Type= continuous] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=7078 /-]		
Value	Label	Cases	Percentage
1	Yes		
2	No		
3	Child dead		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#437 Q4130003: Still Breast Feeding 03

Information	[Type= continuous] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=7078 /-]		
Value	Label	Cases	Percentage
1	Yes		
2	No		
3	Child dead		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#438 Q4130004: Still Breast Feeding 04

Information	[Type= continuous] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=7078 /-]		
Value	Label	Cases	Percentage
1	Yes		
2	No		
3	Child dead		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#439 Q4140001: Age MM where Breast Feeding Stopped 01

Information	[Type= continuous] [Format=numeric] [Range= 0-97] [Missing=*]		
Statistics [NW/ W]	[Valid=1308 /-] [Invalid=5770 /-] [Mean=19.82 /-] [StdDev=16.66 /-]		
Frequency table not shown (52 Modalities)			

#440 Q4140002: Age MM where Breast Feeding Stopped 02

Information	[Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*]		
Statistics [NW/ W]	[Valid=826 /-] [Invalid=6252 /-] [Mean=21.769 /-] [StdDev=23.633 /-]		
Frequency table not shown (46 Modalities)			

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#441 Q4140003: Age MM where Breast Feeding Stopped 03

Information	[Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*]
Statistics [NW/ W]	[Valid=87 /-] [Invalid=6991 /-] [Mean=20.023 /-] [StdDev=25.468 /-]
Frequency table not shown (46 Modalities)	

#442 Q4140004: Age MM where Breast Feeding Stopped 04

Information	[Type= continuous] [Format=numeric] [Range= 3-27] [Missing=*]
Statistics [NW/ W]	[Valid=5 /-] [Invalid=7073 /-] [Mean=10.4 /-] [StdDev=9.99 /-]

#443 Q4150001: Main Reason for Breast feeding never done/stopped 01

Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]		
Statistics [NW/ W]	[Valid=1340 /-] [Invalid=5738 /-] [Mean=5.82 /-] [StdDev=7.385 /-]		
Value	Label	Cases	Percentage
1	No milk	193	14.4%
2	Insufficient milk	199	14.9%
3	Nipple injured	19	1.4%
4	Mother ill	148	11.0%
5	Mother busy	73	5.4%
6	Other milk/food better for baby	188	14.0%
7	Baby ill	18	1.3%
8	Baby refused	319	23.8%
9	Other	80	6.0%
10	Became pregnant	81	6.0%
11	Baby died right after birth	15	1.1%
99	99	7	0.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#444 Q4150002: Main Reason for Breast feeding never done/stopped 02

Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]		
Statistics [NW/ W]	[Valid=800 /-] [Invalid=6278 /-] [Mean=9.66 /-] [StdDev=14.296 /-]		
Value	Label	Cases	Percentage
1	No milk	62	7.8%
2	Insufficient milk	69	8.6%
3	Nipple injured	9	1.1%
4	Mother ill	29	3.6%
5	Mother busy	12	1.5%
6	Other milk/food better for baby	63	7.9%

File DHS93_Women (cont.)

#444 Q4150002: Main Reason for Breast feeding never done/stopped 02 (cont.)

Value (cont.)	Label	Cases	Percentage
7	Baby ill	13	1.6%
8	Baby refused	128	16.0%
9	Other	22	2.8%
10	Became pregnant	361	45.1%
11	Baby died right after birth	13	1.6%
99	99	19	2.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#445 Q4150003: Main Reason for Breast feeding never done/stopped 03

Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]
Statistics [NW/ W]	[Valid=88 /-] [Invalid=6990 /-] [Mean=10.523 /-] [StdDev=17.056 /-]

Value	Label	Cases	Percentage
1	No milk	8	9.1%
2	Insufficient milk	10	11.4%
3	Nipple injured	1	1.1%
4	Mother ill	3	3.4%
5	Mother busy	1	1.1%
6	Other milk/food better for baby	2	2.3%
7	Baby ill	1	1.1%
8	Baby refused	14	15.9%
9	Other	2	2.3%
10	Became pregnant	41	46.6%
11	Baby died right after birth	2	2.3%
99	99	3	3.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#446 Q4150004: Main Reason for Breast feeding never done/stopped 04

Information	[Type= continuous] [Format=numeric] [Range= 2-11] [Missing=*]
Statistics [NW/ W]	[Valid=6 /-] [Invalid=7072 /-] [Mean=7.5 /-] [StdDev=4.278 /-]

Value	Label	Cases	Percentage
1	No milk	0	0.0%
2	Insufficient milk	2	33.3%
3	Nipple injured	0	0.0%
4	Mother ill	0	0.0%
5	Mother busy	0	0.0%
6	Other milk/food better for baby	0	0.0%
7	Baby ill	0	0.0%

File DHS93_Women (cont.)

#446 Q4150004: Main Reason for Breast feeding never done/stopped 04 (cont.)

Value (cont.)	Label	Cases	Percentage
8	Baby refused	0	0.0%
9	Other	0	0.0%
10	Became pregnant	3	50.0%
11	Baby died right after birth	1	16.7%
99	99	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#447 Q416A001: What age began to give Powered Milk 01

Information	[Type= continuous] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=2960 /-] [Invalid=4118 /-] [Mean=35.29 /-] [StdDev=41.688 /-]
Frequency table not shown (56 Modalities)	

#448 Q416A002: What age began to give Powered Milk 02

Information	[Type= continuous] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=837 /-] [Invalid=6241 /-] [Mean=22.307 /-] [StdDev=33.73 /-]
Frequency table not shown (56 Modalities)	

#449 Q416A003: What age began to give Powered Milk 03

Information	[Type= continuous] [Format=numeric] [Range= 0-97] [Missing=*]
Statistics [NW/ W]	[Valid=91 /-] [Invalid=6987 /-] [Mean=24.637 /-] [StdDev=37.274 /-]
Frequency table not shown (56 Modalities)	

#450 Q416A004: What age began to give Powered Milk 04

Information	[Type= continuous] [Format=numeric] [Range= 0-5] [Missing=*]
Statistics [NW/ W]	[Valid=5 /-] [Invalid=7073 /-] [Mean=3 /-] [StdDev=2.121 /-]
Frequency table not shown (56 Modalities)	

#451 Q416B001: What age began to give Cow/goat Milk 01

Information	[Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*]
Statistics [NW/ W]	[Valid=2960 /-] [Invalid=4118 /-] [Mean=84.083 /-] [StdDev=29.335 /-]
Frequency table not shown (56 Modalities)	

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#452 Q416B002: What age began to give Cow/goat Milk 02

Information	[Type= continuous] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=837 /-] [Invalid=6241 /-] [Mean=76.436 /-] [StdDev=35.593 /-]
Frequency table not shown (56 Modalities)	

#453 Q416B003: What age began to give Cow/goat Milk 03

Information	[Type= continuous] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=91 /-] [Invalid=6987 /-] [Mean=82.703 /-] [StdDev=31.485 /-]
Frequency table not shown (56 Modalities)	

#454 Q416B004: What age began to give Cow/goat Milk 04

Information	[Type= continuous] [Format=numeric] [Range= 8-96] [Missing=*]
Statistics [NW/ W]	[Valid=5 /-] [Invalid=7073 /-] [Mean=78.4 /-] [StdDev=39.355 /-]
Frequency table not shown (56 Modalities)	

#455 Q416C001: What age began to give Cungee 01

Information	[Type= continuous] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=2960 /-] [Invalid=4118 /-] [Mean=23.121 /-] [StdDev=36.924 /-]
Frequency table not shown (56 Modalities)	

#456 Q416C002: What age began to give Cungee 02

Information	[Type= continuous] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=837 /-] [Invalid=6241 /-] [Mean=17.238 /-] [StdDev=31.683 /-]
Frequency table not shown (56 Modalities)	

#457 Q416C003: What age began to give Cungee 03

Information	[Type= continuous] [Format=numeric] [Range= 2-98] [Missing=*]
Statistics [NW/ W]	[Valid=91 /-] [Invalid=6987 /-] [Mean=21.978 /-] [StdDev=35.961 /-]
Frequency table not shown (56 Modalities)	

#458 Q416C004: What age began to give Cungee 04

Information	[Type= continuous] [Format=numeric] [Range= 3-96] [Missing=*]
Statistics [NW/ W]	[Valid=5 /-] [Invalid=7073 /-] [Mean=23.8 /-] [StdDev=40.53 /-]
Frequency table not shown (56 Modalities)	

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#459 Q416D001: What age began to give Eggs 01

Information	[Type= continuous] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=2960 /-] [Invalid=4118 /-] [Mean=28.527 /-] [StdDev=38.209 /-]
Frequency table not shown (56 Modalities)	

#460 Q416D002: What age began to give Eggs 02

Information	[Type= continuous] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=837 /-] [Invalid=6241 /-] [Mean=15.618 /-] [StdDev=26.734 /-]
Frequency table not shown (56 Modalities)	

#461 Q416D003: What age began to give Eggs 03

Information	[Type= continuous] [Format=numeric] [Range= 1-96] [Missing=*]
Statistics [NW/ W]	[Valid=91 /-] [Invalid=6987 /-] [Mean=19.835 /-] [StdDev=31.481 /-]
Frequency table not shown (56 Modalities)	

#462 Q416D004: What age began to give Eggs 04

Information	[Type= continuous] [Format=numeric] [Range= 5-96] [Missing=*]
Statistics [NW/ W]	[Valid=5 /-] [Invalid=7073 /-] [Mean=25 /-] [StdDev=39.756 /-]
Frequency table not shown (56 Modalities)	

#463 Q416E001: What age began to give Potatoes 01

Information	[Type= continuous] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=2960 /-] [Invalid=4118 /-] [Mean=21.847 /-] [StdDev=34.193 /-]
Frequency table not shown (56 Modalities)	

#464 Q416E002: What age began to give Potatoes 02

Information	[Type= continuous] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=837 /-] [Invalid=6241 /-] [Mean=11.984 /-] [StdDev=22.225 /-]
Frequency table not shown (56 Modalities)	

#465 Q416E003: What age began to give Potatoes 03

Information	[Type= continuous] [Format=numeric] [Range= 3-96] [Missing=*]
Statistics [NW/ W]	[Valid=91 /-] [Invalid=6987 /-] [Mean=16.066 /-] [StdDev=28.312 /-]
Frequency table not shown (56 Modalities)	

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#466 Q416E004: What age began to give Potatoes 04

Information	[Type= continuous] [Format=numeric] [Range= 3-10] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=5 /-] [Invalid=7073 /-] [Mean=5.8 /-] [StdDev=2.95 /-]
--------------------	---

Frequency table not shown (56 Modalities)

#467 Q416F001: What age began to give Fruit Juice 01

Information	[Type= continuous] [Format=numeric] [Range= 0-98] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=2960 /-] [Invalid=4118 /-] [Mean=20.888 /-] [StdDev=35.368 /-]
--------------------	---

Frequency table not shown (56 Modalities)

#468 Q416F002: What age began to give Fruit Juice 02

Information	[Type= continuous] [Format=numeric] [Range= 0-98] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=837 /-] [Invalid=6241 /-] [Mean=17.275 /-] [StdDev=31.884 /-]
--------------------	--

Frequency table not shown (56 Modalities)

#469 Q416F003: What age began to give Fruit Juice 03

Information	[Type= continuous] [Format=numeric] [Range= 0-98] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=91 /-] [Invalid=6987 /-] [Mean=26.747 /-] [StdDev=39.429 /-]
--------------------	---

Frequency table not shown (56 Modalities)

#470 Q416F004: What age began to give Fruit Juice 04

Information	[Type= continuous] [Format=numeric] [Range= 2-96] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=5 /-] [Invalid=7073 /-] [Mean=23.2 /-] [StdDev=40.758 /-]
--------------------	--

Frequency table not shown (56 Modalities)

#471 Q416G001: What age began to give Soup 01

Information	[Type= continuous] [Format=numeric] [Range= 0-98] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=2960 /-] [Invalid=4118 /-] [Mean=45.925 /-] [StdDev=45.05 /-]
--------------------	--

Frequency table not shown (56 Modalities)

#472 Q416G002: What age began to give Soup 02

Information	[Type= continuous] [Format=numeric] [Range= 0-98] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=837 /-] [Invalid=6241 /-] [Mean=44.436 /-] [StdDev=44.847 /-]
--------------------	--

Frequency table not shown (56 Modalities)

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#473 Q416G003: What age began to give Soup 03

Information	[Type= continuous] [Format=numeric] [Range= 3-98] [Missing=*]
Statistics [NW/ W]	[Valid=91 /-] [Invalid=6987 /-] [Mean=60.56 /-] [StdDev=44.12 /-]
Frequency table not shown (56 Modalities)	

#474 Q416G004: What age began to give Soup 04

Information	[Type= continuous] [Format=numeric] [Range= 1-96] [Missing=*]
Statistics [NW/ W]	[Valid=5 /-] [Invalid=7073 /-] [Mean=41.6 /-] [StdDev=49.742 /-]
Frequency table not shown (56 Modalities)	

#475 Q416H001: What age began to give Water 01

Information	[Type= continuous] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=2960 /-] [Invalid=4118 /-] [Mean=2.597 /-] [StdDev=14.955 /-]
Frequency table not shown (56 Modalities)	

#476 Q416H002: What age began to give Water 02

Information	[Type= continuous] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=837 /-] [Invalid=6241 /-] [Mean=2.269 /-] [StdDev=13.993 /-]
Frequency table not shown (56 Modalities)	

#477 Q416H003: What age began to give Water 03

Information	[Type= continuous] [Format=numeric] [Range= 0-96] [Missing=*]
Statistics [NW/ W]	[Valid=91 /-] [Invalid=6987 /-] [Mean=2.253 /-] [StdDev=14.148 /-]
Frequency table not shown (56 Modalities)	

#478 Q416H004: What age began to give Water 04

Information	[Type= continuous] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=5 /-] [Invalid=7073 /-] [Mean=0 /-] [StdDev=0 /-]
Frequency table not shown (56 Modalities)	

#479 Q4170001: What age began to give at Least one food except water 01

Information	[Type= continuous] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=2960 /-] [Invalid=4118 /-] [Mean=12.535 /-] [StdDev=26.724 /-]
Frequency table not shown (56 Modalities)	

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#480 Q4170002: What age began to give at Least one food except water 02

Information	[Type= continuous] [Format=numeric] [Range= 0-97] [Missing=*]
Statistics [NW/ W]	[Valid=837 /-] [Invalid=6241 /-] [Mean=7.529 /-] [StdDev=17.305 /-]

Frequency table not shown (56 Modalities)

#481 Q4170003: What age began to give at Least one food except water 03

Information	[Type= continuous] [Format=numeric] [Range= 0-96] [Missing=*]
Statistics [NW/ W]	[Valid=91 /-] [Invalid=6987 /-] [Mean=10.429 /-] [StdDev=23.03 /-]

Frequency table not shown (56 Modalities)

#482 Q4170004: What age began to give at Least one food except water 04

Information	[Type= continuous] [Format=numeric] [Range= 2-97] [Missing=*]
Statistics [NW/ W]	[Valid=5 /-] [Invalid=7073 /-] [Mean=22.8 /-] [StdDev=41.517 /-]

Frequency table not shown (56 Modalities)

#483 Q4190001: Why Waited so long to begin daily suppl. feeding 01

Information	[Type= continuous] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=241 /-] [Invalid=6837 /-] [Mean=4.979 /-] [StdDev=2.643 /-]

Value	Label	Cases	Percentage
0	0	10	4.1%
1	1	40	16.6%
3	3	31	12.9%
4	4	14	5.8%
5	5	10	4.1%
6	6	20	8.3%
7	7	97	40.2%
8	8	9	3.7%
9	9	10	4.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#484 Q4190002: Why Waited so long to begin daily suppl. feeding 02

Information	[Type= continuous] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=84 /-] [Invalid=6994 /-] [Mean=5.179 /-] [StdDev=2.631 /-]

Value	Label	Cases	Percentage
0	0	4	4.8%
1	1	11	13.1%

File DHS93_Women (cont.)

#484 Q4190002: Why Waited so long to begin daily suppl. feeding 02 (cont.)

Value (cont.)	Label	Cases	Percentage
3	3	10	11.9%
4	4	7	8.3%
5	5	2	2.4%
6	6	8	9.5%
7	7	32	38.1%
8	8	6	7.1%
9	9	4	4.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#485 Q4190003: Why Waited so long to begin daily suppl. feeding 03

Information	[Type= continuous] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=7 /-] [Invalid=7071 /-] [Mean=4.143 /-] [StdDev=3.185 /-]

Value	Label	Cases	Percentage
0	0	1	14.3%
1	1	1	14.3%
3	3	1	14.3%
4	4	1	14.3%
5	5	1	14.3%
7	7	1	14.3%
9	9	1	14.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#486 Q4190004: Why Waited so long to begin daily suppl. feeding 04

Information	[Type= continuous] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=7078 /-]

Value	Label	Cases	Percentage
0	0		
1	1		
3	3		
4	4		
5	5		
6	6		
7	7		
8	8		
9	9		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#487 Q4200001: Continue/reduce/stop Breast feeding when suppli. feeding was given 01

Information	[Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=2700 -] [Invalid=4378 -] [Mean=1.498 -] [StdDev=1.148 -]		
Value	Label	Cases	Percentage
1	Continued full..	1930	71.5%
2	Reduced	551	20.4%
3	Stopped	113	4.2%
4	Never breastfed	25	0.9%
7	7	78	2.9%
9	9	3	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#488 Q4200002: Continue/reduce/stop Breast feeding when suppli. feeding was given 02

Information	[Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=813 -] [Invalid=6265 -] [Mean=1.863 -] [StdDev=1.661 -]		
Value	Label	Cases	Percentage
1	Continued full..	493	60.6%
2	Reduced	211	26.0%
3	Stopped	37	4.6%
4	Never breastfed	7	0.9%
7	7	62	7.6%
9	9	3	0.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#489 Q4200003: Continue/reduce/stop Breast feeding when suppli. feeding was given 03

Information	[Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=85 -] [Invalid=6993 -] [Mean=2.176 -] [StdDev=1.891 -]		
Value	Label	Cases	Percentage
1	Continued full..	41	48.2%
2	Reduced	28	32.9%
3	Stopped	5	5.9%
4	Never breastfed	2	2.4%
7	7	8	9.4%
9	9	1	1.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#490 Q4200004: Continue/reduce/stop Breast feeding when suppli. feeding was given 04

Information	[Type= continuous] [Format=numeric] [Range= 1-7] [Missing=*]		
-------------	--	--	--

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#490 Q4200004: Continue/reduce/stop Breast feeding when suppl. feeding was given 04 (cont.)

Statistics [NW/ W] [Valid=5 /-] [Invalid=7073 /-] [Mean=3.8 /-] [StdDev=2.95 /-]

Value	Label	Cases	Percentage
1	Continued full..	1	20.0%
2	Reduced	2	40.0%
3	Stopped	0	0.0%
4	Never breastfed	0	0.0%
7	7	2	40.0%
9	9	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#491 Q4210001: Periods returned in mths after birth of 01

Information [Type= continuous] [Format=numeric] [Range= 0-96] [Missing=*]

Statistics [NW/ W] [Valid=2975 /-] [Invalid=4103 /-] [Mean=18.341 /-] [StdDev=32.468 /-]

Value	Label	Cases	Percentage
0	0	5	0.2%
1	1	668	22.5%
2	2	296	9.9%
3	3	467	15.7%
4	4	166	5.6%
5	5	122	4.1%
6	6	148	5.0%
7	7	86	2.9%
8	8	78	2.6%
9	9	58	1.9%
10	10	36	1.2%
11	11	34	1.1%
12	12	230	7.7%
13	13	19	0.6%
14	14	17	0.6%
15	15	6	0.2%
16	16	5	0.2%
17	17	4	0.1%
18	18	50	1.7%
19	19	2	0.1%
20	20	6	0.2%
21	21	2	0.1%
22	22	2	0.1%
23	23	2	0.1%
24	24	20	0.7%

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#491 Q4210001: Periods returned in mths after birth of 01 (cont.)

Value (cont.)	Label	Cases	Percentage
25	25	1	0.0%
30	30	6	0.2%
32	32	1	0.0%
36	36	3	0.1%
96	Not returned	435	14.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#492 Q4210002: Periods returned in mths after birth of 02

Information [Type= continuous] [Format=numeric] [Range= 1-96] [Missing=*]

Statistics [NW/ W] [Valid=850 /-] [Invalid=6228 /-] [Mean=9.638 /-] [StdDev=19.195 /-]

Value	Label	Cases	Percentage
0	0	0	0.0%
1	1	189	22.3%
2	2	77	9.1%
3	3	155	18.3%
4	4	53	6.3%
5	5	44	5.2%
6	6	46	5.4%
7	7	25	3.0%
8	8	26	3.1%
9	9	24	2.8%
10	10	19	2.2%
11	11	15	1.8%
12	12	66	7.8%
13	13	8	0.9%
14	14	12	1.4%
15	15	3	0.4%
16	16	1	0.1%
17	17	2	0.2%
18	18	23	2.7%
19	19	0	0.0%
20	20	5	0.6%
21	21	2	0.2%
22	22	1	0.1%
23	23	0	0.0%
24	24	12	1.4%
25	25	0	0.0%
30	30	1	0.1%

File DHS93_Women (cont.)

#492 Q4210002: Periods returned in mths after birth of 02 (cont.)

Value (cont.)	Label	Cases	Percentage
32	32	0	0.0%
36	36	1	0.1%
96	Not returned	37	4.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#493 Q4210003: Periods returned in mths after birth of 03

Information	[Type= continuous] [Format=numeric] [Range= 1-96] [Missing=*]		
Statistics [NW/ W]	[Valid=93 /-] [Invalid=6985 /-] [Mean=8.667 /-] [StdDev=19.089 /-]		
Value	Label	Cases	Percentage
0	0	0	0.0%
1	1	25	26.9%
2	2	13	14.0%
3	3	13	14.0%
4	4	8	8.6%
5	5	0	0.0%
6	6	5	5.4%
7	7	4	4.3%
8	8	1	1.1%
9	9	6	6.5%
10	10	1	1.1%
11	11	3	3.2%
12	12	6	6.5%
13	13	0	0.0%
14	14	1	1.1%
15	15	1	1.1%
16	16	0	0.0%
17	17	0	0.0%
18	18	2	2.2%
19	19	0	0.0%
20	20	0	0.0%
21	21	0	0.0%
22	22	0	0.0%
23	23	0	0.0%
24	24	0	0.0%
25	25	0	0.0%
30	30	0	0.0%
32	32	0	0.0%
36	36	0	0.0%

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#493 Q4210003: Periods returned in mths after birth of 03 (cont.)

Value (cont.)	Label	Cases	Percentage
96	Not returned	4	4.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#494 Q4210004: Periods returned in mths after birth of 04

Information	[Type= continuous] [Format=numeric] [Range= 1-7] [Missing=*]		
Statistics [NW/ W]	[Valid=6 /-] [Invalid=7072 /-] [Mean=3.333 /-] [StdDev=2.066 /-]		
Value	Label	Cases	Percentage
0	0	0	0.0%
1	1	1	16.7%
2	2	1	16.7%
3	3	2	33.3%
4	4	1	16.7%
5	5	0	0.0%
6	6	0	0.0%
7	7	1	16.7%
8	8	0	0.0%
9	9	0	0.0%
10	10	0	0.0%
11	11	0	0.0%
12	12	0	0.0%
13	13	0	0.0%
14	14	0	0.0%
15	15	0	0.0%
16	16	0	0.0%
17	17	0	0.0%
18	18	0	0.0%
19	19	0	0.0%
20	20	0	0.0%
21	21	0	0.0%
22	22	0	0.0%
23	23	0	0.0%
24	24	0	0.0%
25	25	0	0.0%
30	30	0	0.0%
32	32	0	0.0%
36	36	0	0.0%
96	Not returned	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#495 Q4220001: Resumed Sexual Relations since birth of 01

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=2975 /-] [Invalid=4103 /-] [Mean=1.135 /-] [StdDev=0.342 /-]		
Value	Label	Cases	Percentage
1	Yes	2573	86.5%
2	No	402	13.5%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#496 Q4220002: Resumed Sexual Relations since birth of 02

Information	[Type= continuous] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=7078 /-]		
Value	Label	Cases	Percentage
1	Yes		
2	No		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#497 Q4220003: Resumed Sexual Relations since birth of 03

Information	[Type= continuous] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=7078 /-]		
Value	Label	Cases	Percentage
1	Yes		
2	No		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#498 Q4220004: Resumed Sexual Relations since birth of 04

Information	[Type= continuous] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=7078 /-]		
Value	Label	Cases	Percentage
1	Yes		
2	No		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#499 Q4230001: No of Mths to resume Sex after Birth of 01

Information	[Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*]		
Statistics [NW/ W]	[Valid=2573 /-] [Invalid=4505 /-] [Mean=4.926 /-] [StdDev=8.079 /-]		

File DHS93_Women (cont.)

#499 Q4230001: No of Mths to resume Sex after Birth of 01 (cont.)

Value	Label	Cases	Percentage
0	0	3	0.1%
1	1	107	4.2%
2	2	248	9.6%
3	3	1001	38.9%
4	4	436	16.9%
5	5	274	10.6%
6	6	188	7.3%
7	7	78	3.0%
8	8	51	2.0%
9	9	22	0.9%
10	10	30	1.2%
11	11	4	0.2%
12	12	69	2.7%
13	13	7	0.3%
14	14	2	0.1%
15	15	1	0.0%
16	16	4	0.2%
17	17	3	0.1%
18	18	11	0.4%
19	19	2	0.1%
20	20	2	0.1%
23	23	1	0.0%
24	24	10	0.4%
30	30	1	0.0%
34	34	1	0.0%
96	Not yet resumed	11	0.4%
99	99	6	0.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#500 Q4230002: No of Mths to resume Sex after Birth of 02

Value	Label	Cases	Percentage
0	0	1	0.1%
1	1	47	5.5%
2	2	76	8.9%
3	3	344	40.5%
4	4	140	16.5%

Information [Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*]

Statistics [NW/ W] [Valid=850 /-] [Invalid=6228 /-] [Mean=5.422 /-] [StdDev=11.026 /-]

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#500 Q4230002: No of Mths to resume Sex after Birth of 02 (cont.)

Value (cont.)	Label	Cases	Percentage
5	5	92	10.8%
6	6	53	6.2%
7	7	16	1.9%
8	8	17	2.0%
9	9	4	0.5%
10	10	7	0.8%
11	11	2	0.2%
12	12	22	2.6%
13	13	3	0.4%
14	14	2	0.2%
17	17	2	0.2%
18	18	8	0.9%
24	24	2	0.2%
27	27	1	0.1%
96	Not yet resumed	3	0.4%
99	99	8	0.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#501 Q4230003: No of Mths to resume Sex after Birth of 03

Information	[Type= continuous] [Format=numeric] [Range= 1-12] [Missing=*]		
Statistics [NW/ W]	[Valid=93 /-] [Invalid=6985 /-] [Mean=3.667 /-] [StdDev=2.42 /-]		
Value	Label	Cases	Percentage
1	1	12	12.9%
2	2	10	10.8%
3	3	38	40.9%
4	4	14	15.1%
5	5	6	6.5%
6	6	7	7.5%
7	7	1	1.1%
12	12	5	5.4%
96	Not yet resumed	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#502 Q4230004: No of Mths to resume Sex after Birth of 04

Information	[Type= continuous] [Format=numeric] [Range= 2-4] [Missing=*]		
Statistics [NW/ W]	[Valid=6 /-] [Invalid=7072 /-] [Mean=3.167 /-] [StdDev=0.753 /-]		

File DHS93_Women (cont.)

#502 Q4230004: No of Mths to resume Sex after Birth of 04 (cont.)

Value	Label	Cases	Percentage
2	2	1	16.7%
3	3	3	50.0%
4	4	2	33.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#503 Q4240001: Immunization card 01

Information	[Type= continuous] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=2975 /-] [Invalid=4103 /-] [Mean=1.231 /-] [StdDev=0.517 /-]		
Value	Label	Cases	Percentage
1	Yes card seen	2422	81.4%
2	Yes card not seen	419	14.1%
3	No card	134	4.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#504 Q4240002: Immunization card 02

Information	[Type= continuous] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=850 /-] [Invalid=6228 /-] [Mean=1.292 /-] [StdDev=0.594 /-]		
Value	Label	Cases	Percentage
1	Yes card seen	664	78.1%
2	Yes card not seen	124	14.6%
3	No card	62	7.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#505 Q4240003: Immunization card 03

Information	[Type= continuous] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=93 /-] [Invalid=6985 /-] [Mean=1.398 /-] [StdDev=0.645 /-]		
Value	Label	Cases	Percentage
1	Yes card seen	64	68.8%
2	Yes card not seen	21	22.6%
3	No card	8	8.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#506 Q4240004: Immunization card 04

Information	[Type= continuous] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=6 /-] [Invalid=7072 /-] [Mean=1.5 /-] [StdDev=0.837 /-]		

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#506 Q4240004: Immunization card 04 (cont.)

Value	Label	Cases	Percentage
1	Yes card seen	4	66.7%
2	Yes card not seen	1	16.7%
3	No card	1	16.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#507 BCGNO001: BCG Given 01

Information	[Type= continuous] [Format=numeric] [Range= 0-0] [Missing=*]		
Statistics [NW/ W]	[Valid=2422 /-] [Invalid=4656 /-] [Mean=0 /-] [StdDev=0 /-]		

Value	Label	Cases	Percentage
0	Given	2422	100.0%
1	Not given	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#508 BCGNO002: BCG Given 02

Information	[Type= continuous] [Format=numeric] [Range= 0-0] [Missing=*]		
Statistics [NW/ W]	[Valid=664 /-] [Invalid=6414 /-] [Mean=0 /-] [StdDev=0 /-]		

Value	Label	Cases	Percentage
0	Given	664	100.0%
1	Not given	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#509 BCGNO003: BCG Given 03

Information	[Type= continuous] [Format=numeric] [Range= 0-0] [Missing=*]		
Statistics [NW/ W]	[Valid=64 /-] [Invalid=7014 /-] [Mean=0 /-] [StdDev=0 /-]		

Value	Label	Cases	Percentage
0	Given	64	100.0%
1	Not given	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#510 BCGNO004: BCG Given 04

Information	[Type= continuous] [Format=numeric] [Range= 0-0] [Missing=*]		
Statistics [NW/ W]	[Valid=4 /-] [Invalid=7074 /-] [Mean=0 /-] [StdDev=0 /-]		

Value	Label	Cases	Percentage
0	Given	4	100.0%

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#510 BCGNO004: BCG Given 04 (cont.)

Value (cont.)	Label	Cases	Percentage
1	Not given	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#511 BCGDATE1: Date BCG Given 01

Information	[Type= continuous] [Format=numeric] [Range= 880706-999999] [Missing=*]
Statistics [NW/ W]	[Valid=2422 /-] [Invalid=4656 /-] [Mean=910717.187 /-] [StdDev=14635.5 /-]

#512 BCGDATE2: Date BCG Given 02

Information	[Type= continuous] [Format=numeric] [Range= 880616-999999] [Missing=*]
Statistics [NW/ W]	[Valid=664 /-] [Invalid=6414 /-] [Mean=897024.378 /-] [StdDev=12540.502 /-]

#513 BCGDATE3: Date BCG Given 03

Information	[Type= continuous] [Format=numeric] [Range= 880717-910912] [Missing=*]
Statistics [NW/ W]	[Valid=64 /-] [Invalid=7014 /-] [Mean=891539.828 /-] [StdDev=7568.195 /-]

#514 BCGDATE4: Date BCG Given 04

Information	[Type= continuous] [Format=numeric] [Range= 880817-890228] [Missing=*]
Statistics [NW/ W]	[Valid=4 /-] [Invalid=7074 /-] [Mean=885621.75 /-] [StdDev=5320.744 /-]

#515 TR1NO001: Triple 1 Given 01

Information	[Type= continuous] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2422 /-] [Invalid=4656 /-] [Mean=0.0768 /-] [StdDev=0.266 /-]

Value	Label	Cases	Percentage
0	Given	2236	92.3%
1	Not given	186	7.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#516 TR1NO002: Triple 1 Given 02

Information	[Type= continuous] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=664 /-] [Invalid=6414 /-] [Mean=0.00904 /-] [StdDev=0.0947 /-]

Value	Label	Cases	Percentage
0	Given	658	99.1%
1	Not given	6	0.9%

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#516 TR1NO002: Triple 1 Given 02 (cont.)

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#517 TR1NO003: Triple 1 Given 03

Information [Type= continuous] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=64 /-] [Invalid=7014 /-] [Mean=0.0156 /-] [StdDev=0.125 /-]

Value	Label	Cases	Percentage
0	Given	63	98.4%
1	Not given	1	1.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#518 TR1NO004: Triple 1 Given 04

Information [Type= continuous] [Format=numeric] [Range= 0-0] [Missing=*]

Statistics [NW/ W] [Valid=4 /-] [Invalid=7074 /-] [Mean=0 /-] [StdDev=0 /-]

Value	Label	Cases	Percentage
0	Given	4	100.0%
1	Not given	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#519 TR1DATE1: Date Triple 1 Given 01

Information [Type= continuous] [Format=numeric] [Range= 881013-999999] [Missing=*]

Statistics [NW/ W] [Valid=2236 /-] [Invalid=4842 /-] [Mean=912052.646 /-] [StdDev=13829.751 /-]

#520 TR1DATE2: Date Triple 1 Given 02

Information [Type= continuous] [Format=numeric] [Range= 880927-999999] [Missing=*]

Statistics [NW/ W] [Valid=658 /-] [Invalid=6420 /-] [Mean=899849.915 /-] [StdDev=12072.243 /-]

#521 TR1DATE3: Date Triple 1 Given 03

Information [Type= continuous] [Format=numeric] [Range= 881129-911212] [Missing=*]

Statistics [NW/ W] [Valid=63 /-] [Invalid=7015 /-] [Mean=893807.571 /-] [StdDev=7831.961 /-]

#522 TR1DATE4: Date Triple 1 Given 04

Information [Type= continuous] [Format=numeric] [Range= 881117-890814] [Missing=*]

Statistics [NW/ W] [Valid=4 /-] [Invalid=7074 /-] [Mean=888192.5 /-] [StdDev=4721.421 /-]

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#523 PO1NO001: Polio1 Given 01

Information	[Type= continuous] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=2422 /-] [Invalid=4656 /-] [Mean=0.0789 /-] [StdDev=0.27 /-]		
Value	Label	Cases	Percentage
0	Given	2231	92.1%
1	Not given	191	7.9%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#524 PO1NO002: Polio1 Given 02

Information	[Type= continuous] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=664 /-] [Invalid=6414 /-] [Mean=0.0105 /-] [StdDev=0.102 /-]		
Value	Label	Cases	Percentage
0	Given	657	98.9%
1	Not given	7	1.1%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#525 PO1NO003: Polio1 Given 03

Information	[Type= continuous] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=64 /-] [Invalid=7014 /-] [Mean=0.0156 /-] [StdDev=0.125 /-]		
Value	Label	Cases	Percentage
0	Given	63	98.4%
1	Not given	1	1.6%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#526 PO1NO004: Polio1 Given 04

Information	[Type= continuous] [Format=numeric] [Range= 0-0] [Missing=*]		
Statistics [NW/ W]	[Valid=4 /-] [Invalid=7074 /-] [Mean=0 /-] [StdDev=0 /-]		
Value	Label	Cases	Percentage
0	Given	4	100.0%
1	Not given	0	0.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#527 PO1DATE1: Date Polio1 Given 01

Information	[Type= continuous] [Format=numeric] [Range= 881013-999999] [Missing=*]		
Statistics [NW/ W]	[Valid=2231 /-] [Invalid=4847 /-] [Mean=912051.286 /-] [StdDev=13834.345 /-]		

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#528 PO1DATE2: Date Polio1 Given 02

Information	[Type= continuous] [Format=numeric] [Range= 880927-999999] [Missing=*]
Statistics [NW/ W]	[Valid=657 -] [Invalid=6421 -] [Mean=899849.12 -] [StdDev=12081.489 -]

#529 PO1DATE3: Date Polio1 Given 03

Information	[Type= continuous] [Format=numeric] [Range= 881129-911212] [Missing=*]
Statistics [NW/ W]	[Valid=63 -] [Invalid=7015 -] [Mean=893807.571 -] [StdDev=7831.961 -]

#530 PO1DATE4: Date Polio1 Given 04

Information	[Type= continuous] [Format=numeric] [Range= 881117-890814] [Missing=*]
Statistics [NW/ W]	[Valid=4 -] [Invalid=7074 -] [Mean=888192.5 -] [StdDev=4721.421 -]

#531 TR2NO001: Triple 2 Given 01

Information	[Type= continuous] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=2422 -] [Invalid=4656 -] [Mean=0.122 -] [StdDev=0.328 -]		
Value	Label	Cases	Percentage
0	Given	2126	87.8%
1	Not given	296	12.2%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#532 TR2NO002: Triple 2 Given 02

Information	[Type= continuous] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=664 -] [Invalid=6414 -] [Mean=0.012 -] [StdDev=0.109 -]		
Value	Label	Cases	Percentage
0	Given	656	98.8%
1	Not given	8	1.2%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#533 TR2NO003: Triple 2 Given 03

Information	[Type= continuous] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=64 -] [Invalid=7014 -] [Mean=0.0312 -] [StdDev=0.175 -]		
Value	Label	Cases	Percentage
0	Given	62	96.9%
1	Not given	2	3.1%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#534 TR2NO004: Triple 2 Given 04

Information	[Type= continuous] [Format=numeric] [Range= 0-0] [Missing=*]		
Statistics [NW/ W]	[Valid=4 /-] [Invalid=7074 /-] [Mean=0 /-] [StdDev=0 /-]		
Value	Label	Cases	Percentage
0	Given	4	100.0%
1	Not given	0	0.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#535 TR2DATE1: Date Triple 2 Given 01

Information	[Type= continuous] [Format=numeric] [Range= 881206-930828] [Missing=*]
Statistics [NW/ W]	[Valid=2126 /-] [Invalid=4952 /-] [Mean=912760.343 /-] [StdDev=13193.684 /-]

#536 TR2DATE2: Date Triple 2 Given 02

Information	[Type= continuous] [Format=numeric] [Range= 881107-999999] [Missing=*]
Statistics [NW/ W]	[Valid=656 /-] [Invalid=6422 /-] [Mean=901613.163 /-] [StdDev=11750.371 /-]

#537 TR2DATE3: Date Triple 2 Given 03

Information	[Type= continuous] [Format=numeric] [Range= 890121-920230] [Missing=*]
Statistics [NW/ W]	[Valid=62 /-] [Invalid=7016 /-] [Mean=895788.113 /-] [StdDev=7112.009 /-]

#538 TR2DATE4: Date Triple 2 Given 04

Information	[Type= continuous] [Format=numeric] [Range= 890227-890925] [Missing=*]
Statistics [NW/ W]	[Valid=4 /-] [Invalid=7074 /-] [Mean=890595 /-] [StdDev=296.355 /-]

#539 PO2NO001: Polio2 Given 01

Information	[Type= continuous] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=2422 /-] [Invalid=4656 /-] [Mean=0.123 /-] [StdDev=0.329 /-]		
Value	Label	Cases	Percentage
0	Given	2124	87.7%
1	Not given	298	12.3%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#540 PO2NO002: Polio2 Given 02

Information	[Type= continuous] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=664 /-] [Invalid=6414 /-] [Mean=0.0151 /-] [StdDev=0.122 /-]		

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#540 PO2NO002: Polio2 Given 02 (cont.)

Value	Label	Cases	Percentage
0	Given	654	98.5%
1	Not given	10	1.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#541 PO2NO003: Polio2 Given 03

Information	[Type= continuous] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=64 /-] [Invalid=7014 /-] [Mean=0.0469 /-] [StdDev=0.213 /-]		
Value	Label	Cases	Percentage
0	Given	61	95.3%
1	Not given	3	4.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#542 PO2NO004: Polio2 Given 04

Information	[Type= continuous] [Format=numeric] [Range= 0-0] [Missing=*]		
Statistics [NW/ W]	[Valid=4 /-] [Invalid=7074 /-] [Mean=0 /-] [StdDev=0 /-]		
Value	Label	Cases	Percentage
0	Given	4	100.0%
1	Not given	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#543 PO2DATE1: Date Polio2 Given 01

Information	[Type= continuous] [Format=numeric] [Range= 881206-930829] [Missing=*]		
Statistics [NW/ W]	[Valid=2124 /-] [Invalid=4954 /-] [Mean=912762.613 /-] [StdDev=13199.892 /-]		

#544 PO2DATE2: Date Polio2 Given 02

Information	[Type= continuous] [Format=numeric] [Range= 881107-999999] [Missing=*]		
Statistics [NW/ W]	[Valid=654 /-] [Invalid=6424 /-] [Mean=901615.676 /-] [StdDev=11768.339 /-]		

#545 PO2DATE3: Date Polio2 Given 03

Information	[Type= continuous] [Format=numeric] [Range= 890121-920230] [Missing=*]		
Statistics [NW/ W]	[Valid=61 /-] [Invalid=7017 /-] [Mean=895879.541 /-] [StdDev=7134.198 /-]		

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#546 PO2DATE4: Date Polio2 Given 04

Information	[Type= continuous] [Format=numeric] [Range= 890227-890925] [Missing=*]
Statistics [NW/ W]	[Valid=4 /-] [Invalid=7074 /-] [Mean=890595 /-] [StdDev=296.355 /-]

#547 TR3NO001: Triple3 Given 01

Information	[Type= continuous] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2422 /-] [Invalid=4656 /-] [Mean=0.172 /-] [StdDev=0.378 /-]

Value	Label	Cases	Percentage
0	Given	2005	82.8%
1	Not given	417	17.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#548 TR3NO002: Triple3 Given 02

Information	[Type= continuous] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=664 /-] [Invalid=6414 /-] [Mean=0.0211 /-] [StdDev=0.144 /-]

Value	Label	Cases	Percentage
0	Given	650	97.9%
1	Not given	14	2.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#549 TR3NO003: Triple3 Given 03

Information	[Type= continuous] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=64 /-] [Invalid=7014 /-] [Mean=0.0156 /-] [StdDev=0.125 /-]

Value	Label	Cases	Percentage
0	Given	63	98.4%
1	Not given	1	1.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#550 TR3NO004: Triple3 Given 04

Information	[Type= continuous] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=4 /-] [Invalid=7074 /-] [Mean=0 /-] [StdDev=0 /-]

Value	Label	Cases	Percentage
0	Given	4	100.0%
1	Not given	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#551 TR3DATE1: Date Triple3 Given 01

Information	[Type= continuous] [Format=numeric] [Range= 890207-999999] [Missing=*]
Statistics [NW/ W]	[Valid=2005 /-] [Invalid=5073 /-] [Mean=913345.574 /-] [StdDev=12963.801 /-]

#552 TR3DATE2: Date Triple3 Given 02

Information	[Type= continuous] [Format=numeric] [Range= 881227-999999] [Missing=*]
Statistics [NW/ W]	[Valid=650 /-] [Invalid=6428 /-] [Mean=903018.229 /-] [StdDev=11134.875 /-]

#553 TR3DATE3: Date Triple3 Given 03

Information	[Type= continuous] [Format=numeric] [Range= 890307-920417] [Missing=*]
Statistics [NW/ W]	[Valid=63 /-] [Invalid=7015 /-] [Mean=897038.159 /-] [StdDev=7358.201 /-]

#554 TR3DATE4: Date Triple3 Given 04

Information	[Type= continuous] [Format=numeric] [Range= 890421-891127] [Missing=*]
Statistics [NW/ W]	[Valid=4 /-] [Invalid=7074 /-] [Mean=890817.25 /-] [StdDev=294.666 /-]

#555 PO3NO001: Polio3 Given 01

Information	[Type= continuous] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=2422 /-] [Invalid=4656 /-] [Mean=0.175 /-] [StdDev=0.38 /-]		
Value	Label	Cases	Percentage
0	Given	1999	82.5%
1	Not given	423	17.5%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#556 PO3NO002: Polio3 Given 02

Information	[Type= continuous] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=664 /-] [Invalid=6414 /-] [Mean=0.0241 /-] [StdDev=0.153 /-]		
Value	Label	Cases	Percentage
0	Given	648	97.6%
1	Not given	16	2.4%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#557 PO3NO003: Polio3 Given 03

Information	[Type= continuous] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=64 /-] [Invalid=7014 /-] [Mean=0.0312 /-] [StdDev=0.175 /-]

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#557 PO3NO003: Polio3 Given 03 (cont.)

Value	Label	Cases	Percentage
0	Given	62	96.9%
1	Not given	2	3.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#558 PO3NO004: Polio3 Given 04

Information	[Type= continuous] [Format=numeric] [Range= 0-0] [Missing=*]		
Statistics [NW/ W]	[Valid=4 /-] [Invalid=7074 /-] [Mean=0 /-] [StdDev=0 /-]		
Value	Label	Cases	Percentage
0	Given	4	100.0%
1	Not given	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#559 PO3DATE1: Date Polio3 Given 01

Information	[Type= continuous] [Format=numeric] [Range= 890207-999999] [Missing=*]
Statistics [NW/ W]	[Valid=1999 /-] [Invalid=5079 /-] [Mean=913398.525 /-] [StdDev=13248.755 /-]

#560 PO3DATE2: Date Polio3 Given 02

Information	[Type= continuous] [Format=numeric] [Range= 881227-999999] [Missing=*]
Statistics [NW/ W]	[Valid=648 /-] [Invalid=6430 /-] [Mean=903024.312 /-] [StdDev=11151.566 /-]

#561 PO3DATE3: Date Polio3 Given 03

Information	[Type= continuous] [Format=numeric] [Range= 890307-920417] [Missing=*]
Statistics [NW/ W]	[Valid=62 /-] [Invalid=7016 /-] [Mean=897146.435 /-] [StdDev=7367.497 /-]

#562 PO3DATE4: Date Polio3 Given 04

Information	[Type= continuous] [Format=numeric] [Range= 890421-891127] [Missing=*]
Statistics [NW/ W]	[Valid=4 /-] [Invalid=7074 /-] [Mean=890817.25 /-] [StdDev=294.666 /-]

#563 MEANO001: Measles Inj Given 01

Information	[Type= continuous] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=2422 /-] [Invalid=4656 /-] [Mean=0.246 /-] [StdDev=0.431 /-]		
Value	Label	Cases	Percentage
0	Given	1825	75.4%

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#563 MEANO001: Measles Inj Given 01 (cont.)

Value (cont.)	Label	Cases	Percentage
1	Not given	597	24.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#564 MEANO002: Measles Inj Given 02

Information	[Type= continuous] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=664 /-] [Invalid=6414 /-] [Mean=0.0392 /-] [StdDev=0.194 /-]		
Value	Label	Cases	Percentage
0	Given	638	96.1%
1	Not given	26	3.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#565 MEANO003: Measles Inj Given 03

Information	[Type= continuous] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=64 /-] [Invalid=7014 /-] [Mean=0.0312 /-] [StdDev=0.175 /-]		
Value	Label	Cases	Percentage
0	Given	62	96.9%
1	Not given	2	3.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#566 MEANO004: Measles Inj Given 04

Information	[Type= continuous] [Format=numeric] [Range= 0-0] [Missing=*]		
Statistics [NW/ W]	[Valid=4 /-] [Invalid=7074 /-] [Mean=0 /-] [StdDev=0 /-]		
Value	Label	Cases	Percentage
0	Given	4	100.0%
1	Not given	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#567 MEADATE1: Date Measles Inj Given 01

Information	[Type= continuous] [Format=numeric] [Range= 890418-999999] [Missing=*]		
Statistics [NW/ W]	[Valid=1825 /-] [Invalid=5253 /-] [Mean=913708.97 /-] [StdDev=12759.536 /-]		

#568 MEADATE2: Date Measles Inj Given 02

Information	[Type= continuous] [Format=numeric] [Range= 890405-930812] [Missing=*]		
Statistics [NW/ W]	[Valid=638 /-] [Invalid=6440 /-] [Mean=904480.895 /-] [StdDev=10486.467 /-]		

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#569 MEADATE3: Date Measles Inj Given 03

Information	[Type= continuous] [Format=numeric] [Range= 890525-920609] [Missing=*]
Statistics [NW/ W]	[Valid=62 /-] [Invalid=7016 /-] [Mean=899670.113 /-] [StdDev=7514.84 /-]

#570 MEADATE4: Date Measles Inj Given 04

Information	[Type= continuous] [Format=numeric] [Range= 890618-900206] [Missing=*]
Statistics [NW/ W]	[Valid=4 /-] [Invalid=7074 /-] [Mean=893217.25 /-] [StdDev=4663.863 /-]

#571 TR4NO001: Triple 4 Given 01

Information	[Type= continuous] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2422 /-] [Invalid=4656 /-] [Mean=0.455 /-] [StdDev=0.498 /-]

Value	Label	Cases	Percentage
0	Given	1321	54.5%
1	Not given	1101	45.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#572 TR4NO002: Triple 4 Given 02

Information	[Type= continuous] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=664 /-] [Invalid=6414 /-] [Mean=0.0949 /-] [StdDev=0.293 /-]

Value	Label	Cases	Percentage
0	Given	601	90.5%
1	Not given	63	9.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#573 TR4NO003: Triple 4 Given 03

Information	[Type= continuous] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=64 /-] [Invalid=7014 /-] [Mean=0.109 /-] [StdDev=0.315 /-]

Value	Label	Cases	Percentage
0	Given	57	89.1%
1	Not given	7	10.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#574 TR4NO004: Triple 4 Given 04

Information	[Type= continuous] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=4 /-] [Invalid=7074 /-] [Mean=0 /-] [StdDev=0 /-]

File DHS93_Women (cont.)

#574 TR4NO004: Triple 4 Given 04 (cont.)

Value	Label	Cases	Percentage
0	Given	4	100.0%
1	Not given	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#575 TR4DATE1: Date Triple 4 Given 01

Information	[Type= continuous] [Format=numeric] [Range= 891218-999999] [Missing=*]
Statistics [NW/ W]	[Valid=1321 /-] [Invalid=5757 /-] [Mean=917022.993 /-] [StdDev=11181.908 /-]

#576 TR4DATE2: Date Triple 4 Given 02

Information	[Type= continuous] [Format=numeric] [Range= 891219-930916] [Missing=*]
Statistics [NW/ W]	[Valid=601 /-] [Invalid=6477 /-] [Mean=911547.13 /-] [StdDev=9532.263 /-]

#577 TR4DATE3: Date Triple 4 Given 03

Information	[Type= continuous] [Format=numeric] [Range= 900216-930315] [Missing=*]
Statistics [NW/ W]	[Valid=57 /-] [Invalid=7021 /-] [Mean=906648.263 /-] [StdDev=7164.55 /-]

#578 TR4DATE4: Date Triple 4 Given 04

Information	[Type= continuous] [Format=numeric] [Range= 900128-910618] [Missing=*]
Statistics [NW/ W]	[Valid=4 /-] [Invalid=7074 /-] [Mean=903022.75 /-] [StdDev=5071.591 /-]

#579 PO4NO001: Polio 4 given 01

Information	[Type= continuous] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2422 /-] [Invalid=4656 /-] [Mean=0.458 /-] [StdDev=0.498 /-]

Value	Label	Cases	Percentage
0	Given	1312	54.2%
1	Not given	1110	45.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#580 PO4NO002: Polio 4 given 02

Information	[Type= continuous] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=664 /-] [Invalid=6414 /-] [Mean=0.101 /-] [StdDev=0.301 /-]

Value	Label	Cases	Percentage
0	Given	597	89.9%

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#580 PO4NO002: Polio 4 given 02 (cont.)

Value (cont.)	Label	Cases	Percentage
1	Not given	67	10.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#581 PO4NO003: Polio 4 given 03

Information	[Type= continuous] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=64 /-] [Invalid=7014 /-] [Mean=0.125 /-] [StdDev=0.333 /-]		
Value	Label	Cases	Percentage
0	Given	56	87.5%
1	Not given	8	12.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#582 PO4NO004: Polio 4 given 04

Information	[Type= continuous] [Format=numeric] [Range= 0-0] [Missing=*]		
Statistics [NW/ W]	[Valid=4 /-] [Invalid=7074 /-] [Mean=0 /-] [StdDev=0 /-]		
Value	Label	Cases	Percentage
0	Given	4	100.0%
1	Not given	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#583 PO4DATE1: Date Polio 4 given 01

Information	[Type= continuous] [Format=numeric] [Range= 891218-999999] [Missing=*]		
Statistics [NW/ W]	[Valid=1312 /-] [Invalid=5766 /-] [Mean=916999.229 /-] [StdDev=11203.376 /-]		

#584 PO4DATE2: Date Polio 4 given 02

Information	[Type= continuous] [Format=numeric] [Range= 891219-930916] [Missing=*]		
Statistics [NW/ W]	[Valid=597 /-] [Invalid=6481 /-] [Mean=911501.866 /-] [StdDev=9525.015 /-]		

#585 PO4DATE3: Date Polio 4 given 03

Information	[Type= continuous] [Format=numeric] [Range= 900216-930315] [Missing=*]		
Statistics [NW/ W]	[Valid=56 /-] [Invalid=7022 /-] [Mean=906761.321 /-] [StdDev=7177.899 /-]		

#586 PO4DATE4: Date Polio 4 given 04

Information	[Type= continuous] [Format=numeric] [Range= 900128-910618] [Missing=*]		
-------------	--	--	--

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#586 PO4DATE4: Date Polio 4 given 04 (cont.)

Statistics [NW/ W] [Valid=4 /-] [Invalid=7074 /-] [Mean=903022.75 /-] [StdDev=5071.591 /-]

#587 Q4260001: Card Weight at Birth 01

Information [Type= continuous] [Format=numeric] [Range= 11-999] [Missing=*]

Statistics [NW/ W] [Valid=2422 /-] [Invalid=4656 /-] [Mean=78.478 /-] [StdDev=214.845 /-]

Frequency table not shown (47 Modalities)

#588 Q4260002: Card Weight at Birth 02

Information [Type= continuous] [Format=numeric] [Range= 10-999] [Missing=*]

Statistics [NW/ W] [Valid=664 /-] [Invalid=6414 /-] [Mean=122.997 /-] [StdDev=288.826 /-]

Frequency table not shown (35 Modalities)

#589 Q4260003: Card Weight at Birth 03

Information [Type= continuous] [Format=numeric] [Range= 14-999] [Missing=*]

Statistics [NW/ W] [Valid=64 /-] [Invalid=7014 /-] [Mean=178.813 /-] [StdDev=355.767 /-]

Value	Label	Cases	Percentage
14	14	1	1.6%
20	20	3	4.7%
21	21	1	1.6%
22	22	2	3.1%
23	23	3	4.7%
24	24	4	6.3%
25	25	7	10.9%
26	26	3	4.7%
27	27	10	15.6%
28	28	4	6.3%
29	29	1	1.6%
30	30	4	6.3%
31	31	3	4.7%
32	32	4	6.3%
33	33	1	1.6%
34	34	1	1.6%
37	37	1	1.6%
41	41	1	1.6%
999	999	10	15.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#590 Q4260004: Card Weight at Birth 04

Information	[Type= continuous] [Format=numeric] [Range= 22-26] [Missing=*]		
Statistics [NW/ W]	[Valid=4 /-] [Invalid=7074 /-] [Mean=24.25 /-] [StdDev=1.708 /-]		
Value	Label	Cases	Percentage
22	22	1	25.0%
24	24	1	25.0%
25	25	1	25.0%
26	26	1	25.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#591 Q4270001: Weight at Birth 01

Information	[Type= continuous] [Format=numeric] [Range= 11-999] [Missing=*]		
Statistics [NW/ W]	[Valid=553 /-] [Invalid=6525 /-] [Mean=129.266 /-] [StdDev=298.043 /-]		
Frequency table not shown (36 Modalities)			

#592 Q4270002: Weight at Birth 02

Information	[Type= continuous] [Format=numeric] [Range= 10-999] [Missing=*]		
Statistics [NW/ W]	[Valid=186 /-] [Invalid=6892 /-] [Mean=241.113 /-] [StdDev=404.144 /-]		
Value	Label	Cases	Percentage
10	10	1	0.5%
11	11	1	0.5%
12	12	1	0.5%
15	15	4	2.2%
16	16	2	1.1%
19	19	2	1.1%
20	20	11	5.9%
21	21	5	2.7%
22	22	9	4.8%
23	23	4	2.2%
24	24	7	3.8%
25	25	16	8.6%
26	26	12	6.5%
27	27	12	6.5%
28	28	8	4.3%
29	29	5	2.7%
30	30	13	7.0%
31	31	9	4.8%
32	32	5	2.7%

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#592 Q4270002: Weight at Birth 02 (cont.)

Value (cont.)	Label	Cases	Percentage
34	34	3	1.6%
35	35	7	3.8%
36	36	2	1.1%
39	39	1	0.5%
40	40	1	0.5%
45	45	2	1.1%
50	50	1	0.5%
70	70	1	0.5%
999	999	41	22.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#593 Q4270003: Weight at Birth 03

Information	[Type= continuous] [Format=numeric] [Range= 21-999] [Missing=*]		
Statistics [NW/ W]	[Valid=29 /-] [Invalid=7049 /-] [Mean=363.724 /-] [StdDev=469.061 /-]		
Value	Label	Cases	Percentage
21	21	1	3.4%
22	22	1	3.4%
25	25	6	20.7%
26	26	1	3.4%
28	28	1	3.4%
30	30	3	10.3%
32	32	1	3.4%
35	35	3	10.3%
40	40	1	3.4%
44	44	1	3.4%
999	999	10	34.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#594 Q4270004: Weight at Birth 04

Information	[Type= continuous] [Format=numeric] [Range= 21-46] [Missing=*]		
Statistics [NW/ W]	[Valid=2 /-] [Invalid=7076 /-] [Mean=33.5 /-] [StdDev=17.678 /-]		
Value	Label	Cases	Percentage
21	21	1	50.0%
46	46	1	50.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#595 Q4280001: Ever Had immunization 01

Information	[Type= continuous] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=553 /-] [Invalid=6525 /-] [Mean=1.161 /-] [StdDev=0.817 /-]		
Value	Label	Cases	Percentage
1	Yes	506	91.5%
2	No	40	7.2%
8	Don't know	7	1.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#596 Q4280002: Ever Had immunization 02

Information	[Type= continuous] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=186 /-] [Invalid=6892 /-] [Mean=1.296 /-] [StdDev=1.057 /-]		
Value	Label	Cases	Percentage
1	Yes	155	83.3%
2	No	27	14.5%
8	Don't know	4	2.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#597 Q4280003: Ever Had immunization 03

Information	[Type= continuous] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=29 /-] [Invalid=7049 /-] [Mean=1.448 /-] [StdDev=1.325 /-]		
Value	Label	Cases	Percentage
1	Yes	22	75.9%
2	No	6	20.7%
8	Don't know	1	3.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#598 Q4280004: Ever Had immunization 04

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=2 /-] [Invalid=7076 /-] [Mean=1.5 /-] [StdDev=0.707 /-]		
Value	Label	Cases	Percentage
1	Yes	1	50.0%
2	No	1	50.0%
8	Don't know	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#599 Q429A001: Had BCG 01

Information	[Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=506 /-] [Invalid=6572 /-] [Mean=1.024 /-] [StdDev=0.366 /-]		
Value	Label	Cases	Percentage
1	Yes	501	99.0%
2	No	4	0.8%
9	9	1	0.2%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#600 Q429A002: Had BCG 02

Information	[Type= continuous] [Format=numeric] [Range= 1-1] [Missing=*]		
Statistics [NW/ W]	[Valid=155 /-] [Invalid=6923 /-] [Mean=1 /-] [StdDev=0 /-]		
Value	Label	Cases	Percentage
1	Yes	155	100.0%
2	No	0	0.0%
9	9	0	0.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#601 Q429A003: Had BCG 03

Information	[Type= continuous] [Format=numeric] [Range= 1-1] [Missing=*]		
Statistics [NW/ W]	[Valid=22 /-] [Invalid=7056 /-] [Mean=1 /-] [StdDev=0 /-]		
Value	Label	Cases	Percentage
1	Yes	22	100.0%
2	No	0	0.0%
9	9	0	0.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#602 Q429A004: Had BCG 04

Information	[Type= continuous] [Format=numeric] [Range= 1-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=7077 /-] [Mean=1 /-]		
Value	Label	Cases	Percentage
1	Yes	1	100.0%
2	No	0	0.0%
9	9	0	0.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#603 Q429B00A: Had Triple1 01

Information	[Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=506 /-] [Invalid=6572 /-] [Mean=1.107 /-] [StdDev=0.454 /-]		
Value	Label	Cases	Percentage
1	Yes	459	90.7%
2	No	46	9.1%
9	9	1	0.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#604 Q429B002: Had Triple1 02

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=155 /-] [Invalid=6923 /-] [Mean=1.039 /-] [StdDev=0.194 /-]		
Value	Label	Cases	Percentage
1	Yes	149	96.1%
2	No	6	3.9%
9	9	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#605 Q429B003: Had Triple1 03

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=22 /-] [Invalid=7056 /-] [Mean=1.045 /-] [StdDev=0.213 /-]		
Value	Label	Cases	Percentage
1	Yes	21	95.5%
2	No	1	4.5%
9	9	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#606 Q429B004: Had Triple1 04

Information	[Type= continuous] [Format=numeric] [Range= 1-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=7077 /-] [Mean=1 /-]		
Value	Label	Cases	Percentage
1	Yes	1	100.0%
2	No	0	0.0%
9	9	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#607 Q429C001: Had Polio1 01

Information	[Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=506 /-] [Invalid=6572 /-] [Mean=1.109 /-] [StdDev=0.456 /-]		
Value	Label	Cases	Percentage
1	Yes	458	90.5%
2	No	47	9.3%
9	9	1	0.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#608 Q429C002: Had Polio1 02

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=155 /-] [Invalid=6923 /-] [Mean=1.039 /-] [StdDev=0.194 /-]		
Value	Label	Cases	Percentage
1	Yes	149	96.1%
2	No	6	3.9%
9	9	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#609 Q429C003: Had Polio1 03

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=22 /-] [Invalid=7056 /-] [Mean=1.045 /-] [StdDev=0.213 /-]		
Value	Label	Cases	Percentage
1	Yes	21	95.5%
2	No	1	4.5%
9	9	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#610 Q429C004: Had Polio1 04

Information	[Type= continuous] [Format=numeric] [Range= 1-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=7077 /-] [Mean=1 /-]		
Value	Label	Cases	Percentage
1	Yes	1	100.0%
2	No	0	0.0%
9	9	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#611 Q429D001: Had Triple 2 01

Information	[Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=506 /-] [Invalid=6572 /-] [Mean=1.162 /-] [StdDev=0.497 /-]		
Value	Label	Cases	Percentage
1	Yes	431	85.2%
2	No	74	14.6%
9	9	1	0.2%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#612 Q429D002: Had Triple 2 02

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=155 /-] [Invalid=6923 /-] [Mean=1.045 /-] [StdDev=0.208 /-]		
Value	Label	Cases	Percentage
1	Yes	148	95.5%
2	No	7	4.5%
9	9	0	0.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#613 Q429D003: Had Triple 2 03

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=22 /-] [Invalid=7056 /-] [Mean=1.045 /-] [StdDev=0.213 /-]		
Value	Label	Cases	Percentage
1	Yes	21	95.5%
2	No	1	4.5%
9	9	0	0.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#614 Q429D004: Had Triple 2 04

Information	[Type= continuous] [Format=numeric] [Range= 1-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=7077 /-] [Mean=1 /-]		
Value	Label	Cases	Percentage
1	Yes	1	100.0%
2	No	0	0.0%
9	9	0	0.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#615 Q429E001: Had Polio2 01

Information	[Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=506 /-] [Invalid=6572 /-] [Mean=1.166 /-] [StdDev=0.5 /-]		
Value	Label	Cases	Percentage
1	Yes	429	84.8%
2	No	76	15.0%
9	9	1	0.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#616 Q429E002: Had Polio2 02

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=155 /-] [Invalid=6923 /-] [Mean=1.045 /-] [StdDev=0.208 /-]		
Value	Label	Cases	Percentage
1	Yes	148	95.5%
2	No	7	4.5%
9	9	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#617 Q429E003: Had Polio2 03

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=22 /-] [Invalid=7056 /-] [Mean=1.045 /-] [StdDev=0.213 /-]		
Value	Label	Cases	Percentage
1	Yes	21	95.5%
2	No	1	4.5%
9	9	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#618 Q429E004: Had Polio2 04

Information	[Type= continuous] [Format=numeric] [Range= 1-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=7077 /-] [Mean=1 /-]		
Value	Label	Cases	Percentage
1	Yes	1	100.0%
2	No	0	0.0%
9	9	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#619 Q429F001: Had Triple3 01

Information	[Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=506 /-] [Invalid=6572 /-] [Mean=1.211 /-] [StdDev=0.527 /-]		
Value	Label	Cases	Percentage
1	Yes	406	80.2%
2	No	99	19.6%
9	9	1	0.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#620 Q429F002: Had Triple3 01

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=155 /-] [Invalid=6923 /-] [Mean=1.071 /-] [StdDev=0.258 /-]		
Value	Label	Cases	Percentage
1	Yes	144	92.9%
2	No	11	7.1%
9	9	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#621 Q429F003: Had Triple3 01

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=22 /-] [Invalid=7056 /-] [Mean=1.045 /-] [StdDev=0.213 /-]		
Value	Label	Cases	Percentage
1	Yes	21	95.5%
2	No	1	4.5%
9	9	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#622 Q429F004: Had Triple3 01

Information	[Type= continuous] [Format=numeric] [Range= 1-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=7077 /-] [Mean=1 /-]		
Value	Label	Cases	Percentage
1	Yes	1	100.0%
2	No	0	0.0%
9	9	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#623 Q429G00A: Had Polio3 01

Information	[Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=506 /-] [Invalid=6572 /-] [Mean=1.211 /-] [StdDev=0.527 /-]		
Value	Label	Cases	Percentage
1	Yes	406	80.2%
2	No	99	19.6%
9	9	1	0.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#624 Q429G002: Had Polio3 02

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=155 /-] [Invalid=6923 /-] [Mean=1.077 /-] [StdDev=0.268 /-]		
Value	Label	Cases	Percentage
1	Yes	143	92.3%
2	No	12	7.7%
9	9	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#625 Q429G003: Had Polio3 03

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=22 /-] [Invalid=7056 /-] [Mean=1.045 /-] [StdDev=0.213 /-]		
Value	Label	Cases	Percentage
1	Yes	21	95.5%
2	No	1	4.5%
9	9	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#626 Q429G004: Had Polio3 04

Information	[Type= continuous] [Format=numeric] [Range= 1-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=7077 /-] [Mean=1 /-]		
Value	Label	Cases	Percentage
1	Yes	1	100.0%
2	No	0	0.0%
9	9	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#627 Q429H001: Had Triple4 01

Information	[Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=506 /-] [Invalid=6572 /-] [Mean=1.437 /-] [StdDev=0.598 /-]		
Value	Label	Cases	Percentage
1	Yes	292	57.7%
2	No	213	42.1%
9	9	1	0.2%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#628 Q429H002: Had Triple4 02

Information	[Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=155 /-] [Invalid=6923 /-] [Mean=1.2 /-] [StdDev=0.724 /-]		
Value	Label	Cases	Percentage
1	Yes	131	84.5%
2	No	23	14.8%
9	9	1	0.6%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#629 Q429H003: Had Triple4 03

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=22 /-] [Invalid=7056 /-] [Mean=1.136 /-] [StdDev=0.351 /-]		
Value	Label	Cases	Percentage
1	Yes	19	86.4%
2	No	3	13.6%
9	9	0	0.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#630 Q429H004: Had Triple4 04

Information	[Type= continuous] [Format=numeric] [Range= 1-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=7077 /-] [Mean=1 /-]		
Value	Label	Cases	Percentage
1	Yes	1	100.0%
2	No	0	0.0%
9	9	0	0.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#631 Q429I001: Had Polio4 01

Information	[Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=506 /-] [Invalid=6572 /-] [Mean=1.439 /-] [StdDev=0.598 /-]		
Value	Label	Cases	Percentage
1	Yes	291	57.5%
2	No	214	42.3%
9	9	1	0.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#632 Q429I002: Had Polio4 02

Information	[Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=155 /-] [Invalid=6923 /-] [Mean=1.2 /-] [StdDev=0.724 /-]		
Value	Label	Cases	Percentage
1	Yes	131	84.5%
2	No	23	14.8%
9	9	1	0.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#633 Q429I003: Had Polio4 03

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=22 /-] [Invalid=7056 /-] [Mean=1.136 /-] [StdDev=0.351 /-]		
Value	Label	Cases	Percentage
1	Yes	19	86.4%
2	No	3	13.6%
9	9	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#634 Q429I004: Had Polio4 04

Information	[Type= continuous] [Format=numeric] [Range= 1-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=7077 /-] [Mean=1 /-]		
Value	Label	Cases	Percentage
1	Yes	1	100.0%
2	No	0	0.0%
9	9	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#635 Q4300001: Age at which Immunization Given 01

Information	[Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*]
Statistics [NW/ W]	[Valid=506 /-] [Invalid=6572 /-] [Mean=15.48 /-] [StdDev=14.997 /-]

#636 Q4300002: Age at which Immunization Given 02

Information	[Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*]
Statistics [NW/ W]	[Valid=155 /-] [Invalid=6923 /-] [Mean=19.032 /-] [StdDev=15.159 /-]

#637 Q4300003: Age at which Immunization Given 03

Information	[Type= continuous] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=22 /-] [Invalid=7056 /-] [Mean=21.136 /-] [StdDev=19.555 /-]

#638 Q4300004: Age at which Immunization Given 04

Information	[Type= continuous] [Format=numeric] [Range= 18-18] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=7077 /-] [Mean=18 /-]

#639 Q4310001: Measles Inj Given 01

Information	[Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=506 /-] [Invalid=6572 /-] [Mean=1.249 /-] [StdDev=0.546 /-]

Value	Label	Cases	Percentage
1	Yes	387	76.5%
2	No	118	23.3%
9	9	1	0.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#640 Q4310002: Measles Inj Given 02

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=155 /-] [Invalid=6923 /-] [Mean=1.103 /-] [StdDev=0.305 /-]

Value	Label	Cases	Percentage
1	Yes	139	89.7%
2	No	16	10.3%
9	9	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#641 Q4310003: Measles Inj Given 03

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W] [Valid=22 /-] [Invalid=7056 /-] [Mean=1.136 /-] [StdDev=0.351 /-]

Value	Label	Cases	Percentage
1	Yes	19	86.4%
2	No	3	13.6%
9	9	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#642 Q4310004: Measles Inj Given 04

Information [Type= continuous] [Format=numeric] [Range= 2-2] [Missing=*]

Statistics [NW/ W] [Valid=1 /-] [Invalid=7077 /-] [Mean=2 /-]

Value	Label	Cases	Percentage
1	Yes	0	0.0%
2	No	1	100.0%
9	9	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#643 Q4320001: Diarrhoea 4 or More Times last 24 Hrs 01

Information [Type= continuous] [Format=numeric] [Range= 1-3] [Missing=*]

Statistics [NW/ W] [Valid=2975 /-] [Invalid=4103 /-] [Mean=1.991 /-] [StdDev=0.197 /-]

Value	Label	Cases	Percentage
1	Yes	71	2.4%
2	No	2859	96.1%
3	Child Dead	45	1.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#644 Q4320002: Diarrhoea 4 or More Times last 24 Hrs 02

Information [Type= continuous] [Format=numeric] [Range= 1-3] [Missing=*]

Statistics [NW/ W] [Valid=850 /-] [Invalid=6228 /-] [Mean=2.032 /-] [StdDev=0.228 /-]

Value	Label	Cases	Percentage
1	Yes	9	1.1%
2	No	805	94.7%
3	Child Dead	36	4.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#645 Q4320003: Diarrhoea 4 or More Times last 24 Hrs 03

Information	[Type= continuous] [Format=numeric] [Range= 2-3] [Missing=*]		
Statistics [NW/ W]	[Valid=93 /-] [Invalid=6985 /-] [Mean=2.097 /-] [StdDev=0.297 /-]		
Value	Label	Cases	Percentage
1	Yes	0	0.0%
2	No	84	90.3%
3	Child Dead	9	9.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#646 Q4320004: Diarrhoea 4 or More Times last 24 Hrs 04

Information	[Type= continuous] [Format=numeric] [Range= 2-3] [Missing=*]		
Statistics [NW/ W]	[Valid=6 /-] [Invalid=7072 /-] [Mean=2.333 /-] [StdDev=0.516 /-]		
Value	Label	Cases	Percentage
1	Yes	0	0.0%
2	No	4	66.7%
3	Child Dead	2	33.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#647 Q4330001: Diarrhoea 4 or More Times last 2wks 01

Information	[Type= continuous] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=2904 /-] [Invalid=4174 /-] [Mean=2 /-] [StdDev=0.452 /-]		
Value	Label	Cases	Percentage
1	Yes	116	4.0%
2	No	2731	94.0%
3	Child Dead	45	1.5%
8	Don't know	12	0.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#648 Q4330002: Diarrhoea 4 or More Times last 2wks 02

Information	[Type= continuous] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=841 /-] [Invalid=6237 /-] [Mean=2.112 /-] [StdDev=0.749 /-]		
Value	Label	Cases	Percentage
1	Yes	14	1.7%
2	No	779	92.6%
3	Child Dead	36	4.3%
8	Don't know	12	1.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#649 Q4330003: Diarrhoea 4 or More Times last 2wks 03

Information	[Type= continuous] [Format=numeric] [Range= 1-8] [Missing=*		
Statistics [NW/ W]	[Valid=93 /-] [Invalid=6985 /-] [Mean=2.215 /-] [StdDev=0.919 /-]		
Value	Label	Cases	Percentage
1	Yes	1	1.1%
2	No	81	87.1%
3	Child Dead	9	9.7%
8	Don't know	2	2.2%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#650 Q4330004: Diarrhoea 4 or More Times last 2wks 04

Information	[Type= continuous] [Format=numeric] [Range= 2-3] [Missing=*		
Statistics [NW/ W]	[Valid=6 /-] [Invalid=7072 /-] [Mean=2.333 /-] [StdDev=0.516 /-]		
Value	Label	Cases	Percentage
1	Yes	0	0.0%
2	No	4	66.7%
3	Child Dead	2	33.3%
8	Don't know	0	0.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#651 Q4340001: Diarrhoea Treatment Method 01

Information	[Type= continuous] [Format=numeric] [Range= 1-4] [Missing=*		
Statistics [NW/ W]	[Valid=187 /-] [Invalid=6891 /-] [Mean=2.187 /-] [StdDev=1.254 /-]		
Value	Label	Cases	Percentage
1	Yes - Govt Hospital	77	41.2%
2	Yes - Western Dr	53	28.3%
3	Yes - Ayur Dr	2	1.1%
4	No Not Taken	55	29.4%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#652 Q4340002: Diarrhoea Treatment Method 02

Information	[Type= continuous] [Format=numeric] [Range= 1-4] [Missing=*		
Statistics [NW/ W]	[Valid=23 /-] [Invalid=7055 /-] [Mean=2.13 /-] [StdDev=1.325 /-]		
Value	Label	Cases	Percentage
1	Yes - Govt Hospital	11	47.8%
2	Yes - Western Dr	5	21.7%
3	Yes - Ayur Dr	0	0.0%

File DHS93_Women (cont.)

#652 Q4340002: Diarrhoea Treatment Method 02 (cont.)

Value (cont.)	Label	Cases	Percentage
4	No Not Taken	7	30.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#653 Q4340003: Diarrhoea Treatment Method 03

Information	[Type= continuous] [Format=numeric] [Range= 1-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=7077 /-] [Mean=1 /-]		
Value	Label	Cases	Percentage
1	Yes - Govt Hospital	1	100.0%
2	Yes - Western Dr	0	0.0%
3	Yes - Ayur Dr	0	0.0%
4	No Not Taken	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#654 Q4340004: Diarrhoea Treatment Method 04

Information	[Type= continuous] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=7078 /-]		
Value	Label	Cases	Percentage
1	Yes - Govt Hospital		
2	Yes - Western Dr		
3	Yes - Ayur Dr		
4	No Not Taken		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#655 Q4350001: Treated Diarrhoea with Jeevani/ORS 01

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=187 /-] [Invalid=6891 /-] [Mean=1.658 /-] [StdDev=0.476 /-]		
Value	Label	Cases	Percentage
1	Yes	64	34.2%
2	No	123	65.8%
8	Don't know	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#656 Q4350002: Treated Diarrhoea with Jeevani/ORS 02

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=23 /-] [Invalid=7055 /-] [Mean=1.609 /-] [StdDev=0.499 /-]		

File DHS93_Women (cont.)

#656 Q4350002: Treated Diarrhoea with Jeevani/ORS 02 (cont.)

Value	Label	Cases	Percentage
1	Yes	9	39.1%
2	No	14	60.9%
8	Don't know	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#657 Q4350003: Treated Diarrhoea with Jeevani/ORS 03

Information	[Type= continuous] [Format=numeric] [Range= 1-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=7077 /-] [Mean=1 /-]		
Value	Label	Cases	Percentage
1	Yes	1	100.0%
2	No	0	0.0%
8	Don't know	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#658 Q4350004: Treated Diarrhoea with Jeevani/ORS 04

Information	[Type= continuous] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=7078 /-]		
Value	Label	Cases	Percentage
1	Yes		
2	No		
8	Don't know		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#659 Q436A001: Water given to treat diarrhoea 01

Information	[Type= continuous] [Format=numeric] [Range= 1-1] [Missing=*]		
Statistics [NW/ W]	[Valid=65 /-] [Invalid=7013 /-] [Mean=1 /-] [StdDev=0 /-]		
Value	Label	Cases	Percentage
1	Yes	65	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#660 Q436A002: Water given to treat diarrhoea 02

Information	[Type= continuous] [Format=numeric] [Range= 1-1] [Missing=*]		
Statistics [NW/ W]	[Valid=6 /-] [Invalid=7072 /-] [Mean=1 /-] [StdDev=0 /-]		

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#660 Q436A002: Water given to treat diarrhoea 02 (cont.)

Value	Label	Cases	Percentage
1	Yes	6	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#661 Q436A003: Water given to treat diarrhoea 03

Information	[Type= continuous] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=7078 /-]		
Value	Label	Cases	Percentage
1	Yes		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#662 Q436A004: Water given to treat diarrhoea 04

Information	[Type= continuous] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=7078 /-]		
Value	Label	Cases	Percentage
1	Yes		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#663 Q436B001: Tablets/Inj/Syrup Given to treat Diarrhoea 01

Information	[Type= continuous] [Format=numeric] [Range= 1-1] [Missing=*]		
Statistics [NW/ W]	[Valid=69 /-] [Invalid=7009 /-] [Mean=1 /-] [StdDev=0 /-]		
Value	Label	Cases	Percentage
1	Yes	69	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#664 Q436B002: Tablets/Inj/Syrup Given to treat Diarrhoea 02

Information	[Type= continuous] [Format=numeric] [Range= 1-1] [Missing=*]		
Statistics [NW/ W]	[Valid=6 /-] [Invalid=7072 /-] [Mean=1 /-] [StdDev=0 /-]		
Value	Label	Cases	Percentage
1	Yes	6	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#665 Q436B003: Tablets/Inj/Syrup Given to treat Diarrhoea 03

Information	[Type= continuous] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=7078 /-]		

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#665 Q436B003: Tablets/Inj/Syrup Given to treat Diarrhoea 03 (cont.)

Value	Label	Cases	Percentage
1	Yes		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#666 Q436B004: Tablets/Inj/Syrup Given to treat Diarrhoea 04

Information	[Type= continuous] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=7078 /-]		
Value	Label	Cases	Percentage
1	Yes		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#667 Q436C001: Increased fluids to Treat Diarrhoea 01

Information	[Type= continuous] [Format=numeric] [Range= 1-1] [Missing=*]		
Statistics [NW/ W]	[Valid=62 /-] [Invalid=7016 /-] [Mean=1 /-] [StdDev=0 /-]		
Value	Label	Cases	Percentage
1	Yes	62	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#668 Q436C002: Increased fluids to Treat Diarrhoea 02

Information	[Type= continuous] [Format=numeric] [Range= 1-1] [Missing=*]		
Statistics [NW/ W]	[Valid=4 /-] [Invalid=7074 /-] [Mean=1 /-] [StdDev=0 /-]		
Value	Label	Cases	Percentage
1	Yes	4	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#669 Q436C003: Increased fluids to Treat Diarrhoea 03

Information	[Type= continuous] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=7078 /-]		
Value	Label	Cases	Percentage
1	Yes		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#670 Q436C004: Increased fluids to Treat Diarrhoea 04

Information	[Type= continuous] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=7078 /-]		

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#670 Q436C004: Increased fluids to Treat Diarrhoea 04 (cont.)

Value	Label	Cases	Percentage
1	Yes		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#671 Q436D001: Increased foods to Treat Diarrhoea 01

Information	[Type= continuous] [Format=numeric] [Range= 1-1] [Missing=*]		
Statistics [NW/ W]	[Valid=7 /-] [Invalid=7071 /-] [Mean=1 /-] [StdDev=0 /-]		
Value	Label	Cases	Percentage
1	Yes	7	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#672 Q436D002: Increased foods to Treat Diarrhoea 02

Information	[Type= continuous] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=7078 /-]		
Value	Label	Cases	Percentage
1	Yes		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#673 Q436D003: Increased foods to Treat Diarrhoea 03

Information	[Type= continuous] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=7078 /-]		
Value	Label	Cases	Percentage
1	Yes		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#674 Q436D004: Increased foods to Treat Diarrhoea 04

Information	[Type= continuous] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=7078 /-]		
Value	Label	Cases	Percentage
1	Yes		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#675 Q436E001: Gave cunjee to Treat Diarrhoea 01

Information	[Type= continuous] [Format=numeric] [Range= 1-1] [Missing=*]		
Statistics [NW/ W]	[Valid=47 /-] [Invalid=7031 /-] [Mean=1 /-] [StdDev=0 /-]		

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#675 Q436E001: Gave cunjee to Treat Diarrhoea 01 (cont.)

Value	Label	Cases	Percentage
1	Yes	47	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#676 Q436E002: Gave cunjee to Treat Diarrhoea 02

Information	[Type= continuous] [Format=numeric] [Range= 1-1] [Missing=*]		
Statistics [NW/ W]	[Valid=6 /-] [Invalid=7072 /-] [Mean=1 /-] [StdDev=0 /-]		
Value	Label	Cases	Percentage
1	Yes	6	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#677 Q436E003: Gave cunjee to Treat Diarrhoea 03

Information	[Type= continuous] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=7078 /-]		
Value	Label	Cases	Percentage
1	Yes		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#678 Q436E004: Gave cunjee to Treat Diarrhoea 04

Information	[Type= continuous] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=7078 /-]		
Value	Label	Cases	Percentage
1	Yes		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#679 Q436F001: Decreased fluids to Treat Diarrhoea 01

Information	[Type= continuous] [Format=numeric] [Range= 1-1] [Missing=*]		
Statistics [NW/ W]	[Valid=9 /-] [Invalid=7069 /-] [Mean=1 /-] [StdDev=0 /-]		
Value	Label	Cases	Percentage
1	Yes	9	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#680 Q436F002: Decreased fluids to Treat Diarrhoea 02

Information	[Type= continuous] [Format=numeric] [Range= 1-1] [Missing=*]		
Statistics [NW/ W]	[Valid=2 /-] [Invalid=7076 /-] [Mean=1 /-] [StdDev=0 /-]		

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#680 Q436F002: Decreased fluids to Treat Diarrhoea 02 (cont.)

Value	Label	Cases	Percentage
1	Yes	2	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#681 Q436F003: Decreased fluids to Treat Diarrhoea 03

Information [Type= continuous] [Format=numeric] [Missing=*

Statistics [NW/ W] [Valid=0 /-] [Invalid=7078 /-]

Value	Label	Cases	Percentage
1	Yes		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#682 Q436F004: Decreased fluids to Treat Diarrhoea 04

Information [Type= continuous] [Format=numeric] [Missing=*

Statistics [NW/ W] [Valid=0 /-] [Invalid=7078 /-]

Value	Label	Cases	Percentage
1	Yes		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#683 Q436G001: Decreased foods to Treat Diarrhoea 01

Information [Type= continuous] [Format=numeric] [Range= 1-1] [Missing=*

Statistics [NW/ W] [Valid=36 /-] [Invalid=7042 /-] [Mean=1 /-] [StdDev=0 /-]

Value	Label	Cases	Percentage
1	Yes	36	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#684 Q436G002: Decreased foods to Treat Diarrhoea 02

Information [Type= continuous] [Format=numeric] [Range= 1-1] [Missing=*

Statistics [NW/ W] [Valid=4 /-] [Invalid=7074 /-] [Mean=1 /-] [StdDev=0 /-]

Value	Label	Cases	Percentage
1	Yes	4	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#685 Q436G003: Decreased foods to Treat Diarrhoea 03

Information [Type= continuous] [Format=numeric] [Missing=*

Statistics [NW/ W] [Valid=0 /-] [Invalid=7078 /-]

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#685 Q436G003: Decreased foods to Treat Diarrhoea 03 (cont.)

Value	Label	Cases	Percentage
1	Yes		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#686 Q436G004: Decreased foods to Treat Diarrhoea 04

Information	[Type= continuous] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=7078 /-]		
Value	Label	Cases	Percentage
1	Yes		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#687 Q436H001: Other to treat Diarrhoea 01

Information	[Type= continuous] [Format=numeric] [Range= 1-1] [Missing=*]		
Statistics [NW/ W]	[Valid=38 /-] [Invalid=7040 /-] [Mean=1 /-] [StdDev=0 /-]		
Value	Label	Cases	Percentage
1	Yes	38	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#688 Q436H002: Other to treat Diarrhoea 02

Information	[Type= continuous] [Format=numeric] [Range= 1-1] [Missing=*]		
Statistics [NW/ W]	[Valid=5 /-] [Invalid=7073 /-] [Mean=1 /-] [StdDev=0 /-]		
Value	Label	Cases	Percentage
1	Yes	5	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#689 Q436H003: Other to treat Diarrhoea 03

Information	[Type= continuous] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=7078 /-]		
Value	Label	Cases	Percentage
1	Yes		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#690 Q436H004: Other to treat Diarrhoea 04

Information	[Type= continuous] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=7078 /-]		

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#690 Q436H004: Other to treat Diarrhoea 04 (cont.)

Value	Label	Cases	Percentage
1	Yes		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#691 Q436I001: Nothing Done to treat Diarrhoea 01

Information	[Type= continuous] [Format=numeric] [Range= 1-1] [Missing=*]		
Statistics [NW/ W]	[Valid=40 /-] [Invalid=7038 /-] [Mean=1 /-] [StdDev=0 /-]		
Value	Label	Cases	Percentage
1	Yes	40	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#692 Q436I002: Nothing Done to treat Diarrhoea 02

Information	[Type= continuous] [Format=numeric] [Range= 1-1] [Missing=*]		
Statistics [NW/ W]	[Valid=8 /-] [Invalid=7070 /-] [Mean=1 /-] [StdDev=0 /-]		
Value	Label	Cases	Percentage
1	Yes	8	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#693 Q436I003: Nothing Done to treat Diarrhoea 03

Information	[Type= continuous] [Format=numeric] [Range= 1-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=7077 /-] [Mean=1 /-]		
Value	Label	Cases	Percentage
1	Yes	1	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#694 Q436I004: Nothing Done to treat Diarrhoea 04

Information	[Type= continuous] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=7078 /-]		
Value	Label	Cases	Percentage
1	Yes		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#695 Q438: Heard of Jeevani or any ORS

Information	[Type= continuous] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=2903 /-] [Invalid=4175 /-] [Mean=1.075 /-] [StdDev=0.535 /-]		

File DHS93_Women (cont.)

#695 Q438: Heard of Jeevani or any ORS (cont.)

Value	Label	Cases	Percentage
1	Yes	2775	95.6%
2	No	113	3.9%
8	Don't know	15	0.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#696 Q439: Gave Jeevani or ORS to any of the children

Value	Label	Cases	Percentage
1	Yes	1560	56.2%
2	No	1215	43.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#697 Q440: Obtained the Packet From

Value	Label	Cases	Percentage
1	Govt Hospital/Clinic	912	55.8%
2	MOH Office	36	2.2%
3	Pharmacy	539	33.0%
4	Pvt doctor	116	7.1%
5	Other	30	1.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#698 Q442: No of Times of Breastfed Yesterday Night time

Value	Label	Cases	Percentage
0	0	12	0.7%
1	1	76	4.7%
2	2	173	10.7%
3	3	257	15.9%
4	4	190	11.8%
5	5	135	8.4%
6	6	77	4.8%
7	7	20	1.2%

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#698 Q442: No of Times of Breastfed Yesterday Night time (cont.)

Value (cont.)	Label	Cases	Percentage
8	8	20	1.2%
9	9	1	0.1%
10	10	19	1.2%
12	12	2	0.1%
15	15	2	0.1%
20	20	1	0.1%
96	Sleeps at breast	623	38.6%
98	98	1	0.1%
99	99	5	0.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#699 Q443: No of times Breastfed Yesterday Day time

Value	Label	Cases	Percentage
0	0	94	5.8%
1	1	99	6.1%
2	2	165	10.2%
3	3	185	11.5%
4	4	159	9.9%
5	5	127	7.9%
6	6	66	4.1%
7	7	21	1.3%
8	8	14	0.9%
9	9	1	0.1%
10	10	15	0.9%
12	12	2	0.1%
13	13	1	0.1%
15	15	3	0.2%
20	20	1	0.1%
96	as often as wanted	655	40.6%
98	98	1	0.1%
99	99	5	0.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#700 Q444A: Gave Water Last Night/Yesterday

Information	[Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*]
-------------	--

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#700 Q444A: Gave Water Last Night/Yesterday (cont.)

Statistics [NW/ W] [Valid=1614 /-] [Invalid=5464 /-] [Mean=1.091 /-] [StdDev=0.506 /-]

Value	Label	Cases	Percentage
1	Yes	1502	93.1%
2	No	107	6.6%
9	9	5	0.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#701 Q444B: Gave Fruit Juice Last Night/Yesterday

Information [Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*]

Statistics [NW/ W] [Valid=1614 /-] [Invalid=5464 /-] [Mean=1.691 /-] [StdDev=0.622 /-]

Value	Label	Cases	Percentage
1	Yes	534	33.2%
2	No	1075	66.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#702 Q444C: Gave Powdered Milk Last Night/Yesterday

Information [Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*]

Statistics [NW/ W] [Valid=1614 /-] [Invalid=5464 /-] [Mean=1.569 /-] [StdDev=0.647 /-]

Value	Label	Cases	Percentage
1	Yes	731	45.4%
2	No	878	54.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#703 Q444D: Gave Cow's/Goats Milk Last Night/Yesterday

Information [Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*]

Statistics [NW/ W] [Valid=1614 /-] [Invalid=5464 /-] [Mean=1.984 /-] [StdDev=0.435 /-]

Value	Label	Cases	Percentage
1	Yes	61	3.8%
2	No	1548	96.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#704 Q444E: Gave Vitamin Syrup/Medicine Last Night/Yesterday

Information [Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*]

Statistics [NW/ W] [Valid=1614 /-] [Invalid=5464 /-] [Mean=1.812 /-] [StdDev=0.571 /-]

File DHS93_Women (cont.)

#704 Q444E: Gave Vitamin Syrup/Medicine Last Night/Yesterday (cont.)

Value	Label	Cases	Percentage
1	Yes	339	21.1%
2	No	1270	78.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#705 Q444F: Gave Any Other Liquid Last Night/Yesterday

Information	[Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=1614 /-] [Invalid=5464 /-] [Mean=1.568 /-] [StdDev=0.647 /-]		
Value	Label	Cases	Percentage
1	Yes	733	45.6%
2	No	876	54.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#706 Q444G: Gave Any Solid or Mushy food Last Nigh/Yesterday

Information	[Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=1614 /-] [Invalid=5464 /-] [Mean=1.305 /-] [StdDev=0.621 /-]		
Value	Label	Cases	Percentage
1	Yes	1156	71.8%
2	No	453	28.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#707 Q446: Used a Bottle with Nipple to give Liquids

Information	[Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=1553 /-] [Invalid=5525 /-] [Mean=1.609 /-] [StdDev=0.647 /-]		
Value	Label	Cases	Percentage
1	Yes	642	41.5%
2	No	906	58.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#708 Q448: Continued/reduced/stopped Breastfeeding when there is Diarrhoea

Information	[Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=137 /-] [Invalid=6941 /-] [Mean=1.423 /-] [StdDev=1.537 /-]		
Value	Label	Cases	Percentage
1	Continued full	118	89.4%
2	Reduced	10	7.6%

File DHS93_Women (cont.)

#708 Q448: Continued/reduced/stopped Breastfeeding when there is Diarrhoea (cont.)

Value (cont.)	Label	Cases	Percentage
3	Stopped Completely	4	3.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#709 Q449: Reason for reduce/stop breastfeeding

Information	[Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=19 /-] [Invalid=7059 /-] [Mean=4.579 /-] [StdDev=2.912 /-]		
Value	Label	Cases	Percentage
1	Bad for the child	3	21.4%
2	Parents advised	1	7.1%
3	Dr/Family health worker advised	3	21.4%
4	Child refused	7	50.0%
5	Other	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#710 Q501: Marital Status

Information	[Type= continuous] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=6983 /-] [Invalid=95 /-] [Mean=1.136 /-] [StdDev=0.534 /-]		
Value	Label	Cases	Percentage
1	Married	6433	92.1%
2	Widowed	338	4.8%
3	Divorced	26	0.4%
4	Separated	186	2.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#711 Q501A: Living with Husband

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=6433 /-] [Invalid=645 /-] [Mean=1.011 /-] [StdDev=0.103 /-]		
Value	Label	Cases	Percentage
1	Yes	6364	98.9%
2	No	69	1.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#712 Q502: Married once or more than once

Information	[Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=6983 /-] [Invalid=95 /-] [Mean=1.041 /-] [StdDev=0.345 /-]		

File DHS93_Women (cont.)

#712 Q502: Married once or more than once (cont.)

Value	Label	Cases	Percentage
1	Once	6768	97.1%
2	More Than Once	205	2.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#713 Q503M: Month started living as Husband/wife

Information [Type= continuous] [Format=numeric] [Range= 1-98] [Missing=*]

Statistics [NW/ W] [Valid=6983 /-] [Invalid=95 /-] [Mean=15.233 /-] [StdDev=28.163 /-]

Value	Label	Cases	Percentage
1	1	847	12.1%
2	2	489	7.0%
3	3	566	8.1%
4	4	517	7.4%
5	5	830	11.9%
6	6	579	8.3%
7	7	381	5.5%
8	8	528	7.6%
9	9	349	5.0%
10	10	451	6.5%
11	11	315	4.5%
12	12	415	5.9%
98	Don't know	716	10.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#714 Q503Y: Year started living as Husband/wife

Information [Type= continuous] [Format=numeric] [Range= 55-98] [Missing=*]

Statistics [NW/ W] [Valid=6983 /-] [Invalid=95 /-] [Mean=80.421 /-] [StdDev=9.037 /-]

Frequency table not shown (40 Modalities)

#715 Q504: How old when Started Living with Husband.

Information [Type= continuous] [Format=numeric] [Range= 12-37] [Missing=*]

Statistics [NW/ W] [Valid=202 /-] [Invalid=6876 /-] [Mean=19.757 /-] [StdDev=4.233 /-]

Value	Label	Cases	Percentage
12	12	1	0.5%
13	13	4	2.0%
14	14	15	7.4%
15	15	7	3.5%

File DHS93_Women (cont.)

#715 Q504: How old when Started Living with Husb. (cont.)

Value (cont.)	Label	Cases	Percentage
16	16	20	9.9%
17	17	13	6.4%
18	18	25	12.4%
19	19	22	10.9%
20	20	30	14.9%
21	21	7	3.5%
22	22	13	6.4%
23	23	10	5.0%
24	24	6	3.0%
25	25	11	5.4%
26	26	2	1.0%
27	27	4	2.0%
28	28	4	2.0%
29	29	1	0.5%
30	30	4	2.0%
31	31	1	0.5%
32	32	1	0.5%
37	37	1	0.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#716 Q505: Where lived before living with Husb.

Information	[Type= continuous] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=6983 /-] [Invalid=95 /-] [Mean=2.787 /-] [StdDev=0.747 /-]		
Value	Label	Cases	Percentage
1	Colombo Metro	770	11.0%
2	Other urban	538	7.7%
3	Rural	5088	72.9%
4	Estate	584	8.4%
5	Abroad	3	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#717 Q506: (1st)Husband lived in the Same Place

Information	[Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=6983 /-] [Invalid=95 /-] [Mean=2.244 /-] [StdDev=0.992 /-]		
Value	Label	Cases	Percentage
1	Same area/village/estate	2465	35.3%
2	Different urban area	650	9.3%

File DHS93_Women (cont.)

#717 Q506: (1st)Husband lived in the Same Place (cont.)

Value (cont.)	Label	Cases	Percentage
3	Different village	3575	51.2%
4	Different estate	287	4.1%
5	Abroad	5	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#718 Q507: Distance in Miles to his Place

Information	[Type= continuous] [Format=numeric] [Range= 0-999] [Missing=*]
Statistics [NW/ W]	[Valid=4518 /-] [Invalid=2560 /-] [Mean=54.646 /-] [StdDev=140.295 /-]
Frequency table not shown (167 Modalities)	

#719 Q508A: Parents Still Alive - Mother

Information	[Type= continuous] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=6983 /-] [Invalid=95 /-] [Mean=1.221 /-] [StdDev=0.443 /-]

Value	Label	Cases	Percentage
1	Yes	5461	78.2%
2	No	1518	21.7%
8	Don't know	4	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#720 Q508B: Parents Still Alive - Father

Information	[Type= continuous] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=6983 /-] [Invalid=95 /-] [Mean=1.479 /-] [StdDev=0.523 /-]

Value	Label	Cases	Percentage
1	Yes	3663	52.5%
2	No	3316	47.5%
8	Don't know	4	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#721 Q509A: Husband's Parents Still Alive - Mother

Information	[Type= continuous] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=6983 /-] [Invalid=95 /-] [Mean=1.349 /-] [StdDev=0.666 /-]

Value	Label	Cases	Percentage
1	Yes	4760	68.2%
2	No	2187	31.3%

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#721 Q509A: Husband's Parents Still Alive - Mother (cont.)

Value (cont.)	Label	Cases	Percentage
8	Don't know	36	0.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#722 Q509B: Husband's Parents Still Alive - Father

Information	[Type= continuous] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=6983 /-] [Invalid=95 /-] [Mean=1.612 /-] [StdDev=0.674 /-]		
Value	Label	Cases	Percentage
1	Yes	2928	41.9%
2	No	4019	57.6%
8	Don't know	36	0.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#723 Q512A: Parents not Alive now but Alive at Merriage time W/Mother

Information	[Type= continuous] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=5510 /-] [Invalid=1568 /-] [Mean=1.111 /-] [StdDev=0.39 /-]		
Value	Label	Cases	Percentage
1	Yes	4942	89.7%
2	No	561	10.2%
8	Don't know	7	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#724 Q512B: Parents not Alive now but Alive at Merriage time W/Father

Information	[Type= continuous] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=5510 /-] [Invalid=1568 /-] [Mean=1.29 /-] [StdDev=0.517 /-]		
Value	Label	Cases	Percentage
1	Yes	3961	71.9%
2	No	1541	28.0%
8	Don't know	8	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#725 Q512C: Parents not Alive now but Alive at Merriage time H/Mother

Information	[Type= continuous] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=5510 /-] [Invalid=1568 /-] [Mean=1.203 /-] [StdDev=0.56 /-]		

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#725 Q512C: Parents not Alive now but Alive at Marriage time H/Mother (cont.)

Value	Label	Cases	Percentage
1	Yes	4514	81.9%
2	No	976	17.7%
8	Don't know	20	0.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#726 Q512D: Parents not Alive now but Alive at Marriage time H/Father

Information	[Type= continuous] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=5510 /-] [Invalid=1568 /-] [Mean=1.412 /-] [StdDev=0.628 /-]		
Value	Label	Cases	Percentage
1	Yes	3359	61.0%
2	No	2131	38.7%
8	Don't know	20	0.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#727 Q514: Lived with any parent at least 6 mths

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=6934 /-] [Invalid=144 /-] [Mean=1.31 /-] [StdDev=0.463 /-]		
Literal question	At any time since you began living with your (first) husband, did you and he live with any of these parents for at least 6 months		
Value	Label	Cases	Percentage
1	Yes	4781	69.0%
2	No	2153	31.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#728 Q515: For How Many Yrs Lived With the Parents at that Time

Information	[Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*]		
Statistics [NW/ W]	[Valid=4781 /-] [Invalid=2297 /-] [Mean=35.269 /-] [StdDev=43.997 /-]		
Frequency table not shown (31 Modalities)			

#729 Q516: Living with Your Parents or Hub's Parents

Information	[Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=5297 /-] [Invalid=1781 /-] [Mean=1.931 /-] [StdDev=0.274 /-]		
Value	Label	Cases	Percentage
1	Yes	374	7.1%
2	No	4922	92.9%

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#729 Q516: Living with Your Parents or Hub's Parents (cont.)

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#730 Q518: Had Sexual Intercourse last 4 weeks

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W] [Valid=6433 /-] [Invalid=645 /-] [Mean=1.215 /-] [StdDev=0.411 /-]

Value	Label	Cases	Percentage
1	Yes	5049	78.5%
2	No	1384	21.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#731 Q519: No of Times Had S/Int

Information [Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*]

Statistics [NW/ W] [Valid=5049 /-] [Invalid=2029 /-] [Mean=9.966 /-] [StdDev=19.305 /-]

Frequency table not shown (36 Modalities)

#732 Q520C: When Had S/Int last

Information [Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*]

Statistics [NW/ W] [Valid=6433 /-] [Invalid=645 /-] [Mean=2.175 /-] [StdDev=1.974 /-]

Value	Label	Cases	Percentage
1	Days ago	3080	47.9%
2	Weeks ago	1925	29.9%
3	Months ago	723	11.2%
4	Years ago	291	4.5%
9	Before Last birth	414	6.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#733 Q520H: No of Times S/Int

Information [Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*]

Statistics [NW/ W] [Valid=6433 /-] [Invalid=645 /-] [Mean=8.419 /-] [StdDev=22.803 /-]

Value	Label	Cases	Percentage
0	0	17	0.3%
1	1	2151	33.4%
2	2	1590	24.7%
3	3	1002	15.6%
4	4	467	7.3%
5	5	495	7.7%

File DHS93_Women (cont.)

#733 Q520H: No of Times S/Int (cont.)

Value (cont.)	Label	Cases	Percentage
6	6	206	3.2%
7	7	25	0.4%
8	8	25	0.4%
9	9	7	0.1%
10	10	22	0.3%
11	11	1	0.0%
12	12	4	0.1%
13	13	3	0.0%
16	16	1	0.0%
17	17	1	0.0%
18	18	1	0.0%
95	95	410	6.4%
97	97	3	0.0%
99	99	2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#734 Q523: Happy to be Pregnant next Few Weeks

Information	[Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=1507 /-] [Invalid=5571 /-] [Mean=1.613 /-] [StdDev=0.708 /-]

Value	Label	Cases	Percentage
1	Happy	719	47.7%
2	Unhappy	670	44.5%
3	Wouldn't matter	115	7.6%
9	9	3	0.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#735 Q524: Main Reason not Using a Method

Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]
Statistics [NW/ W]	[Valid=788 /-] [Invalid=6290 /-] [Mean=10.393 /-] [StdDev=15.678 /-]

Value	Label	Cases	Percentage
1	Lack of knowledge/source	25	3.2%
2	Opposed to FP	23	2.9%
3	Husband disapproves	57	7.3%
4	Other people disapproves	7	0.9%
5	Infrequent sex	104	13.3%
6	Postpartum	55	7.0%
7	Menopausal/subfucund	185	23.6%

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#735 Q524: Main Reason not Using a Method (cont.)

Value (cont.)	Label	Cases	Percentage
8	Health concerns	109	13.9%
9	Access/availability	9	1.1%
10	Costs too much	4	0.5%
11	Religion	17	2.2%
12	Inconvenient to use	9	1.1%
13	Rumour of side effects	26	3.3%
14	Other	135	17.2%
98	Don't know	18	2.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#736 Q525A: Present Children <10

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=6433 /-] [Invalid=645 /-] [Mean=1.847 /-] [StdDev=0.36 /-]		
Value	Label	Cases	Percentage
1	Yes	987	15.3%
2	No	5446	84.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#737 Q525B: Present Husband

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=6433 /-] [Invalid=645 /-] [Mean=1.983 /-] [StdDev=0.129 /-]		
Value	Label	Cases	Percentage
1	Yes	109	1.7%
2	No	6324	98.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#738 Q525C: Present Other Males

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=6433 /-] [Invalid=645 /-] [Mean=1.996 /-] [StdDev=0.0597 /-]		
Value	Label	Cases	Percentage
1	Yes	23	0.4%
2	No	6410	99.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#739 Q525D: Present Other Females

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*		
Statistics [NW/ W]	[Valid=6433 /-] [Invalid=645 /-] [Mean=1.964 /-] [StdDev=0.185 /-]		
Value	Label	Cases	Percentage
1	Yes	229	3.6%
2	No	6204	96.4%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#740 Q603: Have another Child

Information	[Type= continuous] [Format=numeric] [Range= 1-8] [Missing=*		
Statistics [NW/ W]	[Valid=4640 /-] [Invalid=2438 /-] [Mean=1.877 /-] [StdDev=1.525 /-]		
Value	Label	Cases	Percentage
1	Have another Child	2042	44.0%
2	No more children	2353	50.7%
8	Undecided/don't know	245	5.3%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#741 Q604: Definitely No

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*		
Statistics [NW/ W]	[Valid=2353 /-] [Invalid=4725 /-] [Mean=1.068 /-] [StdDev=0.253 /-]		
Value	Label	Cases	Percentage
1	Definitely no more	2192	93.2%
2	Not sure	161	6.8%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#742 Q605: More Inclined to have a nother child

Information	[Type= continuous] [Format=numeric] [Range= 1-8] [Missing=*		
Statistics [NW/ W]	[Valid=245 /-] [Invalid=6833 /-] [Mean=5.188 /-] [StdDev=3.27 /-]		
Value	Label	Cases	Percentage
1	Have another Child	59	24.1%
2	No more children	46	18.8%
8	Undecided/don't know	140	57.1%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#743 Q606: Definitely Want a Child

Information	[Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*		
-------------	---	--	--

File DHS93_Women (cont.)

#743 Q606: Definitely Want a Child (cont.)

Statistics [NW/ W] [Valid=2042 /-] [Invalid=5036 /-] [Mean=1.044 /-] [StdDev=0.263 /-]

Value	Label	Cases	Percentage
1	Definitely more	1960	96.0%
2	Not sure	81	4.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#744 Q607C: How long to wait for the Next Birth MM

Information [Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*]

Statistics [NW/ W] [Valid=2101 /-] [Invalid=4977 /-] [Mean=2.206 /-] [StdDev=1.845 /-]

Value	Label	Cases	Percentage
1	Months	527	25.1%
2	Years	1437	68.4%
9	Don't know	137	6.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#745 Q607U: How long to wait for the Next Birth YY

Information [Type= continuous] [Format=numeric] [Range= 0-98] [Missing=*]

Statistics [NW/ W] [Valid=2101 /-] [Invalid=4977 /-] [Mean=9.152 /-] [StdDev=23.628 /-]

Value	Label	Cases	Percentage
0	0	345	16.4%
1	1	300	14.3%
2	2	310	14.8%
3	3	313	14.9%
4	4	206	9.8%
5	5	308	14.7%
6	6	61	2.9%
7	7	16	0.8%
8	8	7	0.3%
9	9	49	2.3%
10	10	39	1.9%
11	11	1	0.0%
12	12	3	0.1%
18	18	3	0.1%
30	30	1	0.0%
36	36	1	0.0%
48	48	1	0.0%
98	Don't know	137	6.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#746 Q608: Age of Youngest Child Would be

Information	[Type= continuous] [Format=numeric] [Range= 1-98] [Missing=*]		
Statistics [NW/ W]	[Valid=137 /-] [Invalid=6941 /-] [Mean=86.387 /-] [StdDev=29.792 /-]		
Value	Label	Cases	Percentage
96	No Living children	50	100.0%
97	Don't know	0	0.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#747 Q609: Last child was Born by Caesarean

Information	[Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=1690 /-] [Invalid=5388 /-] [Mean=1.938 /-] [StdDev=0.397 /-]		
Value	Label	Cases	Percentage
1	Yes	126	7.5%
2	No	1561	92.5%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#748 Q610: Regret of Having had the Operation

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=1925 /-] [Invalid=5153 /-] [Mean=1.885 /-] [StdDev=0.319 /-]		
Value	Label	Cases	Percentage
1	Yes	222	11.5%
2	No	1703	88.5%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#749 Q611: Like to Have Another Child

Information	[Type= continuous] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=222 /-] [Invalid=6856 /-] [Mean=1.311 /-] [StdDev=0.988 /-]		
Value	Label	Cases	Percentage
1	Have another	177	81.2%
2	No more	41	18.8%
3	Undecided/don't know	0	0.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#750 Q612: No of Children Preferred

Information	[Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*]		
Statistics [NW/ W]	[Valid=6320 /-] [Invalid=758 /-] [Mean=8.677 /-] [StdDev=22.649 /-]		

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#750 Q612: No of Children Preferred (cont.)

Value	Label	Cases	Percentage
0	0	3	0.0%
1	1	187	3.0%
2	2	2700	42.7%
3	3	1909	30.2%
4	4	761	12.0%
5	5	267	4.2%
6	6	48	0.8%
7	7	18	0.3%
8	8	10	0.2%
9	9	1	0.0%
10	10	11	0.2%
94	94	9	0.1%
95	95	376	5.9%
98	98	15	0.2%
99	99	5	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#751 Q612A: Range - No of children Preferred - Start

Information	[Type= continuous] [Format=numeric] [Range= 1-10] [Missing=*]		
Statistics [NW/ W]	[Valid=663 /-] [Invalid=6415 /-] [Mean=2.837 /-] [StdDev=1.128 /-]		
Value	Label	Cases	Percentage
1	1	16	2.4%
2	2	310	46.8%
3	3	178	26.8%
4	4	110	16.6%
5	5	35	5.3%
6	6	9	1.4%
7	7	2	0.3%
8	8	1	0.2%
10	10	2	0.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#752 Q612B: Range - No of children Preferred - End

Information	[Type= continuous] [Format=numeric] [Range= 2-12] [Missing=*]		
Statistics [NW/ W]	[Valid=663 /-] [Invalid=6415 /-] [Mean=3.881 /-] [StdDev=1.18 /-]		
Value	Label	Cases	Percentage
2	2	15	2.3%

File DHS93_Women (cont.)

#752 Q612B: Range - No of children Preferred - End (cont.)

Value (cont.)	Label	Cases	Percentage
3	3	303	45.7%
4	4	177	26.7%
5	5	115	17.3%
6	6	37	5.6%
7	7	8	1.2%
8	8	5	0.8%
9	9	1	0.2%
12	12	2	0.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#753 Q702: Husband Attended School

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=6983 /-] [Invalid=95 /-] [Mean=1.047 /-] [StdDev=0.212 /-]		
Value	Label	Cases	Percentage
1	Yes	6655	95.3%
2	No	328	4.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#754 Q703C: Highest Grade in School

Information	[Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=6655 /-] [Invalid=423 /-] [Mean=2.245 /-] [StdDev=1.37 /-]		
Value	Label	Cases	Percentage
1	Primary	1782	26.8%
2	Secondary	2559	38.5%
3	Higher	2131	32.0%
9	Dont konw	183	2.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#755 Q703U: Highest Grade code

Information	[Type= continuous] [Format=numeric] [Range= 0-98] [Missing=*]		
Statistics [NW/ W]	[Valid=6655 /-] [Invalid=423 /-] [Mean=10.143 /-] [StdDev=15.047 /-]		
Value	Label	Cases	Percentage
0	0	6	0.1%
1	1	81	1.2%
2	2	261	3.9%
3	3	322	4.8%

File DHS93_Women (cont.)

#755 Q703U: Highest Grade code (cont.)

Value (cont.)	Label	Cases	Percentage
4	4	413	6.2%
5	5	699	10.5%
6	6	403	6.1%
7	7	438	6.6%
8	8	882	13.3%
9	9	836	12.6%
10	10	1273	19.1%
11	11	238	3.6%
12	12	620	9.3%
98	don't know	183	2.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#756 Q704: Highest Exam Passed

Information	[Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=4690 /-] [Invalid=2388 /-] [Mean=4.059 /-] [StdDev=2.304 /-]

Value	Label	Cases	Percentage
1	GCE O/L	1371	29.3%
2	GCE AL	426	9.1%
3	University Degree	117	2.5%
4	Technical/professional	95	2.0%
5	Other	13	0.3%
6	None	2665	56.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#757 Q706: Can Read a Letter

Information	[Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=2293 /-] [Invalid=4785 /-] [Mean=1.698 /-] [StdDev=0.857 /-]

Value	Label	Cases	Percentage
1	Easily	1167	50.9%
2	With Difficulty	687	30.0%
3	Not at all	433	18.9%
9	9	6	0.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#758 Q707: Husband's Work

Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]
-------------	---

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#758 Q707: Husband's Work (cont.)

Statistics [NW/ W] [Valid=6983 /-] [Invalid=95 /-] [Mean=7.297 /-] [StdDev=6.87 /-]

Value	Label	Cases	Percentage
1	Farming	1663	23.8%
2	Fishing/hunting	133	1.9%
3	Estate worker	462	6.6%
4	Unskilled labourer (own Account)	691	9.9%
5	Unskilled Labourer (Pvt/Govt institute)	409	5.9%
6	Skilled labourer (own account)	470	6.7%
7	Skilled labourer (Pvt/Govt Institute)	605	8.7%
8	Petty Trader/Hawker	598	8.6%
9	Cottage Industry	43	0.6%
10	Domestic Worker	9	0.1%
11	Teacher - Primary/secondary	77	1.1%
12	Teacher University	19	0.3%
13	Nurse Health worker	23	0.3%
14	Tech/Mgrl/Professional	396	5.7%
15	Other	791	11.3%
16	Pensioneer	143	2.0%
17	17	339	4.9%
25	25	100	1.4%
98	Don't know	9	0.1%
99	99	3	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#759 Q708: Earns Regular Wages/Salary

Information [Type= continuous] [Format=numeric] [Range= 1-8] [Missing=*]

Statistics [NW/ W] [Valid=5320 /-] [Invalid=1758 /-] [Mean=1.415 /-] [StdDev=0.909 /-]

Value	Label	Cases	Percentage
1	Yes	3555	66.8%
2	No	1691	31.8%
8	Don't know	74	1.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#760 Q709: Husband Works on His Land

Information [Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*]

Statistics [NW/ W] [Valid=1663 /-] [Invalid=5415 /-] [Mean=1.212 /-] [StdDev=0.448 /-]

Value	Label	Cases	Percentage
1	His/Family	1317	79.2%

File DHS93_Women (cont.)

#760 Q709: Husband Works on His Land (cont.)

Value (cont.)	Label	Cases	Percentage
2	Someone Else's land	345	20.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#761 Q709A: Hires others to work for Him

Information	[Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=1318 /-] [Invalid=5760 /-] [Mean=1.616 /-] [StdDev=0.528 /-]		
Value	Label	Cases	Percentage
1	Yes	513	39.0%
2	No	804	61.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#762 Q710: Work for Money/Share of Crop

Information	[Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=345 /-] [Invalid=6733 /-] [Mean=1.748 /-] [StdDev=0.593 /-]		
Value	Label	Cases	Percentage
1	Money	94	27.3%
2	Share of Crops	250	72.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#763 Q711: Worked Regularly before Marriage

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=6983 /-] [Invalid=95 /-] [Mean=1.693 /-] [StdDev=0.461 /-]		
Value	Label	Cases	Percentage
1	Yes	2142	30.7%
2	No	4841	69.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#764 Q712: Saved the Income or Turned over to Family

Information	[Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=2142 /-] [Invalid=4936 /-] [Mean=1.336 /-] [StdDev=0.499 /-]		
Value	Label	Cases	Percentage
1	Turned over to family	1430	66.8%
2	Kept for self	711	33.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#765 Q713: Worked other than on a Farm

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=6983 /-] [Invalid=95 /-] [Mean=1.71 /-] [StdDev=0.454 /-]		
Value	Label	Cases	Percentage
1	Yes	2025	29.0%
2	No	4958	71.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#766 Q714: Currently Working other than on a farm

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=2025 /-] [Invalid=5053 /-] [Mean=1.248 /-] [StdDev=0.432 /-]		
Value	Label	Cases	Percentage
1	Yes	1523	75.2%
2	No	502	24.8%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#767 Q715: Currently Working on a farm

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=5460 /-] [Invalid=1618 /-] [Mean=1.933 /-] [StdDev=0.25 /-]		
Value	Label	Cases	Percentage
1	Yes	366	6.7%
2	No	5094	93.3%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#768 Q716: Kind of Work Doing

Information	[Type= continuous] [Format=numeric] [Range= 1-98] [Missing=*]		
Statistics [NW/ W]	[Valid=1889 /-] [Invalid=5189 /-] [Mean=7.246 /-] [StdDev=5.672 /-]		
Value	Label	Cases	Percentage
1	Farming	110	6.1%
2	Fishing/hunting	2	0.1%
3	Estate worker	543	30.4%
4	Unskilled labourer (own Account)	212	11.9%
5	Unskilled Labourer (Pvt/Govt institute)	162	9.1%
6	Skilled labourer (own account)	21	1.2%
7	Skilled labourer (Pvt/Govt Institute)	125	7.0%
8	Petty Trader/Hawker	41	2.3%
9	Cottage Industry	64	3.6%

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#768 Q716: Kind of Work Doing (cont.)

Value (cont.)	Label	Cases	Percentage
10	Domestic Worker	23	1.3%
11	Teacher - Primary/secondary	196	11.0%
12	Teacher University	28	1.6%
13	Nurse Health worker	40	2.2%
14	Tech/Mgrl/Professional	58	3.2%
15	Other	161	9.0%
16	Pensioneer	1	0.1%
98	Don't know	2	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#769 Q717H: Recording Time HH

Information	[Type= continuous] [Format=numeric] [Range= 2-99] [Missing=*]
Statistics [NW/ W]	[Valid=6983 /-] [Invalid=95 /-] [Mean=14.182 /-] [StdDev=10.377 /-]

Value	Label	Cases	Percentage
2	2	2	0.0%
3	3	1	0.0%
4	4	3	0.0%
5	5	1	0.0%
6	6	1	0.0%
7	7	3	0.0%
8	8	19	0.3%
9	9	231	3.3%
10	10	1005	14.4%
11	11	1166	16.7%
12	12	957	13.7%
13	13	608	8.7%
14	14	797	11.4%
15	15	867	12.4%
16	16	611	8.7%
17	17	365	5.2%
18	18	168	2.4%
19	19	59	0.8%
20	20	17	0.2%
21	21	1	0.0%
97	97	82	1.2%
99	99	19	0.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File DHS93_Women (cont.)

#770 Q717M: Recording Time MM

Information	[Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*]
Statistics [NW/ W]	[Valid=6983 /-] [Invalid=95 /-] [Mean=27.587 /-] [StdDev=19.435 /-]

#771 Q801: Measurer

Information	[Type= continuous] [Format=numeric] [Range= 1-11] [Missing=*]
Statistics [NW/ W]	[Valid=2916 /-] [Invalid=4162 /-] [Mean=5.755 /-] [StdDev=3.039 /-]

#772 LN800001: Line No of Youngest Living Child

Information	[Type= continuous] [Format=numeric] [Range= 1-13] [Missing=*]
Statistics [NW/ W]	[Valid=2916 /-] [Invalid=4162 /-] [Mean=2.453 /-] [StdDev=1.572 /-]

#773 LN800002: Line No of Next to Youngest Living Child

Information	[Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=796 /-] [Invalid=6282 /-] [Mean=2.045 /-] [StdDev=1.377 /-]

#774 LN800003: Line No of Second to Youngest Living Child

Information	[Type= continuous] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=76 /-] [Invalid=7002 /-] [Mean=2.105 /-] [StdDev=1.493 /-]

#775 LN800004: Line No of Third to Youngest Living Child

Information	[Type= continuous] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=3 /-] [Invalid=7075 /-] [Mean=1.667 /-] [StdDev=1.155 /-]

#776 Q802M001: Dob MM 01

Information	[Type= continuous] [Format=numeric] [Range= 1-12] [Missing=*]
Statistics [NW/ W]	[Valid=2916 /-] [Invalid=4162 /-] [Mean=6.52 /-] [StdDev=3.47 /-]

#777 Q802M002: Dob MM 02

Information	[Type= continuous] [Format=numeric] [Range= 1-12] [Missing=*]
Statistics [NW/ W]	[Valid=796 /-] [Invalid=6282 /-] [Mean=6.812 /-] [StdDev=3.371 /-]

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#778 Q802M003: Dob MM 03

Information	[Type= continuous] [Format=numeric] [Range= 1-12] [Missing=*]
Statistics [NW/ W]	[Valid=76 /-] [Invalid=7002 /-] [Mean=6.434 /-] [StdDev=3.627 /-]

#779 Q802M004: Dob MM 04

Information	[Type= continuous] [Format=numeric] [Range= 2-7] [Missing=*]
Statistics [NW/ W]	[Valid=3 /-] [Invalid=7075 /-] [Mean=4.333 /-] [StdDev=2.517 /-]

#780 Q802Y001: Dob YY 01

Information	[Type= continuous] [Format=numeric] [Range= 88-93] [Missing=*]
Statistics [NW/ W]	[Valid=2916 /-] [Invalid=4162 /-] [Mean=90.921 /-] [StdDev=1.48 /-]

#781 Q802Y002: Dob YY 02

Information	[Type= continuous] [Format=numeric] [Range= 88-93] [Missing=*]
Statistics [NW/ W]	[Valid=796 /-] [Invalid=6282 /-] [Mean=89.53 /-] [StdDev=1.113 /-]

#782 Q802Y003: Dob YY 03

Information	[Type= continuous] [Format=numeric] [Range= 88-93] [Missing=*]
Statistics [NW/ W]	[Valid=76 /-] [Invalid=7002 /-] [Mean=89 /-] [StdDev=0.952 /-]

#783 Q802Y004: Dob YY 04

Information	[Type= continuous] [Format=numeric] [Range= 88-90] [Missing=*]
Statistics [NW/ W]	[Valid=3 /-] [Invalid=7075 /-] [Mean=89 /-] [StdDev=1 /-]

#784 Q8030001: Age 01 MM

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=2916 /-] [Invalid=4162 /-] [Mean=1.067 /-] [StdDev=0.25 /-]

#785 Q8030002: Age 02 MM

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=796 /-] [Invalid=6282 /-] [Mean=1.005 /-] [StdDev=0.0708 /-]

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#786 Q8030003: Age 03 MM

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=76 /-] [Invalid=7002 /-] [Mean=1.013 /-] [StdDev=0.115 /-]

#787 Q8030004: Age 04 MM

Information	[Type= continuous] [Format=numeric] [Range= 1-1] [Missing=*]
Statistics [NW/ W]	[Valid=3 /-] [Invalid=7075 /-] [Mean=1 /-] [StdDev=0 /-]

#788 Q8040001: Length 01 cm

Information	[Type= continuous] [Format=numeric] [Range= 542-9999] [Missing=*]
Statistics [NW/ W]	[Valid=2721 /-] [Invalid=4357 /-] [Mean=1573.736 /-] [StdDev=2508.124 /-]

#789 Q8040002: Length 02 cm

Information	[Type= continuous] [Format=numeric] [Range= 602-9999] [Missing=*]
Statistics [NW/ W]	[Valid=792 /-] [Invalid=6286 /-] [Mean=1991.173 /-] [StdDev=2923.9 /-]

#790 Q8040003: Length 03 cm

Information	[Type= continuous] [Format=numeric] [Range= 831-9999] [Missing=*]
Statistics [NW/ W]	[Valid=75 /-] [Invalid=7003 /-] [Mean=1681.933 /-] [StdDev=2469.908 /-]

#791 Q8040004: Length 04 cm

Information	[Type= continuous] [Format=numeric] [Range= 949-9999] [Missing=*]
Statistics [NW/ W]	[Valid=3 /-] [Invalid=7075 /-] [Mean=3967 /-] [StdDev=5223.866 /-]

#792 Q8050001: Weight 01 Kg

Information	[Type= continuous] [Format=numeric] [Range= 39-999] [Missing=*]
Statistics [NW/ W]	[Valid=2721 /-] [Invalid=4357 /-] [Mean=176.655 /-] [StdDev=247.605 /-]

Frequency table not shown (141 Modalities)

#793 Q8050002: Weight 02 Kg

Information	[Type= continuous] [Format=numeric] [Range= 53-999] [Missing=*]
Statistics [NW/ W]	[Valid=792 /-] [Invalid=6286 /-] [Mean=235.931 /-] [StdDev=294.255 /-]

Frequency table not shown (107 Modalities)

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#794 Q8050003: Weight 03 Kg

Information [Type= continuous] [Format=numeric] [Range= 96-999] [Missing=*]

Statistics [NW/ W] [Valid=75 /-] [Invalid=7003 /-] [Mean=211.827 /-] [StdDev=254.809 /-]

Frequency table not shown (45 Modalities)

#795 Q8050004: Weight 04 Kg

Information [Type= continuous] [Format=numeric] [Range= 116-999] [Missing=*]

Statistics [NW/ W] [Valid=3 /-] [Invalid=7075 /-] [Mean=416.333 /-] [StdDev=504.684 /-]

Value	Label	Cases	Percentage
116	116	1	33.3%
134	134	1	33.3%
999	999	1	33.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#796 Q8060001: Result 01

Information [Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*]

Statistics [NW/ W] [Valid=2721 /-] [Invalid=4357 /-] [Mean=1.182 /-] [StdDev=0.719 /-]

Value	Label	Cases	Percentage
1	Measured	2511	92.3%
2	Not at home	85	3.1%
3	Refused	14	0.5%
4	Child Cried	67	2.5%
5	Other	43	1.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#797 Q8060002: Result 02

Information [Type= continuous] [Format=numeric] [Range= 1-5] [Missing=*]

Statistics [NW/ W] [Valid=792 /-] [Invalid=6286 /-] [Mean=1.221 /-] [StdDev=0.725 /-]

Value	Label	Cases	Percentage
1	Measured	701	88.5%
2	Not at home	51	6.4%
3	Refused	8	1.0%
4	Child Cried	20	2.5%
5	Other	12	1.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Women (cont.)

#798 Q8060003: Result 03

Information	[Type= continuous] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=75 /-] [Invalid=7003 /-] [Mean=1.147 /-] [StdDev=0.608 /-]		
Value	Label	Cases	Percentage
1	Measured	69	92.0%
2	Not at home	4	5.3%
3	Refused	0	0.0%
4	Child Cried	1	1.3%
5	Other	1	1.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#799 Q8060004: Result 04

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=3 /-] [Invalid=7075 /-] [Mean=1.333 /-] [StdDev=0.577 /-]		
Value	Label	Cases	Percentage
1	Measured	2	66.7%
2	Not at home	1	33.3%
3	Refused	0	0.0%
4	Child Cried	0	0.0%
5	Other	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#800 V612: Ideal number of children

Information	[Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*]		
Statistics [NW/ W]	[Valid=6983 /-] [Invalid=95 /-] [Mean=8.218 /-] [StdDev=21.597 /-]		
Value	Label	Cases	Percentage
0	0	3	0.0%
1	1	187	2.7%
2	2	2716	38.9%
3	3	2219	31.8%
4	4	938	13.4%
5	5	377	5.4%
6	6	83	1.2%
7	7	28	0.4%
8	8	12	0.2%
9	9	2	0.0%
10	10	11	0.2%
11	11	2	0.0%

File DHS93_Women (cont.)

#800 V612: Ideal number of children (cont.)

Value (cont.)	Label	Cases	Percentage
94	94	9	0.1%
95	95	376	5.4%
98	98	15	0.2%
99	99	5	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File DHS93_Child

#1 ZONE: Zone

Information	[Type= continuous] [Format=numeric] [Range= 11-72] [Missing=*]
Statistics [NW/ W]	[Valid=3924 /-] [Invalid=0 /-] [Mean=45.389 /-] [StdDev=20.394 /-]

#2 DIST: District

Information	[Type= continuous] [Format=numeric] [Range= 1-24] [Missing=*]
Statistics [NW/ W]	[Valid=3924 /-] [Invalid=0 /-] [Mean=11.482 /-] [StdDev=8.131 /-]

#3 SECTOR: Sector(Ur/Ru/Es)

Information	[Type= continuous] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=3924 /-] [Invalid=0 /-] [Mean=1.889 /-] [StdDev=0.529 /-]

#4 PSU: PSU(Ward/GN/Es)

Information	[Type= continuous] [Format=numeric] [Range= 1-30] [Missing=*]
Statistics [NW/ W]	[Valid=3924 /-] [Invalid=0 /-] [Mean=13.215 /-] [StdDev=8.042 /-]

#5 SSU: Survey Block No

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=3924 /-] [Invalid=0 /-] [Mean=1.065 /-] [StdDev=0.247 /-]

#6 HUN: Housing Unit No

Information	[Type= continuous] [Format=numeric] [Range= 1-394] [Missing=*]
-------------	--

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Child (cont.)

#6 HUN: Housing Unit No (cont.)

Statistics [NW/ W]	[Valid=3924 /-] [Invalid=0 /-] [Mean=90.421 /-] [StdDev=71.076 /-]
--------------------	--

#7 HHNO: Household No

Information	[Type= continuous] [Format=numeric] [Range= 1-3] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=3924 /-] [Invalid=0 /-] [Mean=1.045 /-] [StdDev=0.223 /-]
--------------------	--

#8 WLNO: Visit No ?

Information	[Type= continuous] [Format=numeric] [Range= 1-17] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=3924 /-] [Invalid=0 /-] [Mean=2.601 /-] [StdDev=1.488 /-]
--------------------	--

#9 MOINT: Month of Interview

Information	[Type= continuous] [Format=numeric] [Range= 7-10] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=3924 /-] [Invalid=0 /-] [Mean=7.627 /-] [StdDev=0.688 /-]
--------------------	--

#10 YRINT: Year of Interview

Information	[Type= continuous] [Format=numeric] [Range= 93-93] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=3924 /-] [Invalid=0 /-] [Mean=93 /-] [StdDev=0 /-]
--------------------	---

#11 INTERVR: Interviewer

Information	[Type= continuous] [Format=numeric] [Range= 1-49] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=3924 /-] [Invalid=0 /-] [Mean=27.378 /-] [StdDev=15.226 /-]
--------------------	--

#12 RESULT: Result Code

Information	[Type= continuous] [Format=numeric] [Range= 1-1] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=3924 /-] [Invalid=0 /-] [Mean=1 /-] [StdDev=0 /-]
--------------------	--

#13 VISITS: Total No. of Visits

Information	[Type= continuous] [Format=numeric] [Range= 1-3] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=3924 /-] [Invalid=0 /-] [Mean=1.067 /-] [StdDev=0.289 /-]
--------------------	--

#14 Q212: Birth No

Information	[Type= continuous] [Format=numeric] [Range= 1-13] [Missing=*]
-------------	---

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Child (cont.)

#14 Q212: Birth No (cont.)

Statistics [NW/ W] [Valid=3924 /-] [Invalid=0 /-] [Mean=2.349 /-] [StdDev=1.529 /-]

#15 Q212A: Single/Multiple Birth

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W] [Valid=3924 /-] [Invalid=0 /-] [Mean=1.031 /-] [StdDev=0.172 /-]

Value	Label	Cases	Percentage
1	Single	3804	96.9%
2	Multiple	120	3.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#16 Q213: Boy/Girl

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W] [Valid=3924 /-] [Invalid=0 /-] [Mean=1.475 /-] [StdDev=0.499 /-]

Value	Label	Cases	Percentage
1	Boy	2062	52.5%
2	Girl	1862	47.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#17 Q214M: Birth Month

Information [Type= continuous] [Format=numeric] [Range= 1-12] [Missing=*]

Statistics [NW/ W] [Valid=3924 /-] [Invalid=0 /-] [Mean=6.567 /-] [StdDev=3.457 /-]

#18 Q214Y: Birth Year

Information [Type= continuous] [Format=numeric] [Range= 88-93] [Missing=*]

Statistics [NW/ W] [Valid=3924 /-] [Invalid=0 /-] [Mean=90.593 /-] [StdDev=1.527 /-]

#19 Q215: Child Still Alive

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W] [Valid=3924 /-] [Invalid=0 /-] [Mean=1.024 /-] [StdDev=0.154 /-]

Value	Label	Cases	Percentage
1	Yes	3829	97.6%
2	No	95	2.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Child (cont.)

#20 Q216C: Age At Death Code

Information	[Type= continuous] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=95 /-] [Invalid=3829 /-] [Mean=1.347 /-] [StdDev=0.541 /-]		
Value	Label	Cases	Percentage
1	Days	65	68.4%
2	Months	27	28.4%
3	Years	3	3.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#21 Q216U: Age at Death Value

Information	[Type= continuous] [Format=numeric] [Range= 0-25] [Missing=*]		
Statistics [NW/ W]	[Valid=95 /-] [Invalid=3829 /-] [Mean=3.968 /-] [StdDev=5.037 /-]		
Value	Label	Cases	Percentage
0	0	21	22.1%
1	1	17	17.9%
2	2	12	12.6%
3	3	8	8.4%
4	4	6	6.3%
5	5	9	9.5%
6	6	3	3.2%
7	7	6	6.3%
8	8	2	2.1%
9	9	1	1.1%
10	10	2	2.1%
12	12	3	3.2%
13	13	1	1.1%
19	19	1	1.1%
20	20	1	1.1%
25	25	2	2.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#22 Q217: Age if Alive

Information	[Type= continuous] [Format=numeric] [Range= 0-5] [Missing=*]		
Statistics [NW/ W]	[Valid=3829 /-] [Invalid=95 /-] [Mean=2.04 /-] [StdDev=1.466 /-]		

#23 Q218: Living With the Respondent

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=3829 /-] [Invalid=95 /-] [Mean=1.01 /-] [StdDev=0.1 /-]		

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Child (cont.)

#23 Q218: Living With the Respondent (cont.)

Value	Label	Cases	Percentage
1	Yes	3790	99.0%
2	No	39	1.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#24 Q104: Where Lived

Information	[Type= continuous] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=3924 /-] [Invalid=0 /-] [Mean=2.809 /-] [StdDev=0.719 /-]		

Value	Label	Cases	Percentage
1	Colombo Metro	376	9.6%
2	Other Urban	328	8.4%
3	Rural	2891	73.7%
4	Estate	326	8.3%
5	Abroad	3	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#25 Q105: Duration of Where Lived

Information	[Type= continuous] [Format=numeric] [Range= 0-97] [Missing=*]
Statistics [NW/ W]	[Valid=3924 /-] [Invalid=0 /-] [Mean=40.336 /-] [StdDev=42.672 /-]

#26 Q106M: Birth Month

Information	[Type= continuous] [Format=numeric] [Range= 1-12] [Missing=*]
Statistics [NW/ W]	[Valid=3924 /-] [Invalid=0 /-] [Mean=6.4 /-] [StdDev=3.543 /-]

#27 Q106Y: Birth Year

Information	[Type= continuous] [Format=numeric] [Range= 44-77] [Missing=*]
Statistics [NW/ W]	[Valid=3924 /-] [Invalid=0 /-] [Mean=63.161 /-] [StdDev=6.082 /-]

#28 Q107: Age at Last Birth Day

Information	[Type= continuous] [Format=numeric] [Range= 16-49] [Missing=*]
Statistics [NW/ W]	[Valid=3924 /-] [Invalid=0 /-] [Mean=29.468 /-] [StdDev=6.073 /-]
Frequency table not shown (34 Modalities)	

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Child (cont.)

#29 Q108: Attended School

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W] [Valid=3924 /-] [Invalid=0 /-] [Mean=1.092 /-] [StdDev=0.289 /-]

Value	Label	Cases	Percentage
1	Yes	3564	90.8%
2	No	360	9.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#30 Q109C: Highest Level in School

Information [Type= continuous] [Format=numeric] [Range= 1-3] [Missing=*]

Statistics [NW/ W] [Valid=3564 /-] [Invalid=360 /-] [Mean=2.029 /-] [StdDev=0.772 /-]

Value	Label	Cases	Percentage
1	Primary	1013	28.4%
2	Secondary	1435	40.3%
3	Higher	1116	31.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#31 Q109U: Highest Grade in School

Information [Type= continuous] [Format=numeric] [Range= 0-12] [Missing=*]

Statistics [NW/ W] [Valid=3564 /-] [Invalid=360 /-] [Mean=7.635 /-] [StdDev=2.967 /-]

Value	Label	Cases	Percentage
0	00	3	0.1%
1	01	33	0.9%
2	02	178	5.0%
3	03	203	5.7%
4	04	266	7.5%
5	05	330	9.3%
6	06	247	6.9%
7	07	197	5.5%
8	08	291	8.2%
9	09	700	19.6%
10	10	623	17.5%
11	11	136	3.8%
12	12	357	10.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#32 Q110: Highest Exam Passed

Information [Type= continuous] [Format=numeric] [Range= 1-6] [Missing=*]

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Child (cont.)

#32 Q110: Highest Exam Passed (cont.)

Statistics [NW/ W] [Valid=2551 /-] [Invalid=1373 /-] [Mean=4.16 /-] [StdDev=2.281 /-]

Value	Label	Cases	Percentage
1	GCE OL	676	26.5%
2	GCE AL	280	11.0%
3	University Degree	47	1.8%
4	Tech/Professional	22	0.9%
5	Other	9	0.4%
6	None	1517	59.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#33 Q112: Ability to Read a Newspaper

Information [Type= continuous] [Format=numeric] [Range= 1-3] [Missing=*]

Statistics [NW/ W] [Valid=1373 /-] [Invalid=2551 /-] [Mean=2.127 /-] [StdDev=0.831 /-]

Value	Label	Cases	Percentage
1	Easily	397	28.9%
2	With difficulty	404	29.4%
3	Not at all	572	41.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#34 Q113: Frequency of Reading a Newspaper

Information [Type= continuous] [Format=numeric] [Range= 1-3] [Missing=*]

Statistics [NW/ W] [Valid=801 /-] [Invalid=3123 /-] [Mean=2.19 /-] [StdDev=0.638 /-]

Value	Label	Cases	Percentage
1	Regularly	101	12.6%
2	Seldom	447	55.8%
3	Never	253	31.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#35 Q114: Frequency of Watching TV

Information [Type= continuous] [Format=numeric] [Range= 1-3] [Missing=*]

Statistics [NW/ W] [Valid=3924 /-] [Invalid=0 /-] [Mean=2.137 /-] [StdDev=0.764 /-]

Value	Label	Cases	Percentage
1	Regularly	911	23.2%
2	Seldom	1563	39.8%
3	Never	1450	37.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Child (cont.)

#36 Q115: Frequency of Listening to Radio

Information	[Type= continuous] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=3924 /-] [Invalid=0 /-] [Mean=1.889 /-] [StdDev=0.724 /-]		
Value	Label	Cases	Percentage
1	Regularly	1270	32.4%
2	Seldom	1821	46.4%
3	Never	833	21.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#37 Q116: With Whom to Consult Health

Information	[Type= continuous] [Format=numeric] [Range= 1-7] [Missing=*]		
Statistics [NW/ W]	[Valid=3924 /-] [Invalid=0 /-] [Mean=3.133 /-] [StdDev=1 /-]		
Value	Label	Cases	Percentage
1	Dr - Ayur	45	1.1%
2	Dr - Western2	1374	35.0%
3	Family Health Worker	660	16.8%
4	Clinic/Hospital	1776	45.3%
5	Health Volunteers	12	0.3%
6	Don't take advice	42	1.1%
7	Other	15	0.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#38 Q117: Major Source of Drinking Water

Information	[Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=3924 /-] [Invalid=0 /-] [Mean=4.594 /-] [StdDev=1.618 /-]		
Value	Label	Cases	Percentage
1	Piped into Residence	311	7.9%
2	Piped into premises	148	3.8%
3	Public Tap	544	13.9%
4	Tube well/Abesin. pump	233	5.9%
5	Protected well	1616	41.2%
6	Unprotected well	762	19.4%
7	River/canal/tank/spring water	292	7.4%
8	Rain water	2	0.1%
9	Other	16	0.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Child (cont.)

#39 Q118: Use Boiled Water

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=3924 /-] [Invalid=0 /-] [Mean=1.458 /-] [StdDev=0.498 /-]		
Value	Label	Cases	Percentage
1	Yes	2128	54.2%
2	No	1796	45.8%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#40 Q119: Toilet Facility

Information	[Type= continuous] [Format=numeric] [Range= 1-6] [Missing=*]		
Statistics [NW/ W]	[Valid=3924 /-] [Invalid=0 /-] [Mean=2.914 /-] [StdDev=1.501 /-]		
Value	Label	Cases	Percentage
1	Flush	155	4.0%
2	Water seal	2094	53.4%
3	Pit	975	24.8%
4	Bucket	6	0.2%
5	Other	20	0.5%
6	None	674	17.2%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#41 Q120: Exclusive Toilet/Shared with Others

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=3250 /-] [Invalid=674 /-] [Mean=1.179 /-] [StdDev=0.384 /-]		
Value	Label	Cases	Percentage
1	Exclusive	2667	82.1%
2	Shared	583	17.9%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#42 Q121: Wash Hands after Use of Toilet

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=3924 /-] [Invalid=0 /-] [Mean=1.278 /-] [StdDev=0.448 /-]		
Value	Label	Cases	Percentage
1	Yes	2833	72.2%
2	No	1091	27.8%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Child (cont.)

#43 Q122A: Have Electricity in the House

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=3924 /-] [Invalid=0 /-] [Mean=1.642 /-] [StdDev=0.479 /-]		
Value	Label	Cases	Percentage
1	Yes	1404	35.8%
2	No	2520	64.2%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#44 Q122B: Have Radio in the House

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=3924 /-] [Invalid=0 /-] [Mean=1.287 /-] [StdDev=0.452 /-]		
Value	Label	Cases	Percentage
1	Yes	2799	71.3%
2	No	1125	28.7%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#45 Q122C: Have TV in the House

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=3924 /-] [Invalid=0 /-] [Mean=1.683 /-] [StdDev=0.465 /-]		
Value	Label	Cases	Percentage
1	Yes	1244	31.7%
2	No	2680	68.3%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#46 Q122D: Have Refrigerator in the House

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=3924 /-] [Invalid=0 /-] [Mean=1.893 /-] [StdDev=0.309 /-]		
Value	Label	Cases	Percentage
1	Yes	420	10.7%
2	No	3504	89.3%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#47 Q122E: Have a Bicycle in the House

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=3924 /-] [Invalid=0 /-] [Mean=1.571 /-] [StdDev=0.495 /-]		

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Child (cont.)

#47 Q122E: Have a Bicycle in the House (cont.)

Value	Label	Cases	Percentage
1	Yes	1683	42.9%
2	No	2241	57.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#48 Q122F: Have a Motor Bike in the House

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=3924 /-] [Invalid=0 /-] [Mean=1.87 /-] [StdDev=0.337 /-]		
Value	Label	Cases	Percentage
1	Yes	511	13.0%
2	No	3413	87.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#49 Q122G: Have a Car in the House

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=3924 /-] [Invalid=0 /-] [Mean=1.978 /-] [StdDev=0.146 /-]		
Value	Label	Cases	Percentage
1	Yes	85	2.2%
2	No	3839	97.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#50 Q122H: Have a Van in the House

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=3924 /-] [Invalid=0 /-] [Mean=1.984 /-] [StdDev=0.125 /-]		
Value	Label	Cases	Percentage
1	Yes	62	1.6%
2	No	3862	98.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#51 Q122I: Have a Tractor in the House

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=3924 /-] [Invalid=0 /-] [Mean=1.983 /-] [StdDev=0.128 /-]		
Value	Label	Cases	Percentage
1	Yes	65	1.7%
2	No	3859	98.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Child (cont.)

#52 Q123: Floor Material

Information	[Type= continuous] [Format=numeric] [Range= 1-6] [Missing=*]		
Statistics [NW/ W]	[Valid=3924 /-] [Invalid=0 /-] [Mean=2.778 /-] [StdDev=1.019 /-]		
Value	Label	Cases	Percentage
1	Terrazo/Floor tile	69	1.8%
2	Cement	2311	58.9%
3	Wood	15	0.4%
4	Dung/Mud	1487	37.9%
5	Sand	37	0.9%
6	Other	5	0.1%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#53 Q124: Roof Material

Information	[Type= continuous] [Format=numeric] [Range= 1-6] [Missing=*]		
Statistics [NW/ W]	[Valid=3924 /-] [Invalid=0 /-] [Mean=2.283 /-] [StdDev=1.328 /-]		
Value	Label	Cases	Percentage
1	Tile	1751	44.6%
2	Asbestos	457	11.6%
3	Tin Sheets	678	17.3%
4	Cadjan/palmyrah/straw	982	25.0%
5	Waste material	3	0.1%
6	Other	53	1.4%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#54 Q125: Wall Material

Information	[Type= continuous] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=3924 /-] [Invalid=0 /-] [Mean=1.539 /-] [StdDev=0.752 /-]		
Value	Label	Cases	Percentage
1	Brick/cement/stone/cabook	2260	57.6%
2	Mud	1373	35.0%
3	Wood	138	3.5%
4	Cadjan/palmyrah	145	3.7%
5	Other	8	0.2%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#55 Q126: Religious Group

Information	[Type= continuous] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=3924 /-] [Invalid=0 /-] [Mean=1.543 /-] [StdDev=0.995 /-]		

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Child (cont.)

#55 Q126: Religious Group (cont.)

Value	Label	Cases	Percentage
1	Buddhist	2850	72.6%
2	Hindu	384	9.8%
3	Muslim	355	9.0%
4	Roman Catholic	303	7.7%
5	Other Christian	32	0.8%
6	Other	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#56 Q127: Ethnicity

Information	[Type= continuous] [Format=numeric] [Range= 1-7] [Missing=*]
Statistics [NW/ W]	[Valid=3924 /-] [Invalid=0 /-] [Mean=1.503 /-] [StdDev=1.054 /-]

Value	Label	Cases	Percentage
1	Sinhalese	3085	78.6%
2	Sri Lanka Tamil	148	3.8%
3	Indian Tamil	321	8.2%
4	Sri Lanka Moor	326	8.3%
5	Burgher	14	0.4%
6	Malay6	29	0.7%
7	Other	1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#57 Q202: Have a Son or Daughter Living Here

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=3923 /-] [Invalid=1 /-] [Mean=1.007 /-] [StdDev=0.0842 /-]

Value	Label	Cases	Percentage
1	Yes	3895	99.3%
2	No	28	0.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#58 Q203S: Sons Living Here At Home

Information	[Type= continuous] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=3895 /-] [Invalid=29 /-] [Mean=1.265 /-] [StdDev=1.059 /-]

Value	Label	Cases	Percentage
0	0	897	23.0%
1	1	1707	43.8%
2	2	848	21.8%

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Child (cont.)

#58 Q203S: Sons Living Here At Home (cont.)

Value (cont.)	Label	Cases	Percentage
3	3	304	7.8%
4	4	99	2.5%
5	5	27	0.7%
6	6	11	0.3%
7	7	1	0.0%
8	8	1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#59 Q203D: Daughters Living Here At Home

Information	[Type= continuous] [Format=numeric] [Range= 0-7] [Missing=*]
Statistics [NW/ W]	[Valid=3895 /-] [Invalid=29 /-] [Mean=1.188 /-] [StdDev=1.053 /-]

Value	Label	Cases	Percentage
0	0	1045	26.8%
1	1	1671	42.9%
2	2	758	19.5%
3	3	278	7.1%
4	4	116	3.0%
5	5	22	0.6%
6	6	3	0.1%
7	7	2	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#60 Q204: Have a Son or Daughter not Living Here

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=3923 /-] [Invalid=1 /-] [Mean=1.95 /-] [StdDev=0.218 /-]

Value	Label	Cases	Percentage
1	Yes	197	5.0%
2	No	3726	95.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#61 Q205S: Sons Living Elsewhere

Information	[Type= continuous] [Format=numeric] [Range= 0-4] [Missing=*]
Statistics [NW/ W]	[Valid=197 /-] [Invalid=3727 /-] [Mean=0.635 /-] [StdDev=0.706 /-]

Value	Label	Cases	Percentage
0	0	94	47.7%
1	1	84	42.6%

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Child (cont.)

#61 Q205S: Sons Living Elsewhere (cont.)

Value (cont.)	Label	Cases	Percentage
2	2	17	8.6%
3	3	1	0.5%
4	4	1	0.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#62 Q205D: Daughters Living Elsewhere

Information	[Type= continuous] [Format=numeric] [Range= 0-4] [Missing=*		
Statistics [NW/ W]	[Valid=197 /-] [Invalid=3727 /-] [Mean=0.766 /-] [StdDev=0.697 /-]		
Value	Label	Cases	Percentage
0	0	69	35.0%
1	1	111	56.3%
2	2	12	6.1%
3	3	4	2.0%
4	4	1	0.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#63 Q206: Any Boy or a Girl Gave Birth to but later Died

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*		
Statistics [NW/ W]	[Valid=3924 /-] [Invalid=0 /-] [Mean=1.907 /-] [StdDev=0.29 /-]		
Value	Label	Cases	Percentage
1	Yes	363	9.3%
2	No	3561	90.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#64 Q207B: No of Boys Died

Information	[Type= continuous] [Format=numeric] [Range= 0-3] [Missing=*		
Statistics [NW/ W]	[Valid=363 /-] [Invalid=3561 /-] [Mean=0.675 /-] [StdDev=0.603 /-]		
Value	Label	Cases	Percentage
0	0	142	39.1%
1	1	199	54.8%
2	2	20	5.5%
3	3	2	0.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Child (cont.)

#65 Q207G: No of Girls Died

Information [Type= continuous] [Format=numeric] [Range= 0-3] [Missing=*]

Statistics [NW/ W] [Valid=363 /-] [Invalid=3561 /-] [Mean=0.551 /-] [StdDev=0.621 /-]

Value	Label	Cases	Percentage
0	0	187	51.5%
1	1	153	42.1%
2	2	22	6.1%
3	3	1	0.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#66 Q208: Total no of Live Births

Information [Type= continuous] [Format=numeric] [Range= 1-13] [Missing=*]

Statistics [NW/ W] [Valid=3924 /-] [Invalid=0 /-] [Mean=2.619 /-] [StdDev=1.555 /-]

Value	Label	Cases	Percentage
1	1	954	24.3%
2	2	1299	33.1%
3	3	785	20.0%
4	4	464	11.8%
5	5	224	5.7%
6	6	95	2.4%
7	7	54	1.4%
8	8	18	0.5%
9	9	19	0.5%
10	10	7	0.2%
11	11	2	0.1%
12	12	2	0.1%
13	13	1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#67 Q223: Is Respondnt Pregnant Now

Information [Type= continuous] [Format=numeric] [Range= 1-3] [Missing=*]

Statistics [NW/ W] [Valid=3907 /-] [Invalid=17 /-] [Mean=1.939 /-] [StdDev=0.263 /-]

Value	Label	Cases	Percentage
1	Yes	261	6.7%
2	No	3623	92.7%
3	Not sure	23	0.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Child (cont.)

#68 Q224: No of Mths being Pregnant

Information	[Type= continuous] [Format=numeric] [Range= 1-10] [Missing=*]		
Statistics [NW/ W]	[Valid=261 /-] [Invalid=3663 /-] [Mean=5.402 /-] [StdDev=2.321 /-]		
Value	Label	Cases	Percentage
1	1	11	4.2%
2	2	23	8.8%
3	3	32	12.3%
4	4	36	13.8%
5	5	24	9.2%
6	6	36	13.8%
7	7	36	13.8%
8	8	43	16.5%
9	9	19	7.3%
10	10	1	0.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#69 Q318: Which Method Used by Respondnt

Information	[Type= continuous] [Format=numeric] [Range= 1-12] [Missing=*]		
Statistics [NW/ W]	[Valid=2500 /-] [Invalid=1424 /-] [Mean=5.46 /-] [StdDev=2.96 /-]		
Value	Label	Cases	Percentage
1	Pill	368	14.7%
2	IUD	167	6.7%
3	Injections	356	14.2%
4	Diaphragm/foam/jelly	1	0.0%
5	Condom	148	5.9%
6	Female sterilization	542	21.7%
7	Male sterilization	27	1.1%
8	Safe period	572	22.9%
9	Withdrawal	232	9.3%
10	Norplant	7	0.3%
11	Other	0	0.0%
12	Prolonged Abstinence	80	3.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#70 Q501: Marital Status

Information	[Type= continuous] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=3924 /-] [Invalid=0 /-] [Mean=1.06 /-] [StdDev=0.384 /-]		

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Child (cont.)

#70 Q501: Marital Status (cont.)

Value	Label	Cases	Percentage
1	Married	3811	97.1%
2	Widowed	50	1.3%
3	Divorced	5	0.1%
4	Separated	58	1.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#71 Q501A: Living with Husband

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=3811 /-] [Invalid=113 /-] [Mean=1.01 /-] [StdDev=0.0981 /-]		
Value	Label	Cases	Percentage
1	Yes	3774	99.0%
2	No	37	1.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#72 Q502: Married once or more than once

Information	[Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=3924 /-] [Invalid=0 /-] [Mean=1.034 /-] [StdDev=0.364 /-]		
Value	Label	Cases	Percentage
1	Once	3841	98.1%
2	More Than Once	76	1.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#73 Q503M: Month started living as Husb/wfe

Information	[Type= continuous] [Format=numeric] [Range= 1-98] [Missing=*]		
Statistics [NW/ W]	[Valid=3924 /-] [Invalid=0 /-] [Mean=14.334 /-] [StdDev=26.871 /-]		
Value	Label	Cases	Percentage
1	1	464	11.8%
2	2	273	7.0%
3	3	303	7.7%
4	4	320	8.2%
5	5	471	12.0%
6	6	330	8.4%
7	7	210	5.4%
8	8	312	8.0%
9	9	187	4.8%
10	10	261	6.7%

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Child (cont.)

#73 Q503M: Month started living as Hub/wfe (cont.)

Value (cont.)	Label	Cases	Percentage
11	11	194	4.9%
12	12	237	6.0%
98	Don't know	362	9.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#74 Q503Y: Year started living as Hub/wfe

Information	[Type= continuous] [Format=numeric] [Range= 59-98] [Missing=*]
Statistics [NW/ W]	[Valid=3924 /-] [Invalid=0 /-] [Mean=85.411 /-] [StdDev=5.383 /-]
Frequency table not shown (32 Modalities)	

#75 Q504: How old when Started Living with Hub.

Information	[Type= continuous] [Format=numeric] [Range= 13-37] [Missing=*]
Statistics [NW/ W]	[Valid=97 /-] [Invalid=3827 /-] [Mean=20.515 /-] [StdDev=4.426 /-]

Value	Label	Cases	Percentage
13	13	1	1.0%
14	14	7	7.2%
15	15	2	2.1%
16	16	6	6.2%
17	17	7	7.2%
18	18	9	9.3%
19	19	7	7.2%
20	20	18	18.6%
21	21	7	7.2%
22	22	8	8.2%
23	23	6	6.2%
24	24	1	1.0%
25	25	9	9.3%
26	26	1	1.0%
27	27	1	1.0%
28	28	4	4.1%
30	30	1	1.0%
37	37	2	2.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#76 Q524: Main Reason not Using a Method

Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]
-------------	---

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Child (cont.)

#76 Q524: Main Reason not Using a Method (cont.)

Statistics [NW/ W] [Valid=417 /-] [Invalid=3507 /-] [Mean=10.885 /-] [StdDev=16.777 /-]

Value	Label	Cases	Percentage
1	Lack of knowledge/source	18	4.4%
2	Opposed to FP	8	1.9%
3	Husband disapproves	45	10.9%
4	Other people disapproves	9	2.2%
5	Infrequent sex	28	6.8%
6	Postpartum	75	18.2%
7	Menopausal/subfucund	17	4.1%
8	Health concerns	78	18.9%
9	Access/availability	10	2.4%
10	Costs too much	3	0.7%
11	Religion	8	1.9%
12	Inconvenient to use	7	1.7%
13	Rumour of side effects	25	6.1%
14	Other	72	17.4%
98	Don't know	10	2.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#77 Q612: No of Children Preferred

Information [Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]

Statistics [NW/ W] [Valid=3646 /-] [Invalid=278 /-] [Mean=7.159 /-] [StdDev=19.858 /-]

Value	Label	Cases	Percentage
1	1	88	2.4%
2	2	1642	45.0%
3	3	1190	32.6%
4	4	404	11.1%
5	5	112	3.1%
6	6	26	0.7%
7	7	2	0.1%
8	8	2	0.1%
9	9	3	0.1%
10	10	1	0.0%
94	94	4	0.1%
95	95	159	4.4%
98	98	8	0.2%
99	99	5	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Child (cont.)

#78 Q612A: Range - No of children Preferred - Start

Information	[Type= continuous] [Format=numeric] [Range= 1-10] [Missing=*]		
Statistics [NW/ W]	[Valid=278 /-] [Invalid=3646 /-] [Mean=2.741 /-] [StdDev=1.09 /-]		
Value	Label	Cases	Percentage
1	1	5	1.8%
2	2	146	52.5%
3	3	70	25.2%
4	4	40	14.4%
5	5	13	4.7%
6	6	1	0.4%
7	7	2	0.7%
10	10	1	0.4%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#79 Q612B: Range - No of children Preferred - End

Information	[Type= continuous] [Format=numeric] [Range= 2-12] [Missing=*]		
Statistics [NW/ W]	[Valid=278 /-] [Invalid=3646 /-] [Mean=3.777 /-] [StdDev=1.134 /-]		
Value	Label	Cases	Percentage
2	2	5	1.8%
3	3	140	50.4%
4	4	75	27.0%
5	5	41	14.7%
6	6	12	4.3%
7	7	1	0.4%
8	8	3	1.1%
12	12	1	0.4%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#80 Q702: Husband Attended School

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=3924 /-] [Invalid=0 /-] [Mean=1.05 /-] [StdDev=0.218 /-]		

#81 Q703C: Highest Grade in School

Information	[Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=3728 /-] [Invalid=196 /-] [Mean=2.222 /-] [StdDev=1.333 /-]		
Value	Label	Cases	Percentage
1	Primary	1017	27.3%

File DHS93_Child (cont.)

#81 Q703C: Highest Grade in School (cont.)

Value (cont.)	Label	Cases	Percentage
2	Secondary	1429	38.3%
3	Higher	1188	31.9%
9	Dont konw	94	2.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#82 Q703U: Highest Grade Code

Information	[Type= continuous] [Format=numeric] [Range= 0-98] [Missing=*]		
Statistics [NW/ W]	[Valid=3728 /-] [Invalid=196 /-] [Mean=9.932 /-] [StdDev=14.463 /-]		
Value	Label	Cases	Percentage
0	0	7	0.2%
1	1	52	1.4%
2	2	152	4.1%
3	3	187	5.0%
4	4	241	6.5%
5	5	378	10.1%
6	6	216	5.8%
7	7	270	7.2%
8	8	417	11.2%
9	9	526	14.1%
10	10	664	17.8%
11	11	139	3.7%
12	12	385	10.3%
98	don't know	94	2.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#83 Q704: Highest Exam Passed

Information	[Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=2617 /-] [Invalid=1307 /-] [Mean=4.097 /-] [StdDev=2.292 /-]		
Value	Label	Cases	Percentage
1	GCE O/L	721	27.6%
2	GCE AL	278	10.6%
3	University Degree	62	2.4%
4	Technical/professional	41	1.6%
5	Other	5	0.2%
6	None	1507	57.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Child (cont.)

#84 Q706: Can Read a Letter

Information	[Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*		
Statistics [NW/ W]	[Valid=1307 /-] [Invalid=2617 /-] [Mean=1.779 /-] [StdDev=0.823 /-]		
Value	Label	Cases	Percentage
1	Easily	598	45.8%
2	With Difficulty	406	31.1%
3	Not at all	302	23.1%
9	9	1	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#85 Q707: Husband's work

Information	[Type= continuous] [Format=numeric] [Range= 1-98] [Missing=*		
Statistics [NW/ W]	[Valid=3924 /-] [Invalid=0 /-] [Mean=6.729 /-] [StdDev=6.608 /-]		
Value	Label	Cases	Percentage
1	Farming	1008	25.7%
2	Fishing/hunting	93	2.4%
3	Estate worker	265	6.8%
4	Unskilled labourer (own Account)	443	11.3%
5	Unskilled Labourer (Pvt/Govt institute)	238	6.1%
6	Skilled labourer (own account)	271	6.9%
7	Skilled labourer (Pvt/Govt Institute)	314	8.0%
8	Petty Trader/Hawker	322	8.2%
9	Cottage Industry	26	0.7%
10	Domestic Worker	10	0.3%
11	Teacher - Primary/secondary	47	1.2%
12	Teacher University	11	0.3%
13	Nurse Health worker	9	0.2%
14	Tech/Mgrl/Professional	205	5.2%
15	Other	436	11.1%
16	Pensioneer	11	0.3%
17	17	190	4.8%
25	25	18	0.5%
98	Don't know	7	0.2%
99	99	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#86 Q708: Earns Regular Wages/Salary

Information	[Type= continuous] [Format=numeric] [Range= 1-8] [Missing=*		
Statistics [NW/ W]	[Valid=2916 /-] [Invalid=1008 /-] [Mean=1.384 /-] [StdDev=0.791 /-]		

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Child (cont.)

#86 Q708: Earns Regular Wages/Salary (cont.)

Value	Label	Cases	Percentage
1	Yes	1958	67.1%
2	No	931	31.9%
8	Don't know	27	0.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#87 Q709: Husband Works on His Land

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=1008 /-] [Invalid=2916 /-] [Mean=1.228 /-] [StdDev=0.42 /-]		
Value	Label	Cases	Percentage
1	His/Family land	778	77.2%
2	Someone else's land	230	22.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#88 Q709A: Hires others to work for Him

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=778 /-] [Invalid=3146 /-] [Mean=1.63 /-] [StdDev=0.483 /-]		
Value	Label	Cases	Percentage
1	Yes	288	37.0%
2	No	490	63.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#89 Q710: Work for Money/Share of Crop

Information	[Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=230 /-] [Invalid=3694 /-] [Mean=1.748 /-] [StdDev=0.659 /-]		
Value	Label	Cases	Percentage
1	Money	65	28.3%
2	Share of Crops	164	71.3%
9	9	1	0.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#90 Q711: Worked Regularly before Marriage

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=3924 /-] [Invalid=0 /-] [Mean=1.679 /-] [StdDev=0.467 /-]		

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Child (cont.)

#90 Q711: Worked Regularly before Marriage (cont.)

Value	Label	Cases	Percentage
1	Yes	1259	32.1%
2	No	2665	67.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#91 Q712: Saved the Income or Turned over to Family

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*		
Statistics [NW/ W]	[Valid=1259 /-] [Invalid=2665 /-] [Mean=1.349 /-] [StdDev=0.477 /-]		
Value	Label	Cases	Percentage
1	Turned over to family	819	65.1%
2	Kept for self	440	34.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#92 Q713: Worked other than on a Farm

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*		
Statistics [NW/ W]	[Valid=3924 /-] [Invalid=0 /-] [Mean=1.752 /-] [StdDev=0.432 /-]		
Value	Label	Cases	Percentage
1	Yes	975	24.8%
2	No	2949	75.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#93 Q714: Currently Working other than on a farm

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*		
Statistics [NW/ W]	[Valid=975 /-] [Invalid=2949 /-] [Mean=1.244 /-] [StdDev=0.43 /-]		
Value	Label	Cases	Percentage
1	Yes	737	75.6%
2	No	238	24.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#94 Q715: Currently Working on a farm

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*		
Statistics [NW/ W]	[Valid=3187 /-] [Invalid=737 /-] [Mean=1.955 /-] [StdDev=0.208 /-]		
Value	Label	Cases	Percentage
1	Yes	145	4.5%
2	No	3042	95.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Child (cont.)

#95 Q716: Kind of Work Doing

Information	[Type= continuous] [Format=numeric] [Range= 1-17] [Missing=*]		
Statistics [NW/ W]	[Valid=882 /-] [Invalid=3042 /-] [Mean=7.09 /-] [StdDev=4.968 /-]		
Value	Label	Cases	Percentage
1	Farming	58	7.0%
2	Fishing/hunting	1	0.1%
3	Estate worker	298	35.8%
4	Unskilled labourer (own Account)	78	9.4%
5	Unskilled Labourer (Pvt/Govt institute)	63	7.6%
6	Skilled labourer (own account)	2	0.2%
7	Skilled labourer (Pvt/Govt Institute)	44	5.3%
8	Petty Trader/Hawker	17	2.0%
9	Cottage Industry	13	1.6%
10	Domestic Worker	7	0.8%
11	Teacher - Primary/secondary	113	13.6%
12	Teacher University	17	2.0%
13	Nurse Health worker	25	3.0%
14	Tech/Mgrl/Professional	33	4.0%
15	Other	63	7.6%
16	Pensioneer	0	0.0%
98	Don't know	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#96 LASCHILD: Flag of last child

Information	[Type= continuous] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=3924 /-] [Invalid=0 /-] [Mean=0.757 /-] [StdDev=0.429 /-]

#97 Q403: Received Tetanus Inj. when Pregnant

Information	[Type= continuous] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=3924 /-] [Invalid=0 /-] [Mean=1.931 /-] [StdDev=0.592 /-]		
Value	Label	Cases	Percentage
1	Yes Dose 1	713	18.2%
2	Yes Dose 2	2810	71.6%
3	No	393	10.0%
8	Don't know	8	0.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Child (cont.)

#98 Q404: Family Health Worker Visited

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=3924 /-] [Invalid=0 /-] [Mean=1.225 /-] [StdDev=0.418 /-]		
Value	Label	Cases	Percentage
1	Yes	3040	77.5%
2	No	884	22.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#99 Q405: Visited a Clinic/Doctor

Information	[Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=3924 /-] [Invalid=0 /-] [Mean=1.017 /-] [StdDev=0.176 /-]		
Value	Label	Cases	Percentage
1	Yes	3865	98.5%
2	No	58	1.5%
9	9	1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#100 Q406: Child was Born at

Information	[Type= continuous] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=3924 /-] [Invalid=0 /-] [Mean=1.229 /-] [StdDev=0.593 /-]		
Value	Label	Cases	Percentage
1	Govt Hospital/Maternity Home	3359	85.6%
2	Pvt. Nursing Home	237	6.0%
3	At Home	321	8.2%
4	Other	7	0.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#101 Q407: Who Assisted with Delivery

Information	[Type= continuous] [Format=numeric] [Range= 1-6] [Missing=*]		
Statistics [NW/ W]	[Valid=3924 /-] [Invalid=0 /-] [Mean=1.889 /-] [StdDev=0.643 /-]		
Value	Label	Cases	Percentage
1	Doctor	894	22.8%
2	Govt. Nurse/Family Health Worker	2717	69.2%
3	Traditional Birth Attendant	182	4.6%
4	Real/Neighbour	120	3.1%
5	Other	9	0.2%
6	No one	2	0.1%

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Child (cont.)

#101 Q407: Who Assisted with Delivery (cont.)

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#102 Q408: Ever did Breast Feeding

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W] [Valid=3924 /-] [Invalid=0 /-] [Mean=1.021 /-] [StdDev=0.145 /-]

Value	Label	Cases	Percentage
1	Yes	3840	97.9%
2	No	84	2.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#103 Q409C: How Long After Birth began Feeding

Information [Type= continuous] [Format=numeric] [Range= 0-2] [Missing=*]

Statistics [NW/ W] [Valid=3840 /-] [Invalid=84 /-] [Mean=1.051 /-] [StdDev=0.387 /-]

Value	Label	Cases	Percentage
0	At the same time	195	5.1%
1	Hours	3255	84.8%
2	Days	390	10.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#104 Q409U: Hrs/Days After Birth began Feeding

Information [Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*]

Statistics [NW/ W] [Valid=3840 /-] [Invalid=84 /-] [Mean=2.806 /-] [StdDev=3.248 /-]

Value	Label	Cases	Percentage
0	0	410	10.7%
1	1	1009	26.3%
2	2	881	22.9%
3	3	561	14.6%
4	4	324	8.4%
5	5	223	5.8%
6	6	153	4.0%
7	7	57	1.5%
8	8	69	1.8%
9	9	23	0.6%
10	10	43	1.1%
11	11	6	0.2%
12	12	33	0.9%
13	13	5	0.1%

File DHS93_Child (cont.)

#104 Q409U: Hrs/Days After Birth began Feeding (cont.)

Value (cont.)	Label	Cases	Percentage
14	14	8	0.2%
15	15	11	0.3%
16	16	1	0.0%
18	18	4	0.1%
20	20	7	0.2%
21	21	1	0.0%
22	22	1	0.0%
23	23	1	0.0%
24	24	6	0.2%
28	28	1	0.0%
36	36	1	0.0%
99	99	1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#105 Q410: First Milk Threw away

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=3840 /-] [Invalid=84 /-] [Mean=1.526 /-] [StdDev=0.499 /-]		
Value	Label	Cases	Percentage
1	Yes	1819	47.4%
2	No	2021	52.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#106 Q411: Reason to Throw

Information	[Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=1819 /-] [Invalid=2105 /-] [Mean=4.603 /-] [StdDev=1.818 /-]		
Value	Label	Cases	Percentage
1	Milk Bad for Baby	234	12.9%
2	Milk yellow	99	5.4%
3	Baby refused	33	1.8%
4	Habit	427	23.5%
5	Other	46	2.5%
6	Advised to do so	972	53.4%
9	9	8	0.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Child (cont.)

#107 Q412: Who Advised

Information [Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*]

Statistics [NW/ W] [Valid=980 /-] [Invalid=2944 /-] [Mean=2.126 /-] [StdDev=0.965 /-]

Value	Label	Cases	Percentage
1	Mother/Mother in law	330	33.7%
2	Family Health worker	254	25.9%
3	Hospital staff	344	35.1%
4	Other	51	5.2%
9	9	1	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#108 Q413: Still Breast Feeding

Information [Type= continuous] [Format=numeric] [Range= 1-3] [Missing=*]

Statistics [NW/ W] [Valid=2922 /-] [Invalid=1002 /-] [Mean=1.456 /-] [StdDev=0.515 /-]

Value	Label	Cases	Percentage
1	Yes	1614	55.2%
2	No	1283	43.9%
3	Child dead	25	0.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#109 Q414: Age MM where Breast Feeding Stopped

Information [Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*]

Statistics [NW/ W] [Valid=2226 /-] [Invalid=1698 /-] [Mean=20.53 /-] [StdDev=19.912 /-]

Frequency table not shown (54 Modalities)

#110 Q415: Main Reason for Breast feeding never done/stopped

Information [Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]

Statistics [NW/ W] [Valid=2234 /-] [Invalid=1690 /-] [Mean=7.385 /-] [StdDev=10.996 /-]

Value	Label	Cases	Percentage
1	No milk	263	11.8%
2	Insufficient milk	280	12.5%
3	Nipple injured	29	1.3%
4	Mother ill	180	8.1%
5	Mother busy	86	3.8%
6	Other milk/food better for baby	253	11.3%
7	Baby ill	32	1.4%
8	Baby refused	461	20.6%

File DHS93_Child (cont.)

#110 Q415: Main Reason for Breast feeding never done/stopped (cont.)

Value (cont.)	Label	Cases	Percentage
9	Other	104	4.7%
10	Became pregnant	486	21.8%
11	Baby died right after birth	31	1.4%
99	99	29	1.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#111 Q416A: What age began to give Powered Milk

Information	[Type= continuous] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=3893 /-] [Invalid=31 /-] [Mean=32.208 /-] [StdDev=40.355 /-]
Frequency table not shown (56 Modalities)	

#112 Q416B: What age began to give Cow/goat Milk

Information	[Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*]
Statistics [NW/ W]	[Valid=3893 /-] [Invalid=31 /-] [Mean=82.4 /-] [StdDev=30.996 /-]
Frequency table not shown (57 Modalities)	

#113 Q416C: What age began to give Cungee

Information	[Type= continuous] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=3893 /-] [Invalid=31 /-] [Mean=21.83 /-] [StdDev=35.911 /-]
Frequency table not shown (56 Modalities)	

#114 Q416D: What age began to give Eggs

Information	[Type= continuous] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=3893 /-] [Invalid=31 /-] [Mean=25.544 /-] [StdDev=36.287 /-]
Frequency table not shown (56 Modalities)	

#115 Q416E: What age began to give Potatoes

Information	[Type= continuous] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=3893 /-] [Invalid=31 /-] [Mean=19.571 /-] [StdDev=32.099 /-]
Frequency table not shown (56 Modalities)	

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Child (cont.)

#116 Q416F: What age began to give Fruit Juice

Information	[Type= continuous] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=3893 /-] [Invalid=31 /-] [Mean=20.251 /-] [StdDev=34.788 /-]
Frequency table not shown (56 Modalities)	

#117 Q416G: What age began to give Soup

Information	[Type= continuous] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=3893 /-] [Invalid=31 /-] [Mean=45.941 /-] [StdDev=45.034 /-]
Frequency table not shown (56 Modalities)	

#118 Q416H: What age began to give Water

Information	[Type= continuous] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=3893 /-] [Invalid=31 /-] [Mean=2.515 /-] [StdDev=14.722 /-]
Frequency table not shown (56 Modalities)	

#119 Q417: What age began to give at Least one food except water

Information	[Type= continuous] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=3893 /-] [Invalid=31 /-] [Mean=11.423 /-] [StdDev=25.015 /-]
Frequency table not shown (56 Modalities)	

#120 Q419: Why Waited so long to begin daily suppl. feeding

Information	[Type= continuous] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=332 /-] [Invalid=3592 /-] [Mean=5.012 /-] [StdDev=2.647 /-]

Value	Label	Cases	Percentage
0	0	15	4.5%
1	1	52	15.7%
3	3	42	12.7%
4	4	22	6.6%
5	5	13	3.9%
6	6	28	8.4%
7	7	130	39.2%
8	8	15	4.5%
9	9	15	4.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Child (cont.)

#121 Q420: Continue/reduce/stop Breast feeding when suppli. feeding was given

Information	[Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*		
Statistics [NW/ W]	[Valid=3603 /-] [Invalid=321 /-] [Mean=1.6 /-] [StdDev=1.319 /-]		
Value	Label	Cases	Percentage
1	Continued full..	2465	68.4%
2	Reduced	792	22.0%
3	Stopped	155	4.3%
4	Never breastfed	34	0.9%
7	7	150	4.2%
9	9	7	0.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#122 Q421: Periods returned in mths after birth

Information	[Type= continuous] [Format=numeric] [Range= 0-96] [Missing=*		
Statistics [NW/ W]	[Valid=3924 /-] [Invalid=0 /-] [Mean=16.203 /-] [StdDev=30.031 /-]		
Frequency table not shown (32 Modalities)			

#123 Q422: Resumed Sexual Relations since birth

Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*		
Statistics [NW/ W]	[Valid=2975 /-] [Invalid=949 /-] [Mean=1.135 /-] [StdDev=0.342 /-]		
Value	Label	Cases	Percentage
1	Yes	2573	86.5%
2	No	402	13.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#124 Q423: No of Mths to resume Sex after Birth of

Information	[Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*		
Statistics [NW/ W]	[Valid=3522 /-] [Invalid=402 /-] [Mean=5.009 /-] [StdDev=8.789 /-]		
Value	Label	Cases	Percentage
0	0	4	0.1%
1	1	166	4.7%
2	2	335	9.5%
3	3	1386	39.4%
4	4	592	16.8%
5	5	372	10.6%
6	6	248	7.0%
7	7	95	2.7%

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Child (cont.)

#124 Q423: No of Mths to resume Sex after Birth of (cont.)

Value (cont.)	Label	Cases	Percentage
8	8	68	1.9%
9	9	26	0.7%
10	10	37	1.1%
11	11	6	0.2%
12	12	96	2.7%
13	13	10	0.3%
14	14	4	0.1%
15	15	1	0.0%
16	16	4	0.1%
17	17	5	0.1%
18	18	19	0.5%
19	19	2	0.1%
20	20	2	0.1%
23	23	1	0.0%
24	24	12	0.3%
30	30	1	0.0%
34	34	1	0.0%
96	Not yet resumed	14	0.4%
99	99	14	0.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#125 Q424: Immunization card

Information	[Type= continuous] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=3924 /-] [Invalid=0 /-] [Mean=1.248 /-] [StdDev=0.54 /-]		
Value	Label	Cases	Percentage
1	Yes card seen	3154	80.4%
2	Yes card not seen	565	14.4%
3	No card	205	5.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#126 BCGNO: BCG Given

Information	[Type= continuous] [Format=numeric] [Range= 0-0] [Missing=*]		
Statistics [NW/ W]	[Valid=3154 /-] [Invalid=770 /-] [Mean=0 /-] [StdDev=0 /-]		
Value	Label	Cases	Percentage
0	Given	3154	100.0%
1	Not given	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Child (cont.)

#127 BCGDATE: Date BCG Given

Information	[Type= continuous] [Format=numeric] [Range= 880616-999999] [Missing=*]
Statistics [NW/ W]	[Valid=3154 /-] [Invalid=770 /-] [Mean=907413.523 /-] [StdDev=15347.348 /-]

#128 TR1NO: Triple1 Given

Information	[Type= continuous] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=3154 /-] [Invalid=770 /-] [Mean=0.0612 /-] [StdDev=0.24 /-]

Value	Label	Cases	Percentage
0	Given	2961	93.9%
1	Not given	193	6.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#129 TR1DATE: Date triple1 Given

Information	[Type= continuous] [Format=numeric] [Range= 880927-999999] [Missing=*]
Statistics [NW/ W]	[Valid=2961 /-] [Invalid=963 /-] [Mean=908920.503 /-] [StdDev=14464.216 /-]

#130 PO1NO: Polio1 Given

Information	[Type= continuous] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=3154 /-] [Invalid=770 /-] [Mean=0.0631 /-] [StdDev=0.243 /-]

Value	Label	Cases	Percentage
0	Given	2955	93.7%
1	Not given	199	6.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#131 PO1DATE: Date Polio1 Given

Information	[Type= continuous] [Format=numeric] [Range= 880927-999999] [Missing=*]
Statistics [NW/ W]	[Valid=2955 /-] [Invalid=969 /-] [Mean=908917.069 /-] [StdDev=14469.391 /-]

#132 TR2NO: Triple2 Given

Information	[Type= continuous] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=3154 /-] [Invalid=770 /-] [Mean=0.097 /-] [StdDev=0.296 /-]

Value	Label	Cases	Percentage
0	Given	2848	90.3%
1	Not given	306	9.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Child (cont.)

#133 TR2DATE: Date Triple2 Given

Information	[Type= continuous] [Format=numeric] [Range= 881107-999999] [Missing=*]
Statistics [NW/ W]	[Valid=2848 /-] [Invalid=1076 /-] [Mean=909792.123 /-] [StdDev=13768.054 /-]

#134 PO2NO: Polio2 Given

Information	[Type= continuous] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=3154 /-] [Invalid=770 /-] [Mean=0.0986 /-] [StdDev=0.298 /-]

Value	Label	Cases	Percentage
0	Given	2843	90.1%
1	Not given	311	9.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#135 PO2DATE: Date Polio2 Given

Information	[Type= continuous] [Format=numeric] [Range= 881107-999999] [Missing=*]
Statistics [NW/ W]	[Valid=2843 /-] [Invalid=1081 /-] [Mean=909804.951 /-] [StdDev=13773.34 /-]

#136 TR3NO: Triple3 Given

Information	[Type= continuous] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=3154 /-] [Invalid=770 /-] [Mean=0.137 /-] [StdDev=0.344 /-]

Value	Label	Cases	Percentage
0	Given	2722	86.3%
1	Not given	432	13.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#137 TR3DATE: Date Triple3 Given

Information	[Type= continuous] [Format=numeric] [Range= 881227-999999] [Missing=*]
Statistics [NW/ W]	[Valid=2722 /-] [Invalid=1202 /-] [Mean=910468.919 /-] [StdDev=13367.288 /-]

#138 PO3NO: Polio3 Given

Information	[Type= continuous] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=3154 /-] [Invalid=770 /-] [Mean=0.14 /-] [StdDev=0.347 /-]

Value	Label	Cases	Percentage
0	Given	2713	86.0%
1	Not given	441	14.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Child (cont.)

#139 PO3DATE: Date Polio3 Given

Information	[Type= continuous] [Format=numeric] [Range= 881227-999999] [Missing=*]
Statistics [NW/ W]	[Valid=2713 /-] [Invalid=1211 /-] [Mean=910515.943 /-] [StdDev=13579.382 /-]

#140 MSNO: Measles Inj Given

Information	[Type= continuous] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=3154 /-] [Invalid=770 /-] [Mean=0.198 /-] [StdDev=0.399 /-]

Value	Label	Cases	Percentage
0	Given	2529	80.2%
1	Not given	625	19.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#141 MSDATE: Date Measles Inj Given

Information	[Type= continuous] [Format=numeric] [Range= 890405-999999] [Missing=*]
Statistics [NW/ W]	[Valid=2529 /-] [Invalid=1395 /-] [Mean=911004.388 /-] [StdDev=12893.286 /-]

#142 TR4NO: Triple4 Given

Information	[Type= continuous] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=3154 /-] [Invalid=770 /-] [Mean=0.371 /-] [StdDev=0.483 /-]

Value	Label	Cases	Percentage
0	Given	1983	62.9%
1	Not given	1171	37.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#143 TR4DATE: Date Triple4 Given

Information	[Type= continuous] [Format=numeric] [Range= 891218-999999] [Missing=*]
Statistics [NW/ W]	[Valid=1983 /-] [Invalid=1941 /-] [Mean=915036.934 /-] [StdDev=10995.707 /-]

#144 PO4NO: Polio4 Given

Information	[Type= continuous] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=3154 /-] [Invalid=770 /-] [Mean=0.376 /-] [StdDev=0.484 /-]

Value	Label	Cases	Percentage
0	Given	1969	62.4%
1	Not given	1185	37.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Child (cont.)

#145 PO4DATE: Date Polio4 Given

Information	[Type= continuous] [Format=numeric] [Range= 891218-999999] [Missing=*]
Statistics [NW/ W]	[Valid=1969 /-] [Invalid=1955 /-] [Mean=915012.863 /-] [StdDev=11007.63 /-]

#146 Q426: Card Weight at Birth

Information	[Type= continuous] [Format=numeric] [Range= 10-999] [Missing=*]
Statistics [NW/ W]	[Valid=3154 /-] [Invalid=770 /-] [Mean=89.817 /-] [StdDev=236.663 /-]
Frequency table not shown (49 Modalities)	

#147 Q427: Weight at Birth

Information	[Type= continuous] [Format=numeric] [Range= 10-999] [Missing=*]
Statistics [NW/ W]	[Valid=770 /-] [Invalid=3154 /-] [Mean=164.865 /-] [StdDev=339.001 /-]
Frequency table not shown (40 Modalities)	

#148 Q428: Ever Had immunization

Information	[Type= continuous] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=770 /-] [Invalid=3154 /-] [Mean=1.205 /-] [StdDev=0.905 /-]		
Value	Label	Cases	Percentage
1	Yes	684	88.8%
2	No	74	9.6%
8	Don't know	12	1.6%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#149 Q429A: Had BCG

Information	[Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=684 /-] [Invalid=3240 /-] [Mean=1.018 /-] [StdDev=0.315 /-]		
Value	Label	Cases	Percentage
1	Yes	679	99.3%
2	No	4	0.6%
9	9	1	0.1%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#150 Q429B: Had Triple1

Information	[Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=684 /-] [Invalid=3240 /-] [Mean=1.089 /-] [StdDev=0.404 /-]

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Child (cont.)

#150 Q429B: Had Triple1 (cont.)

Value	Label	Cases	Percentage
1	Yes	630	92.1%
2	No	53	7.7%
9	9	1	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#151 Q429C: Had Polio1

Information	[Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=684 /-] [Invalid=3240 /-] [Mean=1.091 /-] [StdDev=0.406 /-]		
Value	Label	Cases	Percentage
1	Yes	629	92.0%
2	No	54	7.9%
9	9	1	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#152 Q429D: Had Triple 2

Information	[Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=684 /-] [Invalid=3240 /-] [Mean=1.132 /-] [StdDev=0.443 /-]		
Value	Label	Cases	Percentage
1	Yes	601	87.9%
2	No	82	12.0%
9	9	1	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#153 Q429E: Had Polio2

Information	[Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=684 /-] [Invalid=3240 /-] [Mean=1.135 /-] [StdDev=0.446 /-]		
Value	Label	Cases	Percentage
1	Yes	599	87.6%
2	No	84	12.3%
9	9	1	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#154 Q429F: Had Triple3

Information	[Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=684 /-] [Invalid=3240 /-] [Mean=1.174 /-] [StdDev=0.475 /-]		

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Child (cont.)

#154 Q429F: Had Triple3 (cont.)

Value	Label	Cases	Percentage
1	Yes	572	83.6%
2	No	111	16.2%
9	9	1	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#155 Q429G: Had Polio3

Information	[Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=684 /-] [Invalid=3240 /-] [Mean=1.175 /-] [StdDev=0.476 /-]

Value	Label	Cases	Percentage
1	Yes	571	83.5%
2	No	112	16.4%
9	9	1	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#156 Q429H: Had Triple4

Information	[Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=684 /-] [Invalid=3240 /-] [Mean=1.373 /-] [StdDev=0.631 /-]

Value	Label	Cases	Percentage
1	Yes	443	64.8%
2	No	239	34.9%
9	9	2	0.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#157 Q429I: Had Polio4

Information	[Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=684 /-] [Invalid=3240 /-] [Mean=1.374 /-] [StdDev=0.631 /-]

Value	Label	Cases	Percentage
1	Yes	442	64.6%
2	No	240	35.1%
9	9	2	0.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#158 Q430: Age at which Immunization Given

Information	[Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*]
Statistics [NW/ W]	[Valid=684 /-] [Invalid=3240 /-] [Mean=16.471 /-] [StdDev=15.257 /-]

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Child (cont.)

#158 Q430: Age at which Immunization Given (cont.)

Value	Label	Cases	Percentage
0	0	38	5.6%
1	1	9	1.3%
2	2	1	0.1%
3	3	21	3.1%
4	4	3	0.4%
5	5	15	2.2%
6	6	5	0.7%
7	7	29	4.2%
8	8	4	0.6%
9	9	85	12.4%
10	10	6	0.9%
11	11	3	0.4%
12	12	4	0.6%
13	13	1	0.1%
15	15	5	0.7%
16	16	17	2.5%
17	17	10	1.5%
18	18	389	56.9%
19	19	5	0.7%
20	20	3	0.4%
22	22	1	0.1%
24	24	3	0.4%
30	30	1	0.1%
32	32	3	0.4%
36	36	3	0.4%
54	54	1	0.1%
97	97	7	1.0%
98	98	2	0.3%
99	99	10	1.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#159 Q431: Measles Inj Given

Information [Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*]

Statistics [NW/ W] [Valid=684 /-] [Invalid=3240 /-] [Mean=1.213 /-] [StdDev=0.5 /-]

Value	Label	Cases	Percentage
1	Yes	545	79.7%
2	No	138	20.2%
9	9	1	0.1%

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Child (cont.)

#159 Q431: Measles Inj Given (cont.)

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#160 Q432: Diarrhoea 4 or More Times last 24 Hrs

Information [Type= continuous] [Format=numeric] [Range= 1-3] [Missing=*]

Statistics [NW/ W] [Valid=3924 /-] [Invalid=0 /-] [Mean=2.003 /-] [StdDev=0.209 /-]

Value	Label	Cases	Percentage
1	Yes	80	2.0%
2	No	3752	95.6%
3	Child dead	92	2.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#161 Q433: Diarrhoea 4 or More Times last 2wks

Information [Type= continuous] [Format=numeric] [Range= 1-8] [Missing=*]

Statistics [NW/ W] [Valid=3844 /-] [Invalid=80 /-] [Mean=2.03 /-] [StdDev=0.548 /-]

Value	Label	Cases	Percentage
1	Yes	131	3.4%
2	No	3595	93.5%
3	Child Dead	92	2.4%
8	Don't know8	26	0.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#162 Q434: Diarrhoea Treatment Method

Information [Type= continuous] [Format=numeric] [Range= 1-4] [Missing=*]

Statistics [NW/ W] [Valid=211 /-] [Invalid=3713 /-] [Mean=2.175 /-] [StdDev=1.258 /-]

Value	Label	Cases	Percentage
1	Yes - Govt Hospital	89	42.2%
2	Yes - Western Dr	58	27.5%
3	Yes - Ayur Dr	2	0.9%
4	No Not Taken	62	29.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#163 Q435: Treated Diarrhoea with Jeevani/ORS

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W] [Valid=211 /-] [Invalid=3713 /-] [Mean=1.649 /-] [StdDev=0.478 /-]

Value	Label	Cases	Percentage
1	Yes	74	35.1%

File DHS93_Child (cont.)

#163 Q435: Treated Diarrhoea with Jeevani/ORS (cont.)

Value (cont.)	Label	Cases	Percentage
2	No	137	64.9%
8	Don't know	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#164 Q436A: Water given to treat diarrhoea

Information	[Type= continuous] [Format=numeric] [Range= 1-1] [Missing=*]
Statistics [NW/ W]	[Valid=71 /-] [Invalid=3853 /-] [Mean=1 /-] [StdDev=0 /-]

Value	Label	Cases	Percentage
1	Yes	71	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#165 Q436B: Tablets/Inj/Syrup Given to treat Diarrhoea

Information	[Type= continuous] [Format=numeric] [Range= 1-1] [Missing=*]
Statistics [NW/ W]	[Valid=75 /-] [Invalid=3849 /-] [Mean=1 /-] [StdDev=0 /-]

Value	Label	Cases	Percentage
1	Yes	75	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#166 Q436C: Increased fluids to Treat Diarrhoea

Information	[Type= continuous] [Format=numeric] [Range= 1-1] [Missing=*]
Statistics [NW/ W]	[Valid=66 /-] [Invalid=3858 /-] [Mean=1 /-] [StdDev=0 /-]

Value	Label	Cases	Percentage
1	Yes	66	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#167 Q436D: Increased foods to Treat Diarrhoea

Information	[Type= continuous] [Format=numeric] [Range= 1-1] [Missing=*]
Statistics [NW/ W]	[Valid=7 /-] [Invalid=3917 /-] [Mean=1 /-] [StdDev=0 /-]

Value	Label	Cases	Percentage
1	Yes	7	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#168 Q436E: Gave cunjee to Treat Diarrhoea

Information	[Type= continuous] [Format=numeric] [Range= 1-1] [Missing=*]
-------------	--

File DHS93_Child (cont.)

#168 Q436E: Gave cunjee to Treat Diarrhoea (cont.)

Statistics [NW/ W]	[Valid=53 /-] [Invalid=3871 /-] [Mean=1 /-] [StdDev=0 /-]
--------------------	---

Value	Label	Cases	Percentage
1	Yes	53	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#169 Q436F: Decreased fluids to Treat Diarrhoea

Information	[Type= continuous] [Format=numeric] [Range= 1-1] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=11 /-] [Invalid=3913 /-] [Mean=1 /-] [StdDev=0 /-]
--------------------	---

Value	Label	Cases	Percentage
1	Yes	11	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#170 Q436G: Decreased foods to Treat Diarrhoea

Information	[Type= continuous] [Format=numeric] [Range= 1-1] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=40 /-] [Invalid=3884 /-] [Mean=1 /-] [StdDev=0 /-]
--------------------	---

Value	Label	Cases	Percentage
1	Yes	40	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#171 Q436H: Other to treat Diarrhoea

Information	[Type= continuous] [Format=numeric] [Range= 1-1] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=43 /-] [Invalid=3881 /-] [Mean=1 /-] [StdDev=0 /-]
--------------------	---

Value	Label	Cases	Percentage
1	Yes	43	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#172 Q436I: Nothing Done to treat Diarrhoea

Information	[Type= continuous] [Format=numeric] [Range= 1-1] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=49 /-] [Invalid=3875 /-] [Mean=1 /-] [StdDev=0 /-]
--------------------	---

Value	Label	Cases	Percentage
1	Yes	49	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#173 Q438: Heard of Jeevani or any ORS

Information	[Type= continuous] [Format=numeric] [Range= 1-8] [Missing=*]
-------------	--

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Child (cont.)

#173 Q438: Heard of Jeevani or any ORS (cont.)

Statistics [NW/ W] [Valid=3811 /-] [Invalid=113 /-] [Mean=1.08 /-] [StdDev=0.532 /-]

Value	Label	Cases	Percentage
1	Yes	3621	95.0%
2	No	171	4.5%
8	Don't know	19	0.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#174 Q439: Gave Jeevani or ORS to any of the children

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W] [Valid=3621 /-] [Invalid=303 /-] [Mean=1.419 /-] [StdDev=0.493 /-]

Value	Label	Cases	Percentage
1	Yes	2103	58.1%
2	No	1518	41.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#175 Q440: Obtained the Packet From

Information [Type= continuous] [Format=numeric] [Range= 1-5] [Missing=*]

Statistics [NW/ W] [Valid=2216 /-] [Invalid=1708 /-] [Mean=1.949 /-] [StdDev=1.148 /-]

Value	Label	Cases	Percentage
1	Govt Hospital/Clinic	1254	56.6%
2	MOH Office	50	2.3%
3	Pharmacy	721	32.5%
4	Pvt doctor	154	6.9%
5	Other	37	1.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#176 Q442: No of Times of Breastfed Yesterday Night time

Information [Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*]

Statistics [NW/ W] [Valid=2301 /-] [Invalid=1623 /-] [Mean=40.975 /-] [StdDev=45.298 /-]

Value	Label	Cases	Percentage
0	0	15	0.7%
1	1	94	4.1%
2	2	237	10.3%
3	3	360	15.6%
4	4	259	11.3%
5	5	211	9.2%

File DHS93_Child (cont.)

#176 Q442: No of Times of Breastfed Yesterday Night time (cont.)

Value (cont.)	Label	Cases	Percentage
6	6	105	4.6%
7	7	29	1.3%
8	8	29	1.3%
9	9	2	0.1%
10	10	26	1.1%
12	12	3	0.1%
15	15	2	0.1%
20	20	1	0.0%
96	Sleeps at breast	918	39.9%
98	98	2	0.1%
99	99	8	0.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#177 Q443: No of times Breastfed Yesterday Day time

Value	Label	Cases	Percentage
0	0	109	4.7%
1	1	135	5.9%
2	2	220	9.6%
3	3	256	11.1%
4	4	227	9.9%
5	5	188	8.2%
6	6	98	4.3%
7	7	30	1.3%
8	8	23	1.0%
9	9	1	0.0%
10	10	21	0.9%
12	12	5	0.2%
13	13	1	0.0%
15	15	5	0.2%
20	20	3	0.1%
96	as often as wanted	969	42.1%
98	98	2	0.1%
99	99	8	0.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Child (cont.)

#178 Q444A: Gave Water Last Night/Yesterday

Information	[Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=2301 /-] [Invalid=1623 /-] [Mean=1.097 /-] [StdDev=0.532 /-]		
Value	Label	Cases	Percentage
1	Yes	2133	92.7%
2	No	160	7.0%
9	9	8	0.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#179 Q444B: Gave Fruit Juice Last Night/Yesterday

Information	[Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=2301 /-] [Invalid=1623 /-] [Mean=1.7 /-] [StdDev=0.636 /-]		
Value	Label	Cases	Percentage
1	Yes	747	32.5%
2	No	1546	67.2%
9	9	8	0.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#180 Q444C: Gave Powdered Milk Last Night/Yesterday

Information	[Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=2301 /-] [Invalid=1623 /-] [Mean=1.577 /-] [StdDev=0.663 /-]		
Value	Label	Cases	Percentage
1	Yes	1030	44.8%
2	No	1263	54.9%
9	9	8	0.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#181 Q444D: Gave Cow's/Goats Milk Last Night/Yesterday

Information	[Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=2301 /-] [Invalid=1623 /-] [Mean=1.987 /-] [StdDev=0.455 /-]		
Value	Label	Cases	Percentage
1	Yes	85	3.7%
2	No	2208	96.0%
9	9	8	0.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Child (cont.)

#182 Q444E: Gave Vitamin Syrup/Medicine Last Night/Yesterday

Information	[Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*		
Statistics [NW/ W]	[Valid=2301 /-] [Invalid=1623 /-] [Mean=1.818 /-] [StdDev=0.586 /-]		
Value	Label	Cases	Percentage
1	Yes	475	20.6%
2	No	1818	79.0%
9	9	8	0.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#183 Q444F: Gave Any Other Liquid Last Night/Yesterday

Information	[Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*		
Statistics [NW/ W]	[Valid=2301 /-] [Invalid=1623 /-] [Mean=1.58 /-] [StdDev=0.662 /-]		
Value	Label	Cases	Percentage
1	Yes	1022	44.4%
2	No	1271	55.2%
9	9	8	0.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#184 Q444G: Gave Any Solid or Mushy food Last Nigh/Yesterday

Information	[Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*		
Statistics [NW/ W]	[Valid=2301 /-] [Invalid=1623 /-] [Mean=1.343 /-] [StdDev=0.648 /-]		
Value	Label	Cases	Percentage
1	Yes	1567	68.1%
2	No	726	31.6%
9	9	8	0.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#185 Q446: Used a Bottle with Nipple to give Liquids

Information	[Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*		
Statistics [NW/ W]	[Valid=2208 /-] [Invalid=1716 /-] [Mean=1.604 /-] [StdDev=0.665 /-]		
Value	Label	Cases	Percentage
1	Yes	931	42.3%
2	No	1269	57.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#186 Q448: Continued/reduced/stopped Breastfeeding when there is Diarrhoea

Information	[Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*		
-------------	---	--	--

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Child (cont.)

#186 Q448: Continued/reduced/stopped Breastfeeding when there is Diarrhoea (cont.)

Statistics [NW/ W] [Valid=193 /-] [Invalid=3731 /-] [Mean=1.451 /-] [StdDev=1.62 /-]

Value	Label	Cases	Percentage
1	Continued full	166	89.7%
2	Reduced	15	8.1%
3	Stopped Completely	4	2.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#187 Q449: Reason for reduce/stop breastfeeding

Information [Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*]

Statistics [NW/ W] [Valid=27 /-] [Invalid=3897 /-] [Mean=4.741 /-] [StdDev=3.02 /-]

Value	Label	Cases	Percentage
1	Bad for the child	5	26.3%
2	Parents advised	1	5.3%
3	Dr/Family health worker advised	3	15.8%
4	Child refused	10	52.6%
5	Other	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#188 Q801: Measurer

Information [Type= continuous] [Format=numeric] [Range= 1-11] [Missing=*]

Statistics [NW/ W] [Valid=3860 /-] [Invalid=64 /-] [Mean=5.883 /-] [StdDev=3.048 /-]

#189 Q802M: Dob MM

Information [Type= continuous] [Format=numeric] [Range= 1-12] [Missing=*]

Statistics [NW/ W] [Valid=3859 /-] [Invalid=65 /-] [Mean=6.584 /-] [StdDev=3.459 /-]

#190 Q802Y: Dob YY

Information [Type= continuous] [Format=numeric] [Range= 88-93] [Missing=*]

Statistics [NW/ W] [Valid=3859 /-] [Invalid=65 /-] [Mean=90.581 /-] [StdDev=1.528 /-]

#191 Q803: Age MM

Information [Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W] [Valid=3859 /-] [Invalid=65 /-] [Mean=1.052 /-] [StdDev=0.222 /-]

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Child (cont.)

#192 Q804: Length

Information	[Type= continuous] [Format=numeric] [Range= 542-9999] [Missing=*]
Statistics [NW/ W]	[Valid=3659 /-] [Invalid=265 /-] [Mean=1665.26 /-] [StdDev=2604.846 /-]

#193 Q805: Weight

Information	[Type= continuous] [Format=numeric] [Range= 39-999] [Missing=*]
Statistics [NW/ W]	[Valid=3659 /-] [Invalid=265 /-] [Mean=190.16 /-] [StdDev=259.301 /-]

#194 Q806: Result

Information	[Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=3659 /-] [Invalid=265 /-] [Mean=1.189 /-] [StdDev=0.717 /-]

Value	Label	Cases	Percentage
1	Measured	3347	91.5%
2	Not at home	142	3.9%
3	Refused	23	0.6%
4	Child Cried	89	2.4%
5	Other	57	1.6%
9	9	1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#195 CCMC: Childs Century Month

Information	[Type= continuous] [Format=numeric] [Range= 1062-1125] [Missing=*]
Statistics [NW/ W]	[Valid=3924 /-] [Invalid=0 /-] [Mean=1093.683 /-] [StdDev=17.612 /-]

Frequency table not shown (64 Modalities)

#196 WCMC: Womens CMC of Birth

Information	[Type= continuous] [Format=numeric] [Range= 529-928] [Missing=*]
Statistics [NW/ W]	[Valid=3924 /-] [Invalid=0 /-] [Mean=764.335 /-] [StdDev=72.856 /-]

Frequency table not shown (354 Modalities)

#197 CMINTV: Century Month of interview

Information	[Type= continuous] [Format=numeric] [Range= 1123-1126] [Missing=*]
Statistics [NW/ W]	[Valid=3924 /-] [Invalid=0 /-] [Mean=1123.627 /-] [StdDev=0.688 /-]

Value	Label	Cases	Percentage
1123	1123	1911	48.7%

Demographic and Health Survey - 1993 - Variables Description

File DHS93_Child (cont.)

#197 CMINTV: Century Month of interview (cont.)

Value (cont.)	Label	Cases	Percentage
1124	1124	1587	40.4%
1125	1125	404	10.3%
1126	1126	22	0.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#198 RWEIGHT: Respondants Sample weight

Information	[Type= continuous] [Format=numeric] [Range= 142125-1670273] [Missing=*]
Statistics [NW/ W]	[Valid=3924 /-] [Invalid=0 /-] [Mean=962638.413 /-] [StdDev=497003.898 /-]

#199 MARCMC: Century month of marriage

Information	[Type= continuous] [Format=numeric] [Range= 711-1116] [Missing=*]
Statistics [NW/ W]	[Valid=3562 /-] [Invalid=362 /-] [Mean=1028.371 /-] [StdDev=60.097 /-]
Frequency table not shown (290 Modalities)	

#200 BIRTHINT: Birth Interval

Information	[Type= continuous] [Format=numeric] [Range= 0-999] [Missing=*]
Statistics [NW/ W]	[Valid=3924 /-] [Invalid=0 /-] [Mean=386.736 /-] [StdDev=460.115 /-]
Frequency table not shown (143 Modalities)	

#201 LACHIAGE: Age of last child

Information	[Type= continuous] [Format=numeric] [Range= 0-5] [Missing=*]
Statistics [NW/ W]	[Valid=2926 /-] [Invalid=998 /-] [Mean=1.704 /-] [StdDev=1.407 /-]

Value	Label	Cases	Percentage
0	0	745	25.5%
1	1	737	25.2%
2	2	530	18.1%
3	3	503	17.2%
4	4	374	12.8%
5	5	37	1.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Documentation

Reports and analytical documents	342
Sri Lanka Demographic and Health Survey 1993 (Preliminary Report)	342
Sri Lanka Demographic and Health Survey 1993	342
Nutrition Status of Children in Sri Lanka	342
Summary of Findings	342
DHS 1993 Sample Weights	342
Questionnaires	342
Sri Lanka Demographic and Health Survey 1993	342
Technical documents	342
Edit Specifications, Sri Lanka Demographic and Health Survey 1993	342
Demographic Health Survey 1993 (Household File)	343
Demographic Health Survey 1993 (Child File)	343
Demographic Health Survey 1993 (Women File)	343
Demographic Health Survey 1993 (Person File)	343
Administrative documents	343
Instructions for Field Interviewers - DHS93	343
Instruction for Supervisors - DHS93	343
Other documents	343
Photographs of Measurements of Length, Height and weight of Children - DHS93	343
Study Documentation of DHS93 Project	343

Reports and analytical documents

Sri Lanka Demographic and Health Survey 1993 (Preliminary Report), sri Lanka [lka], english [eng]

Sri Lanka Demographic and Health Survey 1993, Department of Census and Statistics, Sri Lanka [lka], English [eng]

Nutrition Status of Children in Sri Lanka, H.R. Gunasekera, July 1996, Sri Lanka [lka], English [eng]

Summary of Findings, Sri Lanka [lka], english [eng],
 "C:\Users\DeI\Desktop\ADP\DHS93\Documentation\DHS93SummaryofFindings.pdf"

DHS 1993 Sample Weights, Sri Lanka [lka], Fijian [fij], "C:\Users\DeI\Desktop\ADP\DHS93\Documentation\DHS 1993 Sample Weights.pdf"

Questionnaires

Sri Lanka Demographic and Health Survey 1993, Department of Census and Statistics, January 1993, Sri Lanka [lka], English [eng], "C:\Users\DeI\Desktop\ADP\DHS93\Documentation\DHS 1993 Questionnaire.pdf"

Technical documents

Edit Specifications, Sri Lanka Demographic and Health Survey 1993, Sri Lanka [lka], english [eng]

Demographic Health Survey 1993 (Household File), "C:\Users\Dell\Desktop\ADP\DHS93\Documentation\DHS 1993 Household data Layout.pdf"

Demographic Health Survey 1993 (Child File), "C:\Users\Dell\Desktop\ADP\DHS93\Documentation\DHS 1993 Child data Layout.pdf"

Demographic Health Survey 1993 (Women File), "C:\Users\Dell\Desktop\ADP\DHS93\Documentation\DHS 1993 Women data Layout.pdf"

Demographic Health Survey 1993 (Person File), "C:\Users\Dell\Desktop\ADP\DHS93\Documentation\DHS 1993 Person data Layout.pdf"

Administrative documents

Instructions for Field Interviewers - DHS93, Sri Lanka [lka], english [eng]

Instruction for Supervisors - DHS93

Other documents

Photographs of Measurements of Length, Height and weight of Children - DHS93, sri Lanka [lka], english [eng], "C:\Users\Dell\Desktop\ADP\DHS93\Documentation\Photographs-Measurements-DHS93.pdf"

Study Documentation of DHS93 Project, "Documentation\Study Documentation of DHS93 Project.pdf"